



(11) **EP 2 365 557 A3**

(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
14.05.2014 Bulletin 2014/20

(51) Int Cl.:
H01L 51/52^(2006.01) H01L 27/32^(2006.01)

(43) Date of publication A2:
14.09.2011 Bulletin 2011/37

(21) Application number: **11250277.8**

(22) Date of filing: **10.03.2011**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

- **Lee, Joo-Hyeon**
Yongin-City
Gyeonggi-Do 446-711 (KR)
- **Chung, Jin-Koo**
Yongin-City
Gyeonggi-Do 446-711 (KR)

(30) Priority: **10.03.2010 KR 20100021384**

(74) Representative: **Mounteney, Simon James**
Marks & Clerk LLP
90 Long Acre
London
WC2E 9RA (GB)

(71) Applicant: **Samsung Display Co., Ltd.**
Yongin-City, Gyeonggi-Do (KR)


(72) Inventors:
• **Park, Byoung -Hee**
Yongin-City
Gyeonggi-Do 446-711 (KR)

(54) **Organic light emitting display device and method of manufacturing the same**

(57) An organic light emitting display device having high transmittance with respect to external light and a method of manufacturing the same. The organic light emitting display device includes a substrate; a plurality of pixels formed on the substrate, each of the pixels including a first region that emits light and a second region that transmits external light; a plurality of thin film transistors disposed in the first region of each pixel; a plurality of first electrodes disposed in the first region of each pixel

and electrically connected to the thin film transistors, respectively; a second electrode formed opposite to the plurality of first electrodes and comprising a plurality of transmission windows corresponding to the second regions; and an organic layer formed between the first electrodes and the second electrode. The transmission windows can be formed in the second electrode, that is, a cathode.

FIG. 3



EP 2 365 557 A3

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 11 25 0277

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

08-04-2014

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2007194702 A1	23-08-2007	US 2007194702 A1	23-08-2007
		US 2008303994 A1	11-12-2008
US 2006097251 A1	11-05-2006	CN 1802051 A	12-07-2006
		JP 4295249 B2	15-07-2009
		JP 2006140127 A	01-06-2006
		KR 20060044254 A	16-05-2006
		US 2006097251 A1	11-05-2006
EP 1770672 A1	04-04-2007	EP 1770672 A1	04-04-2007
		EP 1770673 A1	04-04-2007
		US 2007069995 A1	29-03-2007
		US 2007075943 A1	05-04-2007
US 2007291325 A1	20-12-2007	CN 1938854 A	28-03-2007
		JP 4759511 B2	31-08-2011
		TW I263340 B	01-10-2006
		US 2007291325 A1	20-12-2007
		WO 2005104234 A1	03-11-2005

专利名称(译)	有机发光显示装置及其制造方法		
公开(公告)号	EP2365557A3	公开(公告)日	2014-05-14
申请号	EP2011250277	申请日	2011-03-10
[标]申请(专利权)人(译)	三星显示有限公司		
申请(专利权)人(译)	三星移动显示器有限公司.		
当前申请(专利权)人(译)	三星DISPLAY CO. , LTD.		
[标]发明人	PARK BYOUNG HEE LEE JOO HYEON CHUNG JIN KOO		
发明人	PARK, BYOUNG -HEE LEE, JOO-HYEON CHUNG, JIN-KOO		
IPC分类号	H01L51/52 H01L27/32		
CPC分类号	H01L51/0023 H01L27/3211 H01L27/326 H01L27/3272 H01L29/7869 H01L51/5221 H01L51/5231 H01L51/5234 H01L2227/323 H01L2251/5323		
优先权	1020100021384 2010-03-10 KR		
其他公开文献	EP2365557A2		
外部链接	Espacenet		

摘要(译)

一种相对于外部光具有高透射率的有机发光显示装置及其制造方法。有机发光显示装置包括基板;形成在基板上的多个像素,每个像素包括发光的第一区域和透射外部光的第二区域;多个薄膜晶体管设置在每个像素的第一区域中;多个第一电极,分别设置在每个像素的第一区域中并电连接到薄膜晶体管;第二电极,与所述多个第一电极相对形成,并包括多个对应于所述第二区域的透射窗;以及在第一电极和第二电极之间形成的有机层。透射窗口可以形成在第二电极中,即阴极。

