



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
05.12.2012 Bulletin 2012/49

(51) Int Cl.:
H01L 51/52^(2006.01) H01L 51/56^(2006.01)

(43) Date of publication A2:
25.07.2007 Bulletin 2007/30

(21) Application number: **07250281.8**

(22) Date of filing: **24.01.2007**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IS IT LI LT LU LV MC NL PL PT RO SE SI SK TR

Designated Extension States:
AL BA HR MK RS

(30) Priority: **24.01.2006 KR 20060007353**
21.03.2006 KR 20060025755

(71) Applicant: **Samsung Mobile Display Co., Ltd.**
Suwon-si
Gyeonggi-do (KR)

(72) Inventors:
• **Kim, Tae Seung,**
Samsung SDI Co., Ltd.
Yongin-si,
Gyeonggi-do (KR)


- **Lim, Dae Ho,**
Samsung SDI Co., Ltd.
Yongin-si,
Gyeonggi-do (KR)
- **Lee, Ho Seok,**
Samsung SDI Co., Ltd.
Yongin-si,
Gyeonggi-do (KR)
- **Lee, Jong Woo,**
Samsung SDI Co., Ltd.
Yongin-si,
Gyeonggi-do (KR)

(74) Representative: **Mouteney, Simon James**
Marks & Clerk LLP
90 Long Acre
London
WC2E 9RA (GB)

(54) **Organic light emitting display and fabricating method of the same**

(57) Disclosed is an organic light emitting display and a fabricating method of the same, which improve impact resistance and sealing property of a device using a reinforcing member besides a sealant. A first substrate (100) includes a pixel region (100a) and a non-pixel region (100b), at least one organic light emitting diode is formed at the pixel region and has a first electrode, an organic layer, and a second electrode, and the non-pixel region is formed at a peripheral portion of the pixel region. A second substrate (200) is bonded to one region of the first substrate (100) having the pixel region. A frit (151) is disposed between the non-pixel region of the first substrate and the second substrate for adhering the first and second substrates to each other. An adhesive (152) being coated to be spaced along a peripheral region of the frit, and including at least two discontinuous portions (52). A reinforcing member (153) is disposed between the frit and the adhesive.

FIG. 1





EUROPEAN SEARCH REPORT

Application Number
EP 07 25 0281

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	US 2003/137630 A1 (NIIYA HIROTAKA [JP]) 24 July 2003 (2003-07-24) * paragraphs [0041] - [0046], [0054], [0067], [0074] - [0075], [0081], [0089], [0113], [0114], [0117], [0168] - [0171], [0178] * * figures 7-9 *	1-6,10,11,14,15,19,20,24,25,27-29	INV. H01L51/52 ADD. H01L51/56
X	JP 2002 280169 A (FUTABA DENSHI KOGYO KK) 27 September 2002 (2002-09-27) * figures * * paragraphs [0001], [0008] - [0012], [0016], [0019] - [0024], [0026] *	1-3,7,10,11,13	
X	JP 2005 285354 A (OPTREX KK) 13 October 2005 (2005-10-13) * figures * * paragraphs [0022], [0024] - [0026], [0030] - [0031], [0035] - [0037] *	1-3,8,9,11,12	
			TECHNICAL FIELDS SEARCHED (IPC)
			H01L
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 29 October 2012	Examiner De Laere, Ann
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document			

 2
EPO FORM 1503 03.82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 07 25 0281

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report.
The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

29-10-2012

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2003137630 A1	24-07-2003	CN 1434323 A	06-08-2003
		JP 2003216059 A	30-07-2003
		US 2003137630 A1	24-07-2003

JP 2002280169 A	27-09-2002	NONE	

JP 2005285354 A	13-10-2005	JP 4486840 B2	23-06-2010
		JP 2005285354 A	13-10-2005

专利名称(译)	有机发光显示器及其制造方法		
公开(公告)号	EP1811589A3	公开(公告)日	2012-12-05
申请号	EP2007250281	申请日	2007-01-24
[标]申请(专利权)人(译)	三星斯笛爱股份有限公司		
申请(专利权)人(译)	三星SDI CO. , LTD.		
当前申请(专利权)人(译)	三星移动显示器有限公司.		
[标]发明人	LEE JONG WOO SAMSUNG SDI CO LTD		
发明人	KIM, TAE SEUNG, SAMSUNG SDI CO., LTD. LIM, DAE HO, SAMSUNG SDI CO., LTD. LEE, HO SEOK, SAMSUNG SDI CO., LTD. LEE, JONG WOO, SAMSUNG SDI CO., LTD.		
IPC分类号	H01L51/52 H01L51/56		
CPC分类号	H01L27/3244 H01L51/5246 H01L2251/566 Y10T428/10		
优先权	1020060007353 2006-01-24 KR 1020060025755 2006-03-21 KR		
其他公开文献	EP1811589A2 EP1811589B1		
外部链接	Espacenet		

摘要(译)

公开了一种有机发光显示器及其制造方法，其改善了除密封剂之外的使用加强构件的装置的抗冲击性和密封性。第一基板（100）包括像素区域（100a）和非像素区域（100b），至少一个有机发光二极管形成在像素区域处并且具有第一电极，有机层和第二电极非像素区域形成在像素区域的外围部分处。第二衬底（200）接合到具有像素区域的第一衬底（100）的一个区域。玻璃料（151）设置在第一基板的非像素区域和第二基板之间，用于将第一基板和第二基板彼此粘附。粘合剂（152）被涂覆以沿着玻璃料的周边区域间隔开，并且包括至少两个不连续部分（52）。加强构件（153）设置在玻璃料和粘合剂之间。

FIG. 1

