



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:
16.02.2005 Bulletin 2005/07

(51) Int Cl.⁷: **H01L 27/00, H01L 51/20**

(43) Date of publication A2:
13.08.2003 Bulletin 2003/33

(21) Application number: **03250758.4**

(22) Date of filing: **06.02.2003**

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LU MC NL PT SE SI SK TR
 Designated Extension States:
AL LT LV MK RO

- **Lee, Sang Ho**
 Yangsan-city, Kyungsangnam-do (KR)
- **Yano, Akihiro**
 Sagamihara, Kanagawa-ken (JP)
- **Tanaka, Taizou**
 Sagamihara, Kanagawa-ken (JP)
- **Kota, Atsushi**
 Sagamihara, Kanagawa-ken (JP)
- **Ito, Hideki**
 Sagamihara, Kanagawa-ken (JP)

(30) Priority: **07.02.2002 KR 2002007015**

(71) Applicant: **Samsung NEC Mobile Display Co. Ltd.**
Uljoo-gun, Ulsan Metropolitan City (KR)

(72) Inventors:
 • **Lee, Ju Won**
 Yangsan-city, Kyungsangnam-do (KR)
 • **Son, Cheol Sig**
 Suyoung-gu, Busan-city (KR)


(74) Representative: **Greene, Simon Kenneth**
Elkington and Fife LLP,
Prospect House,
8 Pembroke Road
Sevenoaks, Kent TN13 1XR (GB)

(54) **Organic electroluminescent display device, substrate of the same and method of cutting the substrate**

(57) An organic electroluminescent display (EL) device includes a substrate, an organic light emitting portion formed such that a positive electrode formed in a predetermined pattern, an organic layer formed on the positive electrode, and a negative electrode having a predetermined pattern in a direction orthogonal with the positive electrode are sequentially stacked, an encapsulation cap (43) which encapsulates the organic light emitting portion, first and second groups of electrodes (44,45) which are drawn out from at least one edge of the encapsulation cap (43) and connected to the positive and negative electrodes to drive the organic light emitting portion, and first and second dummy electrodes (44b,45b) formed at one side of the substrate.

sulation cap (43) which encapsulates the organic light emitting portion, first and second groups of electrodes (44,45) which are drawn out from at least one edge of the encapsulation cap (43) and connected to the positive and negative electrodes to drive the organic light emitting portion, and first and second dummy electrodes (44b,45b) formed at one side of the substrate.

FIG. 4A





European Patent Office

EUROPEAN SEARCH REPORT

Application Number
EP 03 25 0758

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)
X	PATENT ABSTRACTS OF JAPAN vol. 2000, no. 10, 17 November 2000 (2000-11-17) & JP 2000 200053 A (FUTABA CORP), 18 July 2000 (2000-07-18)	1,7-9, 12,18	H01L27/00 H01L51/20
Y		2-4, 19-21	
A	* abstract *	13,14	
Y	US 5 684 546 A (KIM DONG-GYU) 4 November 1997 (1997-11-04)	2-4, 19-21	
A	* the whole document *	6,10-13	
A	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 08, 30 June 1998 (1998-06-30) & JP 10 074582 A (SANYO ELECTRIC CO LTD), 17 March 1998 (1998-03-17) * abstract *	1,10,12, 18	
A	PATENT ABSTRACTS OF JAPAN vol. 1996, no. 02, 29 February 1996 (1996-02-29) & JP 7 263140 A (NIPPONDENSO CO LTD), 13 October 1995 (1995-10-13) * abstract; figure 5 *	5	TECHNICAL FIELDS SEARCHED (Int.Cl.7) H05K H01L G02F
A	US 6 136 622 A (FUKUZAWA SHINICHI ET AL) 24 October 2000 (2000-10-24) * figures 3,4 *	1,10,12, 18	
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 21 December 2004	Examiner De Laere, A
CATEGORY OF CITED DOCUMENTS		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document			

EPO FORM 1503_03_B2 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.**

EP 03 25 0758

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

21-12-2004

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 2000200053 A	18-07-2000	NONE	
US 5684546 A	04-11-1997	KR 139373 B1 JP 8338973 A	15-06-1998 24-12-1996
JP 10074582 A	17-03-1998	NONE	
JP 7263140 A	13-10-1995	JP 2848236 B2	20-01-1999
US 6136622 A	24-10-2000	JP 2848383 B2 JP 11162639 A TW 439390 B	20-01-1999 18-06-1999 07-06-2001

EPO FORM P449

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

专利名称(译)	有机电致发光显示装置，其基板和切割基板的方法		
公开(公告)号	EP1335431A3	公开(公告)日	2005-02-16
申请号	EP2003250758	申请日	2003-02-06
[标]申请(专利权)人(译)	三星NEC移动显示器		
申请(专利权)人(译)	三星NEC移动显示CO.LTD.		
当前申请(专利权)人(译)	三星移动显示器有限公司.		
[标]发明人	LEE JU WON SON CHEOL SIG LEE SANG HO YANO AKIHIRO TANAKA TAIZOU KOTA ATSUSHI ITO HIDEKI		
发明人	LEE, JU WON SON, CHEOL SIG LEE, SANG HO YANO, AKIHIRO TANAKA, TAIZOU KOTA, ATSUSHI ITO, HIDEKI		
IPC分类号	H01L51/50 H01L27/32 H01L51/52 H01L51/56 H05B33/02 H05B33/04 H05B33/10 H01L27/00 H01L51/20		
CPC分类号	H01L27/3223 H01L27/3288 H01L51/524 H01L51/56 H01L2251/566		
优先权	1020020007015 2002-02-07 KR		
其他公开文献	EP1335431A2		
外部链接	Espacenet		

摘要(译)

有机电致发光显示 (EL) 器件包括基板，形成为使得以预定图案形成的正电极，形成在正电极上的有机层，以及在正交方向上具有预定图案的负电极的有机发光部分依次堆叠正电极，封装有机发光部分的封装盖 (43)，从封装盖 (43) 的至少一个边缘引出的第一和第二组电极 (44,45) 和连接到正电极和负电极以驱动有机发光部分，以及形成在基板一侧的第一和第二虚设电极 (44b, 45b)。

