



(12) **EUROPEAN PATENT APPLICATION**
 published in accordance with Art. 153(4) EPC

(43) Date of publication:
10.08.2016 Bulletin 2016/32

(51) Int Cl.:
C09K 11/06 ^(2006.01) **C07D 471/04** ^(2006.01)
H01L 51/50 ^(2006.01)

(21) Application number: **14847205.3**

(86) International application number:
PCT/KR2014/009105

(22) Date of filing: **29.09.2014**

(87) International publication number:
WO 2015/046988 (02.04.2015 Gazette 2015/13)

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
 Designated Extension States:
BA ME

- **LEE, Dong Hoon**
 Daejeon 305-738 (KR)
- **JANG, Boonjae**
 Daejeon 305-738 (KR)
- **JANG, Jungi**
 Daejeon 305-738 (KR)
- **KIM, Seong So**
 Daejeon 305-738 (KR)

(30) Priority: **30.09.2013 KR 20130116594**

(71) Applicant: **LG Chem, Ltd.**
Seoul 150-721 (KR)


(74) Representative: **Hoffmann Eitle**
Patent- und Rechtsanwälte PartmbB
Arabellastraße 30
81925 München (DE)

(72) Inventors:
 • **KANG, Minyoung**
 Daejeon 305-738 (KR)

(54) **HETEROCYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING ELEMENT USING SAME**

(57) The present specification provides a heterocyclic compound and an organic light emitting device using the same.

【FIG. 1】



Description

[Technical Field]

5 **[0001]** This application claims priority to and the benefits of Korean Patent Application No. 10-2013-0116594, filed with the Korean Intellectual Property Office on September 30, 2013, the entire contents of which are incorporated herein by reference.

[0002] The present disclosure relates to a heterocyclic compound and an organic light emitting device using the same.

10 [Background Art]

[0003] An organic light emission phenomenon is one of the examples converting current to visible light by an internal process of a specific organic molecule. The principle of an organic light emission phenomenon is as follows.

15 **[0004]** When an organic material layer is placed between an anode and a cathode and voltage is applied between the two electrodes, electrons and holes flow into the organic material layer from the cathode and the anode, respectively. The electrons and the holes injected to the organic material layer are recombined to form excitons, and light emits when these excitons fall back to the ground state. An organic light emitting device using such a principle is typically formed with a cathode, an anode, and an organic material layer placed therebetween, which includes, for example, a hole injection layer, a hole transfer layer, a light emitting layer and an electron transfer layer.

20 **[0005]** Materials used in organic light emitting devices are mostly pure organic materials or complex compounds in which organic materials and metals form complexes, and may be divided into hole injection materials, hole transfer materials, light emitting materials, electron transfer materials, electron injection materials and the like. Herein, as the hole injection material or the hole transfer material, organic materials having p-type properties, that is, readily oxidized and in an electrochemically stable state when oxidized, are generally used. Meanwhile, as the electron injection material or the electron transfer material, organic materials having n-type properties, that is, readily reduced and in an electrochemically stable state when reduced, are generally used. As the light emitting layer material, materials having both p-type properties and n-type properties, that is, in a stable state in both an oxidation and a reduction state, are preferable, and materials having high light emission efficiency that, when excitons are formed, convert the excitons to light are preferable.

25 **[0006]** Accordingly, the development of new organic materials has been required in the art.

Prior Art Documents

Patent Documents

35 **[0007]** Korean Patent Application Laid-Open Publication No. 2007-0092667

[Disclosure]

40 [Technical Problem]


[0008] An object of the present specification is to provide a heterocyclic compound and an organic light emitting device using the same.

45 [Technical Solution]

[0009] The present specification provides an organic light emitting device including a first electrode; a second electrode provided opposite to the first electrode; and one or more organic material layers including a light emitting layer provided between the first electrode and the second electrode, wherein one or more layers of the organic material layers include the heterocyclic compound represented by the following Chemical Formula 1.

55

[Chemical Formula 1]




[0010] In Chemical Formula 1,
X is O or S,

R1 is deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, and

R2 to R8 are the same as or different from each other, and each independently hydrogen; deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or adjacent groups among R2 to R8 bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond.

[0011] In addition, the present specification provides a heterocyclic compound represented by the following Chemical Formula 3.

[Chemical Formula 3]



[0012] In Chemical Formula 3,

X is O or S,

R1 is deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms,

R2 to R8 are the same as or different from each other, and each independently hydrogen; deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or adjacent groups among R2 to R8 bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond, and

at least one of R2 to R8 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.

[Advantageous Effects]

[0013] A heterocyclic compound according to one embodiment of the present specification has a proper energy level, and an excellent electrochemical stability and thermal stability. Accordingly, an organic light emitting device including the compound provides high efficiency and/or high driving stability.

[Description of Drawings]

[0014] FIGs. 1 to 5 are cross-sectional diagrams illustrating structures of an organic light emitting device according to one embodiment of the present invention.

[Reference Numeral]

[0015]

- 1: Substrate
- 2: Anode
- 3: Hole Injection Layer
- 4: Hole Transfer Layer
- 5: Light Emitting Layer
- 6: Electron Transfer Layer
- 7: Cathode

[Mode for Disclosure]

[0016] Hereinafter, the present specification will be described in more detail.

[0017] One embodiment of the present specification provides an organic light emitting device including a heterocyclic compound represented by Chemical Formula 1.

[0018] One embodiment of the present specification provides an organic light emitting device including a first electrode; a second electrode provided opposite to the first electrode; and one or more organic material layers including a light

emitting layer provided between the first electrode and the second electrode, wherein one or more layers of the organic material layers include the heterocyclic compound represented by Chemical Formula 1.


[0019] Examples of the substituents are described below, however, the substituents are not limited thereto.

[0020] In the present invention, the term "substituted or unsubstituted" means being substituted with one or more substituents selected from the group consisting of deuterium; a halogen group; a nitrile group; a nitro group; an imide group; an amide group; a hydroxyl group; a thiol group; an alkyl group; an alkenyl group; an alkoxy group; a cycloalkyl group; a silyl group; an arylalkenyl group; an aryl group; an aryloxy group; an alkylthioxy group; an arylthioxy group; an alkylsulfoxy group; an arylsulfoxy group; a silyl group; a boron group; an alkylamine group; an aralkylamine group; an arylamine group; a heteroaryl group; a carbazole group; an aryl group; a fluorenyl group; an arylalkyl group; an arylalkenyl group; and a heteroring group including one or more of N, O and S atoms, or having no substituents, or being substituted with a substituent linking two or more substituents of the substituents illustrated above, or having no substituents. For example, "a substituent linking two or more substituents" may include a biphenyl group. In other words, a biphenyl group may be interpreted as an aryl group, or as a substituent linking 2 phenyl groups.


[0021] The term "substitution" means a hydrogen atom bonding to a carbon atom of a compound is changed to another substituent, and the position of substitution is not limited as long as it is a position at which a hydrogen atom is substituted, that is, a position at which a substituent may substitute, and when two or more substituents substitute, the two or more substituents may be the same as or different from each other.

[0022] In the present specification, examples of the halogen group include fluorine, chlorine, bromine or iodine.


[0023] In the present specification, in the ester group, the oxygen of the ester group may be substituted with a linear, branched or cyclic alkyl group having 1 to 25 carbon atoms or an aryl group having 6 to 25 carbon atoms. Specifically, compounds having the following structural formulae may be included, but the compound is not limited thereto.




[0024] In the present specification, the number of carbon atoms of the imide group is not particularly limited, but is preferably 1 to 25. Specifically, compounds having the following structures may be included, but the compound is not limited thereto.



[0025] In the present specification, in the amide group, the nitrogen of the amide group may be once or twice substituted with hydrogen, a linear, branched or cyclic alkyl group having 1 to 25 carbon atoms, or an aryl group having 6 to 25 carbon atoms. Specifically, compounds having the following structural formulae may be included, but the compound is not limited thereto.





5

[0026] In the present specification, the alkyl group may be linear or branched, and the number of carbon atoms is not particularly limited, but is preferably 1 to 50. Specific examples thereof include methyl, ethyl, propyl, n-propyl, isopropyl, butyl, n-butyl, isobutyl, tert-butyl, sec-butyl, 1-methyl-butyl, 1-ethyl-butyl, pentyl, n-pentyl, isopentyl, neopentyl, tert-pentyl, hexyl, n-hexyl, 1-methylpentyl, 2-methylpentyl, 4-methyl-2-pentyl, 3,3-dimethylbutyl, 2-ethylbutyl, heptyl, n-heptyl, 1-methylhexyl, cyclopentylmethyl, cyclohexylmethyl, octyl, n-octyl, tert-octyl, 1-methylheptyl, 2-ethylhexyl, 2-propylpentyl, n-nonyl, 2,2-dimethylheptyl, 1-ethyl-propyl, 1,1-dimethyl-propyl, isohexyl, 2-methylpentyl, 4-methylhexyl, 5-methylhexyl and the like, but are not limited thereto.

[0027] In the present specification, the cycloalkyl group is not particularly limited, but preferably has 3 to 60 carbon atoms. Specific examples thereof include cyclopropyl, cyclobutyl, cyclopentyl, 3-methylcyclopentyl, 2,3-dimethylcyclopentyl, cyclohexyl, 3-methylcyclohexyl, 4-methylcyclohexyl, 2,3-dimethylcyclohexyl, 3,4,5-trimethylcyclohexyl, 4-tert-butylcyclohexyl, cycloheptyl, cyclooctyl and the like, but are not limited thereto.

[0028] In the present specification, the alkoxy group may be linear, branched or cyclic. The number of carbon atoms of the alkoxy group is not particularly limited, but is preferably 1 to 20. Specific examples thereof may include methoxy, ethoxy, n-propoxy, isopropoxy, i-propyloxy, n-butoxy, isobutoxy, tert-butoxy, sec-butoxy, n-pentyloxy, neopentyloxy, isopentyloxy, n-hexyloxy, 3,3-dimethylbutyloxy, 2-ethylbutyloxy, n-octyloxy, n-nonyloxy, n-decyloxy, benzyloxy, p-methylbenzyloxy and the like, but are not limited thereto.


[0029] In the present specification, the alkenyl group may be linear or branched, and although not particularly limited, the number of carbon atoms is preferably 2 to 40. Specific examples thereof may include vinyl, 1-propenyl, isopropenyl, 1-butenyl, 2-butenyl, 3-butenyl, 1-pentenyl, 2-pentenyl, 3-pentenyl, 3-methyl-1-butenyl, 1,3-butadienyl, allyl, 1-phenylvinyl-1-yl, 2-phenylvinyl-1-yl, 2,2-diphenylvinyl-1-yl, 2-phenyl-2-(naphthyl-1-yl)vinyl-1-yl, 2,2-bis(diphenyl-1-yl)vinyl-1-yl, a stilbenyl group, a styrenyl group and the like, but are not limited thereto.

[0030] When the aryl group is a monocyclic aryl group, the number of carbon atoms is not particularly limited, but is preferably 6 to 25. Specific examples of the monocyclic aryl group may include a phenyl group, a biphenyl group, a terphenyl group and the like, but are not limited thereto.


[0031] When the aryl group is a multicyclic aryl group, the number of carbon atoms is not particularly limited, but is preferably 10 to 24. Specific example of the multicyclic aryl group may include a naphthyl group, an anthryl group, a phenanthryl group, a pyrenyl group, a perylenyl group, a crycenyl group, a fluorenyl group and the like, but are not limited thereto.

[0032] In the present specification, the fluorenyl group may be substituted, and adjacent substituents may bond to each other to form a ring.

[0033] When the fluorenyl group is substituted,



45



50

and the like may be included. However, the structure is not limited thereto.

[0034] In the present specification, the silyl group specifically includes a trimethylsilyl group, a triethylsilyl group, a t-butylidimethylsilyl group, a vinylidimethylsilyl group, a propyldimethylsilyl group, a triphenylsilyl group, a diphenylsilyl group, a phenylsilyl group and the like, but is not limited thereto.

[0035] In the present specification, the number of carbon atoms of the amine group is not particularly limited, but is

preferably 1 to 30. Specific examples of the amine group include a methylamine group, a dimethylamine group, an ethylamine group, a diethylamine group, a phenylamine group, a naphthylamine group, a biphenylamine group, an anthracenylamine group, a 9-methyl-anthracenylamine group, a diphenylamine group, a phenyl-naphthylamine group, a ditolylamine group, a phenyltolylamine group, a triphenylamine group and the like, but are not limited thereto.

[0036] In the present specification, examples of the arylamine group include a substituted or unsubstituted monoarylamine group, a substituted or unsubstituted diarylamine group, or a substituted or unsubstituted triarylamine group. The aryl group in the arylamine group may be a monocyclic aryl group or a multicyclic aryl group. The arylamine group including two or more aryl groups may include monocyclic aryl groups, multicyclic aryl groups, or monocyclic aryl groups and multicyclic aryl groups at the same time.

[0037] Specific examples of the arylamine group include phenylamine, naphthylamine, biphenylamine, anthracenylamine, 3-methyl-phenylamine, 4-methyl-naphthylamine, 2-methyl-biphenylamine, 9-methyl-anthracenylamine, a diphenylamine group, a phenyl-naphthylamine group, a ditolylamine group, a phenyltolylamine group, carbazole, a triphenylamine group and the like, but are not limited thereto.

[0038] In the present specification, examples of the arylphosphine group include a substituted or unsubstituted monoaryphosphine group, a substituted or unsubstituted diarylphosphine group, or a substituted or unsubstituted triarylphosphine group. The aryl group in the arylphosphine group may be a monocyclic aryl group or a multicyclic aryl group. The arylphosphine group including two or more aryl groups may include monocyclic aryl groups, multicyclic aryl groups, or monocyclic aryl groups and multicyclic aryl groups at the same time.

[0039] In the present specification, the heteroring group is a heteroring group including one or more of O, N and S as a heteroatom, and although not particularly limited, the number of carbon atoms is preferably 2 to 60. Examples of the heteroring group include a thiophene group, a furan group, a pyrrole group, an imidazole group, a thiazole group, an oxazole group, an oxadiazole group, a triazole group, a pyridyl group, a bipyridyl group, a pyrimidyl group, a triazine group, a triazole group, an acridyl group, a pyridazine group, a pyrazinyl group, a quinolyl group, a quinazoline group, a quinoxalyl group, a phthalazinyl group, a pyridopyrimidinyl group, a pyridopyrazinyl group, a pyrazinopyrazinyl group, an isoquinoline group, an indole group, a carbazole group, a benzoxazole group, a benzimidazole group, a benzothiazole group, a benzocarbazole group, a benzothiophene group, a dibenzothiophene group, a benzofuranyl group, a phenanthroline group, a thiazolyl group, an isoxazolyl group, an oxadiazolyl group, a thiadiazolyl group, a benzothiazolyl group, a phenothiazinyl group, a dibenzofuranyl group and the like, but are not limited thereto.

[0040] In the present specification, the aryl group in the aryloxy group, the arylthioxy group, the arylsulfoxy group and the aralkylamine group is the same as the examples of the aryl group described above. Specific examples of the aryloxy group include phenoxy, p-tolyloxy, m-tolyloxy, 3,5-dimethyl-phenoxy, 2,4,6-trimethylphenoxy, p-tert-butylphenoxy, 3-biphenyloxy, 4-biphenyloxy, 1-naphthyloxy, 2-naphthyloxy, 4-methyl-1-naphthyloxy, 5-methyl-2-naphthyloxy, 1-anthryloxy, 2-anthryloxy, 9-anthryloxy, 1-phenanthryloxy, 3-phenanthryloxy, 9-phenanthryloxy and the like, examples of the arylthioxy group include a phenylthioxy group, a 2-methylphenylthioxy group, a 4-tert-butylphenylthioxy group and the like, and examples of the arylsulfoxy group include a benzenesulfoxy group, a p-toluenesulfoxy group and the like, but the examples are not limited thereto.

[0041] In the present specification, the heteroaryl group in the heteroarylamine group may be the same as the examples of the heteroring group described above.

[0042] In the present specification, the alkyl group in the alkylthioxy group and the alkylsulfoxy group is the same as the examples of the alkyl group described above. Specific examples of the alkylthioxy group include a methylthioxy group, an ethylthioxy group, a tert-butylthioxy group, a hexylthioxy group, an octylthioxy group and the like, and examples of the alkylsulfoxy group include a mesyl group, an ethylsulfoxy group, a propylsulfoxy group, a butylsulfoxy group and the like, but the examples are not limited thereto.

[0043] In the present specification, an "adjacent" group means a substituent substituting an atom directly linking to an atom substituted by the corresponding substituent, a substituent most closely positioned sterically to the corresponding substituent, or another substituent substituting an atom substituted by the corresponding substituent. For example, two substituents substituting ortho positions in a benzene ring, and two substituents substituting the same carbon in an aliphatic ring may be interpreted as "adjacent" groups.

[0044] In one embodiment of the present specification, R1 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.

[0045] In one embodiment of the present specification, R1 is a substituted or unsubstituted methyl group; a substituted or unsubstituted ethyl group; a substituted or unsubstituted t-butyl group; a substituted or unsubstituted phenyl group; a substituted or unsubstituted naphthyl group; a substituted or unsubstituted phenanthryl group; a substituted or unsubstituted anthracene group; a substituted or unsubstituted pyrenyl group; a substituted or unsubstituted perylenyl group; a substituted or unsubstituted pyridine group; a substituted or unsubstituted benzoquinoline group; a substituted or unsubstituted fluorenyl group; a substituted or unsubstituted triazine group; a substituted or unsubstituted quinoxaline group; a substituted or unsubstituted carbazole group; a substituted or unsubstituted benzocarbazole group; a substituted

or unsubstituted benzimidazoquinazoline group; a substituted or unsubstituted phenanthroline group; a substituted or unsubstituted styrene group; or a substituted or unsubstituted phosphine oxide group.

5 [0046] In one embodiment of the present specification, R2 to R8 are the same as or different from each other, and each dependently hydrogen; a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.

[0047] In one embodiment of the present specification, R2 to R8 are the same as or different from each other, and each dependently hydrogen; an alkyl group; an alkenyl group; an aryl group; a phosphine oxide group; or a heteroring group including one or more of N, O and S atoms, and

10 the alkyl group; the alkenyl group; the aryl group; the phosphine oxide group; and the heteroring group including one or more of N, O and S atoms are unsubstituted or substituted with one, two or more substituents selected from the group consisting of deuterium, a nitrile group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted silane group, a substituted or unsubstituted phosphine oxide group, and a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or two or more substituents bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond.

[0048] In one embodiment of the present specification, R2 to R8 are the same as or different from each other, and each dependently hydrogen; a substituted or unsubstituted phenyl group; a substituted or unsubstituted naphthyl group; a substituted or unsubstituted phenanthryl group; a substituted or unsubstituted anthracene group; a substituted or unsubstituted pyrenyl group; a substituted or unsubstituted perylenyl group; a substituted or unsubstituted pyridine group; a substituted or unsubstituted benzoquinoline group; a substituted or unsubstituted fluorenyl group; a substituted or unsubstituted triazine group; a substituted or unsubstituted quinoxaline group; a substituted or unsubstituted carbazole group; a substituted or unsubstituted benzocarbazole group; a substituted or unsubstituted benzimidazoquinazoline group; a substituted or unsubstituted styrene group; or a substituted or unsubstituted phosphine oxide group.

20 [0049] In one embodiment of the present specification, at least one of R1 to R8 is an alkyl group; an alkenyl group; an aryl group; a phosphine oxide group; or a heteroring group including one or more of N, O and S atoms, and the alkyl group; the alkenyl group; the aryl group; the phosphine oxide group; and the heteroring group including one or more of N, O and S atoms are unsubstituted or substituted with one, two or more substituents selected from the group consisting of deuterium, a nitrile group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted silane group, a substituted or unsubstituted phosphine oxide group, and a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or two or more substituents bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond.


25 [0050] In one embodiment of the present specification, at least one of R1 to R8 is a methyl group; an ethyl group; a t-butyl group; a phenyl group; a naphthyl group; a phenanthryl group; an anthracene group; a pyrenyl group; a perylenyl group; a pyridine group; a benzoquinoline group; a fluorenyl group; a spirobifluorenyl group; a triazine group; a quinoxaline group; a carbazole group; a benzocarbazole group; a benzimidazoquinazoline group; a styrene group; or a phosphine oxide group, and

30 the phenyl group; the naphthyl group; the phenanthryl group; the anthracene group; the pyrenyl group; the perylenyl group; the pyridine group; the benzoquinoline group; the fluorenyl group; the triazine group; the quinoxaline group; the carbazole group; the benzocarbazole group; the benzimidazoquinazoline group; the styrene group; and the phosphine oxide group are unsubstituted or substituted with one, two or more substituents selected from the group consisting of deuterium, a phenyl group, a naphthyl group, a biphenyl group, a fluorenyl group substituted with an alkyl group, a phenanthryl group, a pyridine group, a quinoline group, a phenyl group substituted with a nitrile group, a dibenzofuran group, a dibenzothiophene group, a fluorenyl group substituted with an alkyl group and a nitrile group, an anthracenyl group substituted with a phenyl group, an anthracenyl group substituted with a naphthyl group, a phenanthryl group, a thiophene group substituted with a phenyl group, a carbazole group, a benzimidazole group substituted with a phenyl group, a benzothiazole group, a phenanthroline group, and a silane group substituted with a phenyl group, or substituents in the same carbon bond to each other to form a spiro bond.


35 [0051] In the present specification, the substituents in the same carbon bonding to each other to form a spiro bond means two or more rings being linked sharing one carbon atom, and the substituents in the same carbon may bond to each other to form a fluorene structure or a spiroanthracenefluorene structure.

[0052] In one embodiment of the present specification, at least one of R1 to R8 is any one of the following structures.

5




10




15

20




25

30




35

40




45

50




55

5



10


15



20


25

30




35

40




45


50




55



5




10



15

20



25

[0053] In another embodiment, R1 is any one of the structures shown above.

[0054] In one embodiment of the present specification, R2 is any one of the structures shown above.

[0055] In another embodiment, R2 is hydrogen.

30

[0056] In one embodiment, R3 is any one of the structures shown above.

[0057] In another embodiment, R3 is hydrogen.

[0058] In one embodiment of the present specification, R4 is any one of the structures shown above.

[0059] In another embodiment, R4 is hydrogen.

[0060] In another embodiment, R5 is any one of the structures shown above.

35

[0061] In another embodiment, R5 is hydrogen.

[0062] In one embodiment of the present specification, R6 is any one of the structures shown above.

[0063] In another embodiment, R6 is hydrogen.

[0064] In another embodiment of the present specification, R7 is any one of the structures shown above.

[0065] In another embodiment, R7 is hydrogen.


40

[0066] In one embodiment of the present specification, R8 is any one of the structures shown above.

[0067] In another embodiment, R8 is hydrogen.

[0068] In one embodiment of the present specification, the heterocyclic compound represented by Chemical Formula 1 may be represented by any one of the following Chemical Formulae 1-1-1 to 1-1-64 and 2-1-1 to 2-1-10.

45




50

[Chemical Formula 1-1-1] [Chemical Formula 1-1-2] [Chemical
Formula 1-1-3] [Chemical Formula 1-1-4]

55


5



10

[Chemical Formula 1-1-5] [Chemical Formula 1-1-6] [Chemical Formula 1-1-7] [Chemical Formula 1-1-8]


15



20

[Chemical Formula 1-1-9] [Chemical Formula 1-1-10] [Chemical Formula 1-1-11]

25




30

35

[Chemical Formula 1-1-12] [Chemical Formula 1-1-13] [Chemical Formula 1-1-14]

40




45

50

[Chemical Formula 1-1-15] [Chemical Formula 1-1-16] [Chemical Formula 1-1-17]

55


5



[Chemical Formula 1-1-18] [Chemical Formula 1-1-19] [Chemical Formula 1-1-20]

10


15



[Chemical Formula 1-1-21] [Chemical Formula 1-1-22] [Chemical Formula 1-1-23]

20


25



[Chemical Formula 1-1-24] [Chemical Formula 1-1-25] [Chemical Formula 1-1-26]

35

40




[Chemical Formula 1-1-27] [Chemical Formula 1-1-28] [Chemical Formula 1-1-29]

50

55


5



10

[Chemical Formula 1-1-30] [Chemical Formula 1-1-31] [Chemical Formula 1-1-32]

15




20

25

[Chemical Formula 1-1-33] [Chemical Formula 1-1-34] [Chemical Formula 1-1-35]


30



35

[Chemical Formula 1-1-36] [Chemical Formula 1-1-37] [Chemical Formula 1-1-38]

40






45

[Chemical Formula 1-1-39] [Chemical Formula 1-1-40] [Chemical Formula 1-1-41]

50

55




5



10

[Chemical Formula 1-1-42] [Chemical Formula 1-1-43] [Chemical Formula 1-1-44]




15



20

[Chemical Formula 1-1-45] [Chemical Formula 1-1-46] [Chemical Formula 1-1-47]

25






30

[Chemical Formula 1-1-48] [Chemical Formula 1-1-49] [Chemical Formula 1-1-50]

35

40






45

[Chemical Formula 1-1-51] [Chemical Formula 1-1-52] [Chemical Formula 1-1-53]

50

55




5



10

[Chemical Formula 1-1-54] [Chemical Formula 1-1-55] [Chemical Formula 1-1-56]




15



20

[Chemical Formula 1-1-57] [Chemical Formula 1-1-58] [Chemical Formula 1-1-59]



25



30

[Chemical Formula 1-1-60] [Chemical Formula 1-1-61] [Chemical Formula 1-1-62]





35



40

[Chemical Formula 1-1-63] [Chemical Formula 1-1-64]


45




50

[Chemical Formula 2-1-1] [Chemical Formula 2-1-2] [Chemical Formula 2-1-3] [Chemical Formula 2-1-4]

55



[Chemical Formula 2-1-5] [Chemical Formula 2-1-6] [Chemical Formula 2-1-7] [Chemical Formula 2-1-8]



[Chemical Formula 2-1-9] [Chemical Formula 2-1-10]

[0069] The compounds in the present specification may be prepared based on the preparation examples described below.

[0070] Specifically, according to one embodiment of the present specification, the heterocyclic compound of Chemical Formula 1 may be prepared through a cyclization reaction, and the heterocyclic compound represented by Chemical Formula 1 or 3 may be prepared by reacting R1 to R8 substituted with boronic acid or a dioxaborolane group, however, the preparation method is not limited thereto.

[0071] In one embodiment of the present specification, the organic material layer includes an electron transfer layer, an electron injection layer or a layer carrying out electron transfer and electron injection at the same time, and the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time includes the heterocyclic compound.

[0072] In one embodiment of the present specification, as an organic light emitting device including a first electrode; a second electrode provided opposite to the first electrode; a light emitting layer provided between the first electrode and the second electrode; and two or more organic material layers provided between the light emitting layer and the first electrode, or between the light emitting layer and the second electrode, at least one of the two or more organic material layers includes the heterocyclic compound. In one embodiment, as the two or more organic material layers, two or more may be selected from the group consisting of an electron transfer layer, an electron injection layer, a layer carrying out electron transfer and electron injection at the same time and a hole blocking layer.

[0073] In one embodiment of the present specification, the organic material layer includes two or more electron transfer layers, and at least one of the two or more electron transfer layers includes the heterocyclic compound. Specifically, in one embodiment of the present specification, the heterocyclic compound may be included in one layer of the two or more electron transfer layers, or in each of the two or more electron transfer layers.


[0074] In addition, in one embodiment of the present specification, when the heterocyclic compound is included in each of the two or more electron transfer layers, materials other than the heterocyclic compound may be the same as or different from each other.

[0075] In one embodiment of the present specification, the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time is formed only with the heterocyclic compound.

[0076] In one embodiment of the present specification, the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time includes the heterocyclic compound as a p-type host, and an n-type dopant as a dopant.

[0077] In one embodiment of the present specification, the n-type dopant includes alkali metals, alkali metal compounds, alkaline earth metals, alkaline earth metal compounds, or combinations thereof.

[0078] In one embodiment of the present specification, as the n-type dopant, one, two or more are selected from the group consisting of Li, Na, K, Rb, Cs, Mg, Ca, Sr, Ba, La, Nd, Sm, Eu, Tb, Yb, LiF, Li₂O, CsF or the following compounds.




[0079] In one embodiment of the present specification, the light emitting layer includes the heterocyclic compound.

[0080] In one embodiment of the present specification, the light emitting layer includes the heterocyclic compound as a host, and includes a phosphorous dopant compound as a dopant.

[0081] In one embodiment of the present specification, the phosphorous dopant compound is represented by the following Chemical Formula 2.


[Chemical Formula 2]




[0082] In Chemical Formula 2,

M1 is Ir or Os,

L10, L11 and L12 are the same as or different from each other, and each independently any one of the following structures,





p, q, q', r, s, t, u', v', w', x', a, b', c', d, d', f, g, h', j, j' and k are each an integer of 0 to 4,
 r', s', t', u, v, w, x, y, y' and e' are each an integer of 0 to 6,

b, e, h, i, k' and 1 are an integer of 0 to 3,

c and g' are an integer of 0 to 2,

f is an integer of 0 to 5,

z is an integer of 0 to 8, and

5 R10 to R65 are the same as or different from each other, and each independently selected from the group consisting of hydrogen; deuterium; a halogen group; a cyano group; a substituted or unsubstituted C₂₋₁₀ alkylsilyl group; a substituted or unsubstituted C₆₋₃₀ arylsilyl group; a substituted or unsubstituted C₁₋₁₀ alkyl group; a substituted or unsubstituted C₂₋₁₀ alkenyl group; a substituted or unsubstituted C₁₋₁₀ alkoxy group; a substituted or unsubstituted C₆₋₂₀ aryl group; and a substituted or unsubstituted C₅₋₂₀ heteroring group, or adjacent groups form a monocyclic or multicyclic aliphatic, aromatic, heteroaliphatic or heteroaromatic fused ring.

10 [0083] In one embodiment of the present specification, the phosphorous dopant compound represented by Chemical Formula 2 is any one of the following compounds.

15

20

25

30


35


40


45

50

55







[0084] In one embodiment of the present specification, the organic material layer further includes one, two or more layers selected from the group consisting of a hole injection layer, a hole transfer layer, an electron transfer layer, an electron injection layer, an electron blocking layer and a hole blocking layer.

[0085] The organic material layer of the organic light emitting device in the present specification may be formed as a monolayer structure, but may also be formed as a multilayer structure in which two or more organic material layers are laminated. For example, the organic light emitting device of the present specification may have a structure including a hole injection layer, a hole transfer layer, a light emitting layer, an electron transfer layer, an electron injection layer and the like as the organic material layer. However, the structure of the organic light emitting device is not limited thereto, and may include less numbers of organic material layers.

[0086] In another embodiment, the organic light emitting device may be an organic light emitting device having a structure in which an anode, one or more organic material layers and a cathode are laminated in consecutive order on a substrate (normal type).

[0087] In another embodiment, the organic light emitting device may be an organic light emitting device having a

structure in which a cathode, one or more organic material layers and an anode are laminated in consecutive order on a substrate (inverted type).

[0088] For example, the structures of an organic light emitting device according to the present invention are illustrated in FIGs. 1 to 5.

5

FIG. 1 illustrates the structure of an organic light emitting device in which an anode (2), a hole injection layer (3), a hole transfer layer (4), a light emitting layer (5), an electron transfer layer (6) and a cathode (7) are laminated in consecutive order on a substrate (1). In a structure such as this, the compound represented by Chemical Formula 1 may be included in the hole injection layer (3), the hole transfer layer (4), the light emitting layer (5) or the electron transfer layer (6).

10

FIG. 2 illustrates the structure of an organic light emitting device in which an anode (2), a hole injection layer (3), a hole transfer layer (4), a light emitting layer (5) and a cathode (7) are laminated in consecutive order on a substrate (1). In a structure such as this, the compound represented by Chemical Formula 1 may be included in the hole injection layer (3), the hole transfer layer (4) or the light emitting layer (5).

15

FIG. 3 illustrates the structure of an organic light emitting device in which an anode (2), a hole transfer layer (4), a light emitting layer (5), an electron transfer layer (6) and a cathode (7) are laminated in consecutive order on a substrate (1). In a structure such as this, the compound represented by Chemical Formula 1 may be included in the hole transfer layer (4), the light emitting layer (5) or the electron transfer layer (6).

20

FIG. 4 illustrates the structure of an organic light emitting device in which an anode (2), a light emitting layer (5), an electron transfer layer (6) and a cathode (7) are laminated in consecutive order on a substrate (1). In a structure such as this, the compound represented by Chemical Formula 1 may be included in the light emitting layer (5) or the electron transfer layer (6).

25

FIG. 5 illustrates the structure of an organic light emitting device in which an anode (2), a light emitting layer (5) and a cathode (7) are laminated in consecutive order on a substrate (1). In a structure such as this, the compound represented by Chemical Formula 1 may be included in the light emitting layer (5).

[0089] The organic light emitting device of the present specification may be prepared using materials and methods known in the art, except that one or more layers of the organic material layers include the compound of the present specification, that is, the heterocyclic compound.

30

[0090] For example, the organic light emitting device of the present specification may be prepared by laminating a first electrode, an organic material layer and a second electrode in consecutive order on a substrate. Herein, the organic light emitting device may be prepared by forming an anode on the substrate by depositing a metal, a metal oxide having conductivity, or alloys thereof using a physical vapor deposition (PVD) method such as a sputtering method or an e-beam evaporation method, forming the organic material layer including a hole injection layer, a hole transfer layer, a light emitting layer and an electron transfer layer thereon, and then depositing a material capable of being used as a cathode thereon. In addition to this method, the organic light emitting device may be prepared by depositing a cathode material, an organic material layer and an anode material in consecutive order on a substrate.

35

[0091] In addition, the heterocyclic compound may be formed as the organic material layer using a solution coating method as well as a vacuum deposition method when the organic light emitting device is prepared. Herein, the solution coating method means spin coating, dip coating, doctor blading, ink jet printing, screen printing, a spray method, roll coating and the like, but is not limited thereto.

40

[0092] In one embodiment of the present specification, the first electrode is a cathode, and the second electrode is an anode.

[0093] In one embodiment of the present specification, the first electrode is an anode, and the second electrode is a cathode.

45

[0094] The substrate may be selected considering optical properties and physical properties as necessary. For example, the substrate is preferably transparent. The substrate may be formed with hard materials, but may also be formed with flexible materials such as plastic.

[0095] The substrate material may include, in addition to glass and a quartz plate, polyethyleneterephthalate (PET), polyethylene naphthalate (PEN), polypropylene (PP), polyimide (PI), polycarbonate (PC), polystyrene (PS), polyoxymethylene (POM), an acrylonitrile styrene copolymer (AS) resin, an acrylonitrile butadiene styrene copolymer (ABS) resin, triacetyl cellulose (TAC) and polyarylate (PAR) and the like, but is not limited thereto.

50

[0096] As the cathode material, a material having small work function is normally preferable so that electron injection to an organic material layer is smooth. Specific examples of the cathode material include metals such as magnesium, calcium, sodium, potassium, titanium, indium, yttrium, lithium, gadolinium, aluminum, silver, tin and lead, or alloys thereof; multilayer structure materials such as LiF/Al or LiO₂/Al, and the like, but are not limited thereto.

55

[0097] As the anode material, a material having large work function is normally preferable so that hole injection to the organic material layer is smooth. Specific examples of the anode material capable of being used in the present specifi-

cation include metals such as vanadium, chromium, copper, zinc and gold, or alloys thereof; metal oxides such as zinc oxides, indium oxides, indium tin oxides (ITO) and indium zinc oxide (IZO); combinations of metals and oxides such as ZnO:Al or SnO₂:Sb; conductive polymers such as poly(3-methylthiophene), poly[3,4-(ethylen-1,2-dioxy)thiophene] (PE-DOT), polypyrrole and polyaniline, and the like, but are not limited thereto.

5 **[0098]** The hole transfer layer is a layer that receives holes from a hole injection layer and transfers the holes to a light emitting layer, and as the hole transfer material, a material capable of receiving the holes from an anode or a hole injection layer, moving the holes to a light emitting layer, and having high mobility for the holes, is suitable. Specific examples thereof include an arylamin-based organic material, a conductive polymer, a block copolymer having conjugated parts and non-conjugated parts together, and the like, but are not limited thereto.

10 **[0099]** The hole injection layer is a layer that injects holes from an electrode, and the hole injection material is preferably a compound that has an ability to transfer holes, therefore, has a hole injection effect in an anode, has an excellent hole injection effect for a light emitting layer or a light emitting material, prevents excitons generated in the light emitting layer from moving to an electron injection layer or an electron injection material, and in addition, has an excellent thin film forming ability. The highest occupied molecular orbital (HOMO) of the hole injection material is preferably in between
15 the work function of an anode material and the HOMO of surrounding organic material layers. Specific examples of the hole injection material include a metal porphyrin, oligothiophene, an arylamin-based organic material, a phthalocyanine derivative, a hexanitride hexazatriphenylen-based organic material, a quinacridon-based organic material, a perylen-based organic material, anthraquinone, and a polyanilin- and a polythiophen-based conductive polymer, and the like, but are not limited thereto.

20 **[0100]** The light emitting material is a material capable of emitting light in a visible light region by receiving holes and electrons from a hole transfer layer and an electron transfer layer, respectively, and binding the holes and the electrons, and is preferably a material having favorable quantum efficiency for fluorescence or phosphorescence. Specific examples thereof include a 8-hydroxy-quinoline aluminum complex (Alq₃) ; a carbazole-based compound; a dimerized styryl compound; BAlq; a 10-hydroxybenzo quinolin-metal compound; a benzoxazole-, a benzthiazole- and a benzimidazole-based
25 compound; a poly(p-phenylenevinylene) (PPV)-based polymer; a spiro compound; polyfluorene, rubrene, and the like, but are not limited thereto.

[0101] The light emitting layer may include a host material and a dopant material. The host material includes a fused aromatic ring derivative, a heteroring-containing compound or the like. Specifically, the fused aromatic ring derivative includes an anthracene derivative, a pyrene derivative, a naphthalene derivative, a pentacene derivative, a phenanthrene
30 compound, a fluoranthene compound and the like, and the heteroring-containing compound includes a carbazole derivative, a dibenzofuran derivative, a ladder-type furan compound, a pyrimidine derivative and the like, but the material is not limited thereto.

[0102] The dopant material includes an aromatic amine derivative, a styrylamine compound, a boron complex, a fluoranthene compound, a metal complex, and the like. Specifically, the aromatic amine derivative is a fused aromatic ring derivative having a substituted or unsubstituted arylamino group and includes arylamino group-including pyrene, anthracene, crycene, perflanthene and the like, and the styrylamine compound is a compound in which substituted or unsubstituted arylamine is substituted with at least one arylvinyl group, and one, two or more substituents selected from the group consisting of an aryl group, a silyl group, an alkyl group, a cycloalkyl group and an arylamino group are substituted or unsubstituted. Specifically, styrylamine, styryldiamine, styryltri-amine, styryltetramine or the like is included,
40 but the styrylamine compound is not limited thereto. In addition, the metal complex includes an iridium complex, a platinum complex or the like, but is not limited thereto.

[0103] The electron transfer layer is a layer that receives electrons from an electron injection layer and transfers the electrons to a light emitting layer, and as the electron transfer material, a material capable of favorably receiving electrons from a cathode, moving the electrons to a light emitting layer, and having high mobility for the electrons, is suitable. Specific examples thereof include an Al complex of 8-hydroxyquinoline; a complex including Alq₃; an organic radical compound; a hydroxyflavon-metal complex and the like, but are not limited thereto. The electron transfer layer may be used together with any desired cathode material as used according to existing technologies. Particularly, examples of the suitable cathode material include common materials that have small work function, and in which an aluminum layer or a silver layer follows. Specifically the cathode material includes cesium, barium, calcium, ytterbium and samarium,
50 and in each case, an aluminum layer or a silver layer follows.

[0104] The electron injection layer is a layer that injects electrons from an electrode, and the electron injection material is preferably a compound that has an ability to transfer electrons, has an electron injection effect from a cathode and has an excellent electron injection effect for a light emitting layer or a light emitting material, prevents excitons generated in the light emitting layer from moving to a hole injection layer, and in addition, has an excellent thin film forming ability. Specific examples thereof include fluorenone, anthraquinodimethane, diphenoquinone, thiopyran dioxide, oxazole, oxadiazole, triazole, imidazole, perylene tetracarboxylic acid, fluorenylidene methane, anthrone or the like, and derivatives thereof, a metal complex compound, a nitrogen-containing 5-membered ring derivative, and the like, but are not limited thereto.

[0105] The metal complex compound may include 8-hydroxyquinolinato lithium, bis(8-hydroxyquinolinato)zinc, bis(8-hydroxyquinolinato)copper, bis(8-hydroxyquinolinato) manganese, tris(8-hydroxyquinolinato)aluminum, tris(2-methyl-8-hydroxyquinolinato)aluminum, tris(8-hydroxyquinolinato)gallium, bis(10-hydroxybenzo[h]quinolinato)beryllium, bis(10-hydroxybenzo[h]quinolinato)zinc, bis(2-methyl-8-quinolinato)chlorogallium, bis(2-methyl-8-quinolinato)(o-cresolato)gallium, bis(2-methyl-8-quinolinato)(1-naphtholato)aluminum, bis(2-methyl-8-quinolinato)(2-naphtholato)gallium, and the like, but is not limited thereto.


[0106] The hole blocking layer is a layer that blocks holes from reaching a cathode, and may generally be formed under the same condition as the hole injection layer. Specific examples thereof include an oxadiazole derivative or a triazole derivative, a phenanthroline derivative, BCP, an aluminum complex and the like, but are not limited thereto.

[0107] The organic light emitting device according to the present specification may be a top-emission type, a bottom-emission type or a dual-emission type depending on the materials used.

[0108] In one embodiment of the present specification, the heterocyclic compound may be included in an organic solar cell or an organic transistor in addition to an organic light emitting device.

[0109] One embodiment of the present specification provides a heterocyclic compound represented by the following Chemical Formula 3.

[Chemical Formula 3]



[0110] In Chemical Formula 3, X is O or S,

R1 is deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms,

R2 to R8 are the same as or different from each other, and each independently hydrogen; deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or adjacent groups among R2 to R8 bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond, and


at least one of R2 to R8 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or un-

substituted heteroring group including one or more of N, O and S atoms.

[0111] In the heterocyclic compound represented by Chemical Formula 3, the substituents may be the same as the substituents described above, except that at least one of R2 to R8 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.


[0112] In one embodiment of the present specification, at least one of R2 to R8 is selected from among the following structures.

10




15

20




25

30




35

40




45

50




55

5




10

15




20

25




30

35




40


45



50

55





[0113] In one embodiment of the present specification, R2 is any one of the structures shown above.

[0114] In another embodiment, R2 is hydrogen.

[0115] In one embodiment of the present specification, R3 is any one of the structures shown above.

[0116] In another embodiment, R3 is hydrogen.

[0117] In one embodiment of the present specification, R4 is any one of the structures shown above.

[0118] In another embodiment, R4 is hydrogen.

[0119] In one embodiment of the present specification, R5 is any one of the structures shown above.

[0120] In another embodiment, R5 is hydrogen.

[0121] In one embodiment of the present specification, R6 is any one of the structures shown above.

[0122] In another embodiment, R6 is hydrogen.

[0123] In one embodiment of the present specification, R7 is any one of the structures shown above.


[0124] In another embodiment, R7 is hydrogen.

[0125] In one embodiment of the present specification, R8 is any one of the structures shown above.

[0126] In another embodiment, R8 is hydrogen.




[0127] In one embodiment of the present specification, the heterocyclic compound represented by Chemical Formula 3 is represented by any one of the following structures.

[0128] In another embodiment of the present specification, the heterocyclic compound represented by Chemical Formula 1 is represented by any one of the following structures.



[Chemical Formula 1-2-1] [Chemical Formula 1-2-2] [Chemical Formula 1-2-3]




5



10

[Chemical Formula 1-2-4] [Chemical Formula 1-2-5] [Chemical Formula 1-2-6]

15






20

25

[Chemical Formula 1-2-7] [Chemical Formula 1-2-8] [Chemical Formula 1-2-9]




30



35

[Chemical Formula 1-2-10] [Chemical Formula 1-2-11] [Chemical Formula 1-2-12]

40






45

50

[Chemical Formula 1-2-13] [Chemical Formula 1-2-14] [Chemical Formula 1-2-15]




55

5



10 [Chemical Formula 1-2-16] [Chemical Formula 1-2-17] [Chemical
Formula 1-2-18]

15






20

25 [Chemical Formula 1-2-19] [Chemical Formula 1-2-20] [Chemical
Formula 1-2-21]

25

30






35

40 [Chemical Formula 1-2-22] [Chemical Formula 1-2-23] [Chemical
Formula 1-2-24]

40

45






50

55 [Chemical Formula 1-2-25] [Chemical Formula 1-2-26] [Chemical
Formula 1-2-27]




55

5



10 [Chemical Formula 1-2-28] [Chemical Formula 1-2-29] [Chemical Formula 1-2-30]




15



20




25 [Chemical Formula 1-2-31] [Chemical Formula 1-2-32] [Chemical Formula 1-2-33]

30



35 [Chemical Formula 1-2-34] [Chemical Formula 1-2-35] [Chemical Formula 1-2-36]

40






45

50 [Chemical Formula 1-2-37] [Chemical Formula 1-2-38] [Chemical Formula 1-2-39]

55




5



10

[Chemical Formula 1-2-40] [Chemical Formula 1-2-41] [Chemical Formula 1-2-42]

15






20

25

[Chemical Formula 1-2-43] [Chemical Formula 1-2-44] [Chemical Formula 1-2-45]

30






35

[Chemical Formula 1-2-46] [Chemical Formula 1-2-47] [Chemical Formula 1-2-48]

40

45




50

[Chemical Formula 1-2-49] [Chemical Formula 1-2-50] [Chemical Formula 1-2-51]

55

5




10

[Chemical Formula 1-2-52] [Chemical Formula 1-2-53] [Chemical Formula 1-2-54]

15


20



25

[Chemical Formula 1-3-1] [Chemical Formula 1-3-2] [Chemical Formula 1-3-3]

30




35

[Chemical Formula 1-3-4] [Chemical Formula 1-3-5] [Chemical Formula 1-3-6]

40

45




50

[Chemical Formula 1-3-7] [Chemical Formula 1-3-8] [Chemical Formula 1-3-9]


55

5



10 [Chemical Formula 1-3-10] [Chemical Formula 1-3-11] [Chemical Formula 1-3-12]


15



20

25 [Chemical Formula 1-3-13] [Chemical Formula 1-3-14] [Chemical Formula 1-3-15]


30



35

40 [Chemical Formula 1-3-16] [Chemical Formula 1-3-17] [Chemical Formula 1-3-18]


45



50

55 [Chemical Formula 1-3-19] [Chemical Formula 1-3-20] [Chemical Formula 1-3-21]


5



10

[Chemical Formula 1-3-22] [Chemical Formula 1-3-23] [Chemical Formula 1-3-24]

15




20

25

[Chemical Formula 1-3-25] [Chemical Formula 1-3-26] [Chemical Formula 1-3-27]

30




35

[Chemical Formula 1-3-28] [Chemical Formula 1-3-29] [Chemical Formula 1-3-30]

40

45






50

[Chemical Formula 1-3-31] [Chemical Formula 1-3-32] [Chemical Formula 1-3-33]

55




5



[Chemical Formula 1-3-34] [Chemical Formula 1-3-35] [Chemical Formula 1-3-36]

10

15






20

[Chemical Formula 1-3-37] [Chemical Formula 1-3-38] [Chemical Formula 1-3-39]

25




30



35

[Chemical Formula 1-3-40] [Chemical Formula 1-3-41] [Chemical Formula 1-3-42]

40






45

[Chemical Formula 1-3-43] [Chemical Formula 1-3-44] [Chemical Formula 1-3-45]

50

55




5



10

[Chemical Formula 1-3-46] [Chemical Formula 1-3-47] [Chemical Formula 1-3-48]

15






20

[Chemical Formula 1-3-49] [Chemical Formula 1-3-50] [Chemical Formula 1-3-51]

25

30






35

[Chemical Formula 1-3-52] [Chemical Formula 1-3-53] [Chemical Formula 1-3-54]

40

45






50

[Chemical Formula 1-4-1] [Chemical Formula 1-4-2] [Chemical Formula 1-4-3]

55

5






10

[Chemical Formula 1-4-4] [Chemical Formula 1-4-5] [Chemical Formula 1-4-6]

15

20






25

[Chemical Formula 1-4-7] [Chemical Formula 1-4-8] [Chemical Formula 1-4-9]

30

35






40

[Chemical Formula 1-4-10] [Chemical Formula 1-4-11] [Chemical Formula 1-4-12]

45




50






55

[Chemical Formula 1-4-13] [Chemical Formula 1-4-14] [Chemical Formula 1-4-15]




5
10
15
20
25
30
35
40
45
50
55



[Chemical Formula 1-4-16] [Chemical Formula 1-4-17] [Chemical Formula 1-4-18]






[Chemical Formula 1-4-19] [Chemical Formula 1-4-20] [Chemical Formula 1-4-21]



[Chemical Formula 1-4-22] [Chemical Formula 1-4-23] [Chemical Formula 1-4-24]

5






10

[Chemical Formula 1-4-25] [Chemical Formula 1-4-26] [Chemical
Formula 1-4-27]

15

20






25

[Chemical Formula 1-4-28] [Chemical Formula 1-4-29] [Chemical
Formula 1-4-30]

30




35



40

[Chemical Formula 1-4-31] [Chemical Formula 1-4-32] [Chemical
Formula 1-4-33]

45






50

[Chemical Formula 1-4-34] [Chemical Formula 1-4-35] [Chemical
Formula 1-4-36]

55




5



10

[Chemical Formula 1-4-37] [Chemical Formula 1-4-38] [Chemical Formula 1-4-39]

15






20

25

[Chemical Formula 1-4-40] [Chemical Formula 1-4-41] [Chemical Formula 1-4-42]

30






35

40

[Chemical Formula 1-4-43] [Chemical Formula 1-4-44] [Chemical Formula 1-4-45]

45






50

55




[Chemical Formula 1-4-46] [Chemical Formula 1-4-47] [Chemical Formula 1-4-48]

5



10 [Chemical Formula 1-4-49] [Chemical Formula 1-4-50] [Chemical
Formula 1-4-51]

15






20

25 [Chemical Formula 1-4-52] [Chemical Formula 1-4-53] [Chemical
Formula 1-4-54]

25




30



35

40 [Chemical Formula 1-5-1] [Chemical Formula 1-5-2] [Chemical
Formula 1-5-3]

40




45

50 [Chemical Formula 1-5-4] [Chemical Formula 1-5-5] [Chemical
Formula 1-5-6]

55


5



[Chemical Formula 1-6-1] [Chemical Formula 1-6-2] [Chemical
Formula 1-6-3]

10


15



[Chemical Formula 1-6-4] [Chemical Formula 1-6-5] [Chemical
Formula 1-6-6]

20


25



[Chemical Formula 1-6-7] [Chemical Formula 1-6-8] [Chemical
Formula 1-6-9]

35

40




[Chemical Formula 1-6-10] [Chemical Formula 1-6-11] [Chemical
Formula 1-6-12]

50

55


5



10

[Chemical Formula 1-6-13] [Chemical Formula 1-6-14] [Chemical Formula 1-6-15]


15



20

[Chemical Formula 1-6-16] [Chemical Formula 1-6-17] [Chemical Formula 1-6-18]

25




30

35

[Chemical Formula 1-6-19] [Chemical Formula 1-6-20] [Chemical Formula 1-6-21]

40




45

50

[Chemical Formula 1-6-22] [Chemical Formula 1-6-23] [Chemical Formula 1-6-24]


55



5

[Chemical Formula 1-6-25] [Chemical Formula 1-6-26] [Chemical Formula 1-6-27]

10




15

20

[Chemical Formula 1-6-28] [Chemical Formula 1-6-29] [Chemical Formula 1-6-30]


25



30

[Chemical Formula 1-6-31] [Chemical Formula 1-6-32] [Chemical Formula 1-6-33]

35



40




45

[Chemical Formula 1-6-34] [Chemical Formula 1-6-35] [Chemical Formula 1-6-36]

50




55

5



10 [Chemical Formula 1-6-37] [Chemical Formula 1-6-38] [Chemical Formula 1-6-39]




15



20

25 [Chemical Formula 1-6-40] [Chemical Formula 1-6-41] [Chemical Formula 1-6-42]

25






30

35

40 [Chemical Formula 1-6-43] [Chemical Formula 1-6-44] [Chemical Formula 1-6-45]




40






45

50 [Chemical Formula 1-6-46] [Chemical Formula 1-6-47] [Chemical Formula 1-6-48]




55






10 [Chemical Formula 1-6-49] [Chemical Formula 1-6-50] [Chemical Formula 1-6-51]






20 [Chemical Formula 1-6-52] [Chemical Formula 1-6-53] [Chemical Formula 1-6-54]






30 [Chemical Formula 1-7-1] [Chemical Formula 1-7-2] [Chemical Formula 1-7-3]






40 [Chemical Formula 1-7-4] [Chemical Formula 1-7-5] [Chemical Formula 1-7-6]






[Chemical Formula 1-7-7] [Chemical Formula 1-7-8] [Chemical Formula 1-7-9]






[Chemical Formula 1-7-10] [Chemical Formula 1-7-11] [Chemical Formula 1-7-12]






[Chemical Formula 1-7-13] [Chemical Formula 1-7-14] [Chemical Formula 1-7-15]






[Chemical Formula 1-7-16] [Chemical Formula 1-7-17] [Chemical Formula 1-7-18]






[Chemical Formula 1-7-31] [Chemical Formula 1-7-32] [Chemical Formula 1-7-33]



[Chemical Formula 1-7-34] [Chemical Formula 1-7-35] [Chemical Formula 1-7-36]






[Chemical Formula 1-7-37] [Chemical Formula 1-7-38] [Chemical Formula 1-7-39]



[Chemical Formula 1-7-40] [Chemical Formula 1-7-41] [Chemical Formula 1-7-42]




5



10

[Chemical Formula 1-7-43] [Chemical Formula 1-7-44] [Chemical Formula 1-7-45]

15






20

[Chemical Formula 1-7-46] [Chemical Formula 1-7-47] [Chemical Formula 1-7-48]

25




30



35

[Chemical Formula 1-7-49] [Chemical Formula 1-7-50] [Chemical Formula 1-7-51]

40






45




[Chemical Formula 1-7-52] [Chemical Formula 1-7-53] [Chemical Formula 1-7-54]

50




55






[Chemical Formula 1-8-1] [Chemical Formula 1-8-2] [Chemical
Formula 1-8-3]






[Chemical Formula 1-8-4] [Chemical Formula 1-8-5] [Chemical
Formula 1-8-6]






[Chemical Formula 1-8-7] [Chemical Formula 1-8-8] [Chemical
Formula 1-8-9]



[Chemical Formula 1-8-10] [Chemical Formula 1-8-11] [Chemical
Formula 1-8-12]






[Chemical Formula 1-8-13] [Chemical Formula 1-8-14] [Chemical
Formula 1-8-15]



5

[Chemical Formula 1-8-16] [Chemical Formula 1-8-17] [Chemical Formula 1-8-18]






15

20

[Chemical Formula 1-8-19] [Chemical Formula 1-8-20] [Chemical Formula 1-8-21]

25






30

35

[Chemical Formula 1-8-22] [Chemical Formula 1-8-23] [Chemical Formula 1-8-24]

40






45




[Chemical Formula 1-8-25] [Chemical Formula 1-8-26] [Chemical Formula 1-8-27]

50




55






[Chemical Formula 1-8-28] [Chemical Formula 1-8-29] [Chemical Formula 1-8-30]






[Chemical Formula 1-8-31] [Chemical Formula 1-8-32] [Chemical Formula 1-8-33]



[Chemical Formula 1-8-34] [Chemical Formula 1-8-35] [Chemical Formula 1-8-36]






[Chemical Formula 1-9-1] [Chemical Formula 1-9-2] [Chemical Formula 1-9-3]



[Chemical Formula 1-9-4] [Chemical Formula 1-9-5] [Chemical Formula 1-9-6]




5



10

[Chemical Formula 1-9-7] [Chemical Formula 1-9-8] [Chemical Formula 1-9-9]




15



20

[Chemical Formula 1-9-10] [Chemical Formula 1-9-11] [Chemical Formula 1-9-12]

25






30

[Chemical Formula 1-9-13] [Chemical Formula 1-9-14] [Chemical Formula 1-9-15]

35

40






45

[Chemical Formula 1-9-16] [Chemical Formula 1-9-17] [Chemical Formula 1-9-18]

50

55




5



10

[Chemical Formula 1-10-1] [Chemical Formula 1-10-2] [Chemical Formula 1-10-3]




15



20

[Chemical Formula 1-10-4] [Chemical Formula 1-10-5] [Chemical Formula 1-10-6]

25






30

[Chemical Formula 1-10-7] [Chemical Formula 1-10-8] [Chemical Formula 1-10-9]

35




40



45

[Chemical Formula 1-10-10] [Chemical Formula 1-10-11] [Chemical Formula 1-10-12]


50



55

[Chemical Formula 1-10-13] [Chemical Formula 1-10-14] [Chemical Formula 1-10-15]


5



10

[Chemical Formula 1-10-16] [Chemical Formula 1-10-17] [Chemical Formula 1-10-18]


15



20

[Chemical Formula 1-11-1] [Chemical Formula 1-11-2] [Chemical Formula 1-11-3]


25



30

[Chemical Formula 1-11-4] [Chemical Formula 1-11-5] [Chemical Formula 1-11-6]

35




40

45


[Chemical Formula 1-11-7] [Chemical Formula 1-11-8] [Chemical Formula 1-11-9]

50


55



[Chemical Formula 1-11-10] [Chemical Formula 1-11-11] [Chemical Formula 1-11-12]



[Chemical Formula 1-11-13] [Chemical Formula 1-11-14] [Chemical Formula 1-11-15]




[Chemical Formula 1-11-16] [Chemical Formula 1-11-17] [Chemical Formula 1-11-18]

[0129] One embodiment of the present specification may provide an organic light emitting device including at least one of the compounds shown above.




[0130] In one embodiment of the present specification, the heterocyclic compound represented by Chemical Formula 3 is represented by any one of the following structures.

[0131] In another embodiment of the present specification, the heterocyclic compound represented by Chemical Formula 1 is represented by any one of the following structures.






[Chemical Formula 2-2-1] [Chemical Formula 2-2-2] [Chemical Formula 2-2-3]

5



10 [Chemical Formula 2-2-4] [Chemical Formula 2-2-5] [Chemical Formula 2-2-6]




15



20

25 [Chemical Formula 2-2-7] [Chemical Formula 2-2-8] [Chemical Formula 2-2-9]

30






35

40 [Chemical Formula 2-2-10] [Chemical Formula 2-2-11] [Chemical Formula 2-2-12]

40

45






50

55 [Chemical Formula 2-2-13] [Chemical Formula 2-2-14] [Chemical Formula 2-2-15]

55




5



10

[Chemical Formula 2-2-16] [Chemical Formula 2-2-17] [Chemical Formula 2-2-18]

15






20

25

[Chemical Formula 2-2-19] [Chemical Formula 2-2-20] [Chemical Formula 2-2-21]

30






35

40

[Chemical Formula 2-2-22] [Chemical Formula 2-2-23] [Chemical Formula 2-2-24]

45






50

55

[Chemical Formula 2-2-25] [Chemical Formula 2-2-26] [Chemical Formula 2-2-27]




5



10

[Chemical Formula 2-2-28] [Chemical Formula 2-2-29] [Chemical Formula 2-2-30]




15



20

[Chemical Formula 2-2-31] [Chemical Formula 2-2-32] [Chemical Formula 2-2-33]

25






30

[Chemical Formula 2-2-34] [Chemical Formula 2-2-35] [Chemical Formula 2-2-36]

35

40






45

[Chemical Formula 2-2-37] [Chemical Formula 2-2-38] [Chemical Formula 2-2-39]


50

55



[Chemical Formula 2-2-40] [Chemical Formula 2-2-41] [Chemical
Formula 2-2-42]

5




10

15

[Chemical Formula 2-2-43] [Chemical Formula 2-2-44] [Chemical
Formula 2-2-45]

20




25

30

[Chemical Formula 2-2-46] [Chemical Formula 2-2-47] [Chemical
Formula 2-2-48]


35



40

[Chemical Formula 2-2-49] [Chemical Formula 2-2-50] [Chemical
Formula 2-2-51]


45




50

55


[Chemical Formula 2-2-52] [Chemical Formula 2-2-53] [Chemical
Formula 2-2-54]




10 [Chemical Formula 2-3-1] [Chemical Formula 2-3-2] [Chemical Formula 2-3-3]



20 [Chemical Formula 2-3-4] [Chemical Formula 2-3-5] [Chemical Formula 2-3-6]



30 [Chemical Formula 2-3-7] [Chemical Formula 2-3-8] [Chemical Formula 2-3-9]






40 [Chemical Formula 2-3-10] [Chemical Formula 2-3-11] [Chemical Formula 2-3-12]

45

50

55




5



10

[Chemical Formula 2-3-13] [Chemical Formula 2-3-14] [Chemical Formula 2-3-15]

15






20

25

[Chemical Formula 2-3-16] [Chemical Formula 2-3-17] [Chemical Formula 2-3-18]

30






35

40

[Chemical Formula 2-3-19] [Chemical Formula 2-3-20] [Chemical Formula 2-3-21]




45






50

55




[Chemical Formula 2-3-22] [Chemical Formula 2-3-23] [Chemical Formula 2-3-24]






[Chemical Formula 2-3-25] [Chemical Formula 2-3-26] [Chemical Formula 2-3-27]






[Chemical Formula 2-3-28] [Chemical Formula 2-3-29] [Chemical Formula 2-3-30]






[Chemical Formula 2-3-31] [Chemical Formula 2-3-32] [Chemical Formula 2-3-33]



[Chemical Formula 2-3-34] [Chemical Formula 2-3-35] [Chemical Formula 2-3-36]



[Chemical Formula 2-4-1] [Chemical Formula 2-4-2] [Chemical Formula 2-4-3]



[Chemical Formula 2-4-4] [Chemical Formula 2-4-5] [Chemical Formula 2-4-6]

[0132] One embodiment of the present specification may provide an organic light emitting device including at least one of the compounds shown above.


[0133] In the present specification the organic light emitting device including the heterocyclic compound represented by Chemical Formula 3 is the same as the organic light emitting device defined above.

[0134] The preparation of the heterocyclic compound represented by Chemical Formula 1 and the organic light emitting device including the heterocyclic compound will be described in detail in the following examples. However, the following examples are for illustrative purposes only, and the scope of the present specification is not limited thereto.

<Synthesis Example>

<Synthesis Example 1> Synthesis of Chemical Formula 1-2-1


[0135]



[Compound 1-A]

[Compound 1-B]

[Compound 1-C]



[Compound 1-D]

[Chemical Formula 1-2-1]

<Synthesis Example 1-1> Synthesis of Compound 1-A

[0136] After 2-chloro-1,3-dinitrobenzene (30 g, 148.1 mmol) was dissolved in anhydrous ethanol (200 ml), the mixture was stirred under nitrogen. 2-Amino-5-bromophenol (36.2 g, 192.5 mmol) and anhydrous sodium acetate (21.0 g, 255.8 mmol) were added thereto. The above solution was refluxed for 2 hours, and then cooled to room temperature when the reaction was complete. The precipitated solids were washed until the filtrate became colorless, and dried to obtain Compound 1-A (45.6 g, yield 87%; MS: $[M+H]^+=353$).

<Synthesis Example 1-2> Synthesis of Compound 1-B

[0137] Compound 1-A (45.6 g, 128.9 mmol) was placed in an aqueous 1% sodium hydroxide (NaOH) solution (850 ml), and the mixture was refluxed for 30 minutes. After the result was cooled to room temperature, the produced solids were filtered under reduced pressure while being washed with hot water until the solids became neutral, and then the solids were dried to obtain Compound 1-B (37.6 g, yield 95%; MS: $[M+H]^+=306$).

<Synthesis Example 1-3> Synthesis of Compound 1-C

[0138] After Compound 1-B (32.4 g, 105.4 mmol) was dissolved in ethanol (30 ml), 10% Pd-C (1.12 g, 10.5 mmol) was added and dispersed thereto, and the mixture was cooled to 0°C. Hydrazine monohydrate (25 ml) was slowly added dropwise thereto. The mixture was heated for 30 minutes at 50°C. After the reaction was complete, the reaction product was cooled to room temperature, filtered using ethanol, and the filtrate was vacuum distilled to obtain Compound 1-C (27.7 g, yield 95.0%; ms: $[M+H]^+=276$).

<Synthesis Example 1-4> Synthesis of Compound 1-D

[0139] Compound 1-C (27.7 g, 100.0 mmol) and acetaldehyde (5.6 ml, 100.0 mmol) were refluxed for 1 hour in ethyl acetate (150 ml). After the ethyl acetate was removed under reduced pressure, the result was dissolved in chloroform (250 ml), and 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ) (25.0 g, 110.1 mmol) was added thereto. The mixture was stirred for 1 hour at room temperature. The black solids obtained by vacuum distilling the mixture was columned using a tetrahydrofuran/hexane (THF/Hexane:1/3) solution to obtain Compound 1-D (22.9 g, yield 76.0%; MS: $[M+H]^+=300$).


<Synthesis Example 1-5> Synthesis of Chemical Formula 1-2-1

[0140] Compound 1-D (15.1 g, 50.0 mmol) and (10-phenylanthracen-9-yl)boronic acid (14.9 g, 50.0 mmol) were dissolved in tetrahydrofuran (THF). A 2 M potassium carbonate (K_2CO_3) solution (72 mL) and tetrakis(triphenylphosphine)

palladium(0) (1.10 g, 1.91 mmol) were added thereto, and the result was refluxed for 12 hours. After the reaction was complete, the result was cooled to room temperature, filtered, and then washed several times with water and ethanol. The filtered solid product was recrystallized using chloroform and ethyl acetate to obtain a compound of Chemical Formula 1-2-1 (15.2 g, yield 64%; MS: $[M+H]^+=475$).

<Synthesis Example 2> Synthesis of Chemical Formula 1-3-1

[0141]



[Compound 1-C]

[Compound 2-A]

[Chemical Formula 1-3-1]

<Synthesis Example 2-1> Synthesis of Compound 2-A


[0142] Compound 2-A (25.2 g, yield 80.0%; MS: $[M+H]^+=315$) was obtained in the same manner as in Synthesis Example 1-4 except that propionaldehyde (7.2 ml, 100.0 mmol) was used instead of acetaldehyde.

<Synthesis Example 2-2> Synthesis of Chemical Formula 1-3-1

[0143] A compound of Chemical Formula 1-3-1 (17.3 g, yield 71%; MS: $[M+H]^+=489$) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D.

<Synthesis Example 3> Synthesis of Chemical Formula 1-3-4

[0144]




[Compound 2-A]

[Chemical Formula 1-3-4]

[0145] A compound of Chemical Formula 1-3-4 (22.9 g, yield 81%; MS: $[M+H]^+=565$) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (10-((1,1'-biphenyl)-4-yl)anthracen-9-yl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

<Synthesis Example 4> Synthesis of Chemical Formula 1-3-5

[0146]




[Compound 2-A]

[Chemical Formula 1-3-5]

15 [0147] A compound of Chemical Formula 1-3-5 (21.8 g, yield 72%; MS:[M+H]⁺=605) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (10-(9,9-dimethyl-9H-fluoren-2-yl)anthracen-9-yl)boronic acid (20.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

20 <Synthesis Example 5> Synthesis of Chemical Formula 1-3-6

25 [0148]




[Compound 2-A]

[Chemical Formula 1-3-6]

40 [0149] A compound of Chemical Formula 1-3-6 (18.6 g, yield 66%; MS:[M+H]⁺=565) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (10-([1,1'-biphenyl]-3-yl)anthracen-9-yl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

45 <Synthesis Example 6> Synthesis of Chemical Formula 1-3-12

50 [0150]




[Compound 2-A]

[Chemical Formula 1-3-12]

15 **[0151]** A compound of Chemical Formula 1-3-12 (17.7 g, yield 69%; MS: $[M+H]^+=514$) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (10-(4-cyanophenyl)anthracen-9-yl)boronic acid (16.2 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

20 **<Synthesis Example 7> Synthesis of Chemical Formula 1-3-18**

[0152]




[Compound 2-A]

[Chemical Formula 1-3-18]

35 **[0153]** A compound of Chemical Formula 1-3-18 (21.2 g, yield 75%; MS: $[M+H]^+=565$) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (3-(10-phenylanthracen-9-yl)phenyl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

40 **<Synthesis Example 8> Synthesis of Chemical Formula 1-3-19**

[0154]




[Compound 2-A]

[Chemical Formula 1-3-19]

[0155] A compound of Chemical Formula 1-3-19 (20.9 g, yield 74%; MS:[M+H]⁺=565) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and 2-(9,10-diphenylanthracen-2-yl)-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (22.8 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

<Synthesis Example 9> Synthesis of Chemical Formula 1-3-26

[0156]




[Compound 2-A]

[Chemical Formula 1-3-26]

[0157] A compound of Chemical Formula 1-3-26 (17.8 g, yield 81%; MS: [M+H]⁺=439) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (4-(naphthalen-2-yl)phenyl)boronic acid (12.4 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

<Synthesis Example 10> Synthesis of Chemical Formula 1-3-28

[0158]




[Compound 2-A]

[Chemical Formula 1-3-28]

[0159] A compound of Chemical Formula 1-3-28 (15.7 g, yield 72%; MS: [M+H]⁺=439) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and (3,8-dihydropyren-4-yl)boronic acid (12.4 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

<Synthesis Example 11> Synthesis of Chemical Formula 1-3-29

[0160]




[Compound 2-A]

[Chemical Formula 1-3-29]

15 [0161] A compound of Chemical Formula 1-3-29 (16.8 g, yield 69%; MS:[M+H]⁺=487) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and perylen-3-ylboronic acid (14.8 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

20 <Synthesis Example 12> Synthesis of Chemical Formula 1-3-30

25 [0162]



[Compound 2-A]

[Chemical Formula 1-3-30]


35 [0163] A compound of Chemical Formula 1-3-30 (12.4 g, yield 57%; MS: [M+H]⁺=437) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and fluorene-3-ylboronic acid (12.3 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

40 <Synthesis Example 13> Synthesis of Chemical Formula 1-3-34

45 [0164]

50

55



[Compound 2-A]

[Chemical Formula 1-3-34]

15


20

[0165] A compound of Chemical Formula 1-3-34 (18.4 g, yield 67%; MS:[M+H]⁺=551) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 2-A (15.8 g, 50.0 mmol) was used instead of Compound 1-D, and 9,9'-spirobi[fluoren]-2-ylboronic acid (18.0 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

25

<Synthesis Example 14> Synthesis of Chemical Formula 1-4-1

[0166]



[Compound 1-C]

[Compound 14-A]

[Chemical Formula 1-4-1]

40

<Synthesis Example 14-1> Synthesis of Compound 14-A

[0167] Compound 14-A (31.3 g, yield 86%; MS:[M+H]⁺=363) was obtained in the same manner as in Synthesis Example 1-4 except that benzaldehyde (10.6 g, 100.0 mmol) was used instead of acetaldehyde.

45

<Synthesis Example 14-2> Synthesis of Chemical Formula 1-4-1

[0168] A compound of Chemical Formula 1-4-1 (19.4 g, yield 72%; MS: [M+H]⁺=537) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 14-A (18.2 g, 50.0 mmol) was used instead of Compound 1-D.


50

<Synthesis Example 15> Synthesis of Chemical Formula 1-1-25

[0169]

5

10



15

[Compound 15-A] [Compound 15-B] [Compound 15-C] [Chemical
Formula 1-1-25]

<Synthesis Example 15-1> Synthesis of Compound 15-A

20

[0170] Compound 15-A (30.8 g, yield 91%; MS:[M+H]⁺= 229) was obtained in the same manner as in Synthesis Example 1-1 and Synthesis Example 1-2 except that 2-aminobromophenol (21.0 g, 192.5 mmol) was used instead of 2-amino-5-bromophenol.

<Synthesis Example 15-2> Synthesis of Compound 15-B

25

[0171] Compound 15-B (20.3 g, yield 97%; MS:[M+H]⁺=199) was obtained in the same manner as in Synthesis Example 1-3 except that Compound 15-A (24.1 g, 105.4 mmol) was used instead of Compound 1-B.

<Synthesis Example 15-3> Synthesis of Compound 15-C

30

[0172] Compound 15-C (32.0 g, yield 88%; MS:[M+H]⁺=363) was obtained in the same manner as in Synthesis Example 1-4 except that 4-bromobenzaldehyde (18.5 g, 100.0 mmol) was used instead of acetaldehyde.

<Synthesis Example 15-4> Synthesis of Chemical Formula 1-1-25

35

[0173] A compound of Chemical Formula 1-1-25 (18.5 g, yield 69%; MS:[M+H]⁺=537) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 15-B (18.2 g, 50.0 mmol) was used instead of Compound 1-D.

<Synthesis Example 16> Synthesis of Chemical Formula 1-6-17


40

[0174]

45

50

55



<Synthesis Example 16-1> Synthesis of Compound 16-A

25 [0175] Compound 16-A (47.0 g, yield 69%; MS: [M+H]⁺=353) was obtained in the same manner as in Synthesis Example 1-1 except that 2-amino-6-bromophenol (25.0 g, 192.5 mmol) was used instead of 2-aminophenol.

<Synthesis Example 16-2> Synthesis of Compound 16-B

30 [0176] Compound 16-B (28.5 g, yield 72%; MS: [M+H]⁺=306) was obtained in the same manner as in Synthesis Example 1-2 except that Compound 16-A (45.6 g, 128.9 mmol) was used instead of Compound 1-A.

<Synthesis Example 16-3> Synthesis of Compound 16-C

35 [0177] Compound 16-C (28.3 g, yield 97%; MS: [M+H]⁺=276) was obtained in the same manner as in Synthesis Example 1-3 except that Compound 16-B (32.4 g, 105.4 mmol) was used instead of Compound 1-B.

<Synthesis Example 16-4> Synthesis of Compound 16-D

40 [0178] Compound 16-D (32.3 g, yield 89%; MS: [M+H]⁺=363) was obtained in the same manner as in Synthesis Example 1-4 except that Compound 16-C (27.7 g, 100 mmol) was used instead of Compound 1-C, and benzaldehyde (10.6 g, 100.0 mmol) was used instead of acetaldehyde.


<Synthesis Example 16-5> Synthesis of Chemical Formula 1-6-17

45 [0179] Chemical Formula 1-6-17 (16.5 g, yield 54%; MS: [M+H]⁺=613) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 16-D (18.2 g, 50.0 mmol) was used instead of Compound 1-D, and (4-(10-phenylanthracen-9-yl)phenyl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

50 <Synthesis Example 17> Synthesis of Chemical Formula 1-7-17

[0180]

55



<Synthesis Example 17-1> Synthesis of Compound 17-A

25 [0181] Compound 17-A (57.3 g, yield 84%; MS:[M+H]⁺=353) was obtained in the same manner as in Synthesis Example 1-1 except that 2-amino-4-bromophenol (25.0 g, 192.5 mmol) was used instead of 2-aminophenol.

<Synthesis Example 17-2> Synthesis of Compound 17-B

30 [0182] Compound 17-B (27.3 g, yield 69%; MS:[M+H]⁺=306) was obtained in the same manner as in Synthesis Example 1-2 except that Compound 17-A (45.6 g, 128.9 mmol) was used instead of Compound 1-A.

<Synthesis Example 17-3> Synthesis of Compound 17-C

35 [0183] Compound 17-C (28.9 g, yield 99%; MS:[M+H]⁺=276) was obtained in the same manner as in Synthesis Example 1-3 except that Compound 17-B (32.4 g, 105.4 mmol) was used instead of Compound 1-B.

<Synthesis Example 17-4> Synthesis of Compound 17-D

40 [0184] Compound 17-D (26.2 g, yield 83%; MS:[M+H]⁺=315) was obtained in the same manner as in Synthesis Example 1-4 except that Compound 17-C (27.7 g, 100 mmol) was used instead of Compound 1-C, and propionaldehyde (7.2 ml, 100.0 mmol) was used instead of acetaldehyde.


<Synthesis Example 17-5> Synthesis of Chemical Formula 1-7-17

45 [0185] A compound of Chemical Formula 1-7-17 (18.9 g, yield 67%; MS: [M+H]⁺=565) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 17-D (18.2 g, 50.0 mmol) was used instead of Compound 1-D, and 4-(10-phenylanthracen-9-yl)phenyl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

50 <Synthesis Example 18> Synthesis of Chemical Formula 1-8-17

[0186]


55



[Compound 18-A]

[Compound 1-B]

[Compound 1-C]



[Compound 18-D]

[Chemical Formula 1-8-17]

<Synthesis Example 18-1> Synthesis of Compound 18-A

[0187] Compound 18-A (53.2 g, yield 78%; MS:[M+H]⁺=353) was obtained in the same manner as in Synthesis Example 1-1 except that 2-amino-3-bromophenol (25.0 g, 192.5 mmol) was used instead of 2-aminophenol.

<Synthesis Example 18-2> Synthesis of Compound 18-B

[0188] Compound 18-B (28.9 g, yield 73%; MS:[M+H]⁺=306) was obtained in the same manner as in Synthesis Example 1-2 except that Compound 18-A (45.6 g, 128.9 mmol) was used instead of Compound 1-A.

<Synthesis Example 18-3> Synthesis of Compound 18-C

[0189] Compound 18-C (28.6 g, yield 98%; MS:[M+H]⁺=276) was obtained in the same manner as in Synthesis Example 1-3 except that Compound 18-B (32.4 g, 105.4 mmol) was used instead of Compound 1-B.

<Synthesis Example 18-4> Synthesis of Compound 18-D


[0190] Compound 18-D (27.8 g, yield 88%; MS:[M+H]⁺=315) was obtained in the same manner as in Synthesis Example 1-4 except that Compound 18-C (27.7 g, 100 mmol) was used instead of Compound 1-C, and propionaldehyde (7.2 ml, 100.0 mmol) was used instead of acetaldehyde.

<Synthesis Example 18-5> Synthesis of Chemical Formula 1-8-17

[0191] A compound of Chemical Formula 1-8-17 (14.4 g, yield 51%; MS: [M+H]⁺=565) was obtained in the same manner as in Synthesis Example 1-5 except that Compound 18-D (18.2 g, 50.0 mmol) was used instead of Compound 1-D, and 4-(10-phenylanthracen-9-yl)phenyl)boronic acid (18.7 g, 50.0 mmol) was used instead of (10-phenylanthracen-9-yl)boronic acid.

<Synthesis Example 19> Synthesis of Chemical Formula 1-5-1

[0192]



[Compound 1-D]

[Compound 19-A]

[Chemical Formula 1-5-1]

<Synthesis Example 19-1> Synthesis of Compound 19-A


[0193] Compound 1-D (21.1 g, 70.0 mmol), bis(pinacolato)diborone (19.6 g, 77.0 mmol), potassium acetate (20.6 g, 210 mmol), [1,1'-bis(diphenylphosphino)ferrocene]dichloropalladium(II) (1.2 g, 2.1 mmol) and tricyclohexylphosphine (1.2 g, 2.4 mmol) were placed in dioxane (350 ml), and the mixture was refluxed for 12 hours. After the reaction was complete, the result was cooled to room temperature, and vacuum distilled to remove the solvent. The result was dissolved in chloroform, washed three times with water, and the organic layer was separated and dried using magnesium sulfate. The resulting organic layer was vacuum distilled to obtain Compound 19-A (21.0 g, yield 86%; MS: $[M+H]^+=349$).

<Synthesis Example 19-2> Synthesis of Chemical Formula 1-5-1

[0194] Compound 19-A (17.4 g, 50 mmol) and (4-bromophenyl)diphenylphosphine oxide (17.9 g, 50 mmol) were dissolved in tetrahydrofuran (THF). A 2M potassium carbonate (K_2CO_3) solution (72 mL) and then tetrakis(triphenylphosphine) palladium(0) (1.10 g, 1.91 mmol) were added thereto, and the result was refluxed for 3 hours. After the reaction was complete, the result was cooled to room temperature, filtered, and then washed with water and ethanol. The filtered solid product was purified by column chromatography using tetrahydrofuran/hexane (THF/Hexane:1/4) to obtain a compound of Chemical Formula 1-5-1 (15.5 g, yield 62%; MS: $[M+H]^+=499$).

<Synthesis Example 20> Synthesis of Chemical Formula 1-5-2

[0195]



[Compound 19-A]

[Chemical Formula 1-5-2]


<Synthesis Example 20-1> Synthesis of Chemical Formula 1-5-2

[0196] A compound of Chemical Formula 1-5-2 (14.5 g, yield 53%; MS: $[M+H]^+=549$) was obtained in the same manner as in Synthesis Example 19-2 except that (6-bromonaphthalen-2-yl)diphenylphosphine oxide (20.4 g, 50 mmol) was used instead of (4-bromophenyl)diphenylphosphine oxide.

<Synthesis Example 2-1> Synthesis of Chemical Formula 2-2-1

[0197]

5




10

[Compound 2-1-A]

[Compound 2-1-B]

[Compound 2-1-C]

15



20

[Compound 2-1-D]

[Chemical Formula 2-2-1]

25


[0198] A compound of Chemical Formula 2-2-1 (21.8 g, yield 30%; MS:[M+H]⁺=491) was obtained in the same manner as in Synthesis Example 1 except that 2-amino-5-bromophenethiol (39.3 g, 192.5 mmol) was used instead of 2-amino-5-bromophenol.

30

<Synthesis Example 2-2> Synthesis of Chemical Formula 2-3-17

[0199]

35




40

[Compound 2-2-A]

[Compound 2-2-B]

[Compound 2-2-C]

45



50

[Compound 2-2-D]

[Chemical Formula 2-3-17]


55

[0200] A compound of Chemical Formula 2-3-17 (22.3 g, yield 26%; MS: [M+H]⁺=581) was obtained in the same

manner as in Synthesis Example 17 except that 2-amino-4-bromobenzenethiol (39.3 g, 192.5 mmol) was used instead of 2-amino-4-bromophenol.

<Synthesis Example 2-3> Synthesis of Chemical Formula 2-3-1

[0201]




[Compound 2-2-D]

[Chemical Formula 2-3-1]

[0202] A compound of Chemical Formula 2-3-1 (17.2 g, yield 23%; MS: $[M+H]^+=505$) was obtained in the same manner as in Synthesis Example 17 except that 2-amino-4-bromobenzenethiol (39.3 g, 192.5 mmol) was used instead of 2-amino-4-bromophenol, (10-phenylanthracen-9-yl)boronic acid (14.9 g, 50.0 mmol) was used instead of (4-(10-phenylanthracen-9-yl)phenyl)boronic acid.

<Synthesis Example 2-4> Synthesis of Chemical Formula 2-4-1

[0203]



[Compound 2-1-D]

[Compound 2-4-A]

[Chemical Formula 2-4-1]

<Synthesis Example 2-4-1> Synthesis of Compound 2-4-A

[0204] Compound 2-1-D (22.2 g, 70.0 mmol), bis(pinacolato)diborone (19.6 g, 77.0 mmol), potassium acetate (20.6 g, 210 mmol), [1,1'-Bis(diphenylphosphino)ferrocene]dichloropalladium(II) (1.2 g, 2.1 mmol) and tricyclohexylphosphine (1.2 g, 2.4 mmol) were placed in tetrahydrofuran (350 ml), and the mixture was refluxed for 12 hours. After the reaction was complete, the result was cooled to room temperature, and vacuum distilled to remove the solvent. The result was dissolved in chloroform, washed three times with water, and the organic layer was separated and dried using magnesium sulfate. The resulting organic layer was vacuum distilled to obtain Compound 2-4-A (19.4 g, yield 76%; MS: $[M+H]^+=365$).

<Synthesis Example 2-4-2> Synthesis of Chemical Formula 2-4-1

[0205] A compound of Chemical Formula 2-4-1 (18.3 g, yield 71%; MS: $[M+H]^+=515$) was obtained in the same manner as in Synthesis Example 19-2 except that Compound 2-4-A (18.2 g, 50 mmol) was used instead of Compound 19-A.


<Experimental Example>

<Experimental Example 1-1>


5 [0206] A glass substrate on which indium tin oxide (ITO) was coated as a thin film to a thickness of 500 Å was placed in distilled water, in which a detergent is dissolved, and ultrasonic cleaned. As the detergent, a product of Fischer Corporation was used, and as the distilled water, distilled water filtered twice with a filter manufactured by Millipore Corporation was used. After the ITO was cleaned for 30 minutes, ultrasonic cleaning was repeated twice for 10 minutes using distilled water. After the cleaning with distilled water was finished, the substrate was ultrasonic cleaned with isopropyl alcohol, acetone and methanol solvents, and dried, and then transferred to a plasma cleaner. In addition, the substrate was cleaned for 5 minutes using oxygen plasma, and then transferred to a vacuum depositor.

10 [0207] On the transparent ITO electrode prepared as above, a hole injection layer was formed to a thickness of 100 Å by thermal vacuum depositing hexanitrile hexaazatriphenylene (HAT) of the following Chemical Formula.

[HAT]




[NPB]




20 [0208] A hole transfer layer was formed on the hole injection layer by vacuum depositing 4,4'-bis[N-(1-naphthyl)-N-phenylamino]biphenyl (NPB) (1,000 Å) of the Chemical Formula shown above.

25 [0209] Subsequently, a light emitting layer was formed on the hole transfer layer to a film thickness of 230 Å by vacuum depositing GH and GD shown below in a weight ratio of 10:1.

[GH]



[GD]



30 [0210] An electron injection and transfer layer was formed on the light emitting layer to a thickness of 350 Å by vacuum depositing the compound of Chemical Formula 1-2-1.

35 [0211] A cathode was formed on the electron injection and transfer layer by depositing lithium fluoride (LiF) to a thickness of 15 Å and aluminum to a thickness of 2,000 Å in consecutive order.


40 [0212] In the above process, the deposition rates of the organic materials were maintained at 0.4 to 0.7 Å/sec, the deposition rates of the lithium fluoride and the aluminum of the cathode were maintained at 0.3 Å/sec and 2 Å/sec, respectively, and the degree of vacuum when being deposited was maintained at 2×10^{-7} to 5×10^{-6} torr, and as a result,

an organic light emitting device was manufactured.

<Comparative Example 1>

5 [0213] An organic light emitting device was manufactured in the same manner as in Experimental Example 1-1 except that a compound of the following Chemical Formula ET-A was used instead of the compound of Chemical Formula 1-2-1.

[ET-A]



25 <Experimental Examples 1-2 to 1-16>

[0214] Organic light emitting devices of Experimental Examples 1-2 to 1-16 were manufactured in the same manner as in Experimental Example 1-1 except that each compound shown in Table 1 was used instead of the compound of Chemical Formula 1-2-1.

30 [0215] Current (10 mA/cm²) was applied to the organic light emitting devices manufactured in Experimental Examples 1-1 to 1-16 and Comparative Example 1, and the results are shown in Table 1.

[Table 1]

	Compound	Voltage (V)	Efficiency (dc/A)	Color Coordinate (x, y)	
35	Experimental Example 1-1	1-2-1	3.89	42.15	(0.373, 0.620)
	Experimental Example 1-2	1-3-1	3.87	42.34	(0.373, 0.620)
	Experimental Example 1-3	1-3-4	3.83	42.12	(0.372, 0.621)
40	Experimental Example 1-4	1-3-5	3.84	41.99	(0.371, 0.622)
	Experimental Example 1-5	1-3-6	3.80	41.98	(0.371, 0.620)
	Experimental Example 1-6	1-3-12	3.86	42.10	(0.371, 0.619)
45	Experimental Example 1-7	1-3-18	3.83	41.87	(0.372, 0.620)
	Experimental Example 1-8	1-3-19	3.85	41.18	(0.372, 0.621)
	Experimental Example 1-9	1-4-1	3.78	40.99	(0.373, 0.622)
	Experimental Example 1-10	1-5-25	3.78	41.12	(0.374, 0.623)
50	Experimental Example 1-11	1-6-17	3.81	42.22	(0.373, 0.624)
	Experimental Example 1-12	1-7-17	3.82	42.12	(0.373, 0.621)
	Experimental Example 1-13	1-8-17	3.80	42.14	(0.372, 0.622)
55	Experimental Example 1-14	2-2-1	3.92	41.10	(0.373, 0.620)
	Experimental Example 1-15	2-3-1	3.94	41.13	(0.374, 0.621)
	Experimental Example 1-16	2-3-17	3.91	41.12	(0.373, 0.621)

(continued)

	Compound	Voltage (V)	Efficiency (dc/A)	Color Coordinate (x, y)
Comparative Example 1	ET-A	3.98	39.99	(0.373, 0.621)

[0216] As seen from the results of Table 1, it was shown that the heterocyclic compound according to one embodiment of the present specification may be used as an organic material layer material of an organic light emitting device, and particularly when the heterocyclic compound was used in an electron injection and transfer layer among the organic material layers, the organic light emitting device exhibited superior properties in efficiency, driving voltage, stability and the like. In particular, it was demonstrated that the compound exhibited superior properties due to excellent thermal stability, a deep HOMO level, and hole stability. The compound has an advantage in that it improves the efficiency of an organic light emitting device, and may improve the stability of a device due to the thermal stability of the compound.


<Experimental Example 2-1>

[0217] On the transparent ITO electrode prepared as in Experimental Example 1-1, a hole injection layer was formed to a thickness of 100 Å by thermal vacuum depositing hexanitride hexaazatriphenylene (HAT) of the Chemical Formula shown above.


[0218] A hole transfer layer was formed on the hole injection layer by vacuum depositing 4,4'-bis[N-(1-naphthyl)-N-phenylamino]biphenyl (NPB) (700 Å), hexanitride hexaazatriphenylene (HAT) (50 Å) and 4,4'-bis[N-(1-naphthyl)-N-phenylamino]biphenyl (NPB) (700 Å) of the chemical formulae shown above in consecutive order.

[0219] Subsequently, a light emitting layer was formed on the hole transfer layer to a film thickness of 200 Å by vacuum depositing BH and BD shown below in a weight ratio of 25:1.

[BH]




[BD]



[0220] An electron injection and transfer layer was formed on the light emitting layer to a thickness of 300 Å by vacuum depositing the compound of Chemical Formula 1-2-1 and lithium quinalate (LiQ) of the following Chemical Formula in a weight ratio of 1:1.

[LiQ]




[0221] A cathode was formed on the electron injection and transfer layer by depositing lithium fluoride (LiF) to a thickness of 15 Å and aluminum to a thickness of 2,000 Å in consecutive order.

[0222] In the above process, the deposition rates of the organic materials were maintained at 0.4 to 0.7 Å/sec, the deposition rates of the lithium fluoride and the aluminum of the cathode were maintained at 0.3 Å/sec and 2 Å/sec, respectively, and the degree of vacuum when being deposited was maintained at 2×10^{-7} to 5×10^{-6} torr, and as a result, an organic light emitting device was manufactured.

<Comparative Example 2>

[0223] An organic light emitting device was manufactured in the same manner as in Experimental Example 2-1 except that a compound of the following Chemical Formula ET-A was used instead of the compound of Chemical Formula 1-2-1.

[ET-A]



<Experimental Example 2-2 to 2-14>

[0224] Organic light emitting devices of Experimental Examples 2-2 to 2-14 were manufactured in the same manner as in Experimental Example 2-1 except that each compound shown in Table 2 was used instead of the compound of Chemical Formula 1-2-1.

[0225] Current (10 mA/cm^2) was applied to the organic light emitting devices manufactured in Experimental Examples 2-1 to 2-14 and Comparative Example 2, and the results are shown in Table 2.

[Table 2]

	Compound	Voltage (V)	Efficiency (dc/A)	Color Coordinate (x, y)
Experimental Example 2-1	1-2-1	3.81	5.31	(0.141, 0.130)
Experimental Example 2-2	1-3-1	3.85	5.24	(0.141, 0.130)
Experimental Example 2-3	1-3-26	3.86	5.30	(0.142, 0.131)
Experimental Example 2-4	1-3-28	3.87	5.29	(0.140, 0.129)
Experimental Example 2-5	1-3-29	3.79	5.28	(0.139, 0.129)
Experimental Example 2-6	1-3-30	3.86	4.29	(0.141, 0.131)
Experimental Example 2-7	1-3-34	3.79	5.27	(0.140, 0.131)
Experimental Example 2-8	1-4-1	3.81	5.32	(0.140, 0.130)
Experimental Example 2-9	1-1-25	3.83	5.28	(0.142, 0.129)
Experimental Example 2-10	1-5-1	3.80	5.30	(0.142, 0.130)
Experimental Example 2-11	1-5-2	3.82	5.28	(0.141, 0.131)
Experimental Example 2-12	2-2-1	3.90	5.18	(0.141, 0.130)

(continued)

	Compound	Voltage (V)	Efficiency (dc/A)	Color Coordinate (x, y)	
5	Experimental Example 2-13	2-3-1	3.89	5.12	(0.140, 0.130)
	Experimental Example 2-14	2-4-1	3.98	5.15	(0.141, 0.131)
	Comparative Example 2	ET-A	4.05	4.75	(0.141, 0.129)

10 **[0226]** As seen from the results of Table 2, it was shown that the heterocyclic compound according to one embodiment of the present specification may be used as an organic material layer material of an organic light emitting device, and particularly when the heterocyclic compound was used in an electron injection and transfer layer among the organic material layers, the organic light emitting device exhibited superior properties in efficiency, driving voltage, stability and the like. In particular, it was demonstrated that the compound exhibited superior properties due to excellent thermal stability, a deep HOMO level, and hole stability. The compound may be used either alone or as a mixture with an n-type dopant such as LiQ in an organic electronic device including an organic light emitting device. The compound has an advantage in that it improves the efficiency of an organic light emitting device, and may improve the stability of a device due to the thermal stability of the compound.


20 Claims

1. An organic light emitting device comprising:

25 a first electrode;
a second electrode provided opposite to the first electrode; and
one or more organic material layers including a light emitting layer provided between the first electrode and the second electrode,

30 wherein one or more layers of the organic material layers include the heterocyclic compound represented by the following Chemical Formula 1:

[Chemical Formula 1]



wherein, in Chemical Formula 1,

X is O or S;


50 R1 is deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl

55


group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms; and R2 to R8 are the same as or different from each other, and each independently hydrogen; deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or adjacent groups among R2 to R8 bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond.

2. The organic light emitting device of Claim 1, wherein R1 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.


3. The organic light emitting device of Claim 1, wherein at least one of R1 to R8 is any one of the following structures:



5




10



15


20

25




30

35




40

45







50

55



4. The organic light emitting device of Claim 1, wherein the heterocyclic compound represented by Chemical Formula 1 is represented by any one of the following Chemical Formulae 1-1-1 to 1-1-64 and 2-1-1 to 2-1-10:





5



10

[Chemical Formula 1-1-1] [Chemical Formula 1-1-2] [Chemical Formula 1-1-3] [Chemical Formula 1-1-4]




15



20

[Chemical Formula 1-1-5] [Chemical Formula 1-1-6] [Chemical Formula 1-1-7] [Chemical Formula 1-1-8]

25






30

[Chemical Formula 1-1-9] [Chemical Formula 1-1-10] [Chemical Formula 1-1-11]

35

40






45




[Chemical Formula 1-1-12] [Chemical Formula 1-1-13] [Chemical Formula 1-1-14]

50




55






[Chemical Formula 1-1-15] [Chemical Formula 1-1-16] [Chemical Formula 1-1-17]



[Chemical Formula 1-1-18] [Chemical Formula 1-1-19] [Chemical Formula 1-1-20]






[Chemical Formula 1-1-21] [Chemical Formula 1-1-22] [Chemical Formula 1-1-23]



[Chemical Formula 1-1-24] [Chemical Formula 1-1-25] [Chemical Formula 1-1-26]




5



10

[Chemical Formula 1-1-27] [Chemical Formula 1-1-28] [Chemical Formula 1-1-29]

15






20

[Chemical Formula 1-1-30] [Chemical Formula 1-1-31] [Chemical Formula 1-1-32]

25

30






35

[Chemical Formula 1-1-33] [Chemical Formula 1-1-34] [Chemical Formula 1-1-35]

40




45






50

[Chemical Formula 1-1-36] [Chemical Formula 1-1-37] [Chemical Formula 1-1-38]




55






[Chemical Formula 1-1-39] [Chemical Formula 1-1-40] [Chemical Formula 1-1-41]






[Chemical Formula 1-1-42] [Chemical Formula 1-1-43] [Chemical Formula 1-1-44]






[Chemical Formula 1-1-45] [Chemical Formula 1-1-46] [Chemical Formula 1-1-47]






[Chemical Formula 1-1-48] [Chemical Formula 1-1-49] [Chemical Formula 1-1-50]






[Chemical Formula 1-1-51] [Chemical Formula 1-1-52] [Chemical Formula 1-1-53]





[Chemical Formula 1-1-54] [Chemical Formula 1-1-55] [Chemical Formula 1-1-56]




[Chemical Formula 1-1-57] [Chemical Formula 1-1-58] [Chemical Formula 1-1-59]




[Chemical Formula 1-1-60] [Chemical Formula 1-1-61] [Chemical Formula 1-1-62]




[Chemical Formula 1-1-63] [Chemical Formula 1-1-64]



[Chemical Formula 2-1-1] [Chemical Formula 2-1-2] [Chemical Formula 2-1-3] [Chemical Formula 2-1-4]



[Chemical Formula 2-1-5] [Chemical Formula 2-1-6] [Chemical Formula 2-1-7] [Chemical Formula 2-1-8]




[Chemical Formula 2-1-9] [Chemical Formula 2-1-10].

5. The organic light emitting device of Claim 1, wherein the organic material layer includes an electron transfer layer, an electron injection layer or a layer carrying out electron transfer and electron injection at the same time, and the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time includes the heterocyclic compound.
6. The organic light emitting device of Claim 5, wherein the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time is formed only with the heterocyclic compound.
7. The organic light emitting device of Claim 5, wherein the electron transfer layer, the electron injection layer or the layer carrying out electron transfer and electron injection at the same time includes the heterocyclic compound as a p-type host, and an n-type dopant as a dopant.
8. The organic light emitting device of Claim 7, wherein the n-type dopant includes alkali metals, alkali metal compounds, alkaline earth metals, alkaline earth metal compounds, or combinations thereof.
9. The organic light emitting device of Claim 1, wherein the light emitting layer includes the heterocyclic compound as a host, and a phosphorous dopant compound as a dopant.
10. The organic light emitting device of Claim 1, wherein the organic material layer further includes one, two or more layers selected from the group consisting of a hole injection layer, a hole transfer layer, an electron transfer layer, an electron injection layer, an electron blocking layer and a hole blocking layer.

11. A heterocyclic compound represented by the following Chemical Formula 3:

[Chemical Formula 3]



wherein, in Chemical Formula 3,

X is O or S;

R1 is deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; an amide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms;

R2 to R8 are the same as or different from each other, and each independently hydrogen; deuterium; a halogen group; a nitrile group; a nitro group; a hydroxyl group; a carbonyl group; an ester group; an imide group; a substituted or unsubstituted alkyl group; a substituted or unsubstituted cycloalkyl group; a substituted or unsubstituted alkoxy group; a substituted or unsubstituted aryloxy group; a substituted or unsubstituted alkylthioxy group; a substituted or unsubstituted arylthioxy group; a substituted or unsubstituted alkylsulfoxy group; a substituted or unsubstituted arylsulfoxy group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted silyl group; a substituted or unsubstituted boron group; a substituted or unsubstituted alkylamine group; a substituted or unsubstituted aralkylamine group; a substituted or unsubstituted arylamine group; a substituted or unsubstituted heteroarylamine group; a substituted or unsubstituted arylphosphine group; a substituted or unsubstituted phosphine oxide group; a substituted or unsubstituted aryl group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or adjacent groups among R2 to R8 bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond; and

at least one of R2 to R8 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.


12. The heterocyclic compound of Claim 11, wherein R1 is a substituted or unsubstituted alkyl group; a substituted or unsubstituted alkenyl group; a substituted or unsubstituted aryl group; a substituted or unsubstituted phosphine oxide group; or a substituted or unsubstituted heteroring group including one or more of N, O and S atoms.

13. The heterocyclic compound of Claim 11, wherein R2 to R8 are the same as or different from each other, and each independently hydrogen; an alkyl group; an alkenyl group; an aryl group; a phosphine oxide group; or a heteroring group including one or more of N, O and S atoms; and


the alkyl group; the alkenyl group; the aryl group; the phosphine oxide group; and the heteroring group including one or more of N, O and S atoms are unsubstituted or substituted with one, two or more substituents selected from the group consisting of deuterium, a nitrile group, a substituted or unsubstituted alkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aryl group, a substituted or unsubstituted silane group, a

substituted or unsubstituted phosphine oxide group, and a substituted or unsubstituted heteroring group including one or more of N, O and S atoms, or two or more substituents bond to each other to form an aliphatic ring, an aromatic ring, an aliphatic heteroring or an aromatic heteroring, or form a spiro bond.

5 14. The heterocyclic compound of Claim 11, wherein at least one of R2 to R8 is any one of the following structures:




5




10

15



20


25




30

35

40




45




50

55




35 **15.** The heterocyclic compound of Claim 11, wherein the heterocyclic compound represented by Chemical Formula 3 is represented by any one of the following structures:



[Chemical Formula 1-2-1] [Chemical Formula 1-2-2] [Chemical Formula 1-2-3]


5



10

[Chemical Formula 1-2-4] [Chemical Formula 1-2-5] [Chemical Formula 1-2-6]

15




20

25

[Chemical Formula 1-2-7] [Chemical Formula 1-2-8] [Chemical Formula 1-2-9]

30




35

40

[Chemical Formula 1-2-10] [Chemical Formula 1-2-11] [Chemical Formula 1-2-12]




45






50

[Chemical Formula 1-2-13] [Chemical Formula 1-2-14] [Chemical Formula 1-2-15]




55






[Chemical Formula 1-2-16] [Chemical Formula 1-2-17] [Chemical Formula 1-2-18]



[Chemical Formula 1-2-19] [Chemical Formula 1-2-20] [Chemical Formula 1-2-21]






[Chemical Formula 1-2-22] [Chemical Formula 1-2-23] [Chemical Formula 1-2-24]






[Chemical Formula 1-2-25] [Chemical Formula 1-2-26] [Chemical Formula 1-2-27]

5



10 [Chemical Formula 1-2-28] [Chemical Formula 1-2-29] [Chemical Formula 1-2-30]




15



20

25 [Chemical Formula 1-2-31] [Chemical Formula 1-2-32] [Chemical Formula 1-2-33]




30



35

40 [Chemical Formula 1-2-34] [Chemical Formula 1-2-35] [Chemical Formula 1-2-36]

40






45

50 [Chemical Formula 1-2-37] [Chemical Formula 1-2-38] [Chemical Formula 1-2-39]

55




5



10

[Chemical Formula 1-2-40] [Chemical Formula 1-2-41] [Chemical Formula 1-2-42]

15






20

25

[Chemical Formula 1-2-43] [Chemical Formula 1-2-44] [Chemical Formula 1-2-45]

30






35

40

[Chemical Formula 1-2-46] [Chemical Formula 1-2-47] [Chemical Formula 1-2-48]

45




50

[Chemical Formula 1-2-49] [Chemical Formula 1-2-50] [Chemical Formula 1-2-51]

55

5




10

[Chemical Formula 1-2-52] [Chemical Formula 1-2-53] [Chemical Formula 1-2-54]

15


20



25

[Chemical Formula 1-3-1] [Chemical Formula 1-3-2] [Chemical Formula 1-3-3]

30




35

[Chemical Formula 1-3-4] [Chemical Formula 1-3-5] [Chemical Formula 1-3-6]

40

45




50

[Chemical Formula 1-3-7] [Chemical Formula 1-3-8] [Chemical Formula 1-3-9]


55

5



[Chemical Formula 1-3-10] [Chemical Formula 1-3-11] [Chemical Formula 1-3-12]

15




20

[Chemical Formula 1-3-13] [Chemical Formula 1-3-14] [Chemical Formula 1-3-15]

25

30




35

[Chemical Formula 1-3-16] [Chemical Formula 1-3-17] [Chemical Formula 1-3-18]

40

45




50

[Chemical Formula 1-3-19] [Chemical Formula 1-3-20] [Chemical Formula 1-3-21]

55


5



10

[Chemical Formula 1-3-22] [Chemical Formula 1-3-23] [Chemical Formula 1-3-24]

15




20

25

[Chemical Formula 1-3-25] [Chemical Formula 1-3-26] [Chemical Formula 1-3-27]

30




35

40

[Chemical Formula 1-3-28] [Chemical Formula 1-3-29] [Chemical Formula 1-3-30]

45




50

55

[Chemical Formula 1-3-31] [Chemical Formula 1-3-32] [Chemical Formula 1-3-33]


5



10

[Chemical Formula 1-3-34] [Chemical Formula 1-3-35] [Chemical Formula 1-3-36]

15




20

[Chemical Formula 1-3-37] [Chemical Formula 1-3-38] [Chemical Formula 1-3-39]

25


30



35

[Chemical Formula 1-3-40] [Chemical Formula 1-3-41] [Chemical Formula 1-3-42]

40




45

[Chemical Formula 1-3-43] [Chemical Formula 1-3-44] [Chemical Formula 1-3-45]

50

55


5



10

[Chemical Formula 1-3-46] [Chemical Formula 1-3-47] [Chemical Formula 1-3-48]

15




20

[Chemical Formula 1-3-49] [Chemical Formula 1-3-50] [Chemical Formula 1-3-51]

25

30




35

[Chemical Formula 1-3-52] [Chemical Formula 1-3-53] [Chemical Formula 1-3-54]

40

45






50

[Chemical Formula 1-4-1] [Chemical Formula 1-4-2] [Chemical Formula 1-4-3]

55

5






10

[Chemical Formula 1-4-4] [Chemical Formula 1-4-5] [Chemical Formula 1-4-6]

15

20






25

[Chemical Formula 1-4-7] [Chemical Formula 1-4-8] [Chemical Formula 1-4-9]

30

35






40

[Chemical Formula 1-4-10] [Chemical Formula 1-4-11] [Chemical Formula 1-4-12]

45




50






55

[Chemical Formula 1-4-13] [Chemical Formula 1-4-14] [Chemical Formula 1-4-15]




5
10
15
20
25
30
35
40
45
50
55



[Chemical Formula 1-4-16] [Chemical Formula 1-4-17] [Chemical Formula 1-4-18]




[Chemical Formula 1-4-19] [Chemical Formula 1-4-20] [Chemical Formula 1-4-21]



[Chemical Formula 1-4-22] [Chemical Formula 1-4-23] [Chemical Formula 1-4-24]

5




10

[Chemical Formula 1-4-25] [Chemical Formula 1-4-26] [Chemical Formula 1-4-27]

15


20



25

[Chemical Formula 1-4-28] [Chemical Formula 1-4-29] [Chemical Formula 1-4-30]

30




35

40

[Chemical Formula 1-4-31] [Chemical Formula 1-4-32] [Chemical Formula 1-4-33]

45






50

[Chemical Formula 1-4-34] [Chemical Formula 1-4-35] [Chemical Formula 1-4-36]

55

5






10

[Chemical Formula 1-4-37] [Chemical Formula 1-4-38] [Chemical Formula 1-4-39]

15

20






25

[Chemical Formula 1-4-40] [Chemical Formula 1-4-41] [Chemical Formula 1-4-42]

30

35






40

[Chemical Formula 1-4-43] [Chemical Formula 1-4-44] [Chemical Formula 1-4-45]

45




50



55

[Chemical Formula 1-4-46] [Chemical Formula 1-4-47] [Chemical Formula 1-4-48]




5



10

[Chemical Formula 1-4-49] [Chemical Formula 1-4-50] [Chemical Formula 1-4-51]

15






20

[Chemical Formula 1-4-52] [Chemical Formula 1-4-53] [Chemical Formula 1-4-54]

25

30






35

[Chemical Formula 1-5-1] [Chemical Formula 1-5-2] [Chemical Formula 1-5-3]

40

45




50

[Chemical Formula 1-5-4] [Chemical Formula 1-5-5] [Chemical Formula 1-5-6]

55


5



10

[Chemical Formula 1-6-1] [Chemical Formula 1-6-2] [Chemical Formula 1-6-3]


15



20

[Chemical Formula 1-6-4] [Chemical Formula 1-6-5] [Chemical Formula 1-6-6]

25




30

[Chemical Formula 1-6-7] [Chemical Formula 1-6-8] [Chemical Formula 1-6-9]

35

40




45

[Chemical Formula 1-6-10] [Chemical Formula 1-6-11] [Chemical Formula 1-6-12]

50

55


5



10

[Chemical Formula 1-6-13] [Chemical Formula 1-6-14] [Chemical Formula 1-6-15]


15



20

[Chemical Formula 1-6-16] [Chemical Formula 1-6-17] [Chemical Formula 1-6-18]

25




30

35

[Chemical Formula 1-6-19] [Chemical Formula 1-6-20] [Chemical Formula 1-6-21]

40




45

50

[Chemical Formula 1-6-22] [Chemical Formula 1-6-23] [Chemical Formula 1-6-24]


55



5

[Chemical Formula 1-6-25] [Chemical Formula 1-6-26] [Chemical Formula 1-6-27]


10



15

[Chemical Formula 1-6-28] [Chemical Formula 1-6-29] [Chemical Formula 1-6-30]


20



25

[Chemical Formula 1-6-31] [Chemical Formula 1-6-32] [Chemical Formula 1-6-33]

30



40




[Chemical Formula 1-6-34] [Chemical Formula 1-6-35] [Chemical Formula 1-6-36]

45

50

55




5



10

[Chemical Formula 1-6-37] [Chemical Formula 1-6-38] [Chemical Formula 1-6-39]

15






20

25

[Chemical Formula 1-6-40] [Chemical Formula 1-6-41] [Chemical Formula 1-6-42]

30






35

40

[Chemical Formula 1-6-43] [Chemical Formula 1-6-44] [Chemical Formula 1-6-45]

45




50

[Chemical Formula 1-6-46] [Chemical Formula 1-6-47] [Chemical Formula 1-6-48]

55


5



10

[Chemical Formula 1-6-49] [Chemical Formula 1-6-50] [Chemical Formula 1-6-51]

15




20

[Chemical Formula 1-6-52] [Chemical Formula 1-6-53] [Chemical Formula 1-6-54]

25


30



35

[Chemical Formula 1-7-1] [Chemical Formula 1-7-2] [Chemical Formula 1-7-3]

40






45




[Chemical Formula 1-7-4] [Chemical Formula 1-7-5] [Chemical Formula 1-7-6]

50




55






[Chemical Formula 1-7-7] [Chemical Formula 1-7-8] [Chemical Formula 1-7-9]



[Chemical Formula 1-7-10] [Chemical Formula 1-7-11] [Chemical Formula 1-7-12]




[Chemical Formula 1-7-13] [Chemical Formula 1-7-14] [Chemical Formula 1-7-15]



[Chemical Formula 1-7-16] [Chemical Formula 1-7-17] [Chemical Formula 1-7-18]


5



10

[Chemical Formula 1-7-19] [Chemical Formula 1-7-20] [Chemical Formula 1-7-21]

15




20

25

[Chemical Formula 1-7-22] [Chemical Formula 1-7-23] [Chemical Formula 1-7-24]


30



35

[Chemical Formula 1-7-25] [Chemical Formula 1-7-26] [Chemical Formula 1-7-27]

40




45


[Chemical Formula 1-7-28] [Chemical Formula 1-7-29] [Chemical Formula 1-7-30]

50


55




10 [Chemical Formula 1-7-31] [Chemical Formula 1-7-32] [Chemical Formula 1-7-33]




20 [Chemical Formula 1-7-34] [Chemical Formula 1-7-35] [Chemical Formula 1-7-36]



30 [Chemical Formula 1-7-37] [Chemical Formula 1-7-38] [Chemical Formula 1-7-39]




40 [Chemical Formula 1-7-40] [Chemical Formula 1-7-41] [Chemical Formula 1-7-42]



50 [Chemical Formula 1-7-43] [Chemical Formula 1-7-44] [Chemical Formula 1-7-45]


5



10

[Chemical Formula 1-7-46] [Chemical Formula 1-7-47] [Chemical Formula 1-7-48]


15



20

[Chemical Formula 1-7-49] [Chemical Formula 1-7-50] [Chemical Formula 1-7-51]


25



30

[Chemical Formula 1-7-52] [Chemical Formula 1-7-53] [Chemical Formula 1-7-54]


35



40

[Chemical Formula 1-8-1] [Chemical Formula 1-8-2] [Chemical Formula 1-8-3]




45






50

[Chemical Formula 1-8-4] [Chemical Formula 1-8-5] [Chemical Formula 1-8-6]




55






[Chemical Formula 1-8-7] [Chemical Formula 1-8-8] [Chemical Formula 1-8-9]



[Chemical Formula 1-8-10] [Chemical Formula 1-8-11] [Chemical Formula 1-8-12]






[Chemical Formula 1-8-13] [Chemical Formula 1-8-14] [Chemical Formula 1-8-15]



[Chemical Formula 1-8-16] [Chemical Formula 1-8-17] [Chemical Formula 1-8-18]




5



10

[Chemical Formula 1-8-19] [Chemical Formula 1-8-20] [Chemical Formula 1-8-21]

15






20

25

[Chemical Formula 1-8-22] [Chemical Formula 1-8-23] [Chemical Formula 1-8-24]




30



35

[Chemical Formula 1-8-25] [Chemical Formula 1-8-26] [Chemical Formula 1-8-27]

40






45




50

[Chemical Formula 1-8-28] [Chemical Formula 1-8-29] [Chemical Formula 1-8-30]




55






[Chemical Formula 1-8-31] [Chemical Formula 1-8-32] [Chemical Formula 1-8-33]



[Chemical Formula 1-8-34] [Chemical Formula 1-8-35] [Chemical Formula 1-8-36]






[Chemical Formula 1-9-1] [Chemical Formula 1-9-2] [Chemical Formula 1-9-3]






[Chemical Formula 1-9-4] [Chemical Formula 1-9-5] [Chemical Formula 1-9-6]

5



10 [Chemical Formula 1-9-7] [Chemical Formula 1-9-8] [Chemical Formula 1-9-9]




15



20

[Chemical Formula 1-9-10] [Chemical Formula 1-9-11] [Chemical Formula 1-9-12]




25



30

35 [Chemical Formula 1-9-13] [Chemical Formula 1-9-14] [Chemical Formula 1-9-15]




40






45

50 [Chemical Formula 1-9-16] [Chemical Formula 1-9-17] [Chemical Formula 1-9-18]




55






[Chemical Formula 1-10-1] [Chemical Formula 1-10-2] [Chemical
 10 Formula 1-10-3]






[Chemical Formula 1-10-4] [Chemical Formula 1-10-5] [Chemical
 20 Formula 1-10-6]



[Chemical Formula 1-10-7] [Chemical Formula 1-10-8] [Chemical
 35 Formula 1-10-9]




[Chemical Formula 1-10-10] [Chemical Formula 1-10-11] [Chemical
 45 Formula 1-10-12]



[Chemical Formula 1-10-13] [Chemical Formula 1-10-14] [Chemical
 55 Formula 1-10-15]


5



10

[Chemical Formula 1-10-16] [Chemical Formula 1-10-17] [Chemical Formula 1-10-18]


15



20

[Chemical Formula 1-11-1] [Chemical Formula 1-11-2] [Chemical Formula 1-11-3]


25



30

[Chemical Formula 1-11-4] [Chemical Formula 1-11-5] [Chemical Formula 1-11-6]

35



40


45

[Chemical Formula 1-11-7] [Chemical Formula 1-11-8] [Chemical Formula 1-11-9]

50


55

5




10 [Chemical Formula 1-11-10] [Chemical Formula 1-11-11] [Chemical Formula 1-11-12]

15



20 [Chemical Formula 1-11-13] [Chemical Formula 1-11-14] [Chemical Formula 1-11-15]

25




30

[Chemical Formula 1-11-16] [Chemical Formula 1-11-17] [Chemical Formula 1-11-18].

35

16. The heterocyclic compound of Claim 11, wherein the heterocyclic compound represented by Chemical Formula 3 is represented by any one of the following structures:

40






45

[Chemical Formula 2-2-1] [Chemical Formula 2-2-2] [Chemical Formula 2-2-3]

50




55

5



10 [Chemical Formula 2-2-4] [Chemical Formula 2-2-5] [Chemical Formula 2-2-6]




15



20

25 [Chemical Formula 2-2-7] [Chemical Formula 2-2-8] [Chemical Formula 2-2-9]

30






35

40 [Chemical Formula 2-2-10] [Chemical Formula 2-2-11] [Chemical Formula 2-2-12]

40

45




50

55 [Chemical Formula 2-2-13] [Chemical Formula 2-2-14] [Chemical Formula 2-2-15]

55


5



10

[Chemical Formula 2-2-16] [Chemical Formula 2-2-17] [Chemical Formula 2-2-18]

15




20

25

[Chemical Formula 2-2-19] [Chemical Formula 2-2-20] [Chemical Formula 2-2-21]

30




35

40

[Chemical Formula 2-2-22] [Chemical Formula 2-2-23] [Chemical Formula 2-2-24]

45






50

55




[Chemical Formula 2-2-25] [Chemical Formula 2-2-26] [Chemical Formula 2-2-27]

5



10 [Chemical Formula 2-2-28] [Chemical Formula 2-2-29] [Chemical Formula 2-2-30]




15



20

25 [Chemical Formula 2-2-31] [Chemical Formula 2-2-32] [Chemical Formula 2-2-33]




25



30

35 [Chemical Formula 2-2-34] [Chemical Formula 2-2-35] [Chemical Formula 2-2-36]

35






45

50 [Chemical Formula 2-2-37] [Chemical Formula 2-2-38] [Chemical Formula 2-2-39]

50




55

5



10 [Chemical Formula 2-2-40] [Chemical Formula 2-2-41] [Chemical Formula 2-2-42]

15






20

25 [Chemical Formula 2-2-43] [Chemical Formula 2-2-44] [Chemical Formula 2-2-45]

25




30



35

40 [Chemical Formula 2-2-46] [Chemical Formula 2-2-47] [Chemical Formula 2-2-48]

40




45

50 [Chemical Formula 2-2-49] [Chemical Formula 2-2-50] [Chemical Formula 2-2-51]

55


5



10

[Chemical Formula 2-2-52] [Chemical Formula 2-2-53] [Chemical Formula 2-2-54]


15



20

[Chemical Formula 2-3-1] [Chemical Formula 2-3-2] [Chemical Formula 2-3-3]

25




30

[Chemical Formula 2-3-4] [Chemical Formula 2-3-5] [Chemical Formula 2-3-6]

35

40






45




[Chemical Formula 2-3-7] [Chemical Formula 2-3-8] [Chemical Formula 2-3-9]

50




55






[Chemical Formula 2-3-10] [Chemical Formula 2-3-11] [Chemical Formula 2-3-12]






[Chemical Formula 2-3-13] [Chemical Formula 2-3-14] [Chemical Formula 2-3-15]






[Chemical Formula 2-3-16] [Chemical Formula 2-3-17] [Chemical Formula 2-3-18]






[Chemical Formula 2-3-19] [Chemical Formula 2-3-20] [Chemical Formula 2-3-21]






[Chemical Formula 2-3-22] [Chemical Formula 2-3-23] [Chemical Formula 2-3-24]



[Chemical Formula 2-3-25] [Chemical Formula 2-3-26] [Chemical Formula 2-3-27]






[Chemical Formula 2-3-28] [Chemical Formula 2-3-29] [Chemical Formula 2-3-30]






[Chemical Formula 2-3-31] [Chemical Formula 2-3-32] [Chemical Formula 2-3-33]

5



10 [Chemical Formula 2-3-34] [Chemical Formula 2-3-35] [Chemical
Formula 2-3-36]




15



20

25 [Chemical Formula 2-4-1] [Chemical Formula 2-4-2] [Chemical
Formula 2-4-3]

30



35 [Chemical Formula 2-4-4] [Chemical Formula 2-4-5] [Chemical
Formula 2-4-6].


40

45


50

55


【FIG. 1】




【FIG. 2】




【FIG. 3】



【FIG. 4】



【FIG. 5】



INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2014/009105

5

A. CLASSIFICATION OF SUBJECT MATTER

C09K 11/06(2006.01)i, C07D 471/04(2006.01)i, H01L 51/50(2006.01)i

According to International Patent Classification (IPC) or to both national classification and IPC

10

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

C09K 11/06; H01L 51/54; H01L 51/30; H01L 51/50; B41M 5/20; C07D 471/04

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
 Korean Utility models and applications for Utility models: IPC as above
 Japanese Utility models and applications for Utility models: IPC as above

15

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS (KIPO internal) & Keywords: benzimidazoles, phenoxazines, phenothiazines, OLED

20

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4549192 A (HUNG, William M.) 22 October 1985 See formula I.	1-16
A	US 2011-0253988 A1 (MOLT, Oliver et al.) 20 October 2011 See abstract and formula (I).	1-16
A	WO 2006-056465 A1 (BASF AKTIENGESELLSCHAFT) 01 June 2006 See claims 1-22.	1-16
A	WO 2009-047147 A1 (BASF SE) 16 April 2009 See claims 1-13.	1-16
A	WO 2006-033563 A1 (LG CHEM. LTD.) 30 March 2006 See claims 1-9.	1-16

40

Further documents are listed in the continuation of Box C. See patent family annex.


45

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier application or patent but published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"G" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

50

Date of the actual completion of the international search 12 JANUARY 2015 (12.01.2015)	Date of mailing of the international search report 13 JANUARY 2015 (13.01.2015)
--	---

55

Name and mailing address of the ISA/KR  Korean Intellectual Property Office Government Complex-Daejeon, 189 Seonsa-ro, Daejeon 302-701, Republic of Korea Facsimile No. 82-42-472-7140	Authorized officer Telephone No.
---	---

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.

PCT/KR2014/009105

5

10

15

20

25

30

35

40

45

50

55

Patent document cited in search report	Publication date	Patent family member	Publication date
US 4549192 A	22/10/1985	EP 0170968 A1	12/02/1986
		JP 61-042569 A	01/03/1986
		US 4604462 A	05/08/1986
US 2011-0253988 A1	20/10/2011	US 8691401 B2	08/04/2014
WO 2006-056465 A1	01/06/2006	CN 101107725 A	16/01/2008
		CN 101107725 B	25/01/2012
		DE 102004057086 A1	08/06/2006
		EP 1817806 A1	15/08/2007
		EP 1817806 B1	30/07/2014
		JP 04-768746 B2	07/09/2011
		JP 2008-521947 A	26/06/2008
		KR 10-1359770 B1	06/02/2014
		KR 10-2007-0086613 A	27/08/2007
		US 2010-0308714 A1	09/12/2010
		US 8029919 B2	04/10/2011
WO 2009-047147 A1	16/04/2009	EP 2195868 A1	16/06/2010
		EP 2195868 B1	02/01/2013
		JP 05-553758 B2	16/07/2014
		JP 2011-501878 A	13/01/2011
		KR 10-2010-0084168 A	23/07/2010
		US 2010-0219406 A1	02/09/2010
		US 8384068 B2	26/02/2013
WO 2006-033563 A1	30/03/2006	KR 10-0648050 B1	23/11/2006
		KR 10-2006-0051622 A	19/05/2006

Form PCT/ISA/210 (patent family annex) (July 2009)

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- KR 1020130116594 [0001]
- KR 20070092667 [0007]

专利名称(译)	杂环化合物和使用其的有机发光元件		
公开(公告)号	EP3053982A4	公开(公告)日	2017-03-29
申请号	EP2014847205	申请日	2014-09-29
[标]申请(专利权)人(译)	乐金化学股份有限公司		
申请(专利权)人(译)	LG化学有限公司.		
当前申请(专利权)人(译)	LG化学有限公司		
[标]发明人	KANG MINYOUNG LEE DONG HOON JANG BOONJAE JANG JUNGI KIM SEONG SO		
发明人	KANG, MINYOUNG LEE, DONG HOON JANG, BOONJAE JANG, JUNGI KIM, SEONG SO		
IPC分类号	C09K11/06 C07D471/04 H01L51/50 H01L51/54		
CPC分类号	H01L51/0072 C07D471/06 C07D487/06 C07D498/06 C07D513/06 C07F9/6561 C07F9/65846 C09K11/025 C09K11/06 C09K2211/1007 C09K2211/1011 C09K2211/1014 C09K2211/1029 C09K2211/1044 C09K2211/1092 C09K2211/185 C09K2211/188 H01L51/0051 H01L51/0052 H01L51/0054 H01L51/0055 H01L51/0056 H01L51/0058 H01L51/0067 H01L51/0068 H01L51/0071 H01L51/0077 H01L51/0085 H01L51/5012 H01L51/5016 H01L51/5056 H01L51/5072 H01L51/5076 H01L51/5088 H01L51/5092 H01L51/5096 H01L51/5203 H05B33/20		
优先权	1020130116594 2013-09-30 KR		
其他公开文献	EP3053982B1 EP3053982A1		
外部链接	Espacenet		

摘要(译)

本说明书提供杂环化合物和使用其的有机发光器件。