

(19) **United States**(12) **Patent Application Publication** (10) **Pub. No.: US 2016/0308140 A1**
Kim et al. (43) **Pub. Date: Oct. 20, 2016**(54) **CONDENSED CYCLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE COMPRISING THE SAME***H01L 51/0052* (2013.01); *C07D 491/107* (2013.01); *H01L 51/0058* (2013.01); *H01L 51/5206* (2013.01)(71) Applicants: **Samsung Display Co., Ltd.**, Yongin-si (KR); **Research & Business Foundation SUNGKYUNKWAN UNIVERSITY**, Suwon-si (KR)(72) Inventors: **Sung-Wook Kim**, Yongin-si (KR); **Myeong-Suk Kim**, Yongin-si (KR); **Hwan-Hee Cho**, Yongin-si (KR); **Sam-Il Kho**, Yongin-si (KR); **Seung-Soo Yoon**, Suwon-si (KR); **Changwoong Chu**, Yongin-si (KR)(57) **ABSTRACT**

A condensed cyclic compound and an organic light-emitting device including the condensed cyclic compound are provided. The condensed cyclic compound is represented by Formula 1. The A_3 ring of Formula 1 is a group represented by Formula 2A or a group represented by Formula 2B. The organic light-emitting device includes: a first electrode; a second electrode; and an organic layer between the first electrode and the second electrode and including an emission layer, the organic layer including at least one of the condensed cyclic compound represented by Formula 1.

(21) Appl. No.: **15/098,258**

Formula 1

(22) Filed: **Apr. 13, 2016**(30) **Foreign Application Priority Data**


Apr. 14, 2015 (KR) 10-2015-0052453

Publication Classification(51) **Int. Cl.**


H01L 51/00 (2006.01)
C07D 491/107 (2006.01)
C07D 495/10 (2006.01)
C09K 11/06 (2006.01)
C09K 11/02 (2006.01)

(52) **U.S. Cl.**

CPC *H01L 51/0071* (2013.01); *H01L 51/0059* (2013.01); *C09K 11/06* (2013.01); *C09K 11/025* (2013.01); *C07D 495/10* (2013.01);



Formula 2A



Formula 2B

**40**

220
190
150
110
210

FIG. 1

10

190
150
110

FIG. 2

20

190
150
110
210

FIG. 3

30

220
190
150
110

FIG. 4

40

220
190
150
110
210

**CONDENSED CYCLIC COMPOUND AND
ORGANIC LIGHT-EMITTING DEVICE
COMPRISING THE SAME**

CROSS-REFERENCE TO RELATED
APPLICATION

[0001] This application claims priority to and the benefit of Korean Patent Application No. 10-2015-0052453, filed on Apr. 14, 2015, in the Korean Intellectual Property Office, the entire content of which is incorporated herein by reference.

BACKGROUND

[0002] 1. Field

[0003] One or more embodiments of the present disclosure relate to a condensed cyclic compound and an organic light-emitting device including the same.

[0004] 2. Description of the Related Art

[0005] Organic light-emitting devices (OLEDs) are self-emitting devices that have features such as wide viewing angles, excellent contrast, quick response, high brightness, excellent driving voltage characteristics, and can provide multicolored images.


[0006] An organic light-emitting device may have a structure in which a first electrode, a hole transport region, an emission layer, an electron transport region, and a second electrode are sequentially disposed in the stated order on a substrate. Holes injected from the first electrode move to the emission layer via the hole transport region, while electrons injected from the second electrode move to the emission layer via the electron transport region. Carriers such as the holes and electrons recombine in the emission layer to generate excitons. When the excitons drop from an excited state to a ground state, light is emitted.

SUMMARY

[0007] One or more embodiments of the present disclosure include a novel condensed cyclic compound and an organic light-emitting device including the same.


[0008] Additional aspects of embodiments will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the described embodiments.

[0009] According to one or more embodiments of the present disclosure, there is provided a condensed cyclic compound represented by Formula 1:



Formula 1

-continued



Formula 2A



Formula 2B

[0010] wherein, in Formulae 1, 2A, and 2B,

[0011] A_1 ring and A_2 ring are each independently selected from a benzene, a naphthalene, a pyridine, a pyrimidine, a pyrazine, a quinoline, an isoquinoline, a quinoxaline, a quinazoline, and a cinnoline;

[0012] A_3 ring is a group represented by Formula 2A or a group represented by Formula 2B;

[0013] X_1 is N-[(L_{11}) a_{11} -(R_{11}) b_{11}], O, or S;

[0014] X_2 is N-[(L_{12}) a_{12} -(R_{12}) b_{12}], O, or S;

[0015] L_1 and L_2 are each independently selected from a substituted or unsubstituted condensed polycyclic group including at least three carbocyclic groups condensed together;

[0016] a_1 and a_2 are each independently an integer selected from 1 to 5, wherein, when a_1 is 2 or greater, at least two L_{1s} are the same or different, and when a_2 is 2 or greater, at least two L_{2s} are the same or different;

[0017] L_{11} and L_{12} are each independently selected from a substituted or unsubstituted C_3 - C_{10} cycloalkylene group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkylene group, a substituted or unsubstituted C_3 - C_{10} cycloalkenylene group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenylene group, a substituted or unsubstituted C_6 - C_{60} arylene group, a substituted or unsubstituted C_1 - C_{60} heteroarylene group, a substituted or unsubstituted divalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted divalent non-aromatic condensed heteropolycyclic group;

[0018] a_{11} and a_{12} are each independently an integer selected from 0 to 5, wherein, when a_{11} is 2 or greater, at least two L_{11s} are the same or different, and when a_{12} is 2 or greater, at least two L_{12s} are the same or different;

[0019] R_1 to R_6 and R_{11} to R_{13} are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an imino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substi-

tuted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-\text{N}(\text{Q}_1)(\text{Q}_2)$, $-\text{Si}(\text{Q}_3)(\text{Q}_4)(\text{Q}_5)$, and $-\text{B}(\text{Q}_6)(\text{Q}_7)$;

[0020] b1, b2, b5, b6, b11, and b12 are each independently an integer selected from 0 to 4;

[0021] b3 and b4 are each independently an integer selected from 0 to 6;

[0022] b13 is 0, 1, or 2;

[0023] c1 and c2 are each independently an integer selected from 0 to 4, wherein $c1+c2$ is 1 or greater;

[0024] at least one substituent of the substituted condensed polycyclic group including at least three carbocyclic groups condensed together, the substituted $\text{C}_3\text{-C}_{10}$ cycloalkylene group, the substituted $\text{C}_1\text{-C}_{10}$ heterocycloalkylene group, the substituted $\text{C}_3\text{-C}_{10}$ cycloalkenylene group, the substituted $\text{C}_1\text{-C}_{10}$ heterocycloalkenylene group, the substituted $\text{C}_6\text{-C}_{60}$ arylene group, the substituted $\text{C}_1\text{-C}_{60}$ heteroarylene group, the substituted divalent non-aromatic condensed polycyclic group, the substituted divalent non-aromatic condensed heteropolycyclic group, the substituted $\text{C}_1\text{-C}_{60}$ alkyl group, the substituted $\text{C}_2\text{-C}_{60}$ alkenyl group, the substituted $\text{C}_2\text{-C}_{60}$ alkynyl group, the substituted $\text{C}_1\text{-C}_{60}$ alkoxy group, the substituted $\text{C}_3\text{-C}_{10}$ cycloalkyl group, the substituted $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, the substituted $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, the substituted $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, the substituted $\text{C}_6\text{-C}_{60}$ aryl group, the substituted $\text{C}_6\text{-C}_{60}$ aryloxy group, the substituted $\text{C}_6\text{-C}_{60}$ arylthio group, the substituted $\text{C}_1\text{-C}_{60}$ heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is selected from:

[0025] a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a $\text{C}_1\text{-C}_{60}$ alkyl group, a $\text{C}_2\text{-C}_{60}$ alkenyl group, a $\text{C}_2\text{-C}_{60}$ alkynyl group, and a $\text{C}_1\text{-C}_{60}$ alkoxy group,

[0026] a $\text{C}_1\text{-C}_{60}$ alkyl group, a $\text{C}_2\text{-C}_{60}$ alkenyl group, a $\text{C}_2\text{-C}_{60}$ alkynyl group, and a $\text{C}_1\text{-C}_{60}$ alkoxy group, each substituted with at least one selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryloxy group, a $\text{C}_6\text{-C}_{60}$ arylthio group, a $\text{C}_1\text{-C}_{60}$ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, $-\text{N}(\text{Q}_{11})(\text{Q}_{12})$, $-\text{Si}(\text{Q}_{13})(\text{Q}_{14})(\text{Q}_{16})$, and $-\text{B}(\text{Q}_{16})(\text{Q}_{17})$,

[0027] a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryloxy group, a $\text{C}_6\text{-C}_{60}$ arylthio group, a $\text{C}_1\text{-C}_{60}$ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

[0028] a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryloxy group, a $\text{C}_6\text{-C}_{60}$ arylthio group, a $\text{C}_1\text{-C}_{60}$ heteroaryl

group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a $\text{C}_1\text{-C}_{60}$ alkyl group, a $\text{C}_2\text{-C}_{60}$ alkenyl group, a $\text{C}_2\text{-C}_{60}$ alkynyl group, a $\text{C}_1\text{-C}_{60}$ alkoxy group, a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_6\text{-C}_{60}$ aryloxy group, a $\text{C}_6\text{-C}_{60}$ arylthio group, a $\text{C}_1\text{-C}_{60}$ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, $-\text{N}(\text{Q}_{21})(\text{Q}_{22})$, $-\text{Si}(\text{Q}_{23})(\text{Q}_{24})(\text{Q}_{25})$, and $-\text{B}(\text{Q}_{26})(\text{Q}_{27})$, and

[0029] $-\text{N}(\text{Q}_{31})(\text{Q}_{32})$, $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, and $-\text{B}(\text{Q}_{36})(\text{Q}_{37})$,

[0030] wherein Q_1 to Q_7 , Q_{11} to Q_{17} , Q_{21} to Q_{27} , and Q_{31} to Q_{37} are each independently selected from a hydrogen, a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a $\text{C}_1\text{-C}_{60}$ alkyl group, a $\text{C}_2\text{-C}_{60}$ alkenyl group, a $\text{C}_2\text{-C}_{60}$ alkynyl group, a $\text{C}_1\text{-C}_{60}$ alkoxy group, a $\text{C}_3\text{-C}_{10}$ cycloalkyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkyl group, a $\text{C}_3\text{-C}_{10}$ cycloalkenyl group, a $\text{C}_1\text{-C}_{10}$ heterocycloalkenyl group, a $\text{C}_6\text{-C}_{60}$ aryl group, a $\text{C}_1\text{-C}_{60}$ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0031] According to one or more embodiments of the present disclosure, an organic light-emitting device includes: a first electrode; a second electrode facing the first electrode; and an organic layer between the first electrode and the second electrode and including an emission layer, wherein the organic layer includes at least one of the above-described condensed cyclic compound represented by Formula 1.

BRIEF DESCRIPTION OF THE DRAWINGS

[0032] These and/or other aspects of embodiments will become apparent and more readily appreciated from the following description of certain embodiments, when considered together with the accompanying drawings in which:


[0033] FIGS. 1-4 are schematic views of structures of organic light-emitting devices according to embodiments of the present disclosure.

DETAILED DESCRIPTION

[0034] Reference will now be made in more detail to certain embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects of embodiments of the present description. As used herein, the term "and/or" includes any and all combinations of one or more of the associated listed items. Expressions such as "at

least one of," when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list. Also, in the context of the present disclosure, when a first element is referred to as being "on" a second element, it can be directly on the second element or be indirectly on the second element with one or more intervening elements interposed therebetween.

[0035] According to an embodiment of the present disclosure, there is provided a condensed cyclic compound represented by Formula 1.



[0036] In Formula 1, A_1 ring and A_2 ring are each fused to an adjacent 5-membered ring, sharing a carbon. For example, the A_1 ring is fused to, and shares at least one carbon atom with, a 5-membered ring adjacent to the A_1 ring, and the A_2 ring is fused to, and shares at least one carbon atom with, a 5-membered ring adjacent to the A_2 ring. In Formula 1, the A_1 ring and the A_2 ring may be each independently selected from a benzene, a naphthalene, a pyridine, a pyrimidine, a pyrazine, a quinoline, an isoquinoline, a quinoxaline, a quinazoline, and a cinnoline.


[0037] For example, in Formula 1, the A_1 ring and the A_2 ring may be each independently selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline.

[0038] In some embodiments, in Formula 1,

[0039] the A_1 ring may be a benzene or a pyridine, and the A_2 ring may be selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline; or

[0040] the A_1 ring may be selected from a naphthalene, a quinoline, and an isoquinoline, and the A_2 ring may be a benzene or a pyridine. However, embodiments of the condensed cyclic compound are not limited thereto.

[0041] In Formula 1, A_3 ring may be fused to two adjacent 5-membered rings, sharing a carbon. For example, the A_3 ring may be fused to, and share at least one carbon atom with, the 5-membered ring adjacent to the A_1 ring, the 5-membered ring being adjacent to the A_3 ring, and the A_3 ring may be fused to, and share at least one carbon atom with, another 5-membered ring adjacent to the A_3 ring. In Formula 1, the A_3 ring may be a group represented by Formula 2A or a group represented by Formula 2B.



-continued

Formula 2B



[0042] R_{13} and b_{13} in Formula 2A, and X_2 in Formula 2B are described in more detail below.

[0043] In some embodiments, in Formula 1, the A_3 ring may be a group represented by Formula 2A. However, embodiments of the condensed cyclic compound are not limited thereto.

[0044] In Formula 1, X_1 may be N-[(L_{11}) $_{a11}$ -(R_{11}) $_{b11}$], O, or S. In Formula 2B, X_2 may be N-[(L_{12}) $_{a12}$ -(R_{12}) $_{b12}$], O, or S.

[0045] For example, in Formula 1, X_1 may be O or S.

[0046] In Formula 1, L_1 and L_2 may be each independently a substituted or unsubstituted condensed polycyclic group including at least three carbocyclic groups condensed together (e.g., combined or fused together). L_1 and L_2 in Formula 1 may include a carbon as a ring-member atom, but not a heteroatom (for example, N, O, S, P, or the like; e.g., in some embodiments, L_1 and L_2 in Formula 1 do not include a heteroatom as a ring-member (ring-forming atom)). For example, according to the immediately foregoing description, a naphthylene group is not encompassed by L_1 and L_2 since the naphthylene group is a condensed polycyclic group including two carbocyclic groups condensed together (instead of at least three carbocyclic groups condensed together) and a pyridinylene group is not encompassed by L_1 and L_2 since the pyridinylene group includes a heteroatom (nitrogen) as a ring-member atom.

[0047] In some embodiments, in Formula 1, L_1 and L_2 may be each independently selected from:

[0048] an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, a pentaphenylene group, a hexacenylene group, a pentacenylene group, a rubicenylene group, a coronenylene group, and an ovalenylene group, and

[0049] an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, a pentaphenylene group, a hexacenylene group, a pentacenylene group, a rubicenylene group, a coronenylene group, and an ovalenylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an imino group, a hydrazine group, a sulfoxide group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an

acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuran group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, wherein Q_{33} to Q_{35} may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group.

[0050] In some embodiments, in Formula 1, L_1 and L_2 may be each independently selected from:

[0051] a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, and a perylenylene group, and

[0052] a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, and a perylenylene group, each substituted with at least one selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a

naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuran group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, wherein Q_{33} to Q_{35} may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group.

[0053] In Formula 1, a_1 and a_2 may be each independently an integer selected from 1 to 5, wherein, when a_1 is 2 or greater, at least two L_{1s} may be the same or different, and when a_2 is 2 or greater, at least two L_{2s} may be the same or different. In some embodiments, the group represented by $*-(L_1)_{a_1}-(R_1)_{b_1}$ in Formula 1 has at least one of " L_1 " and the group represented by $*-(L_2)_{a_2}-(R_2)_{b_2}$ in Formula 1 has at least one of " L_2 ".

[0054] In some embodiments, in Formula 1, a_1 and a_2 may be each independently 1 or 2. For example, a_1 and a_2 may be both 1. However, embodiments of the condensed cyclic compound are not limited thereto.

[0055] In Formulae 1, 2A, and 2B, L_{11} and L_{12} may be each independently selected from a substituted or unsubstituted C_3 - C_{10} cycloalkylene group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkylene group, a substituted or unsubstituted C_3 - C_{10} cycloalkenylene group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenylene group, a substituted or unsubstituted C_6 - C_{60} arylene group, a substituted or unsubstituted C_1 - C_{60} heteroarylene group, a substituted or unsubstituted divalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted divalent non-aromatic condensed heteropolycyclic group.

[0056] In some embodiments, L_{11} and L_{12} may be each independently selected from:

[0057] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, a pentaphenylene group, a hexacenylene group, a pentacenylene group, a rubicenylene group, a coronenylene group, an ovalenylene group, a pyrrolylene group, a thiophenylene group, a furanylene group, an imidazolylene group, a pyrazolylene group, a thiazolylene group, an isothiazolylene group, an oxazolylene group, an isoxazolylene group, a pyridinylene group, a pyrazinylene group, a pyrimidinylene group, a pyridazinylene group, an isoindolylene group, an indolylene group, an indazolylene group, a purinylene group, a quinolinylene group, an isoquinolinylene group, a benzoquinolinylene group, a phthalazinylene group, a naphthyridinylene group, a quinoxalinylene group, a quinazolinylene group, a cinnolinylene group, a carbazolylene group, a phenanthridinylene group, an acridinylene group, a phenanthrolinylene group, a phenazinylene group, a benzoimidazolylene group, a ben-


zofuranylene group, a benzothiophenylene group, an isobenzothiazolylene group, a benzoxazolylene group, an isobenzoxazolylene group, a triazolylene group, a tetrazolylene group, an oxadiazolylene group, a triazinylene group, a dibenzofuranylene group, a dibenzothiophenylene group, a benzocarbazolylene group, a dibenzocarbazolylene group, a thiadiazolylene group, an imidazopyridinylene group, and an imidazopyrimidinylene group, and

[0058] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, a pentaphenylene group, a hexacenylenylene group, a pentacenylenylene group, a rubicenylene group, a coronenylene group, an ovalenylene group, a pyrrolylene group, a thiophenylene group, a furanylene group, an imidazolylene group, a pyrazolylene group, a thiazolylene group, an isothiazolylene group, an oxazolylene group, an isoxazolylene group, a pyridinylene group, a pyrazinylene group, a pyrimidinylene group, a pyridazinylene group, an isoindolylene group, an indolylene group, an indazolylene group, a purinylene group, a quinolinylene group, an isoquinolinylene group, a benzoquinolinylene group, a phthalazinylene group, a naphthyridinylene group, a quinoxalinylene group, a quinazolinylene group, a cinnolinylene group, a carbazolylene group, a phenanthridinylene group, a phenanthroline group, an acridinylene group, a phenanthroline group, a phenazinylene group, a benzoimidazolylene group, a benzofuranylene group, a benzothiophenylene group, an isobenzothiazolylene group, a benzoxazolylene group, an isobenzoxazolylene group, a triazolylene group, a tetrazolylene group, an oxadiazolylene group, a triazinylene group, a dibenzofuranylene group, a dibenzothiophenylene group, a benzocarbazolylene group, a dibenzocarbazolylene group, a thiadiazolylene group, an imidazopyridinylene group, and an imidazopyrimidinylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenylenylene group, a pentacenylenylene group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl


group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthroline group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and —Si(Q₃₃)(Q₃₄)(Q₃₅),

[0059] wherein Q₃₃ to Q₃₅ may be each independently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group.


[0060] In some embodiments, L₁ and L₂ may be each independently selected from groups respectively represented by Formulae 3-8, 3-9, 3-25, and 3-35 to 3-41; and L₁₁ and L₁₂ may be each independently selected from groups respectively represented by Formulae 3-1 to 3-41.




Formula 3-1




Formula 3-2




Formula 3-3



Formula 3-4













Formula 3-5




Formula 3-6


-continued




Formula 3-7




Formula 3-8




Formula 3-9




Formula 3-10




Formula 3-11




Formula 3-12




Formula 3-13





Formula 3-14



Formula 3-15



Formula 3-16



-continued

Formula 3-17

Formula 3-18

Formula 3-19

Formula 3-20

Formula 3-21

Formula 3-22

Formula 3-23








Formula 3-24

Formula 3-25

Formula 3-26

Formula 3-27

-continued



Formula 3-28

Formula 3-29

Formula 3-30






Formula 3-31

Formula 3-32

Formula 3-33

Formula 3-34

-continued



Formula 3-35


Formula 3-36

Formula 3-37


Formula 3-38

Formula 3-39

-continued



Formula 3-40



Formula 3-41

[0061] In Formulae 3-1 to 3-41,

[0062] Y_1 may be O, S, $C(Z_3)(Z_4)$, $N(Z_5)$, or $Si(Z_6)(Z_7)$;

[0063] Z_1 to Z_7 may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, wherein Q_{33} to Q_{35} may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

[0064] d_2 may be 1 or 2;

[0065] d_3 may be an integer selected from 1 to 3;

[0066] d_4 may be an integer selected from 1 to 4;


[0067] d_5 may be an integer selected from 1 to 5;

[0068] d_6 may be an integer selected from 1 to 6;


[0069] d_8 may be an integer selected from 1 to 8; and

[0070] $*$ and $*'$ may be binding sites with an adjacent atom.


[0071] In some other embodiments, L_1 and L_2 may be each independently selected from groups respectively represented by Formulae 4-11, 4-13, 4-27, and 4-29 to 4-35; and L_{11} and L_{12} may be each independently selected from groups respectively represented by Formulae 4-1 to 4-35. However, embodiments of the condensed cyclic compound are not limited thereto.




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5




Formula 4-6




Formula 4-7



Formula 4-8











Formula 4-9




Formula 4-10


-continued




Formula 4-11




Formula 4-12




Formula 4-13




Formula 4-14




Formula 4-15




Formula 4-16



Formula 4-17



Formula 4-18



-continued

Formula 4-19

Formula 4-20

Formula 4-21

Formula 4-22

Formula 4-23








Formula 4-24

Formula 4-25


Formula 4-26

Formula 4-27

-continued




Formula 4-27



Formula 4-28

Formula 4-29



Formula 4-30

Formula 4-31

Formula 4-32

Formula 4-33

-continued

Formula 4-34

Formula 4-35

[0072] In Formulae 4-1 to 4-35, * and *' are binding sites with an adjacent atom.

[0073] In Formulae 1 and 2B, a11 and a12 may be each independently an integer selected from 0 to 5, wherein, when a11 is 2 or greater, at least two L₁₁s may be the same or different, and when a12 is 2 or greater, at least two L₁₂s may be the same or different.

[0074] In some embodiments, in Formulae 1 and 2B, a11 and a12 may be each independently 0, 1, or 2. For example, a11 and a12 may be each independently 0 or 1. However, embodiments of the condensed cyclic compound are not limited thereto.

[0075] In Formulae 1, 2A, and 2B, R₁ to R₆ and R₁₁ to R₁₃ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an imidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), and —B(Q₆)(Q₇).

[0076] For example, in Formulae 1, 2A, and 2B, R_1 to R_6 and R_{11} to R_{13} may be each independently selected from:

[0077] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, and a C_1 - C_{20} alkoxy group,

[0078] a C_1 - C_{20} alkyl group and a C_1 - C_{20} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

[0079] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthroli-nyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzosilolyl group, a thiadiazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group,

[0080] a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthroli-

nyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzosilolyl group, a thiadiazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthroli-nyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group and —Si(Q_{33})(Q_{34})(Q_{35}), and

[0081] —Si(Q_3)(Q_4)(Q_5),

[0082] wherein Q_3 to Q_5 and Q_{33} to Q_{35} may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group.

[0083] In some embodiments, in Formulae 1, 2A, and 2B, R_1 to R_6 and R_{11} to R_{13} may be each independently selected from:

[0084] a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, and a C_1 - C_{20} alkoxy group,

[0085] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a

thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazoliny group, a carbazolyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothio-phenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophe-nyl group, an imidazopyridinyl group, and an imidazopy-rimidinyl group,


[0086] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthra-cenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinox-alinyl group, a quinazoliny group, a carbazolyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothio-phenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophe-nyl group, an imidazopyridinyl group, and an imidazopy-rimidinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenan-threnyl group, an anthracenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinoli-nyl group, a quinoxalinyl group, a quinazoliny group, a carbazolyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothio-phenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophe-nyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and —Si(Q₃₃)(Q₃₄)(Q₃₅), and

[0087] —Si(Q₃)(Q₄)(Q₅),


[0088] wherein Q₃ to Q₅ and Q₃₃ to Q₃₅ may be each independently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group.

[0089] In some embodiments, in Formulae 1, 2A, and 2B, R₁ to R₆ and R₁₁ to R₁₃ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, groups respectively represented by Formulae 5-1 to 5-75, and


—Si(Q₃)(Q₄)(Q₅), wherein Q₃ to Q₅ may be each indepen- dently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group.




Formula 5-1




Formula 5-2




Formula 5-3




Formula 5-4




Formula 5-5



Formula 5-6














Formula 5-7




Formula 5-8


-continued




Formula 5-26




Formula 5-27




Formula 5-28




Formula 5-29




Formula 5-30




Formula 5-31




Formula 5-32




Formula 5-33





Formula 5-34



Formula 5-35



Formula 5-36



-continued

Formula 5-37

Formula 5-38

Formula 5-39

Formula 5-40

Formula 5-41

Formula 5-42

Formula 5-43

Formula 5-44

Formula 5-45


Formula 5-46

Formula 5-47


Formula 5-48

Formula 5-49


-continued




Formula 5-72



Formula 5-73



Formula 5-74



Formula 5-75

[0090] In Formulae 5-1 to 5-75,

[0091] Y_{31} is O, S, $C(Z_{33})(Z_{34})$, $N(Z_{35})$, or $Si(Z_{36})(Z_{37})$;

[0092] Z_{31} to Z_{37} are each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, a biphenyl group, a terphenyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

[0093] e_2 may be 1 or 2;

[0094] e_3 is an integer selected from 1 to 3;

[0095] e_4 is an integer selected from 1 to 4;

[0096] e_5 is an integer selected from 1 to 5;

[0097] e_6 is an integer selected from 1 to 6;

[0098] e_7 is an integer selected from 1 to 7;


[0099] e_8 is an integer selected from 1 to 8;

[0100] e_9 is an integer selected from 1 to 9; and


[0101] * is a binding site with an adjacent atom.

[0102] In some other embodiments, in Formulae 1, 2A, and 2B, R_1 to R_6 and R_{11} to R_{13} may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, groups respectively represented by Formulae 6-1 to 6-43, groups respectively represented by Formulae 10-1 to 10-117, and $-Si(Q_3)(Q_4)(Q_5)$, wherein Q_3 to Q_5 may be each indepen-


dently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group. However, embodiments of the condensed cyclic compound are not limited thereto.




Formula 6-1




Formula 6-2




Formula 6-3




Formula 6-4




Formula 6-5




Formula 6-6




Formula 6-7




Formula 6-8



Formula 6-9











Formula 6-10



Formula 6-11

-continued



Formula 6-12

Formula 6-13

Formula 6-14

Formula 6-15










Formula 6-16

Formula 6-17

Formula 6-18

Formula 6-19

-continued



Formula 6-20

Formula 6-21

Formula 6-22

Formula 6-23

Formula 6-24










Formula 6-25

Formula 6-26

Formula 6-27

Formula 6-28

-continued



Formula 6-29

Formula 6-30

Formula 6-31

Formuka 6-32

Formula 6-33











Formula 6-34

Formula 6-35

Formula 6-36

Formula 6-37

-continued



Formula 6-38

Formula 6-39

Formula 6-40

Formula 6-41

Formula 6-42

Formula 6-43


Formula 10-1

Formula 10-2


Formula 10-3

Formula 10-4


-continued




Formula 10-5




Formula 10-6




Formula 10-7




Formula 10-8




Formula 10-9




Formula 10-10




Formula 10-11




Formula 10-12



Formula 10-13




Formula 10-14




Formula 10-15


-continued




Formula 10-16




Formula 10-17




Formula 10-18




Formula 10-19




Formula 10-20




Formula 10-21




Formula 10-22




-continued




Formula 10-23




Formula 10-24




Formula 10-25



Formula 1-26




Formula 10-27




Formula 10-28


-continued




Formula 10-29




Formula 10-30




Formula 10-31



Formula 10-32




Formula 10-33




Formula 10-34


-continued




Formula 10-35




Formula 10-36




Formula 10-37



Formula 10-38




Formula 10-39




Formula 10-40


-continued




Formula 10-41




Formula 10-42




Formula 10-43




Formula 10-44




Formula 10-45



Formula 10-46












Formula 10-47



Formula 10-48

-continued



Formula 10-49

Formula 10-50

Formula 10-51

Formula 10-52

Formula 10-53










Formula 10-54

Formula 10-55

Formula 10-56

Formula 10-57

-continued



Formula 10-58

Formula 10-59

Formula 10-60

Formula 10-61

Formula 10-62


Formula 10-63

Formula 10-64


Formula 10-65

Formula 10-66


-continued




Formula 10-67




Formula 10-68




Formula 10-69




Formula 10-70




Formula 10-71




Formula 10-72



Formula 10-73




Formula 10-74




Formula 10-75


-continued




Formula 10-76




Formula 10-77




Formula 10-78




Formula 10-79




Formula 10-80



Formula 10-81









Formula 10-82



Formula 10-83

-continued



Formula 10-84

Formula 10-85






Formula 10-86

Formula 10-87

Formula 10-88

Formula 10-89

-continued



Formula 10-90


Formula 10-91

Formula 10-92

Formula 10-93


Formula 10-94

-continued




Formula 10-95


-continued




Formula 10-100




Formula 10-96




Formula 10-101




Formula 10-97




Formula 10-102




Formula 10-98



Formula 10-103










Formula 10-99




Formula 10-104

-continued




-continued

Formula 10-105




Formula 10-112

Formula 10-106




Formula 10-113

Formula 10-107




Formula 10-114

Formula 10-108




Formula 10-115

Formula 10-109



Formula 10-116

Formula 10-110



Formula 10-117

Formula 10-111

[0103] In Formulae 6-1 to 6-43 and Formulae 10-1 to 10-117, * is a binding site with an adjacent atom.

[0104] In some embodiments, in Formulae 1, 2A, and 2B,

[0105] R_3 to R_6 , and $R_{1,3}$ may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt

thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, and —Si(Q₃)(Q₄)(Q₅); and

[0106] R₁, R₂, R₁₁ and R₁₂ may be each independently selected from a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group (for example, groups respectively represented by Formulae 5-1 to 5-75, and in some embodiments, groups respectively represented by Formulae 6-1 to 6-43 and Formulae 10-1 to 10-117).

[0107] In some embodiments, in Formulae 1, 2A, and 2B, R₃ to R₆, and R₁₃ may be a hydrogen; and R₁, R₂, R₁₁, and R₁₂ may be each independently selected from groups respectively represented by Formulae 5-1 to 5-75 (for example, the groups respectively represented by Formulae 6-1 to 6-43 and the groups respectively represented by Formulae 10-1 to 10-117). However, embodiments of the condensed cyclic compound are not limited thereto.

[0108] In Formulae 1, 2A, and 2B, b₁, b₂, b₅, b₆, b₁₁, and b₁₂ may be each independently an integer selected from 0 to 4; b₃ and b₄ may be each independently an integer selected from 0 to 6; and b₁₃ may be 0, 1, or 2.

[0109] For example, in Formulae 1, 2A, and 2B, b₁, b₂, b₁₁, and b₁₂ may be each independently 0, 1, or 2, and in some embodiments, 1 or 2.

[0110] In some other embodiments, in Formulae 1, 2A, and 2B, b₁, b₂, b₁₁, and b₁₂ may each be 1. However, embodiments of the condensed cyclic compound are not limited thereto.

[0111] In Formulae 1, 2A, and 2B, b₃ to b₆, and b₁₃ may be each independently 0, 1, or 2, and in some embodiments, 0 or 1. However, embodiments of the condensed cyclic compound are not limited thereto.


[0112] In Formula 1, c₁ and c₂ may be each independently an integer selected from 0 to 4, wherein c₁+c₂ may be 1 or greater. In some embodiments, Formula 1 has at least one selected from the group represented by *-(L₁)_{a1}-(R₁)_{b1}] and the group represented by *-(L₂)_{a2}-(R₂)_{b2}].

[0113] In some embodiments, in Formula 1, c₁+c₂ may be 1 or 2.


[0114] In some embodiments, in Formula 1, c₁ may be 1, and c₂ may be 0; c₁ may be 1, and c₂ may be 1; or c₁ may be 0, and c₂ may be 1. However, embodiments of the condensed cyclic compound are not limited thereto.

[0115] In some embodiments, the condensed cyclic compound represented by Formula 1 may be a compound represented by any one of Formulae 1A to 1E.


Formula 1A




Formula 1B




Formula 1C



Formula 1D



-continued



[0116] In Formulae 1A to 1E, A₁ ring, A₂ ring, X₁, X₂, L₁, L₂, a₁, a₂, R₁ to R₆, R₁₃, b₁ to b₆, b₁₃, c₁, and c₂ may be defined the same as those defined herein.

[0117] For example, in Formulae 1A to 1E,

[0118] A₁ ring may be a benzene or a pyridine, and A₂ ring may be selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline; or A₁ ring may be selected from a naphthalene, a quinoline, and an isoquinoline, and A₂ ring may be a benzene or a pyridine;

[0119] X₁ and X₂ may be each independently O or S;

[0120] L₁ and L₂ may be each independently selected from the groups respectively represented by Formulae 3-8, 3-9, 3-25, and 3-35 to 3-41 (for example, the groups respectively represented by Formulae 4-11, 4-13, 4-27, and 4-29 to 4-35);

[0121] a₁ and a₂ may be each independently 1 or 2;

[0122] R₁ and R₂ may be each independently selected from the groups respectively represented by Formulae 5-1 to 5-75 (for example, the groups respectively represented by Formulae 6-1 to 6-43 and the groups respectively represented by Formulae 10-1 to 10-117);






[0123] b₁ and b₂ may be each independently 1 or 2;

[0124] R₃ to R₆, and R₁₃ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, and —Si(Q₃)(Q₄)(Q₅), wherein Q₃ to Q₅ may be each independently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group;

[0125] b₃ to b₆, and b₁₃ may be each independently 0, 1, or 2;


[0126] c₁ may be 1 and c₂ may be 0; c₁ may be 1 and c₂ may be 1; or c₁ may be 0 and c₂ may be 1.

[0127] In some embodiments, the condensed cyclic compound represented by Formula 1 may be a compound represented by any one of Formulae 1-1 to 1-7.




-continued

Formula 1-6



Formula 1-7



[0128] In Formulae 1-1 to 1-7, A_3 ring, X_1 , L_1 , L_2 , a_1 , a_2 , R_1 , R_2 , R_5 , R_6 , b_1 , b_2 , b_5 , b_6 , c_1 , and c_2 may be defined the same as those described herein;

[0129] X_{21} may be N or C(R_{21}); X_{22} may be N or C(R_{22}); X_{23} may be N or C(R_{23}); X_{24} may be N or C(R_{24}); X_{25} may be N or C(R_{25}); X_{26} may be N or C(R_{26}); X_{31} may be N or C(R_{31}); X_{32} may be N or C(R_{32}); X_{33} may be N or C(R_{33}); X_{34} may be N or C(R_{34}); X_{35} may be N or C(R_{35}); X_{36} may be N or C(R_{36});

[0130] R_{21} to R_{26} may be defined the same as R_3 described in connection with Formula 1; and

[0131] R_{31} to R_{36} may be defined the same as R_4 described in connection with Formula 1.

[0132] In some embodiments, none, one, or two selected from X_{21} to X_{24} and X_{31} to X_{34} in Formula 1-1 may be N; none, one, or two selected from X_{21} to X_{24} and X_{31} to X_{36} in Formulae 1-2 to 1-4 may be N; and none, one, or two selected from X_{21} to X_{26} and X_{31} to X_{34} in Formulae 1-5 to 1-7 may be N.

[0133] In some embodiments, none or one of X_{21} to X_{24} in Formulae 1-1 to 1-4 may be N; none or one of X_{31} to X_{34} in Formulae 1-1 and 1-5 to 1-7 may be N; none or one of X_{21} to X_{26} in Formulae 1-5 to 1-7 may be N; and none or one of X_{31} to X_{36} in Formulae 1-2 to 1-4 may be N.

[0134] For example, the A_3 ring in Formulae 1-1 to 1-7 may be a group represented by Formula 2A.

[0135] In some embodiments, in Formulae 1-1 to 1-7,

[0136] X_1 and X_2 may be each independently O or S;

[0137] L_1 and L_2 may be each independently selected from the groups respectively represented by Formulae 3-8, 3-9, 3-25, and Formulae 3-35 to 3-41 (for example, the groups respectively represented by Formulae 4-11, 4-13, 4-27, and 4-29 to 4-35);

[0138] a_1 and a_2 may be each independently 1 or 2;

[0139] R_1 and R_2 may be each independently selected from the groups respectively represented by Formulae 5-1 to 5-75 (for example, the groups respectively represented by

Formulae 6-1 to 6-43 and the groups respectively represented by Formulae 10-1 to 10-117);

[0140] b_1 and b_2 may be each independently 1 or 2;


[0141] R_{21} to R_{26} , R_{31} to R_{36} , R_5 , and R_6 may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, and —Si(Q_3)(Q_4)(Q_5), wherein Q_3 to Q_5 may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

[0142] b_5 and b_6 may be each independently 0, 1, or 2;


[0143] c_1 may be 1 and c_2 may be 0, c_1 may be 1 and c_2 may be 1, or c_1 may be 2 and c_2 may be 1.

[0144] In some embodiments, the condensed cyclic compound represented by Formula 1 may be a compound represented by one of Formulae 1(1) to 1(24). However, embodiments of the condensed cyclic compound are not limited thereto.


Formula 1(1)






Formula 1(2)



Formula 1(3)



-continued



[0145] In Formulae 1(1) to 1(24),

[0146] X_1 , L_1 , L_2 , a_1 , a_2 , R_1 to R_6 , R_{13} , b_1 to b_6 , b_{13} , c_1 , and c_2 may be defined the same as those described herein;

[0147] ba_3 and bb_3 may be each independently an integer selected from 0 to 3;

[0148] ba_4 and bb_4 may be each independently an integer selected from 0 to 4;

[0149] ba_5 and bb_5 may be each independently an integer selected from 0 to 5; and

[0150] ba_6 and bb_6 may be each independently an integer selected from 0 to 6.

[0151] In some embodiments, in Formulae 1(1) to 1(24),

[0152] X_1 and X_2 may be each independently O or S;

[0153] L_1 and L_2 may be each independently selected from the groups respectively represented by Formulae 3-8, 3-9, and 3-25 and Formulae 3-35 to 3-41 (for example, the groups respectively represented by Formula 4-11, 4-13, and 4-27, and Formulae 4-29 to 4-35);

[0154] a_1 and a_2 may be each independently 1 or 2;

[0155] R_1 and R_2 may be each independently selected from the groups respectively represented by Formulae 5-1 to 5-75 (for example, the groups respectively represented by Formulae 6-1 to 6-43 and Formulae 10-1 to 10-117);

[0156] b_1 and b_2 may be each independently 1 or 2;




[0157] R_3 to R_6 , and R_{13} may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino

group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, and $-Si(Q_3)(Q_4)(Q_5)$, wherein Q_3 to Q_5 may be each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

[0158] ba_3 , bb_3 , ba_4 , bb_4 , ba_5 , bb_5 , ba_6 , bb_6 , b_5 , and b_6 may be each independently 0, 1, or 2;

[0159] c_1 may be 1 and c_2 may be 0, c_1 may be 1 and c_2 may be 1, or c_1 may be 0 and c_2 may be 1.

[0160] In some embodiments, the condensed cyclic compound represented by Formula 1 may be a compound represented by one of Formulae 1A-1 to 1A-3. However, embodiments of the condensed cyclic compound are not limited thereto.



[0161] In Formulae 1A-1 to 1A-3, the A₁ ring, the A₂ ring, X₁, L₁₁, L₁₂, a₁₁, a₁₂, R₁, R₃ to R₆, R₁₁ to R₁₃, b₃ to b₆, b₁₁ to b₁₃, Z₁, Z₂, d₄, d₅, d₈, c₁, and c₂ may be defined the same as those described herein.

[0162] For example, in Formulae 1A-1 to 1A-3,

[0163] The A₁ ring and the A₂ ring may be each independently selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline;

[0164] X₁ may be O or S;

[0165] R₁ may be selected from the groups represented by Formulae 5-1 to 5-75 (for example, the groups respectively represented by Formulae 6-1 to 6-43 and Formulae 10-1 to 10-117);


[0166] R₃ to R₆, R₁₃, Z₁, and Z₂ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, and a naphthyl group; and

[0167] b₃ to b₆, b₁₃, d₄, and d₅ may be each independently 0, 1, or 2. However, embodiments of the condensed cyclic compound are not limited thereto.


[0168] In some embodiments, the condensed cyclic compound represented by Formula 1 may be one of Compounds 1 to 60. However, embodiments of the condensed cyclic compound are not limited thereto.

-continued


3





4




5







6







2




-continued




-continued




-continued




-continued




16




20




17




21








18







22



-continued




-continued




-continued


32




33




34



35




36




-continued


37




38



39




40




-continued


41




42



43




44




-continued


45




46











47







48



-continued



-continued



[0169] The condensed cyclic compound represented by Formula 1 may include a core of a spiro-bifluorene-based condensed ring, and thus deterioration caused by electrons may be prevented or reduced. Accordingly, an electronic device, for example, an organic light-emitting device, including the condensed cyclic compound represented by Formula 1, may have long lifespan. The condensed cyclic compound represented by Formula 1 may have a relatively high triplet (T₁) energy level, annihilation of triplet excitons may more likely occur in an EML including the condensed cyclic compound represented by Formula 1 so that the triplet-triplet annihilation (TTA) effect may be increased. Therefore, an electronic device, for example, an organic light-emitting device, including the condensed cyclic compound represented by Formula 1, may have high efficiency.

[0170] In the condensed cyclic compound represented by Formula 1, L₁ and L₂ may be each independently selected from a substituted or unsubstituted condensed polycyclic group including “at least three carbocyclic groups” condensed together, but not including a heteroatom as a ring-member atom; a₁ and a₂, which indicate the numbers of L₁s and L₂s, respectively, may be both not 0 (e.g., a₁ and a₂ are not both equal to 0, or are both greater than 0). In some embodiments, the group represented by *-(L₁)_{a1}-(R₁)_{b1}] in Formula 1 has at least one of “L₁” and the group represented by *-(L₂)_{a2}-(R₂)_{b2}] has at least one of “L₂”. Furthermore, in Formula 1, c₁+c₂ may be equal to 1 or greater. In some embodiments, Formula 1 has at least one selected from the groups represented by *-(L₁)_{a1}-(R₁)_{b1}] and the groups represented by *-(L₂)_{a2}-(R₂)_{b2}]. Therefore, when the condensed cyclic compound represented by Formula 1 is used, for example, as a host in an EML of an organic light emitting device, appropriate or suitable adjustment of host and dopant energy levels may be efficiently or suitably achieved to enable efficient host-dopant energy transfer. Accordingly, an electronic device, for example, an organic light-emitting device, including the condensed cyclic compound represented by Formula 1 may have high efficiency.

[0171] The condensed cyclic compound represented by Formula 1 may be synthesized using any suitable organic synthesis method available in the art. Synthesis methods of the condensed cyclic compound represented by Formula 1 may be understood by one of ordinary skill in the art based on the examples that are described below.

[0172] At least one of the condensed cyclic compound represented by Formula 1 may be used between a pair of electrodes of an organic light-emitting device. For example, the condensed cyclic compound represented by Formula 1 may be included in an emission layer of an organic light-emitting device. In some embodiments, the condensed cyclic compound represented by Formula 1 may be used as a material for capping layers disposed outwards of a pair of electrodes of an organic light-emitting device.

[0173] According to another embodiment of the present disclosure, an organic light-emitting device includes: a first electrode; a second electrode disposed opposite to the first electrode (e.g., a second electrode facing the first electrode); and an organic layer disposed between the first electrode and the second electrode and comprising an emission layer (EML), wherein the organic layer includes at least one of the condensed cyclic compound represented by Formula 1.

[0174] As used herein, the expression that “(for example, an organic layer may include) at least one of the condensed cyclic compound represented by Formula 1” means that “(the referenced organic layer may include) one of the condensed cyclic compound represented by Formula 1 or at least two different types or kinds of the condensed cyclic compound represented by Formula 1.”

[0175] For example, the organic layer may include only Compound 1 as the at least one of the condensed cyclic compound represented by Formula 1. In some embodiments, Compound 1 may be in the EML of the organic light-emitting device. In some embodiments, the organic layer may include Compounds 1 and 2 as the at least one of the condensed cyclic compound represented by Formula 1. For example, Compounds 1 and 2 may be in the same layer (for example, both in the EML) or in different layers (for example, Compound 1 may be in the hole transport layer, and Compound 2 may be in the EML).

[0176] In some embodiments, the organic layer may include i) a hole transport region disposed between the first electrode (anode) and the emission layer and including at least one selected from a hole injection layer, a hole transport layer, a buffer layer, and an electron blocking layer, and ii) an electron transport region disposed between the emission layer and the second electrode (cathode) and including at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer. At least one selected from the hole transport region and the EML may include the at least one of the condensed cyclic compound represented by Formula 1. For example, the EML of the organic light-emitting device may include the at least one of the condensed cyclic compound represented by Formula 1. In some embodiments, the emission layer of the organic light-emitting device may include the at least one of the condensed cyclic compound represented by Formula 1. The at least one of the condensed cyclic compound represented by Formula 1 in the EML may serve as a host, wherein the EML may further include a dopant. In some embodiments, the dopant may be a phosphorescent dopant and/or a fluorescent dopant. For example, the dopant may be a fluorescent dopant.

[0177] In some embodiments, the organic light-emitting device may further include at least one selected from a first capping layer and a second capping layer, the first capping layer disposed on an optical path along which light generated in the EML passes outwards through the first electrode, and the second capping layer disposed on an optical path along which light generated in the EML passes outwards through the second electrode, wherein at least one selected from the first and second capping layers may include the at least one of the condensed cyclic compound represented by Formula 1.

[0178] For example, the organic light-emitting device may have i) a stack structure in which the first electrode, the organic layer, the second electrode, and the second capping layer are sequentially stacked upon one another in the stated order, ii) a stack structure in which the first capping layer, the first electrode, the organic layer, and the second electrode are sequentially stacked upon one another in the stated order, or iii) a stack structure in which the first capping layer, the first electrode, the organic layer, the second electrode, and the second capping layer are sequentially stacked upon one another in the stated order, wherein at least one selected

from the first and second capping layers may include the at least one of the condensed cyclic compound represented by Formula 1.

[0179] As used herein, the term “organic layer” refers to a single layer and/or a plurality of layers disposed between the first and second electrodes of the organic light-emitting device. A material in the “organic layer” is not limited to an organic material. For example, in some embodiments, the organic layer may include an inorganic material.

[0180] Hereinafter, a structure of an organic light-emitting device according to an embodiment of the present disclosure and a method of manufacturing the same will now be described with reference to FIG. 1.

[0181] FIG. 1 is a schematic cross-sectional view of an organic light-emitting device 10 according to an embodiment of the present disclosure. Referring to FIG. 1, the organic light-emitting device 10 includes a first electrode 110, an organic layer 150, and a second electrode 190.

[0182] A substrate may be disposed under the first electrode 110 or on the second electrode 190 in FIG. 1. The substrate may be a glass or transparent plastic substrate having good mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water resistance.

[0183] For example, the first electrode 110 may be formed by depositing or sputtering a first electrode-forming material on the substrate. When the first electrode 110 is an anode, a material having a high work function may be used as the first electrode-forming material to facilitate hole injection. The first electrode 110 may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode.

[0184] Transparent and conductive materials such as ITO, IZO, SnO₂, and ZnO may be used to form the first electrode. The first electrode 110 as a semi-transmissive electrode or a reflective electrode may be formed of at least one material selected from magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), and magnesium-silver (Mg—Ag).

[0185] The first electrode 110 may have a single-layer structure or a multi-layer structure including a plurality of layers. For example, the first electrode 110 may have a three-layered structure of ITO/Ag/ITO, but the first electrode is not limited thereto.

[0186] The organic layer 150 may be disposed on the first electrode 110. The organic layer 150 may include an emission layer (EML).

[0187] The organic layer 150 may include a hole transport region disposed between the first electrode and the EML, and an electron transport region between the EML and the second electrode.

[0188] For example, the hole transport region may include at least one selected from a hole injection layer (HIL), a hole transport layer (HTL), a buffer layer, and an electron blocking layer (EBL). For example, the electron transport layer may include at least one selected from a hole blocking layer (HBL), an electron transport layer (ETL), and an electron injection layer (EIL). However, embodiments of the present disclosure are not limited thereto.

[0189] The hole transport region may have a single-layered structure including a single material, a single-layered structure including a plurality of materials, or a multi-layered structure including a plurality of layers including different materials.

[0190] In some embodiments, the electron transport region may have a single-layered structure including a plurality of materials, or a multi-layered structure of HIL/HTL, HIL/HTL/buffer layer, HIL/buffer layer, HTL/buffer layer, or HIL/HTL/EBL, wherein these layers forming a multi-layered structure are sequentially disposed on the first electrode **110** in the order stated above. However, embodiments of the present disclosure are not limited thereto.

[0191] When the hole transport region includes a HIL, the HIL may be formed on the first electrode **110** by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like.


[0192] When the HIL is formed using vacuum deposition, the deposition conditions may vary depending on the material that is used to form the HIL and the structure of the HIL. For example, the deposition conditions may be selected from the following conditions: a deposition temperature of about 100° C. to about 500° C., a degree of vacuum of about 10⁻⁸ to about 10⁻³ torr, and a deposition rate of about 0.01 to 100 Å/sec.


[0193] When the HIL is formed using spin coating, the coating conditions may vary depending on the material that is used to form the HIL and the structure of the HIL. For example, the coating conditions may be selected from the following conditions: a coating rate of about 2,000 rpm to about 5,000 rpm and a heat treatment temperature of about 800° C. to about 200° C.

[0194] When the hole transport region includes an HTL, the HTL may be formed on the first electrode **110** or the HIL by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like. When the HTL is formed using vacuum deposition or spin coating, the conditions for deposition and coating may be similar to the above-described deposition and coating conditions for forming the HIL, and accordingly further description thereof is not necessary.

[0195] For example, the hole transport region may include the at least one of the condensed cyclic compound represented by Formula 1. For example, the hole transport region may include an HTL, and the HTL may include the at least one of the condensed cyclic compound represented by Formula 1.

[0196] In some embodiments, the hole transport region may include at least one selected from m-MTDATA, TDATA, 2-TNATA, NPB, β-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated-NPB, TAPC, HMTPD, 4,4',4"-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzene sulfonic acid (Pani/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate)(PEDOT/PSS), polyaniline/camphor sulfonic acid (Pani/CSA), polyaniline/poly(4-styrenesulfonate) (PANI/PSS), a compound represented by Formula 201, and a compound represented by Formula 202.





clic group, and a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group.

[0202] For example, in Formulae 201 and 202,

[0203] L_{201} to L_{205} may be each independently selected from:

[0204] a phenylene group, a naphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenanthrenylene group, an anthracenylylene group, a pyrenylene group, a chrysenylene group, a pyridinylylene group, a pyrazinylylene group, a pyrimidinylylene group, a pyridazinylylene group, a quinolinylene group, an isoquinolinylene group, a quinoxalinylylene group, a quinazolinylylene group, a carbazolylylene group, and a triazinylylene, and

[0205] a phenylene group, a naphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzofluorenylene group, a dibenzofluorenylene group, a phenanthrenylene group, an anthracenylylene group, a pyrenylene group, a chrysenylene group, a pyridinylylene group, a pyrazinylylene group, a pyrimidinylylene group, a pyridazinylylene group, a quinolinylene group, an isoquinolinylene group, a quinoxalinylylene group, a quinazolinylylene group, a carbazolylylene group, and a triazinylylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinylyl group, a quinazolinylyl group, a carbazolylyl group, and a triazinyl group;

[0206] $xa1$ to $xa4$ may be each independently 0, 1, or 2;

[0207] $xa5$ may be 1, 2, or 3;

[0208] R_{201} to R_{204} may be each independently selected from:


[0209] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinylyl group, a quinazolinylyl group, a carbazolylyl group, and a triazinyl group; and

[0210] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinylyl group, a quinazolinylyl group, a carbazolylyl group, and a triazinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an azulenylyl group, a fluorenyl

group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinylyl group, a quinazolinylyl group, a carbazolylyl group, and a triazinyl group. However, embodiments of the present disclosure are not limited thereto.


[0211] The compound represented by Formula 201 may be represented by Formula 201A, but the compound is not limited thereto.

Formula 201A




[0212] For example, the compound represented by Formula 201 may be represented by Formula 201A-1, but the compound is not limited thereto.

Formula 201A-1



[0213] The compound represented by Formula 202 may be represented by Formula 202A, but the compound is not limited thereto.

Formula 202A



[0214] In Formulae 201A, 201A-1, and 202A,


[0215] L_{201} to L_{203} , $xa1$ to $xa3$, $xa5$, and R_{202} to R_{204} may be defined as described in connection with Formulae 201 and 203;

[0216] R_{211} and R_{212} may be defined the same as described in connection with R_{203} in Formula 201; and


[0217] R_{213} to R_{216} may be each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic hetero-condensed polycyclic group.

[0218] The compound represented by Formula 201, and the compound represented by Formula 202 may include compounds HT1 to HT20, but the compounds are not limited thereto.

HT1




HT2




-continued

HT3




HT4




-continued

HT5




-continued


HT7



HT6




HT8




-continued

HT9





-continued

HT11




HT12

HT10




HT13




-continued

HT14




-continued


HT18



HT15




HT19





HT20

HT16




HT17



[0219] The thickness of the hole transport region may be from about 100 Å to about 10000 Å, and in some embodiments, from about 100 Å to about 1000 Å. When the hole transport region includes a HIL and a HTL, the thickness of the HIL may be from about 100 Å to about 10,000 Å, and in some embodiments, from about 100 Å to about 1,000 Å, and a thickness of the HTL may be from about 50 Å to about 2,000 Å, and in some embodiments, from about 100 Å to about 1,500 Å. When the thicknesses of the hole transport region, the HIL, and the HTL are within these ranges, suitable or satisfactory hole transport characteristics may be obtained without a substantial increase in driving voltage.

[0220] The hole transport region may further include a charge-generating material to improve conductivity, in addition to the materials as described above. The charge-generating material may be homogeneously or inhomogeneously dispersed in the hole transport region.

[0221] The charge-generating material may be, for example, a p-dopant. The p-dopant may be one selected from quinine derivatives, metal oxides, and compounds having a cyano group, but the p-dopant is not limited thereto. Non-limiting examples of the p-dopant include quinine derivatives such as tetracyanoquinonedimethane (TCNQ), 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinonedimethane (F4-TCNQ), and the like; metal oxides such as tungsten oxide, molybdenum oxide, and the like; and Compound HT-D1 below.



Compound HT-D1

[0222] The hole transport region may further include at least one selected from a buffer layer and an EBL, in addition to the HIL and HTL described above. The buffer layer may compensate for an optical resonance distance of light according to a wavelength of the light emitted from the EML, and thus may improve light-emission efficiency. A material in the buffer layer may be any suitable material used in the hole transport region. The EBL may block migration of electrons from the electron transport region into the EML.

[0223] The EML may be formed on the first electrode **110** or the hole transport region by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like. When the EML is formed using vacuum deposition or spin coating, the deposition and coating conditions for forming the EML may be similar to the above-described deposition and coating conditions for forming the HIL, and accordingly will not be repeated again here.


[0224] When the organic light-emitting device **10** is a full color organic light-emitting device, the EML may be patterned into a red emission layer, a green emission layer, and a blue emission layer to correspond to individual subpixels, respectively. In some embodiments, the EML may have a structure in which a red emission layer, a green emission layer and a blue emission layer are stacked upon one another, or a structure including a mixture of a red light-emitting material, a green light-emitting material, and a blue light-emitting material, and thus may emit white light.

[0225] The EML may include a host and a dopant. The host may include at least one of the condensed cyclic compound represented by Formula 1.

[0226] The dopant may include a phosphorescent dopant and/or a fluorescent dopant.

[0227] The phosphorescent dopant may include an organometallic complex represented by Formula 401.

Formula 401



[0228] In Formula 401,

[0229] M may include iridium (Ir), platinum (Pt), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), or thulium (Tm);

[0230] X₄₀₁ to X₄₀₄ may be each independently a nitrogen or a carbon;

[0231] rings A₄₀₁ and A₄₀₂ may be each independently selected from a substituted or unsubstituted benzene, a substituted or unsubstituted naphthalene, a substituted or unsubstituted fluorene, a substituted or unsubstituted spiro-fluorene, a substituted or unsubstituted indene, a substituted or unsubstituted pyrrole, a substituted or unsubstituted thiophene, a substituted or unsubstituted furan, a substituted or unsubstituted imidazole, a substituted or unsubstituted pyrazole, a substituted or unsubstituted thiazole, a substituted or unsubstituted isothiazole, a substituted or unsubstituted oxazole, a substituted or unsubstituted isoxazole, a substituted or unsubstituted pyridine, a substituted or unsubstituted pyrazine, a substituted or unsubstituted pyrimidine, a substituted or unsubstituted pyridazine, a substituted or unsubstituted quinoline, a substituted or unsubstituted isoquinoline, a substituted or unsubstituted benzoquinoline, a substituted or unsubstituted quinoxaline, a substituted or unsubstituted quinazoline, a substituted or unsubstituted carbazole, a substituted or unsubstituted benzoimidazole, a substituted or unsubstituted benzofuran, a substituted or unsubstituted benzothiophene, a substituted or unsubstituted isobenzothiophene, a substituted or unsubstituted benzoxazole, a substituted or unsubstituted isobenzoxazole, a substituted or unsubstituted triazole, a substituted or unsubstituted oxadiazole, a substituted or unsubstituted triazine, a substituted or unsubstituted dibenzofuran, and a substituted or unsubstituted dibenzothiophene;

[0232] at least one substituent of the substituted benzene, the substituted naphthalene, the substituted fluorene, the substituted spiro-fluorene, the substituted indene, the substituted pyrrole, the substituted thiophene, the substituted furan, the substituted imidazole, the substituted pyrazole, the substituted thiazole, the substituted isothiazole, the substituted oxazole, the substituted isoxazole, the substituted pyridine, the substituted pyrazine, the substituted pyrimidine, the substituted pyridazine, the substituted quinoline, the substituted isoquinoline, the substituted benzoquinoline,

the substituted quinoxaline, the substituted quinazoline, the substituted carbazole, the substituted benzoimidazole, the substituted benzofuran, the substituted benzothiophene, the substituted isobenzothiophene, the substituted benzoxazole, the substituted isobenzoxazole, the substituted triazole, the substituted oxadiazole, the substituted triazine, the substituted dibenzofuran, and the substituted dibenzothiophene may be selected from:

[0233] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, and a C_1 - C_{60} alkoxy group;

[0234] a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, and a C_1 - C_{60} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q_{401})(Q_{402}), —Si(Q_{403})(Q_{404})(Q_{405}), and —B(Q_{406})(Q_{407}),

[0235] a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

[0236] a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q_{411})(Q_{412}), —Si(Q_{413})(Q_{414})(Q_{415}), and —B(Q_{416})(Q_{417}), and

[0237] —N(Q_{421})(Q_{422}), —Si(Q_{423})(Q_{424})(Q_{425}), and —B(Q_{426})(Q_{427});

[0238] L_{401} may be an organic ligand;

[0239] xc1 may be 1, 2, or 3; and

[0240] xc2 may be 0, 1, 2, or 3,


[0241] wherein Q_{401} to Q_{407} , Q_{411} to Q_{417} and Q_{421} to Q_{427} may be each independently selected from a hydrogen, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_6 - C_{60} aryl group, and a C_1 - C_{60} heteroaryl group.

[0242] For example, in Formula 401, L_{401} may be a monovalent, divalent, or trivalent organic ligand. For example, L_{401} in Formula 401 may be selected from a halogen ligand (for example, Cl or F), a diketone ligand (for example, acetylacetonate, 1,3-diphenyl-1,3-propanedionate, 2,2,6,6-tetramethyl-3,5-heptanedionate, or hexafluoroacetonate), a carboxylic acid ligand (for example, picolinate, dimethyl-3-pyrazolecarboxylate, or benzoate), a carbon monoxide ligand, an isonitrile ligand, a cyano ligand, and a phosphorous ligand (for example, phosphine or phosphite). However, embodiments of the present disclosure are not limited thereto.

[0243] When A_{401} in Formula 401 has at least two substituent groups, the at least two substituent groups of A_{401} may be linked to each other to form a saturated or unsaturated ring.

[0244] When A_{402} in Formula 401 has at least two substituents groups, the at least two substituent groups of A_{402} may be linked to each other (e.g., combined together) to form a saturated or unsaturated ring.


[0245] When xc1 in Formula 401 is 2 or greater, a plurality of ligands




in Formula 401 may be identical to or different from each other. When xc1 in Formula 1 is 2 or greater, A_{401} and A_{402} may be linked to A_{401} and A_{402} of another adjacent ligand, respectively, directly or via a linking group (for example, a C_1 - C_5 alkylene group, —N(R')— (where R' is a C_1 - C_{10} alkyl group or a C_6 - C_{20} aryl group), or C(=O)—).

[0246] The phosphorescent dopant may include at least one selected from Compounds PD1 to PD75, but the phosphorescent dopant is not limited thereto.

PD1




-continued




PD2


-continued




PD7




PD3




PD8




PD4




PD9




PD5



PD10




PD6




PD11

-continued




PD12


-continued




PD17




PD13




PD18




PD14




PD19



PD15




PD16




PD20

-continued




PD21


-continued




PD26




PD22




PD27




PD23




PD28




PD24



PD29








PD25




PD30

-continued




-continued

PD31




PD36

PD32




PD37

PD33




PD38

PD34








PD39

PD35




PD40

-continued




-continued


PD41




PD42





PD43



PD44



PD45



PD46

PD47

PD48


PD49

PD50


PD51

-continued


PD52




PD53




PD54



PD55




PD56




-continued


PD57




PD58




PD59








PD60



PD61




-continued




-continued

PD62




PD67

PD63




PD68

PD64




PD69

PD65




PD70

PD66




PD71


-continued




PD72



PD73




PD74



PD75

[0247] For example, the fluorescent dopant may include a compound represented by Formula 501.



Formula 501

[0248] In Formula 501,

[0249] Ar_{501} may be selected from:

[0250] a naphthalene, a heptalene, a fluorene, a spiro-fluorene, a benzofluorene, a dibenzofluorene, a phenalene, a phenanthrene, an anthracene, a fluoranthene, a triphenylene, a pyrene, a chrysene, a naphthacene, a picene, a perylene, a pentaphene, and an indenoanthracene,

[0251] a naphthalene, a heptalene, a fluorene, a spiro-fluorene, a benzofluorene, a dibenzofluorene, a phenalene, a phenanthrene, an anthracene, a fluoranthene, a triphenylene, a pyrene, a chrysene, a naphthacene, a picene, a perylene, a pentaphene, and an indenoanthracene, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkoxy group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_1 - C_{60} heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q_{501})(Q_{502})(Q_{503}), wherein Q_{501} to Q_{503} may be each independently selected from a hydrogen, C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_6 - C_{60} aryl group, and a C_1 - C_{60} heteroaryl group;

[0252] L_{501} to L_{503} may be defined the same as L_{201} defined herein;

[0253] R_{501} and R_{502} may be each independently selected from:


[0254] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothio-phenyl group, and

[0255] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothio-phenyl group, each substituted with at least one selected from a phenyl group, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothio-phenyl group;

[0256] $x d 1$ to $x d 3$ may be each independently selected from 0, 1, 2, and 3; and

[0257] $x d 4$ may be selected from 1, 2, 3, and 4.


[0258] For example, the fluorescent host may include at least one selected from Compounds FD1 to FD9.



FD1



-continued

FD4





FD2

FD5




FD3

FD6




-continued

FD7




-continued


Compound FD9




FD8




[0259] In some embodiments, the fluorescent dopant may be selected from the following compounds. However, embodiments of the fluorescent dopant are not limited thereto.




DPVBi




DPAVBi




TBPe




DCM



DCITB



-continued



[0260] The amount of the dopant in the EML may be from about 0.01 parts to about 15 parts by weight based on 100 parts by weight of the host, but the amount is not limited to this range.

[0261] The thickness of the EML may be about 100 Å to about 1000 Å, and in some embodiments, may be from about 200 Å to about 600 Å. When the thickness of the EML is within these ranges, the organic light-emitting device may have good light emitting ability without a substantial increase in driving voltage.

[0262] Next, the electron transport region may be disposed on the EML.



[0263] The electron transport region may include at least one selected from a HBL, an ETL, and an EIL. However, embodiments of the present disclosure are not limited thereto.

[0264] In some embodiments, the electron transport region may have a structure including an ETL/EIL, or a HBL/ETL/EIL, wherein the layers forming a structure of the electron transport region may be sequentially stacked on the EML in the order stated above. However, embodiments of the present disclosure are not limited thereto.

[0265] In some embodiments, the organic layer 150 of the organic light-emitting device 10 may include the electron transport region between the EML and the second electrode 190.

[0266] When the electron transport region includes a HBL, the HBL may be formed on the EML by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like. When the HBL is formed using vacuum deposition or spin coating, the deposition and coating conditions for forming the HBL may be similar to the above-described deposition and coating conditions for forming the HIL, and accordingly will not be repeated again here.


[0267] For example, the HBL may include at least one selected from BCP and Bphen. However, embodiments of the present disclosure are not limited thereto.



[0268] The thickness of the HBL may be from about 20 Å to about 1,000 Å, and in some embodiments, from about 30 Å to about 300 Å. When the thickness of the HBL is within these ranges, the HBL may have improved hole blocking ability without a substantial increase in driving voltage.

[0269] The electron transport region may include an ETL. The ETL may be formed on the EML or the HBL by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like. When the ETL is formed using vacuum deposition or spin coating, the deposition and coating conditions for forming the ETL may be similar to the above-described deposition and coating conditions for forming the HIL, and accordingly will not be repeated again here.

[0270] In some embodiments, the ETL may include at least one selected from a compound represented by Formula 601 and a compound represented by Formula 602.



Formula 601

[0271] In Formula 601,

[0272] Ar_{601} may be selected from:

[0273] a naphthalene, a heptalene, a fluorene, a spirofluorene, a benzofluorene, a dibenzofluorene, a phenalene, a phenanthrene, an anthracene, a fluoranthene, a triphenylene, a pyrene, a chrysene, naphthacene, a picene, a perylene, a pentaphene, and an indenoanthracene, and

[0274] a naphthalene, a heptalene, a fluorene, a spiro-fluorene, a benzofluorene, a dibenzofluorene, a phenalene, a phenanthrene, an anthracene, a fluoranthene, a triphenylene, a pyrene, a chrysene, naphthacene, a picene, a perylene, a pentaphene, and an indenoanthracene, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, and —Si(Q₃₀₁)(Q₃₀₂)(Q₃₀₃), wherein Q₃₀₁ to Q₃₀₃ may be each independently a hydrogen, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₆-C₆₀ aryl group, or a C₁-C₆₀ heteroaryl group;

[0275] L₆₀₁ may be defined the same as L₂₀₁ described herein;

[0276] E₆₀₁ may be selected from:

[0277] a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiofenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, and


[0278] a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric

acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group;

[0279] xe1 may be selected from 0, 1, 2, and 3; and

[0280] xe2 may be selected from 1, 2, 3, and 4.

Formula 602



[0281] In Formula 602,

[0282] X₆₁₁ may be N or C-(L₆₁₁)_{xe611}-R₆₁₁; X₆₁₂ may be N or C-(L₆₁₂)_{xe612}-R₆₁₂; X₆₁₃ may be N or C-(L₆₁₃)_{xe613}-R₆₁₃; at least one of X₆₁₁ to X₆₁₃ may be N;

[0283] L₆₁₁ to L₆₁₆ may be each independently the same as L₁ described herein;

[0284] R₆₁₁ to R₆₁₆ may be each independently selected from:



[0285] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, and a triazinyl group; and

[0286] a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, and a triazinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an

amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an azulenyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, and a triazinyl group; and


[0287] xe611 to xe616 may be each independently selected from 0, 1, 2, and 3.

[0288] The compound represented by Formula 601 and the compound represented by Formula 602 may be each independently selected from Compounds ET1 to ET15.




-continued


ET7



ET8




ET9




-continued


ET10



ET11





ET12





-continued

ET13



Alq₃

ET14




BAQ

ET15



TAZ




NTAZ

[0289] In some embodiments, the ETL may include at least one selected from BCP, Bphen, Alq₃, BAQ, TAZ, and NTAZ.


[0290] The thickness of the ETL may be from about 100 Å to about 1,000 Å, and in some embodiments, from about 150 Å to about 500 Å. When the thickness of the ETL is within these ranges, the organic light-emitting device may have suitable or satisfactory electron transporting ability without a substantial increase in driving voltage.

[0291] In some embodiments the ETL may further include a metal-containing material, in addition to the above-described materials.

[0292] The metal-containing material may include a lithium (Li) complex. Non-limiting examples of the Li complex include compound ET-D1 (lithium quinolate (LiQ)), and compound ET-D2.



ET-D1



ET-D2

[0293] The electron transport region may include an EIL that may facilitate injection of electrons from the second electrode 190.

[0294] The EIL may be formed on the ETL by using any of a variety of suitable methods, for example, by using vacuum deposition, spin coating, casting, Langmuir-Blodgett (LB) deposition, inkjet printing, laser printing, laser induced thermal imaging (LITI), or the like. When the EIL is formed using vacuum deposition or spin coating, the deposition and coating conditions for forming the EIL may be similar to the above-described deposition and coating conditions for forming the HIL, and accordingly will not be repeated again here.

[0295] The EIL may include at least one selected from LiF, NaCl, CsF, Li₂O, BaO, and LiQ.

[0296] The thickness of the EIL may be from about 1 Å to about 100 Å, and in some embodiments, from about 3 Å to about 90 Å. When the thickness of the EIL is within these ranges, the EIL may have suitable or satisfactory electron injection ability without a substantial increase in driving voltage.

[0297] The second electrode 190 may be disposed on the organic layer 150, as described above. The second electrode 190 may be a cathode as an electron injecting electrode. A material for forming the second electrode 190 may be a metal, an alloy, an electrically conductive compound, which have a low-work function, or a mixture thereof. Non-limiting examples of materials for forming the second electrode 190 include lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), and magnesium-silver (Mg—Ag). In some embodiments, a material for forming the second electrode 190 may be ITO or IZO. The second electrode 190 may be a semi-transmissive electrode or a transmissive electrode.

[0298] Referring to FIG. 2, an organic light-emitting device 20 according to an embodiment may have a stack structure in which a first capping layer 210, a first electrode 110, an organic layer 150, and a second electrode 190 are sequentially stacked upon one another in the stated order. Referring to FIG. 3, an organic light-emitting device 30 according to another embodiment may have a stack structure in which a first electrode 110, an organic layer 150, a second electrode 190, and a second capping layer 220 are sequen-

tially stacked upon one another in the stated order. Referring to FIG. 4, an organic light-emitting device 40 may have a stack structure in which a first capping layer 210, a first electrode 110, an organic layer 150, a second electrode 190, and a second capping layer 220 are stacked upon one another in the stated order.

[0299] In FIGS. 2-4, the first electrode 110, the organic layer 150, and the second electrode 190 may be the same as those described above with reference to FIG. 1.

[0300] In the organic light-emitting devices 20 and 40, light generated in the emission layer of the organic layer 150 may be extracted outside the organic light-emitting device through the first electrode 110 as a semi-transmissive or transmissive electrode and the first capping layer 210. In the organic light-emitting devices 30 and 40, light generated in the emission layer of the organic layer 150 may be extracted outside the organic light-emitting device through the second electrode 190 as a semi-transmissive or transmissive electrode, and the second capping layer 220.

[0301] The first capping layer 210 and the second capping layer 220 may improve external emission efficiency based on the principle of constructive interference.

[0302] The first capping layer 210 of FIG. 2 and the second capping layer 220 of FIG. 3 may include the at least one of the condensed cyclic compound represented by Formula 1.

[0303] In the organic light-emitting device of FIG. 4, at least one selected from the first capping layer 210 and the second capping layer 220 may include the at least one of the condensed cyclic compound represented by Formula 1.

[0304] In some other embodiments, in the organic light-emitting devices 20, 30, and 40 of FIGS. 2-4, the organic layer 150 may not include the at least one of the condensed cyclic compound represented by Formula 1.

[0305] Although the organic light-emitting devices of FIGS. 1-4 are described above, embodiments of the present disclosure are not limited thereto.

[0306] As used herein, the term “a C₁-C₆₀ alkyl group” refers to a linear or branched aliphatic hydrocarbon monovalent group having 1 to 60 carbon atoms. Non-limiting examples of the C₁-C₆₀ alkyl group include a methyl group, an ethyl group, a propyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. The term “a C₁-C₆₀ alkylene group,” as used herein, refers to a divalent group having the same structure as the C₁-C₆₀ alkyl, except that the C₁-C₆₀ alkylene group is divalent instead of monovalent.

[0307] As used herein, the term “a C₁-C₆₀ alkoxy group” refers to a monovalent group represented by —OA₁₀₁ (where A₁₀₁ is a C₁-C₆₀ alkyl group as described above). Non-limiting examples of the C₁-C₆₀ alkoxy group include a methoxy group, an ethoxy group, and an isopropoxy group.

[0308] As used herein, the term “a C₂-C₆₀ alkenyl group” refers to a hydrocarbon group including at least one carbon double bond in a main chain (e.g., in the middle) or terminal end of the C₂-C₆₀ alkyl group. Non-limiting examples of the C₂-C₆₀ alkenyl group include an ethenyl group, a propenyl group, and a butenyl group. The term “a C₂-C₆₀ alkenylene group,” as used herein, refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group, except that the C₂-C₆₀ alkenylene group is divalent instead of monovalent.

[0309] As used herein, the term “a C₂-C₆₀ alkynyl group” refers to a hydrocarbon group including at least one carbon

triple bond in a main chain (e.g., in the middle) or terminal end of the C₂-C₆₀ alkyl group. Non-limiting examples of the C₂-C₆₀ alkynyl group include an ethynyl group, and a propynyl group. The term “a C₂-C₆₀ alkynylene group,” as used herein, refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group, except that the C₂-C₆₀ alkynylene group is divalent instead of monovalent.

[0310] As used herein, the term “a C₃-C₁₀ cycloalkyl group” refers to a monovalent, monocyclic hydrocarbon group having 3 to 10 carbon atoms. Non-limiting examples of the C₃-C₁₀ cycloalkyl group include a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. The term “a C₃-C₁₀ cycloalkylene group,” as used herein, refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkyl group, except that the C₃-C₁₀ cycloalkylene group is divalent instead of monovalent.

[0311] As used herein, the term “a C₁-C₁₀ heterocycloalkyl group” refers to a monovalent monocyclic group having 1 to 10 carbon atoms in which at least one hetero atom selected from N, O, P, and S is included as a ring-forming atom. Non-limiting examples of the C₁-C₁₀ heterocycloalkyl group include a tetrahydrofuranyl group, and a tetrahydrothiophenyl group. The term “a C₁-C₁₀ heterocycloalkylene group,” as used herein, refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkyl group, except that the C₁-C₁₀ heterocycloalkylene group is divalent instead of monovalent.

[0312] As used herein, the term “a C₃-C₁₀ cycloalkenyl group” refers to a monovalent monocyclic group having 3 to 10 carbon atoms that includes at least one double bond in the ring but does not have aromaticity (e.g., the ring is not aromatic). Non-limiting examples of the C₃-C₁₀ cycloalkenyl group include a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl group. The term “a C₃-C₁₀ cycloalkenylene group,” as used herein, refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkenyl group, except that the C₃-C₁₀ cycloalkenylene group is divalent instead of monovalent.

[0313] As used herein, the term “a C₁-C₁₀ heterocycloalkenyl group” refers to a monovalent monocyclic group having 1 to 10 carbon atoms that includes at least one double bond in the ring and in which at least one hetero atom selected from N, O, Si, P, and S is included as a ring-forming atom. Non-limiting examples of the C₁-C₁₀ heterocycloalkenyl group include a 2,3-dihydrofuranyl group, and a 2,3-dihydrothiophenyl group. The term “a C₁-C₁₀ heterocycloalkenylene group,” as used herein, refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkenyl group, except that the C₁-C₁₀ heterocycloalkenylene group is divalent instead of monovalent.

[0314] As used herein, the term “a C₆-C₆₀ aryl group” refers to a monovalent, aromatic carbocyclic aromatic group having 6 to 60 carbon atoms, and a C₆-C₆₀ arylene group refers to a divalent, aromatic carbocyclic group having 6 to 60 carbon atoms. Non-limiting examples of the C₆-C₆₀ aryl group include a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C₆-C₆₀ aryl group and the C₆-C₆₀ arylene group include at least two rings, the rings may be fused to each other (e.g., combined together).

[0315] As used herein, the term “a C₁-C₆₀ heteroaryl group” refers to a monovalent, aromatic carbocyclic aromatic group having 1 to 60 carbon atoms in which at least

one hetero atom selected from N, O, Si, P, and S is included as a ring-forming atom. A C₁-C₆₀ heteroarylene group refers to a divalent, aromatic carbocyclic group having 1 to 60 carbon atoms in which at least one hetero atom selected from N, O, Si, P, and S is included as a ring-forming atom. Non-limiting examples of the C₁-C₆₀ heteroaryl group include a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinolinyl group, and an isoquinolinyl group. When the C₁-C₆₀ heteroaryl and the C₁-C₆₀ heteroarylene include at least two rings, the rings may be fused to each other (e.g., combined together).

[0316] As used herein, the term “a C₆-C₆₀ aryloxy group” refers to —OA₁₀₂ (where A₁₀₂ is a C₆-C₆₀ aryl group as described above), and a C₆-C₆₀ arylthio group refers to —SA₁₀₃ (where A₁₀₃ is a C₆-C₆₀ aryl group as described above).

[0317] As used herein, the term “a monovalent non-aromatic condensed polycyclic group” refers to a monovalent group having at least two rings condensed to each other (e.g., combined together), in which only carbon atoms (for example, 8 to 60 carbon atoms) are exclusively included as ring-forming atoms and the entire molecule has non-aromaticity (e.g., the entire molecule is non-aromatic). A non-limiting example of the monovalent non-aromatic condensed polycyclic group is a fluorenyl group. The term “a divalent non-aromatic condensed polycyclic group” refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group, except that divalent non-aromatic condensed polycyclic group is divalent instead of monovalent.

[0318] As used herein, the term “a monovalent non-aromatic condensed heteropolycyclic group” refers to a monovalent group having at least two rings condensed to each other (e.g., combined together), in which carbon atoms (for example, 1 to 60 carbon atoms) and a hetero atom selected from N, O, Si, P, and S are as ring-forming atoms and the entire molecule has non-aromaticity (e.g., the entire molecule is non-aromatic). A non-limiting example of the monovalent non-aromatic condensed heteropolycyclic group is a carbazolyl group. As used herein, the term “a divalent non-aromatic condensed heteropolycyclic group” refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group, except that the divalent non-aromatic condensed heteropolycyclic group is divalent instead of monovalent.

[0319] As described herein, the at least one substituent of the substituted condensed polycyclic group including at least three carbocyclic groups condensed together, the substituted C₃-C₁₀ cycloalkylene group, the substituted C₁-C₁₀ heterocycloalkylene group, the substituted C₃-C₁₀ cycloalkenylene group, the substituted C₁-C₁₀ heterocycloalkenylene group, the substituted C₆-C₆₀ arylene group, the substituted C₁-C₆₀ heteroarylene group, the substituted divalent non-aromatic condensed polycyclic group, the substituted divalent non-aromatic condensed heteropolycyclic group, the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₁-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₁-C₆₀ heteroaryl group, the

substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group, may be selected from:

[0320] a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group,

[0321] a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), and —B(Q₁₆)(Q₁₇),

[0322] a C₃-C₁₀ cycloalkyl group, a C₁-C₆₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,

[0323] a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), and —B(Q₂₆)(Q₂₇), and

[0324] —N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), and —B(Q₃₆)(Q₃₇),

[0325] wherein Q₁ to Q₇, Q₁₁ to Q₁₇, Q₂₁ to Q₂₇, and Q₃₁ to Q₃₇ may be each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ hetero-

cycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0326] The abbreviation “Ph,” as used herein, refers to phenyl (a phenyl group), the abbreviation “Me,” as used herein, refers to methyl (a methyl group), the abbreviation “Et,” as used herein, refers to ethyl, and the abbreviations “ter-Bu” and “Bu^t,” as used herein, refer to tert-butyl.


[0327] One or more embodiments of the present disclosure, which include the condensed cyclic compound, and organic light-emitting devices including the same, will now be described in more detail with reference to the following examples. However, these examples are only for illustrative purposes and are not intended to limit the scope of the one or more embodiments of the present disclosure. In the following synthesis examples, the expression that “‘B’, instead of ‘A’, was used” means that the amounts of ‘B’ and ‘A’ were the same in equivalent amounts.

EXAMPLES

Synthesis Example 1

Synthesis of Compound 1

[0328]




[0329] 0.63 g (1 eq, 1.30 mmol) of 7'-bromospiro[fluoreno[3,2-b]benzofuran-11,5'-indeno[1,2-c]pyridine], 0.43 g (1.1 eq, 1.43 mmol) of 10-phenylanthracen-9-yl)boronic acid, and 0.06 g of (0.04 eq, 0.052 mmol) of tetrakis(triphenylphosphine)palladium(0) were put in a flask, dried under vacuum, and then purged with nitrogen gas. After 13 mL of toluene was added to the flask to dissolve the starting materials, 6.5 mL of ethanol and 6.5 mL (10 eq, 13.0 mmol) of a 2.0M sodium carbonate aqueous solution were added thereto and stirred under reflux at about 80° C. for about 3 hours. After termination of the reaction, the resulting reaction product was washed with distilled water, followed by extraction with ethyl acetate to obtain an organic phase. The obtained product was dried using magnesium sulfate, filtered using a Celite, and then purified using silica gel column chromatography to obtain Compound 1 (7'-(10-phenylanthracen-9-yl)spiro[fluoreno[3,2-b]benzofuran-11,5'-indeno[1,2-c]pyridine]) 0.67 g (Yield: 75%).

[0330] ¹H NMR: 9.24 (1H), 8.06 (2H), 7.91 (6H), 7.73 (3H), 7.51 (5H), 7.40 (6H), 7.35 (3H), 7.24 (1H), 7.03 (2H). atmospheric-pressure chemical ionization mass spectrometry (APCI-MS) (m/z): 659 [M⁺]

Synthesis Example 2

Synthesis of Compound 2

[0331]



Compound 2


[0332] 0.65 g (Yield: 70%) of Compound 2 (7'-(10-phenylanthracen-9-yl)spiro[benzo[b]fluoreno[2,3-d]thiophene-11,5'-indeno[1,2-c]pyridine]) was obtained in the same manner as described with respect to Synthesis Example 1, except that 7'-bromospiro[benzo[b]fluoreno[2,3-d]thiophene-11,5'-indeno[1,2-c]pyridine], instead of 7'-bromospiro[fluoreno[3,2-b]benzofuran-11,5'-indeno[1,2-c]pyridine], was used.

[0333] ¹H NMR: 9.24 (1H), 8.45 (1H), 7.98 (2H), 9.91 (4H), 7.85 (1H), 7.73 (1H), 7.67 (1H), 7.51 (6H), 7.40 (5H), 7.24 (1H), 7.06 (2H). APCI-MS (m/z): 675 [M⁺]

Synthesis Example 3

Synthesis of Compound 7

[0334]



Compound 7


[0335] 0.68 g (Yield: 70%) of Compound 7 (7'-(10-(naphthalen-1-yl)anthracen-9-yl)spiro[fluoreno[3,2-b]benzofuran-11,5'-indeno[1,2-c]pyridine]) was obtained in the same manner as described with respect to Synthesis Example 1, except that 0.49 g (1.1 eq, 1.43 mmol) of (10-naphthalene-1-yl)anthracene-9-yl)boronic acid, instead of (10-phenylanthracen-9-yl)boronic acid, was used.

[0336] ¹H NMR: 9.24 (1H), 8.55 (1H), 8.42 (1H), 8.04 (4H), 7.91 (6H), 7.60 (7H), 7.40 (7H), 7.06 (2H), APCI-MS (m/z): 709 [M⁺]

Synthesis Example 4

Synthesis of Compound 8

[0337]



[0338] 0.70 g (Yield: 70%) of Compound 8 (7'-(10-(naphthalen-1-yl)anthracen-9-yl)spiro[benzo[b]fluoreno[2,3-d]thiophene-11,5'-indeno[1,2-c]pyridine]) was obtained in the same manner as described with respect to Synthesis Example 2, except that 0.49 g (1.1 eq, 1.43 mmol) of (10-naphthalene-1-yl)anthracene-9-yl)boronic acid, instead of (10-phenylanthracen-9-yl)boronic acid, was used. ¹H NMR: 9.24 (1H), 8.55 (1H), 8.42 (2H), 8.04 (4H), 7.91 (7H), 7.73 (3H), 7.60 (5H), 7.40 (5H), 7.06 (2H), APCI-MS (m/z): 725 [M⁺]

Example 1

[0339] A 15 Ω/cm² ITO glass substrate (having a thickness of 1200 Å, available from Corning) was cut to a size of 50 mm×50 mm×0.7 mm and then sonicated in isopropyl alcohol and deionized water each for five minutes, and then cleaned by irradiation with ultraviolet rays for 30 minutes and exposure to ozone. The resulting glass substrate including an ITO anode was mounted into a vacuum deposition device.

[0340] 2-TNATA was vacuum-deposited on the ITO anode of the glass substrate to form a hole injection layer (HIL) having a thickness of 600 Å, and 4,4'-bis[N-(1-naphthyl)-

N-phenylamino]biphenyl (hereinafter, "NPB") was then vacuum-deposited on the HIL to form a hole transport layer (HTL) having a thickness of about 300 Å.

[0341] Compound 1 (as a host) and DPAVBi (as a dopant) were co-deposited on the HTL in a weight ratio of about 95:5 to form an emission layer (EML) having a thickness of about 20 nm.

[0342] Compound ET1 was deposited on the EML to form an electron transport layer (ETL) having a thickness of about 300 Å, and then LiF was deposited on the ETL to form an electron injection layer (EIL) having a thickness of about 10 Å. Aluminum (Al) was then vacuum-deposited on the EIL to form a cathode having a thickness of about 3000 Å, thereby completing the manufacture of an organic light-emitting device.

Examples 2 to 4 and Comparative Examples 1 to 4


[0343] Organic light-emitting devices were manufactured in the same manner as described with respect to Example 1, except that the compounds listed in Table 1, instead of Compound 1 of Example 1, were used, respectively, as a host to form the ETL.

Evaluation Example 1

[0344] Driving voltages, current densities, luminances, and efficiencies of the organic light-emitting devices of Examples 1 to 4 and Comparative Examples 1 to 4 were evaluated using a Keithley Source-Measure Unit (SMU 236) and a PR650 (Spectroscan) Source Measurement Unit (available from Photo Research, Inc.). The results are shown in Table 1.

TABLE 1

Example	Host	Driving voltage (V)	Current density (mA/cm ²)	Luminance (cd/m ²)	Efficiency (cd/A)
Example 1	Compound 1	3.5	10	531	5.31
Example 2	Compound 2	3.6	10	489	4.89
Example 3	Compound 7	3.5	10	487	4.87
Example 4	Compound 8	3.7	10	476	4.76
Comparative Example 1	Compound A	4.6	10	311	3.11
Comparative Example 2	Compound B	4.3	10	367	3.67
Comparative Example 3	Compound C	4.2	10	416	4.16
Comparative Example 4	Compound D	3.8	10	256	2.56



1

TABLE 1-continued

Example	Host	Driving voltage (V)	Current density (mA/cm ²)	Luminance (cd/m ²)	Efficiency (cd/A)

TABLE 1-continued

Example	Host	Driving voltage (V)	Current density (mA/cm ²)	Luminance (cd/m ²)	Efficiency (cd/A)

[0345] Referring to Table 1, the organic light-emitting devices of Examples 1 to 4 were found to have improved driving voltages, improved luminances, and improved efficiencies, as compared to those of the organic light-emitting devices of Comparative Examples 1 to 4.

[0346] As described above, according to one or more of the above embodiments of the present disclosure, an organic light-emitting device including a condensed cyclic compound represented by Formula 1 may have a low driving voltage, a high efficiency and a high luminance.


[0347] As used herein, the terms “substantially,” “about,” and similar terms are used as terms of approximation and not as terms of degree, and are intended to account for the inherent deviations in measured or calculated values that would be recognized by those of ordinary skill in the art. Also, any numerical range recited herein is intended to include all sub-ranges of the same numerical precision subsumed within the recited range. For example, a range of “1.0 to 10.0” is intended to include all subranges between (and including) the recited minimum value of 1.0 and the recited maximum value of 10.0, that is, having a minimum value equal to or greater than 1.0 and a maximum value equal to or less than 10.0, such as, for example, 2.4 to 7.6. Any maximum numerical limitation recited herein is intended to include all lower numerical limitations subsumed therein, and any minimum numerical limitation recited in this specification is intended to include all higher numerical limitations subsumed therein. Accordingly, Applicant reserves the right to amend this specification, including the claims, to expressly recite any sub-range subsumed within the ranges expressly recited herein.

[0348] It should be understood that the example embodiments described herein should be considered in a descriptive sense, and the present disclosure should not be limited thereto. Descriptions of features or aspects within each embodiment should typically be considered as available for other similar features or aspects in other embodiments.

[0349] While one or more embodiments of the present disclosure have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope of the present invention as defined by the following claims, and equivalents thereof.

What is claimed is:

1. A condensed cyclic compound represented by Formula 1:



wherein, in Formulae 1, 2A, and 2B,

A₁ ring and A₂ ring are each independently selected from a benzene, a naphthalene, a pyridine, a pyrimidine, a pyrazine, a quinoline, an isoquinoline, a quinoxaline, a quinazoline, and a cinnoline;

A₃ ring is a group represented by Formula 2A or a group represented by Formula 2B;

X₁ is N-[(L₁₁)_{a11}-(R₁₁)_{b11}], O, or S;

X₂ is N-[(L₁₂)_{a12}-(R₁₂)_{b12}], O, or S;

L₁ and L₂ are each independently selected from a substituted or unsubstituted condensed polycyclic group including at least three carbocyclic groups condensed together;

a₁ and a₂ are each independently an integer selected from 1 to 5, wherein, when a₁ is 2 or greater, at least two L₁s are the same or different, and when a₂ is 2 or greater, at least two L₂s are the same or different;

L₁₁ and L₁₂ are each independently selected from a substituted or unsubstituted C₃-C₁₀ cycloalkylene group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkylene group, a substituted or unsubstituted C₃-C₁₀ cycloalkenylene group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenylene group, a substituted or unsubstituted C₆-C₆₀ arylene group, a substituted or unsubstituted C₁-C₆₀ heteroarylene group, a substituted or unsubstituted divalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted divalent non-aromatic condensed heteropolycyclic group;

a₁₁ and a₁₂ are each independently an integer selected from 0 to 5, wherein, when a₁₁ is 2 or greater, at least two L₁₁s are the same or different, and when a₁₂ is 2 or greater, at least two L₁₂s are the same or different;

R₁ to R₆ and R₁₁ to R₁₃ are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), and —B(Q₆)(Q₇);

b₁, b₂, b₅, b₆, b₁₁, and b₁₂ are each independently an integer selected from 0 to 4;

b₃ and b₄ are each independently an integer selected from 0 to 6;

b₁₃ is 0, 1, or 2;

c₁ and c₂ are each independently an integer selected from 0 to 4, wherein c₁+c₂ is 1 or greater;

at least one substituent of the substituted condensed polycyclic group including at least three carbocyclic groups condensed together, the substituted C₃-C₁₀ cycloalkylene group, the substituted C₁-C₁₀ heterocycloalkylene group, the substituted C₃-C₁₀ cycloalkenylene group, the substituted C₁-C₁₀ heterocycloalkenylene group, the substituted C₆-C₆₀ arylene group, the substituted C₁-C₆₀ heteroarylene group, the substituted divalent non-aromatic condensed polycyclic group, the substituted divalent non-aromatic condensed heteropolycyclic group, the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₃-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₁-C₆₀ heteroaryl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group is selected from:

a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric

- acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group,
- a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), and —B(Q₁₆)(Q₁₇),
- a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group,
- a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), and —B(Q₂₆)(Q₂₇), and
- N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), and —B(Q₃₆)(Q₃₇),
- wherein Q₁ to Q₇, Q₁₁ to Q₁₇, Q₂₁ to Q₂₇, and Q₃₁ to Q₃₇ are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₁-C₆₀ heteroaryl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.
2. The condensed cyclic compound of claim 1, wherein the A₁ ring and the A₂ ring are each independently selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline.
3. The condensed cyclic compound of claim 1, wherein X₁ is O or S.
4. The condensed cyclic compound of claim 1, wherein L₁ and L₂ are each independently selected from:
- an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzo-fluorenylene group, a dibenzofluorenylene group, a phenalenylylene group, a phenanthrenylene group, an anthracenylylene group, a fluoranthenylylene group, a triphenylylylene group, a pyrenylene group, a chrysenylene group, a naphthacenylylene group, a picenylene group, a perylenylene group, a pentaphenylylene group, a hexacenylylene group, a pentacenylylene group, a rubicenylylene group, a coronenylylene group, and an ovalenylylene group, and
- an indacenylene group, an acenaphthylene group, a fluorenylene group, a spiro-fluorenylene group, a benzo-fluorenylene group, a dibenzofluorenylylene group, a phenalenylylene group, a phenanthrenylene group, an anthracenylylene group, a fluoranthenylylene group, a triphenylylylene group, a pyrenylene group, a chrysenylene group, a naphthacenylylene group, a picenylene group, a perylenylene group, a pentaphenylylene group, a hexacenylylene group, a pentacenylylene group, a rubicenylylene group, a coronenylylene group, and an ovalenylylene group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzo-fluorenyl group, a dibenzofluorenyl group, a phenalenylyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylylyl group, a pyrenyl group, a chrysenyl group, a naphthacenylyl group, a picenyl group, a perylenyl group, a pentaphenylyl group, a hexacenylyl group, a pentacenylyl group, a rubicenylyl group, a coronenylyl group, an ovalenylyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a

phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group.


5. The condensed cyclic compound of claim 1, wherein L_1 and L_2 are each independently selected from:

a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, and a perylenylene group, and


a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthrenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, and a perylenylene group, each substituted with at least one selected from a deuterium, $-\text{F}$, $-\text{Cl}$, $-\text{Br}$, $-\text{I}$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthrenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl

group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group.


6. The condensed cyclic compound of claim 1, wherein L_1 and L_2 are each independently selected from groups respectively represented by Formulae 3-8, 3-9, 3-25, and 3-35 to 3-41; and L_{11} and L_{12} are each independently selected from groups respectively represented by Formulae 3-1 to 3-41:




Formula 3-1




Formula 3-2




Formula 3-3




Formula 3-4



Formula 3-5










Formula 3-6




Formula 3-7

-continued




-continued


Formula 3-29




Formula 3-30



Formula 3-31




Formula 3-32



Formula 3-33

Formula 3-34

Formula 3-35



Formula 3-36


Formula 3-37

Formula 3-38

Formula 3-39

Formula 3-40

-continued



Formula 3-41

wherein, in Formulae 3-1 to 3-41,
 Y_1 is O, S, $C(Z_3)(Z_4)$, $N(Z_5)$, or $Si(Z_6)(Z_7)$;
 Z_1 to Z_7 are each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

d_2 is 1 or 2;

d_3 is an integer selected from 1 to 3;

d_4 is an integer selected from 1 to 4;


d_5 is an integer selected from 1 to 5;

d_6 is an integer selected from 1 to 6;


d_8 is an integer selected from 1 to 8; and

* and *' are binding sites with an adjacent atom.


7. The condensed cyclic compound of claim 1, wherein L_1 and L_2 are each independently selected from groups respectively represented by Formulae 4-11, 4-13, 4-27, and 4-29 to 4-35; and L_{11} and L_{12} are each independently selected from groups respectively represented by Formulae 4-1 to 4-35:




Formula 4-1




Formula 4-2




Formula 4-3




Formula 4-4




Formula 4-5




Formula 4-6




Formula 4-7




Formula 4-8




Formula 4-9



Formula 4-10











Formula 4-11



Formula 4-12

-continued



Formula 4-13

Formula 4-14

Formula 4-15

Formula 4-16









Formula 4-17

Formula 4-18

Formula 4-19

Formula 4-20

-continued



Formula 4-21

Formula 4-22

Formula 4-23

Formula 4-24







Formula 4-25

Formula 4-26

Formula 4-27

Formula 4-28

-continued



Formula 4-29

Formula 4-30


Formula 4-31

Formula 4-32

Formula 4-33

Formula 4-34

-continued



Formula 4-35

wherein, in Formulae 4-1 to 4-35, * and *' are binding sites with an adjacent atom.

8. The condensed cyclic compound of claim 1, wherein R_1 to R_6 and R_{11} to R_{13} are each independently selected from:

a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, and a C_1 - C_{20} alkoxy group,

a C_1 - C_{20} alkyl group and a C_1 - C_{20} alkoxy group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof,

a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzosilolyl group, a thiadiazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group,


a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuran group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a dibenzosilolyl group, a thiadiazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one selected from a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclopentenyl group, a cyclohexenyl group, a phenyl group, a pentalenyl group, an indenyl group, a naphthyl group, an azulenyl group, a heptalenyl group, an indacenyl group, an acenaphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenalenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a naphthacenyl group, a picenyl group, a perylenyl group, a pentaphenyl group, a hexacenyl group, a pentacenyl group, a rubicenyl group, a coronenyl group, an ovalenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a phthalazinyl group, a naphthyridinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthridinyl group, an acridinyl group, a phenanthrolinyl group, a phenazinyl group, a benzoimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a

benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a thiadiazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group and —Si(Q₃₃)(Q₃₄)(Q₃₅), and


—Si(Q₃)(Q₄)(Q₅),

wherein Q₃ to Q₅ and Q₃₃ to Q₃₅ are each independently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group.


9. The condensed cyclic compound of claim 1, wherein R₁ to R₆ and R₁₁ to R₁₃ are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, groups respectively represented by Formulae 5-1 to 5-7, and —Si(Q₃)(Q₄)(Q₅), wherein Q₃ to Q₅ are each independently selected from a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a phenyl group, and a naphthyl group:




Formula 5-1




Formula 5-2




Formula 5-3



Formula 5-4










Formula 5-5




Formula 5-6

-continued




-continued

Formula 5-7




Formula 5-14

Formula 5-8




Formula 5-15

Formula 5-9




Formula 5-16

Formula 5-10




Formula 5-17

Formula 5-11




Formula 5-18

Formula 5-12














Formula 5-19

Formula 5-13




Formula 5-20


-continued




Formula 5-21




Formula 5-22




Formula 5-23




Formula 5-24




Formula 5-25




Formula 5-26




Formula 5-27




Formula 5-28





Formula 5-29



Formula 5-30



Formula 5-31



-continued

Formula 5-32

Formula 5-33

Formula 5-34

Formula 5-35

Formula 5-36

Formula 5-37

Formula 5-38

Formula 5-39


Formula 5-40

Formula 5-41


Formula 5-42

Formula 5-43


-continued




Formula 5-67




Formula 5-68




Formula 5-69




Formula 5-70




Formula 5-71




Formula 5-72



Formula 5-73



Formula 5-74



Formula 5-75

wherein, in Formulae 5-1 to 5-75,

Y_{31} is O, S, $C(Z_{33})(Z_{34})$, $N(Z_{35})$, or $Si(Z_{36})(Z_{37})$;

Z_{31} to Z_{37} are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a

spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazoliny group, a carbazolyl group, a triazinyl group, a biphenyl group, a terphenyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

e_2 is an integer selected from 1 and 2;

e_3 is an integer selected from 1 to 3;

e_4 is an integer selected from 1 to 4;

e_5 is an integer selected from 1 to 5;

e_6 is an integer selected from 1 to 6;

e_7 is an integer selected from 1 to 7;

e_8 is an integer selected from 1 to 8;


e_9 is an integer selected from 1 to 9; and

* is a binding site with an adjacent atom.


10. The condensed cyclic compound of claim 1, wherein R_3 to R_6 , and R_{13} are each independently selected from a hydrogen, a deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, a naphthyl group, and $-Si(Q_3)(Q_4)(Q_5)$; and

R_1 , R_2 , R_{11} , and R_{12} are each independently selected from groups respectively represented by Formulae 6-1 to 6-43, and groups respectively represented by Formulae 10-1 to 10-117,


wherein Q_3 to Q_5 are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group:




Formula 6-1




Formula 6-2



Formula 6-3












Formula 6-4



Formula 6-5

-continued



Formula 6-6

Formula 6-7

Formula 6-8

Formula 6-9

Formula 6-10









Formula 6-11

Formula 6-12

Formula 6-13

Formula 6-14

-continued



Formula 6-15

Formula 6-16

Formula 6-17

Formula 6-18










Formula 6-19

Formula 6-20

Formula 6-21


Formula 6-22

-continued




-continued


Formula 6-23




Formula 6-24




Formula 6-25




Formula 6-26




Formula 6-27




Formula 6-28




Formula 6-29



Formula 6-30



Formula 6-31



Formula 6-32

Formula 6-33

Formula 6-34

Formula 6-35

Formula 6-36












Formula 6-37

Formula 6-38


Formula 6-39

Formula 6-40


-continued





Formula 6-41




Formula 6-42




Formula 6-43




Formula 10-1




Formula 10-2




Formula 10-3




Formula 10-4



Formula 10-5



Formula 10-6



Formula 10-7

Formula 10-8

-continued

Formula 10-9

Formula 10-10

Formula 10-11

Formula 10-12

Formula 10-13

Formula 10-14


Formula 10-15

Formula 10-16


Formula 10-17

Formula 10-18


-continued




Formula 10-19




Formula 10-20




Formula 10-21



Formula 10-22




Formula 10-23




Formula 10-24


-continued




Formula 10-25




Formula 10-26




Formula 10-27



Formula 10-28




Formula 10-29




Formula 10-30


-continued




Formula 10-31




Formula 10-32




Formula 10-33



Formula 10-34




Formula 10-35




Formula 10-36


-continued




Formula 10-37




Formula 10-38




Formula 10-39




Formula 10-40



Formula 10-41












Formula 10-42



Formula 10-43

-continued



Formula 10-44

Formula 10-45

Formula 10-46

Formula 10-47

Formula 10-48










Formula 10-49

Formula 10-50

Formula 10-51

Formula 10-52

-continued



Formula 10-53

Formula 10-54

Formula 10-55

Formula 10-56

Formula 10-57










Formula 10-58

Formula 10-59


Formula 10-60

Formula 10-61


-continued




Formula 10-62




Formula 10-63




Formula 10-64




Formula 10-65




Formula 10-66




Formula 10-67



Formula 10-68



Formula 10-69



Formula 10-70

-continued

Formula 10-71

Formula 10-72

Formula 10-73

Formula 10-74


Formula 10-75

Formula 10-76


Formula 10-77

Formula 10-78


-continued




Formula 10-79




Formula 10-80




Formula 10-81




Formula 10-82




Formula 10-83



Formula 10-84




Formula 10-85




Formula 10-86


-continued




Formula 10-87




Formula 10-88



Formula 10-89




Formula 10-90




Formula 10-91

-continued




Formula 10-92


-continued




Formula 10-97




Formula 10-93




Formula 10-98




Formula 10-94




Formula 10-99




Formula 10-95



Formula 10-100









Formula 10-96




Formula 10-101

-continued




-continued


Formula 10-102




Formula 10-103




Formula 10-104




Formula 10-105



Formula 10-106



Formula 10-107



Formula 10-108

Formula 10-109

Formula 10-110


Formula 10-111

Formula 10-112


Formula 10-113

Formula 10-114


-continued



Formula 10-115



Formula 10-116




Formula 10-117

wherein, in Formulae 6-1 to 6-43 and Formulae 10-1 to 10-117, * is a binding site with an adjacent atom.


11. The condensed cyclic compound of claim 1, wherein c1 is 1, and c2 is 0; c1 is 1, and c2 is 1; or c1 is 0, and c2 is 1.

12. The condensed cyclic compound of claim 1, wherein the condensed cyclic compound represented by Formula 1 is a compound represented by one of Formulae 1A to 1E:




Formula 1A


-continued




Formula 1B



Formula 1C








Formula 1D



Formula 1E


wherein, in Formulae 1A to 1E, A₁ ring, A₂ ring, X₁, X₂, L₁, L₂, a₁, a₂, R₁ to R₆, R₁₃, b₁ to b₆, b₁₃, c₁, and c₂ are defined the same as those defined in claim 1.

13. The condensed cyclic compound of claim 1, wherein the condensed cyclic compound represented by Formula 1 is a compound represented by one of Formulae 1-1 to 1-7:




-continued

Formula 1-6



Formula 1-7



wherein, in Formulae 1-1 to 1-7,

A₃ ring, X₁, L₁, L₂, a₁, a₂, R₁, R₂, R₅, R₆, b₁, b₂, b₅, b₆, c₁, and c₂ are defined the same as those defined in claim 1;


X₂₁ is N or C(R₂₁); X₂₂ is N or C(R₂₂); X₂₃ is N or C(R₂₃); X₂₄ is N or C(R₂₄); X₂₅ is N or C(R₂₅); X₂₆ is N or C(R₂₆); X₃₁ is N or C(R₃₁); X₃₂ is N or C(R₃₂); X₃₃ is N or C(R₃₃); X₃₄ is N or C(R₃₄); X₃₅ is N or C(R₃₅); X₃₆ is N or C(R₃₆);

R₂₁ to R₂₆ are defined the same as R₃ defined in claim 1; and

R₃₁ to R₃₆ are defined the same as R₄ defined in claim 1.


14. The condensed cyclic compound of claim 1, wherein the condensed cyclic compound represented by Formula 1 is a compound represented by one of Formulae 1(1) to 1(24):

Formula 1(1)




-continued


Formula 1(2)




Formula 1(3)




Formula 1(4)



Formula 1(5)




Formula 1(6)




-continued


Formula 1(7)




Formula 1(8)




Formula 1(9)




Formula 1(10)




-continued




Formula 1(20)




Formula 1(21)




Formula 1(22)



Formula 1(23)



-continued



wherein, in Formulae 1(1) to 1(24),

X_1 , L_1 , L_2 , a_1 , a_2 , R_1 to R_6 , R_{13} , b_1 to b_6 , b_{13} , c_1 , and c_2 are defined the same as those defined in claim 1;

ba_3 and bb_3 are each independently an integer selected from 0 to 3;


ba_4 and bb_4 are each independently an integer selected from 0 to 4;

ba_5 and bb_5 are each independently an integer selected from 0 to 5; and


ba_6 and bb_6 are each independently an integer selected from 0 to 6.


15. The condensed cyclic compound of claim 1, wherein the condensed cyclic compound represented by Formula 1 is a compound represented by one of Formulae 1A-1 to 1A-3:

Formula 1A-1



Formula 1A-2





wherein, in Formulae 1A-1 to 1A-3,


A_1 ring and A_2 ring are each independently selected from a benzene, a naphthalene, a pyridine, a quinoline, and an isoquinoline;

X_1 is O or S;


R_1 is selected from groups respectively represented by Formulae 5-1 to 5-75;

R_3 to R_6 , R_{13} , Z_1 , and Z_2 are each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, and a naphthyl group; and


b_3 to b_6 , b_{13} , d_4 , and d_5 are each independently 0, 1, or 2,




Formula 5-1




Formula 5-2



Formula 5-3




Formula 5-4




Formula 5-5


Formula 5-6




Formula 5-7




Formula 5-8



Formula 5-9










Formula 5-10




Formula 5-11

-continued




-continued


Formula 5-12




Formula 5-13




Formula 5-14




Formula 5-15







Formula 5-16



Formula 5-17



Formula 5-18



Formula 5-19

Formula 5-20

Formula 5-21

Formula 5-22

Formula 5-23

Formula 5-24











Formula 5-25

Formula 5-26


Formula 5-27

Formula 5-28


-continued




Formula 5-29




Formula 5-30




Formula 5-31




Formula 5-32




Formula 5-33




Formula 5-34




Formula 5-35




Formula 5-36





Formula 5-37



Formula 5-38



Formula 5-39



-continued

Formula 5-40

Formula 5-41

Formula 5-42

Formula 5-43

Formula 5-44

Formula 5-45

Formula 5-46

Formula 5-47

Formula 5-48


Formula 5-49

Formula 5-50


Formula 5-51

Formula 5-52


-continued




Formula 5-53




Formula 5-54




Formula 5-55




Formula 5-56




Formula 5-57




Formula 5-58




Formula 5-59




Formula 5-60



Formula 5-61




Formula 5-62




Formula 5-63


-continued




Formula 5-64




Formula 5-65




Formula 5-66




Formula 5-67




Formula 5-68




Formula 5-69




Formula 5-70



Formula 5-71




Formula 5-72




Formula 5-73

-continued



Formula 5-74



Formula 5-75

wherein, in Formulae 5-1 to 5-75,

Y_{31} is O, S, $C(Z_{33})(Z_{34})$, $N(Z_{35})$, or $Si(Z_{36})(Z_{37})$;

Z_{31} to Z_{37} are each independently selected from a hydrogen, a deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a spiro-fluorenyl group, a benzofluorenyl group, a dibenzofluorenyl group, a phenanthrenyl group, an anthracenyl group, a pyrenyl group, a chrysenyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, a quinolinyl group, an isoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a carbazolyl group, a triazinyl group, a biphenyl group, a terphenyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, wherein Q_{33} to Q_{35} are each independently selected from a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a phenyl group, and a naphthyl group;

e_2 is an integer selected from 1 and 2;

e_3 is an integer selected from 1 to 3;

e_4 is an integer selected from 1 to 4;

e_5 is an integer selected from 1 to 5;

e_6 is an integer selected from 1 to 6;


e_7 is an integer selected from 1 to 7;

e_8 is an integer selected from 1 to 8;

e_9 is an integer selected from 1 to 9; and


* is a binding site with an adjacent atom.

16. The condensed cyclic compound of claim 1, wherein the condensed cyclic compound represented by Formula 1 is one of Compounds 1 to 60:




1


-continued




2



3




4



5


-continued

6




-continued


10




7




11




8




12



9




13




-continued

14




-continued


18




15




19




16




20



17




21




-continued


22




23




24



25




26




-continued


27




28



29




30




-continued


31




32




33



34




35




-continued


36




37




38




39




-continued




-continued




41




45




42




46



43




47




-continued


48




49



50




51




-continued


52




53




54







55



-continued



-continued



17. An organic light-emitting device comprising: a first electrode; a second electrode facing the first electrode; and an organic layer between the first electrode and the second electrode and comprising an emission layer, wherein the organic layer comprises at least one of the condensed cyclic compound of claim 1.

18. The organic light-emitting device of claim 17, wherein the first electrode is an anode,

the second electrode is a cathode,

the organic layer comprises i) a hole transport region between the first electrode and the emission layer and comprising at least one selected from a hole injection layer, a hole transport layer, a buffer layer, and an electron blocking layer, and ii) an electron transport region between the emission layer and the second electrode and comprising at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer, and

at least one selected from the hole transport region and the emission layer comprises the at least one of the condensed cyclic compound.

19. The organic light-emitting device of claim 17, wherein the emission layer comprises the at least one of the condensed cyclic compound.

20. The organic light-emitting device of claim 17, wherein the emission layer further comprises a fluorescent dopant.

* * * * *

专利名称(译)	缩合环状化合物和包含其的有机发光器件		
公开(公告)号	US20160308140A1	公开(公告)日	2016-10-20
申请号	US15/098258	申请日	2016-04-13
[标]申请(专利权)人(译)	三星显示有限公司 成均馆大学校产学协力团		
申请(专利权)人(译)	三星DISPLAY CO., LTD. 研究与业务基础韩国成均馆大学		
当前申请(专利权)人(译)	三星DISPLAY CO., LTD. 研究与业务基础韩国成均馆大学		
[标]发明人	KIM SUNG WOOK KIM MYEONG SUK CHO HWAN HEE KHO SAM IL YOON SEUNG SOO CHU CHANGWOONG		
发明人	KIM, SUNG-WOOK KIM, MYEONG-SUK CHO, HWAN-HEE KHO, SAM-IL YOON, SEUNG-SOO CHU, CHANGWOONG		
IPC分类号	H01L51/00 C07D491/107 C07D495/10 C09K11/06 C09K11/02		
CPC分类号	H01L51/0071 C09K2211/1014 C09K11/06 C09K11/025 C07D495/10 H01L51/0052 C07D491/107 H01L51/0058 H01L51/5206 H01L51/5028 H01L51/5221 H01L51/5056 H01L51/5088 H01L51/5096 H01L51/5072 H01L51/5092 H01L51/005 C09K2211/1007 H01L51/0059 H01L51/0073 H01L51/0074 H01L51/5012		
优先权	1020150052453 2015-04-14 KR		
外部链接	Espacenet USPTO		

摘要(译)

提供缩合环状化合物和包含缩合环状化合物的有机发光装置。缩合环状化合物由式1表示。式1的A3环是式2A表示的基团或式2B表示的基团。有机发光装置包括：第一电极；第二个电极；第一电极和第二电极之间的有机层包括发光层，所述有机层包含至少一种由式1表示的稠环化合物。

