



US 20190319195A1

(19) **United States**(12) **Patent Application Publication**  
**LEE et al.**(10) **Pub. No.: US 2019/0319195 A1**(43) **Pub. Date: Oct. 17, 2019**(54) **HETEROCYCLIC COMPOUND AND  
ORGANIC LIGHT EMITTING DEVICE  
USING SAME**(86) PCT No.: **PCT/KR2017/007250**

§ 371 (c)(1),

(2) Date: **Jan. 4, 2019**(71) Applicant: **HEESUNG MATERIAL LTD.,**  
Yongin-City, Gyeonggi-do (KR)(30) **Foreign Application Priority Data**


Jul. 6, 2016 (KR) ..... 10-2016-0085748

(72) Inventors: **Gi-Back LEE**, Osan-si (KR);  
**Han-Kook OH**, Osan-si (KR);  
**Yong-Geun JUNG**, Seoul (KR);  
**Jun-Tae MO**, Osan-si (KR); **Won-Jang**  
**JEONG**, Hwaseong-si (KR); **Jin-Seok**  
**CHOI**, Suwon-si (KR); **Dae-Hyuk**  
**CHOI**, Yongin-si (KR); **Joo-Dong**  
**LEE**, Seongnam-si (KR)**Publication Classification**(51) **Int. Cl.**  
**H01L 51/00** (2006.01)(52) **U.S. Cl.**  
CPC ..... **H01L 51/0067** (2013.01); **H01L 51/0072**  
(2013.01); **H01L 51/5096** (2013.01); **H01L**  
**51/0073** (2013.01); **H01L 51/0074** (2013.01);  
**H01L 51/0052** (2013.01)(73) Assignee: **Heesung Material Ltd.**, Yongin-City,  
Gyeonggi-do (KR)(57) **ABSTRACT**


The present application provides a hetero-cyclic compound capable of significantly enhancing lifespan, efficiency, electrochemical stability and thermal stability of an organic light emitting device, and an organic light emitting device containing the hetero-cyclic compound in an organic compound layer.

(21) Appl. No.: **16/315,485**(22) PCT Filed: **Jul. 6, 2017**


【FIG. 1】



【FIG. 2】



【FIG. 3】



【FIG. 4】

|                                   |
|-----------------------------------|
| CATHODE                           |
| ELECTRON INJECTION LAYER          |
| SECOND ELECTRON TRANSFER LAYER    |
| SECOND HOLE BLOCKING LAYER        |
| SECOND STACK LIGHT EMITTING LAYER |
| SECOND ELECTRON BLOCKING LAYER    |
| SECOND HOLE TRANSFER LAYER        |
| P-TYPE CHARGE GENERATION LAYER    |
| N-TYPE CHARGE GENERATION LAYER    |
| FIRST ELECTRON TRANSFER LAYER     |
| FIRST HOLE BLOCKING LAYER         |
| FIRST STACK LIGHT EMITTING LAYER  |
| FIRST ELECTRON BLOCKING LAYER     |
| FIRST HOLE TRANSFER LAYER         |
| FIRST HOLE INJECTION LAYER        |
| ANODE                             |
| SUBSTRATE                         |

# HETEROCYCLIC COMPOUND AND ORGANIC LIGHT EMITTING DEVICE USING SAME

## TECHNICAL FIELD

[0001] This application claims priority to and the benefits of Korean Patent Application No. 10-2016-0085748, filed with the Korean Intellectual Property Office on Jul. 6, 2016, the entire contents of which are incorporated herein by reference.

[0002] The present application relates to a hetero-cyclic compound and an organic light emitting device using the same.

## BACKGROUND ART

[0003] An electroluminescent device is one type of self-emissive display devices, and has an advantage of having a wide viewing angle, and a high response speed as well as having an excellent contrast.

[0004] An organic light emitting device has a structure disposing an organic thin film between two electrodes. When a voltage is applied to an organic light emitting device having such a structure, electrons and holes injected from the two electrodes bind and pair in the organic thin film, and light emits as these annihilate. The organic thin film may be formed in a single layer or a multilayer as necessary.

the organic thin film, compounds capable of forming a light emitting layer themselves may be used alone, or compounds capable of performing a role of a host or a dopant of a host-dopant-based light emitting layer may also be used. In addition thereto, compounds capable of performing roles of hole injection, hole transfer, electron blocking, hole blocking, electron transfer, electron injection and the like may also be used as a material of the organic thin film.

[0005] Development of an organic thin film material has been continuously required for enhancing performance, lifespan or efficiency of an organic light emitting device.

## PRIOR ART DOCUMENTS

### Patent Documents

[0006] U.S. Pat. No. 4,356,429

## DISCLOSURE


### Technical Problem

[0007] Researches for an organic light emitting device comprising a compound capable of satisfying conditions required for materials usable in an organic light emitting device, for example, a proper energy level, electrochemical stability, thermal stability and the like, and having a chemical structure that may perform various roles required in an organic light emitting device depending on substituents have been required.

### Technical Solution

[0008] One embodiment of the present application provides a hetero-cyclic compound represented by the following Chemical Formula 1:

[Chemical Formula 1]



[0009] in Chemical Formula 1,

[0010] L1 is a direct bond; a substituted or unsubstituted C<sub>6</sub> to C<sub>60</sub> arylene group; or a C<sub>2</sub> to C<sub>60</sub> heteroarylene group,

[0011] Z1 is selected from the group consisting of hydrogen; deuterium; a halogen group; —CN; a substituted or unsubstituted C<sub>1</sub> to C<sub>60</sub> alkyl group; a substituted or unsubstituted C<sub>6</sub> to C<sub>60</sub> aryl group; a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> heteroaryl group; —SiRR'R''; —P(=O)RR'; and an amine group unsubstituted or substituted with a C<sub>1</sub> to C<sub>20</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group or a C<sub>2</sub> to C<sub>60</sub> heteroaryl group,

[0012] m is an integer of 0 to 4,

[0013] n is an integer of 1 to 4,

[0014] R1 to R11 are the same as or different from each other, and each independently selected from the group consisting of hydrogen; deuterium; a halogen group; —CN; a substituted or unsubstituted C<sub>1</sub> to C<sub>60</sub> alkyl group; a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> alkenyl group; a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> alkynyl group; a substituted or unsubstituted C<sub>1</sub> to C<sub>60</sub> alkoxy group; a substituted or unsubstituted C<sub>3</sub> to C<sub>60</sub> cycloalkyl group; a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> heterocycloalkyl group; a substituted or unsubstituted C<sub>6</sub> to C<sub>60</sub> aryl group; a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> heteroaryl group; —SiRR'R''; —P(=O)RR'; and an amine group unsubstituted or substituted with a C<sub>1</sub> to C<sub>20</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group or a C<sub>2</sub> to C<sub>60</sub> heteroaryl group, or two or more groups adjacent to each other bond to each other to form a substituted or unsubstituted aliphatic or aromatic hydrocarbon ring, and

[0015] R, R' and R'' are the same as or different from each other, and each independently hydrogen; deuterium; —CN; a substituted or unsubstituted C<sub>1</sub> to C<sub>60</sub> alkyl group; a substituted or unsubstituted C<sub>3</sub> to C<sub>60</sub> cycloalkyl group; a substituted or unsubstituted C<sub>6</sub> to C<sub>60</sub> aryl group; or a substituted or unsubstituted C<sub>2</sub> to C<sub>60</sub> heteroaryl group.

[0016] Another embodiment of the present application provides an organic light emitting device comprising an anode, a cathode and one or more organic material layers provided between the anode and the cathode, wherein one or more layers of the organic material layers comprise the hetero-cyclic compound represented by Chemical Formula 1.

### Advantageous Effects

[0017] A hetero-cyclic compound according to one embodiment of the present application can be used as an organic material layer material of an organic light emitting

device. The hetero-cyclic compound can be used as a material of a hole injection layer, a hole transfer layer, a light emitting layer, an electron transfer layer, an electron injection layer, a charge generation layer or the like in an organic light emitting device. Particularly, the hetero-cyclic compound represented by Chemical Formula 1 can be used as a material of an electron transfer layer or a charge generation layer in an organic light emitting device. In addition, using the hetero-cyclic compound represented by Chemical Formula 1 in an organic light emitting device lowers a driving voltage of the device, enhances light efficiency, and can enhance a lifespan property of the device with thermal stability of the compound.

#### DESCRIPTION OF DRAWINGS

[0018] FIG. 1 to FIG. 4 are diagrams each schematically illustrating a lamination structure of an organic light emitting device according to one embodiment of the present application.

#### REFERENCE NUMERAL

- [0019] 100: Substrate
- [0020] 200: Anode
- [0021] 300: Organic Material Layer
- [0022] 301: Hole Injection Layer
- [0023] 302: Hole Transfer Layer
- [0024] 303: Light Emitting Layer
- [0025] 304: Hole Blocking Layer
- [0026] 305: Electron Transfer Layer
- [0027] 306: Electron Injection Layer
- [0028] 400: Cathode

#### MODE FOR DISCLOSURE

[0029] Hereinafter, the present application will be described in detail.

[0030] A hetero-cyclic compound according to one embodiment of the present application is represented by Chemical Formula 1. More specifically, the hetero-cyclic compound represented by Chemical Formula 1 is capable of being used as an organic material layer material of an organic light emitting device with such a core structure and structural characteristics of substituents.

[0031] In one embodiment of the present application, when m of Chemical Formula 1 is 2 or greater, two or more L1s may be the same as or different from each other. In addition, when n of Chemical Formula 1 is 2 or greater, two or more Z1s may be the same as or different from each other.


[0032] In one embodiment of the present application, m of Chemical Formula 1 may be an integer of 1 to 4.

[0033] In one embodiment of the present application, at least one of R1 to R5 of Chemical Formula 1 may be represented by  $-(L2)_p-(Z2)_q$ . Herein, L2 has the same definition as L1 of Chemical Formula 1, Z2 has the same definition as Z1 of Chemical Formula 1, p is an integer of 0 to 4, and q is an integer of 1 to 4.

[0034] In another embodiment, one of R2 and R3 of Chemical Formula 1 may be represented by  $-(L2)_p-(Z2)_q$ , and the other one may be hydrogen. Herein, L2 has the same definition as L1 of Chemical Formula 1, Z2 has the same definition as Z1 of Chemical Formula 1, p is an integer of 0 to 4, and q is an integer of 1 to 4.

[0035] According to one embodiment of the present application, Chemical Formula 1 may be represented by the following Chemical Formula 2.

[Chemical Formula 2]



[0036] In Chemical Formula 2,

[0037] at least one of R1 to R5 is represented by  $-(L2)_p-(Z2)_q$ , and the rest have the same definitions as in Chemical Formula 1,

[0038] L2 has the same definition as L1 of Chemical Formula 1 and Z2 has the same definition as Z1 of Chemical Formula 1,


[0039] p is an integer of 0 to 4,

[0040] q is an integer of 1 to 4, and

[0041] R6 to R11 have the same definitions as in Chemical Formula 1.

[0042] According to one embodiment of the present application, Chemical Formula 1 may be represented by the following Chemical Formula 3.

[Chemical Formula 3]



[0043] In Chemical Formula 3,

[0044] at least one of R12 to R16 is represented by  $-(L3)_r-(Z3)_s$ , and the rest are selected from the group consisting of hydrogen; deuterium; a halogen group;  $-\text{CN}$ ; a substituted or unsubstituted  $\text{C}_1$  to  $\text{C}_{60}$  alkyl group; a substituted or unsubstituted  $\text{C}_6$  to  $\text{C}_{60}$  aryl group; a substituted or unsubstituted  $\text{C}_2$  to  $\text{C}_{60}$  heteroaryl group;  $-\text{SiRR}'\text{R}''$ ;  $-\text{P}(=\text{O})\text{RR}'$ ; and an amine group unsubstituted or substituted with a  $\text{C}_1$  to  $\text{C}_{20}$  alkyl group, a  $\text{C}_6$  to  $\text{C}_{60}$  aryl group or a  $\text{C}_2$  to  $\text{C}_{60}$  heteroaryl group,

[0045] L3 has the same definition as L1 of Chemical Formula 1 and Z3 has the same definition as Z1 of Chemical Formula 1,

[0046] r is an integer of 0 to 3,

[0047] s is an integer of 1 to 4, and

[0048] R6 to R11 have the same definitions as in Chemical Formula 1.

[0049] In one embodiment of the present application, at least one of R1 to R5 of Chemical Formula 2 may be represented by  $-(L2)p-(Z2)q$ . Herein, L2 has the same definition as L1 of Chemical Formula 1, Z2 has the same definitions as Z1 of Chemical Formula 1, p is an integer of 0 to 4, and q is an integer of 1 to 4.

[0050] In another embodiment, one of R2 and R3 of Chemical Formula 2 may be represented by  $-(L2)p-(Z2)q$ , and the other one may be hydrogen. Herein, L2 has the same definition as L1 of Chemical Formula 1, Z2 has the same definition as Z1 of Chemical Formula 1, p is an integer of 0 to 4, and q is an integer of 1 to 4.

[0051] In one embodiment of the present application, at least one of R12 to R16 of Chemical Formula 3 may be represented by  $-(L3)r-(Z3)s$ . Herein, L3 has the same definition as L1 of Chemical Formula 1, Z3 has the same definition as Z1 of Chemical Formula 1, r is an integer of 0 to 3, and s is an integer of 1 to 4.

[0052] In another embodiment, one of R14 and R15 of Chemical Formula 3 may be represented by  $-(L3)r-(Z3)s$ , and the other one may be hydrogen. Herein, L3 has the same definition as L1 of Chemical Formula 1, Z3 has the same definition as Z1 of Chemical Formula 1, r is an integer of 0 to 3, and s is an integer of 1 to 4.

[0053] In one embodiment of the present application, R6 to R11 of Chemical Formulae 1 to 3 may be each independently hydrogen or deuterium.

[0054] In one embodiment of the present application, L1 to L3 of Chemical Formulae 1 to 3 may be a direct bond; a substituted or unsubstituted  $C_6$  to  $C_{60}$  arylene group; or a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroarylene group.

[0055] In another embodiment, L1 to L3 of Chemical Formulae 1 to 3 may be a direct bond; a  $C_6$  to  $C_{40}$  arylene group; or a  $C_2$  to  $C_{40}$  heteroarylene group.

[0056] In another embodiment, L1 to L3 of Chemical Formulae 1 to 3 may be a direct bond; a phenylene group; a divalent anthracene group; a biphenylene group; or a naphthalene group.

[0057] In one embodiment of the present application, Z1 to Z3 of Chemical Formulae 1 to 3 may be each independently hydrogen; deuterium; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; or a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group.

[0058] In one embodiment of the present application, Z1 to Z3 of Chemical Formulae 1 to 3 may be selected from the group consisting of hydrogen; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkyl group; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group; and  $-P(=O)RR'$ .

[0059] In another embodiment, Z1 to Z3 of Chemical Formulae 1 to 3 may be selected from the group consisting of hydrogen; a substituted or unsubstituted  $C_6$  to  $C_{40}$  aryl group; a substituted or unsubstituted  $C_2$  to  $C_{40}$  N, O, S-containing heteroaryl group; and  $-P(=O)RR'$ .

[0060] In another embodiment, Z1 to Z3 of Chemical Formulae 1 to 3 may be selected from the group consisting of hydrogen; a  $C_6$  to  $C_{40}$  aryl group unsubstituted or sub-

stituted with a  $C_6$  to  $C_{60}$  aryl group; a  $C_2$  to  $C_{40}$  N, O, S-containing heteroaryl group unsubstituted or substituted with one or more substituents selected from the group consisting of a  $C_6$  to  $C_{60}$  aryl group and a  $C_2$  to  $C_{60}$  heteroaryl group; and  $-P(=O)RR'$ .

[0061] In another embodiment, Z1 to Z3 of Chemical Formulae 1 to 3 may be selected from the group consisting of hydrogen; a phenyl group; a naphthyl group; a phenanthrene group; an anthracene group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group and a naphthyl group; a phenanthroline group unsubstituted or substituted with a phenyl group; a pyridine group unsubstituted or substituted with a pyridine group; a pyrimidine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a naphthyl group and a pyridine group; a triazine group unsubstituted or substituted with one or more substituents selected from the group consisting of a phenyl group, a biphenyl group, a naphthyl group and a pyridine group; a quinoline group; a carbazole group unsubstituted or substituted with a phenyl group; a dibenzofuran group; a dibenzothiophene group; and  $-P(=O)RR'$ .

[0062] In one embodiment of the present application, R, R' and R'' of Chemical Formulae 1 to 3 are the same as or different from each other, and may be each independently hydrogen; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkyl group; or a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group.

[0063] In another embodiment, R, R' and R'' of Chemical Formulae 1 to 3 are the same as or different from each other, and may be each independently a phenyl group.

[0064] In the present specification, the term "substituted or unsubstituted" means being substituted with one or more substituents selected from the group consisting of deuterium; a halogen group;  $-CN$ ; a  $C_1$  to  $C_{60}$  alkyl group; a  $C_2$  to  $C_{60}$  alkenyl group; a  $C_2$  to  $C_{60}$  alkynyl group; a  $C_3$  to  $C_{60}$  cycloalkyl group; a  $C_2$  to  $C_{60}$  heterocycloalkyl group; a  $C_6$  to  $C_{60}$  aryl group; a  $C_2$  to  $C_{60}$  heteroaryl group;  $-SiRR'R''$ ;  $-P(=O)RR'$ ; a  $C_1$  to  $C_{20}$  alkylamine group; a  $C_6$  to  $C_{60}$  arylamine group; and a  $O_2$  to  $C_{60}$  heteroarylamine group, or being unsubstituted, or being substituted with a substituent linking two or more of the above-mentioned substituents, or being substituted, or being substituted with a substituent linking two or more substituents selected from among the above-mentioned substituents, or being unsubstituted. For example, "a substituent linking two or more substituents" may comprise a biphenyl group. In other words, a biphenyl group may be an aryl group, or may be interpreted as a substituent linking two phenyl groups. The additional substituents may be further substituted. R, R' and R'' are the same as or different from each other, and each independently hydrogen; deuterium;  $-CN$ ; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkyl group; a substituted or unsubstituted  $C_3$  to  $C_{60}$  cycloalkyl group; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; or a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group.

[0065] According to one embodiment of the present application, the "substituted or unsubstituted" means being substituted with one or more substituents selected from the group consisting of deuterium, a halogen group,  $-CN$ ,  $-SiRR'R''$ ,  $-P(=O)RR'$ , a  $C_1$  to  $C_{20}$  linear or branched alkyl group, a  $C_6$  to  $C_{60}$  aryl group, and a  $C_2$  to  $C_{60}$  heteroaryl group, or being unsubstituted, and

**[0066]** R, R' and R'' are the same as or different from each other, and each independently hydrogen; deuterium; —CN; a C<sub>1</sub> to C<sub>60</sub> alkyl group unsubstituted or substituted with deuterium, a halogen group, —CN, a C<sub>1</sub> to C<sub>20</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group and a C<sub>2</sub> to C<sub>60</sub> heteroaryl group; a C<sub>3</sub> to C<sub>60</sub> cycloalkyl group unsubstituted or substituted with deuterium, halogen, —CN, a C<sub>1</sub> to C<sub>60</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group and a C<sub>2</sub> to C<sub>60</sub> heteroaryl group; a C<sub>6</sub> to C<sub>60</sub> aryl group unsubstituted or substituted with deuterium, halogen, —CN, a C<sub>1</sub> to C<sub>20</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group and a C<sub>2</sub> to C<sub>60</sub> heteroaryl group; or a C<sub>2</sub> to C<sub>60</sub> heteroaryl group unsubstituted or substituted with deuterium, halogen, —CN, a C<sub>1</sub> to C<sub>20</sub> alkyl group, a C<sub>6</sub> to C<sub>60</sub> aryl group and a C<sub>2</sub> to C<sub>60</sub> heteroaryl group.

**[0067]** The term “substituted” means a hydrogen atom bonding to a carbon atom of a compound is changed to another substituent, and the position of substitution is not limited as long as it is a position at which the hydrogen atom is substituted, that is, a position at which a substituent can substitute, and when two or more substituents substitute, the two or more substituents may be the same as or different from each other.

**[0068]** In the present specification, the halogen may be fluorine, chlorine, bromine or iodine.

**[0069]** In the present specification, the alkyl group comprises linear or branched having 1 to 60 carbon atoms, and may be further substituted with other substituents. The number of carbon atoms of the alkyl group may be from 1 to 60, specifically from 1 to 40 and more specifically from 1 to 20. Specific examples thereof may comprise a methyl group, an ethyl group, a propyl group, an n-propyl group, an isopropyl group, a butyl group, an n-butyl group, an isobutyl group, a tert-butyl group, a sec-butyl group, a 1-methylbutyl group, a 1-ethylbutyl group, a pentyl group, an n-pentyl group, an isopentyl group, a neopentyl group, a tert-pentyl group, a hexyl group, an n-hexyl group, a 1-methylpentyl group, a 2-methylpentyl group, a 4-methyl-2-pentyl group, a 3,3-dimethylbutyl group, a 2-ethylbutyl group, a heptyl group, an n-heptyl group, a 1-methylhexyl group, a cyclopentylmethyl group, a cyclohexylmethyl group, an octyl group, an n-octyl group, a tert-octyl group, a 1-methylheptyl group, a 2-ethylhexyl group, a 2-propylpentyl group, an n-nonyl group, a 2,2-dimethylheptyl group, a 1-ethylpropyl group, a 1,1-dimethylpropyl group, an isohexyl group, a 2-methylpentyl group, a 4-methylhexyl group, a 5-methylhexyl group and the like, but are not limited thereto.

**[0070]** In the present specification, the alkenyl group comprises linear or branched having 2 to 60 carbon atoms, and may be further substituted with other substituents. The number of carbon atoms of the alkenyl group may be from 2 to 60, specifically from 2 to 40 and more specifically from 2 to 20. Specific examples thereof may comprise a vinyl group, a 1-propenyl group, an isopropenyl group, a 1-butenyl group, a 2-butenyl group, a 3-butenyl group, a 1-pentenyl group, a 2-pentenyl group, a 3-pentenyl group, a 3-methyl-1-butenyl group, a 1,3-butadienyl group, an allyl group, a 1-phenylvinyl-1-yl group, a 2-phenylvinyl-1-yl group, a 2,2-diphenylvinyl-1-yl group, a 2-phenyl-2-(naphthyl-1-yl)vinyl-1-yl group, a 2,2-bis(diphenyl-1-yl)vinyl-1-yl group, a stilbenyl group, a styrenyl group and the like, but are not limited thereto.

**[0071]** In the present specification, the alkynyl group comprises linear or branched having 2 to 60 carbon atoms,


and may be further substituted with other substituents. The number of carbon atoms of the alkynyl group may be from 2 to 60, specifically from 2 to 40 and more specifically from 2 to 20.

**[0072]** In the present specification, the cycloalkyl group comprises monocyclic or multicyclic having 3 to 60 carbon atoms, and may be further substituted with other substituents. Herein, the multicyclic means a group in which the cycloalkyl group is directly linked to or fused with other cyclic groups. Herein, the other cyclic groups may be a cycloalkyl group, however, may also be different types of cyclic groups such as a heterocycloalkyl group, an aryl group and a heteroaryl group. The number of carbon groups of the cycloalkyl group may be from 3 to 60, specifically from 3 to 40 and more specifically from 5 to 20. Specific examples thereof may comprise a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a 3-methylcyclopentyl group, a 2,3-dimethylcyclopentyl group, a cyclohexyl group, a 3-methylcyclohexyl group, a 4-methylcyclohexyl group, a 2,3-dimethylcyclohexyl group, a 3,4,5-trimethylcyclohexyl group, a 4-tert-butylcyclohexyl group, a cycloheptyl group, a cyclooctyl group and the like, but are not limited thereto.

**[0073]** In the present specification, the heterocycloalkyl group comprises O, S, Se, N or Si as a heteroatom, comprises monocyclic or multicyclic having 2 to 60 carbon atoms, and may be further substituted with other substituents. Herein, the multicyclic means a group in which the heterocycloalkyl group is directly linked to or fused with other cyclic groups. Herein, the other cyclic groups may be a heterocycloalkyl group, however, may also be different types of cyclic groups such as a cycloalkyl group, an aryl group and a heteroaryl group. The number of carbon atoms of the heterocycloalkyl group may be from 2 to 60, specifically from 2 to 40 and more specifically from 3 to 20.

**[0074]** In the present specification, the aryl group comprises monocyclic or multicyclic having 6 to 60 carbon atoms, and may be further substituted with other substituents. Herein, the multicyclic means a group in which the aryl group is directly linked to or fused with other cyclic groups. Herein, the other cyclic groups may be an aryl group, however, may also be different types of cyclic groups such as a cycloalkyl group, a heterocycloalkyl group and a heteroaryl group. The aryl group comprises a spiro group. The number of carbon atoms of the aryl group may be from 6 to 60, specifically from 6 to 40 and more specifically from 6 to 25. Specific examples of the aryl group may comprise a phenyl group, a biphenyl group, a triphenyl group, a naphthyl group, an anthryl group, a chrysenyl group, a phenanthrenyl group, a perylenyl group, a fluoranthrenyl group, a triphenylenyl group, a phenalenyl group, a pyrenyl group, a tetracenyl group, a pentacenyl group, a fluorenyl group, an indenyl group, an acenaphthylene group, a benzofluorenyl group, a spirobifluorenyl group, a 2,3-dihydro-1H-indenyl group, a fused ring thereof, and the like, but are not limited thereto.

**[0075]** In the present specification, the spiro group is a group comprising a spiro structure, and may have 15 to 60 carbon atoms. For example, the spiro group may comprise a structure in which a 2,3-dihydro-1H-indene group or a cyclohexane group spiro bonds to a fluorenyl group. Specifically, the following Spiro group may comprise any one of the groups having the following structural formulae.




[0076] In the present specification, the heteroaryl group comprises O, S, Se, N or Si as a heteroatom, comprises monocyclic or multicyclic having 2 to 60 carbon atoms, and may be further substituted with other substituents. Herein, the multicyclic means a group in which the heteroaryl group is directly linked to or fused with other cyclic groups. Herein, the other cyclic groups may be a heteroaryl group, however, may also be different types of cyclic groups such as a cycloalkyl group, a heterocycloalkyl group and an aryl group. The number of carbon atoms of the heteroaryl group may be from 2 to 60, specifically from 2 to 40 and more specifically from 3 to 25. Specific examples of the heteroaryl group may comprise a pyridyl group, a pyrrolyl group, a pyrimidyl group, a pyridazinyl group, a furanyl group, a thiophene group, an imidazolyl group, a pyrazolyl group, an oxazolyl group, an isoxazolyl group, a triazolyl group, an isothiazolyl group, a triazolyl group, a furazanyl group, an oxadiazolyl group, a thiadiazolyl group, a dithiazolyl group, a tetrazolyl group, a pyranyl group, a thiopyranyl group, a diazinyl group, an oxazinyl group, a triazinyl group, a dioxynyl group, a triazinyl group, a tetrazinyl group, a quinolyl group, an isoquinolyl group, a quinazolinyl group, an isoquinazolinyl group, a quinoxalinyl group, a naphthyridyl group, an acridinyl group, a phenanthridinyl group, an imidazopyridinyl group, a diazanaphthalenyl group, a triazaindene group, an indolyl group, an indolizinyl group, a

benzothiazolyl group, a benzoxazolyl group, a benzimidazolyl group, a benzothiophene group, a benzofuran group, a dibenzothiophene group, a dibenzofuran group, a carbazolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, a phenazinyl group, a dibenzosilole group, spirobi(dibenzosilole), a dihydrophenazinyl group, a phenoxazinyl group, a phenanthridyl group, an imidazopyridinyl group, a thienyl group, an indolo[2,3-a]carbazolyl group, an indolo[2,3-b]carbazolyl group, an indolinyl group, a 10,11-dihydro-dibenzo[b,f]azepine group, a 9,10-dihydroacridinyl group, a phenanthrazinyl group, a phenothiazinyl group, a phthalazinyl group, a naphthylidinyl group, a phenanthroli-nyl group, a benzo[c][1,2,5]thiadiazolyl group, a 5,10-dihydrobenzo[b,e][1,4]azasilinyl, a pyrazolo[1,5-c]quinazolinyl group, a pyrido[1,2-b]indazolyl group, a pyrido[1,2-a]imi-dazo[1,2-e]indolinyl group, a 5,11-dihydroindeno[1,2-b]carbazolyl group and the like, but are not limited thereto.

[0077] In the present specification, the amine group may be selected from the group consisting of a monoalkylamine group; a monoarylamine group; a monoheteroarylamine group; —NH<sub>2</sub>; a dialkylamine group; a diarylamine group; a diheteroarylamine group; an alkylarylamine group; an alkylheteroarylamine group; and an arylheteroarylamine group, and although not particularly limited thereto, the number of carbon atoms is preferably from 1 to 30. Specific examples of the amine group may comprise a methylamine group, a dimethylamine group, an ethylamine group, a diethylamine group, a phenylamine group, a naphthylamine group, a biphenylamine group, a dibiphenylamine group, an anthracenylamine group, a 9-methyl-anthracenylamine group, a diphenylamine group, a phenylnaphthylamine group, a ditolylamine group, a phenyltolylamine group, a triphenylamine group, a biphenylnaphthylamine group, a phenylbiphenylamine group, a biphenylfluorenylamine group, a phenyltriphenylenylamine group, a biphenyltriphenylenylamine group and the like, but are not limited thereto.


[0078] In the present specification, the arylene group means the aryl group having two bonding sites, that is, a divalent group. Descriptions on the aryl group provided above may be applied thereto except for each being a divalent. In addition, the heteroarylene group means the heteroaryl group having two bonding sites, that is, a divalent group. Descriptions on the heteroaryl group provided above may be applied thereto except for each being a divalent.

[0079] According to one embodiment of the present application, Chemical Formula 1 may be represented by any one of the following compounds, but is not limited thereto.




-continued

2




-continued


5




3




4



6




7




-continued

8




-continued


11




9




12



10




13




-continued

14




-continued


17




15




18



16




19




-continued

20




-continued


23




21




22



24




25




-continued

26




-continued


29




27




28



30




31




-continued

32




-continued


35




33




34




36




37



38




-continued




39


-continued




43




40




41



44




42




45

-continued




46


-continued




50




47




51



48




52



49


-continued

53




-continued


56




54




57



55




58




-continued

59




-continued


62




60




63



61




64




-continued


65



66




67




-continued


68



69




70




-continued

71




-continued

74





75

72




76

73




-continued

77




-continued


80




78




81




79



82




-continued




83

-continued





86

84




85




87

88









89

-continued




-continued




-continued


97




98



99




100




-continued


101



102




103




-continued

104




-continued


107




105




108



106




109




-continued

110




-continued


113




111




114



112




115




-continued

116





-continued

119




120


117



118




121




-continued

122





-continued

125





126

123




127

124




-continued

128




-continued


131




129




132



130




133




-continued

134




-continued


137




138




135




139



136




140




-continued

141




-continued


144




142




145



143




146




-continued

147




-continued


150




151




148




152



149




153




-continued

154




-continued


157




155




158




156




159




-continued




-continued




161




164




162



165




-continued




166


-continued




169




170




167



171




168




172

-continued




173

-continued




176

174





177




178

175




-continued


179




180



181




182




-continued


183




184




185



186




-continued





187

-continued




190

188




191


189



192



-continued



-continued


193

197

194

195

196




198

199


-continued

200




-continued


203




201




204



202




205




-continued


206




207



208




209




-continued


210



211




-continued




212


-continued




215




213




216



217




214




218

-continued




219


-continued




222




220



223




221



224


-continued

225




-continued


229




226




230




227




231




228




-continued




-continued




233






235



236




-continued



-continued


237

240




241

238




242


239



243




-continued




244


-continued




247




245




248



246




249




250

-continued




251


-continued




254




252



255




253



256


-continued

257




-continued


260




258




261



259




262




-continued

263




-continued


266




264




267



265




268




-continued

269




-continued

272




273


270



271




274




-continued

275





-continued

278




279


276



277




280




-continued

281




-continued


284




282




285




286



283




287




-continued

288




-continued


292




289




293




290




294



291




295




-continued

296




-continued


300




297




301




298



299




302




-continued

303




-continued


306




304




307



305




308




-continued

309




-continued


312




310




313



311




314




-continued

315




-continued


318




319




316



317




320




-continued

321




-continued


324




322




325



323




326




-continued


327




328



329




330




-continued


331




332




333




-continued




-continued




335




338




336




339




-continued




-continued




341




344



342




345




-continued

346




-continued


349




350




351




352



347




348




-continued

353




-continued


356




354




357



355




358




-continued

359




-continued


362




360




363



361




364




-continued

365




-continued


368




369




366



367




370




-continued

371




-continued


374




372




375



373




376




-continued


377




378



379




380




-continued


381




382








383




-continued




-continued




-continued




-continued




391




394



392




395




-continued

396




-continued


399




397




400




398



401




-continued




402


-continued




405




403



406




404




407

-continued




408


-continued




411




409



412




410



413


-continued

414




-continued


417




415




418




416








419




-continued



-continued




-continued




426


-continued




429




427



430




428




431

-continued




432


-continued




435




433




436



437




434




438

-continued




439


-continued




442




440




443



441




444




445

-continued




446

-continued




449


447




450



448




451




-continued

452




-continued


454




453




455




-continued




-continued




457



459




-continued




460


-continued



462




461



463


-continued

464





-continued

466




467

465




-continued

468




-continued


470




469




471




-continued




-continued




473



475




-continued




476

-continued




478


477



479




-continued




480


-continued



482




481




483

-continued




484


-continued




487




485



488




486



489


-continued

490




-continued


492




491



493




-continued




494

-continued




495


497



496




498




-continued

499




-continued


501




500




502




-continued




-continued




504




506




-continued




-continued




508




510




-continued




-continued



512




514




-continued

515





-continued

517




518

516




-continued

519




-continued


521




520




522




-continued




-continued



524




526




-continued

527




-continued


529




528




530




-continued




-continued




532




534



535




-continued




536

-continued




539


537




538



540




-continued




541


-continued




542



543




544



545


-continued

546





-continued

549





550

547




551

548




-continued

552




-continued


555




553



556




554




-continued

557




-continued


560




558




561



559




562




-continued

563




-continued


566




564




567



565




568




-continued

569




-continued


572




570




573




571



574




-continued





575

-continued




577

576




578

579




-continued

580




-continued


583




581




584



582




585




-continued

586




-continued


589



587





590




591

588




-continued

592




-continued


595



593



594



[0080] In addition, by introducing various substituents to the structure of Chemical Formula 1, compounds having unique properties of the introduced substituents may be synthesized. For example, by introducing substituents normally used as hole injection layer materials, hole transfer layer materials, light emitting layer materials, electron transfer layer materials and charge generation layer materials used for manufacturing an organic light emitting device to the core structure, materials satisfying conditions required for each organic material layer may be synthesized.

[0081] In addition, by introducing various substituents to the structure of Chemical Formula 1, the energy band gap may be finely controlled, and meanwhile, properties at interfaces between organic materials are enhanced, and material applications may become diverse.

[0082] Meanwhile, the hetero-cyclic compound has excellent thermal stability with a high glass transition temperature (T<sub>g</sub>). Such an increase in the thermal stability becomes an important factor in providing driving stability to a device.

[0083] The hetero-cyclic compound according to one embodiment of the present application may be prepared through a multistep chemical reaction. Some intermediate compounds are prepared first, and the compound of Chemical Formula 1 may be prepared from the intermediate compounds. More specifically, the hetero-cyclic compound according to one embodiment of the present application may be prepared based on preparation examples to be described below.

[0084] Another embodiment of the present application provides an organic light emitting device comprising the hetero-cyclic compound represented by Chemical Formula 1.

[0085] The organic light emitting device according to one embodiment of the present application may be manufactured using common organic light emitting device manufacturing methods and materials except that one or more organic material layers are formed using the hetero-cyclic compound described above.

[0086] The hetero-cyclic compound may be formed into an organic material layer through a solution coating method as well as a vacuum deposition method when manufacturing the organic light emitting device. Herein, the solution coat-

ing method means spin coating, dip coating, inkjet printing, screen printing, a spray method, roll coating and the like, but is not limited thereto.

[0087] Specifically, the organic light emitting device according to one embodiment of the present application comprises an anode, a cathode, and one or more organic material layers provided between the anode and the cathode, wherein one or more layers of the organic material layers comprise the hetero-cyclic compound represented by Chemical Formula 1.

[0088] FIGS. 1 to 3 illustrate a lamination order of electrodes and organic material layers of an organic light emitting device according to one embodiment of the present application. However, the scope of the present application is not limited to these diagrams, and structures of organic light emitting devices known in the art may also be used in the present application.

[0089] FIG. 1 illustrates an organic light emitting device in which an anode (200), an organic material layer (300) and a cathode (400) are consecutively laminated on a substrate (100). However, the structure is not limited to such a structure, and as illustrated in FIG. 2, an organic light emitting device in which a cathode, an organic material layer and an anode are consecutively laminated on a substrate may also be obtained.

[0090] FIG. 3 illustrates a case of the organic material layer being a multilayer. The organic light emitting device according to FIG. 3 comprises a hole injection layer (301), a hole transfer layer (302), a light emitting layer (303), a hole blocking layer (304), an electron transfer layer (305) and an electron injection layer (306). However, the scope of the present application is not limited to such a lamination structure, and as necessary, other layers except the light emitting layer may not be included, and other necessary functional layers may be further included.

[0091] In addition, the organic light emitting device according to one embodiment of the present application comprises an anode, a cathode, and two or more stacks provided between the anode and the cathode, wherein the two or more stacks each independently comprise a light emitting layer, a charge generation layer is included between the two or more stacks, and the charge generation layer comprises the hetero-cyclic compound represented by Chemical Formula 1.

[0092] In addition, the organic light emitting device according to one embodiment of the present application comprises an anode, a first stack provided on the anode and comprising a first light emitting layer, a charge generation layer provided on the first stack, a second stack provided on the charge generation layer and comprising a second light emitting layer, and a cathode provided on the second stack. Herein, the charge generation layer may comprise the hetero-cyclic compound represented by Chemical Formula 1. In addition, the first stack and the second stack may each independently further comprise one or more types of the hole injection layer, the hole transfer layer, the hole blocking layer, the electron transfer layer, the electron injection layer described above and the like.

[0093] The charge generation layer may be an N-type charge generation layer, and the charge generation layer may further comprise a dopant known in the art in addition to the hetero-cyclic compound represented by Chemical Formula 1.

[0094] As the organic light emitting device according to one embodiment of the present application, an organic light emitting device having a 2-stack tandem structure is schematically illustrated in FIG. 4.

[0095] Herein, the first electron blocking layer, the first hole blocking layer, the second hole blocking layer and the like described in FIG. 4 may not be included in some cases.

[0096] The organic light emitting device according to the present specification may be manufactured using materials and methods known in the art except that one or more layers of the organic material layers comprise the hetero-cyclic compound represented by Chemical Formula 1.

[0097] The hetero-cyclic compound represented by Chemical Formula 1 may form one or more layers of the organic material layers of the organic light emitting device alone. However, as necessary, the hetero-cyclic compound represented by Chemical Formula 1 may be mixed with other materials to form the organic material layers.

[0098] The hetero-cyclic compound represented by Chemical Formula 1 may be used as a material of the charge generation layer in the organic light emitting device.

[0099] The hetero-cyclic compound represented by Chemical Formula 1 may be used as a material of the electron transfer layer, the hole blocking layer, the light emitting layer or the like in the organic light emitting device. As one example, the hetero-cyclic compound represented by Chemical Formula 1 may be used as a material of the electron transfer layer, the hole transfer layer or the light emitting layer in the organic light emitting device.

[0100] In addition, the hetero-cyclic compound represented by Chemical Formula 1 may be used as a material of the light emitting layer in the organic light emitting device. As one example, the hetero-cyclic compound represented by Chemical Formula 1 may be used as a phosphorescent host material of the light emitting layer in the organic light emitting device.

[0101] In the organic light emitting device according to one embodiment of the present application, materials other than the hetero-cyclic compound of Chemical Formula 1 are illustrated below, however, these are for illustrative purposes only and not for limiting the scope of the present application, and may be replaced by materials known in the art.

[0102] As the anode material, materials having relatively large work function may be used, and transparent conductive oxides, metals, conductive polymers or the like may be used. Specific examples of the anode material comprise metals such as vanadium, chromium, copper, zinc and gold, or alloys thereof; metal oxides such as zinc oxide, indium oxide, indium tin oxide (ITO) and indium zinc oxide (IZO); combinations of metals and oxides such as ZnO:Al or SnO<sub>2</sub>:Sb; conductive polymers such as poly(3-methylcompound), poly[3,4-(ethylene-1,2-dioxy)compound] (PEDOT), polypyrrole and polyaniline, but are not limited thereto.

[0103] As the cathode material, materials having relatively small work function may be used, and metals, metal oxides, conductive polymers or the like may be used. Specific examples of the cathode material comprise metals such as magnesium, calcium, sodium, potassium, titanium, indium, yttrium, lithium, gadolinium, aluminum, silver, tin and lead, or alloys thereof; multilayer structure materials such as LiF/Al or LiO<sub>2</sub>/Al, and the like, but are not limited thereto.

[0104] As the hole injection material, known hole injection materials may be used, and for example, phthalocyanine

compounds such as copper phthalocyanine disclosed in U.S. Pat. No. 4,356,429, or starburst-type amine derivatives such as tris(4-carbazoyl-9-ylphenyl)amine (TCTA), 4,4',4''-tri[phenyl(m-tolyl)amino]triphenylamine (m-MTDATA) or 1,3,5-tris[4-(3-methylphenylphenylamino)phenyl]benzene (m-MTDAPB) described in the literature [Advanced Material, 6, p. 677 (1994)], polyaniline/dodecylbenzene sulfonic acid, poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate), polyaniline/camphor sulfonic acid or polyaniline/poly(4-styrene-sulfonate) that are conductive polymers having solubility, and the like, may be used.

[0105] As the hole transfer material, pyrazoline derivatives, arylamine-based derivatives, stilbene derivatives, triphenyldiamine derivatives and the like may be used, and low molecular or high molecular materials may also be used.

[0106] As the electron transfer material, metal complexes of oxadiazole derivatives, anthraquinodimethane and derivatives thereof, benzoquinone and derivatives thereof, naphthoquinone and derivatives thereof, anthraquinone and derivatives thereof, tetracyanoanthraquinodimethane and derivatives thereof, fluorenone derivatives, diphenyldicyanoethylene and derivatives thereof, diphenoquinone derivatives, 8-hydroxyquinoline and derivatives thereof, and the like, may be used, and high molecular materials may also be used as well as low molecular materials.

[0107] As examples of the electron injection material, LiF is typically used in the art, however, the present application is not limited thereto.

[0108] As the light emitting material, red, green or blue light emitting materials may be used, and as necessary, two or more light emitting materials may be mixed and used. In addition, fluorescent materials may also be used as the light emitting material, however, phosphorescent materials may also be used. As the light emitting material, materials emitting light by bonding electrons and holes injected from an anode and a cathode, respectively, may be used alone, however, materials having a host material and a dopant material involved in light emission together may also be used.

[0109] The organic light emitting device according to one embodiment of the present application may be a top-emission type, a bottom-emission type or a dual-emission type depending on the materials used.



[0110] The hetero-cyclic compound according to one embodiment of the present application may also be used in an organic electronic device comprising an organic solar cell, an organic photo conductor, an organic transistor and the like under a similar principle used in the organic light emitting device.

[0111] Hereinafter, the present specification will be described in more detail with reference to examples, however, these are for illustrative purposes only, and the scope of the present application is not limited thereto.

#### EXAMPLE

##### <Preparation Example 1> Preparation of Compound 1

[0112]



[0113] 1) Preparation of Compound 1-1

[0114] Nitromethane (600 ml) was introduced to naphthalen-2-amine (60 g, 419.02 mmol, 1 eq.), 4-bromobenzaldehyde (77.5 g, 419.02 mmol, 1 eq.) and ethynylbenzene (64.2 g, 628.54 mmol, 1.5 eq.), iodine (10.6 g, 41.90 mmol, 0.1 eq.) was added thereto, and the result was stirred at 100° C.

[0115] MC was added to the reaction solution and dissolved, the result was extracted with water, and the organic layer was dried with anhydrous Na<sub>2</sub>SO<sub>4</sub>.

[0116] The result was separated using a silica-gel column (developing solvent EA:Hex=1:10→MC:EA=1:1).

[0117] The result was precipitated using MC/Hex→MC/MeOH to obtain 46 g of Compound 1-1 in a 27% yield.

[0118] 2) Preparation of Compound 1-2

[0119] After dissolving Compound 1-1 (25 g, 60.93 mmol, 1 eq.) and bis(pinacolato)diboron (23.2 g, 91.39 mmol, 1.5 eq.) in 1,4-dioxane (250 ml), ( $N_2$  condition)  $PdCl_2(dppf)$  (2.2 g, 3.05 mmol, 0.05 eq.) and KOAc (23.9 g, 243.72 mmol, 4 eq.) were added thereto, and the result was stirred for 6 hours at 100° C.

[0120] After extracting the result with MC and water, the organic layer was dried with anhydrous  $Na_2SO_4$ , and the result was silica-gel filtered.

[0121] The result was precipitated using MC/MeOH. The precipitates were filtered to obtain 24.5 g of Compound 1-2 in a 88% yield.

[0122] 3) Preparation of Compound 1

[0123] After dissolving Compound 1-2 (20.1 g, 43.95 mmol, 1 eq.) and 2-bromo-1,10-phenanthroline (11.4 g,

43.95 mmol, 1 eq.) in 200 ml of Tol, 40 ml of EtOH and 40 ml of  $H_2O$ , ( $N_2$  condition)  $Pd(PPh_3)_4$  (2.5 g, 2.20 mmol, 0.05 eq.) and  $K_2CO_3$  (12.2 g, 87.89 mmol, 2 eq.) were added thereto, and the result was stirred under reflux for 15 hours.

[0124] MC was introduced to the reaction solution and dissolved, the result was extracted with water, and the organic layer was dried with anhydrous  $Na_2SO_4$ .

[0125] The result was silica-gel filtered, and precipitated using MC/MeOH and MC/acetone.

[0126] The result was soxhlet extracted to obtain 10.47 g of Compound 1 in a 47% yield.

[0127] Target Compound A was synthesized in the same manner using, in Preparation Example 1, Intermediate A of the following Table 1 instead of 2-bromo-1,10-phenanthroline.

TABLE 1





| Compound Number | Intermediate A                                                                      | Target Compound A                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 2               |   |   | 65%   |
| 3               |  |  | 71%   |

TABLE 1-continued







| Compound Number | Intermediate A                                                                      | Target Compound A                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 5               |    |    | 69%   |
| 15              |  |  | 83%   |
| 25              |  |  | 78%   |

TABLE 1-continued

















| Compound Number | Intermediate A                                                                      | Target Compound A                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 35              |    |    | 67%   |
| 45              |  |  | 70%   |
| 46              |  |  | 62%   |

TABLE 1-continued


| Compound Number | Intermediate A                                                                      | Target Compound A                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 50              |    |    | 84%   |
| 52              |   |   | 71%   |
| 102             |  |  | 74%   |

## &lt;Preparation Example 2&gt; Preparation of Compound 149

[0128]



-continued



[0129] 1) Preparation of Compound 149-1

[0130] Nitromethane (600 ml) was introduced to naphthalen-2-amine (60 g, 419.02 mmol, 1 eq.), 3-bromobenzaldehyde (77.5 g, 419.02 mmol, 1 eq.) and ethynylbenzene (64.2 g, 628.54 mmol, 1.5 eq.), iodine (10.6 g, 41.90 mmol, 0.1 eq.) was added thereto, and the result was stirred at 100° C.

[0131] MC was added to the reaction solution and dissolved, the result was extracted with water, and the organic layer was dried with anhydrous  $Na_2SO_4$ .

[0132] The result was separated using a silica-gel column (developing solvent EA:Hex=1:10→MC:EA→1:1).

[0133] The result was precipitated using MC/Hex→MC/MeOH to obtain 62 g of Compound 149-1 in a 36% yield.

[0134] 2) Preparation of Compound 149-2

[0135] After dissolving Compound 149-1 (25 g 60.93 mmol, 1 eq.) and bis(pinacolato)diboron (23.2 g, 91.39 mmol, 1.5 eq.) in 1,4-dioxane (250 ml), ( $N_2$  condition)  $PdCl_2(dppf)$  (2.2 g, 3.05 mmol, 0.05 eq.) and KOAc (23.9 g, 243.72 mmol, 4 eq.) were added thereto, and the result was stirred for 6 hours at 100° C.

[0136] After extracting the result with MC and water, the organic layer was dried with anhydrous  $Na_2SO_4$ , and the result was silica-gel filtered.

[0137] The result was precipitated using MC/MeOH. The precipitates were filtered to obtain 24 g of Compound 149-2 in a 86% yield.

[0138] 3) Preparation of Compound 149

[0139] After dissolving Compound 149-2 (20.1 g, 43.95 mmol, 1 eq.) and 2-bromo-1,10-phenanthroline (11.4 g, 43.95 mmol, 1 eq.) in 200 ml of Tol, 40 ml of EtOH and 40 ml of H<sub>2</sub>O, ( $N_2$  condition)  $Pd(PPh_3)_4$  (2.5 g, 2.20 mmol, 0.05 eq.) and  $K_2CO_3$  (12.2 g, 87.89 mmol, 2 eq.) were added thereto, and the result was stirred under reflux for 15 hours.

[0140] MC was introduced to the reaction solution and dissolved, the result was extracted with water, and the organic layer was dried with anhydrous  $Na_2SO_4$ .

[0141] The result was silica-gel filtered, and precipitated using MC/MeOH and MC/acetone.

[0142] The result was soxhlet extracted to obtain 16 g of Compound 149 in a 71% yield.

[0143] Target Compound B was synthesized in the same manner using, in Preparation Example 2, Intermediate B of the following Table 2 instead of 2-bromo-1,10-phenanthroline.

TABLE 2







| Compound Number | Intermediate B                                                                      | Target Compound B                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 150             |    |    | 69%   |
| 151             |  |  | 73%   |
| 153             |  |  | 64%   |

TABLE 2-continued



















| Compound Number | Intermediate B                                                                      | Target Compound B                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 163             |    |    | 88%   |
| 173             |  |  | 72%   |
| 183             |  |  | 69%   |

TABLE 2-continued


| Compound Number | Intermediate B                                                                      | Target Compound B                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 194             |    |    | 69%   |
| 198             |   |   | 81%   |
| 199             |  |  | 73%   |
| 555             |  |  | 81%   |

## &lt;Preparation Example 3&gt; Preparation of Compound 249

[0144]



-continued



[0145] 1) Preparation of Compound 249-1

[0146] Tetrahydrofuran (375 mL) and distilled water (3.75 mL) were introduced to naphthalen-2-amine (15 g, 0.104 mol, 1 eq.), 4-bromoacetophenone (20.75 g, 0.104 mol, 1 eq.) and benzaldehyde (11.12 g, 0.104 mol, 1.5 eq.), iodine (1.3 g, 0.0052 mol, 0.05 eq.) was added thereto, and the result was stirred at 80° C.

[0147] After removing the solvent from the reaction solution,  $Na_2S_2O_3$ , distilled water and acetone were added thereto, and the produced solids were filtered and washed with acetone to obtain 16 g of Compound 249-1 in a 38% yield.

[0148] 2) Preparation of Compound 249-2

[0149] After dissolving Compound 249-1 (16 g, 0.0389 mol, 1 eq.) and bis(pinacolato)diboron (14.8 g, 0.0584 mol, 1.5 eq.) in 1,4-dioxane (240 ml), ( $N_2$  condition)  $PdCl_2(dppf)$  (2.8 g, 0.0038 mol, 0.1 eq.) and KOAc (11.48 g, 0.116 mol, 3 eq.) were added thereto, and the result was stirred for 14 hours at 100° C.

[0150] After terminating the reaction using  $H_2O$ , the produced solids were filtered. The solids were dissolved in MC, silica-gel adsorbed, and column separated (developing solvent MC:Hex 1:1). After removing the solvent, the result was precipitated using MC/MeOH. The precipitates were filtered to obtain 13 g of Compound 249-2 in a 73% yield.

[0151] 3) Preparation of Compound 249

[0152] After dissolving Compound 249-2 (13 g, 0.028 mol, 1 eq.) and 2-bromo-1,10-phenanthroline (7.36 g, 0.028 mol, 1 eq.) in 160 ml of Tol, 40 ml of EtOH and 40 ml of  $H_2O$ , ( $N_2$  condition)  $Pd(PPh_3)_4$  (1.6 g, 0.0014 mol, 0.05 eq.) and  $K_2CO_3$  (7.85 g, 0.056 mol, 2 eq.) were added thereto, and the result was stirred under reflux for 8 hours.







[0153] MC was introduced to the reaction solution and dissolved, the result was extracted with water, and the organic layer was dried with anhydrous  $Na_2SO_4$ .

[0154] The result was silica-gel filtered, and precipitated using MC/MeOH and MC/acetone.

[0155] The result was soxhlet extracted to obtain 11 g of Compound 249 in a 76% yield.

[0156] Target Compound C was synthesized in the same manner using, in Preparation Example 3, Intermediate C of the following Table 3 instead of 2-bromo-1,10-phenanthroline.

TABLE 3

| Compound Number | Intermediate C                                                                      | Target Compound C                                                                    | Yield |
|-----------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|
| 344             |    |    | 65%   |
| 345             |   |   | 70%   |
| 556             |  |  | 72%   |

[0157] Compounds were prepared in the same manner as in the preparation examples, and the synthesis identification results are shown in Table 4 and Table 5. Table 4 shows

measurement values of  $^1\text{H}$  NMR ( $\text{CDCl}_3$ , 200 MHz), and Table 5 shows measurement values of field desorption mass spectrometry (FD-MS).

TABLE 4

| Compound | $^1\text{H}$ NMR ( $\text{CDCl}_3$ , 200 Mz)                                                                                                                                                                                           |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1        | $\delta$ = 8.84 (4H, dd), 8.83 (1H, d), 8.54 (1H, d), 8.38 (1H, d), 8.16 (1H, d), 8.10 (1H, d), 8.06 (1H, d), 7.99~7.98 (2H, m), 7.81~7.79 (3H, m), 7.67 (2H, m), 7.64 (1H, s), 7.58 (1H, m), 7.51 (2H, m), 7.41 (1H, m), 7.35 (1H, d) |
| 2        | $\delta$ = 8.84 (4H, dd), 8.54 (1H, d), 8.30 (2H, d), 8.16~8.06 (4H, m), 7.99~7.79 (5H, m), 7.67~7.64 (3H, m), 7.54~7.51 (4H, m), 7.47~7.41 (2H, m), 7.35 (2H, m)                                                                      |
| 3        | $\delta$ = 8.83~8.81 (4H, m), 8.54 (1H, m), 8.38 (2H, m), 8.16 (1H, d), 7.99~7.98 (2H, m), 7.79 (2H, d), 7.67~7.64 (4H, m), 7.58~7.51 (4H, m), 7.41 (1H, m), 7.28 (2H, d)                                                              |
| 5        | $\delta$ = 8.81 (2H, d), 8.54 (1H, d), 8.23 (1H, s), 8.16 (1H, d), 7.99~7.98 (2H, dd), 7.88 (2H, d), 7.79 (6H, m), 7.67~7.64 (3H, m), 7.51 (6H, m), 7.41 (3H, m)                                                                       |
| 15       | $\delta$ = 8.81 (2H, d), 8.54 (1H, d), 8.33~8.23 (5H, m), 8.16 (1H, d), 7.99~7.98 (2H, m), 7.79~7.64 (7H, m), 7.51 (6H, m), 7.41 (3H, m)                                                                                               |

TABLE 4-continued

| Compound | <sup>1</sup> H NMR (CDCl <sub>3</sub> , 200 Mz)                                                                                                                                        |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 25       | δ = 8.81 (2H, d), 8.54 (1H, d), 8.28 (4H, m), 8.16 (1H, m), 7.99~7.98 (2H, m), 7.88 (2H, d), 7.79 (2H, m), 7.67~7.64 (3H, m), 7.51 (6H, m), 7.41 (3H, m)                               |
| 35       | δ = 9.30~9.15 (4H, m), 8.81 (2H, d), 8.54~8.53 (3H, m), 8.16 (1H, m), 7.99~7.88 (4H, m), 7.79~7.64 (7H, m), 7.51 (2H, m), 7.14 (3H, m)                                                 |
| 45       | δ = 8.93 (2H, d), 8.81 (2H, d), 7.89 (1H, m), 8.16 (3H, m), 7.98~7.79 (9H, m), 7.67 (3H, m), 7.51 (3H, m), 7.28 (2H, m)                                                                |
| 46       | δ = 8.54 (1H, m), 8.30 (2H, d), 8.16 (1H, m), 7.99~7.98 (2H, m), 7.86~7.77 (8H, m), 7.67~7.64 (3H, m), 7.51 (2H, m), 7.45~7.41 (7H, m)                                                 |
| 50       | δ = 8.81 (2H, d), 8.55~8.54 (3H, m), 8.16~8.09 (5H, m), 7.99~7.94 (4H, m), 7.88~7.79 (4H, m), 7.67~7.63 (5H, m), 7.51~7.50 (4H, m), 7.41~7.40 (2H, m), 7.33~7.29 (4H, m), 7.25 (2H, m) |
| 52       | δ = 8.81 (4H, m), 8.54 (1H, m), 8.30 (2H, m), 8.16~7.98 (6H, m), 7.88~7.79 (7H, m), 7.67~7.51 (7H, m), 7.47~7.35 (4H, m)                                                               |
| 102      | δ = 8.81 (2H, d), 8.55~8.22 (4H, m), 8.30 (2H, m), 8.16~7.98 (7H, m), 7.81~7.79 (3H, m), 7.67~7.64 (3H, m), 7.55~7.41 (8H, m), 7.35~7.28 (4H, m)                                       |
| 149      | δ = 8.83 (1H, d), 8.72 (1H, s), 8.54 (1H, m), 8.38~8.32 (3H, m), 8.16~8.06 (3H, m), 7.99~7.98 (2H, dd), 7.81~7.79 (3H, m), 7.67~7.63 (4H, m), 7.58~7.51 (3H, m), 7.41~7.35 (2H, m)     |
| 150      | δ = 8.72 (1H, s), 8.54 (1H, m), 8.32~8.30 (4H, m), 8.16~7.98 (6H, m), 7.81~7.79 (3H, m), 7.67~7.35 (12H, m)                                                                            |
| 151      | δ = 8.83 (2H, d), 8.54 (1H, m), 8.38 (2H, dd), 8.26~8.16 (3H, m), 7.99~7.98 (2H, m), 7.79 (2H, m), 7.67~7.41 (11H, m)                                                                  |
| 153      | δ = 8.54 (1H, m), 8.30~8.16 (5H, m), 7.99~7.98 (2H, dd), 7.79 (613, dd), 7.67~7.41 (13H, m)                                                                                            |
| 163      | δ = 8.54 (1H, m), 8.28~8.16 (6H, m), 7.99~7.98 (2H, dd), 7.81~7.79 (5H, m), 7.67~7.41 (13H, m)                                                                                         |
| 173      | δ = 8.54 (1H, m), 8.30~8.16 (8H, m), 7.99~7.98 (2H, m), 7.79 (2H, m), 7.67~7.41 (13H, m)                                                                                               |
| 183      | δ = 9.30 (2H, dd), 9.15 (2H, s), 8.54~8.53 (3H, m), 8.26~8.16 (3H, m), 7.99~7.98 (2H, m), 7.79~7.41 (12H, m), 7.14 (2H, m)                                                             |
| 194      | δ = 8.54 (1H, m), 8.30 (1H, dd), 8.17~8.16 (2H, m), 7.99~7.98 (2H, m), 7.79~7.77 (7H, m), 7.67~7.64 (3H, m), 7.54~7.41 (10H, s)                                                        |
| 198      | δ = 8.55~8.54 (3H, m), 8.26~8.09 (7H, m), 7.99~7.94 (4H, m), 7.79 (2H, m), 7.67~7.25 (19H, m)                                                                                          |
| 199      | δ = 8.81 (2H, dd), 8.54 (1H, dd), 8.30~7.98 (10H, m), 7.88~7.79 (5H, m), 7.67~7.35 (13H, m)                                                                                            |
| 249      | δ = 8.81 (3H, m), 8.54 (1H, dd), 8.38 (3H, m), 8.16~7.98 (5H, m), 7.81 (1H, dd) 7.64~7.47 (7H, m) 7.28 (3H, m)                                                                         |
| 344      | δ = 8.54 (1H, d), 8.30 (2H, m), 8.16 (1H, d), 7.98 (2H, d) 7.79~7.45 (20H, m), 7.25 (4H, m)                                                                                            |
| 345      | δ = 8.55 (2H, m), 8.30 (2H, m), 8.16 (2H, m), 7.98 (3H, m) 7.79 (2H, m) 7.67~7.54 (10H, m), 7.29 (7H, m)                                                                               |
| 555      | δ = 8.55~8.52 (4H, m), 8.30~7.98 (11H, m), 7.81~7.79 (3H, m), 7.67~7.35 (15H, m)                                                                                                       |
| 556      | δ = 8.54 (1H, d), 8.30 (2H, dd), 8.16 (1H, d), 7.91 (6H, m) 7.64~7.39 (15H, m) 7.25 (8H, m)                                                                                            |

TABLE 5

| Compound | FD-MS                               | Compound | FD-MS                               |
|----------|-------------------------------------|----------|-------------------------------------|
| 1        | m/z = 509.60<br>(C37H23N3 = 509.19) | 2        | m/z = 585.69<br>(C43H27N3 = 585.22) |
| 3        | m/z = 509.60<br>(C37H23N3 = 509.19) | 4        | m/z = 661.79<br>(C49H31N3 = 661.25) |
| 5        | m/z = 561.67<br>(C41H27N3 = 561.22) | 6        | m/z = 637.77<br>(C47H31N3 = 637.25) |
| 7        | m/z = 713.87<br>(C53H35N3 = 713.28) | 8        | m/z = 661.79<br>(C49H31N3 = 661.25) |
| 9        | m/z = 661.79<br>(C49H31N3 = 661.25) | 10       | m/z = 637.77<br>(C47H31N3 = 637.25) |
| 11       | m/z = 713.87<br>(C53H35N3 = 713.28) | 12       | m/z = 563.65<br>(C39H25N5 = 563.21) |
| 13       | m/z = 563.65<br>(C39H25N5 = 563.21) | 14       | m/z = 563.65<br>(C39H25N5 = 563.21) |

TABLE 5-continued

| Compound | FD-MS                                | Compound | FD-MS                                |
|----------|--------------------------------------|----------|--------------------------------------|
| 15       | m/z = 561.67<br>(C41H27N3 = 561.22)  | 16       | m/z = 637.77<br>(C47H31N3 = 637.25)  |
| 17       | m/z = 713.87<br>(C53H35N3 = 713.28)  | 18       | m/z = 661.79<br>(C49H31N3 = 661.25)  |
| 19       | m/z = 661.79<br>(C49H31N3 = 661.25)  | 20       | m/z = 637.77<br>(C47H31N3 = 637.25)  |
| 21       | m/z = 713.87<br>(C53H35N3 = 713.28)  | 22       | m/z = 563.65<br>(C39H25N5 = 563.21)  |
| 23       | m/z = 563.65<br>(C39H25N5 = 563.21)  | 24       | m/z = 563.65<br>(C39H25N5 = 563.21)  |
| 25       | m/z = 562.66<br>(C40H26N4 = 562.22)  | 26       | m/z = 638.76<br>(C46H30N4 = 638.25)  |
| 27       | m/z = 714.85<br>(C52H34N4 = 714.28)  | 28       | m/z = 662.78<br>(C48H30N4 = 662.25)  |
| 29       | m/z = 662.78<br>(C48H30N4 = 662.25)  | 30       | m/z = 585.69<br>(C46H30N4 = 638.25)  |
| 31       | m/z = 714.85<br>(C52H34N4 = 714.28)  | 32       | m/z = 564.64<br>(C38H24N6 = 564.21)  |
| 33       | m/z = 564.64<br>(C38H24N6 = 564.21)  | 34       | m/z = 564.64<br>(C38H24N6 = 564.21)  |
| 35       | m/z = 562.66<br>(C40H26N4 = 562.22)  | 36       | m/z = 458.55<br>(C34H22N2 = 458.18)  |
| 37       | m/z = 458.55<br>(C34H22N2 = 458.18)  | 38       | m/z = 458.55<br>(C34H22N2 = 458.18)  |
| 39       | m/z = 458.55<br>(C34H22N2 = 458.18)  | 40       | m/z = 458.55<br>(C34H22N2 = 458.18)  |
| 41       | m/z = 583.72<br>(C45H29N = 583.23)   | 42       | m/z = 633.78<br>(C49H31N = 633.25)   |
| 43       | m/z = 659.81<br>(C51H33N = 659.26)   | 44       | m/z = 759.93<br>(C59H37N = 759.29)   |
| 45       | m/z = 507.62<br>(C39H25N = 507.20)   | 46       | m/z = 531.58<br>(C37H26NOP = 531.18) |
| 47       | m/z = 496.60<br>(C37H24N23 = 496.19) | 48       | m/z = 572.70<br>(C43H28N2 = 572.23)  |
| 49       | m/z = 572.70<br>(C43H28N2 = 572.23)  | 50       | m/z = 737.89<br>(C55H35N3 = 737.28)  |
| 51       | m/z = 585.69<br>(C43H27N3 = 585.22)  | 52       | m/z = 661.79<br>(C49H31N3 = 661.25)  |
| 53       | m/z = 585.69<br>(C43H27N3 = 585.22)  | 54       | m/z = 737.89<br>(C55H35N3 = 737.28)  |
| 55       | m/z = 637.77<br>(C47H31N3 = 637.25)  | 56       | m/z = 713.87<br>(C53H35N3 = 713.28)  |
| 57       | m/z = 789.96<br>(C59H39N3 = 789.31)  | 58       | m/z = 737.89<br>(C55H35N3 = 737.28)  |
| 59       | m/z = 737.89<br>(C55H35N3 = 737.28)  | 60       | m/z = 713.87<br>(C53H35N3 = 713.28)  |
| 61       | m/z = 789.96<br>(C59H39N3 = 789.31)  | 62       | m/z = 639.75<br>(C45H29N5 = 639.24)  |
| 63       | m/z = 639.75<br>(C45H29N5 = 639.24)  | 64       | m/z = 639.75<br>(C45H29N5 = 639.24)  |
| 65       | m/z = 637.77<br>(C47H31N3 = 637.25)  | 66       | m/z = 713.87<br>(C53H35N3 = 713.28)  |
| 67       | m/z = 789.96<br>(C59H39N3 = 789.31)  | 68       | m/z = 737.89<br>(C55H35N3 = 737.28)  |
| 69       | m/z = 737.89<br>(C55H35N3 = 737.28)  | 70       | m/z = 713.87<br>(C53H35N3 = 713.28)  |
| 71       | m/z = 789.96<br>(C59H39N3 = 789.31)  | 72       | m/z = 639.75<br>(C45H29N5 = 639.24)  |
| 73       | m/z = 639.75<br>(C45H29N5 = 639.24)  | 74       | m/z = 639.75<br>(C45H29N5 = 639.24)  |
| 75       | m/z = 638.76<br>(C46H30N4 = 638.25)  | 76       | m/z = 714.85<br>(C52H34N4 = 714.28)  |
| 77       | m/z = 790.95<br>(C58H38N4 = 790.31)  | 78       | m/z = 738.87<br>(C54H34N4 = 738.28)  |
| 79       | m/z = 738.87<br>(C54H34N4 = 738.28)  | 80       | m/z = 714.85<br>(C52H34N4 = 714.28)  |
| 81       | m/z = 790.95<br>(C58H38N4 = 790.31)  | 82       | m/z = 640.73<br>(C44H28N6 = 640.24)  |
| 83       | m/z = 640.73<br>(C44H28N6 = 640.24)  | 84       | m/z = 640.73<br>(C44H28N6 = 640.24)  |
| 85       | m/z = 638.76<br>(C46H30N4 = 638.25)  | 86       | m/z = 534.65<br>(C40H26N2 = 534.21)  |
| 87       | m/z = 534.65<br>(C40H26N2 = 534.21)  | 88       | m/z = 534.65<br>(C40H26N2 = 534.21)  |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                |
|----------|-------------------------------------|----------|--------------------------------------|
| 89       | m/z = 534.65<br>(C40H26N2 = 534.21) | 90       | m/z = 534.65<br>(C40H26N2 = 534.21)  |
| 91       | m/z = 659.81<br>(C51H33N = 659.26)  | 92       | m/z = 709.87<br>(C55H35N = 709.28)   |
| 93       | m/z = 735.91<br>(C57H37N = 735.29)  | 94       | m/z = 836.03<br>(C65H41N = 835.32)   |
| 95       | m/z = 583.72<br>(C45H29N = 583.23)  | 96       | m/z = 607.68<br>(C43H30NOP = 607.21) |
| 97       | m/z = 572.70<br>(C43H28N2 = 572.23) | 98       | m/z = 648.79<br>(C49H32N2 = 648.26)  |
| 99       | m/z = 648.79<br>(C49H32N2 = 648.26) | 100      | m/z = 813.98<br>(C61H39N3 = 813.31)  |
| 101      | m/z = 635.75<br>(C47H29N3 = 635.24) | 102      | m/z = 711.85<br>(C53H33N3 = 711.27)  |
| 103      | m/z = 635.75<br>(C47H29N3 = 635.24) | 104      | m/z = 787.95<br>(C59H37N3 = 787.30)  |
| 105      | m/z = 687.83<br>(C51H33N3 = 687.27) | 106      | m/z = 763.92<br>(C57H37N3 = 763.30)  |
| 107      | m/z = 840.02<br>(C63H41N3 = 839.33) | 108      | m/z = 787.95<br>(C59H37N3 = 787.30)  |
| 109      | m/z = 787.95<br>(C59H37N3 = 787.30) | 110      | m/z = 763.92<br>(C57H37N3 = 763.30)  |
| 111      | m/z = 840.02<br>(C63H41N3 = 839.33) | 112      | m/z = 689.80<br>(C49H31N5 = 689.26)  |
| 113      | m/z = 689.80<br>(C49H31N5 = 689.26) | 114      | m/z = 689.80<br>(C49H31N5 = 689.26)  |
| 115      | m/z = 687.83<br>(C51H33N3 = 687.27) | 116      | m/z = 763.92<br>(C57H37N3 = 763.30)  |
| 117      | m/z = 840.02<br>(C63H41N3 = 839.33) | 118      | m/z = 787.95<br>(C59H37N3 = 787.30)  |
| 119      | m/z = 737.89<br>(C55H35N3 = 737.28) | 120      | m/z = 763.92<br>(C57H37N3 = 763.30)  |
| 121      | m/z = 840.02<br>(C63H41N3 = 839.33) | 122      | m/z = 689.80<br>(C49H31N5 = 689.26)  |
| 123      | m/z = 689.80<br>(C49H31N5 = 689.26) | 124      | m/z = 689.80<br>(C49H31N5 = 689.26)  |
| 125      | m/z = 688.82<br>(C50H32N4 = 688.26) | 126      | m/z = 764.91<br>(C56H36N4 = 764.29)  |
| 127      | m/z = 841.01<br>(C62H40N4 = 840.33) | 128      | m/z = 788.93<br>(C58H36N4 = 788.29)  |
| 129      | m/z = 788.93<br>(C58H36N4 = 788.29) | 130      | m/z = 764.91<br>(C56H36N4 = 764.29)  |
| 131      | m/z = 841.01<br>(C62H40N4 = 840.33) | 132      | m/z = 690.79<br>(C48H30N6 = 690.25)  |
| 133      | m/z = 690.79<br>(C48H30N6 = 690.25) | 134      | m/z = 690.79<br>(C48H30N6 = 690.25)  |
| 135      | m/z = 688.82<br>(C50H32N4 = 688.26) | 136      | m/z = 584.71<br>(C44H28N2 = 584.23)  |
| 137      | m/z = 584.71<br>(C44H28N2 = 584.23) | 138      | m/z = 584.71<br>(C44H28N2 = 584.23)  |
| 139      | m/z = 584.71<br>(C44H28N2 = 584.23) | 140      | m/z = 584.71<br>(C44H28N2 = 584.23)  |
| 141      | m/z = 709.87<br>(C55H35N = 709.28)  | 142      | m/z = 759.93<br>(C59H37N = 759.29)   |
| 143      | m/z = 785.97<br>(C61H39N = 785.31)  | 144      | m/z = 886.09<br>(C69H43N = 885.34)   |
| 145      | m/z = 633.78<br>(C49H31N = 633.25)  | 146      | m/z = 657.74<br>(C47H32NOP = 657.22) |
| 147      | m/z = 622.75<br>(C47H30N2 = 622.24) | 148      | m/z = 698.85<br>(C53H34N2 = 698.27)  |
| 149      | m/z = 509.60<br>(C37H23N3 = 509.19) | 150      | m/z = 585.69<br>(C43H27N3 = 585.22)  |
| 151      | m/z = 509.60<br>(C37H23N3 = 509.19) | 152      | m/z = 661.79<br>(C49H31N3 = 661.25)  |
| 153      | m/z = 561.67<br>(C41H27N3 = 561.22) | 154      | m/z = 637.77<br>(C47H31N3 = 637.25)  |
| 155      | m/z = 713.87<br>(C53H35N3 = 713.28) | 156      | m/z = 661.79<br>(C49H31N3 = 661.25)  |
| 157      | m/z = 661.79<br>(C49H31N3 = 661.25) | 158      | m/z = 637.77<br>(C47H31N3 = 637.25)  |
| 159      | m/z = 713.87<br>(C53H35N3 = 713.28) | 160      | m/z = 563.65<br>(C39H25N5 = 563.21)  |
| 161      | m/z = 563.65<br>(C39H25N5 = 563.21) | 162      | m/z = 563.65<br>(C39H25N5 = 563.21)  |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                  |
|----------|-------------------------------------|----------|----------------------------------------|
| 163      | m/z = 561.67<br>(C41H27N3 = 561.22) | 164      | m/z = 637.77<br>(C47H31N3 = 637.25)    |
| 165      | m/z = 713.87<br>(C53H35N3 = 713.28) | 166      | m/z = 661.79<br>(C49H31N3 = 661.25)    |
| 167      | m/z = 661.79<br>(C49H31N3 = 661.25) | 168      | m/z = 637.77<br>(C47H31N3 = 637.25)    |
| 169      | m/z = 713.87<br>(C53H35N3 = 713.28) | 170      | m/z = 563.65<br>(C39H25N5 = 563.21)    |
| 171      | m/z = 563.65<br>(C39H25N5 = 563.21) | 172      | m/z = 563.65<br>(C39H25N5 = 563.21)    |
| 173      | m/z = 562.66<br>(C40H26N4 = 562.22) | 174      | m/z = 638.76<br>(C46H30N4 = 638.25)    |
| 175      | m/z = 714.85<br>(C52H34N4 = 714.28) | 176      | m/z = 662.78<br>(C48H30N4 = 662.25)    |
| 177      | m/z = 662.78<br>(C48H30N4 = 662.25) | 178      | m/z = 638.76<br>(C46H30N4 = 638.25)    |
| 179      | m/z = 714.85<br>(C52H34N4 = 714.28) | 180      | m/z = 564.64<br>(C38H24N6 = 564.21)    |
| 181      | m/z = 564.64<br>(C38H24N6 = 564.21) | 182      | m/z = 564.64<br>(C38H24N6 = 564.21)    |
| 183      | m/z = 562.66<br>(C40H26N4 = 562.22) | 184      | m/z = 458.55<br>(C34H22N2 = 458.18)    |
| 185      | m/z = 458.55<br>(C34H22N2 = 458.18) | 186      | m/z = 458.55<br>(C34H22N2 = 458.18)    |
| 187      | m/z = 458.55<br>(C34H22N2 = 458.18) | 188      | m/z = 458.55<br>(C34H22N2 = 458.18)    |
| 189      | m/z = 583.72<br>(C45H29N = 583.23)  | 190      | m/z = 633.78<br>(C49H31N = 633.25)     |
| 191      | m/z = 659.81<br>(C51H33N = 659.26)  | 192      | m/z = 759.93<br>(C59H37N = 759.29)     |
| 193      | m/z = 507.62<br>(C39H25N = 507.20)  | 194      | m/z = 531.58<br>(C37H26NOP = 531.18)   |
| 195      | m/z = 496.60<br>(C37H24N2 = 496.19) | 196      | m/z = 572.70<br>(C43H28N2 = 572.23)    |
| 197      | m/z = 572.70<br>(C43H28N2 = 572.23) | 198      | m/z = 737.89<br>(C55H35N3 = 737.28)    |
| 199      | m/z = 585.69<br>(C43H27N3 = 585.22) | 200      | m/z = 661.79<br>(C49H31N3 = 661.25)    |
| 201      | m/z = 585.69<br>(C43H27N3 = 585.22) | 202      | m/z = 737.89<br>(C55H35N3 = 737.28)    |
| 203      | m/z = 637.77<br>(C47H31N3 = 637.25) | 204      | m/z = 713.87<br>(C53H35N3 = 713.28)    |
| 205      | m/z = 789.96<br>(C59H39N3 = 789.31) | 206      | m/z = 737.89<br>(C55H35N3 = 737.28)    |
| 207      | m/z = 737.89<br>(C55H35N3 = 737.28) | 208      | m/z = 713.87<br>(C53H35N3 = 713.28)    |
| 209      | m/z = 789.96<br>(C59H39N3 = 789.31) | 210      | m/z = 639.75<br>(C45H29N5 = 639.24)    |
| 211      | m/z = 639.75<br>(C45H29N5 = 639.24) | 212      | m/z = 639.75<br>(C45H29N5 = 639.24)    |
| 213      | m/z = 637.77<br>(C47H31N3 = 637.25) | 214      | m/z = 713.87<br>(C53H35N3 = 713.28)    |
| 215      | m/z = 789.96<br>(C59H39N3 = 789.31) | 216      | m/z = 737.89<br>(C55H35N3 = 737.28)    |
| 217      | m/z = 737.89<br>(C55H35N3 = 737.28) | 218      | m/z = 713.87<br>(C53H35N3 = 713.28)    |
| 219      | m/z = 789.98<br>(C59H39N3 = 789.31) | 220      | m/z = 639.76<br>(C45H29N5 = 639.24)    |
| 221      | m/z = 639.76<br>(C45H29N5 = 639.24) | 222      | m/z = 639.76<br>(C45H29N5 = 639.24)    |
| 223      | m/z = 638.77<br>(C46H30N4 = 638.24) | 224      | m/z = 714.87<br>(C52H34N4 = 714.27)    |
| 225      | m/z = 790.97<br>(C58H38N4 = 790.31) | 226      | m/z = 738.89<br>(C54H34N4 = 738.27)    |
| 227      | m/z = 738.89<br>(C54H34N4 = 738.27) | 228      | m/z = 714.87<br>(C52H34N4 = 714.27)    |
| 229      | m/z = 790.97 (C58H38N4 = 790.31)    | 230      | m/z = 640.75<br>(C44H28N6 = 640.23)    |
| 231      | m/z = 640.75<br>(C44H28N6 = 640.23) | 232      | m/z = 640.75<br>(C44H28N6 = 640.23)    |
| 233      | m/z = 638.77<br>(C46H30N4 = 638.24) | 234      | m/z = 534.66<br>(C40H26N2 = 534.21)    |
| 235      | m/z = 534.66<br>(C40H26N2 = 534.21) | 236      | m/z = 534.66<br>(C = 40H26N2 = 534.21) |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                |
|----------|-------------------------------------|----------|--------------------------------------|
| 237      | m/z = 534.66<br>(C40H26N2 = 534.21) | 238      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 239      | m/z = 659.83<br>(C51H33N = 659.26)  | 240      | m/z = 709.89<br>(C55H35N = 709.27)   |
| 241      | m/z = 735.93<br>(C57H37N = 735.29)  | 242      | m/z = 836.05<br>(C65H41N = 835.32)   |
| 243      | m/z = 583.73<br>(C45H29N = 583.23)  | 244      | m/z = 607.69<br>(C43N30NOP = 607.20) |
| 245      | m/z = 572.71<br>(C43H28N2 = 572.22) | 246      | m/z = 648.80<br>(C49H32N2 = 648.25)  |
| 247      | m/z = 648.80<br>(C49H32N2 = 648.25) | 248      | m/z = 814.00<br>(C61H39N3 = 813.31)  |
| 249      | m/z = 509.61<br>(C37H23N3 = 509.18) | 250      | m/z = 585.71<br>(C43H27N3 = 858.22)  |
| 251      | m/z = 509.61<br>(C37H23N3 = 509.18) | 252      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 253      | m/z = 561.68<br>(C41H27N3 = 561.22) | 254      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 255      | m/z = 713.88<br>(C53H35N3 = 713.28) | 256      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 257      | m/z = 661.80<br>(C49H31N3 = 661.25) | 258      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 259      | m/z = 713.88<br>(C53H35N3 = 713.28) | 260      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 261      | m/z = 563.66<br>(C39H25N5 = 563.21) | 262      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 263      | m/z = 561.68<br>(C41H27N3 = 561.22) | 264      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 265      | m/z = 713.88<br>(C53H35N3 = 713.28) | 266      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 267      | m/z = 661.80<br>(C49H31N3 = 661.25) | 268      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 269      | m/z = 713.88<br>(C53H35N3 = 713.28) | 270      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 271      | m/z = 563.66<br>(C39H25N5 = 563.21) | 272      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 273      | m/z = 562.67<br>(C40H26N4 = 562.21) | 274      | m/z = 638.77<br>(C46H30N4 = 638.24)  |
| 275      | m/z = 714.87<br>(C52H34N4 = 714.27) | 276      | m/z = 662.79<br>(C48H30N4 = 662.24)  |
| 277      | m/z = 662.79<br>(C48H30N4 = 662.24) | 278      | m/z = 638.77<br>(C46H30N4 = 638.24)  |
| 279      | m/z = 714.87<br>(C52H34N4 = 714.27) | 280      | m/z = 564.65<br>(C38H24N6 = 564.20)  |
| 281      | m/z = 564.65<br>(C38H24N6 = 564.20) | 282      | m/z = 564.65<br>(C38H24N6 = 564.20)  |
| 283      | m/z = 562.67<br>(C40H26N4 = 562.21) | 284      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 285      | m/z = 458.56<br>(C34H22N2 = 458.17) | 286      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 287      | m/z = 458.56<br>(C34H22N2 = 458.17) | 288      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 289      | m/z = 583.73<br>(C45H29N = 583.23)  | 290      | m/z = 633.79<br>(C49H31N = 633.24)   |
| 291      | m/z = 659.83<br>(C51H33N = 659.26)  | 292      | m/z = 759.95<br>(C59H37N = 759.29)   |
| 293      | m/z = 507.63<br>(C39H25N = 507.19)  | 294      | m/z = 531.59<br>(C37H26NOP = 531.17) |
| 295      | m/z = 496.61<br>(C37H24N2 = 496.19) | 296      | m/z = 572.71<br>(C43H28N2 = 572.22)  |
| 297      | m/z = 572.71<br>(C43H28N2 = 572.22) | 298      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 299      | m/z = 585.71<br>(C43H27N3 = 585.22) | 300      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 301      | m/z = 585.71<br>(C43H27N3 = 585.22) | 302      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 303      | m/z = 585.71<br>(C43H27N3 = 585.22) | 304      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 305      | m/z = 637.78<br>(C47H31N3 = 637.25) | 306      | m/z = 713.88<br>(C53H35N3 = 713.28)  |
| 307      | m/z = 789.98<br>(C59H39N3 = 789.31) | 308      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 309      | m/z = 737.90<br>(C55H35N3 = 737.28) | 310      | m/z = 713.88<br>(C53H35N3 = 713.28)  |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                |
|----------|-------------------------------------|----------|--------------------------------------|
| 311      | m/z = 789.98<br>(C59H39N3 = 789.31) | 312      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 313      | m/z = 639.76<br>(C45H29N5 = 639.24) | 314      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 315      | m/z = 637.78<br>(C47H31N3 = 637.25) | 316      | m/z = 713.88<br>(C53H35N3 = 713.28)  |
| 317      | m/z = 789.98<br>(C59H39N3 = 789.31) | 318      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 319      | m/z = 737.90<br>(C55H35N3 = 737.28) | 320      | m/z = 713.88<br>(C53H35N3 = 713.28)  |
| 321      | m/z = 639.76<br>(C45H29N5 = 639.24) | 322      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 323      | m/z = 638.77<br>(C46H30N4 = 638.24) | 324      | m/z = 714.87<br>(C52H34N4 = 714.27)  |
| 325      | m/z = 790.97<br>(C58H38N4 = 790.31) | 326      | m/z = 738.89<br>(C54H34N4 = 738.27)  |
| 327      | m/z = 738.89<br>(C54H34N4 = 738.27) | 328      | m/z = 714.87<br>(C52H34N4 = 714.27)  |
| 329      | m/z = 790.97<br>(C58H38N4 = 790.31) | 330      | m/z = 640.75<br>(C44H28N6 = 640.23)  |
| 331      | m/z = 640.75<br>(C44H28N6 = 640.23) | 332      | m/z = 640.75<br>(C44H28N6 = 640.23)  |
| 333      | m/z = 638.77<br>(C46H30N4 = 638.24) | 334      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 335      | m/z = 534.66<br>(C44H26N2 = 534.21) | 336      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 337      | m/z = 534.66<br>(C40H26N2 = 534.21) | 338      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 339      | m/z = 659.83<br>(C51H33N = 659.26)  | 340      | m/z = 709.89<br>(C55H35N = 709.27)   |
| 341      | m/z = 735.93<br>(C57H37N = 735.29)  | 342      | m/z = 836.05<br>(C65H41N = 835.32)   |
| 343      | m/z = 583.73<br>(C45H29N = 583.23)  | 344      | m/z = 607.69<br>(C43H30NOP = 607.20) |
| 345      | m/z = 572.71<br>(C43H28N2 = 572.22) | 346      | m/z = 648.80<br>(C49H32N2 = 648.25)  |
| 347      | m/z = 648.80<br>(C49H32N2 = 648.25) | 348      | m/z = 814.00<br>(C61H39N# = 813.31)  |
| 349      | m/z = 635.77<br>(C47H29N3 = 635.23) | 350      | m/z = 711.86<br>(C53H33N3 = 711.26)  |
| 351      | m/z = 635.77<br>(C47H29N3 = 635.23) | 352      | m/z = 787.96<br>(C59H37N3 = 787.29)  |
| 353      | m/z = 687.84<br>(C51H33N3 = 687.26) | 354      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 355      | m/z = 840.04<br>(C63H41N3 = 839.33) | 356      | m/z = 787.96<br>(C59H37N3 = 787.29)  |
| 357      | m/z = 787.96<br>(C59H37N3 = 787.29) | 358      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 359      | m/z = 840.04<br>(C63H41N3 = 839.33) | 360      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 361      | m/z = 689.82<br>(C49H31N5 = 689.25) | 362      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 363      | m/z = 687.84<br>(C51H33N3 = 687.26) | 364      | m/z = 763.94<br>(C57H37N4 = 763.29)  |
| 365      | m/z = 840.04<br>(C63H41N3 = 839.33) | 366      | m/z = 787.96<br>(C59H3N3 = 787.29)   |
| 367      | m/z = 787.96<br>(C59H37N3 = 787.29) | 368      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 369      | m/z = 840.04<br>(C63H41N3 = 839.33) | 370      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 371      | m/z = 689.82<br>(C49H31N5 = 689.25) | 372      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 373      | m/z = 688.83<br>(C50H32N4 = 688.26) | 374      | m/z = 764.93<br>(C56H36N4 = 764.29)  |
| 375      | m/z = 841.03<br>(C62H40N4 = 840.32) | 376      | m/z = 788.95<br>(C58H36N4 = 788.29)  |
| 377      | m/z = 788.95<br>(C58H36N4 = 788.29) | 378      | m/z = 764.93<br>(C56H36N4 = 764.29)  |
| 379      | m/z = 841.03<br>(C62H40N4 = 840.32) | 380      | m/z = 690.81<br>(C48H30N6 = 690.25)  |
| 381      | m/z = 690.81<br>(C48H30N6 = 690.25) | 382      | m/z = 690.81<br>(C48H30N6 = 690.25)  |
| 383      | m/z = 688.83<br>(C50H32N4 = 688.26) | 384      | m/z = 584.72<br>(C44H28N2 = 584.22)  |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                |
|----------|-------------------------------------|----------|--------------------------------------|
| 385      | m/z = 584.72<br>(C44H28N2 = 584.22) | 386      | m/z = 584.72<br>(C44H28N2 = 584.22)  |
| 387      | m/z = 584.72<br>(C44H28N2 = 584.22) | 388      | m/z = 584.72<br>(C44H28N2 = 584.22)  |
| 389      | m/z = 709.89<br>(C55H35N = 709.27)  | 390      | m/z = 759.95<br>(C59H37N = 759.29)   |
| 391      | m/z = 785.99<br>(C61H39N = 785.30)  | 392      | m/z = 886.11<br>(C69H43N = 885.34)   |
| 393      | m/z = 633.79<br>(C49H31N = 633.24)  | 394      | m/z = 657.75<br>(C47H32NOP = 657.22) |
| 395      | m/z = 622.77<br>(C47H30N2 = 622.24) | 396      | m/z = 698.86<br>(C53H34N2 = 698.27)  |
| 397      | m/z = 698.86<br>(C53H34N2 = 698.27) | 398      | m/z = 864.06<br>(C65.41N3 = 863.33)  |
| 399      | m/z = 509.61<br>(C37H23N3 = 509.18) | 400      | m/z = 585.71<br>(C43H27N3 = 585.22)  |
| 401      | m/z = 509.61<br>(C37H23N3 = 509.18) | 402      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 403      | m/z = 561.68<br>(C41H27N3 = 561.22) | 404      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 405      | m/z = 713.88<br>(C53H35N3 = 713.28) | 406      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 407      | m/z = 661.80<br>(C49H31N3 = 661.25) | 408      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 409      | m/z = 713.88<br>(C53N35N3 = 713.28) | 410      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 411      | m/z = 563.66<br>(C39H25N5 = 563.21) | 412      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 413      | m/z = 561.68<br>(C41H27N3 = 561.22) | 414      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 415      | m/z = 713.88<br>(C53H35N3 = 713.28) | 416      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 417      | m/z = 661.80<br>(C49H31N3 = 661.25) | 418      | m/z = 637.78<br>(C47H31N3 = 637.25)  |
| 419      | m/z = 713.88<br>(C53H35N3 = 713.28) | 420      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 421      | m/z = 563.66<br>(C39H25N5 = 563.21) | 422      | m/z = 563.66<br>(C39H25N5 = 563.21)  |
| 423      | m/z = 562.67<br>(C40H26N4 = 562.21) | 424      | m/z = 638.77<br>(C46H30N4 = 638.24)  |
| 425      | m/z = 714.87<br>(C52H34N4 = 714.27) | 426      | m/z = 662.79<br>(C48H30N4 = 662.24)  |
| 427      | m/z = 662.79<br>(C48H30N4 = 662.24) | 428      | m/z = 638.77<br>(C46H30N4 = 638.24)  |
| 429      | m/z = 714.87<br>(C52H34N4 = 714.27) | 430      | m/z = 564.65<br>(C38N24N6 = 564.20)  |
| 431      | m/z = 564.65<br>(C38H24N6 = 564.20) | 432      | m/z = 564.65<br>(C38H24N6 = 564.20)  |
| 433      | m/z = 562.67<br>(C40H26N4 = 562.21) | 434      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 435      | m/z = 458.56<br>(C34H22N2 = 458.17) | 436      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 437      | m/z = 458.56<br>(C34H22N2 = 458.17) | 438      | m/z = 458.56<br>(C34H22N2 = 458.17)  |
| 439      | m/z = 583.73<br>(C45H29N = 583.23)  | 440      | m/z = 633.79<br>(C49H31N = 633.24)   |
| 441      | m/z = 659.83<br>(C51H33N = 659.26)  | 442      | m/z = 759.95<br>(C59H37N = 859.29)   |
| 443      | m/z = 507.63<br>(C39H25N = 507.19)  | 444      | m/z = 531.59<br>(C37H26NOP = 531.17) |
| 445      | m/z = 496.61<br>(C37H24N2 = 496.19) | 446      | m/z = 572.71<br>(C43H28N2 = 572.22)  |
| 447      | m/z = 572.71<br>(C43H28N2 = 572.22) | 448      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 449      | m/z = 585.71<br>(C43H27N3 = 585.22) | 450      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 451      | m/z = 585.71<br>(C43H27N3 = 585.22) | 452      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 453      | m/z = 637.78<br>(C47H31N3 = 637.25) | 454      | m/z = 713.88<br>(C55H35N3 = 713.28)  |
| 455      | m/z = 789.98<br>(C59H39N3 = 789.31) | 456      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 457      | m/z = 737.90<br>(C55H35N3 = 737.28) | 458      | m/z = 713.88<br>(C53H35N3 = 714.28)  |

TABLE 5-continued

| Compound | FD-MS                               | Compound | FD-MS                                |
|----------|-------------------------------------|----------|--------------------------------------|
| 459      | m/z = 789.98<br>(C59H39N3 = 789.31) | 460      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 461      | m/z = 639.76<br>(C45H29N5 = 639.24) | 462      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 463      | m/z = 637.78<br>(C47H31N3 = 637.25) | 464      | m/z = 713.88<br>(C53H35N3 = 713.28)  |
| 465      | m/z = 789.98<br>(C59H39N3 = 789.31) | 466      | m/z = 737.90<br>(C55H35N3 = 737.28)  |
| 467      | m/z = 737.90<br>(C55H35N3 = 737.28) | 468      | m/z = 713.88<br>(C53H35N3 = 713.28)  |
| 469      | m/z = 789.98<br>(C59H39N3 = 789.31) | 470      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 471      | m/z = 639.76<br>(C45H29N5 = 639.24) | 472      | m/z = 639.76<br>(C45H29N5 = 639.24)  |
| 473      | m/z = 683.77<br>(C46H30N4 = 638.24) | 474      | m/z = 714.87<br>(C52H34N4 = 714.27)  |
| 475      | m/z = 790.97<br>(C58H36N4 = 790.31) | 476      | m/z = 738.89<br>(C54H34N4 = 738.27)  |
| 477      | m/z = 738.89<br>(C54H34N4 = 738.27) | 478      | m/z = 714.87<br>(C52H34N4 = 714.27)  |
| 479      | m/z = 790.97<br>(C58H38N4 = 790.31) | 480      | m/z = 640.75<br>(C44H28N6 = 640.23)  |
| 481      | m/z = 640.75<br>(C44H28N6 = 640.23) | 482      | m/z = 640.75<br>(C44H28N6 = 640.23)  |
| 483      | m/z = 638.77<br>(C46H30N4 = 638.24) | 484      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 485      | m/z = 534.66<br>(C40H26N2 = 534.21) | 486      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 487      | m/z = 534.66<br>(C40H26N2 = 534.21) | 488      | m/z = 534.66<br>(C40H26N2 = 534.21)  |
| 489      | m/z = 659.83<br>(C51H33N = 659.26)  | 490      | m/z = 709.86<br>(C55H35N = 709.27)   |
| 491      | m/z = 735.93<br>(C57H37N = 735.29)  | 492      | m/z = 836.05<br>(C65H41N = 835.32)   |
| 493      | m/z = 583.73<br>(C45H29N = 583.23)  | 494      | m/z = 608.69<br>(C43H30NOP = 607.20) |
| 495      | m/z = 572.71<br>(C43H28N2 = 572.22) | 496      | m/z = 648.80<br>(C49H32N2 = 648.25)  |
| 497      | m/z = 648.80<br>(C49H32N2 = 648.25) | 498      | m/z = 814.00<br>(C61H39N3 = 813.31)  |
| 499      | m/z = 635.77<br>(C47H29N3 = 635.23) | 500      | m/z = 711.86<br>(C53H33N3 = 711.26)  |
| 501      | m/z = 635.77<br>(C47H29N3 = 635.23) | 502      | m/z = 787.96<br>(C59H37N3 = 787.29)  |
| 503      | m/z = 687.84<br>(C51H33N3 = 687.26) | 504      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 505      | m/z = 840.04<br>(C63H41N3 = 839.33) | 506      | m/z = 787.96<br>(C59H37N3 = 787.29)  |
| 507      | m/z = 787.96<br>(C59H37N3 = 787.29) | 508      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 509      | m/z = 840.04<br>(C63H41N3 = 839.33) | 510      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 511      | m/z = 689.82<br>(C49H31N5 = 689.25) | 512      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 513      | m/z = 687.84<br>(C51H33N3 = 687.26) | 514      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 515      | m/z = 840.04<br>(C63H41N3 = 839.33) | 516      | m/z = 787.96<br>(C59H37N3 = 787.29)  |
| 517      | m/z = 787.96<br>(C59H37N3 = 787.29) | 518      | m/z = 763.94<br>(C57H37N3 = 763.29)  |
| 519      | m/z = 840.04<br>(C63H41N3 = 839.33) | 520      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 521      | m/z = 689.82<br>(C49H31N5 = 689.25) | 522      | m/z = 689.82<br>(C49H31N5 = 689.25)  |
| 523      | m/z = 688.83<br>(C50H32N4 = 688.26) | 524      | m/z = 764.93<br>(C56H36N4 = 764.29)  |
| 525      | m/z = 841.03<br>(C62H40N4 = 840.32) | 526      | m/z = 788.95<br>(C58H36N4 = 788.29)  |
| 527      | m/z = 788.95<br>(C58H36N4 = 788.29) | 528      | m/z = 764.93<br>(C56H36N4 = 764.29)  |
| 529      | m/z = 841.03<br>(C62H40N4 = 840.32) | 530      | m/z = 690.81<br>(C48H30N6 = 690.25)  |
| 531      | m/z = 690.81<br>(C48H30N6 = 690.25) | 532      | m/z = 690.81<br>(C48H30N6 = 690.25)  |

TABLE 5-continued

| Compound | FD-MS                                | Compound | FD-MS                                |
|----------|--------------------------------------|----------|--------------------------------------|
| 533      | m/z = 688.83<br>(C50H32N4 = 688.26)  | 534      | m/z = 584.72<br>(C44H28N2 = 584.22)  |
| 535      | m/z = 584.72<br>(C44H28N2 = 584.22)  | 536      | m/z = 584.72<br>(C44H28N2 = 584.22)  |
| 537      | m/z = 584.72<br>(C44H28N2 = 584.22)  | 538      | m/z = 584.72<br>(C44H28N2 = 584.22)  |
| 539      | m/z = 709.89<br>(C55H35N = 709.27)   | 540      | m/z = 759.95<br>(C59H37N = 759.29)   |
| 541      | m/z = 673.85<br>(C52H35N = 673.27)   | 542      | m/z = 657.75<br>(C47H32NOP = 657.22) |
| 543      | m/z = 622.77<br>(C44H30N2 = 622.24)  | 544      | m/z = 698.86<br>(C53H34N2 = 698.27)  |
| 545      | m/z = 698.86<br>(C53H34N2 = 698.27)  | 546      | m/z = 865.06<br>(C65H41N3 = 863.33)  |
| 547      | m/z = 661.80<br>(C49H31N3 = 661.25)  | 548      | m/z = 661.80<br>(C49H31N3 = 661.25)  |
| 549      | m/z = 791.95<br>(C57H37N5 = 791.30)  | 550      | m/z = 791.95<br>(C57H37N5 = 791.30)  |
| 551      | m/z = 791.95<br>(C57H37N5 = 791.30)  | 552      | m/z = 791.95<br>(C57H37N5 = 791.30)  |
| 553      | m/z = 793.93<br>(C55H35N7 = 793.29)  | 554      | m/z = 793.93<br>(C55H35N7 = 793.29)  |
| 555      | m/z = 711.02<br>(C53H33N3 = 711.27)  | 556      | m/z = 659.01<br>(C51H33N = 659.26)   |
| 557      | m/z = 659.02<br>(C51H33N = 659.26)   | 558      | m/z = 662.96<br>(C49H28NO2 = 663.22) |
| 559      | m/z = 659.12<br>(C49H29NS2 = 659.17) | 560      | m/z = 662.19<br>(C49H30N2O = 662.24) |
| 561      | m/z = 678.17<br>(C49H30N2S = 678.21) | 562      | m/z = 662.19<br>(C49H30N2O = 662.24) |
| 563      | m/z = 662.19<br>(C49H30N2O = 662.24) | 564      | m/z = 728.21<br>(C52H32N4O = 728.26) |
| 565      | m/z = 744.18<br>(C52H32N4S = 774.23) | 566      | m/z = 728.21<br>(C52H32N4O = 728.26) |
| 567      | m/z = 662.19<br>(C49H30N2O = 662.24) | 568      | m/z = 804.23<br>(C58H36N4O = 804.29) |
| 569      | m/z = 803.24<br>(C59H37N3O = 803.29) | 570      | m/z = 803.23<br>(C59H37N3O = 803.29) |
| 571      | m/z = 678.16<br>(C49H30N2S = 678.21) | 572      | m/z = 727.20<br>(C53H33N3O = 727.26) |
| 573      | m/z = 727.19<br>(C53H33N3O = 727.26) | 574      | m/z = 662.19<br>(C49H30N2O = 662.24) |
| 575      | m/z = 662.20<br>(C49H30N2O = 662.24) | 576      | m/z = 659.21<br>(C51H33N = 659.26)   |
| 577      | m/z = 659.20<br>(C51H33N = 659.26)   | 578      | m/z = 663.17<br>(C49H29NO2 = 663.22) |
| 579      | m/z = 695.12<br>(C49H29NS2 = 695.17) | 580      | m/z = 728.22<br>(C52H32N4O = 728.26) |
| 581      | m/z = 744.18<br>(C52H32N4S = 744.23) | 582      | m/z = 728.20<br>(C52H32N4O = 728.26) |
| 583      | m/z = 728.21<br>(C52H32N4O = 728.26) | 584      | m/z = 804.23<br>(C58H36N4O = 804.29) |
| 585      | m/z = 820.22<br>(C58H36N4S = 820.27) | 586      | m/z = 728.21<br>(C52H36N4O = 728.26) |
| 587      | m/z = 804.21<br>(C58H36N4O = 804.29) | 588      | m/z = 804.22<br>(C58H36N4O = 804.29) |
| 589      | m/z = 803.23<br>(C59H37N3O = 803.29) | 590      | m/z = 819.21<br>(C59H37N3S = 819.27) |
| 591      | m/z = 803.22<br>(C59H37N3O = 803.29) | 592      | m/z = 727.21<br>(C53H33N3O = 727.26) |
| 593      | m/z = 727.21<br>(C53H33N3O = 727.26) | 594      | m/z = 727.22<br>(C53H33N3O = 727.26) |
| 595      | m/z = 727.22<br>(C53H33N3O = 727.26) |          |                                      |

## EXPERIMENTAL EXAMPLE

## Experimental Example 1







**[0158]** 1) Manufacture of Organic Light Emitting Device  
**[0159]** A glass substrate on which ITO was coated as a thin film to a thickness of 1500 Å was cleaned with distilled water and ultrasonic waves. After the cleaning with distilled water was finished, the substrate was ultrasonic cleaned with


solvents such as acetone, methanol and isopropyl alcohol, then dried, and UVO treatment was carried out for 5 minutes in a UV cleaner using UV. After that, the substrate was transferred to a plasma cleaner (PT), and plasma treatment was carried out under vacuum for removing ITO work function and remaining film, and the substrate was transferred to a thermal deposition apparatus for organic deposition.

[0160] On the ITO transparent electrode (anode), organic materials were formed in a two-stack white organic light emitting diode (WOLED) structure. As for the first stack, a hole transfer layer was formed first by thermal vacuum depositing TAPC to a thickness of 300 Å. After forming the hole transfer layer, a light emitting layer was thermal vacuum deposited thereon as follows. The light emitting layer was deposited to 300 Å by doping Flrpic in 8% as a blue phosphorescent dopant to TCz1, a host. An electron transfer layer was formed to 400 Å using TmPyPB, and then a charge generation layer was formed to 100 Å by doping  $\text{Cs}_2\text{CO}_3$  in 20% to a compound described in the following Table 6.

[0161] As for the second stack, a hole injection layer was formed first by thermal vacuum depositing  $\text{MoO}_3$  to a thickness of 50 Å. A hole transfer layer, a common layer, was formed by doping  $\text{MoO}_3$  to TAPC in 20% and forming to 100 Å, and then depositing TAPC to 300 Å. After depositing a light emitting layer to 300 Å thereon by doping Ir(ppy)<sub>3</sub>, a green phosphorescent dopant, in 8% to TCz1, a host, an electron transfer layer was formed to 600 Å using TmPyPB. Lastly, an electron injection layer was formed on the electron transfer layer by depositing lithium fluoride (LiF) to a thickness of 10 Å, and then a cathode was foamed on the electron injection layer by depositing an aluminum (Al) cathode to a thickness of 1,200 Å to manufacture an organic light emitting device.

[0162] Meanwhile, all the organic compounds required to manufacture the OLED device were vacuum sublimation purified under  $10^{-6}$  torr to  $10^{-8}$  torr by each material to be used in the OLED manufacture.





**[0163]** 2) Driving Voltage and Light Emission Efficiency of Organic Light Emitting Device

**[0164]** For the organic light emitting devices manufactured as above, electroluminescent light emission (EL) characteristics were measured using M7000 manufactured by McScience Inc., and with the measurement results, T95 when standard luminance was 3,500 cd/m<sup>2</sup> was measured using a lifetime test system (M6000) manufactured by McScience Inc. Results of measuring a driving voltage, light emission efficiency, external quantum efficiency and a color coordinate (CIE) of the white organic light emitting devices manufactured according to the present disclosure are as shown in Table 6.

TABLE 6

|            |     | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|------------|-----|---------------------------|-------------------------------------------|----------------|-------------------|
| Compound   |     |                           |                                           |                |                   |
| Example 1  | 1   | 7.13                      | 69.21                                     | (0.221, 0.434) | 42                |
| Example 2  | 2   | 7.01                      | 69.82                                     | (0.220, 0.440) | 43                |
| Example 3  | 3   | 7.10                      | 69.45                                     | (0.219, 0.429) | 41                |
| Example 4  | 5   | 7.78                      | 59.95                                     | (0.218, 0.427) | 27                |
| Example 5  | 15  | 7.95                      | 59.45                                     | (0.220, 0.431) | 28                |
| Example 6  | 25  | 7.92                      | 59.88                                     | (0.200, 0.421) | 29                |
| Example 7  | 35  | 7.17                      | 66.23                                     | (0.205, 0.411) | 49                |
| Example 8  | 36  | 7.60                      | 63.89                                     | (0.204, 0.413) | 36                |
| Example 9  | 44  | 7.55                      | 62.77                                     | (0.210, 0.410) | 38                |
| Example 10 | 45  | 7.34                      | 67.70                                     | (0.208, 0.420) | 35                |
| Example 11 | 46  | 7.74                      | 58.52                                     | (0.212, 0.428) | 29                |
| Example 12 | 47  | 7.81                      | 59.50                                     | (0.223, 0.415) | 32                |
| Example 13 | 48  | 7.72                      | 58.81                                     | (0.219, 0.410) | 34                |
| Example 14 | 50  | 7.79                      | 63.08                                     | (0.212, 0.429) | 30                |
| Example 15 | 51  | 7.60                      | 62.00                                     | (0.213, 0.420) | 31                |
| Example 16 | 52  | 7.02                      | 69.78                                     | (0.223, 0.433) | 41                |
| Example 17 | 75  | 7.89                      | 58.98                                     | (0.219, 0.411) | 35                |
| Example 18 | 85  | 7.80                      | 59.11                                     | (0.210, 0.412) | 35                |
| Example 19 | 86  | 7.65                      | 58.54                                     | (0.211, 0.415) | 39                |
| Example 20 | 94  | 7.56                      | 59.06                                     | (0.214, 0.420) | 33                |
| Example 21 | 95  | 7.80                      | 54.22                                     | (0.215, 0.411) | 36                |
| Example 22 | 96  | 7.49                      | 57.94                                     | (0.211, 0.419) | 37                |
| Example 23 | 97  | 7.66                      | 58.26                                     | (0.209, 0.419) | 31                |
| Example 24 | 98  | 7.58                      | 59.11                                     | (0.207, 0.409) | 38                |
| Example 25 | 100 | 7.50                      | 56.66                                     | (0.208, 0.415) | 35                |
| Example 26 | 102 | 7.21                      | 69.56                                     | (0.224, 0.429) | 40                |
| Example 27 | 149 | 7.07                      | 70.01                                     | (0.225, 0.429) | 42                |

TABLE 6-continued

|            |          | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|------------|----------|---------------------------|-------------------------------------------|----------------|-------------------|
|            | Compound |                           |                                           |                |                   |
| Example 28 | 150      | 7.12                      | 67.56                                     | (0.209, 0.415) | 44                |
| Example 29 | 151      | 7.00                      | 69.89                                     | (0.231, 0.440) | 42                |
| Example 30 | 153      | 7.05                      | 69.47                                     | (0.222, 0.435) | 41                |
| Example 31 | 163      | 7.87                      | 65.84                                     | (0.218, 0.421) | 30                |
| Example 32 | 173      | 7.63                      | 64.96                                     | (0.220, 0.421) | 28                |
| Example 33 | 183      | 7.37                      | 67.13                                     | (0.221, 0.433) | 47                |
| Example 34 | 192      | 7.55                      | 59.99                                     | (0.215, 0.422) | 40                |
| Example 35 | 193      | 7.80                      | 57.11                                     | (0.214, 0.420) | 39                |
| Example 36 | 194      | 8.00                      | 59.21                                     | (0.209, 0.432) | 26                |
| Example 37 | 195      | 7.44                      | 57.84                                     | (0.210, 0.430) | 29                |
| Example 38 | 196      | 7.54                      | 58.22                                     | (0.211, 0.428) | 30                |
| Example 39 | 198      | 7.74                      | 67.32                                     | (0.230, 0.439) | 32                |
| Example 40 | 199      | 7.08                      | 69.74                                     | (0.243, 0.442) | 43                |
| Example 41 | 200      | 7.60                      | 59.08                                     | (0.231, 0.430) | 39                |
| Example 42 | 242      | 7.58                      | 55.11                                     | (0.228, 0.428) | 31                |
| Example 43 | 243      | 7.70                      | 54.01                                     | (0.210, 0.430) | 34                |
| Example 44 | 244      | 7.49                      | 55.90                                     | (0.219, 0.422) | 34                |
| Example 45 | 245      | 7.66                      | 56.10                                     | (0.229, 0.419) | 38                |
| Example 46 | 246      | 7.88                      | 57.04                                     | (0.231, 0.418) | 37                |
| Example 47 | 248      | 7.85                      | 55.28                                     | (0.227, 0.419) | 37                |
| Example 48 | 249      | 7.11                      | 65.55                                     | (0.243, 0.442) | 39                |
| Example 49 | 250      | 7.34                      | 61.00                                     | (0.234, 0.439) | 36                |
| Example 50 | 253      | 7.45                      | 59.80                                     | (0.231, 0.423) | 39                |
| Example 51 | 263      | 7.44                      | 57.20                                     | (0.234, 0.433) | 39                |
| Example 52 | 273      | 7.60                      | 57.98                                     | (0.230, 0.421) | 35                |
| Example 53 | 292      | 7.51                      | 52.17                                     | (0.228, 0.418) | 33                |
| Example 54 | 293      | 7.49                      | 53.66                                     | (0.228, 0.418) | 38                |
| Example 55 | 294      | 7.55                      | 53.90                                     | (0.230, 0.420) | 33                |
| Example 56 | 295      | 7.52                      | 52.10                                     | (0.230, 0.424) | 35                |
| Example 57 | 296      | 7.49                      | 53.82                                     | (0.231, 0.425) | 34                |
| Example 58 | 298      | 7.60                      | 55.16                                     | (0.232, 0.425) | 34                |
| Example 59 | 299      | 7.72                      | 54.67                                     | (0.233, 0.419) | 30                |
| Example 60 | 300      | 7.66                      | 54.90                                     | (0.232, 0.421) | 39                |
| Example 61 | 301      | 7.56                      | 55.10                                     | (0.238, 0.423) | 38                |
| Example 62 | 303      | 7.60                      | 56.22                                     | (0.238, 0.421) | 38                |
| Example 63 | 313      | 7.55                      | 56.88                                     | (0.239, 0.422) | 36                |
| Example 64 | 323      | 7.47                      | 57.10                                     | (0.231, 0.423) | 39                |
| Example 65 | 333      | 7.51                      | 56.12                                     | (0.232, 0.431) | 34                |
| Example 66 | 342      | 7.41                      | 59.99                                     | (0.233, 0.433) | 31                |
| Example 67 | 343      | 7.44                      | 58.89                                     | (0.238, 0.438) | 33                |
| Example 68 | 344      | 7.39                      | 63.38                                     | (0.243, 0.442) | 40                |
| Example 69 | 345      | 7.22                      | 66.22                                     | (0.243, 0.442) | 32                |
| Example 70 | 346      | 7.66                      | 59.80                                     | (0.231, 0.423) | 36                |
| Example 71 | 348      | 7.55                      | 59.10                                     | (0.238, 0.423) | 37                |
| Example 72 | 399      | 7.80                      | 55.88                                     | (0.209, 0.419) | 37                |
| Example 73 | 400      | 7.79                      | 56.18                                     | (0.210, 0.420) | 35                |
| Example 74 | 401      | 7.65                      | 55.97                                     | (0.211, 0.421) | 38                |
| Example 75 | 403      | 7.45                      | 56.45                                     | (0.212, 0.422) | 38                |
| Example 76 | 413      | 7.49                      | 55.10                                     | (0.228, 0.418) | 38                |
| Example 77 | 423      | 7.54                      | 56.89                                     | (0.231, 0.420) | 36                |
| Example 78 | 442      | 7.49                      | 56.25                                     | (0.233, 0.419) | 35                |
| Example 79 | 443      | 7.80                      | 56.25                                     | (0.229, 0.423) | 35                |
| Example 80 | 444      | 7.77                      | 56.67                                     | (0.230, 0.421) | 38                |
| Example 81 | 445      | 7.69                      | 54.20                                     | (0.231, 0.419) | 33                |
| Example 82 | 446      | 7.64                      | 55.11                                     | (0.230, 0.423) | 34                |
| Example 83 | 448      | 7.65                      | 53.10                                     | (0.231, 0.422) | 35                |
| Example 84 | 449      | 7.76                      | 53.88                                     | (0.229, 0.424) | 35                |
| Example 85 | 450      | 7.68                      | 54.10                                     | (0.230, 0.424) | 38                |
| Example 86 | 451      | 7.70                      | 56.34                                     | (0.233, 0.419) | 38                |
| Example 87 | 453      | 7.75                      | 56.38                                     | (0.231, 0.420) | 39                |
| Example 88 | 463      | 7.68                      | 57.20                                     | (0.233, 0.421) | 35                |
| Example 89 | 473      | 7.71                      | 57.11                                     | (0.232, 0.422) | 33                |
| Example 90 | 484      | 7.72                      | 55.55                                     | (0.232, 0.421) | 32                |
| Example 91 | 492      | 7.76                      | 55.40                                     | (0.232, 0.422) | 32                |
| Example 92 | 493      | 7.66                      | 56.10                                     | (0.230, 0.420) | 33                |
| Example 93 | 494      | 7.56                      | 56.88                                     | (0.231, 0.419) | 35                |
| Example 94 | 495      | 7.60                      | 56.80                                     | (0.229, 0.423) | 36                |
| Example 95 | 496      | 7.58                      | 56.15                                     | (0.228, 0.424) | 37                |
| Example 96 | 498      | 7.49                      | 56.87                                     | (0.226, 0.434) | 37                |
| Example 97 | 499      | 7.48                      | 55.87                                     | (0.228, 0.429) | 38                |
| Example 98 | 500      | 7.51                      | 54.99                                     | (0.229, 0.430) | 30                |
| Example 99 | 555      | 7.02                      | 68.99                                     | (0.228, 0.436) | 41                |

TABLE 6-continued

|                         |        | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|-------------------------|--------|---------------------------|-------------------------------------------|----------------|-------------------|
| Example 100             | 556    | 7.44                      | 67.21                                     | (0.243, 0.442) | 38                |
| Comparative Example 1-1 | TmPyPB | 8.57                      | 57.61                                     | (0.212, 0.433) | 24                |
| Comparative Example 1-2 | BBQB   | 8.43                      | 58.11                                     | (0.220, 0.429) | 27                |
| Comparative Example 1-3 | TBQB   | 8.47                      | 58.90                                     | (0.222, 0.430) | 28                |


[0165] As shown from the results of Table 6, the organic light emitting devices using the charge generation layer material of the 2-stack white organic light emitting device of the present disclosure had a low driving voltage and improved light emission efficiency compared to Comparative Example 1. Particularly, it was identified that Compounds 1, 2, 3, 35, 52, 102, 149, 150, 151, 183, 199 and 555 were significantly excellent in all of driving, efficiency and lifespan.

[0166] The presumed reason for such results is that the compound of the present disclosure used as an N-type charge generation layer formed with an invented skeleton having proper length, strength and flat property and a proper hetero-compound capable of binding with metals is doped with an alkali metal or an alkali-earth metal to form a gap state within the N-type charge generation layer, and electrons produced from a P-type charge generation layer are readily injected to the electron transfer layer through the gap state produced within the N-type charge generation layer. Accordingly, the P-type charge generation layer favorably carried out electron injection and electron transfer to the N-type charge generation layer, and as a result, it is considered that a driving voltage of the organic light emitting device decreased, and efficiency and lifespan were improved.


#### Experimental Example 2

[0167] 1) Manufacture of Organic Light Emitting Device


[0168] A glass substrate on which ITO was coated as a thin film to a thickness of 1500 Å was cleaned with distilled water and ultrasonic waves. After the cleaning with distilled water was finished, the substrate was ultrasonic cleaned with solvents such as acetone, methanol and isopropyl alcohol, then dried, and UVO treatment was carried out for 5 minutes in a UV cleaner using UV. After that, the substrate was transferred to a plasma cleaner (PT), and plasma treatment was carried out under vacuum for removing ITO work function and remaining film, and the substrate was transferred to a thermal deposition apparatus for organic deposition. On the ITO transparent electrode (anode), organic materials were formed in a single-stack structure. As a hole injection layer, HAT-CN was deposited to a thickness of 50 Å, and subsequently, a hole transfer layer was formed by doping DNTPD within 10% to NPD, depositing the result to a thickness of 1500 Å, and continuously depositing TCTA to a thickness of 200 Å. Subsequently, a light emitting layer comprising a t-Bu-perylene dopant in an ADN host was formed to a thickness of 250 Å. Next, Alq<sub>3</sub>, an electron transfer layer, was formed to a thickness of 250 Å, and an N-type charge transfer layer was formed to a thickness of 100 Å by doping Li, an alkali metal, to a compound described in the following Table 7, and Al, a cathode, was formed to a thickness of approximately 1,000 Å to manufacture an organic light emitting device.



HAT-CN







NPD





DNTPD

-continued



-continued



#### [0169] 2) Driving Voltage and Light Emission Efficiency of Organic Light Emitting Device

[0170] For the organic light emitting devices manufactured as above, electroluminescent light emission (EL) characteristics were measured using M7000 manufactured by McScience Inc., and with the measurement results,  $T_{95}$  when standard luminance was  $750 \text{ cd/m}^2$  was measured using a lifetime test system (M6000) manufactured by McScience Inc. Results of measuring a driving voltage, light emission efficiency, external quantum efficiency and a color coordinate (CIE) of the white organic electroluminescent devices manufactured according to the present disclosure are as shown in Table 7.

TABLE 7

|             |          | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|-------------|----------|---------------------------|-------------------------------------------|----------------|-------------------|
|             | Compound |                           |                                           |                |                   |
| Example 101 | 1        | 4.49                      | 6.91                                      | (0.134, 0.101) | 40                |
| Example 102 | 2        | 4.50                      | 6.92                                      | (0.134, 0.101) | 41                |
| Example 103 | 3        | 4.50                      | 6.93                                      | (0.134, 0.100) | 42                |
| Example 104 | 5        | 4.92                      | 6.21                                      | (0.134, 0.105) | 30                |
| Example 105 | 15       | 4.86                      | 6.20                                      | (0.134, 0.105) | 29                |
| Example 106 | 25       | 4.95                      | 6.22                                      | (0.134, 0.104) | 31                |
| Example 107 | 35       | 4.61                      | 6.69                                      | (0.134, 0.099) | 47                |
| Example 108 | 36       | 4.97                      | 6.15                                      | (0.134, 0.103) | 35                |
| Example 109 | 44       | 4.98                      | 6.21                                      | (0.134, 0.102) | 34                |

TABLE 7-continued

|             | Compound | Driving Voltage (V) | Light Emission Efficiency (cd/A) | CIE (x, y)     | Lifespan (T95) |
|-------------|----------|---------------------|----------------------------------|----------------|----------------|
| Example 110 | 45       | 4.80                | 6.10                             | (0.134, 0.101) | 40             |
| Example 111 | 46       | 5.50                | 6.33                             | (0.134, 0.101) | 41             |
| Example 112 | 47       | 5.20                | 6.29                             | (0.134, 0.103) | 32             |
| Example 113 | 48       | 5.14                | 6.18                             | (0.134, 0.102) | 34             |
| Example 114 | 50       | 5.02                | 6.51                             | (0.134, 0.101) | 31             |
| Example 115 | 51       | 5.05                | 6.27                             | (0.134, 0.104) | 33             |
| Example 116 | 52       | 4.62                | 6.91                             | (0.134, 0.101) | 39             |
| Example 117 | 75       | 5.11                | 6.44                             | (0.134, 0.104) | 35             |
| Example 118 | 85       | 5.21                | 6.47                             | (0.134, 0.103) | 34             |
| Example 119 | 86       | 5.29                | 6.32                             | (0.134, 0.102) | 35             |
| Example 120 | 94       | 5.20                | 6.33                             | (0.134, 0.102) | 33             |
| Example 121 | 95       | 5.25                | 6.27                             | (0.134, 0.104) | 33             |
| Example 122 | 96       | 5.18                | 6.29                             | (0.134, 0.104) | 34             |
| Example 123 | 97       | 5.09                | 6.31                             | (0.134, 0.102) | 37             |
| Example 124 | 98       | 5.04                | 6.14                             | (0.134, 0.104) | 36             |
| Example 125 | 100      | 5.09                | 6.22                             | (0.134, 0.101) | 37             |
| Example 126 | 102      | 4.46                | 6.84                             | (0.134, 0.102) | 41             |
| Example 127 | 149      | 4.56                | 6.90                             | (0.134, 0.101) | 40             |
| Example 128 | 150      | 4.51                | 6.94                             | (0.134, 0.101) | 40             |
| Example 129 | 151      | 4.55                | 6.94                             | (0.134, 0.100) | 42             |
| Example 130 | 153      | 4.60                | 6.98                             | (0.134, 0.099) | 42             |
| Example 131 | 163      | 5.65                | 6.22                             | (0.134, 0.104) | 34             |
| Example 132 | 173      | 5.68                | 6.15                             | (0.134, 0.104) | 33             |
| Example 133 | 183      | 5.82                | 6.45                             | (0.134, 0.105) | 30             |
| Example 134 | 192      | 5.50                | 6.45                             | (0.134, 0.102) | 31             |
| Example 135 | 193      | 5.44                | 6.54                             | (0.134, 0.103) | 32             |
| Example 136 | 194      | 5.80                | 6.62                             | (0.134, 0.101) | 29             |
| Example 137 | 195      | 5.60                | 6.59                             | (0.134, 0.102) | 30             |
| Example 138 | 196      | 5.49                | 6.50                             | (0.134, 0.103) | 31             |
| Example 139 | 198      | 5.77                | 6.43                             | (0.134, 0.101) | 30             |
| Example 140 | 199      | 4.40                | 6.98                             | (0.134, 0.099) | 40             |
| Example 141 | 200      | 5.21                | 6.44                             | (0.134, 0.101) | 35             |
| Example 142 | 242      | 5.44                | 6.43                             | (0.134, 0.103) | 34             |
| Example 143 | 243      | 5.45                | 6.30                             | (0.134, 0.102) | 34             |
| Example 144 | 244      | 5.55                | 6.29                             | (0.134, 0.103) | 32             |
| Example 145 | 245      | 5.56                | 6.34                             | (0.134, 0.102) | 31             |
| Example 146 | 246      | 5.46                | 6.38                             | (0.134, 0.103) | 33             |
| Example 147 | 248      | 5.55                | 6.40                             | (0.134, 0.101) | 30             |
| Example 148 | 249      | 4.99                | 6.34                             | (0.134, 0.100) | 32             |
| Example 149 | 250      | 5.40                | 6.35                             | (0.134, 0.102) | 33             |
| Example 150 | 253      | 5.44                | 6.40                             | (0.134, 0.101) | 34             |
| Example 151 | 263      | 5.50                | 6.41                             | (0.134, 0.102) | 35             |
| Example 152 | 273      | 5.34                | 6.38                             | (0.134, 0.101) | 33             |
| Example 153 | 292      | 5.33                | 6.39                             | (0.134, 0.103) | 32             |
| Example 154 | 293      | 5.45                | 6.40                             | (0.134, 0.101) | 33             |
| Example 155 | 294      | 5.44                | 6.42                             | (0.134, 0.103) | 31             |
| Example 156 | 295      | 5.34                | 6.44                             | (0.134, 0.104) | 30             |
| Example 157 | 296      | 5.41                | 6.20                             | (0.134, 0.103) | 30             |
| Example 158 | 298      | 5.39                | 6.38                             | (0.134, 0.101) | 33             |
| Example 159 | 299      | 5.37                | 6.30                             | (0.134, 0.103) | 32             |
| Example 160 | 300      | 5.35                | 6.29                             | (0.134, 0.103) | 32             |
| Example 161 | 301      | 5.45                | 6.40                             | (0.134, 0.101) | 33             |
| Example 162 | 303      | 5.51                | 6.33                             | (0.134, 0.102) | 31             |
| Example 163 | 313      | 5.20                | 6.26                             | (0.134, 0.102) | 34             |
| Example 164 | 323      | 5.33                | 6.24                             | (0.134, 0.101) | 33             |
| Example 165 | 333      | 5.30                | 6.30                             | (0.134, 0.101) | 33             |
| Example 166 | 342      | 5.20                | 6.34                             | (0.134, 0.101) | 31             |
| Example 167 | 343      | 5.25                | 6.37                             | (0.134, 0.102) | 31             |
| Example 168 | 344      | 5.10                | 6.62                             | (0.134, 0.101) | 34             |
| Example 169 | 345      | 5.00                | 6.28                             | (0.134, 0.100) | 39             |
| Example 170 | 346      | 5.35                | 6.30                             | (0.134, 0.102) | 35             |
| Example 171 | 348      | 5.33                | 6.32                             | (0.134, 0.103) | 34             |
| Example 172 | 399      | 5.44                | 6.20                             | (0.134, 0.104) | 37             |
| Example 173 | 400      | 5.39                | 6.35                             | (0.134, 0.101) | 35             |
| Example 174 | 401      | 5.44                | 6.33                             | (0.134, 0.101) | 33             |
| Example 175 | 403      | 5.45                | 6.32                             | (0.134, 0.104) | 35             |
| Example 176 | 413      | 5.46                | 6.35                             | (0.134, 0.103) | 34             |
| Example 177 | 423      | 5.48                | 6.21                             | (0.134, 0.103) | 37             |
| Example 178 | 442      | 5.44                | 6.33                             | (0.134, 0.102) | 36             |
| Example 179 | 443      | 5.44                | 6.38                             | (0.134, 0.102) | 36             |
| Example 180 | 444      | 5.41                | 6.20                             | (0.134, 0.101) | 31             |
| Example 181 | 445      | 5.44                | 6.22                             | (0.134, 0.101) | 32             |

TABLE 7-continued

|             | Compound | Driving Voltage (V) | Light Emission Efficiency (cd/A) | CIE (x, y)     | Lifespan (T95) |
|-------------|----------|---------------------|----------------------------------|----------------|----------------|
| Example 182 | 446      | 5.50                | 6.34                             | (0.134, 0.100) | 32             |
| Example 183 | 448      | 5.49                | 6.21                             | (0.134, 0.104) | 34             |
| Example 184 | 449      | 5.48                | 6.24                             | (0.134, 0.103) | 32             |
| Example 185 | 450      | 5.47                | 6.22                             | (0.134, 0.104) | 32             |
| Example 186 | 451      | 5.43                | 6.38                             | (0.134, 0.103) | 36             |
| Example 187 | 453      | 5.42                | 6.23                             | (0.134, 0.102) | 34             |
| Example 188 | 463      | 5.46                | 6.29                             | (0.134, 0.102) | 34             |
| Example 189 | 473      | 5.44                | 6.30                             | (0.134, 0.101) | 35             |
| Example 190 | 484      | 5.41                | 6.22                             | (0.134, 0.101) | 35             |
| Example 191 | 492      | 5.36                | 6.34                             | (0.134, 0.103) | 37             |
| Example 192 | 493      | 5.45                | 6.31                             | (0.134, 0.102) | 34             |
| Example 193 | 494      | 5.50                | 6.33                             | (0.134, 0.102) | 33             |
| Example 194 | 495      | 5.49                | 6.25                             | (0.134, 0.101) | 32             |
| Example 195 | 496      | 5.48                | 6.22                             | (0.134, 0.101) | 35             |
| Example 196 | 498      | 5.55                | 6.34                             | (0.134, 0.103) | 36             |
| Example 197 | 499      | 5.49                | 6.35                             | (0.134, 0.104) | 34             |
| Example 198 | 500      | 5.42                | 6.30                             | (0.134, 0.103) | 33             |
| Example 199 | 555      | 4.55                | 6.93                             | (0.134, 0.100) | 41             |
| Example 200 | 556      | 4.79                | 6.44                             | (0.134, 0.102) | 35             |
| Comparative | Bphen    | 5.82                | 6.23                             | (0.134, 0.110) | 27             |
| Example 2-1 |          |                     |                                  |                |                |
| Comparative | BBQB     | 5.80                | 6.32                             | (0.134, 0.111) | 29             |
| Example 2-2 |          |                     |                                  |                |                |
| Comparative | TBQB     | 5.84                | 6.39                             | (0.134, 0.111) | 25             |
| Example 2-3 |          |                     |                                  |                |                |


[0171] As shown from the results of Table 7, the organic light emitting devices using the charge generation layer material of the blue organic light emitting device of the present disclosure had a low driving voltage and improved light emission efficiency compared to Comparative Example 2. Particularly, it was identified that Compounds 1, 2, 3, 35, 52, 102, 149, 150, 151, 183, 199 and 555 were significantly excellent in all of driving, efficiency and lifespan.

[0172] The presumed reason for such results is that the compound of the present disclosure used as an N-type charge generation layer formed with an invented skeleton having proper length, strength and flat property and a proper hetero-compound capable of binding with metals is doped with an alkali metal or an alkali-earth metal to form a gap state within the N-type charge generation layer, and electrons produced from a P-type charge generation layer are readily injected to the electron transfer layer through the gap state produced within the N-type charge generation layer. Accordingly, the P-type charge generation layer favorably carried out electron injection and electron transfer to the N-type charge generation layer, and as a result, it is considered that a driving voltage of the organic light emitting device decreased, and efficiency and lifespan were improved.

#### Experimental Example 3

[0173] 1) Manufacture of Organic Light Emitting Device  
 [0174] A transparent electrode ITO thin film obtained from glass for an OLED (manufactured by Samsung Corning Advanced Glass) was ultrasonic cleaned consecutively using trichloroethylene, acetone, ethanol and distilled water for 5 minutes each, placed in isopropanol and stored, and then used.


[0175] Next, the ITO substrate was installed in a substrate folder of vacuum deposition equipment, and the following 4,4',4''-tris(N,N-(2-naphthyl)-phenylamino)triphenyl amine (2-TNATA) was introduced to a cell in the vacuum deposition equipment.



2-TNATA


[0176] Subsequently, the chamber was exhausted until the degree of vacuum inside the chamber reached  $10^{-6}$  torr, and then a current was applied to the cell to evaporate the 2-TNATA to deposit a hole injection layer having a thickness of 600 Å on the ITO substrate.

[0177] The following N,N'-bis( $\alpha$ -naphthyl)-N,N'-diphenyl-4,4'-diamine (NPB) was introduced to a different cell in the vacuum deposition equipment, a current was applied to the cell to evaporate to deposit a hole transfer layer having a thickness of 300 Å on the hole injection layer.




NPB

[0178] After forming the hole injection layer and the hole transfer layer as above, a blue light emitting material having a structure as follows was deposited thereon as a light emitting layer. Specifically, H1, a blue light emitting host material, was vacuum deposited to a thickness of 200 Å on one cell in the vacuum deposition equipment, and D1, a blue light emitting dopant material, was vacuum deposited thereon in 5% with respect to the host material.




H1




D1


[0179] Subsequently, a compound of the following structural formula E1 was deposited to a thickness of 300 Å as an electron transfer layer.



E1



BBQB



[0180] As an electron injection layer, lithium fluoride (LiF) was deposited to a thickness of 10 Å, and an Al cathode was formed to a thickness of 1,000 Å to manufacture an OLED device.

[0181] Meanwhile, all the organic compounds required to manufacture the OLED device were vacuum sublimation purified under  $10^{-6}$  torr to  $10^{-8}$  torr by each material to be used in the OLED manufacture.

[0182] 2) Driving Voltage and Light Emission Efficiency of Organic Light Emitting Device

[0183] For the organic light emitting devices manufactured as above, electroluminescent light emission (EL) characteristics were measured using M7000 manufactured by McScience Inc., and with the measurement results,  $T_{95}$  when standard luminance was 700 cd/m<sup>2</sup> was measured using a lifetime test system (M6000) manufactured by McScience Inc. Results of measuring a driving voltage, light emission efficiency, external quantum efficiency and a color coordinate (CIE) of the white organic light emitting devices manufactured according to the present disclosure are as shown in Table 8.

TABLE 8

|             |          | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|-------------|----------|---------------------------|-------------------------------------------|----------------|-------------------|
|             | Compound |                           |                                           |                |                   |
| Example 201 | 1        | 5.48                      | 6.02                                      | (0.134, 0.102) | 32                |
| Example 202 | 2        | 5.39                      | 6.24                                      | (0.134, 0.102) | 31                |
| Example 203 | 3        | 5.35                      | 6.34                                      | (0.134, 0.100) | 31                |
| Example 204 | 5        | 4.45                      | 6.98                                      | (0.134, 0.100) | 40                |
| Example 205 | 15       | 4.50                      | 6.99                                      | (0.134, 0.101) | 41                |
| Example 206 | 25       | 4.48                      | 6.85                                      | (0.134, 0.099) | 40                |
| Example 207 | 35       | 5.38                      | 5.64                                      | (0.134, 0.100) | 29                |
| Example 208 | 36       | 5.44                      | 5.85                                      | (0.134, 0.100) | 33                |
| Example 209 | 44       | 5.38                      | 5.90                                      | (0.134, 0.100) | 36                |
| Example 210 | 45       | 5.22                      | 6.01                                      | (0.134, 0.100) | 28                |
| Example 211 | 46       | 4.70                      | 6.67                                      | (0.134, 0.102) | 61                |
| Example 212 | 47       | 5.28                      | 6.10                                      | (0.134, 0.100) | 40                |
| Example 213 | 48       | 5.30                      | 6.20                                      | (0.134, 0.101) | 40                |
| Example 214 | 50       | 4.45                      | 7.03                                      | (0.134, 0.100) | 33                |
| Example 215 | 51       | 5.44                      | 6.14                                      | (0.134, 0.102) | 35                |
| Example 216 | 52       | 5.50                      | 6.00                                      | (0.134, 0.102) | 31                |
| Example 217 | 75       | 5.40                      | 6.21                                      | (0.134, 0.101) | 36                |
| Example 218 | 85       | 5.48                      | 6.22                                      | (0.134, 0.101) | 38                |
| Example 219 | 86       | 5.44                      | 6.25                                      | (0.134, 0.102) | 40                |
| Example 220 | 94       | 5.50                      | 6.32                                      | (0.134, 0.101) | 33                |

TABLE 8-continued

|             | Compound | Driving Voltage (V) | Light                      | CIE (x, y)     | Lifespan (T95) |
|-------------|----------|---------------------|----------------------------|----------------|----------------|
|             |          |                     | Emission Efficiency (cd/A) |                |                |
| Example 221 | 95       | 5.44                | 6.44                       | (0.134, 0.102) | 32             |
| Example 222 | 96       | 5.34                | 6.38                       | (0.134, 0.101) | 31             |
| Example 223 | 97       | 5.38                | 6.20                       | (0.134, 0.103) | 35             |
| Example 224 | 98       | 5.30                | 6.42                       | (0.134, 0.102) | 34             |
| Example 225 | 100      | 5.35                | 6.30                       | (0.134, 0.101) | 33             |
| Example 226 | 102      | 5.44                | 6.22                       | (0.134, 0.102) | 30             |
| Example 227 | 149      | 5.32                | 5.95                       | (0.134, 0.101) | 29             |
| Example 228 | 150      | 5.40                | 6.13                       | (0.134, 0.101) | 31             |
| Example 229 | 151      | 5.44                | 5.89                       | (0.134, 0.100) | 32             |
| Example 230 | 153      | 5.39                | 6.01                       | (0.134, 0.101) | 29             |
| Example 231 | 163      | 4.56                | 6.88                       | (0.134, 0.100) | 41             |
| Example 232 | 173      | 4.51                | 6.93                       | (0.134, 0.100) | 40             |
| Example 233 | 183      | 4.41                | 6.95                       | (0.134, 0.100) | 39             |
| Example 234 | 192      | 4.98                | 6.22                       | (0.134, 0.100) | 40             |
| Example 235 | 193      | 5.02                | 6.34                       | (0.134, 0.101) | 39             |
| Example 236 | 194      | 4.72                | 6.53                       | (0.134, 0.102) | 66             |
| Example 237 | 195      | 5.05                | 6.14                       | (0.134, 0.101) | 40             |
| Example 238 | 196      | 5.25                | 6.22                       | (0.134, 0.100) | 41             |
| Example 239 | 198      | 5.59                | 6.19                       | (0.134, 0.102) | 32             |
| Example 240 | 199      | 5.42                | 6.26                       | (0.134, 0.101) | 32             |
| Example 241 | 200      | 5.11                | 6.11                       | (0.134, 0.100) | 40             |
| Example 242 | 242      | 5.35                | 6.22                       | (0.134, 0.102) | 38             |
| Example 243 | 243      | 5.34                | 6.20                       | (0.134, 0.103) | 37             |
| Example 244 | 244      | 5.20                | 6.19                       | (0.134, 0.100) | 37             |
| Example 245 | 245      | 5.22                | 6.05                       | (0.134, 0.103) | 39             |
| Example 246 | 246      | 5.19                | 6.28                       | (0.134, 0.102) | 40             |
| Example 247 | 248      | 5.33                | 6.01                       | (0.134, 0.100) | 39             |
| Example 248 | 249      | 5.10                | 6.21                       | (0.134, 0.101) | 40             |
| Example 249 | 250      | 5.40                | 6.05                       | (0.134, 0.101) | 33             |
| Example 250 | 253      | 5.33                | 6.11                       | (0.134, 0.100) | 33             |
| Example 251 | 263      | 5.31                | 6.21                       | (0.134, 0.103) | 39             |
| Example 252 | 273      | 5.36                | 6.08                       | (0.134, 0.101) | 32             |
| Example 253 | 292      | 5.30                | 5.98                       | (0.134, 0.104) | 30             |
| Example 254 | 293      | 5.30                | 5.80                       | (0.134, 0.100) | 35             |
| Example 255 | 294      | 5.11                | 6.22                       | (0.134, 0.103) | 36             |
| Example 256 | 295      | 5.11                | 6.20                       | (0.134, 0.100) | 40             |
| Example 257 | 296      | 5.24                | 6.10                       | (0.134, 0.102) | 38             |
| Example 258 | 298      | 5.41                | 6.21                       | (0.134, 0.100) | 39             |
| Example 259 | 299      | 5.33                | 6.19                       | (0.134, 0.101) | 30             |
| Example 260 | 300      | 5.37                | 6.05                       | (0.134, 0.100) | 28             |
| Example 261 | 301      | 5.18                | 6.03                       | (0.134, 0.101) | 30             |
| Example 262 | 303      | 5.27                | 5.98                       | (0.134, 0.100) | 33             |
| Example 263 | 313      | 5.39                | 6.05                       | (0.134, 0.101) | 40             |
| Example 264 | 323      | 5.05                | 6.23                       | (0.134, 0.101) | 41             |
| Example 265 | 333      | 5.18                | 6.20                       | (0.134, 0.100) | 30             |
| Example 266 | 342      | 5.43                | 6.17                       | (0.134, 0.102) | 34             |
| Example 267 | 343      | 5.40                | 6.21                       | (0.134, 0.103) | 39             |
| Example 268 | 344      | 5.34                | 6.38                       | (0.134, 0.100) | 38             |
| Example 269 | 345      | 5.27                | 6.40                       | (0.134, 0.102) | 41             |
| Example 270 | 346      | 5.15                | 6.10                       | (0.134, 0.103) | 39             |
| Example 271 | 348      | 5.20                | 6.15                       | (0.134, 0.101) | 40             |
| Example 272 | 399      | 5.22                | 6.12                       | (0.134, 0.101) | 33             |
| Example 273 | 400      | 5.05                | 6.20                       | (0.134, 0.102) | 37             |
| Example 274 | 401      | 5.11                | 6.14                       | (0.134, 0.102) | 38             |
| Example 275 | 403      | 5.22                | 6.22                       | (0.134, 0.103) | 36             |
| Example 276 | 413      | 5.07                | 6.24                       | (0.134, 0.100) | 33             |
| Example 277 | 423      | 5.05                | 6.31                       | (0.134, 0.100) | 31             |
| Example 278 | 442      | 5.09                | 6.22                       | (0.134, 0.101) | 32             |
| Example 279 | 443      | 5.11                | 6.05                       | (0.134, 0.103) | 35             |
| Example 280 | 444      | 5.21                | 6.09                       | (0.134, 0.101) | 33             |
| Example 281 | 445      | 5.32                | 6.12                       | (0.134, 0.102) | 31             |
| Example 282 | 446      | 5.33                | 6.20                       | (0.134, 0.101) | 28             |
| Example 283 | 448      | 5.34                | 6.25                       | (0.134, 0.102) | 29             |
| Example 284 | 449      | 5.43                | 6.17                       | (0.134, 0.102) | 30             |
| Example 285 | 450      | 5.29                | 6.18                       | (0.134, 0.101) | 35             |
| Example 286 | 451      | 5.40                | 6.20                       | (0.134, 0.103) | 33             |
| Example 287 | 453      | 5.38                | 6.11                       | (0.134, 0.103) | 34             |
| Example 288 | 463      | 5.35                | 6.01                       | (0.134, 0.102) | 33             |
| Example 289 | 473      | 5.37                | 6.05                       | (0.134, 0.101) | 31             |
| Example 290 | 484      | 5.40                | 5.99                       | (0.134, 0.102) | 37             |
| Example 291 | 492      | 5.51                | 5.90                       | (0.134, 0.103) | 38             |
| Example 292 | 493      | 5.54                | 6.22                       | (0.134, 0.102) | 33             |


TABLE 8-continued

|                            |          | Driving<br>Voltage<br>(V) | Light<br>Emission<br>Efficiency<br>(cd/A) | CIE<br>(x, y)  | Lifespan<br>(T95) |
|----------------------------|----------|---------------------------|-------------------------------------------|----------------|-------------------|
|                            | Compound |                           |                                           |                |                   |
| Example 293                | 494      | 5.34                      | 6.19                                      | (0.134, 0.104) | 30                |
| Example 294                | 495      | 5.38                      | 5.92                                      | (0.134, 0.104) | 28                |
| Example 295                | 496      | 5.27                      | 6.11                                      | (0.134, 0.101) | 38                |
| Example 296                | 498      | 5.25                      | 6.02                                      | (0.134, 0.102) | 34                |
| Example 297                | 499      | 5.44                      | 6.00                                      | (0.134, 0.102) | 32                |
| Example 298                | 500      | 5.43                      | 6.19                                      | (0.134, 0.101) | 31                |
| Example 299                | 555      | 5.48                      | 6.35                                      | (0.134, 0.101) | 30                |
| Example 300                | 556      | 5.55                      | 6.09                                      | (0.134, 0.100) | 40                |
| Comparative<br>Example 3-1 | E1       | 5.56                      | 5.91                                      | (0.134, 0.100) | 28                |
| Comparative<br>Example 3-2 | BBQB     | 5.50                      | 6.10                                      | (0.134, 0.101) | 30                |
| Comparative<br>Example 3-3 | TBQB     | 5.51                      | 6.15                                      | (0.134, 0.102) | 29                |

**[0184]** As shown from the results of Table 8, the organic light emitting devices using the electron transfer layer material of the blue organic light emitting device of the present disclosure had a low driving voltage and significantly improved light emission efficiency and lifespan compared to Comparative Example 3. Particularly, it was identified that Compounds 5, 15, 25, 46, 50, 153, 163, 173, 194 and 198 were significantly excellent in all of driving, efficiency and lifespan.

**[0185]** The presumed reason for such results is that, when the invented compound having proper length, strength and flat property is used as an electron transfer layer, a compound in an excited state is produced by receiving electrons under a specific condition, and particularly, when the excited state is formed in the heteroskeleton site of the compound, excited energy moves to a stable state before the excited heteroskeleton site goes through a different reaction, and the relatively stabilized compound is capable of efficiently transferring electrons without compound decomposition or destruction. As a reference, it is considered that those having a stable state when excited are aryl or acene series compounds or multicyclic hetero-compounds. Accordingly, it is considered that the compound of the present disclosure enhances electron-transport properties or improved stability resulting in excellency in all of driving, efficiency and lifespan.

1. A hetero-cyclic compound represented by the following Chemical Formula 1:



wherein, in Chemical Formula 1,

L1 is a direct bond; a substituted or unsubstituted  $C_6$  to  $C_{60}$  arylene group; or a  $C_2$  to  $C_{60}$  heteroarylene group; Z1 is selected from the group consisting of hydrogen; deuterium; a halogen group;  $-CN$ ; a substituted or

unsubstituted  $C_1$  to  $C_{60}$  alkyl group; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group;  $-SiRR'R''$ ;  $-P(=O)RR'$ ; and an amine group unsubstituted or substituted with a  $C_1$  to  $C_{20}$  alkyl group, a  $C_6$  to  $C_{60}$  aryl group or a  $C_2$  to  $C_{60}$  heteroaryl group;

m is an integer of 0 to 4;

n is an integer of 1 to 4;


R1 to R11 are the same as or different from each other, and each independently selected from the group consisting of hydrogen; deuterium; a halogen group;  $-CN$ ; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkyl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  alkenyl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  alkynyl group; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkoxy group; a substituted or unsubstituted  $C_3$  to  $C_{60}$  cycloalkyl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  heterocycloalkyl group; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group;  $-SiRR'R''$ ;  $-P(=O)RR'$ ; and an amine group unsubstituted or substituted with a  $C_1$  to  $C_{20}$  alkyl group, a  $C_6$  to  $C_{60}$  aryl group or a  $C_2$  to  $C_{60}$  heteroaryl group, or two or more groups adjacent to each other bond to each other to form a substituted or unsubstituted aliphatic or aromatic hydrocarbon ring; and

R, R' and R'' are the same as or different from each other, and each independently hydrogen; deuterium;  $-CN$ ; a substituted or unsubstituted  $C_1$  to  $C_{60}$  alkyl group; a substituted or unsubstituted  $C_3$  to  $C_{60}$  cycloalkyl group; a substituted or unsubstituted  $C_6$  to  $C_{60}$  aryl group; or a substituted or unsubstituted  $C_2$  to  $C_{60}$  heteroaryl group.

2. The hetero-cyclic compound of claim 1, wherein at least one of R1 to R5 of Chemical Formula 1 is represented by  $-(L2)p-(Z2)q$ , L2 has the same definition as L1 of Chemical Formula 1 and Z2 has the same definition as Z1 of Chemical Formula 1, p is an integer of 0 to 4, and q is an integer of 1 to 4.

3. The hetero-cyclic compound of claim 1, wherein Chemical Formula 1 is represented by the following Chemical Formula 2:

[Chemical Formula 2]



wherein, in Chemical Formula 2,

at least one of R1 to R5 is represented by  $-(L2)p-(Z2)q$  and the rest have the same definitions as in Chemical Formula 1;


L2 has the same definition as L1 of Chemical Formula 1 and Z2 has the same definition as Z1 of Chemical Formula 1;

p is an integer of 0 to 4;

q is an integer of 1 to 4; and

R6 to R11 have the same definitions as in Chemical Formula 1.

4. The hetero-cyclic compound of claim 1, wherein Chemical Formula 1 is represented by the following Chemical Formula 3:



wherein, in Chemical Formula 3,

at least one of R12 to R16 is represented by  $-(L3)_r-(Z3)_s$ , and the rest are selected from the group consisting of hydrogen; deuterium; a halogen group;  $-\text{CN}$ ; a substituted or unsubstituted  $\text{C}_1$  to  $\text{C}_{60}$  alkyl group; a substituted or unsubstituted  $\text{C}_6$  to  $\text{C}_{60}$  aryl group; a substituted or unsubstituted  $\text{C}_2$  to  $\text{C}_{60}$  heteroaryl group;  $-\text{SiRR}'\text{R}''$ ;  $-\text{P}(=\text{O})\text{RR}'$ ; and an amine group unsubstituted or substituted with a  $\text{C}_1$  to  $\text{C}_{20}$  alkyl group, a  $\text{C}_6$  to  $\text{C}_{60}$  aryl group or a  $\text{C}_2$  to  $\text{C}_{60}$  heteroaryl group;

L3 has the same definition as L1 of Chemical Formula 1 and Z3 has the same definition as Z1 of Chemical Formula 1;



r is an integer of 0 to 3;

s is an integer of 1 to 4; and



R6 to R11 have the same definitions as in Chemical Formula 1.

5. The hetero-cyclic compound of claim 1, wherein R6 to R11 of Chemical Formula 1 are each independently hydrogen or deuterium.

6. The hetero-cyclic compound of claim 1, wherein Chemical Formula 1 is represented by any one of the following compounds:



-continued



1


2

3

4


-continued

5




-continued


8




6




9



7




10




-continued

11





-continued

14





15

12




16

13




-continued

17




-continued


20




18




21



19




22




-continued

23




-continued


26



24





27




28

25




-continued

29




-continued


32




30




33



31




34




-continued


35




36



37




38




-continued


39




40



41




42




-continued

43




-continued


46




44




47




48



45




49




-continued


50



51




52




-continued


53



54




55




-continued

56





-continued

59




60


57



58




61




-continued

62





-continued

65





66

63




67

64




-continued

68




-continued


71




69




72



70




73




-continued


74



75




76




-continued


77



78




79




-continued

80




-continued


83




81




84



82




85




-continued

86





-continued

90





91

87





92

88




93

89




-continued

94




-continued


97




95




98



96




99




-continued


100



101




102




-continued


103



104




105




-continued


106



107




108




-continued


109



110




111




-continued

112





-continued

115





116

113




117

114




-continued

118




-continued


121




119




122



120




123




-continued


124



125




126




-continued


127



128




129




-continued

130




-continued


133




131




134




132



135




-continued




136


-continued




140




137




141




138



142




139



143


-continued

144




-continued


147




145




148




146



149




-continued




150


-continued




154




151




152



155




153



156


-continued

157




-continued


160




158




161



159




162




163

-continued




163

-continued




166


164




167



165




168




-continued

169




-continued


172




170




173



171




174




-continued

175




-continued


178




176




179




177



180




-continued




181


-continued




184




182




185



186




183



187


167

-continued




188

-continued




191


189



192




190



193


-continued




194

-continued


197




195




198



196




199




-continued

200




-continued


203




201




204



202




205




-continued


206




207



208




209




-continued


210



211




-continued




212


-continued




215




213




216



217




214




218


-continued




220




221




-continued



223




224




-continued

225




-continued


229




226




227




228




230




231




-continued




-continued




233






235



236




-continued



-continued


237

240




241

238




242


239



243




-continued




244

-continued




247



245



246




248



249


250

-continued




251

-continued




254


252




255



253




256




-continued

257




-continued


260




258




261



259




262




-continued

263




-continued


266




264




267



265




268




-continued

269




-continued


272




270




273



271




274




-continued

275





-continued

278




279


276



277




280




-continued

281




-continued


284




282




285




286



283




287




-continued


288




289



290




291




-continued


292




293



294




295




-continued


296




297



298




299




-continued


300




301



302




303




-continued

304




-continued


307




305




308



306




309




-continued

310





-continued

313





314

311







315




312



-continued




-continued




-continued

323




-continued


326




324




327




325



328




329




-continued

330




-continued


333




331




334




332








335



-continued




-continued




-continued

342




-continued


345




343




346



344




347




-continued


348




349



350




351




-continued


352



353




354




-continued

355




-continued


358




356




359



357




360




-continued

361




-continued


364




362




365



363




366




-continued

367




-continued


370




368




371



369




372




-continued

373




-continued


376




374




377




375



378




379




-continued

380




-continued


383




381




384



382




385




-continued

386




-continued


389



387





390




391

388




-continued

392




-continued


395




393




396



394




397




-continued

398




-continued


401




399




402




400








403




-continued



-continued




-continued




410


-continued




413




411



414




412




415

-continued




416


-continued




419




417



420




418




421

-continued




422

-continued




425


423




426




424



427




-continued




428

-continued




431


429




432




430



433




-continued




434


-continued




438




435




439



436




437




440

-continued




441


-continued




444




442



445




443




446

-continued




447


-continued




450




448



451




449




452


-continued




-continued




454




456




-continued




-continued




458




460




-continued




-continued



462




464




-continued

465




-continued


467



466




468




-continued

469




-continued


471




470




472




-continued




-continued



474




476




-continued

477




-continued


479




478




480



-continued




-continued




483


482




484



485




-continued




486

-continued




489


487



488




490




-continued

491




-continued


493




492




494



495




-continued




496


-continued



498




497




499

-continued


500



501




502




-continued


503




504




-continued




-continued



506




508




-continued

509




-continued


511




510




512




-continued




-continued



514




516




-continued

517




-continued


519



518




520




225


-continued




-continued



522




524




-continued

525




-continued


527



526




528




-continued

529




-continued


531




530



532




-continued




533

-continued




536


534




537



535




538




-continued

539




-continued


541




542




543



540




-continued




544


-continued




546



545




547



548


-continued

549




-continued


552




550




553



551




554




-continued

555




-continued


557




556




558



559




-continued




560


-continued




563




561



564




562



565


-continued

566




-continued


569




570




567



571




568




235

-continued




572

-continued




575


573




576



574




-continued




577

-continued




579


580



578




581




-continued

582




-continued


585




583




586



584




587




-continued

588




-continued


591




589




592



590




593




-continued

594



595



7. An organic light emitting device comprising:

an anode;

a cathode; and

one or more organic material layers provided between the anode and the cathode,

wherein one or more layers of the organic material layers comprise the hetero-cyclic compound of claim 1.

8. The organic light emitting device of claim 7, wherein the organic material layer comprises at least one of a hole blocking layer, an electron injection layer and an electron transfer layer, and at least one of the hole blocking layer, the electron injection layer and the electron transfer layer comprises the hetero-cyclic compound.

9. The organic light emitting device of claim 7, wherein the organic material layer comprises a light emitting layer, and the light emitting layer comprises the hetero-cyclic compound.

10. The organic light emitting device of claim 7, wherein the organic material layer comprises one or more of a hole injection layer, a hole transfer layer, and a layer carrying out hole injection and hole transfer at the same time, and one of the above-mentioned layers comprises the hetero-cyclic compound.

11. The organic light emitting device of claim 7, wherein the organic material layer comprises a charge generation layer, and the charge generation layer comprises the hetero-cyclic compound.

12. The organic light emitting device of claim 7, comprising:

an anode;

a first stack provided on the anode and comprising a first light emitting layer;

a charge generation layer provided on the first stack;

a second stack provided on the charge generation layer and comprising a second light emitting layer; and

a cathode provided on the second stack.

\* \* \* \* \*

|                |                                                                                                                                                                                                             |         |            |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|------------|
| 专利名称(译)        | 杂环化合物和使用其的有机发光器件                                                                                                                                                                                            |         |            |
| 公开(公告)号        | <a href="#">US20190319195A1</a>                                                                                                                                                                             | 公开(公告)日 | 2019-10-17 |
| 申请号            | US16/315485                                                                                                                                                                                                 | 申请日     | 2017-07-06 |
| [标]申请(专利权)人(译) | 喜星素材股份有限公司                                                                                                                                                                                                  |         |            |
| 申请(专利权)人(译)    | 喜星材料有限公司.                                                                                                                                                                                                   |         |            |
| 当前申请(专利权)人(译)  | 喜星材料有限公司.                                                                                                                                                                                                   |         |            |
| [标]发明人         | LEE GI BACK<br>JUNG YONG GEUN<br>MO JUN TAE<br>JEONG WON JANG<br>CHOI JIN SEOK<br>CHOI DAE HYUK<br>LEE JOO DONG                                                                                             |         |            |
| 发明人            | LEE, GI-BACK<br>OH, HAN-KOOK<br>JUNG, YONG-GEUN<br>MO, JUN-TAE<br>JEONG, WON-JANG<br>CHOI, JIN-SEOK<br>CHOI, DAE-HYUK<br>LEE, JOO-DONG                                                                      |         |            |
| IPC分类号         | H01L51/00                                                                                                                                                                                                   |         |            |
| CPC分类号         | H01L51/5096 H01L51/0067 H01L51/5072 H01L51/0073 H01L51/0072 H01L51/0052 H01L51/5092<br>H01L51/0074 C07D221/06 C07D401/10 C07D403/10 C07D471/04 C09K11/06 H01L51/00 H01L51/50<br>C09K2211/1011 C09K2211/1029 |         |            |
| 优先权            | 1020160085748 2016-07-06 KR                                                                                                                                                                                 |         |            |
| 外部链接           | <a href="#">Espacenet</a> <a href="#">USPTO</a>                                                                                                                                                             |         |            |

## 摘要(译)

本申请提供能够显著提高有机发光器件的寿命，效率，电化学稳定性和热稳定性的杂环化合物，以及在有机化合物层中包含该杂环化合物的有机发光器件。

[Chemical Formula 1]

