



US 20190036039A1

(19) **United States**

(12) **Patent Application Publication**
JUNG et al.

(10) **Pub. No.: US 2019/0036039 A1**
(43) **Pub. Date: Jan. 31, 2019**

(54) **ORGANOMETALLIC COMPOUND AND ORGANIC LIGHT-EMITTING DEVICE INCLUDING THE SAME**

(52) **U.S. Cl.**
CPC *H01L 51/0085* (2013.01); *H01L 51/5016* (2013.01); *C09K 11/06* (2013.01); *C07F 15/0033* (2013.01)


(71) Applicants: **Samsung Electronics Co., Ltd.**, Suwon-si (KR); **Samsung SDI Co., Ltd.**, Yongin-si (KR)

(57) **ABSTRACT**

An organometallic compound represented by one of Formulae 1 to 4:


(72) Inventors: **Yongsik JUNG**, Yongin-si (KR); **Eunsuk KWON**, Suwon-si (KR); **Minsik MIN**, Suwon-si (KR); **Hyejin BAE**, Suwon-si (KR); **Virendra Kumar RAI**, Hwaseong-si (KR); **Jhunmo SON**, Yongin-si (KR); **Hasup Lee**, Seoul (KR); **Jongsoo KIM**, Seoul (KR); **Joonghyuk KIM**, Seoul (KR)

(21) Appl. No.: **16/041,085**



Formula 1

(22) Filed: **Jul. 20, 2018**



Formula 2


(30) **Foreign Application Priority Data**

Jul. 20, 2017 (KR) 10-2017-0092254
Jul. 18, 2018 (KR) 10-2018-0083252


Publication Classification

(51) **Int. Cl.**
H01L 51/00 (2006.01)
C07F 15/00 (2006.01)
C09K 11/06 (2006.01)

(Continued)




-continued



Formula 3

-continued



Formula 4

wherein, in Formulae 1 to 4, groups and variables are the same as described in the specification.

FIG. 1




FIG. 2





FIG. 3



**ORGANOMETALLIC COMPOUND AND
ORGANIC LIGHT-EMITTING DEVICE
INCLUDING THE SAME**

CROSS-REFERENCE TO RELATED
APPLICATION

[0001] This application claims priority to Korean Patent Application No. 10-2017-0092254, filed on Jul. 20, 2017, in the Korean Intellectual Property Office and Korean Patent Application No. 10-2018-0083252, filed on Jul. 18, 2018, in the Korean Intellectual Property Office, and all the benefits accruing therefrom under 35 U.S.C. § 119, the contents of which are incorporated herein in their entirety by reference.

BACKGROUND

1. Field

[0002] One or more embodiments relate to an organometallic compound and an organic light-emitting device including the same.

2. Description of the Related Art

[0003] Organic light-emitting devices (OLEDs) are self-emission devices that produce full-color images, and that also have wide viewing angles, high contrast ratios, short response times, and excellent characteristics in terms of brightness, driving voltage, and response speed, compared to devices in the art.

[0004] A typical organic light-emitting device includes an anode, a cathode, and an organic layer disposed between the anode and the cathode, wherein the organic layer includes an emission layer. A hole transport region may be disposed between the anode and the emission layer, and an electron transport region may be disposed between the emission layer and the cathode. Holes provided from the anode may move toward the emission layer through the hole transport region, and electrons provided from the cathode may move toward the emission layer through the electron transport region. The holes and the electrons recombine in the emission layer to produce excitons. These excitons transit from an excited state to a ground state, thereby generating light.


[0005] Various types of organic light emitting devices are known. However, there still remains a need in OLEDs having low driving voltage, high efficiency, high brightness, and long lifespan.

SUMMARY


[0006] Aspects of the present disclosure provide a new organometallic compound and an organic light-emitting device including the same.

[0007] Additional aspects will be set forth in part in the description which follows and, in part, will be apparent from the description, or may be learned by practice of the presented embodiments.


[0008] An aspect of the present disclosure provides an organometallic compound represented by one of Formulae 1 to 4:




Formula 1



Formula 2



Formula 3



Formula 4

[0009] In Formulae 1 to 4,

[0010] M_{11} , M_{21} , M_{31} , and M_{41} may each independently be selected from first-row transition metals, second-row transition metals, and third-row transition metals,

[0011] X_{11} to X_{13} may each independently be selected from N, $N(R_{12})$, O, S, $C(R_{13})$, and $C(R_{12})(R_{13})$, and two neighboring constituents R_2 , neighboring R_{12} and R_{13} , and/or two neighboring constituents R_{13} may optionally be linked to form a substituted or unsubstituted C_5-C_{30} carbocyclic group or a substituted or unsubstituted C_1-C_{30} heterocyclic group,

[0012] X_{21} to X_{23} may each independently be selected from N, $N(R_{22})$, O, S, $C(R_{23})$, and $C(R_{22})(R_{23})$, and two neighboring constituents R_{22} , neighboring R_{22} and R_{23} , and/or two neighboring constituents R_{23} may optionally be linked to form a substituted or unsubstituted C_5-C_{30} carbocyclic group or a substituted or unsubstituted C_1-C_{30} heterocyclic group,

[0013] X_{31} to X_{33} may each independently be selected from N, $N(R_{32})$, O, S, $C(R_{33})$, and $C(R_{32})(R_{33})$, and two

neighboring constituents R_{32} , neighboring R_{32} and R_{33} , and/or two neighboring constituents R_{33} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0014] X_{41} to X_{43} may each independently be selected from N, $N(R_{42})$, O, S, $C(R_{43})$, and $C(R_{42})(R_{43})$, and two neighboring constituents R_{42} , neighboring R_{42} and R_{43} , and/or two neighboring constituents R_{43} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0015] a bond between X_{11} and X_{13} , a bond between X_{11} and X_{12} , a bond between X_{12} and N, a bond between X_{21} and X_{23} , a bond between X_{21} and X_{22} , a bond between X_{22} and N, a bond between X_{31} and X_{33} , a bond between X_{31} and X_{32} , a bond between X_{32} and N, a bond between X_{41} and X_{43} , a bond between X_{41} and X_{42} , and a bond between X_{42} and N may each independently be a single bond or a double bond,

[0016] X_{14} and X_{15} may each independently be N or $C(R_{14})$,

[0017] X_{24} and X_{25} may each independently be N or $C(R_{24})$,

[0018] X_{34} and X_{35} may each independently be N or $C(R_{34})$,

[0019] X_{44} and X_{45} may each independently be N or $C(R_{44})$,

[0020] Y_{11} may be selected from $N(R_{15})$, O, and S,

[0021] Y_{21} may be selected from $N(R_{25})$, O, and S,

[0022] Y_{31} may be selected from $N(R_{35})$, O, and S,

[0023] Y_{41} may be selected from $N(R_{45})$, O, and S,

[0024] Z_{11} and Z_{12} may each independently be N or $C(R_{11})$, provided at least one of Z_{11} and Z_{12} is N,

[0025] Z_{21} and Z_{22} may each independently be N or $C(R_{21})$, provided at least one of Z_{21} and Z_{22} is N,

[0026] Z_{31} and Z_{32} may each independently be N or $C(R_{31})$, provided at least one of Z_{31} and Z_{32} is N,

[0027] Z_{41} and Z_{42} may each independently be N or $C(R_{41})$, provided at least one of Z_{41} and Z_{42} is N,

[0028] R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, —SFS, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_7 - C_{60} arylalkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_1 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_1 - C_{60} heteroarylthio group, a substituted or unsubstituted C_2 - C_{60} heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsub-

stituted monovalent non-aromatic condensed heteropolycyclic group, — $N(Q_1)(Q_2)$, — $Si(Q_3)(Q_4)(Q_5)$, — $B(Q_6)(Q_7)$, and — $P(=O)(Q_8)(Q_9)$, two, three, or four neighboring constituents selected from R_{11} to R_{15} , two, three, or four neighboring constituents selected from R_{21} to R_{25} , two, three, or four neighboring constituents selected from R_{31} to R_{35} , and/or two, three, or four neighboring constituents selected from R_{41} to R_{45} may optionally be linked to form a four-coordinate, six-coordinate, or eight-coordinate ligand,

[0029] n_{11} , n_{21} , n_{31} , and n_{41} may each independently be selected from 1, 2, 3, and 4,

[0030] n_{12} , n_{22} , n_{32} , and n_{42} may each independently be selected from 0, 1, 2, 3, and 4,

[0031] L_{12} , L_{22} , L_{32} , and L_{42} may each independently be selected from a one-coordinate ligand, a two-coordinate ligand, and a three-coordinate ligand, and

[0032] Q_1 to Q_9 may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_1 - C_{60} alkyl group substituted with at least one selected from deuterium, a C_1 - C_{60} alkyl group, and a C_6 - C_{60} aryl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryl group substituted with at least one selected from deuterium, a C_1 - C_{60} alkyl group, and a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a C_2 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0033] Another aspect of the present disclosure provides an organic light-emitting device including:

[0034] a first electrode;

[0035] a second electrode; and

[0036] an organic layer disposed between the first electrode and the second electrode,

[0037] wherein the organic layer includes an emission layer and the organometallic compound.

[0038] The organometallic compound in the emission layer may act as a dopant.

BRIEF DESCRIPTION OF THE DRAWINGS

[0039] These and/or other aspects will become apparent and more readily appreciated from the following description of the embodiments, taken in conjunction with the accompanying drawings in which:

[0040] FIG. 1 is a schematic cross-sectional view of an organic light-emitting device according to an embodiment;

[0041] FIG. 2 is a graph of current (amperes, A) versus voltage (volts, V) showing data obtained by measuring Compound 8 by using cyclic voltammetry (CV); and

[0042] FIG. 3 is a graph of normalized intensity (arbitrary units, a. u.) versus wavelength (nanometers, nm) showing a photoluminescence (PL) spectrum of Compound 8.

DETAILED DESCRIPTION

[0043] Reference will now be made in detail to embodiments, examples of which are illustrated in the accompanying drawings, wherein like reference numerals refer to like elements throughout. In this regard, the present embodiments may have different forms and should not be construed as being limited to the descriptions set forth herein. Accordingly, the embodiments are merely described below, by referring to the figures, to explain aspects of the present description. As used herein, the term “and/or” includes any and all combinations of one or more of the associated listed items. Expressions such as “at least one of,” when preceding a list of elements, modify the entire list of elements and do not modify the individual elements of the list.

[0044] It will be understood that when an element is referred to as being “on” another element, it can be directly in contact with the other element or intervening elements may be present therebetween. In contrast, when an element is referred to as being “directly on” another element, there are no intervening elements present.

[0045] It will be understood that, although the terms first, second, third etc. may be used herein to describe various elements, components, regions, layers, and/or sections, these elements, components, regions, layers, and/or sections should not be limited by these terms. These terms are only used to distinguish one element, component, region, layer, or section from another element, component, region, layer, or section. Thus, a first element, component, region, layer, or section discussed below could be termed a second element, component, region, layer, or section without departing from the teachings of the present embodiments.

[0046] The terminology used herein is for the purpose of describing particular embodiments only and is not intended to be limiting. As used herein, the singular forms “a,” “an,” and “the” are intended to include the plural forms as well, unless the context clearly indicates otherwise.

[0047] The term “or” means “and/or.” It will be further understood that the terms “comprises” and/or “comprising,” or “includes” and/or “including” when used in this specification, specify the presence of stated features, regions, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, regions, integers, steps, operations, elements, components, and/or groups thereof.


[0048] Unless otherwise defined, all terms (including technical and scientific terms) used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this general inventive concept belongs. It will be further understood that terms, such as those defined in commonly used dictionaries, should be interpreted as having a meaning that is consistent with their meaning in the context of the relevant art and the present disclosure, and will not be interpreted in an idealized or overly formal sense unless expressly so defined herein.

[0049] Exemplary embodiments are described herein with reference to cross section illustrations that are schematic illustrations of idealized embodiments. As such, variations from the shapes of the illustrations as a result, for example, of manufacturing techniques and/or tolerances, are to be expected. Thus, embodiments described herein should not be construed as limited to the particular shapes of regions as illustrated herein but are to include deviations in shapes that result, for example, from manufacturing. For example, a region illustrated or described as flat may, typically, have


rough and/or nonlinear features. Moreover, sharp angles that are illustrated may be rounded. Thus, the regions illustrated in the figures are schematic in nature and their shapes are not intended to illustrate the precise shape of a region and are not intended to limit the scope of the present claims.

[0050] “About” or “approximately” as used herein is inclusive of the stated value and means within an acceptable range of deviation for the particular value as determined by one of ordinary skill in the art, considering the measurement in question and the error associated with measurement of the particular quantity (i.e., the limitations of the measurement system). For example, “about” can mean within one or more standard deviations, or within $\pm 30\%$, 20% , 10% , 5% of the stated value.


[0051] An organometallic compound according to an embodiment is represented by one of Formulae 1 to 4:




Formula 1



Formula 2



Formula 3



Formula 4

[0052] M_{11} , M_{21} , M_{31} , and M_{41} in Formulae 1 to 4 may each independently be selected from first-row transition metals, second-row transition metals, and third-row transition metals.

[0053] For example, M_{11} , M_{21} , M_{31} , and M_{41} in Formulae 1 to 4 may each independently be selected from platinum (Pt), palladium (Pd), copper (Cu), silver (Ag), gold (Au), rhodium (Rh), iridium (Ir), ruthenium (Ru), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), and thulium (Tm), but embodiments of the present disclosure are not limited thereto.

[0054] In an embodiment, M_{11} , M_{21} , M_{31} , and M_{41} in Formulae 1 to 4 may each independently be selected from Pt, Pd, Cu, Ag, Au, Rh, Ir, Ru, and Os, but embodiments of the present disclosure are not limited thereto.

[0055] In an embodiment, M_{11} , M_{21} , M_{31} , and M_{41} in Formulae 1 to 4 may each independently be selected from Rh, Ir, Ru, and Os, but embodiments of the present disclosure are not limited thereto.

[0056] In an embodiment, M_{11} , M_{21} , M_{31} , and M_{41} in Formulae 1 to 4 may each be Ir, but embodiments of the present disclosure are not limited thereto.

[0057] In Formulae 1 to 4, X_{11} to X_{13} may each independently be selected from N, $N(R_{12})$, O, S, $C(R_{13})$, and $C(R_{12})(R_{13})$, and two neighboring constituents R_{12} , two neighboring R_{12} and R_{13} , and/or two neighboring constituents R_{13} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0058] X_{21} to X_{23} may each independently be selected from N, $N(R_{22})$, O, S, $C(R_{23})$, and $C(R_{22})(R_{23})$, and two neighboring constituents R_{22} , two neighboring R_{22} and R_{23} , and/or two neighboring constituents R_{23} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

[0059] X_{31} to X_{33} may each independently be selected from N, $N(R_{32})$, O, S, $C(R_{33})$, and $C(R_{32})(R_{33})$, two neighboring constituents R_{32} , two neighboring R_{32} and R_{33} , and/or two neighboring constituents R_{33} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group, and

[0060] X_{41} to X_{43} may each independently be selected from N, $N(R_{42})$, O, S, $C(R_{43})$, and $C(R_{42})(R_{43})$, and two neighboring constituents R_{42} , two neighboring R_{42} and R_{43} , and/or two neighboring constituents R_{43} may optionally be linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group.

[0061] For example, in Formulae 1 to 4, X_{11} may be $C(R_{13})$, X_{12} may be N or $C(R_{13})$, and X_{13} may be $N(R_{12})$,

[0062] X_{21} may be $C(R_{23})$, X_{22} may be N or $C(R_{23})$, and X_{23} may be $N(R_{22})$,

[0063] X_{31} may be $C(R_{33})$, X_{32} may be N or $C(R_{33})$, and X_{33} may be $N(R_{32})$, and

[0064] X_{41} may be $C(R_{43})$, X_{42} may be N or $C(R_{43})$, and X_{43} may be $N(R_{42})$, but embodiments of the present disclosure are not limited thereto.

[0065] In an embodiment, in Formulae 1 to 4, X_{12} may be $C(R_{13})$, X_{11} may be N or $C(R_{13})$, and X_{13} may be $N(R_{12})$,

[0066] X_{22} may be $C(R_{23})$, X_{21} may be N or $C(R_{23})$, and X_{23} may be $N(R_{22})$,

[0067] X_{32} may be $C(R_{33})$, X_{31} may be N or $C(R_{33})$, and X_{33} may be $N(R_{32})$, and

[0068] X_{42} may be $C(R_{43})$, X_{41} may be N or $C(R_{43})$, and X_{43} may be $N(R_{42})$, but embodiments of the present disclosure are not limited thereto.

[0069] In an embodiment, in Formulae 1 to 4, X_{11} may be N, X_{12} may be N or $C(R_{13})$, and X_{13} may be $N(R_{12})$,

[0070] X_{21} may be N, X_{22} may be N or $C(R_{23})$, and X_{23} may be $N(R_{22})$,

[0071] X_{31} may be N, X_{32} may be N or $C(R_{33})$, and X_{33} may be $N(R_{32})$, and

[0072] X_{41} may be N, X_{42} may be N or $C(R_{43})$, and X_{43} may be $N(R_{42})$, but embodiments of the present disclosure are not limited thereto.

[0073] In an embodiment, in Formulae 1 to 4, X_{12} may be N, X_{11} may be N or $C(R_{13})$, and X_{13} may be $N(R_{12})$,

[0074] X_{22} may be N, X_{21} may be N or $C(R_{23})$, and X_{23} may be $N(R_{22})$,

[0075] X_{32} may be N, X_{31} may be N or $C(R_{33})$, and X_{33} may be $N(R_{32})$, and

[0076] X_{42} may be N, X_{41} may be N or $C(R_{43})$, and X_{43} may be $N(R_{42})$, but embodiments of the present disclosure are not limited thereto.

[0077] In an embodiment, in Formulae 1 to 4, X_{13} may be O or S, and X_{11} and X_{12} may each independently be N or $C(R_{13})$,

[0078] X_{23} may be O or S, and X_{21} and X_{22} may each independently be N or $C(R_{23})$,

[0079] X_{33} may be O or S, and X_{31} and X_{32} may each independently be N and $C(R_{33})$,

[0080] X_{43} may be O or S, and X_{41} and X_{42} may each independently be N and $C(R_{43})$, but embodiments of the present disclosure are not limited thereto.

[0081] In Formulae 1 to 4, a bond between X_{11} and X_{13} , a bond between X_{11} and X_{12} , a bond between X_{12} and N, a bond between X_{21} and X_{23} , a bond between X_{21} and X_{22} , a bond between X_{22} and N, a bond between X_{31} and X_{33} , a bond between X_{31} and X_{32} , a bond between X_{32} and N, a bond between X_{41} and X_{43} , a bond between X_{41} and X_{42} , and a bond between X_{42} and N may each independently be a single bond or a double bond.

[0082] For example, in Formulae 1 to 4, a bond between X_{11} and X_{12} , a bond between X_{21} and X_{22} , a bond between X_{31} and X_{32} , and a bond between X_{41} and X_{42} may each be a double bond, and a bond between X_{11} and X_{13} , a bond between X_{12} and N, a bond between X_{21} and X_{23} , a bond between X_{22} and N, a bond between X_{31} and X_{33} , a bond between X_{32} and N, a bond between X_{41} and X_{43} , a bond between X_{42} and N may each be a single bond, but embodiments of the present disclosure are not limited thereto.

[0083] In Formulae 1 to 4, X_{14} and X_{15} may each independently be N or $C(R_{14})$,

[0084] X_{24} and X_{25} may each independently be N or $C(R_{24})$,

[0085] X_{34} and X_{35} may each independently be N or $C(R_{34})$, and

[0086] X_{44} and X_{45} may each independently be N or $C(R_{44})$.

[0087] For example, in Formulae 1 to 4, X_{14} and X_{15} may each be $C(R_{14})$,

[0088] X_{24} and X_{25} may each be $C(R_{24})$,

[0089] X_{34} and X_{35} may each be $C(R_{34})$, and

[0090] X_{44} and X_{45} may each be $C(R_{44})$, but embodiments of the present disclosure are not limited thereto.

[0091] In Formulae 1 to 4, Y_{11} may be selected from $N(R_{15})$, O, and S,

[0092] Y_{21} may be selected from $N(R_{25})$, O, and S,

[0093] Y_{31} may be selected from $N(R_{35})$, O, and S, and

[0094] Y_{41} may be selected from $N(R_{45})$, O, and S.

[0095] For example, in Formulae 1 to 4, Y_{11} may be O or S,

[0096] Y_{21} may be O or S,

[0097] Y_{31} may be O or S, and

[0098] Y_{41} may be O or S, but embodiments of the present disclosure are not limited thereto.

[0099] In Formulae 1 to 4, Z_{11} and Z_{12} may each independently be N or C(R_{11}), provided that at least one of Z_{11} and Z_{12} is N, Z_{21} and Z_{22} may each independently be N or C(R_{21}), provided that at least one of Z_{21} and Z_{22} is N, Z_{31} and Z_{32} may each independently be N or C(R_{31}), provided that at least one of Z_{31} and Z_{32} is N, and Z_{41} and Z_{42} may each independently be N or C(R_{41}), provided that at least one of Z_{41} and Z_{42} is N.

[0100] For example, in Formulae 1 to 4, Z_{11} may be N, Z_{21} may be N, Z_{31} may be N, and Z_{41} may be N, but embodiments of the present disclosure are not limited thereto.

[0101] R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} in Formulae 1 to 4 may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, —SF₅, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₇-C₆₀ arylalkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₁-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₁-C₆₀ heteroarylthio group, a substituted or unsubstituted C₂-C₆₀ heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), and

[0102] Q₁ to Q₉ may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₁-C₆₀ alkyl group substituted with at least one selected from deuterium, a C₁-C₆₀ alkyl group, and a C₆-C₆₀ aryl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryl group substituted with at least one selected from deuterium, a C₁-C₆₀ alkyl group, and a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0103] For example, R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} in Formulae 1 to 4 may each independently be selected from: hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, —SF₅, a C₁-C₂₀ alkyl group, and a C₁-C₂₀ alkoxy group;

[0104] a C₁-C₂₀ alkyl group and a C₁-C₂₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group;

[0105] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranlyl group, a benzothiophenyl group, an isobenzothiiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranlyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group;

[0106] a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluorenyl group, a phenanthrenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a

benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a C₁-C₂₀ alkylphenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and —Si(Q₃₃)(Q₃₄)(Q₃₅); and

[0107] —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), and

[0108] Q₁ to Q₉ and Q₃₃ to Q₃₅ may each independently be selected from:

[0109] —CH₃, —CD₃, —CD₂H, —CDH₂, —CH₂CH₃, —CH₂CD₃, —CH₂CD₂H, —CH₂CDH₂, —CHDC₃, —CHDCD₂H, —CHDCDH₂, —CHDCD₃, —CD₂CD₃, —CD₂CH₃, —CD₂CD₂H, and —CD₂CDH₂;

[0110] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and

[0111] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from

deuterium, a C₁-C₁₀ alkyl group, and a phenyl group, but embodiments of the present disclosure are not limited thereto.

[0112] In an embodiment, R₁₁ to R₁₅, R₂₁ to R₂₅, R₃₁ to R₃₅, and R₄₁ to R₄₅ in Formulae 1 to 4 may each independently be selected from:

[0113] hydrogen, deuterium, —F, a cyano group, a nitro group, —SFS, a methyl group, an ethyl group, an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decyl group, an iso-decyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and a dibenzosilolyl group;

[0114] a methyl group, an ethyl group, an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decyl group, an iso-decyl group, a sec-decyl group, a tert-decyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and a dibenzosilolyl group, each substituted with at least one selected from deuterium, —F, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a cyano group, a nitro group, a C₁-C₁₀ alkyl group, a C₁-C₁₀ alkoxy group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, and —Si(Q₃₃)(Q₃₄)(Q₃₅); and

[0115] —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), and

[0116] Q₁ to Q₉ and Q₃₃ to Q₃₅ may each independently be selected from:


[0117] —CH₃, —CD₃, —CD₂H, —CDH₂, —CH₂CH₃, —CH₂CD₃, —CH₂CD₂H, —CH₂CDH₂, —CHDC₂H₃, —CHDCD₂H, —CHDCDH₂, —CHDCD₃, —CD₂CD₃, —CD₂CD₂H, and —CD₂CDH₂;

[0118] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and


[0119] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from deuterium, a C₁-C₁₀ alkyl group, and a phenyl group,

[0120] but embodiments of the present disclosure are not limited thereto.


[0121] In an embodiment, R₁₁ to R₁₅, R₂₁ to R₂₅, R₃₁ to R₃₅, and R₄₁ to R₄₅ in Formulae 1 to 4 may each independently be selected from hydrogen, deuterium, —F, a cyano group, a nitro group, —SFS, —CH₃, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, groups represented by Formulae 9-1 to 9-21, groups represented by Formulae 10-1 to 10-256, —N(Q₁)(Q₂), —Si(Q₃)(Q₄)(Q₅), —B(Q₆)(Q₇), and —P(=O)(Q₈)(Q₉), but embodiments of the present disclosure are not limited thereto:




-continued




-continued




10-4




10-5




10-6




10-7




10-8




10-9




10-10




10-11



10-12




10-13




10-14


-continued




10-15




10-16




10-17




10-18




10-19




10-20




10-21




10-22



10-23




10-24




10-25


-continued




-continued























-continued












-continued













-continued		-continued	
	10-68		10-78
	10-69		10-79
	10-70		10-80
	10-71		10-81
	10-72		10-82
	10-73		10-83
	10-74		10-84
	10-75		10-85
	10-76		10-86
	10-77		10-87


-continued




-continued




-continued




10-107




10-108




10-109




10-110




10-111



10-112




10-113




10-114


-continued




10-115




10-116




10-117




10-118




10-119




10-120























10-121




10-122




10-123

-continued		-continued	
10-124		10-133	
10-125		10-134	
10-126		10-135	
10-127		10-136	
10-128		10-137	
10-129		10-138	
10-130		10-139	
10-131		10-140	
10-132		10-141	
		10-142	
		10-143	


-continued




10-144




10-145




10-146




10-147




10-148




10-149




10-150



10-151



10-152




10-153




10-154


-continued




10-155




10-156




10-157




10-158




10-159




10-160




10-161



10-162




10-163




10-164


-continued




-continued




-continued




-continued




-continued




-continued




-continued




10-216




10-217




10-218




10-219




10-220



10-221




10-222




10-223


-continued




10-224




10-225




10-226




10-227




10-228



10-229




10-230




10-231


-continued




10-232




10-233




10-234




10-235



10-236




10-237




10-238


-continued




10-239




10-240




10-241




10-242




10-243




10-244




10-245




10-246




10-247




10-248




10-249




10-250




10-251



10-252




10-253




10-254

-continued

10-255



10-256



[0122] Q_1 to Q_9 may each independently be selected from:

[0123] $-\text{CH}_3$, $-\text{CD}_3$, $-\text{CD}_2\text{H}$, $-\text{CDH}_2$, $-\text{CH}_2\text{CH}_3$, $-\text{CH}_2\text{CD}_3$, $-\text{CH}_2\text{CD}_2\text{H}$, $-\text{CH}_2\text{CDH}_2$, $-\text{CHDCH}_3$, $-\text{CHDCD}_2\text{H}$, $-\text{CHDCDH}_2$, $-\text{CHDCD}_3$, $-\text{CD}_2\text{CD}_3$, $-\text{CD}_2\text{CH}_3$, $-\text{CD}_2\text{CD}_2\text{H}$, and $-\text{CD}_2\text{CDH}_2$;

[0124] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and

[0125] an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from deuterium, a C_1 - C_{10} alkyl group, and a phenyl group.

[0126] In Formulae 9-1 to 9-21 and 10-1 to 10-256,

[0127] * indicates a binding site to a neighboring atom,

[0128] i-Pr indicates an iso-propyl group, and t-Bu indicates a t-butyl group,

[0129] Ph indicates a phenyl group,

[0130] 1-Nph indicates a 1-naphthyl group, 2-Nph indicates a 2-naphthyl group,


[0131] 2-Pyr indicates a 2-pyridyl group, 3-Pyr indicates a 3-pyridyl group, and 4-Pyr indicates a 4-pyridyl group, and

[0132] TMS indicates a trimethylsilyl group.

[0133] In an embodiment, Ru to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} in Formulae 1 to 4 may each independently be selected from hydrogen, deuterium, $-\text{F}$, a cyano group, a nitro group, $-\text{SF}_5$, $-\text{CH}_3$, $-\text{CF}_3$, groups represented by Formulae 9-1 to 9-13, groups represented by Formulae 10-17 to 10-79, and groups represented by Formulae 10-247 to 10-256, but embodiments of the present disclosure are not limited thereto:



9-1





























9-2























9-3




9-4


-continued		-continued	
	9-5		10-23
	9-6		10-24
	9-7		10-25
	9-8		10-26
	9-9		10-27
	9-10		10-28
	9-11		10-29
	9-12		10-30
	9-13		10-31
	10-17		10-32
	10-18		
	10-19		
	10-20		
	10-21		
	10-22		

-continued		-continued	
	10-33		10-43
	10-34		10-44
	10-35		10-45
	10-36		10-46
	10-37		10-47
	10-38		10-48
	10-39		10-49
	10-40		10-50
	10-41		10-51
	10-42		10-52


-continued




-continued




-continued




10-74




10-75




10-76




10-77




10-78




10-79




10-247



10-248




10-249




10-250


-continued




10-251




10-252




10-253



10-254



10-255



10-256

[0134] In the groups represented by Formulae 9-1 to 9-13, the groups represented by Formulae 10-17 to 10-79, and the groups represented by Formulae 10-247 to 10-256,

[0135] * indicates a binding site to a neighboring atom,

[0136] i-Pr indicates an iso-propyl group, and t-Bu indicates a t-butyl group,

[0137] Ph indicates a phenyl group, and

[0138] TMS indicates a trimethylsilyl group.

[0139] In an embodiment, in Formulae 1 to 4, X_{13} may be $N(R_{12})$, X_{23} may be $N(R_{22})$, X_{33} may be $N(R_{32})$, and X_{43} may be $N(R_{42})$,

[0140] R_{12} , R_{22} , R_{32} , and R_{42} may each independently be selected from a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothiophenyl group, and a dibenzosilolyl group, each substituted with at least one selected from deuterium, -F, $-CD_3$, $-CD_2H$, $-CDH_2$,

$-CF_3$, $-CF_2H$, $-CFH_2$, a cyano group, nitro group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group

substituted with deuterium, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a C₁-C₂₀ alkylphenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuran group, a dibenzothiophenyl group, dibenzosilolyl group, and —Si(Q₃₃)(Q₃₄)(Q₃₅).

[0141] Q₃₃ to Q₃₅ may each independently be selected from:

[0142] —CH₃, —CD₃, —CD₂H, —CDH₂, —CH₂CH₃, —CH₂CD₃, —CH₂CD₂H, —CH₂CDH₂, —CHDCD₃, —CHDCD₂H, —CHDCDH₂, —CHDCD₃, —CD₂CD₃, —CD₂CH₃, —CD₂CD₂H, and —CD₂CDH₂;

[0143] an n-propyl group, an isopropyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and

[0144] an n-propyl group, an isopropyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group and a naphthyl group, each substituted with at least one selected from deuterium, a C₁-C₁₀ alkyl group, and a phenyl group, but embodiments of the present disclosure are not limited thereto.

[0145] In Formulae 1 to 4, two, three, or four neighboring constituents selected from R_u to R₁₅, two, three, or four neighboring constituents selected from R₂₁ to R₂₅, two, three, or four neighboring constituents selected from R₃₁ to R₃₅, and/or two, three, or four neighboring constituents selected from R₄₁ to R₄₅ may optionally be linked to form a four-coordinate, six-coordinate, or eight-coordinate ligand.

[0146] For example, in Formulae 1 to 4, two neighboring constituents R₁₃, two neighboring constituents R₂₃, two neighboring constituents R₃₃, and/or two neighboring constituents R₄₃ may optionally be linked to form a four-coordinate ligand, but embodiments of the present disclosure are not limited thereto.

[0147] In an embodiment, in Formulae 1 to 4, neighboring R₁₁ and R₁₃, neighboring R₂₁ and R₂₃, neighboring R₃₁ and R₃₃, and/or neighboring R₄₁ and R₄₃ may optionally be linked to form a four-coordinate ligand, but embodiments of the present disclosure are not limited thereto.

[0148] In an embodiment, in Formulae 1 to 4, neighboring R₁₄ and R₁₃, neighboring R₂₄ and R₂₃, neighboring R₃₄ and R₃₃, and/or neighboring R₄₄ and R₄₃ may optionally be linked to form a four-coordinate ligand, but embodiments of the present disclosure are not limited thereto.


[0149] In an embodiment, in Formulae 1 to 4, neighboring R₁₅ and R₁₃, neighboring R₂₅ and R₂₃, neighboring R₃₅ and R₃₃, and/or neighboring R₄₅ and R₄₃ may optionally be linked to form a four-coordinate ligand, but embodiments of the present disclosure are not limited thereto.

[0150] For example, in Formulae 1 to 4, three neighboring constituents R₁₃, three neighboring constituents R₂₃, three neighboring constituents R₃₃, and/or three neighboring constituents R₄₃ may optionally be linked to form a six-coordinate ligand, but embodiments of the present disclosure are not limited thereto.

[0151] In an embodiment, two, three, or four neighboring constituents selected from R₁₁ to R₁₅, two, three, or four neighboring constituents selected from R₂₁ to R₂₅, two,


three, or four neighboring constituents selected from R₃₁ to R₃₅, and/or two, three, or four neighboring constituents selected from R₄₁ to R₄₅ may be linked via L₁₃ to form a four-coordinate ligand. L₁₃ may be selected from *—O—*, *—S—*, *—[C(R₁₉)(R₂₀)]_{k11}—*, *—[Si(R₁₉)(R₂₀)]_{k11}—*, and a substituted or unsubstituted benzene group. R₁₉ and R₂₀ are each independently the same as described in connection with R₁₁, and k11 may be selected from 1, 2, and 3, but embodiments of the present disclosure are not limited thereto.

[0152] In an embodiment, two, three, or four neighboring constituents selected from R₁₁ to R₁₅, two, three, or four neighboring constituents selected from R₂₁ to R₂₅, two, three, or four neighboring constituents selected from R₃₁ to R₃₅, and/or two, three, or four neighboring constituents selected from R₄₁ to R₄₅ may be linked via L₁₄ to form a six-coordinate ligand. L₁₄ may be selected from




and a substituted or unsubstituted benzene group, R₁₉ and R₂₀ are each independently the same as described in connection with R₁₁, and k11 may be selected from 1, 2, and 3, but embodiments of the present disclosure are not limited thereto.


[0153] n11 in Formula 1 indicates the number of ligands represented by




(wherein * and *' indicate a binding site to M₁₁ in Formula 1), and n11 may be selected from 1, 2, 3, and 4. When n11 is two or more, the ligands represented by




in Formula 1 may be identical to or different from each other.
[0154] n_{21} in Formula 2 indicates the number of ligands represented by




(wherein * and *¹ each indicate a binding site to M_{21} in Formula 2), and n_{21} may be selected from 1, 2, 3, and 4. When n_{21} is two or more, the ligands represented by



in Formula 2 may be identical to or different from each other
[0155] n_{31} in Formula 3 indicates the number of ligands represented by




(wherein * and *¹ each indicate a binding site to M_{31} in Formula 3), and n_{31} may be 1, 2, 3, and 4. When n_{31} is two or more, the ligands represented by




in Formula 3 may be identical to or different from each other.

[0156] n_{41} in Formula 4 indicates the number of ligands represented by



(wherein * and *¹ each indicate a binding site to M_{41} in Formula 4), and n_{41} may be selected from 1, 2, 3, and 4. When n_{41} is two or more, the ligands represented by



in Formula 4 may be identical to or different from each other.

[0157] For example, n_{11} , n_{21} , n_{31} , and n_{41} in Formulae 1 to 4 may each independently be selected from 1, 2, and 3, but embodiments of the present disclosure are not limited thereto.

[0158] n_{12} in Formula 1 indicates the number of constituents L_{12} , and n_{12} may be selected from 0, 1, 2, 3, and 4. When n_{12} is two or more, two or more constituents L_{12} in Formula 1 may be identical to or different from each other.

[0159] n_{22} in Formula 2 indicates the number of constituents L_{22} , and n_{22} may be selected from 0, 1, 2, 3, and 4. When n_{22} is two or more, two or more constituents L_{22} in Formula 2 may be identical to or different from each other.

[0160] n_{32} in Formula 3 indicates the number of constituents L_{32} , and n_{32} may be selected from 0, 1, 2, 3, and 4. When n_{32} is two or more, two or more constituents L_{32} in Formula 3 may be identical to or different from each other.

[0161] n_{42} in Formula 4 indicates the number of constituents L_{42} , and n_{42} may be selected from 0, 1, 2, 3, and 4. When n_{42} is two or more, two or more constituents L_{42} in Formula 4 may be identical to or different from each other.

[0162] For example, n12, n22, n32, and n42 in Formulae 1 to 4 may each independently be selected from 0, 1, and 2, but embodiments of the present disclosure are not limited thereto.

[0163] In an embodiment, M₁₁, M₂₁, M₃₁, and M₄₁ in Formulae 1 to 4 may each be Ir,

[0164] n11, n21, n31, and n41 may each independently be 2 or 3, and


[0165] n12, n22, n32, and n42 may each independently be selected from 0, 1, and 2, but embodiments of the present disclosure are not limited thereto.

[0166] L₁₂, L₂₂, L₃₂, and L₄₂ in Formulae 1 to 4 may each independently be selected from a one-coordinate ligand, a two-coordinate ligand, and a three-coordinate ligand.


[0167] For example, L₁₂, L₂₂, L₃₂, and L₄₂ in Formulae 1 to 4 may each independently be selected from one-coordinate ligands, for example, I⁻, Br⁻, Cl⁻, sulfide, nitrate, azide, hydroxide, cyanate, isocyanate, thiocyanate, water, acetonitrile, pyridine, ammonia, carbon monoxide, P(Ph)₃, P(Ph)₂CH₃, PPh(CH₃)₂, and P(CH₃)₃, but embodiments of the present disclosure are not limited thereto.

[0168] In an embodiment, L₁₂, L₂₂, L₃₂, and L₄₂ in Formulae 1 to 4 may each independently be selected from two-coordinate ligands, for example, oxalate, acetylacetonate, picolinic acid, 1,2-bis(diphenylphosphino)ethane, 1,1-bis(diphenylphosphino)methane, glycinate, and ethylenediamine, but embodiments of the present disclosure are not limited thereto.


[0169] In an embodiment, L₁₂, L₂₂, L₃₂, and L₄₂ in Formulae 1 to 4 may each be a ligand represented by one of Formulae 7-1 to 7-11, but embodiments of the present disclosure are not limited thereto:




7-1




7-2



7-3




7-4




7-5


-continued




7-6




7-7




7-8



7-9



7-10



7-11

[0170] In Formulae 7-1 to 7-11,

[0171] A₇₁ and A₇₂ may each independently be a C₅-C₂₀ carbocyclic group or a C₁-C₂₀ heterocyclic group,

[0172] X₇₁ and X₇₂ may each independently be C or N,

[0173] X₇₃ may be N or C(Q₇₃), X₇₄ may be N or C(Q₇₄), X₇₅ may be N or C(Q₇₅), X₇₆ may be N or C(Q₇₆), and X₇₇ may be N or C(Q₇₇),

[0174] X₇₈ may be O, S, or N(Q₇₈), and X₇₉ may be O, S, or N(Q₇₉),

[0175] Y₇₁ and Y₇₂ may each independently be selected from a single bond, a double bond, a substituted or unsubstituted C₁-C₅ alkylene group, a substituted or unsubstituted C₂-C₅ alkenylene group, and a substituted or unsubstituted C₆-C₁₀ arylene group,

[0176] Z₇₁ and Z₇₂ may each independently be selected from N, O, N(R₇₄), P(R₇₅)(R₇₆), and AS(R₇₅)(R₇₆),

[0177] Z₇₃ may be P or As,

[0178] Z₇₄ may be CO or CH₂,

[0179] R₇₁ to R₅₀ and Q₇₃ to Q₇₉ may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a

substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted or unsubstituted C₁-C₅₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted C₇-C₆₀ arylalkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₁-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₁-C₆₀ heteroarylthio group, a substituted or unsubstituted C₂-C₆₀ heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, wherein R₇₁ and R₇₂ may optionally be linked to form a ring, R₇₇ and R₇₈ may optionally be linked to form a ring, and R₇₈ and R₇₉ may optionally be linked to form a ring, and R₇₉ and R₈₀ may optionally be linked to form a ring,

[0180] b71 and b72 may each independently be selected from 1, 2, and 3, and

[0181] * and *' each indicate a binding site to a neighboring atom.

[0182] For example, A₇₁ and A₇₂ in Formula 7-1 may each independently be selected from a benzene group, a naphthalene group, an imidazole group, a benzimidazole group, a pyridine group, a pyrimidine group, a triazine group, a quinoline group, and an isoquinoline group, but embodiments of the present disclosure are not limited thereto.

[0183] For example, X₇₂ and X₇₉ in Formula 7-1 may each be N, but embodiments of the present disclosure are not limited thereto.

[0184] For example, in Formula 7-7, X₇₃ may be C(Q₇₃), X₇₄ may be C(Q₇₄), X₇₅ may be C(Q₇₆), X₇₆ may be C(Q₇₆), and X₇₇ may be C(Q₇₇), but embodiments of the present disclosure are not limited thereto.

[0185] For example, in Formula 7-8, X₇₈ may be N(Q₇₈) and X₇₉ may be N(Q₇₉), but embodiments of the present disclosure are not limited thereto.

[0186] For example, Y₇₁ and Y₇₂ in Formula 7-2, 7-3 and 7-8 may each independently be a substituted or unsubstituted methylene group or a substituted or unsubstituted phenylene group, but embodiments of the present disclosure are not limited thereto.

[0187] For example, Z₇₁ and Z₇₂ in Formulae 7-1 and 7-2 may each be O, but embodiments of the present disclosure are not limited thereto.

[0188] For example, Z₇₃ in Formula 7-4 may be P, but embodiments of the present disclosure are not limited thereto.

[0189] For example, R₇₁ to R₈₀ and Q₇₃ to Q₇₉ in Formulae 7-1 to 7-8 may each independently be selected from:

[0190] hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, and a C₁-C₂₀ alkoxy group;

[0191] a C₁-C₂₀ alkyl group and a C₁-C₂₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a

nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group;


[0192] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, and an imidazopyridinyl group; and

[0193] a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, and an imidazopyridinyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazoliny group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a


triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, and an imidazopyridinyl group,

[0194] but embodiments of the present disclosure are not limited thereto.


[0195] In an embodiment, L_{12} , L_{22} , L_{32} , and L_{42} in Formulae 1 to 4 may each be a ligand represented by one of Formulae 5-1 to 5-116 and 8-1 to 8-23, but embodiments of the present disclosure are not limited thereto:




8-1




8-2




8-3




8-4




8-5




8-6



8-7




8-8




8-9


-continued




8-10




8-11




8-12




8-13




8-14




8-15



8-16




8-17




8-18


-continued




8-19




8-20




8-21



8-22




8-23




5-1


-continued




5-2




5-3



5-4




5-5




5-6

-continued




5-7


-continued




5-12




5-8




5-13




5-9




5-14




5-10



5-15




5-11




5-16

-continued




5-17


-continued




5-22




5-18




5-23




5-19




5-24




5-20



5-25




5-21




5-26


-continued




-continued




5-28




5-33




5-29




5-34




5-30




5-35




5-31



5-36




-continued




5-37


-continued




5-42




5-38




5-43




5-39




5-44




5-40



5-45




5-41




5-46


-continued




5-47




5-48



5-49




5-50




5-51


-continued




5-52




5-53




5-54



5-55




5-56




5-57


-continued




5-58




5-59




5-60



5-61




5-62




5-63


-continued




5-64




5-65



5-66




5-67




5-68

-continued




5-69


-continued




5-74




5-70




5-75




5-71




5-76




5-72



5-77




5-73




5-78


-continued




5-79




5-80



5-81




5-82




5-83


-continued




5-84




5-85



5-86




5-87




5-88

-continued




5-89


-continued




5-94




5-90




5-95




5-91




5-96




5-92



5-97




5-93




5-98

-continued




5-99


-continued




5-104




5-100




5-105




5-101




5-106




5-102



5-107




5-103




5-108


-continued




5-109




5-110



5-111




5-112




5-113


-continued



5-114



5-115



5-116

Ⓜ indicates text missing or illegible when filed

[0196] In Formulae 5-1 to 5-116 and 8-1 to 8-23,

[0197] R_{51} to R_{53} may each independently be selected from:

[0198] hydrogen, —F, a cyano group, a nitro group, a methyl group, an ethyl group, a propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decanyl group, an iso-decanyl group, a sec-decanyl group, a tert-decanyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranlyl group, and a dibenzothiophenyl group; and

[0199] a methyl group, an ethyl group, a propyl group, an n-butyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an iso-pentyl group, a sec-pentyl group, a tert-pentyl group, an n-hexyl group, an iso-hexyl group, a sec-hexyl group, a tert-hexyl group, an n-heptyl group, an iso-heptyl group, a sec-heptyl group, a tert-heptyl group, an n-octyl group, an iso-octyl group, a sec-octyl group, a tert-octyl group, an n-nonyl group, an iso-nonyl group, a sec-nonyl group, a tert-nonyl group, an n-decanyl group, an iso-decanyl group, a sec-decanyl group,

a tert-decanyl group, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a triazinyl group, a dibenzofuranyl group, and a dibenzothiophenyl group, each substituted with at least one selected from —F, a cyano group, and a nitro group,

[0200] b51 and b54 may each independently be 1 or 2,
 [0201] b53 and b55 may each independently be selected from 1, 2, and 3,

[0202] b52 may be selected from 1, 2, 3, and 4,


[0203] Ph indicates a phenyl group,

[0204] Ph-d5 is a phenyl group in which all hydrogen atoms are substituted with deuterium, and


[0205] * and *' each indicate a binding site to a neighboring atom.

[0206] The organometallic compound represented by one of Formulae 1 to 4 may be represented by one of Formulae 1-1 to 1-72, 2-1 to 2-72, 3-1 to 3-72, and 4-1 to 4-72, but embodiments of the present disclosure are not limited thereto:


-continued




1-4




1-5




1-1




1-2



1-6




1-3










1-7


-continued



-continued




-continued




1-16


-continued




1-20




1-17




1-21




1-18



1-22




1-19










1-23


-continued



-continued




-continued




1-32


-continued




1-36




1-33




1-37




1-34



1-38




1-35




1-39

-continued




1-40


-continued




1-44




1-41




1-45




1-42



1-46




1-43




1-47

-continued




1-48

-continued




1-51

1-49





1-52



1-53

1-50




1-50


1-53

-continued


1-54



1-55




1-56




-continued


1-57




1-58








1-59



-continued







-continued




-continued

-continued




-continued

1-70




-continued


1-72




2-1




1-71



2-2




-continued




2-3


-continued




2-7




2-4




2-8




2-5



2-9




2-6




2-10


-continued




-continued




2-12




2-16




2-13




2-17




2-14




2-18




-continued




-continued




2-20




2-24




2-21




2-25




2-22




2-26




-continued




-continued




2-28




2-32




2-29




2-33




2-30










2-34







-continued







-continued




-continued




-continued




-continued




-continued




2-52




2-55




2-53




2-56




-continued




-continued




2-58




2-61





2-59






2-62




-continued



-continued




-continued




-continued


2-70



2-69




2-71




-continued

2-72




-continued


3-4




3-5




3-1




3-6




3-2




3-7




3-3



3-8




-continued




3-9


-continued




3-14




3-10




3-15




3-11




3-16




3-12



3-17




3-13




3-18


-continued




-continued




3-20




3-25




3-21




3-26




3-22




3-27




3-23




3-28




-continued




-continued




3-30




3-35




3-31




3-36




3-32




3-37




3-33












3-38



-continued




-continued




-continued

3-49





-continued

3-52





3-53

3-50




3-54

3-51




-continued


3-55



3-56




3-57




-continued


3-58




3-59




3-60




3-61



-continued





-continued





3-66


3-63



3-64




-continued




-continued


3-70



3-69




3-71



-continued


3-72




4-1

-continued


4-4



4-5




4-6







4-2

4-7




4-3










4-8




-continued



-continued




-continued




4-19


-continued




4-24




4-20




4-25




4-21




4-26




4-22



4-27




4-23




4-28


-continued




-continued




4-30




4-35




4-31




4-36




4-32




4-37




4-33




4-38




-continued




-continued




4-40




4-45




4-41




4-46




4-42




4-47



4-43




4-48




-continued

4-49





-continued

4-52





4-53

4-50




4-54

4-51




-continued

4-55




-continued


4-58




4-59




4-56




4-60




4-57




4-61





-continued





-continued




4-66



4-67




-continued




-continued


4-70



4-69





4-71



-continued

4-72

[0221] L_{14} may be selected from

[0222] and a substituted or unsubstituted benzene group, and R_{19} and R_{20} are each independently the same as described in connection with R_{11} , and k_{11} may be selected from 1, 2, and 3.

[0223] The organometallic compound represented by one of Formulae 1 to 4 may be selected from Compounds 1 to 782, but embodiments of the present disclosure are not limited thereto:

[0207] In Formulae 1-1 to 1-72, 2-1 to 2-72, 3-1 to 3-72, and 4-1 to 4-72,

[0208] R_{13a} to R_{13i} are each independently the same as described in connection with R_{13} in Formula 1,

[0209] R_{14a} to R_{14i} are each independently the same as described in connection with R_{14} in Formula 1,

[0210] Y_{11a} and Y_{11c} are each independently the same as described in connection with in Formula 1,

[0211] R_{23a} to R_{23i} are each independently the same as described in connection with R_{23} in Formula 2,

[0212] R_{24a} to R_{24f} are each independently the same as described in connection with R_{24} in Formula 2,

[0213] Y_{21a} and Y_{21c} are each independently the same as described in connection with Y_{21} in Formula 2,

[0214] R_{33a} to R_{33i} are each independently the same as described in connection with R_{33} in Formula 3,

[0215] R_{34a} to R_{34f} are each independently the same as described in connection with R_{34} in Formula 3,


[0216] Y_{31a} and Y_{31c} are each independently the same as described in connection with Y_{31} in Formula 3,

[0217] R_{43a} to R_{43i} are each independently the same as described in connection with R_{43} in Formula 4,


[0218] R_{44a} to R_{44f} are each independently the same as described in connection with R_{44} in Formula 4,

[0219] Y_{41a} and Y_{41c} are each independently the same as described in connection with Y_{41} in Formula 4,


[0220] L_{13} may be selected from $*-O-*$, $*-S-*$, $*-[C((R_{19})(R_{20}))_{k_{11}}]-*$, $*-[Si((R_{19})(R_{20}))_{k_{11}}]-*$, and a substituted or unsubstituted benzene group,



1




2










3


-continued



-continued



-continued




12

-continued




17


13




14




18




15



19




16




20

-continued




21


-continued




25




22




26




23



27




24




28


-continued




-continued




30




34




31




35




32




36





-continued





-continued





38




39




40



45




-continued




46


-continued




50




47




51




48




52



49




53




54

-continued




55


-continued




59




56




60




57




61



58




62




63

-continued




64


-continued




68




65




69




66



70




67




71

-continued




72

-continued




77


73




74




78




75




79




76



80




-continued




81


-continued




85




82




86




83



87




84




88

-continued




89


-continued




93




90




94




91



95




92




96


-continued




97




98



99




100




101


-continued




102




103



104




105




106

-continued




107

-continued




112


108




113




109




114




110




115




111



116




-continued




117


-continued




122




118




123




119




124




120



125




121




126

-continued




127

-continued




132


128




133




129




134




130




135




131



136




-continued



137



-continued



142



138

143





139

144





140

145




141

146




-continued




147

-continued




152


148




153




149




154




150




155




151



156




-continued




157


-continued




162




158




163




159




164




160



165




161




166

-continued




167


-continued




172




168




173




169




174




170



175




171




176


-continued




177




178




179



180




181




182


-continued




183



184




185




186

-continued




187


-continued




191




188




192




189




193



190




194




195

-continued




196


-continued




200




197




201




198




202



203




199




204

-continued




205


-continued




210




206




211




207




212




208



213




209




214

-continued




215


-continued




220




216




221




217




222




218



223








219








224






-continued








-continued




-continued










-continued







-continued








-continued




-continued



-continued




-continued




262


-continued




267




263




268




264




269




265



270




266




271

-continued




272


-continued




277




273




278




274




279




275



280




276




281

-continued




282

-continued




287


283




288




284




289




285




290




286



291




-continued




292

-continued




297


293




298




294




299




295




300




296



301




-continued




302


-continued




307




303




308




304




309




305



310




306




311

-continued




312


-continued




317




313




318




314




319




315



320




316




321

-continued




322


-continued




327




323




328




324




329




325



330




326




331

-continued




332

-continued




337


333




338




334




339




335




340




336



341




-continued




342

-continued




347


343




348




344




349




345




350




346



351




-continued




352

-continued




357


353




358




354




359




355




360




356




361




-continued




-continued




363




368




364




369




365




370




366



371




-continued




372


-continued




377




373




378




374




379




375




380



376




381




382

-continued




383


-continued




388




384




389




385




390




386



391




387




392


-continued











-continued




-continued




-continued




-continued




413



414




415




416


-continued




417




418



419




420




421

-continued




422


-continued




427




423




428




424




429




425



430




426




431

-continued




432


-continued




437




433




438




434




439




435



440








436








441


-continued



-continued




-continued




452

-continued




457


453




458




454





459




455




460




-continued




461




462



463




464




465


-continued




466



467




468




469


-continued




470




471



472




473




474


-continued




475



476




477




478

-continued




479


-continued




484




480




485




481




486




482



487








483








488






-continued








-continued








-continued








-continued




-continued












-continued




-continued




-continued




-continued




529




530



531




532




533


-continued




534




535



536




537




538

-continued




539


-continued




544




540




545




541




546




542



547




543




548


-continued




-continued




550




555




551




556




552




557




553



558




-continued




559


-continued




564




560




565




561




566




562



567




563




568

-continued




569


-continued




574




570




575




571




576




572



577




573




578


-continued




-continued




580




585




581




586




582




587




583



588




-continued




589


-continued




594




590




595




591




596




592



597




593




598


-continued




599




600




601



602




603




604


-continued




605




606



607




608




609

-continued




610


-continued




615




611




616




612




617




613




618



614




619




620

-continued




621


-continued




626




622




627




623




628



624




625




629

-continued




630


-continued




635




631




636




632




637



633








634








638


-continued



-continued




-continued




649


-continued




654




650




655




651




656




652



657




653




658


-continued




659




660



661




662




663


-continued




664




665



666




667




668

-continued




669


-continued




674




670




675




671




676




672



677




673




678


-continued




679




680



681




682




683


-continued




684



685




686



687


-continued

688





-continued

692





693

689





694

690




695






691







696




-continued



-continued




-continued




706


-continued




710




707




711




708



712




709



713


-continued

714




-continued


718




715




719




716




720



721




717




-continued

722




-continued


726




723




727




724




728



725




729




-continued

730




-continued


734




731




735




732




736




733




737




-continued




-continued




739




743




740




744




741




745




-continued




-continued




747




752




748





753




749










754




-continued










-continued




-continued




-continued



-continued



-continued




772

776

773


777

774




-continued

778




-continued


780



779




781



-continued


782




[0224] The organometallic compound represented by one of Formulae 1 to 4 may have a maximum emission wavelength (actually measured value) in a range of greater than or equal to about 420 nanometers (nm) and less than about 520 nm, for example, about 420 nm to about 495 nm. For example, when the maximum emission wavelength is about 420 nm to about 475 nm, an organic light-emitting device that emits deep blue light may be provided.

[0225] The organometallic compounds represented by Formulae 1 to 4 essentially include N at a specific position (see Formulae 1' to 4').

Formula 1'




Formula 2'




-continued

Formula 3'




Formula 4'




[0226] Since the organometallic compound represented by one of Formulae 1 to 4 reduces an electron density of a metal element represented by M_{11} or the like, a T_1 energy level of the organometallic compound may increase to a level appropriate to emit blue light. Specifically, although a T_1 energy level of Compound A is about 2.28 eV, the organometallic compound represented by one of Formulae 1 to 4 may be higher than a T_1 energy level of Compound A.


A




[0227] The organometallic compounds represented by Formulae 1 to 4 essentially include a 5-membered ring with N condensed at a specific position (see Formulae 1' to 4').




Condensed at a specific position



Condensed at a specific position



Condensed at a specific position




Condensed at a specific position

[0228] As described above, the organometallic compound represented by one of Formulae 1 to 4 may have a highest occupied molecular orbital (HOMO) energy level and a lowest unoccupied molecular orbital (LUMO) energy level, which are appropriate to manufacture an organic light-

Formula 1'

emitting device. Specifically, since Compound B has a relatively shallow HOMO energy level and a relatively shallow LUMO energy level and thus is easily oxidized, an organic light-emitting device including Compound B may have a short lifespan. However, since the organometallic compound represented by one of Formulae 1 to 4 has a relatively deep HOMO energy level and a relatively deep LUMO energy level, an organic light-emitting device including the organometallic compound may have a long lifespan.

Formula 2'



B

[0229] Also, the organometallic compound represented by one of Formulae 1 to 4 has a ligand essentially including one of an imidazole, a triazole, and a tetrazole and one of a benzoxazole, a benzothiazole, and a benzimidazole.

[0230] Hence, the organometallic compound represented by one of Formulae 1 to 4 may have a triplet energy level suitable for blue light and have a relatively short fluorescence lifespan. Therefore, the organometallic compound represented by one of Formulae 1 to 4 may provide a blue dopant having high absolute quantum yield. HOMO, LUMO, and T_1 energy levels of some compounds in the organometallic compound represented by one of Formulae 1 to 4 were evaluated by Gaussian 09 program accompanying molecular structure optimization through B3LYP-based density functional theory (DFT: structurally optimized at a level of B3LYP, 6-31G(d,p)), and evaluation results thereof are shown in Table 1 below.

TABLE 1

Compound No.	HOMO (eV)	LUMO (eV)	T_1 (eV)
1	-4.61	-0.61	2.70
7	-4.39	-0.41	2.69
8	-4.47	-0.54	2.71
10	-4.38	-0.81	2.61
18	-4.55	-0.61	2.66
28	-4.16	-0.29	2.66
48	-4.38	-0.71	2.45
58	-4.46	-0.86	2.43
68	-3.98	-0.38	2.45
89	-5.00	-1.13	2.54
108	-4.52	-0.66	2.47
148	-4.43	-0.74	2.41
228	-4.63	-0.62	2.75
230	-4.57	-0.92	2.70
238	-4.71	-0.71	2.73
268	-4.53	-0.84	2.51
270	-4.46	-0.94	2.48
448	-4.97	-1.01	2.75
760	-4.97	-0.98	2.67
763	-5.03	-1.26	2.68

TABLE 1-continued

769	-4.98	-1.28	2.64
774	-4.51	-0.61	2.68
Compound A	-4.50	-0.93	2.28
Compound B	-4.20	-0.27	2.76








TABLE 1-continued










TABLE 1-continued




108


TABLE 1-continued




268




148



270




228




448




230



760




238



763

TABLE 1-continued



[0231] From Table 1, it is confirmed that the organometallic compound represented by one of Formulae 1 to 4 has such electrical characteristics that are suitable for use in an electronic device, for example, for use as a dopant for an organic light-emitting device.

[0232] A method of synthesizing the organometallic compound represented by one of Formulae 1 to 4 may be recognizable by one of ordinary skill in the art by referring to Synthesis Examples used herein.

[0233] The organometallic compound represented by one of Formulae 1 to 4 is suitable for use in an organic layer of an organic light-emitting device, for example, for use as a dopant in an emission layer of the organic layer. Thus, another aspect provides an organic light-emitting device that includes: a first electrode, a second electrode, and an organic layer that is disposed between the first electrode and the second electrode, wherein the organic layer includes an

emission layer, and wherein the organic layer includes at least one organometallic compound represented by Formula 1.

[0234] The organic light-emitting device may have, due to the inclusion of an organic layer including the organometallic compound represented by one of Formulae 1 to 4, a low driving voltage, high efficiency, high power, high quantum efficiency, a long lifespan, a low roll-off ratio, and excellent color purity.

[0235] The organometallic compound represented by one of Formulae 1 to 4 may be used between a pair of electrodes of an organic light-emitting device. For example, the organometallic compound represented by one of Formulae 1 to 4 may be included in the emission layer. In this regard, the organometallic compound may act as a dopant, and the emission layer may further include a host (that is, an amount of the organometallic compound represented by one of Formulae 1 to 4 is smaller than an amount of the host). In this regard, the dopant may emit blue light.

[0236] The expression “(an organic layer) includes at least one organometallic compound” used herein may include an embodiment in which “(an organic layer) includes identical compounds represented by Formula 1” and an embodiment in which “(an organic layer) includes two or more different organometallic compounds represented by Formula 1.”

[0237] For example, the organic layer may include, as the organometallic compound, only Compound 1. In this regard, Compound 1 may be included in an emission layer of the organic light-emitting device. In one or more embodiments, the organic layer may include, as the organometallic compound, Compound 1 and Compound 2. In this regard, Compound 1 and Compound 2 may be included in an identical layer (for example, Compound 1 and Compound 2 all may be included in an emission layer).

[0238] The first electrode may be an anode, which is a hole injection electrode, and the second electrode may be a cathode, which is an electron injection electrode; or the first electrode may be a cathode, which is an electron injection electrode, and the second electrode may be an anode, which is a hole injection electrode.

[0239] In an embodiment, in the organic light-emitting device, the first electrode is an anode, and the second electrode is a cathode, and the organic layer further includes a hole transport region disposed between the first electrode and the emission layer and an electron transport region disposed between the emission layer and the second electrode, wherein the hole transport region includes at least one selected from a hole injection layer, a hole transport layer, and an electron blocking layer, and wherein the electron transport region includes at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer.

[0240] The term “organic layer” as used herein refers to a single layer and/or a plurality of layers between the first electrode and the second electrode of the organic light-emitting device. The “organic layer” may include, in addition to an organic compound, an organometallic compound including metal.

[0241] FIG. 1 is a schematic view of an organic light-emitting device 10 according to an embodiment. Hereinafter, the structure of an organic light-emitting device according to an embodiment and a method of manufacturing an organic light-emitting device according to an embodiment will be described in connection with FIG. 1. The organic

light-emitting device **10** includes a first electrode **11**, an organic layer **15**, and a second electrode **19**, which are sequentially stacked.

[0242] A substrate may be additionally disposed under the first electrode **11** or above the second electrode **19**. For use as the substrate, any substrate that is used in general organic light-emitting devices may be used, and the substrate may be a glass substrate or a transparent plastic substrate, each having excellent mechanical strength, thermal stability, transparency, surface smoothness, ease of handling, and water resistance.

[0243] In one or more embodiments, the first electrode **11** may be formed by depositing or sputtering a material for forming the first electrode **11** on the substrate. The first electrode **11** may be an anode. The material for forming the first electrode **11** may be selected from materials with a high work function to facilitate hole injection. The first electrode **11** may be a reflective electrode, a semi-transmissive electrode, or a transmissive electrode. The material for forming the first electrode **11** may be indium tin oxide (ITO), indium zinc oxide (IZO), tin oxide (SnO₂), or zinc oxide (ZnO). In one or more embodiments, the material for forming the first electrode **11** may be metal, such as magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag).

[0244] The first electrode **11** may have a single-layered structure or a multi-layered structure including two or more layers. For example, the first electrode **11** may have a three-layered structure of ITO/Ag/ITO, but the structure of the first electrode **110** is not limited thereto.

[0245] The organic layer **15** is disposed on the first electrode **11**.

[0246] The organic layer **15** may include a hole transport region, an emission layer, and an electron transport region.

[0247] The hole transport region may be disposed between the first electrode **11** and the emission layer.

[0248] The hole transport region may include at least one selected from a hole injection layer, a hole transport layer, an electron blocking layer, and a buffer layer.

[0249] The hole transport region may include only either a hole injection layer or a hole transport layer. In one or more embodiments, the hole transport region may have a hole injection layer/hole transport layer structure or a hole injection layer/hole transport layer/electron blocking layer structure, which are sequentially stacked in this stated order from the first electrode **11**.

[0250] When the hole transport region includes a hole injection layer (HIL), the hole injection layer may be formed on the first electrode **11** by using one or more suitable methods, for example, vacuum deposition, spin coating, casting, and/or Langmuir-Blodgett (LB) deposition.


[0251] When a hole injection layer is formed by vacuum deposition, the deposition conditions may vary depending on a material that is used to form the hole injection layer, and the structure and thermal characteristics of the hole injection layer. For example, the deposition conditions may include a deposition temperature of about 100° C. to about 500° C., a vacuum pressure of about 10⁻⁸ torr to about 10⁻³ torr, and a deposition rate of about 0 Å/sec to about 100 Å/sec. However, the deposition conditions are not limited thereto.

[0252] When the hole injection layer is formed using spin coating, coating conditions may vary depending on the material used to form the hole injection layer, and the structure and thermal properties of the hole injection layer. For example, a coating speed may be from about 2,000 revolutions per minute (rpm) to about 5,000 rpm, and a temperature at which a heat treatment is performed to


remove a solvent after coating may be from about 80° C. to about 200° C. However, the coating conditions are not limited thereto.

[0253] Conditions for forming a hole transport layer and an electron blocking layer may be understood by referring to conditions for forming the hole injection layer.

[0254] The hole transport region may include at least one selected from m-MTDATA, TDATA, 2-TNATA, NPB, 8-NPB, TPD, Spiro-TPD, Spiro-NPB, methylated-NPB, TAPC, HMTPD, 4,4',4"-tris(N-carbazolyl)triphenylamine (TCTA), polyaniline/dodecylbenzene sulfonic acid (PANI/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrene sulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (PANI/CSA), polyaniline/poly(4-styrene sulfonate) (PANI/PSS), a compound represented by Formula 201 below, and a compound represented by Formula 202 below:




m-MTDATA




TDATA

-continued




2-TNATA


-continued




Spiro-TPD




Spiro-NPB




NPB




methylated NPB




β -NPB



TAPC




TPD




HMTPD

-continued

Formula 201



Formula 202



[0255] In Formula 201, Ar_{101} and Ar_{102} may each independently be selected from:

[0256] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group; and

[0257] a phenylene group, a pentalenylene group, an indenylene group, a naphthylene group, an azulenylene group, a heptalenylene group, an acenaphthylene group, a fluorenylene group, a phenalenylene group, a phenanthrenylene group, an anthracenylene group, a fluoranthenylene group, a triphenylenylene group, a pyrenylene group, a chrysenylene group, a naphthacenylene group, a picenylene group, a perylenylene group, and a pentacenylene group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro

group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a heterocycloalkyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a C_2 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

[0258] In Formula 201, xa and xb may each independently be an integer from 0 to 5, or may be 0, 1, or 2. For example, xa may be 1, and xb may be 0, but embodiments of the present disclosure are not limited thereto.

[0259] In Formulae 201 and 202, R_{101} to R_{108} , R_{111} to R_{119} , and R_{121} to R_{124} may each independently be selected from:

[0260] hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group (for example, a methyl group, an ethyl group, a propyl group, a butyl group, pentyl group, a hexyl group, and the like) and a C_1 - C_{10} alkoxy group (for example, a methoxy group, an ethoxy group, a propoxy group, a butoxy group, a pentoxy group, and the like);

[0261] a C_1 - C_{10} alkyl group and a C_1 - C_{10} alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, and a phosphoric acid group or a salt thereof;

[0262] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group; and

[0263] a phenyl group, a naphthyl group, an anthracenyl group, a fluorenyl group, and a pyrenyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{10} alkyl group, and a C_1 - C_{10} alkoxy group, but embodiments of the present disclosure are not limited thereto.


[0264] In Formula 201, R_{109} may be selected from:

[0265] a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group; and

[0266] a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone

group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{20} alkyl group, a C_1 - C_{20} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, and a pyridinyl group.


[0267] According to an embodiment, the compound represented by Formula 201 may be represented by Formula 201A below, but embodiments of the present disclosure are not limited thereto:




Formula 201A

[0268] R_{101} , R_{111} , R_{112} , and R_{109} in Formula 201A may be understood by referring to the description provided herein.

[0269] For example, the compound represented by Formula 201, and the compound represented by Formula 202 may include compounds HT1 to HT20 illustrated below, but are not limited thereto.




HT1



HT2

-continued





HT3

-continued

-continued



HT4

HT6



HT5

HT7





-continued

-continued



HT8

HT10




HT9

HT11




-continued

HT12




-continued


HT16




HT13




HT17




HT14




HT18



HT15




HT19



-continued

HT20




[0270] A thickness of the hole transport region may be in a range of about 100 Angstroms (Å) to about 10,000 Å, for example, about 100 Å to about 1,000 Å. While not wishing to be bound by theory, it is understood that when the hole transport region includes both a hole injection layer and a hole transport layer, a thickness of the hole injection layer may be in a range of about 100 Å to about 10,000 Å, for example, about 100 Å to about 1,000 Å, and a thickness of the hole transport layer may be in a range of about 50 Å to about 2,000 Å, for example about 100 Å to about 1,500 Å. While not wishing to be bound by theory, it is understood that when the thicknesses of the hole transport region, the hole injection layer, and the hole transport layer are within these ranges, satisfactory hole transporting characteristics may be obtained without a substantial increase in driving voltage.

[0271] The hole transport region may further include, in addition to these materials, a charge-generation material for the improvement of conductive properties. The charge-generation material may be homogeneously or non-homogeneously dispersed in the hole transport region.


[0272] The charge-generation material may be, for example, a p-dopant. The p-dopant may be one selected from a quinone derivative, a metal oxide, and a cyano group-containing compound, but embodiments of the present disclosure are not limited thereto. Non-limiting examples of the p-dopant are a quinone derivative, such as tetracyanoquinodimethane (TCNQ) or 2,3,5,6-tetrafluoro-tetracyano-1,4-benzoquinodimethane (F4-TCNQ); a metal oxide, such as a tungsten oxide or a molybdenum oxide; and a cyano group-containing compound, such as Compound HT-D1 or Compound HT-D2 below, but are not limited thereto.

HT-D1




-continued

F4-TCNQ



HT-D2



[0273] The hole transport region may include a buffer layer.


[0274] Also, the buffer layer may compensate for an optical resonance distance according to a wavelength of light emitted from the emission layer, and thus, efficiency of a formed organic light-emitting device may be improved.

[0275] Then, an emission layer may be formed on the hole transport region by vacuum deposition, spin coating, casting, LB deposition, or the like. When the emission layer is formed by vacuum deposition or spin coating, the deposition or coating conditions may be similar to those applied in forming the hole injection layer although the deposition or coating conditions may vary according to a compound that is used to form the emission layer.


[0276] Meanwhile, when the hole transport region includes an electron blocking layer, a material for the electron blocking layer may be selected from materials for the hole transport region described above and materials for a host to be explained later. However, the material for the electron blocking layer is not limited thereto. For example, when the hole transport region includes an electron blocking layer, a material for the electron blocking layer may be mCP, which will be explained later.

[0277] The emission layer may include a host and a dopant, and the dopant may include the organometallic compound represented by one of Formulae 1 to 4.


[0278] The host may include at least one selected from TPBi, TBADN, ADN (also referred to as "DNA"), CBP, CDBP, TCP, mCP, Compounds H50 to H52:




TPBi



TCP




TBADN




mCP


Compound H50




ADN




Compound H51




CBP




H52



CDBP



[0279] In one or more embodiments, the host may further include a compound represented by Formula 301 below.



Formula 301

[0280] In Formula 301, Ar_{111} and Ar_{112} may each independently be selected from:

[0281] a phenylene group, a naphthylene group, a phenanthrenylene group, and a pyrenylene group; and

[0282] a phenylene group, a naphthylene group, a phenanthrenylene group, and a pyrenylene group, each substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group.

[0283] In Formula 301, Ar_{113} to Ar_{116} may each independently be selected from:

[0284] a C_1 - C_{10} alkyl group, a phenyl group, a naphthyl group, a phenanthrenyl group, and a pyrenyl group; and

[0285] a phenyl group, a naphthyl group, a phenanthrenyl group, and a pyrenyl group, each substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group.


[0286] In Formula 301, g, h, i, and j may each independently be an integer from 0 to 4, for example, may be 0, 1, or 2.

[0287] In Formula 301, Ar_{113} to Ar_{116} may each independently be selected from:

[0288] a C_1 - C_{10} alkyl group, each substituted with at least one selected from a phenyl group, a naphthyl group, and an anthracenyl group;


[0289] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group;

[0290] a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group, each substituted with at least one selected from deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a phenyl group, a naphthyl group, an anthracenyl group, a pyrenyl group, a phenanthrenyl group, and a fluorenyl group; and



but embodiments of the present disclosure are not limited thereto.

[0291] In one or more embodiments, the host may include a compound represented by Formula 302:




Formula 302

[0292] Ar_{122} to Ar_{125} in Formula 302 are the same as described in detail in connection with Ar_{113} in Formula 301.


[0293] Ar_{126} and Ar_{127} in Formula 302 may each independently be a C_1 - C_{10} alkyl group (for example, a methyl group, an ethyl group, or a propyl group).

[0294] k and l in Formula 302 may each independently be an integer from 0 to 4. For example, k and l may be 0, 1, or 2.


[0295] The compound represented by Formula 301 and the compound represented by Formula 302 may include Compounds H1 to H42 illustrated below, but are not limited thereto:



H1




H2




H3


-continued




H4




H5




H6



H7




H8




H9


-continued




H10




H11




H12



H13




H14




H15


-continued




-continued




H17




H21




H22




H18




H23



H19




H24




-continued

H25





-continued

H30





H31

H26





H32

H27





H33

H28




H34

H29




-continued




H35


-continued




H38




H36



H39




H37




H40

-continued

H41



H42



[0296] When the organic light-emitting device is a full-color organic light-emitting device, the emission layer may be patterned into a red emission layer, a green emission layer, and a blue emission layer. In one or more embodiments, due to a stacked structure including a red emission layer, a green emission layer, and/or a blue emission layer, the emission layer may emit white light.

[0297] When the emission layer includes a host and a dopant, an amount of the dopant may be in a range of about 0.01 parts by weight to about 15 parts by weight based on 100 parts by weight of the host, but embodiments of the present disclosure are not limited thereto.

[0298] The dopant may include at least one selected from organometallic compounds represented by Formulae 1 to 4.

[0299] A thickness of the emission layer may be in a range of about 100 Å to about 1,000 Å, for example, about 200 Å to about 600 Å. While not wishing to be bound by theory, it is understood that when the thickness of the emission layer is within this range, excellent light-emission characteristics may be obtained without a substantial increase in driving voltage.


[0300] Then, an electron transport region may be disposed on the emission layer.

[0301] The electron transport region may include at least one selected from a hole blocking layer, an electron transport layer, and an electron injection layer.

[0302] For example, the electron transport region may have a hole blocking layer/electron transport layer/electron injection layer structure or an electron transport layer/electron injection layer structure, but the structure of the electron transport region is not limited thereto. The electron transport layer may have a single-layered structure or a multi-layered structure including two or more different materials.


[0303] Conditions for forming the hole blocking layer, the electron transport layer, and the electron injection layer which constitute the electron transport region may be understood by referring to the conditions for forming the hole injection layer.

[0304] When the electron transport region includes a hole blocking layer, the hole blocking layer may include, for example, at least one of BCP, Bphen, and BALq but embodiments of the present disclosure are not limited thereto:




[0305] A thickness of the hole blocking layer may be in a range of about 20 Å to about 1,000 Å, for example, about 30 Å to about 300 Å. While not wishing to be bound by theory, it is understood that when the thickness of the hole blocking layer is within these ranges, the hole blocking layer may have excellent hole blocking characteristics without a substantial increase in driving voltage.


[0306] The electron transport layer may further include, in addition to the organometallic compound represented by Formula 1, at least one selected from BCP, Bphen, Alq₃, BALq, TAZ, and NTAZ:




-continued



BAiq




TAZ




NTAZ


-continued



ET2




ET3



ET4


[0307] In one or more embodiments, the electron transport layer may include at least one of ET1 and ET25, but are not limited thereto:

ET1




-continued

ET5




-continued


ET8




ET6




ET9



ET7




ET10




-continued


ET11




ET12



ET13




ET14




-continued


ET15




ET16



ET17




-continued




ET18

-continued




ET21

ET19





ET22




ET23

ET20




-continued

ET24



-continued

ET-D2



[0311] The electron transport region may include an electron injection layer that promotes flow of electrons from the second electrode 19 thereinto.

[0312] The electron injection layer may include at least one selected from LiF, NaCl, CsF, Li₂O, and BaO.

[0313] A thickness of the electron injection layer may be in a range of about 1 Å to about 100 Å, for example, about 3 Å to about 90 Å. While not wishing to be bound by theory, it is understood that when the thickness of the electron injection layer is within the range described above, the electron injection layer may have satisfactory electron injection characteristics without a substantial increase in driving voltage.

[0314] The second electrode 19 is disposed on the organic layer 15. The second electrode 19 may be a cathode. A material for forming the second electrode 19 may be metal, an alloy, an electrically conductive compound, or a combination thereof, which have a relatively low work function. For example, lithium (Li), magnesium (Mg), aluminum (Al), aluminum-lithium (Al—Li), calcium (Ca), magnesium-indium (Mg—In), or magnesium-silver (Mg—Ag) may be formed as the material for forming the second electrode 19. To manufacture a top-emission type light-emitting device, a transmissive electrode formed using ITO or IZO may be used as the second electrode 19.

[0315] Hereinbefore, the organic light-emitting device has been described with reference to FIG. 1, but embodiments of the present disclosure are not limited thereto.


[0316] The term “first-row transition metals” as used herein refers to d-block elements from Period 4 of the Periodic Table of Elements, and examples thereof are scandium (Sc), titanium (Ti), vanadium (V), chromium (Cr), manganese (Mn), iron (Fe), cobalt (Co), nickel (Ni), copper (Cu), and zinc (Zn).

[0317] The term “second-row transition metals” as used herein refers to d-block elements from Period 5 of the Periodic Table of Elements, and examples thereof are yttrium (Y), zirconium (Zr), niobium (Nb), molybdenum (Mo), technetium (Tc), ruthenium (Ru), rhodium (Rh), palladium (Pd), silver (Ag), and cadmium (Cd).

[0318] The term “third-row transition metals” as used herein refers to d-block and f-block elements of Period 6 of the Periodic Table of Elements, and examples thereof are lanthanum (La), samarium (Sm), europium (Eu), terbium (Tb), thulium (Tm), ytterbium (Yb), lutetium (Lu), hafnium (Hf), tantalum (Ta), tungsten (W), rhenium (Re), osmium (Os), iridium (Ir), platinum (Pr), gold (Au), and mercury (Hg).

[0319] The term “C₁-C₆₀ alkyl group” as used herein refers to a linear or branched saturated aliphatic hydrocarbon

ET25




[0308] A thickness of the electron transport layer may be in a range of about 100 Å to about 1,000 Å, for example, about 150 Å to about 500 Å. While not wishing to be bound by theory, it is understood that when the thickness of the electron transport layer is within the range described above, the electron transport layer may have satisfactory electron transport characteristics without a substantial increase in driving voltage.

[0309] Also, the electron transport layer may further include, in addition to the materials described above, a metal-containing material.

[0310] The metal-containing material may include a Li complex. The Li complex may include, for example, Compound ET-D1 (lithium 8-hydroxyquinolate, LiQ) or ET-D2:

ET-D1



monovalent group having 1 to 60 carbon atoms, and examples thereof include a methyl group, an ethyl group, a propyl group, an iso-butyl group, a sec-butyl group, a tert-butyl group, a pentyl group, an iso-amyl group, and a hexyl group. The term “C₁-C₆₀ alkylene group” as used herein refers to a divalent group having the same structure as the C₁-C₆₀ alkyl group.

[0320] The term “C₁-C₆₀ alkoxy group” as used herein refers to a monovalent group represented by —OA₁₀₁ (wherein A₁₀₁ is the C₁-C₆₀ alkyl group), and examples thereof include a methoxy group, an ethoxy group, and an iso-propyloxy group.

[0321] The term “C₂-C₆₀ alkenyl group” as used herein refers to a hydrocarbon group having at least one carbon-carbon double bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof include an ethenyl group, a propenyl group, and a butenyl group. The term “C₂-C₆₀ alkenylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkenyl group.

[0322] The term “C₂-C₆₀ alkynyl group” as used herein refers to a hydrocarbon group having at least one carbon-carbon triple bond in the middle or at the terminus of the C₂-C₆₀ alkyl group, and examples thereof include an ethynyl group, and a propynyl group. The term “C₂-C₆₀ alkynylene group” as used herein refers to a divalent group having the same structure as the C₂-C₆₀ alkynyl group.

[0323] The term “C₃-C₁₀ cycloalkyl group” as used herein refers to a monovalent saturated hydrocarbon monocyclic group having 3 to 10 carbon atoms, and examples thereof include a cyclopropyl group, a cyclobutyl group, a cyclopentyl group, a cyclohexyl group, and a cycloheptyl group. The term “C₃-C₁₀ cycloalkylene group” as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkyl group.

[0324] The term “C₁-C₁₀ heterocycloalkyl group” as used herein refers to a monovalent saturated monocyclic group having at least one heteroatom selected from N, O, P, Si and S as a ring-forming atom and 1 to 10 carbon atoms, and non-limiting examples thereof include a tetrahydrofuranlyl group, and a tetrahydrothiophenyl group. The term “C₁-C₁₀ heterocycloalkylene group” as used herein refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkyl group.

[0325] The term “C₃-C₁₀ cycloalkenyl group” as used herein refers to a monovalent monocyclic hydrocarbon group that has 3 to 10 carbon atoms and at least one carbon-carbon double bond in the ring thereof and no aromaticity, and non-limiting examples thereof include a cyclopentenyl group, a cyclohexenyl group, and a cycloheptenyl group. The term “C₃-C₁₀ cycloalkenylene group” as used herein refers to a divalent group having the same structure as the C₃-C₁₀ cycloalkenyl group.

[0326] The term “C₁-C₁₀ heterocycloalkenyl group” as used herein refers to a monovalent monocyclic group that has at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, 1 to 10 carbon atoms, and at least one carbon-carbon double bond in its ring. Examples of the C₁-C₁₀ heterocycloalkenyl group are a 2,3-dihydrofuranlyl group, and a 2,3-dihydrothiophenyl group. The term “C₁-C₁₀ heterocycloalkenylene group” as used herein refers to a divalent group having the same structure as the C₁-C₁₀ heterocycloalkenyl group.

[0327] The term “C₆-C₆₀ aryl group” as used herein refers to a monovalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms, and the term “C₆-C₆₀ arylene group” as used herein refers to a divalent group having a carbocyclic aromatic system having 6 to 60 carbon atoms. Examples of the C₆-C₆₀ aryl group are a phenyl group, a naphthyl group, an anthracenyl group, a phenanthrenyl group, a pyrenyl group, and a chrysenyl group. When the C₆-C₆₀ aryl group and the C₆-C₆₀ arylene group each include two or more rings, the rings may be fused to each other.

[0328] The term “C₁-C₆₀ heteroaryl group” as used herein refers to a monovalent group having a cyclic aromatic system that has at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, in addition to 1 to 60 carbon atoms. The term “C₁-C₆₀ heteroarylene group” as used herein refers to a divalent group having a carbocyclic aromatic system that has at least one heteroatom selected from N, O, P, Si, and S as a ring-forming atom, in addition to 1 to 60 carbon atoms. Examples of the C₁-C₆₀ heteroaryl group are a pyridinyl group, a pyrimidinyl group, a pyrazinyl group, a pyridazinyl group, a triazinyl group, a quinoxalinyl group, and an isoquinolinyl group. When the C₁-C₆₀ heteroaryl group and the C₁-C₆₀ heteroarylene group each include two or more rings, the rings may be fused to each other.

[0329] The term “C₆-C₆₀ aryloxy group” as used herein indicates —OA₁₀₂ (wherein A₁₀₂ is the C₆-C₆₀ aryl group), the term “C₆-C₆₀ arylthio group” as used herein indicates —SA₁₀₃ (wherein A₁₀₃ is the C₆-C₆₀ aryl group), and the term “C₇-C₆₀ arylalkyl group” as used herein indicates —A₁₀₄A₁₀₅ (wherein A₁₀₅ is the C₆-C₅₉ aryl group and A₁₀₄ is the C₁-C₅₃ alkylene group).

[0330] The term “C₁-C₆₀ heteroaryloxy group” as used herein refers to —OA₁₀₆ (wherein A₁₀₆ is the C₂-C₆₀ heteroaryl group), the term “C₁-C₆₀ heteroarylthio group” as used herein indicates —SA₁₀₇ (wherein A₁₀₇ is the C₁-C₆₀ heteroaryl group), and the term “C₂-C₆₀ heteroarylalkyl group” as used herein refers to —A₁₀₈A₁₀₉ (A₁₀₉ is a C₁-C₅₉ heteroaryl group, and A₁₀₈ is a C₁-C₅₉ alkylene group).

[0331] The term “monovalent non-aromatic condensed polycyclic group” as used herein refers to a monovalent group (for example, having 8 to 60 carbon atoms) having two or more rings condensed to each other, only carbon atoms as ring-forming atoms, and no aromaticity in its entire molecular structure. Examples of the monovalent non-aromatic condensed polycyclic group include a fluorenyl group. The term “divalent non-aromatic condensed polycyclic group,” used herein, refers to a divalent group having the same structure as the monovalent non-aromatic condensed polycyclic group.

[0332] The term “monovalent non-aromatic condensed heteropolycyclic group” as used herein refers to a monovalent group (for example, having 2 to 60 carbon atoms) having two or more rings condensed to each other, a heteroatom selected from N, O, P, Si, and S, other than carbon atoms, as a ring-forming atom, and no aromaticity in its entire molecular structure. Non-limiting examples of the monovalent non-aromatic condensed heteropolycyclic group include a carbazolyl group. The term “divalent non-aromatic condensed heteropolycyclic group” as used herein refers to a divalent group having the same structure as the monovalent non-aromatic condensed heteropolycyclic group.

[0333] The term “C₅-C₃₀ carbocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, 5 to 30 carbon atoms only. The term “C₅-C₅ carbocyclic group” as used herein refers to a monocyclic group or a polycyclic group, and, according to its chemical structure, a monovalent, divalent, trivalent, tetravalent, pentavalent, or hexavalent group.

[0334] The term “C₁-C₃₀ heterocyclic group” as used herein refers to a saturated or unsaturated cyclic group having, as a ring-forming atom, at least one heteroatom selected from N, O, Si, P, and S other than 1 to 30 carbon atoms. The term “C₁-C₃₀ heterocyclic group” as used herein refers to a monocyclic group or a polycyclic group, and, according to its chemical structure, a monovalent, divalent, trivalent, tetravalent, pentavalent, or hexavalent group.

[0335] At least one substituent of the substituted C₅-C₃₀ carbocyclic group, the substituted C₁-C₃₀ heterocyclic group, the substituted C₁-C₆₀ alkyl group, the substituted C₂-C₆₀ alkenyl group, the substituted C₂-C₆₀ alkynyl group, the substituted C₁-C₆₀ alkoxy group, the substituted C₃-C₁₀ cycloalkyl group, the substituted C₁-C₁₀ heterocycloalkyl group, the substituted C₃-C₁₀ cycloalkenyl group, the substituted C₁-C₁₀ heterocycloalkenyl group, the substituted C₆-C₆₀ aryl group, the substituted C₆-C₆₀ aryloxy group, the substituted C₆-C₆₀ arylthio group, the substituted C₇-C₆₀ arylalkyl group, the substituted C₁-C₆₀ heteroaryl group, the substituted C₁-C₆₀ heteroaryloxy group, the substituted C₁-C₆₀ heteroarylthio group, the substituted C₂-C₆₀ heteroarylalkyl group, the substituted monovalent non-aromatic condensed polycyclic group, and the substituted monovalent non-aromatic condensed heteropolycyclic group may be selected from:

[0336] deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group;

[0337] a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, and a C₁-C₆₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₁₁)(Q₁₂), —Si(Q₁₃)(Q₁₄)(Q₁₅), —B(Q₁₆)(Q₁₇), and —P(=O)(Q₁₈)(Q₁₉);

[0338] a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀

aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group;

[0339] a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, a monovalent non-aromatic condensed heteropolycyclic group, —N(Q₂₁)(Q₂₂), —Si(Q₂₃)(Q₂₄)(Q₂₅), —B(Q₂₆)(Q₂₇), and —P(=O)(Q₂₈)(Q₂₉); and

[0340] —N(Q₃₁)(Q₃₂), —Si(Q₃₃)(Q₃₄)(Q₃₅), —B(Q₃₆)(Q₃₇), and —P(=O)(Q₃₈)(Q₃₉), and

[0341] Q₁ to Q₉, Q₁₁ to Q₁₉, Q₂₁ to Q₂₉, and Q₃₁ to Q₃₉ may each independently be selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₆₀ alkyl group, a C₂-C₆₀ alkenyl group, a C₂-C₆₀ alkynyl group, a C₁-C₆₀ alkoxy group, a C₃-C₁₀ cycloalkyl group, a C₁-C₁₀ heterocycloalkyl group, a C₃-C₁₀ cycloalkenyl group, a C₁-C₁₀ heterocycloalkenyl group, a C₆-C₆₀ aryl group, a C₆-C₆₀ aryl group substituted with at least one selected from a C₁-C₆₀ alkyl group and a C₆-C₆₀ aryl group, a C₆-C₆₀ aryloxy group, a C₆-C₆₀ arylthio group, a C₇-C₆₀ arylalkyl group, a C₁-C₆₀ heteroaryl group, a C₁-C₆₀ heteroaryloxy group, a C₁-C₆₀ heteroarylthio group, a C₂-C₆₀ heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.


[0342] Hereinafter, a compound and an organic light-emitting device according to embodiments are described in detail with reference to Synthesis Examples and Examples. However, the organic light-emitting device is not limited thereto. The wording “‘B’ was used instead of ‘A’” used in describing Synthesis Examples means that a molar equivalent of ‘A’ was identical to a molar equivalent of ‘B’.

EXAMPLES

Synthesis Example 1

Synthesis of Compound 1

[0343] Compound 1 was synthesized according to Reaction Scheme 1.



[0344] (1) Synthesis of Intermediate (A)

[0345] 10.0 grams (g) (50.5 millimoles, mmol) of 5-bromo-2-methylbenzo[d]oxazole, 15.4 g (60.6 mmol) of bis(pinacolato) diboron, 2.06 g (2.52 mmol) of $\text{PdCl}_2(\text{dppf})\cdot\text{CH}_2\text{Cl}_2$, and 14.9 g (152 mmol) of potassium acetate were dissolved in 168 milliliters (mL) of dimethylformamide (DMF), and stirred at a temperature of 100°C . for 20 hours. After the

reaction was completed, the reaction product was cooled to room temperature and filtered through silica gel under reduced pressure, and a filtrate was concentrated under reduced pressure. The product obtained therefrom was separated by silica gel column chromatography. The product was recrystallized with dichloromethane (DCM)/n-hexane as an eluent to obtain 8.91 g (yield: 72%) of Intermediate (A).

[0346] LC-Mass (calc: 245.12 g/mol, found: $M+1=246$ g/mol).

[0347] (2) Synthesis of Intermediate (B)

[0348] 8.91 g (36.4 mmol) of Intermediate (A), 9.13 g (36.4 mmol) of 2-bromo-1-(2,6-dimethylphenyl)-1H-imidazole, 2.10 g (1.82 mmol) of tetrakis(triphenylphosphine) palladium(0) ($\text{Pd}(\text{PPh}_3)_4$), and 12.6 g (90.9 mmol) of potassium carbonate were added to a mixed solution including 80 mL of THF and 40 mL of water and stirred under reflux. After the reaction was completed, the reaction product was cooled to room temperature, extracted to remove an aqueous solution layer, and filtered through silica gel under reduced pressure, and a filtrate was concentrated under reduced pressure. The product obtained therefrom was separated by silica gel column chromatography to obtain 4.73 g (yield: 45%) of Intermediate (B).

[0349] LC-Mass (calc: 289.12 g/mol, found: $M+1=290$ g/mol).

[0350] (3) Synthesis of Compound 1


[0351] 4.73 g (16.3 mmol) of Intermediate (B) and 2.02 g (4.08 mmol) of $\text{Ir}(\text{COD})_2\text{BF}_4$ were dissolved in 50 mL of NMP and stirred at a temperature of 200°C . for 20 hours. After the reaction was completed, 100 mL of dichloromethane (DCM) was added thereto, and an organic layer was sequentially washed by using 100 mL of 10% NH_4OH aqueous solution, 100 mL of saturated NaHCO_3 aqueous solution, and 100 mL of saturated NaCl aqueous solution (brine). The obtained organic layer was dried by using anhydrous MgSO_4 , filtered, and then concentrated under reduced pressure. The product obtained therefrom was separated by silica gel column chromatography to obtain 0.65 g (yield: 11%) of Compound 1.


[0352] LC-Mass (calc: 1057.30 g/mol, found: $M+1=1058$ g/mol).

Synthesis Example 2

Synthesis of Compound 7

[0353] Compound 7 was synthesized according to Reaction Scheme 2.





[0354] (1) Synthesis of Intermediate (C)

[0355] 11.7 g (yield: 84%) of Intermediate (C) was synthesized in the same manner as Intermediate (A), except that 12.0 g (56.6 mmol) of 5-bromo-2-methylbenzo[d]oxazole was used instead of 5-bromobenzo[d]oxazole.

[0356] LC-Mass (calc: 259.14 g/mol, found: M+1=260 g/mol).

[0357] (2) Synthesis of Intermediate (D)

[0358] 8.21 g (yield: 67%) of Intermediate (D) was synthesized in the same manner as Intermediate (B), except that 10.0 g (38.6 mmol) of Intermediate (B) was used instead of Intermediate (A), and 10.2 g (38.6 mmol) of 2-bromo-1-mesityl-1H-imidazole was used instead of 2-bromo-1-(2,6-dimethylphenyl)-1H-imidazole.

[0359] LC-Mass (calc: 317.15 g/mol, found: M+1=318 g/mol).

[0360] (3) Synthesis of Compound 7

[0361] 0.58 g (yield: 13%) of Compound 7 was synthesized in the same manner as Compound 1, except that 5.00 g (15.8 mmol) of Intermediate (D) was used instead of Intermediate (B).


[0362] LC-Mass (calc: 1141.40 g/mol, found: M+1=1142 g/mol).

Synthesis Example 3

Synthesis of Compound 8

[0363] Compound 8 was synthesized according to Reaction Scheme 3.

Reaction Scheme 3



[0364] (1) Synthesis of Intermediate (E)

[0365] 8.88 g (yield: 64%) of Intermediate (E) was synthesized in the same manner as Intermediate (D), except that 11.9 g (38.6 mmol) of 2-bromo-1-(2,6-diisopropylphenyl)-1H-imidazole was used instead of 2-bromo-1-mesityl-1H-imidazole.

[0366] LC-Mass calc: 359.20 g/mol, found: M+1=360 g/mol).

[0367] (2) Synthesis of Compound 8


[0368] 0.57 g (yield: 13%) of Compound 8 was synthesized in the same manner as Compound 1, except that 5.00 g (13.9 mmol) of Intermediate (E) was used instead of Intermediate (B).

[0369] LC-Mass (calc: 1267.54 g/mol, found: M+1=1268 g/mol).

Synthesis Example 4

Synthesis of Compound 10

[0370] Compound 10 was synthesized according to Reaction Scheme 4.



[0371] (1) Synthesis of Intermediate (F)

[0372] 9.57 g (yield: 58%) of Intermediate (F) was synthesized in the same manner as Intermediate (D), except that 14.5 g (38.6 mmol) of 1-([1,1':3',1''-terphenyl]-2'-yl)-2-bromo-1H-imidazole was used instead of 2-bromo-1-mesityl-1H-imidazole.

[0373] LC-Mass (calc: 427.17 g/mol, found: $\text{M}+1=428$ g/mol).

[0374] (2) Synthesis of Compound 10


[0375] 0.36 g (yield: 6%) of Compound 10 was synthesized in the same manner as Compound 1, except that 7.00 g (16.4 mmol) of Intermediate (F) was used instead of Intermediate (B).

[0376] LC-Mass (calc: 1471.44 g/mol, found: $\text{M}+1=1472$ g/mol).

Synthesis Example 5

Synthesis of Compound 18

[0377] Compound 18 was synthesized according to Reaction Scheme 5.



[0378] (1) Synthesis of Intermediate (G)

[0379] 13.2 g (yield: 91%) of Intermediate (G) was synthesized in the same manner as Intermediate (A), except that 12.0 g (52.6 mmol) of 5-bromo-2-methylbenzo[d]thiazole was used instead of 5-bromobenzo[d]oxazole.

[0380] LC-Mass (calc: 275.12 g/mol, found: M+1=276 g/mol).

[0381] (2) Synthesis of Intermediate (H)

[0382] 10.2 g (yield: 75%) of Intermediate (D) was synthesized in the same manner as Intermediate (E), except that 10.0 g (36.3 mmol) of Intermediate (G) was used instead of Intermediate (C).

[0383] LC-Mass (calc: 375.18 g/mol, found: M+1=376 g/mol).

[0384] (3) Synthesis of Compound 18


[0385] 0.39 g (yield: 9%) of Compound 18 was synthesized in the same manner as Compound 1, except that 5.00 g (13.3 mmol) of Intermediate (H) was used instead of Intermediate (B).

[0386] LC-Mass (calc: 1315.47 g/mol, found: M+1=1316 g/mol).



Synthesis Example 6

Synthesis of Compound 28

[0387] Compound 28 was synthesized according to Reaction Scheme 6.



-continued

**[0388]** (1) Synthesis of Intermediate (I)

[0389] 10.3 g (yield: 71%) of Intermediate (I) was synthesized in the same manner as Intermediate (A), except that 12.0 g (53.3 mmol) of 5-bromo-1,2-dimethyl-1H-benzo[d]imidazole was used instead of 5-bromobenzo[d]oxazole.

[0390] LC-Mass (calc: 272.17 g/mol, found: M+1=273 g/mol). (2) Synthesis of Intermediate (J)

[0391] 9.03 g (yield: 66%) of Intermediate (J) was synthesized in the same manner as Intermediate (E), except that 10.0 g (36.7 mmol) of Intermediate (I) was used instead of Intermediate (C).

[0392] LC-Mass (calc: 372.23 g/mol, found: M+1=373 g/mol).

[0393] (3) Synthesis of Compound 28


[0394] 0.35 g (yield: 8%) of Compound 28 was synthesized in the same manner as Compound 1, except that 5.00 g (13.4 mmol) of Intermediate (J) was used instead of Intermediate (B).

[0395] LC-Mass (calc: 1306.63 g/mol, found: M+1=1307 g/mol).

Synthesis Example 7

Synthesis of Compound 48

[0396] Compound 48 was synthesized according to Reaction Scheme 7.



[0397] (1) Synthesis of Intermediate (K)

[0398] 10.4 g (yield: 75%) of Intermediate (K) was synthesized in the same manner as Intermediate (A), except that 12.0 g (56.6 mmol) of 6-bromo-2-methylbenzo[d]oxazole was used instead of 5-bromo-2-methylbenzo[d]oxazole.

[0399] LC-Mass (calc: 259.14 g/mol, found: M+1=260 g/mol).

[0400] (2) Synthesis of Intermediate (L)

[0401] 9.71 g (yield: 70%) of Intermediate (L) was synthesized in the same manner as Intermediate (D), except that 10.0 g (38.6 mmol) of Intermediate (K) was used instead of Intermediate (C).

[0402] LC-Mass (calc: 359.20 g/mol, found: M+1=360 g/mol).

[0403] (3) Synthesis of Compound 48


[0404] 0.31 g (yield: 7%) of Compound 48 was synthesized in the same manner as Compound 1, except that 5.00 g (13.9 mmol) of Intermediate (L) was used instead of Intermediate (B).

[0405] LC-Mass (calc: 1267.54 g/mol, found: M+1=1268 g/mol).


Synthesis Example 8

Synthesis of Compound 108

[0406] Compound 108 was synthesized according to Reaction Scheme 8.



-continued



[0407] (1) Synthesis of Intermediate (M)

[0408] 11.0 g (yield: 79%) of Intermediate (M) was synthesized in the same manner as in Intermediate (A), except that 12.0 g (56.6 mmol) of 7-bromo-2-methylbenzo[d]oxazole was used instead of 5-bromobenzo[d]oxazole.

[0409] LC-Mass (calc: 259.14 g/mol, found: M+1=260 g/mol).

[0410] (2) Synthesis of Intermediate (N)

[0411] 6.80 g (yield: 49%) of Intermediate (N) was synthesized in the same manner as Intermediate (D), except that 10.0 g (38.6 mmol) of Intermediate (M) was used instead of Intermediate (C).

[0412] LC-Mass (calc: 359.20 g/mol, found: M+1=360 g/mol).

[0413] (3) Synthesis of Compound 108


[0414] 0.18 g (yield: 4%) of Compound 108 was synthesized in the same manner as Compound 1, except that 5.00 g (13.9 mmol) of Intermediate (N) was used instead of Intermediate (B).

[0415] LC-Mass (calc: 1267.54 g/mol, found: M+1=1268 g/mol).



Synthesis Example 9

Synthesis of Compound 148

[0416] Compound 148 was synthesized according to Reaction Scheme 9.



-continued



[0417] (1) Synthesis of Intermediate (O)

[0418] 11.0 g (yield: 79%) of Intermediate (O) was synthesized in the same manner as Intermediate (A), except that 12.0 g (56.6 mmol) of 4-bromo-2-methylbenzo[d]oxazole was used instead of 5-bromobenzo[d]oxazole.

[0419] LC-Mass (calc: 259.14 g/mol, found: M+1=260 g/mol).

[0420] (2) Synthesis of Intermediate (P)

[0421] 6.24 g (yield: 45%) of Intermediate (P) was synthesized in the same manner as Intermediate (D), except that 10.0 g (38.6 mmol) of Intermediate (O) was used instead of Intermediate (C).

[0422] LC-Mass (calc: 359.20 g/mol, found: M+1=360 g/mol).

[0423] (3) Synthesis of Compound 148


[0424] 0.23 g (yield: 5%) of Compound 148 was synthesized in the same manner as Compound 1, except that 5.00 g (13.9 mmol) of Intermediate (N) was used instead of Intermediate (B).

[0425] LC-Mass (calc: 1267.54 g/mol, found: M+1=1268 g/mol).

Synthesis Example 10

Synthesis of Compound 230

[0426] Compound 230 was synthesized according to Reaction Scheme 10.



[0427] (1) Synthesis of Intermediate (Q)

[0428] 10.1 g (yield: 61%) of Intermediate (Q) was synthesized in the same manner as Intermediate (D), except that 14.5 g (38.6 mmol) of 4-([1,1':3',1''-terphenyl]-2'-yl)-3-bromo-4H-1,2,4-triazol was used instead of 2-bromo-1-mesityl-1H-imidazole.

[0429] LC-Mass (calc: 428.16 g/mol, found: M+1=429 g/mol).

[0430] (2) Synthesis of Compound 230


[0431] 0.26 g (yield: 3%) of Compound 230 was synthesized in the same manner as Compound 1, except that 10.0 g (23.3 mmol) of Intermediate (Q) was used instead of Intermediate (B).

[0432] LC-Mass (calc: 1474.43 g/mol, found: M+1=1475 g/mol).

Synthesis Example 11

Synthesis of Compound 270

[0433] Compound 270 was synthesized according to Reaction Scheme 11.



[0434] (1) Synthesis of Intermediate (R)

[0435] 10.9 g (yield: 66%) of Intermediate (R) was synthesized in the same manner as Intermediate (Q), except that 10.0 g (38.6 mmol) of Intermediate (K) was used instead of Intermediate (C).

[0436] LC-Mass (calc: 428.16 g/mol, found: M+1=429 g/mol).

[0437] (2) Synthesis of Compound 270


[0438] 0.24 g (yield: 3%) of Compound 230 was synthesized in the same manner as Compound 1, except that 10.0 g (23.3 mmol) of Intermediate (R) was used instead of Intermediate (B).

[0439] LC-Mass (calc: 1474.43 g/mol, found: M+1=1475 g/mol).

Synthesis Example 12

Synthesis of Compound 760

[0440] Compound 760 was synthesized according to Reaction Scheme 12.



[0441] (1) Synthesis of Compound 760


[0442] 3.27 g (9.08 mmol) of Intermediate (E), 5.99 g (27.3 mmol) of 3-(1-(2,6-diisopropylphenyl)-1H-imidazol-2-yl)benzotrile, and 3.00 g (6.06 mmol) of $\text{Ir}(\text{COD})_2\text{BF}_4$ were dissolved in 90 mL of NMP, and stirred at a temperature of 200° C. for 20 hours. After the reaction was completed, 200 mL of dichloromethane (DCM) was added to the reaction product, and an organic layer was sequentially washed by using 200 mL of 10% NH_4OH aqueous solution, 200 mL of saturated NaHCO_3 aqueous solution, and 200 mL of brine (saturated NaCl aqueous solution). The obtained organic layer was dried by using anhydrous MgSO_4 , filtered, and then concentrated under reduced pressure. The product was separated by silica gel column chromatography to obtain 0.29 g (yield: 4%) of Compound 270.

[0443] LC-Mass (calc: 1207.52 g/mol, found: $\text{M}+1=1208$ g/mol).

Synthesis Example 13

Synthesis of Compound 774

[0444] Compound 774 was synthesized according to Reaction Scheme 13.



[0445] (1) Synthesis of Compound 774

[0446] 0.28 g (yield: 3%) of Compound 774 was synthesized in the same manner as Compound 760, except that 7.17 g (27.3 mmol) of 2-(dibenzo[b,d]furan-2-yl)-1-(2,6-diisopropylphenyl)-1H-imidazole was used instead of 3-(1-(2,6-diisopropylphenyl)-1H-imidazol-2-yl)benzotrile.

[0447] LC-Mass (calc: 1337.55 g/mol, found: $\text{M}+1=1338$ g/mol).

Evaluation Example 1

Evaluation of HOMO, LUMO, and Triplet (T₁) Energy Levels

[0448] HOMO and LUMO energy levels of Compound 8 were evaluated according to methods described in Table 2, and results thereof are shown in Table 3. A cyclic voltammetry (CV) graph of Compound 8 is shown in FIG. 2.

TABLE 2

HOMO energy level evaluation method	A voltage-current (V-A) graph of each Compound was obtained by using a CV (electrolyte: 0.1 molar (M) Bu_4NClO_4 /solvent: CH_2Cl_2 /electrode: 3-electrode system (work electrode: GC, reference electrode: Ag/AgCl , auxiliary electrode: Pt)), and then, a HOMO energy level of each Compound was calculated from reduction onset.
-------------------------------------	---

TABLE 2-continued

LUMO energy level evaluation method	Each Compound was diluted at a concentration of 1×10^{-5} M in CHCl_3 , a UV absorption spectrum thereof was measured at room temperature by using a Shimadzu UV-350 spectrometer, and a LUMO energy level thereof was calculated by using an optical band gap (E_g) from an edge of the absorption spectrum.
T_1 energy level evaluation method	After a mixture of toluene and each Compound (1 milligram (mg) of each Compound was dissolved in 3 mL of toluene) was added to a quartz cell and then added to liquid nitrogen (77 Kelvins, K), a photoluminescence spectrum was measured by using a photoluminescence measurement apparatus. The T_1 energy level was calculated by analyzing peaks alone observed only at a low temperature through comparison with a general room-temperature photoluminescence spectrum.

TABLE 3

Compound No.	HOMO (eV)	LUMO (eV)	T_1 (eV)
8	-4.96	-2.28	2.68

[0449] Referring to Table 3, it is confirmed that Compound 8 has electrical characteristics suitable for use as a material of an organic light-emitting device.

Evaluation Example 2

Evaluation of Thermal Characteristics

[0450] Thermal analysis (1-Pa vacuum atmosphere, temperature range: room temperature to 600° C. (10° C./min), Pan Type: Pt Pan in disposable Al Pan) was performed on Compound 8 by using TG-DTA analysis, and results thereof are shown in Table 4. A sublimation temperature was determined as a point at which a weight change amount reached 10% in the TG-DTA analysis.

TABLE 4

Compound No.	T_d (1%, ° C.)	Sublimation temperature (° C.)
8	208	250

[0451] Referring to Table 4, it is confirmed that Compound 8 has excellent thermal stability and has a relatively low sublimation temperature.

Evaluation Example 3

Evaluation of Photoluminescence Spectrum

[0452] Luminescent characteristics of each Compound were evaluated by evaluating a photoluminescence (PL) spectrum of Compound 8. After Compound 8 was diluted at a concentration of 10 millimolar (mM) in CHCl_3 , a PL spectrum thereof was measured at room temperature by using an ISC PC1 spectrofluorometer equipped with a xenon lamp. A maximum wavelength of the PL spectrum of Compound 8 is shown in Table 5 and FIG. 3.

TABLE 5

Compound No.	λ_{max} (nm)
8	462, 491

[0453] Referring to Table 5, it is confirmed that Compound 8 has PL characteristics suitable for deep blue light emission.

Example 1


[0454] A glass substrate, on which an ITO electrode (first electrode, anode) having a thickness of 1,500 Angstroms (Å) was formed, was sonicated with distilled water. Then, the glass substrate was sonicated with a solvent such as isopropyl alcohol, acetone, and methanol and then dried. The glass substrate was provided to a plasma cleaner, and the glass substrate was cleaned for 5 minutes by using oxygen plasma. Then, the glass substrate was provided to a vacuum deposition apparatus.

[0455] Compound HT3 and Compound HT-D1 were co-deposited on the ITO electrode of the glass substrate to form a hole injection layer having a thickness of 100 Å, Compound HT3 was deposited on the hole injection layer to form a hole transport layer having a thickness of 1,300 Å, and mCP was deposited on the hole transport layer to form an electron blocking layer having a thickness of 100 Å, thereby forming a hole transport region.


[0456] Compound H52 (host) and Compound 1 (dopant, 10 percent by weight, wt %) were co-deposited on the hole transport region to form an emission layer having a thickness of 400 Å.

[0457] BCP was vacuum-deposited on the emission layer to form a hole blocking layer having a thickness of 100 Å, Compound ET3 and ET-D1 (LiQ) were vacuum-deposited on the hole blocking layer to form an electron transport layer having a thickness of 300 Å, ET-D1 (LiQ) was deposited on the electron transport layer to form an electron injection layer having a thickness of 10 Å, and Al was deposited on the electron injection layer to form an Al second electrode (cathode) having a thickness of 1,200 Å, thereby completing the manufacture of an organic light-emitting device.


HT3



-continued




HT-D1



BCP

Examples 2 to 13 and Comparative Examples 1 and 2

H52




[0458] Organic light-emitting devices were manufactured in the same manner as in Example 1, except that Compounds shown in Table 6 were each used instead of Compound 1 as a dopant in forming an emission layer.

Evaluation Example 4

Evaluation of Characteristics of Organic Light-Emitting Devices

ET3




[0459] A current density change according to a voltage change, a luminance change according to a voltage change, luminescent efficiency, and durability were measured with respect to the organic light-emitting devices manufactured according to Examples 1 to 13 and Comparative Examples 1 and 2. Detailed measurement methods are as follows, and results thereof are shown in Table 6.

[0460] (1) Measurement of Current Density Change According to Voltage Change

[0461] A current value flowing through unit element in each manufactured organic light-emitting device was measured by using a current-voltage meter (Keithley 2400) while increasing a voltage from 0 volts (V) to 10 V, and a result was obtained by dividing the measured current value by an area.

ET-D1



mCP

[0462] (2) Measurement of Luminance Change According to Voltage Change

[0463] Luminance in each manufactured organic light-emitting device was measured by using a luminance meter (Minolta Cs-1000A) while increasing a voltage from 0 V to 10 V.

[0464] (3) Measurement of Luminescent Efficiency


[0465] Current efficiency (candelas per ampere, cd/A) at the same current density (10 milliamperes per square centimeter, mA/cm²) was calculated by using the current density and the luminance measured in the above (1) and (2) and the voltage.

[0466] (4) Measurement of Durability


[0467] An amount time that lapsed when luminance was 95% of initial luminance (100%) was evaluated.

TABLE 6


No.	Dopant	Driving voltage (relative value)	Current efficiency (relative value)	Durability (relative value)	Color
Example 1	Compound 1	95%	112%	174%	Blue
Example 2	Compound 7	92%	115%	252%	Blue
Example 3	Compound 8	94%	110%	412%	Blue
Example 4	Compound 10	114%	121%	520%	Blue
Example 5	Compound 18	101%	105%	214%	Blue
Example 6	Compound 28	87%	104%	181%	Blue
Example 7	Compound 48	95%	120%	424%	Bluish-green
Example 8	Compound 108	107%	104%	142%	Bluish-green
Example 9	Compound 148	115%	117%	175%	Bluish-green
Example 10	Compound 230	120%	103%	135%	Blue
Example 11	Compound 270	111%	110%	210%	Bluish-green
Example 12	Compound 760	82%	125%	445%	Blue
Example 13	Compound 774	89%	124%	374%	Blue
Comparative Example 1	Compound A	120%	65%	74%	Green
Comparative Example 2	Compound B	100%	100%	100%	Blue




1



7



8



10

TABLE 6-continued








TABLE 6-continued







 [] ₃	230
 [] ₃	270
 [] ₂	760
 [] ₂	774
 [] ₂	A

TABLE 6-continued



[0468] Referring to Table 6, it is confirmed that the organic light-emitting device of Example 1 has excellent efficiency, external quantum efficiency, and lifespan characteristics, as compared with those of the organic light-emitting devices of Comparative Examples 1 and 2.



[0469] Since the organometallic compounds according to embodiments of the present disclosure have excellent electrical characteristics and/or thermal stability, organic light-emitting devices including such organometallic compounds may have improved driving voltage, current density, efficiency, power, color purity, lifespan characteristics.

[0470] It should be understood that embodiments described herein should be considered in a descriptive sense only and not for purposes of limitation. Descriptions of features or aspects within each embodiment should typically be considered as available for other similar features or aspects in other embodiments.



[0471] While one or more embodiments have been described with reference to the figures, it will be understood by those of ordinary skill in the art that various changes in form and details may be made therein without departing from the spirit and scope as defined by the following claims.

What is claimed is:

1. An organometallic compound represented by one of Formulae 1 to 4:



-continued



wherein, in Formulae 1 to 4,

M_{11} , M_{21} , M_{31} , and M_{41} are each independently selected from first-row transition metals, second-row transition metals, and third-row transition metals,

X_{11} to X_{13} are each independently selected from N, N(R_{12}), O, S, C(R_{13}), and C(R_{12})(R_{13}), and two neighboring constituents R_{12} , neighboring R_{12} and R_{13} , and/or two neighboring constituents R_{13} are optionally linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

X_{21} to X_{23} are each independently selected from N, N(R_{22}), O, S, C(R_{23}), and C(R_{22})(R_{23}), and two neighboring constituents R_{22} , neighboring R_{22} and R_{23} , and/or two neighboring constituents R_{23} are optionally linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

X_{31} to X_{33} are each independently selected from N, N(R_{32}), O, S, C(R_{33}), and C(R_{32})(R_{33}), and two neighboring constituents R_{32} , neighboring R_{32} and R_{33} , and/or two neighboring constituents R_{33} are optionally linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

X_{41} to X_{43} are each independently selected from N, N(R_{42}), O, S, C(R_{43}), and C(R_{42})(R_{43}), and two neighboring constituents R_{42} , neighboring R_{42} and R_{43} , and/or

or two neighboring constituents R_{43} are optionally linked to form a substituted or unsubstituted C_5 - C_{30} carbocyclic group or a substituted or unsubstituted C_1 - C_{30} heterocyclic group,

a bond between X_{11} and X_{13} , a bond between X_{11} and X_{12} , a bond between X_{12} and N , a bond between X_{21} and X_{23} , a bond between X_{21} and X_{22} , a bond between X_{22} and N , a bond between X_{31} and X_{33} , a bond between X_{31} and X_{32} , a bond between X_{32} and N , a bond between X_{41} and X_{43} , a bond between X_{41} and X_{42} , and a bond between X_{42} and N are each independently a single bond or a double bond,

X_{14} and X_{15} are each independently N or $C(R_{14})$,

X_{24} and X_{25} are each independently N or $C(R_{24})$,

X_{34} and X_{35} are each independently N or $C(R_{34})$,

X_{44} and X_{45} are each independently N or $C(R_{44})$,

Y_{11} is selected from $N(R_{15})$, O , and S ,

Y_{21} is selected from $N(R_{25})$, O , and S ,

Y_{31} is selected from $N(R_{35})$, O , and S ,

Y_{41} is selected from $N(R_{45})$, O , and S ,

Z_{11} and Z_{12} are each independently N or $C(R_{11})$, provided at least one of Z_{11} and Z_{12} is N ,

Z_{21} and Z_{22} are each independently N or $C(R_{21})$, provided at least one of Z_{21} and Z_{22} is N ,

Z_{31} and Z_{32} are each independently N or $C(R_{31})$, provided at least one of Z_{31} and Z_{32} is N ,

Z_{41} and Z_{42} are each independently N or $C(R_{41})$, provided at least one of Z_{41} and Z_{42} is N ,

R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} are each independently selected from hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, $-SFS$, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C_1 - C_{60} alkyl group, a substituted or unsubstituted C_2 - C_{60} alkenyl group, a substituted or unsubstituted C_2 - C_{60} alkynyl group, a substituted or unsubstituted C_1 - C_{60} alkoxy group, a substituted or unsubstituted C_3 - C_{10} cycloalkyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkyl group, a substituted or unsubstituted C_3 - C_{10} cycloalkenyl group, a substituted or unsubstituted C_1 - C_{10} heterocycloalkenyl group, a substituted or unsubstituted C_6 - C_{60} aryl group, a substituted or unsubstituted C_6 - C_{60} aryloxy group, a substituted or unsubstituted C_6 - C_{60} arylthio group, a substituted or unsubstituted C_7 - C_{60} arylalkyl group, a substituted or unsubstituted C_1 - C_{60} heteroaryl group, a substituted or unsubstituted C_1 - C_{60} heteroaryloxy group, a substituted or unsubstituted C_1 - C_{60} heteroarylthio group, a substituted or unsubstituted C_2 - C_{60} heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, $-N(Q_1)(Q_2)$, $-Si(Q_3)(Q_4)(Q_5)$, $-B(Q_6)(Q_7)$, and $-P(=O)(Q_8)(Q_9)$,

two, three, or four neighboring constituents selected from R_{11} to R_{15} , two, three, or four neighboring constituents selected from R_{21} to R_{25} , two, three, or four neighboring constituents selected from R_{31} to R_{35} , and/or two, three, or four neighboring constituents selected from R_{41} to R_{45} are optionally linked to form a four-coordinate, six-coordinate, or eight-coordinate ligand,

n_{11} , n_{21} , n_{31} , and n_{41} are each independently selected from 1, 2, 3, and 4,

n_{12} , n_{22} , n_{32} , and n_{42} are each independently selected from 0, 1, 2, 3, and 4,

L_{12} , L_{22} , L_{32} , and L_{42} are each independently selected from a one-coordinate ligand, a two-coordinate ligand, and a three-coordinate ligand, and

Q_1 to Q_9 are each independently selected from hydrogen, deuterium, $-F$, $-Cl$, $-Br$, $-I$, a hydroxyl group, a cyano group, a nitro group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C_1 - C_{60} alkyl group, a C_1 - C_{60} alkyl group substituted with at least one selected from deuterium, a C_1 - C_{60} alkyl group, and a C_6 - C_{60} aryl group, a C_2 - C_{60} alkenyl group, a C_2 - C_{60} alkynyl group, a C_1 - C_{60} alkoxy group, a C_3 - C_{10} cycloalkyl group, a C_1 - C_{10} heterocycloalkyl group, a C_3 - C_{10} cycloalkenyl group, a C_1 - C_{10} heterocycloalkenyl group, a C_6 - C_{60} aryl group, a C_6 - C_{60} aryl group substituted with at least one selected from deuterium, a C_1 - C_{60} alkyl group, and a C_6 - C_{60} aryl group, a C_6 - C_{60} aryloxy group, a C_6 - C_{60} arylthio group, a C_7 - C_{60} arylalkyl group, a C_1 - C_{60} heteroaryl group, a C_1 - C_{60} heteroaryloxy group, a C_1 - C_{60} heteroarylthio group, a C_2 - C_{60} heteroarylalkyl group, a monovalent non-aromatic condensed polycyclic group, and a monovalent non-aromatic condensed heteropolycyclic group.

2. The organometallic compound of claim 1, wherein M_{11} , M_{21} , M_{31} , and M_{41} are each independently selected from platinum (Pt), palladium (Pd), copper (Cu), silver (Ag), gold (Au), rhodium (Rh), iridium (Ir), ruthenium (Ru), osmium (Os), titanium (Ti), zirconium (Zr), hafnium (Hf), europium (Eu), terbium (Tb), and thulium (Tm).

3. The organometallic compound of claim 1, wherein M_{11} , M_{21} , M_{31} , and M_{41} are each independently selected from Pt, Pd, Cu, Ag, Au, Rh, Ir, Ru, and Os.

4. The organometallic compound of claim 1, wherein M_{11} , M_{21} , M_{31} , and M_{41} are each independently selected from Rh, Ir, Ru, and Os.

5. The organometallic compound of claim 1, wherein X_{13} is $N(R_{12})$, and X_{11} and X_{12} are each independently N or $C(R_{13})$, provided that at least one of X_{11} and X_{12} is N ; X_{23} is $N(R_{22})$, and X_{21} and X_{22} are each independently N or $C(R_{23})$, provided that at least one of X_{21} and X_{22} is N ; X_{33} is $N(R_{32})$, and X_{31} and X_{32} are each independently N or $C(R_{33})$, provided that at least one of X_{31} and X_{32} is N ; and X_{43} is $N(R_{42})$, and X_{41} and X_{42} are each independently N or $C(R_{43})$, provided that at least one of X_{41} and X_{42} is N ;

X_{12} is $C(R_{13})$, X_{11} is N or $C(R_{13})$, X_{13} is $N(R_{12})$, X_{22} is $C(R_{23})$, X_{21} is N or $C(R_{23})$, X_{23} is $N(R_{22})$, X_{32} is $C(R_{33})$, X_{31} is N or $C(R_{33})$, X_{33} is $N(R_{32})$, X_{42} is $C(R_{43})$, X_{41} is N or $C(R_{43})$, and X_{43} is $N(R_{42})$,

X_{11} is N , X_{12} is N or $C(R_{13})$, X_{13} is $N(R_{12})$, X_{21} is N , X_{22} is N or $C(R_{23})$, X_{23} is $N(R_{22})$, X_{31} is N , X_{32} is N or $C(R_{33})$, X_{33} is $N(R_{32})$, X_{41} is N , X_{42} is N or $C(R_{43})$, and X_{43} is $N(R_{42})$;

X_{12} is N , X_{11} is N or $C(R_{13})$, X_{13} is $N(R_{12})$, X_{22} is N , X_{21} is N or $C(R_{23})$, X_{23} is $N(R_{22})$, X_{32} is N , X_{31} is N or $C(R_{33})$, X_{33} is $N(R_{32})$, X_{42} is N , X_{41} is N or $C(R_{43})$, and X_{43} is $N(R_{42})$; or

X_{13} is O or S, X_{11} and X_{12} are each independently N or C(R_{13}), X_{23} is O or S, X_{21} and X_{22} are each independently N or C(R_{23}), X_{33} is O or S, X_{31} and X_{32} are each independently N or C(R_{33}), X_{43} is O or S, and X_{41} and X_{42} are each independently N or C(R_{43}).

6. The organometallic compound of claim 1, wherein

X_{14} and X_{15} are each C(R_{14}),

X_{24} and X_{25} are each C(R_{24}),

X_{34} and X_{35} are each C(R_{34}), and

X_{44} and X_{45} are each C(R_{44}).

7. The organometallic compound of claim 1, wherein

Z_{11} is N,

Z_{21} is N,

Z_{31} is N, and

Z_{41} is N.

8. The organometallic compound of claim 1, wherein

R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} are each independently selected from:

hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, —SF₅, a C₁-C₂₀ alkyl group, and a C₁-C₂₀ alkoxy group;

a C₁-C₂₀ alkyl group and a C₁-C₂₀ alkoxy group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₁₀ alkyl group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo [2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a pyridinyl group, and a pyrimidinyl group;

a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an

isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group;

a cyclopentyl group, a cyclohexyl group, a cycloheptyl group, a cyclooctyl group, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzoxazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, and an imidazopyrimidinyl group, each substituted with at least one selected from deuterium, —F, —Cl, —Br, —I, —CD₃, —CD₂H, —CDH₂, —CF₃, —CF₂H, —CFH₂, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a C₁-C₂₀ alkyl group, a C₁-C₂₀ alkoxy group, a cyclopentyl group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo [2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a naphthyl group, a fluorenyl group, a phenanthrenyl group, an anthracenyl group, a fluoranthenyl group, a triphenylenyl group, a pyrenyl group, a chrysenyl group, a pyrrolyl group, a thiophenyl group, a furanyl group, an imidazolyl group, a pyrazolyl group, a thiazolyl group, an isothiazolyl group, an oxazolyl group, an isoxazolyl group, a pyridinyl group, a pyrazinyl group, a pyrimidinyl group, a pyridazinyl group, an isoindolyl group, an indolyl group, an indazolyl group, a purinyl group, a quinolinyl group, an isoquinolinyl group, a benzoquinolinyl group, a quinoxalinyl group, a quinazolinyl group, a cinnolinyl group, a carbazolyl group, a phenanthrolinyl group, a benzimidazolyl group, a benzofuranyl group, a benzothiophenyl group, an isobenzothiazolyl group, a benzoxazolyl group, an isobenzo-

xazolyl group, a triazolyl group, a tetrazolyl group, an oxadiazolyl group, a triazinyl group, a dibenzofuranyl group, a dibenzothiophenyl group, a dibenzosilolyl group, a benzocarbazolyl group, a dibenzocarbazolyl group, an imidazopyridinyl group, an imidazopyrimidinyl group, and $-\text{Si}(\text{Q}_{33})(\text{Q}_{34})(\text{Q}_{35})$; and

$-\text{N}(\text{Q}_1)(\text{Q}_2)$, $-\text{Si}(\text{Q}_3)(\text{Q}_4)(\text{Q}_5)$, $-\text{B}(\text{Q}_6)(\text{Q}_7)$, and $-\text{P}(=\text{O})(\text{Q}_8)(\text{Q}_9)$, and

Q_1 to Q_9 and Q_{33} to Q_{35} are each independently selected from:


$-\text{CH}_3$, $-\text{CD}_3$, $-\text{CD}_2\text{H}$, $-\text{CDH}_2$, $-\text{CH}_2\text{CH}_3$, $-\text{CH}_2\text{CD}_3$, $-\text{CH}_2\text{CD}_2\text{H}$, $-\text{CH}_2\text{CDH}_2$, $-\text{CHDCH}_3$, $-\text{CHDCD}_2\text{H}$, $-\text{CHDCDH}_2$, $-\text{CHDCH}_2\text{CD}_3$, $-\text{CD}_2\text{CD}_3$, $-\text{CD}_2\text{CD}_2\text{H}$, and $-\text{CD}_2\text{CDH}_2$;

an n-propyl group, an isopropyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and


an n-propyl group, an iso-propyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group, each substituted with at least one selected from deuterium, a C_1 - C_{10} alkyl group, and a phenyl group.

9. The organometallic compound of claim 1, wherein


R_{11} to R_{15} , R_{21} to R_{25} , R_{31} to R_{35} , and R_{41} to R_{45} are each independently selected from hydrogen, deuterium, $-\text{F}$, a cyano group, a nitro group, $-\text{SFS}$, $-\text{CH}_3$, $-\text{CF}_3$, groups represented by Formulae 9-1 to 9-13, groups represented by Formulae 10-17 to 10-79, and groups represented by Formulae 10-247 to 10-256:




-continued




-continued




-continued






















-continued




-continued




-continued		-continued	
	10-68		10-78
	10-69		10-79
	10-70		10-247
	10-71		10-248
	10-72		10-249
	10-73		10-250
	10-74		10-251
	10-75		10-252
	10-76		10-253
	10-77		


-continued



10-254



10-255



10-256

wherein, in the groups represented by Formulae 9-1 to 9-13, the groups represented by Formulae 10-17 to 10-79, and groups represented by Formulae 10-247 to 10-256,

* indicates a binding site to a neighboring atom,

i-Pr indicates an iso-propyl group, and t-Bu indicates a t-butyl group,

Ph indicates a phenyl group, and

TMS indicates a trimethylsilyl group.

10. The organometallic compound of claim 1, wherein X_{13} is $N(R_{12})$, X_{23} is $N(R_{22})$, X_{33} is $N(R_{32})$, and X_{43} is $N(R_{42})$.

R_{12} , R_{22} , R_{32} , and R_{42} are each independently selected from a phenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothio-phenyl group, and a dibenzosilolyl group, each substituted with at least one selected from deuterium, $-F$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CF_3$, $-CF_2H$, $-CFH_2$, a cyano group, nitro group, a C_1 - C_{10} alkyl group, a C_1 - C_{10} alkoxy group, a cyclopentyl group substituted with deuterium, a cyclohexyl group, a cyclohexyl group substituted with deuterium, a cycloheptyl group, a cycloheptyl group substituted with deuterium, a cyclooctyl group, a cyclooctyl group substituted with deuterium, a bicyclo[2.2.1]heptanyl group, an adamantanyl group, a norbornanyl group, a norbornenyl group, a cyclopentenyl group, a cyclohexenyl group, a cycloheptenyl group, a phenyl group, a C_1 - C_{20} alkylphenyl group, a naphthyl group, a pyridinyl group, a pyrimidinyl group, a fluorenyl group, a carbazolyl group, a dibenzofuranyl group, a dibenzothio-phenyl group, dibenzosilolyl group, and $-Si(Q_{33})(Q_{34})(Q_{35})$, and

Q_{33} to Q_{35} are each independently selected from:

$-CH_3$, $-CD_3$, $-CD_2H$, $-CDH_2$, $-CH_2CH_3$, $-CH_2CD_3$, $-CH_2CD_2H$, $-CH_2CDH_2$, $-CHDC_3$, $-CHDCD_2H$, $-CHDCDH_2$, $-CHDCD_3$, $-CD_2CD_3$, $-CD_2CD_2H$, and $-CD_2CDH_2$;

an n-propyl group, an isopropyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group,

an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group, and a naphthyl group; and


an n-propyl group, an isopropyl group, an n-butyl group, an isobutyl group, a sec-butyl group, a tert-butyl group, an n-pentyl group, an isopentyl group, a sec-pentyl group, a tert-pentyl group, a phenyl group and a naphthyl group, each substituted with at least one selected from deuterium, a C_1 - C_{10} alkyl group, and a phenyl group.

11. The organometallic compound of claim 1, wherein n_{11} , n_{21} , n_{31} , and n_{41} are each independently selected from 1, 2, and 3.


12. The organometallic compound of claim 1, wherein n_{12} , n_{22} , n_{32} , and n_{42} are each independently selected from 0, 1, and 2.

13. The organometallic compound of claim 1, wherein M_{11} , M_{21} , M_{31} , and M_{41} are each iridium (Ir), n_{11} , n_{21} , n_{31} , and n_{41} are each independently 2 or 3, and n_{12} , n_{22} , n_{32} , and n_{42} are each independently selected from 0, 1, and 2.


14. The organometallic compound of claim 1, wherein L_{12} , L_{22} , L_{32} , and L_{42} are each a ligand represented by one of Formulae 7-1 to 7-11:




7-1




7-2




7-3




7-4




7-5



7-6



7-7



wherein, in Formulae 7-1 to 7-11,

A₇₁ and A₇₂ are each independently a C₅-C₂₀ carbocyclic group or a C₁-C₂₀ heterocyclic group,

X₇₁ and X₇₂ are each independently C or N,

X₇₃ is N or C(Q₇₃), X₇₄ is N or C(Q₇₄), X₇₅ is N or C(Q₇₅), X₇₆ is N or C(Q₇₆), and X₇₇ is N or C(Q₇₇),

X₇₈ is O, S, or N(Q₇₈), and X₇₉ is O, S, or N(Q₇₉),

Y₇₁ and Y₇₂ are each independently selected from a single bond, a double bond, a substituted or unsubstituted C₁-C₅ alkylene group, a substituted or unsubstituted C₂-C₅ alkenylene group, and a substituted or unsubstituted C₆-C₁₀ arylene group,

Z₇₁ and Z₇₂ are each independently selected from N, O, N(R₇₄), P(R₇₅)(R₇₆), and As(R₇₅)(R₇₆),

Z₇₃ is P or As,

Z₇₄ is CO or CH₂,

R₇₁ to R₈₀ and Q₇₃ to Q₇₉ are each independently selected from hydrogen, deuterium, —F, —Cl, —Br, —I, a hydroxyl group, a cyano group, a nitro group, an amino group, an amidino group, a hydrazine group, a hydrazone group, a carboxylic acid group or a salt thereof, a sulfonic acid group or a salt thereof, a phosphoric acid group or a salt thereof, a substituted or unsubstituted C₁-C₆₀ alkyl group, a substituted or unsubstituted C₂-C₆₀ alkenyl group, a substituted or unsubstituted C₂-C₆₀ alkynyl group, a substituted


or unsubstituted C₁-C₆₀ alkoxy group, a substituted or unsubstituted C₃-C₁₀ cycloalkyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkyl group, a substituted or unsubstituted C₃-C₁₀ cycloalkenyl group, a substituted or unsubstituted C₁-C₁₀ heterocycloalkenyl group, a substituted or unsubstituted C₆-C₆₀ aryl group, a substituted or unsubstituted C₆-C₆₀ aryloxy group, a substituted or unsubstituted C₆-C₆₀ arylthio group, a substituted or unsubstituted

C₇-C₆₀ arylalkyl group, a substituted or unsubstituted C₁-C₆₀ heteroaryl group, a substituted or unsubstituted C₁-C₆₀ heteroaryloxy group, a substituted or unsubstituted C₁-C₆₀ heteroarylthio group, a substituted or unsubstituted C₂-C₆₀ heteroarylalkyl group, a substituted or unsubstituted monovalent non-aromatic condensed polycyclic group, and a substituted or unsubstituted monovalent non-aromatic condensed heteropolycyclic group, wherein R₇₁ and R₇₂ are optionally linked to form a ring, R₇₇ and R₇₈ are optionally linked to form a ring, R₇₈ and R₇₉ are optionally linked to form a ring, and R₇₉ and R₈₀ are optionally linked to form a ring,


b71 and b72 are each independently selected from 1, 2, and 3, and

* and *' each indicate a binding site to a neighboring atom.

15. The organometallic compound of claim 1, wherein the organometallic compound represented by one of Formulae 1 to 4 is represented by one of Formulae 1-1 to 1-72, 2-1 to 2-72, 3-1 to 3-72, and 4-1 to 4-72:




-continued




1-4


-continued




1-8




1-5




1-9




1-6



1-10




1-7










1-11


-continued



-continued




-continued




1-20


-continued




1-24




1-21




1-25




1-22



1-26




1-23




1-27


-continued




-continued




1-29




1-33




1-34



1-35




-continued




1-36


-continued




1-40




1-37




1-41




1-38



1-42




1-39




1-43


-continued




-continued




1-45




1-49




1-46



1-50




1-47




-continued

1-51





-continued

1-54





1-52

1-55




1-53


1-56




-continued




-continued




1-58




1-61




1-59




1-62




-continued




-continued




1-64




1-67



1-65




-continued




-continued


1-70



1-69




1-71




-continued


1-72



2-1




2-2




-continued


2-3




2-4




2-5



2-6




-continued




2-7


-continued




2-11




2-8




2-12




2-9



2-13




2-10




2-14


-continued




-continued




2-16




2-20




2-17




2-21




2-18



2-22




-continued




2-23


-continued




2-27




2-24




2-28




2-25



2-29




2-26




2-30


-continued




-continued




2-32




2-36




2-33




2-37




2-34



2-38




-continued




2-39

-continued




2-43


2-40




2-44




2-41




2-45




2-42




2-46




-continued




-continued




2-48




2-51



2-49




2-52



-continued



2-53




2-54

-continued



2-56



2-55




2-57




2-58


-continued




-continued




2-60




2-63



2-61







2-64




-continued

-continued




-continued




3-2


-continued




3-7




3-3




3-8




3-4




3-9




3-5



3-10




3-6




3-11

-continued


3-12




3-13




3-14



3-15




3-16




-continued


3-17




3-18




3-19




3-20












3-21








-continued








-continued








-continued







-continued




-continued




-continued





-continued





-continued




3-52




3-53




-continued




-continued




3-58




3-62




3-59




3-63



3-60




3-64



-continued



3-65




3-66

-continued


3-68



3-67




3-69




-continued

3-70




-continued

3-72




4-1





3-71


4-2




4-3




-continued




4-4




4-5



4-6




4-7




4-8


-continued




4-9




4-10



4-11








4-12








4-13






-continued








-continued




-continued




-continued








-continued






-continued



-continued




-continued




-continued


4-52




4-53




4-55




4-54




4-56




4-57




-continued




-continued




4-59




4-63




4-60



4-61




4-64



-continued



4-65




4-66

-continued


4-68



4-67




4-69




-continued

4-70



-continued

4-72



wherein, in Formulae 1-1 to 1-72, 2-1 to 2-72, 3-1 to 3-72, and 4-1 to 4-72, R_{13a} to R_{13i} are each independently the same as described in connection with R_{13} in Formula 1,

R_{14a} to R_{14f} are each independently the same as described in connection with R_{14} in Formula 1,

Y_{11a} and Y_{11c} are each independently the same as described in connection with Y_{11} in Formula 1,

R_{23a} to R_{23f} are each independently the same as described in connection with R_{23} in Formula 2,

R_{24a} to R_{24f} are each independently the same as described in connection with R_{24} in Formula 2,

Y_{21a} and Y_{21c} are each independently the same as described in connection with Y_{21} in Formula 2,

R_{33a} to R_{33f} are each independently the same as described in connection with R_{33} in Formula 3,

R_{34a} to R_{34f} are each independently the same as described in connection with R_{34} in Formula 3,

Y_{31a} and Y_{31c} are each independently the same as described in connection with Y_{31} in Formula 3,


R_{43a} to R_{43i} are each independently the same as described in connection with R_{43} in Formula 4,

R_{44a} to R_{44f} are each independently the same as described in connection with R_{44} in Formula 4,


Y_{41a} and Y_{41c} are each independently the same as described in connection with Y_{41} in Formula 4,

L_{13} is selected from $*-O-*$, $*-S-*$, $*-[C(R_{19})(R_{20})]_{k11}-*$, $*-[Si(R_{19})(R_{20})]_{k11}-*$, and a substituted or unsubstituted benzene group,

4-71




L₁₄ is selected from




and a substituted or unsubstituted benzene group, R₁₉ and R₂₀ are each independently the same as described in connection with R₁₁, and k11 is selected from 1, 2, and 3.


16. The organometallic compound of claim 1, wherein the organometallic compound represented by one of Formulae 1 to 4 is selected from Compounds 1 to 782:



1




2




3


-continued




4




5



6




7












8






-continued








-continued




-continued




-continued




-continued




-continued




30




34




31




35




32



36




-continued




37

-continued




42


38




43




39




44




40




45




41



46




-continued




47


-continued




52




48




53




49




54




50



55




51




56

-continued




57

-continued




62


58




63




59




64




60




65




61



66




-continued




67

-continued




72


68




73




69




74




70




75




71



76




-continued




77

-continued




82


78




83




79




84




80




85




81



86




-continued




87


-continued




92




88




93




89




94




90



95




91




96

-continued




97


-continued




102




98




103




99




104




100



105




101




106

-continued




107

-continued




112


108




113




109




114




110




115




111



116




-continued




117

-continued




122


118




123




119




124




120




125




121



126




-continued




127

-continued




132


128




133




129




134




130







131








135




-continued












-continued








-continued








-continued




-continued



-continued




-continued




165


-continued




170




166




171




167




172




168



173




169




174

-continued




175


-continued




181




176




182




177




183




178




184



179




185




180

-continued




186


-continued




191




187




192




188




193




189



194




190




195

-continued




196


-continued




200




197




201




198




202



203




199












204


-continued



-continued




-continued




215


-continued




220




216




221




217




222




218



223




219




224


-continued




225




226



227




228




229


-continued




230




231



232




233




234


-continued




235




236



237




238




239


-continued




240




241



242




243




244


-continued




-continued




246




250




247




251




248




252




-continued




253



254




255




256


-continued




257




258



259




260




261

-continued




262


-continued




267




263




268




264




269




265



270








266








271


-continued




-continued




-continued




282




283



284




285




286


-continued




287




288



289








290








291


-continued



-continued




-continued




302


-continued




307




303




308




304




309




305



310




306




311

-continued




312


-continued




317




313




318




314




319




315



320




316




321

-continued




322


-continued




327




323




328




324




329




325



330




326




331

-continued




332


-continued




337




333




338




334




339




335



340




336




341

-continued




342


-continued




347




343




348




344




349




345



350




346




351


-continued




-continued




353




357




354




358




355












359




-continued












-continued




-continued



-continued




-continued




380


-continued




385




381




386




382




387




383



388




384




389

-continued




390


-continued




395




391




396




392




397




393




398



394




399




400


-continued




401




402



403




404




405


-continued




406




407



408




409




410


-continued




411




412



413




414




415


-continued




416



417




418




419

-continued




420


-continued




425




421




426




422




427




423



428








424








429


-continued



-continued




-continued




440


-continued




445




441




446




442




447




443



448




444




449


-continued




450




451



452




453




454


-continued




455




456



457




458




459

-continued




460


-continued




465




461




466




462




467



463




468




464

-continued




469


-continued




473




470




474




471



475




472




476

-continued




477

-continued




482


478




483




479




484




480




485








481








486




-continued



-continued




-continued




497


-continued




502




498




503




499




504




500



505




501




506

-continued




507

-continued




512


508




513




509




514




510




515




511



516




-continued




517

-continued




522


518




523




519




524




520




525




521



526




-continued




527


-continued




532




528




533




529




534




530



535




531




536

-continued




537


-continued




542




538




543




539




544




540



545




541




546

-continued




547

-continued




552


548




553




549




554




550




555




551



556




-continued




557

-continued




562


558




563




559




564




560




565




561



566




-continued




567

-continued




572


568




573




569




574




570




571



575




-continued




576


-continued




580




577




581




578




582



579




583












584






-continued








-continued




-continued



-continued




-continued




605


-continued




610




606




611




607




612




608



613




609




614


-continued




615




616




617



618




619




620


-continued




621




622



623




624




625


-continued




626




627



628




629




630


-continued




631




632



633




634











635






-continued








-continued




-continued



-continued




-continued




655


-continued




660




656




661




657




662




658



663




659




664

-continued




665


-continued




670




666




671




667




672




668



673




669




674

-continued




675


-continued




680




676




681




677




682




678



683




679



684


-continued

685




-continued


690




686




691



692




687




693


688



689




694




-continued

695





-continued

699





700

696





701

697



702


698



703


-continued

704




-continued


708




705




709




706




710



707




711




-continued

712




-continued


716




713




717




714




718




715



719




720




-continued


721




722




723



724




725




-continued


726




727




728



729




730




-continued

731




-continued


735




736



737




738




-continued

732




-continued

733




-continued

734




-continued

739




-continued


742




743




740




744



741




745




-continued

746




-continued


750




747




751




748




752




749




753




-continued




-continued




755




759




756




760



757




761




-continued

762





-continued

767





768

763





769

764





770

765




771

766




-continued

772




-continued

776




777



773




774



775



778





-continued

-continued



781

779



782

780



17. The organometallic compound of claim 1, wherein the organometallic compound emits blue light having a maximum emission wavelength in a range of greater than or equal to about 420 nanometers to less than about 520 nanometers.

18. An organic light-emitting device comprising:
a first electrode;
a second electrode; and
an organic layer disposed between the first electrode and the second electrode,
wherein the organic layer comprises an emission layer and the organometallic compound of claim 1.

19. The organic light-emitting device of claim 18, wherein the emission layer comprises the organometallic compound.

20. The organic light-emitting device of claim **19**, wherein the emission layer further comprises a host, and an amount of the host is larger than an amount of the organometallic compound.

* * * * *

专利名称(译)	有机金属化合物和包括其的有机发光器件		
公开(公告)号	US20190036039A1	公开(公告)日	2019-01-31
申请号	US16/041085	申请日	2018-07-20
[标]申请(专利权)人(译)	三星电子株式会社		
申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
当前申请(专利权)人(译)	SAMSUNG ELECTRONICS CO. , LTD. 三星SDI CO. , LTD.		
[标]发明人	JUNG YONGSIK KWON EUNSUK MIN MINSIK BAE HYEJIN RAI VIRENDRA KUMAR SON JHUNMO LEE HASUP KIM JONGSOO KIM JOONGHYUK		
发明人	JUNG, YONGSIK KWON, EUNSUK MIN, MINSIK BAE, HYEJIN RAI, VIRENDRA KUMAR SON, JHUNMO LEE, HASUP KIM, JONGSOO KIM, JOONGHYUK		
IPC分类号	H01L51/00 C07F15/00 C09K11/06		
CPC分类号	H01L51/0085 C07F15/0033 C09K11/06 H01L51/5016 C09K2211/185 C09K2211/1044 C09K2211/1059 H01L2251/552 C09K2211/1033 C09K2211/1037		
优先权	1020170092254 2017-07-20 KR 1020180083252 2018-07-18 KR		
外部链接	Espacenet USPTO		

摘要(译)

由式1至4之一表示的有机金属化合物：其中，在式1至4中，基团和变量与说明书中描述的相同。

