



US 20190165285A1

(19) **United States**

(12) **Patent Application Publication**  
**UNO**

(10) **Pub. No.: US 2019/0165285 A1**

(43) **Pub. Date: May 30, 2019**

(54) **AMINE COMPOUND AND ORGANIC ELECTROLUMINESCENCE DEVICE INCLUDING THE SAME**

(52) **U.S. Cl.**  
CPC ..... **H01L 51/0094** (2013.01); **C07F 7/0812** (2013.01); **H01L 51/5056** (2013.01); **H01L 51/0061** (2013.01); **H01L 51/006** (2013.01); **C09K 11/06** (2013.01)

(71) Applicant: **Samsung Display Co., Ltd.**, Yongin-si (KR)

(57) **ABSTRACT**

An amine compound which improves emission efficiency, and an organic electroluminescence device including the same are provided. The amine compound according to the inventive concept is represented by Formula 1.

(72) Inventor: **Takuya UNO**, Yokohama (JP)

(21) Appl. No.: **16/040,332**

(22) Filed: **Jul. 19, 2018**


[Formula 1]

(30) **Foreign Application Priority Data**

Nov. 24, 2017 (KR) ..... 10-2017-0158831

**Publication Classification**

(51) **Int. Cl.**  
**H01L 51/00** (2006.01)  
**C07F 7/08** (2006.01)  
**C09K 11/06** (2006.01)



10  
↙




FIG. 1





FIG. 2



**AMINE COMPOUND AND ORGANIC  
ELECTROLUMINESCENCE DEVICE  
INCLUDING THE SAME**

CROSS-REFERENCE TO RELATED  
APPLICATIONS

[0001] This U.S. non-provisional patent application claims priority under 35 U.S.C. § 119 of Korean Patent Application No. 10-2017-0158831, filed on Nov. 24, 2017, the entire contents of which are hereby incorporated by reference.

BACKGROUND

[0002] The present disclosure herein relates to an amine compound and an organic electroluminescence device including the same.

[0003] Recently, the development of an organic electroluminescence display device as an image display device is being actively conducted. Different from a liquid crystal display device, the organic electroluminescence display device is so-called a self-luminescent display device in which holes and electrons injected from a first electrode and a second electrode recombine in an emission layer, and a light emission material including an organic compound in the emission layer emits light to attain display.

[0004] As an organic electroluminescence device, an organic electroluminescence device including, for example, a first electrode, a hole transport layer disposed on the first electrode, an emission layer disposed on the hole transport layer, an electron transport layer disposed on the emission layer, and a second electrode disposed on the electron transport layer is well known. Holes are injected from the first electrode, and the injected holes move via the hole transport layer and are injected into the emission layer. Meanwhile, electrons are injected from the second electrode, and the injected electrons move via the electron transport layer and are injected into the emission layer. The holes and electrons injected into the emission layer recombine to produce excitons in the emission layer. The organic electroluminescence device emits light using light generated by the transition of the excitons to a ground state. In addition, an embodiment of the configuration of the organic electroluminescence device is not limited thereto, but various modifications may be possible.


[0005] In the application of an organic electroluminescence device to a display device, the decrease of the driving voltage, and the increase of the emission efficiency and the life of the organic electroluminescence device are required, and developments on materials for an organic electroluminescence device stably attaining the requirements are being continuously required.

SUMMARY

[0006] The present disclosure provides an amine compound for an organic electroluminescence device having high efficiency.

[0007] The present disclosure also provides an organic electroluminescence device having high efficiency and long life, which includes an amine compound in a hole transport region.

[0008] An embodiment of the inventive concept provides an amine compound represented by the following Formula 1:



[0009] In Formula 1, X may be O or S, and Y may be C or Si.

[0010] In Formula 1, Ar<sub>1</sub> and Ar<sub>2</sub> may be each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom.


[0011] In Formula 1, L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring.

[0012] In Formula 1, R<sub>1</sub> may be a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring.

[0013] In Formula 1, R<sub>2</sub> to R<sub>5</sub> may be each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring.


[0014] In Formula 1, "a" may be an integer of 1 to 4, "b" may be an integer of 0 to 3, "c" may be 0 or 1, and "d" and "e" may be each independently an integer of 0 to 5.

[0015] In an embodiment, Formula 1 may be represented by the following Formula 1-1:




[0016] In Formula 1-1, X, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>3</sub>, and “a” to “c” are the same as defined in Formula 1.

[0017] In an embodiment, Formula 1 may be represented by the following Formula 1-2:




[0018] In Formula 1-2, X, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>3</sub>, and “a” to “c” are the same as defined in Formula 1.

[0019] In an embodiment,



part in Formula 1 may be represented by one of the following H-1 to H-4.



[0020] In H-1 to H-4, X, R<sub>1</sub>, R<sub>2</sub> and “b” are the same as defined in Formula 1.

[0021] In an embodiment, Ar<sub>1</sub> may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted biphenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted naphthyl group, or a substituted or unsubstituted phenanthryl group.

[0022] In an embodiment, Ar<sub>1</sub> may be a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.


[0023] In an embodiment, Ar<sub>2</sub> may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.

[0024] In an embodiment, L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted phenylene group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted naphthalene group, or a substituted or unsubstituted fluorenylene group.


[0025] In an embodiment, R<sub>1</sub> may be a substituted or unsubstituted phenyl group, each of R<sub>2</sub> to R<sub>5</sub> may be a hydrogen atom, a substituted or unsubstituted phenyl group, or a substituted or unsubstituted triphenylsilyl group, or combined with an adjacent group to form a ring.

[0026] In an embodiment, Formula 1 may be any one selected from compounds represented in the following Compound Group 1.

[Compound Group 1]




-continued




A4


-continued




A8




A5




A9




A6



A10




A7




A11

-continued




A12


-continued




A16




A13




A17



A14



A18





A15

-continued

-continued



A19

A22





A20

A23







A21





A24




-continued



-continued




-continued




A33


-continued




A37




A34




A38




A35



A39




A36




A40

-continued


A41



A42




A43




-continued


A44



A45



A46





-continued

-continued



A50

A47





A51

A48






A52

A49







A53

-continued




-continued




-continued


A61




A62



A63




A64




-continued


A65




A66



A67



A68





-continued

-continued



A69

A73





A70

A74





A71

A75




A72

A76




-continued


A77




A78



A79




A80




-continued


A81



A82











A83




-continued

-continued




-continued


A92




A93



A94




A95




-continued


A96




A97



A98




A99




-continued

A100





-continued

A104





A105

A101





A106

A102




A107

A103




-continued

A108




-continued


A113




A109



A114





A110




A115

A111




A116

A112




-continued


A117




A118



A119




A120




-continued


A121




A122



A123




A124




-continued

A125




-continued


A129




A130




A126




A131




A127



A132




A128




-continued


A133




A134




A135



A136




A137




-continued


A138




A139



A140




A141




-continued


A142




A143



A144




A145




-continued


A146




A147



A148











A149




-continued

-continued




-continued




A158


-continued




A161




A159



A162




A160




A163

-continued


A164




A165



A166




A167




-continued


A168




A169




A170



A171




-continued




A172


-continued




A176




A173




A174



A177




A175




A178

-continued


A179




A180



A181




A182




-continued


A183




A184



A185




-continued




A186

-continued




A187

A190




A188





A189


A191



A192




-continued




A193


-continued




A196




A194



A197




A195




A198

-continued




A199


-continued




A202




A203




A200



A204




A201




A205

-continued



A206

-continued




A209


A207

**[0027]** In an embodiment, Formula 1 may be any one selected from compounds represented in the following Compound Group 2.


[Compound Group 2]




A208



B1




B2




-continued


B3




B4



B5




B6




-continued


B7




B8



B9




B10




-continued


B11




B12




B13



B14




B15




-continued


B16




B17



B18



B19





-continued

-continued



B20

B24





B21

B25





B22

B26



B27

B23





-continued

-continued



B28

B32





B29

B33




B30


B34



B31




-continued




B35


-continued




B38




B36



B39




B37




B40

-continued




B41


-continued




B44




B42



B45




B43




B46

-continued




B47


-continued




B50




B48



B51




B49




B52

-continued


-continued




B53




B56




B54



B57




B55



B58


-continued



B59


-continued

B62




ⓧ indicates text missing or illegible when filed

B60




B61



**[0028]** In an embodiment of the inventive concept, an organic electroluminescence device includes a first electrode, a hole transport region disposed on the first electrode, an emission layer disposed on the hole transport region, an electron transport region disposed on the emission layer, and a second electrode disposed on the electron transport region, wherein the hole transport region includes an amine compound represented by the following Formula 1.

[Formula 1]



**[0029]** In Formula 1, X may be O or S, and Y may be C or Si.

**[0030]** In Formula 1, Ar<sub>1</sub> and Ar<sub>2</sub> may be each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom.

**[0031]** In Formula 1, L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring.

**[0032]** In Formula 1, R<sub>1</sub> may be a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring.

[0033] In Formula 1,  $R_2$  to  $R_5$  may be each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring.

[0034] In Formula 1, “a” may be an integer of 1 to 4, “b” may be an integer of 0 to 3, “c” may be 0 or 1, and “d” and “e” may be each independently an integer of 0 to 5.

[0035] In an embodiment, the hole transport region may include a hole injection layer, and a hole transport layer disposed between the hole injection layer and the emission layer, wherein the hole transport layer includes the amine compound represented by Formula 1.

[0036] In an embodiment, the emission layer may emit blue light.

#### BRIEF DESCRIPTION OF THE FIGURES

[0037] The accompanying drawings are included to provide a further understanding of the inventive concept, and are incorporated in and constitute a part of this specification. The drawings illustrate exemplary embodiments of the inventive concept and, together with the description, serve to explain principles of the inventive concept. In the drawings:

[0038] FIG. 1 is a cross-sectional view schematically illustrating an organic electroluminescence device according to an embodiment of the inventive concept; and

[0039] FIG. 2 is a cross-sectional view schematically illustrating an organic electroluminescence device according to an embodiment of the inventive concept.

#### DETAILED DESCRIPTION

[0040] The inventive concept may have various modifications and may be embodied in different forms, and example embodiments will be explained in detail with reference to the accompany drawings. The inventive concept may, however, be embodied in different forms and should not be construed as limited to the embodiments set forth herein. Rather, all modifications, equivalents, and substituents which are included in the spirit and technical scope of the inventive concept should be included in the inventive concept.

[0041] Like reference numerals refer to like elements throughout. In the drawings, the dimensions of structures are exaggerated for clarity of illustration. It will be understood that, although the terms first, second, etc. may be used herein to describe various elements, these elements should not be limited by these terms. These terms are only used to distinguish one element from another element. Thus, a first element could be termed a second element without departing from the teachings of the present invention. Similarly, a second element could be termed a first element. As used herein, the singular forms are intended to include the plural forms as well, unless the context clearly indicates otherwise.

[0042] It will be further understood that the terms “comprises” and/or “comprising,” when used in this specification, specify the presence of stated features, numerals, steps, operations, elements, parts, or the combination thereof, but do not preclude the presence or addition of one or more other features, numerals, steps, operations, elements, parts, or the combination thereof. It will also be understood that when a layer, a film, a region, a plate, etc. is referred to as being ‘on’ another part, it can be directly on the other part, or intervening layers may also be present.

[0043] In the description, means —\* a connecting position.

[0044] In the description, the term “substituted or unsubstituted” corresponds to substituted or unsubstituted with at least one substituent selected from the group consisting of a deuterium atom, a halogen atom, a nitro group, an amino group, a silyl group, a boron group, a phosphine oxide group, a phosphine sulfide group, an alkyl group, an alkenyl group, an aryl group, and a heterocyclic group. In addition, each of the substituents may be substituted or unsubstituted. For example, a biphenyl group may be interpreted as an aryl group or a phenyl group substituted with a phenyl group.

[0045] In the description, the terms “forming a ring via the combination with an adjacent group” may mean forming a substituted or unsubstituted hydrocarbon ring, or substituted or unsubstituted heterocycle via the combination with an adjacent group. The hydrocarbon ring includes an aliphatic hydrocarbon ring and an aromatic hydrocarbon ring. The heterocycle includes an aliphatic heterocycle and an aromatic heterocycle. The hydrocarbon ring and the heterocycle may be monocyclic or polycyclic. In addition, the ring formed via the combination with an adjacent group may be combined with another ring to form a spiro structure.

[0046] In the description, the terms “an adjacent group” may mean a substituent substituted for an atom which is directly combined with an atom substituted with a corresponding substituent, another substituent substituted for an atom which is substituted with a corresponding substituent, or a substituent sterically positioned at the nearest position to a corresponding substituent. For example, in 1,2-dimethylbenzene, two methyl groups may be interpreted as “adjacent groups” to each other, and in 1,1-diethylcyclopentene, two ethyl groups may be interpreted as “adjacent groups” to each other.


[0047] In the description, the halogen atom may include a fluorine atom, a chlorine atom, a bromine atom and an iodine atom.

[0048] In the description, the alkyl may be a linear, branched or cyclic type. The carbon number of the alkyl may be from 1 to 50, from 1 to 30, from 1 to 20, from 1 to 10, or from 1 to 6. The alkyl may include methyl, ethyl, n-propyl, isopropyl, n-butyl, s-butyl, t-butyl, i-butyl, 2-ethylbutyl, 3,3-dimethylbutyl, n-pentyl, i-pentyl, neopentyl, t-pentyl, cyclopentyl, 1-methylpentyl, 3-methylpentyl, 2-ethylpentyl, 4-methyl-2-pentyl, n-hexyl, 1-methylhexyl, 2-ethylhexyl, 2-butylhexyl, cyclohexyl, 4-methylcyclohexyl, 4-t-butylcyclohexyl, n-heptyl, 1-methylheptyl, 2,2-dimethylheptyl, 2-ethylheptyl, 2-butylheptyl, n-octyl, t-octyl, 2-ethyloctyl, 2-butylloctyl, 2-hexyloctyl, 3,7-dimethyloctyl, cyclooctyl, n-nonyl, n-decyl, adamantyl, 2-ethyldecyl, 2-butyldecyl, 2-hexyldecyl, 2-octyldecyl, n-undecyl, n-dodecyl, 2-ethyldodecyl, 2-butyldecyl, 2-hexyldodecyl, 2-octyldodecyl, n-tridecyl, n-tetradecyl, c-pentadecyl, n-hexadecyl, 2-ethylhexadecyl, 2-butylhexa-

decyl, 2-hexylhexadecyl, 2-octylhexadecyl, n-heptadecyl, n-octadecyl, n-nonadecyl, n-eicosyl, 2-ethyleicosyl, 2-butyleicosyl, 2-hexyleicosyl, 2-octyleicosyl, n-henicoyl, n-docosyl, n-tricosyl, n-tetracosyl, n-pentacosyl, n-hexacosyl, n-heptacosyl, n-octacosyl, n-nonacosyl, n-triacontyl, etc., without limitation.

**[0049]** In the description, the aryl group means an optional functional group or substituent derived from an aromatic hydrocarbon ring. The aryl group may be a monocyclic aryl group or a polycyclic aryl group. The carbon number for forming a ring in the aryl group may be 6 to 50, 6 to 30, 6 to 20, or 6 to 15. Examples of the aryl group may include phenyl, naphthyl, fluorenyl, anthracenyl, phenanthryl, biphenyl, terphenyl, quaterphenyl, quinqphenyl, sexiphenyl, triphenylene, pyrenyl, benzofluoranthenyl, chrysenyl, etc., without limitation.

**[0050]** In the description, the fluorenyl group may be substituted, and two substituents may be combined with each other to form a spiro structure. For example, if the fluorenyl group is substituted,



etc. may be included. However, an embodiment of the inventive concept is not limited thereto.

**[0051]** In the description, the heteroaryl may be a heteroaryl including at least one of O, N, P, Si or S as a heteroatom. The carbon number for forming a ring of the heteroaryl may be 2 to 50, 2 to 30, or 2 to 20. The heteroaryl may be monocyclic heteroaryl or polycyclic heteroaryl. Examples of the polycyclic heteroaryl may have dicyclic or tricyclic structure. Examples of the heteroaryl may include thiophene, furan, pyrrole, imidazole, thiazole, oxazole, oxadiazole, triazole, pyridine, bipyridine, pyrimidine, triazine, triazole, acridyl, pyridazine, pyrazinyl, quinoline, quinazoline, quinoxaline, phenoxazine, phthalazine, pyrido pyrimidine, pyrido pyrazine, pyrazino pyrazine, isoquinoline, indole, carbazole, N-arylcarbazole, N-heteroarylcarbazole, N-alkylcarbazole, benzoxazole, benzoimidazole, benzothiazole, benzocarbazole, benzothiophene, dibenzothiophene, thienothiophene, benzofuran, phenanthroline, thiazole, isooxazole, oxadiazole, thiadiazole, phenothiazine, dibenzosilole, dibenzofuran, etc., without limitation.

**[0052]** In the description, explanation on the aryl group may be applied to an arylene group except for the arylene group is a divalent group.

**[0053]** In the description, explanation on the heteroaryl group may be applied to a heteroarylene group except for the heteroarylene group is a divalent group.


**[0054]** In the description, explanation on the aryl group may be applied to the aryl groups in an arylthio group and an arylamino group.

**[0055]** In the description, explanation on the alkyl group may be applied to the alkyl groups in an alkylamino group and an alkoxy group. In the description, the carbon number of an amino group is not specifically limited, but may be 1 to 30. The amino group may include an alkyl amino group and an aryl amino group. Examples of the amino group may include a methylamino group, a dimethylamino group, a phenylamino group, a diphenylamino group, a naphthylamino group, a 9-methyl-anthracenylamino group, a triphenylamino group, etc., without limitation.

**[0056]** Hereinafter, an amine compound according to an embodiment will be explained.

**[0057]** An amine compound of an embodiment is represented by the following Formula 1:

[Formula 1]



**[0058]** In Formula 1, X may be O or S.

**[0059]** Y may be C or Si.

**[0060]** Ar<sub>1</sub> and Ar<sub>2</sub> may be each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom.

**[0061]** In this case, Ar<sub>1</sub> may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted biphenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group, and Ar<sub>2</sub> may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.

**[0062]** L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring. Preferably, L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted phenylene group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted naphthalene group, or a substituted or unsubstituted fluorenylene group, without limitation.

[0063] In the present description, a direct linkage may include a single bond.

[0064]  $R_1$  may be a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, and preferably, a substituted or unsubstituted phenyl group.  $R_1$  may be an unsubstituted phenyl group, but an embodiment of the inventive concept is not limited thereto.

[0065]  $R_2$  to  $R_5$  may be each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring. Preferably,  $R_2$  to  $R_5$  may be each independently a hydrogen atom, a substituted or unsubstituted phenyl group, a substituted or unsubstituted triphenylsilyl group, or combined with an adjacent group to form a ring.

[0066] “a” may be an integer of 1 to 4, “b” may be each independently an integer of 0 to 3, “c” may be 0 or 1, and “d” and “e” may be each independently an integer of 0 to 5. If “a” is an integer of 2 or more, a plurality of  $R_1$  groups may be the same or different. For example, if “a” is 2, two  $R_1$  groups may be the same or different. In addition, if “a” is 3, three  $R_1$  groups may be different from each other, two  $R_1$  groups may be the same and the remaining  $R_1$  group may be different, or three  $R_1$  groups may be the same. For example, a plurality of substituents may be the same or different.


[0067] Meanwhile, if “b”, “d” and “e” are an integer of 2 or more, the same may be applied. For example, a plurality of substituents may be the same or different.

[0068] In Formula 1, if Y is Si, “d” and “e” may be each independently 0.

[0069] In addition, in Formula 1, if Y is C,  $R_4$  and  $R_5$  may be each independently a hydrogen atom, and may be combined with an adjacent group to form a ring. For example, at least one of  $R_4$  and  $R_5$  may be combined with a phenyl group which is substituted for Y, to form a ring. For example,  $R_4$  may be combined with a phenyl group which is substituted for Y, to form a ring, and in this case, may form a tricyclic ring including two phenyl groups which are substituted for Y.


[0070] For example, the amine compound of an embodiment, represented by Formula 1 may be represented by the following Formula 1-1 or Formula 1-2:

[Formula 1-1]



-continued

[Formula 1-2]




[0071] In Formula 1-1 and Formula 1-2, the same explanation on X,  $Ar_1$ ,  $Ar_2$ ,  $L_1$ ,  $L_2$ ,  $R_1$  to  $R_3$ , and “a” to “c” in Formula 1 may be applied.

[0072] In this case,  $Ar_1$  may be a substituted or unsubstituted phenyl group, a substituted or unsubstituted biphenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group,  $L_1$  and  $L_2$  may be each independently a direct linkage, a substituted or unsubstituted phenylene group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted naphthalene group, or a substituted or unsubstituted fluorenylene group, and  $R_1$  may be a substituted or unsubstituted phenyl group.

[0073] Formula 1-1 represents an amine compound of Formula 1 where Y is Si, “d” and “e” are 0. The amine compound of Formula 1-1 may have a dibenzoheterole group and a triphenylsilyl group.

[0074] In addition, Formula 1-2 represents an amine compound of Formula 1 where Y is C,  $R_4$  and  $R_5$  are each independently a hydrogen atom and are combined with each other to form a ring. The amine compound of Formula 1-2 may have a dibenzoheterole group and a fluorenyl group.


[0075] Meanwhile, in




part corresponding to dibenzoheterole group in Formula 1, if “a” is 1, a position where  $R_1$  is connected with a dibenzoheterole group and a position where a dibenzoheterole group is connected with N are preferably symmetric.

[0076] For example, referring to Formula 3 below, which indicates atomic numbers of a dibenzoheterole group, if an atomic number of a dibenzoheterole group, which is connected with a substituent  $R_1$  is 6, a nitrogen atom of an amine is combined at a position where an atomic number is 4 of the dibenzoheterole group, thereby connected positions attaining a symmetric structure.


[Formula 3]



[0077] Particularly,



part corresponding to a dibenzoheterole group in Formula 1 may be represented by one of the following H-1 to H-4:



H-1

H-2

H-3


H-4

[0080] H-2 represents a compound in which a nitrogen atom of an amine is combined with the dibenzoheterole group at the position of atomic number 3, and  $R_1$  is combined with the dibenzoheterole group at the position of atomic number 7. H-3 represents a compound in which a nitrogen atom of an amine is combined with the dibenzoheterole group at the position of atomic number 2, and  $R_1$  is combined with the dibenzoheterole group at the position of atomic number 8. In addition, H-4 represents a compound in which a nitrogen atom of an amine is combined with the dibenzoheterole group at the position of atomic number 1, and  $R_1$  is combined with the dibenzoheterole group at the position of atomic number 9.


[0081] Meanwhile, the amine compound according to an embodiment of the inventive concept may be a monoamine compound.

[0082] The amine compound of an embodiment, represented by Formula 1 may be any one selected from the compounds represented in Compound Group 1 below. The compounds represented in Compound Group 1 represent compounds of Formula 1 where Y is Si. For example, the compounds represented in Compound Group 1 may represent particular examples of the amine compound represented by Formula 1-1. However, an embodiment of the inventive concept is not limited thereto. In particular embodiments represented in Compound Group 1,  $\text{SiPh}_3$  represents a triphenylsilyl group.

[Compound Group 1]



A1




A2


[0078] In H-1 to H-4, the same explanation on X,  $R_1$  and  $R_2$  in Formula 1 may be applied. In this case,  $R_1$  is a substituted or unsubstituted phenyl group,  $R_2$  is a hydrogen atom, a substituted or unsubstituted phenyl group, or a substituted or unsubstituted triphenylsilyl group, or preferably combined with an adjacent group to form a ring. However, an embodiment of the inventive concept is not limited thereto.

[0079] H-1 represents a compound in which a nitrogen atom of an amine is combined with the dibenzoheterole group at the position of atomic number 4, and  $R_1$  is combined with the dibenzoheterole group at the position of atomic number 6, and forms a conformation in which a dibenzoheterole skeleton is folded toward the nitrogen atom.


-continued




A3



A4




A5




A6


-continued




A7



A8







A9




A10

-continued




-continued

A11




A15

A12




A16

A13



A17

A14





A18

-continued

-continued



A19

A22





A20

A23











A21

A24




-continued

-continued




-continued




A33


-continued




A37




A34




A38




A35



A39




A36



A40


-continued

A41




-continued


A44




A42




A45




A43




A46



-continued



-continued





A47

A50



A51

A48




A52




A49







A53



-continued




-continued




-continued


A61




A62



A63




A64




-continued


A65




A66



A67











A68



-continued

-continued





-continued

-continued



A77

A81





A78

A82





A79











A80

A83











-continued

-continued











-continued

-continued




-continued

-continued




-continued

A108




-continued


A113




A109



A114





A110




A115

A111




A116

A112




-continued


A117




A118



A119




A120




-continued


A121




A122



A123




A124




-continued


A125




A126



A127




A128




-continued


A129




A130



A131




A132




-continued


A133




A134




A135



A136




A137




-continued


A138




A139



A140




A141




-continued


A142




A143



A144




A145




-continued


A146




A147




A148




A149




-continued




A151




A152




A153




-continued




A154



A155




A156




A157

-continued




A158

-continued




A161


A159




A162



A160




A163




-continued


A164




A165



A166




A167




-continued


A168




A169




A170




A171




-continued




A172



A173




A174




A175


-continued



A176




A177



A178


-continued

A179




-continued


A183




A180




A184




A181







A185






A182




-continued



-continued




-continued




A193


-continued




A196




A194



A197



A195




A198


-continued

-continued


A199




A202




A203




A204




A205




A200



A201




-continued



A206

-continued


A209




A207

**[0083]** In addition, the amine compound of an embodiment, represented by Formula 1 may be any one selected from the compounds represented in Compound Group 2 below. The compounds represented in Compound Group 2 represent compounds of Formula 1 where Y is C. For example, the compounds represented in Compound Group 2 may represent particular examples of the amine compound represented by Formula 1-2. However, an embodiment of the inventive concept is not limited thereto.

[Compound Group 2]





B1




A208

B2




-continued


B3




B4



B5




B6




-continued


B7




B8



B9




B10




-continued


B11




B12




B13



B14




B15




-continued


B16




B17



B18



B19





-continued

-continued



B20

B24





B21

B25





B22

B26




B23

B27




-continued


B28




B29



B30




B31




-continued


B32




B33



B34




-continued




B35


-continued




B38




B36



B39




B37




B40

-continued


-continued



B41




B44




B42



B45




B43




B46

-continued




B47


-continued




B50




B48



B51



B49





B52

-continued

-continued



B53

B56





B54

B57



B55



B58



-continued


-continued

B62




Ⓜ indicates text missing or illegible when filed

B60



B61



**[0084]** The amine compound of an embodiment may be used as a material for an organic electroluminescence device and may improve the emission efficiency of the organic electroluminescence device. The amine compound of an embodiment may have high lowest triplet excitation energy (T1). Since the amine compound of an embodiment has a high lowest triplet excitation energy value, the diffusion of triplet excitons produced in an emission layer to a hole transport region may be restrained and the emission efficiency of an organic electroluminescence device may be improved.

**[0085]** The amine compound of an embodiment may be used as a hole transport material of an organic electroluminescence device and may improve the emission efficiency and external quantum efficiency of the organic electroluminescence device.

**[0086]** Hereinafter, an organic electroluminescence device according to an embodiment of the inventive concept will be explained. Hereinafter, the above-described amine compound according to an embodiment of the inventive concept will not be explained in particular, and unexplained parts will follow the above explanation on the amine compound according to an embodiment of the inventive concept.

**[0087]** FIGS. 1 and 2 are cross-sectional views schematically illustrating organic electroluminescence devices according to exemplary embodiments of the inventive concept. Referring to FIGS. 1 and 2, an organic electroluminescence device 10 according to an embodiment may include a first electrode EL1, a hole transport region HTR, an emission layer EML, an electron transport region ETR, and a second electrode EL2 laminated in order. Meanwhile, when compared with FIG. 1, FIG. 2 shows a cross-sectional view of an organic electroluminescence device of an embodiment, wherein a hole transport region HTR includes a hole injection layer HIL and a hole transport layer HTL, and an electron transport region ETR includes an electron injection layer EIL and an electron transport layer ETL.

**[0088]** The first electrode EL1 and the second electrode EL2 are oppositely disposed from each other, and a plurality of organic layers may be disposed between the first electrode

EL1 and the second electrode EL2. The plurality of the organic layers may include the hole transport region HTR, the emission layer EML, and the electron transport region ETR.

[0089] The organic electroluminescence device 10 of an embodiment may include the amine compound of an embodiment in the hole transport region HTR.


[0090] The first electrode EL1 has conductivity. The first electrode EL1 may be formed using a metal alloy or a conductive compound. The first electrode EL1 may be an anode.

[0091] The first electrode EL1 may be a transmissive electrode, a transfective electrode, or a reflective electrode. If the first electrode EL1 is the transmissive electrode, the first electrode EL1 may be formed using a transparent metal oxide such as indium tin oxide (ITO), indium zinc oxide (IZO), zinc oxide (ZnO), and indium tin zinc oxide (ITZO). If the first electrode EL1 is the transfective electrode or the reflective electrode, the first electrode EL1 may include Ag, Mg, Cu, Al, Pt, Pd, Au, Ni, Nd, Ir, Cr, Li, Ca, LiF/Ca, LiF/Al, Mo, Ti, a compound thereof, or a mixture thereof (for example, a mixture of Ag and Mg). Also, the first electrode EL1 may have a structure of a plurality of layers including a reflective layer, or a transfective layer formed using the above materials, and a transmissive conductive layer formed using ITO, IZO, ZnO, or ITZO.

[0092] Hereinafter, a case where the amine compound of an embodiment is included in the hole transport region HTR will be explained. However, an embodiment of the inventive concept is not limited thereto. The amine compound according to an embodiment of the inventive concept may be included in at least one layer of one or more organic layers provided between the first electrode EL1 and the second electrode EL2. For example, the amine compound according to an embodiment of the inventive concept may be included in a hole transport layer HTL. Preferably, the amine compound according to an embodiment of the inventive concept may be included in at least one layer among a first hole transport layer HTL1 or a second hole transport layer HTL2. Particularly, the amine compound may be included in both the first hole transport layer HTL1 and the second hole transport layer HTL2, or one layer among the first hole transport layer HTL1 and the second hole transport layer HTL2.

[0093] The organic electroluminescence device 10 of an embodiment may include the amine compound of an embodiment in a hole transport region HTR. Particularly, the organic electroluminescence device 10 according to an embodiment of the inventive concept may include an amine compound represented by the following Formula 1 in a hole transport region HTR:

[Formula 1]



[0094] In Formula 1, X may be O or S.

[0095] Y may be C or Si.

[0096] Ar<sub>1</sub> and Ar<sub>2</sub> may be each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom.

[0097] L<sub>1</sub> and L<sub>2</sub> may be each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring.

[0098] R<sub>1</sub> may be a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring.

[0099] R<sub>2</sub> to R<sub>5</sub> may be each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring.

[0100] “a” may be an integer of 1 to 4, “b” may be an integer of 0 to 3, “c” may be 0 or 1, and “d” and “e” may be each independently an integer of 0 to 5.

[0101] In Formula 1, the same explanation on the amine compound of an embodiment may be applied to particular explanation on X, Y, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>5</sub>, and “a” to “e”.

[0102] The amine compound represented by Formula 1 has high lowest triplet excitation energy (T1). Particularly, the amine compound represented by Formula 1 may have about 3.2 eV or more of the lowest triplet excitation energy (T1).

[0103] The hole transport region HTR is provided on the first electrode EL1. The hole transport region HTR may include at least one of a hole injection layer HIL, a hole transport layer HTL, a hole buffer layer, or an electron blocking layer. The thickness of the hole transport region HTR may be, for example, from about 1,000 Å to about 1,500 Å.

[0104] The hole transport region HTR may have a single layer formed using a single material, a single layer formed using a plurality of different materials, or a multilayer structure including a plurality of layers formed using a plurality of different materials.

[0105] For example, the hole transport region HTR may have the structure of a single layer such as a hole injection layer HIL, or a hole transport layer HTL, and may have a structure of a single layer formed using a hole injection material and a hole transport material. Alternatively, the hole transport region HTR may have a structure of a single layer formed using a plurality of different materials, or a structure laminated from the first electrode EL1 of hole injection layer HIL/hole transport layer HTL, hole injection layer HIL/hole transport layer HTL/hole buffer layer, hole injection layer HIL/hole buffer layer, hole transport layer HTL/hole buffer

layer, or hole injection layer HIL/hole transport layer HTL/electron blocking layer, without limitation.

**[0106]** The hole transport region HTR may be formed using various methods such as a vacuum deposition method, a spin coating method, a cast method, a Langmuir-Blodgett (LB) method, an inkjet printing method, a laser printing method, and a laser induced thermal imaging (LITI) method.

**[0107]** The hole transport region HTR may include the amine compound according to an embodiment of the inventive concept. The hole transport region HTR may include the amine compound according to an embodiment of the inventive concept as a hole transport material.

**[0108]** A layer including the amine compound according to an embodiment of the inventive concept may be a layer adjacent to an emission layer EML. Particularly, as shown in FIG. 2, if a hole transport layer HTL in the hole transport region HTR is adjacent to the emission layer EML, the hole transport layer HTL may include the amine compound according to an embodiment of the inventive concept.

**[0109]** The hole transport layer HTL may include one or two or more kinds of the amine compounds represented by Formula 1. The hole transport layer HTL may further include a known material in addition to the amine compound represented by Formula 1.

**[0110]** If the hole transport layer HTL includes the amine compound according to an embodiment of the inventive concept, a hole injection layer HIL may include a known hole injection material. The known hole injection material included in the hole injection layer HIL may include, for example, triphenylamine-containing polyetherketone (TPA-PEK), 4-isopropyl-4'-methyl-diphenyliodoniumtetrakis(pentafluorophenyl)borate (PPBL), N,N'-diphenyl-N,N'-bis-[4-(phenyl-m-tolyl-amino)-phenyl]-phenyl-4,4'-diamine (DNTPD), a phthalocyanine compound such as copper phthalocyanine, 4,4',4''-tris(3-methylphenylphenylamino) triphenylamine (m-MTDATA), N,N'-di(1-naphthyl)-N,N'-diphenylbenzidine (NPB), 4,4',4''-tris(N,N'-diphenylamino) triphenylamine (TDATA), 4,4',4''-tris{N-(1-naphthyl)-N-phenylamino}triphenylamine (1-TNATA), 4,4',4''-tris(N,N'-2-naphthylphenylamino)triphenylamine (2-TNATA), polyaniline/dodecylbenzenesulfonic acid (PANI/DBSA), poly(3,4-ethylenedioxythiophene)/poly(4-styrenesulfonate) (PEDOT/PSS), polyaniline/camphor sulfonic acid (PANI/CSA), or polyaniline/poly(4-styrenesulfonate) (PANI/PSS). However, an embodiment of the inventive concept is not limited thereto.

**[0111]** As described above, the hole transport layer HTL may further include a known compound other than the amine compound according to an embodiment of the inventive concept. In this case, the known hole transport material may include, for example, 1,1-bis[(di-4-trileamino)phenyl] cyclohexane (TAPC), carbazole derivatives such as N-phenyl carbazole and polyvinyl carbazole, N,N'-bis(3-methylphenyl)-N,N'-diphenyl-[1,1-biphenyl]-4,4'-diamine (TPD), 4,4',4''-tris(N-carbazolyl)triphenylamine (TCTA), N,N'-di(1-naphthyl)-N,N'-diphenylbenzidine (NPB), etc. However, an embodiment of the inventive concept is not limited thereto.

**[0112]** The thickness of the hole transport region HTR may be from about 100 Å to about 10,000 Å, for example, from about 100 Å to about 1,000 Å. If the hole transport region HTR includes both the hole injection layer HIL and the hole transport layer HTL, the thickness of the hole injection layer HIL may be from about 100 Å to about 1000

Å, and the thickness of the hole transport layer HTL may be from about 30 Å to about 1,000 Å. If the thicknesses of the hole transport region HTR, the hole injection layer HIL, and the hole transport layer HTL satisfy the above-described ranges, satisfactory hole transport properties may be achieved without substantial increase of a driving voltage.


**[0113]** The hole transport region HTR may further include a charge generating material in addition to the above-described materials to increase conductivity. The charge generating material may be dispersed uniformly or non-uniformly in the hole transport region HTR. The charge generating material may be, for example, a p-dopant. The p-dopant may be one of quinone derivatives, metal oxides, or cyano group-containing compounds, without limitation. For example, non-limiting examples of the p-dopant may include quinone derivatives such as tetracyanoquinodimethane (TCNQ) and 2,3,5,6-tetrafluoro-tetracyanoquinodimethane (F4-TCNQ), metal oxides such as tungsten oxide and molybdenum oxide, without limitation.

**[0114]** As described above, the hole transport region HTR may further include at least one of a hole buffer layer or an electron blocking layer (not shown) in addition to the hole injection layer HIL and the hole transport layer HTL. The hole buffer layer may compensate an optical resonance distance according to the wavelength of light emitted from the emission layer EML and increase light emission efficiency. Materials included in the hole transport region HTR may be used as materials included in the hole buffer layer. The electron blocking layer (not shown) is a layer playing the role of preventing the injection of electrons from the electron transport region ETR to the hole transport region HTR.

**[0115]** For example, in an embodiment, the hole transport region HTR may include a hole injection layer HIL, a hole transport layer HTL and an electron blocking layer (not shown). In addition, in an embodiment, the amine compound represented by Formula 1 may be included in the hole transport layer HTL.


**[0116]** In an organic electroluminescence device 10 of an embodiment, a hole transport region HTR may include one or two or more kinds of the amine compounds represented by Formula 1. For example, an organic electroluminescence device 10 of an embodiment may include at least one of the compounds represented in the following Compound Group 1 or Compound Group 2 in a hole transport region HTR.

[Compound Group 1]




A1

-continued




A2

-continued




A6




A3


A7




A4




A8



A5




-continued




A9


-continued




A13




A10




A14




A11



A15




A12



A16


-continued

A17




-continued


A20




A18




A21



A19




A22




-continued


A23




A24



A25




A26




-continued


A27




A28




A29



A30




-continued




A31


-continued




A34




A32




A35




A33




A36




A37




-continued




A38



A39




A40




A41


-continued



A42






A43







A44

-continued



-continued





-continued

-continued



A52

A56





A53

A57




A54

A58











A55











-continued

-continued




-continued

-continued




-continued


A75




A76



A77




A78




-continued


A79



A80




A81




-continued


A82




A83



A84




A85




-continued


A86




A87



A88











A89











-continued

-continued




-continued

-continued




-continued


A106




A107



A108




A109




-continued


A110




A111




A112



A113



A114





-continued

-continued



A119

A115





A120

A116





A121

A117







A122






A118




-continued




-continued





-continued



-continued





A133



A137



A138

A134



A139

A135





-continued

-continued



A144

A140





A145

A141





A146

A142











A147

A143




-continued


-continued




-continued




A156



A157




A158




A159


-continued



A160




A161




A162

-continued


A163




A164



A165




A166




-continued


A167




A168




A169




A170




-continued




A171



A172




A173




A174


-continued



A175






A176







A177


-continued



-continued




-continued




A185


-continued




A188




A189




A186



A190




A187




A191

-continued




A192


-continued




A195




A193



A196





A194




A197

-continued


-continued




A199




A202




A200








A203



-continued




-continued




[Compound Group 2]

-continued


B4




B1




B5




B2



B6




B3




B7

-continued


B8




B9




B10



B11




B12




-continued


B13




B14




B15



B16




B17




-continued

B18




-continued


B22




B19




B23




B20




B24



B21




B25




-continued


B26




B27



B28




B29




-continued


B30




B31



B32




-continued




B33

-continued




B36


B34




B37




B35



B38




-continued




B39


-continued




B42




B40



B43




B41



B44


-continued

B45




-continued


B48




B46




B49



B47









B50




-continued

-continued




-continued




-continued


B60




B61




B58



B62



B59



Ⓜ indicates text missing or illegible when filed

[0117] The organic electroluminescence device 10 of an embodiment may include the amine compound of an embodiment, represented by Formula 1 in the hole transport

region HTR and may have improved emission efficiency. In addition, the organic electroluminescence device **10** of an embodiment may include the amine compound of an embodiment, represented by Formula 1 in the hole transport region HTR and may have improved external quantum efficiency.

**[0118]** The emission layer EML is provided on the hole transport region HTR. The thickness of the emission layer EML may be, for example, from about 100 Å to about 600 Å. The emission layer EML may have a single layer formed using a single material, a single layer formed using a plurality of different materials, or a multilayer structure having a plurality of layers formed using a plurality of different materials.

**[0119]** The emission layer EML may emit one of red, green, blue, white, yellow or cyan light. For example, in an organic electroluminescence device of an embodiment, the emission layer EML may emit blue light.

**[0120]** The emission layer EML may include a fluorescence material or a phosphorescence material. In addition, the emission layer EML may include a host and a dopant.

**[0121]** The emission layer EML may include a host. The host may be any commonly used material, without specific limitation, for example, tris(8-hydroxyquinolino)aluminum (Alq3), 4,4'-bis(N-carbazolyl)-1,1'-biphenyl (CBP), poly(N-vinylcarbazole) (PVK), 9,10-di(naphthalene-2-yl)anthracene (ADN), 4,4',4''-tris(carbazol-9-yl)-triphenylamine (TCTA), 1,3,5-tris(N-phenylbenzimidazole-2-yl)benzene (TPBi), 3-tert-butyl-9,10-di(naphth-2-yl)anthracene (TBADN), distyrylarylene (DSA), 4,4'-bis(9-carbazolyl)-2,2'-dimethyl-biphenyl (CDBP), 2-methyl-9,10-bis(naphthalen-2-yl)anthracene (MADN), bis[2-(diphenylphosphino)phenyl] ether oxide (DPEPO), hexaphenyl cyclophosphazene (CPI), 1,4-bis(triphenylsilyl)benzene (UGH2), hexaphenylcyclotrisiloxane (DPSiO<sub>3</sub>), octaphenylcyclotetrasiloxane (DPSiO<sub>4</sub>), 2,8-bis(diphenylphosphoryl)dibenzofuran (PPF), etc.

**[0122]** The dopant may include, for example, styryl derivatives (for example, 1,4-bis[2-(3-N-ethylcarbazolyl)vinyl]benzene (BCzVB), 4-(di-p-tolylamino)-4'-[(di-p-tolylamino)styryl]stilbene (DPAVB), and N-(4-((E)-2-(6-((E)-4-(diphenylamino)styryl)naphthalen-2-yl)vinyl)phenyl)-N-phenylbenzenamine (N-BDAVB), perylene and the derivatives thereof (for example, 2,5,8,11-tetra-*t*-butylperylene (TBP)), pyrene and the derivatives thereof (for example, 1,1-dipyrene, 1,4-dipyrenylbenzene, 1,4-bis(N,N-diphenylamino)pyrene), etc.

**[0123]** If the emission layer EML emits red light, the emission layer EML may further include a fluorescence material including tris(dibenzoylmethanato)phenanthroline europium (PBD:Eu(DBM)3(Phen)) or perylene. If the emission layer EML emits red color, the dopant included in the emission layer EML may be selected from, for example, a metal complex or an organometallic complex such as bis(1-phenylisoquinoline)acetylacetonate iridium (PIQIr(acac)), bis(1-phenylquinoline)acetylacetonate iridium (PQIr(acac)), tris(1-phenylquinoline)iridium (PQIr) and octaethylporphyrin platinum (PtOEP), rubrene and the derivatives thereof, and 4-dicyanomethylene-2-(*p*-dimethylaminostyryl)-6-methyl-4H-pyran (DCM) and the derivatives thereof.

**[0124]** If the emission layer EML emits green light, the emission layer EML may further include a fluorescence material including tris(8-hydroxyquinolino)aluminum (Alq3). If the emission layer EML emits green light, the

dopant included in the emission layer EML may be selected from, for example, a metal complex or an organometallic complex such as fac-tris(2-phenylpyridine)iridium (Ir(ppy)3), and coumarin and the derivatives thereof.

**[0125]** If the emission layer EML emits blue light, the emission layer EML may further include a fluorescence material including, for example, any one selected from the group consisting of spiro-DPVBi, spiro-6P, distyryl-benzene (DSB), distyryl-arylene (DSA), and polyfluorene (PFO)-based polymer and poly(*p*-phenylene vinylene (PPV)-based polymer. If the emission layer EML emits blue light, the dopant included in the emission layer EML may be, for example, selected from a metal complex or an organometallic complex such as (4,6-F2ppy)2Irpic, and perylene and the derivatives thereof.

**[0126]** The electron transport region ETR is provided on the emission layer EML. The electron transport region ETR may include at least one of a hole blocking layer, an electron transport layer ETL or an electron injection layer EIL. However, an embodiment of the inventive concept is not limited thereto.

**[0127]** The electron transport region ETR may have a single layer formed using a single material, a single layer formed using a plurality of different materials, or a multilayer structure having a plurality of layers formed using a plurality of different materials.

**[0128]** For example, the electron transport region ETR may have a single layer structure of the electron injection layer EIL or the electron transport layer ETL, or a single layer structure formed using an electron injection material and an electron transport material. Further, the electron transport region ETR may have a single layer structure having a plurality of different materials, or a structure laminated from the first electrode EL1 of electron transport layer ETL/electron injection layer EIL, or hole blocking layer/electron transport layer ETL/electron injection layer EIL, without limitation. The thickness of the electron transport region ETR may be, for example, from about 1,000 Å to about 1,500 Å.

**[0129]** The electron transport region ETR may be formed using various methods such as a vacuum deposition method, a spin coating method, a cast method, a Langmuir-Blodgett (LB) method, an inkjet printing method, a laser printing method, and a laser induced thermal imaging (LITI) method.

**[0130]** If the electron transport region ETR includes an electron transport layer ETL, the electron transport region ETR may include a known material. For example, the electron transport region ETR may include tris(8-hydroxyquinolinato)aluminum (Alq3), 1,3,5-tri[(3-pyridyl)-phen-3-yl]benzene, 2,4,6-tris(3'-(pyridin-3-yl)biphenyl-3-yl)-1,3,5-triazine, 2-(4-(N-phenylbenzoimidazolyl-1-yl)phenyl)-9,10-dinaphthylanthracene, 1,3,5-tri(1-phenyl-1H-benzo[d]imidazol-2-yl)benzene (TPBi), 2,9-dimethyl-4,7-diphenyl-1,10-phenanthroline (BCP), 4,7-diphenyl-1,10-phenanthroline (Bphen), 3-(4-biphenyl)-4-phenyl-5-tert-butylphenyl-1,2,4-triazole (TAZ), 4-(naphthalen-1-yl)-3,5-diphenyl-4H-1,2,4-triazole (NTAZ), 2-(4-biphenyl)-5-(4-tert-butylphenyl)-1,3,4-oxadiazole (tBu-PBD), bis(2-methyl-8-quinolinolato-N1,O8)-(1,1'-biphenyl-4-olato)aluminum (BAIq), berylliumbis(benzoquinolin-10-olate) (Bebq2), 9,10-di(naphthalene-2-yl)anthracene (ADN), or a mixture thereof, without limitation.

**[0131]** If the electron transport region ETR includes the electron transport layer ETL, the thickness of the electron

transport layer ETL may be from about 100 Å to about 1,000 Å and may be, for example, from about 150 Å to about 500 Å. If the thickness of the electron transport layer ETL satisfies the above-described range, satisfactory electron transport properties may be obtained without substantial increase of a driving voltage.

**[0132]** If the electron transport region ETR includes the electron injection layer EIL, the electron transport region ETR may include a known material. For example, the electron transport region ETR may include LiF, lithium quinolate (LiQ), Li<sub>2</sub>O, BaO, NaCl, CsF, a metal in lanthanoids such as Yb, or a metal halide such as RbCl, and RbI. However, an embodiment of the inventive concept is not limited thereto. The electron injection layer EIL also may be formed using a mixture material of an electron transport material and an insulating organo metal salt. The organo metal salt may be a material having an energy band gap of about 4 eV or more. Particularly, the organo metal salt may include, for example, metal acetates, metal benzoates, metal acetoacetates, metal acetylacetonates, or metal stearates.

**[0133]** If the electron transport region ETR includes the electron injection layer EIL, the thickness of the electron injection layer EIL may be from about 1 Å to about 100 Å, from about 3 Å to about 90 Å. If the thickness of the electron injection layer EIL satisfies the above described range, satisfactory electron injection properties may be obtained without inducing the substantial increase of a driving voltage.

**[0134]** The electron transport region ETR may include a hole blocking layer as described above. The hole blocking layer may include, for example, at least one of 2,9-dimethyl-4,7-diphenyl-1,10-phenanthroline (BCP), or 4,7-diphenyl-1,10-phenanthroline (Bphen). However, an embodiment of the inventive concept is not limited thereto.

**[0135]** The second electrode EL2 is provided on the electron transport region ETR. The second electrode EL2 has conductivity. The second electrode EL2 may be formed using a metal alloy or a conductive compound. The second electrode EL2 may be a cathode. The second electrode EL2 may be a transmissive electrode, a transfective electrode or a reflective electrode. If the second electrode EL2 is the transmissive electrode, the second electrode EL2 may include a transparent metal oxide, for example, ITO, IZO, ZnO, ITZO, etc.

**[0136]** If the second electrode EL2 is the transfective electrode or the reflective electrode, the second electrode EL2 may include Ag, Mg, Cu, Al, Pt, Pd, Au, Ni, Nd, Ir, Cr, Li, Ca, LiF/Ca, LiF/Al, Mo, Ti, a compound thereof, or a mixture thereof (for example, a mixture of Ag and Mg). The second electrode EL2 may have a multilayered structure including a reflective layer or a transfective layer formed using the above-described materials and a transparent conductive layer formed using ITO, IZO, ZnO, ITZO, etc.

**[0137]** Though not shown, the second electrode EL2 may be connected with an auxiliary electrode. If the second electrode EL2 is connected with the auxiliary electrode, the resistance of the second electrode EL2 may decrease.

**[0138]** In the organic electroluminescence device 10, according to the application of a voltage to each of the first electrode EL1 and second electrode EL2, holes injected from the first electrode EL1 may move via the hole transport region HTR to the emission layer EML, and electrons injected from the second electrode EL2 may move via the electron transport region ETR to the emission layer EML.

The electrons and the holes are recombined in the emission layer EML to produce excitons, and the excitons may emit light via transition from an excited state to a ground state.

**[0139]** If the organic electroluminescence device 10 is a top emission type, the first electrode EL1 may be a reflective electrode and the second electrode EL2 may be a transmissive electrode or a transfective electrode. If the organic electroluminescence device 10 is a bottom emission type, the first electrode EL1 may be a transmissive electrode or a transfective electrode and the second electrode EL2 may be a reflective electrode.

**[0140]** The organic electroluminescence device of an embodiment includes the amine compound of an embodiment and may have improved emission efficiency. In addition, the organic electroluminescence device of an embodiment includes the amine compound having high lowest triplet energy in a hole transport region, and the diffusion of triplet excitons produced in the emission layer may be restrained and high external quantum efficiency may be achieved.

**[0141]** Meanwhile, the organic electroluminescence device of an embodiment may be a blue light-emitting device, a green light-emitting device, a red light-emitting device or a white light-emitting device. In addition, if the organic electroluminescence device is a blue light-emitting device, high emission efficiency may be shown. However, an embodiment of the inventive concept is not limited thereto.

**[0142]** Hereinafter an amine compound according to an embodiment and an organic electroluminescence device including the amine compound according to an embodiment will be explained in more detail with reference to embodiments and comparative embodiments. The following embodiments are only illustrations to assist the understanding of the inventive concept, and the scope of the inventive concept is not limited thereto

## EXAMPLES


**[0143]** 1. Synthesis of Amine Compound

**[0144]** First, the synthetic method of the amine compound according to an embodiment of the inventive concept will be particularly explained referring to the synthetic methods of Compounds A1, A76, A126 and A151 in Compound Group 1 and Compound B15 in Compound Group 2. In addition, the synthetic method of an amine compound explained below is only an embodiment, and the synthetic method of an amine compound according to an embodiment of the inventive concept is not limited thereto.


**[0145]** (Synthesis of Compound A1)

**[0146]** An amine compound according to an embodiment, Compound A1 may be synthesized, for example, by performing the steps of Reaction 1 to Reaction 3 below.

**[0147]** (1) Synthesis of Intermediate A




-continued




**[0148]** Under an argon atmosphere, to a 1,000 ml Erlenmeyer flask, 4,6-dibromodibenzofuran (16.3 g, 50 mmol), phenylboronic acid (6.71 g, 55 mmol),  $K_2CO_3$  (20.7 g, 150 mmol),  $Pd(PPh_3)_4$  (2.89 g, 2.5 mmol), 500 ml of a mixture solution of toluene/EtOH/ $H_2O$  (4/2/1) were added in order, followed by heating and refluxing at a temperature of about  $80^\circ C$ . for about 5 hours. Then, the reaction mixture was cooled to room temperature, and toluene was added thereto. An aqueous layer was removed, and an organic layer was washed with a saline solution and dried with  $MgSO_4$ .  $MgSO_4$  was filtered and separated, and an organic layer was concentrated. The crude product thus obtained was separated by silica gel column chromatography (using a mixture solvent of hexane/toluene) and recrystallized to obtain Intermediate A as a white solid (12.1 g, yield 75%). The structure of the product was identified using FAB-MS ( $m/z=323$ ).

**[0149]** (2) Synthesis of Intermediate B



**[0150]** Under an argon atmosphere, to a 500 ml Erlenmeyer flask, 4-bromotetraphenylsilane (20.77 g, 50 mmol),  $Pd(dba)_2$  (0.86 g, 1.5 mmol),  $NaOtBu$  (4.80 g, 50 mmol), toluene (250 ml), aniline (5.12 g, 55 mmol),  $PtBu_3$  (1.01 g, 5 mmol) were added in order, followed by heating and refluxing for about 6 hours. Then, the reaction mixture was cooled to room temperature, and toluene was added thereto. An aqueous layer was removed, and an organic layer was washed with a saline solution and dried with  $MgSO_4$ .  $MgSO_4$  was filtered and separated, and an organic layer was concentrated. The crude product thus obtained was separated by silica gel column chromatography (using a mixture solvent of hexane/toluene) and recrystallized to obtain Intermediate B as a white solid (17.96 g, yield 84%). The structure of the product was identified using FAB-MS ( $m/z=427$ ).

**[0151]** (3) Synthesis of Compound A1




**[0152]** Under an argon atmosphere, to a 300 ml Erlenmeyer flask, Intermediate A (3.86 g, 11.96 mmol), Intermediate B (4.86 g, 11.39 mmol),  $Pd(dba)_2$  (0.196 g, 0.34 mmol),  $NaOtBu$  (1.64 g, 17.1 mmol), toluene (100 ml), and  $PtBu_3$  (0.23 g, 1.1 mmol) were added in order, followed by heating and refluxing for about 6 hours. Then, the reaction mixture was cooled to room temperature, and toluene was added thereto. An aqueous layer was removed, and an organic layer was washed with a saline solution and dried with  $MgSO_4$ .  $MgSO_4$  was filtered and separated, and an organic layer was concentrated. The crude product thus obtained was separated by silica gel column chromatography (using a mixture solvent of hexane/toluene) and recrystallized to obtain Compound A1 as a white solid (6.03 g, yield 79%). The structure of the product was identified using FAB-MS ( $m/z=699$ ).


**[0153]** (Synthesis of Compound A76)

**[0154]** An amine compound according to an embodiment, Compound A76 may be synthesized by performing the steps of Reaction 4 and Reaction 5 below.

**[0155]** (1) Synthesis of Intermediate C




-continued



**[0156]** The same method as the synthetic method of Intermediate A was conducted except for using 3,7-dibromodibenzothiophene (17.1 g, 50 mmol) instead of 4,6-dibromodibenzofuran (16.3 g, 50 mmol) to obtain Intermediate C as a white solid (14.04 g, yield 69%). The structure of the product was identified using FAB-MS ( $m/z=339$ ).

**[0157]** (2) Synthesis of Compound A76




**[0158]** The same method as the synthetic method of Compound A1 was conducted except for using Intermediate C (4.07 g, 12 mmol) and Intermediate B (4.88 g, 11.43 mmol) instead of Intermediate A (3.86 g, 11.96 mmol) and Intermediate B (4.86 g, 11.39 mmol) to obtain Compound A76 as a white solid (6.35 g, yield 81%). The structure of the product was identified using FAB-MS ( $m/z=685$ ).

**[0159]** (Synthesis of Compound B15)


**[0160]** An amine compound according to an embodiment, Compound B15 may be synthesized by performing the steps of Reaction 6 and Reaction 7 below.

**[0161]** (1) Synthesis of Intermediate D




**[0162]** The same method as the synthetic method of Intermediate B was conducted except for using 9-(4-bromophenyl)-9-phenyl-9H-fluorene (19.87 g, 50 mmol) instead of 4-bromotetraphenylsilane (20.77 g, 50 mmol) to obtain Intermediate D as a white solid (17.81 g, yield 87%). The structure of the product was identified using FAB-MS ( $m/z=409$ ).

**[0163]** (2) Synthesis of Compound B15



-continued




B15

**[0164]** The same method as the synthetic method of Compound A1 was conducted except for using Intermediate C (4.07 g, 12 mmol) and Intermediate D (4.67 g, 11.43 mmol) instead of Intermediate A (3.86 g, 11.96 mmol) and Intermediate B (4.86 g, 11.39 mmol) to obtain Compound B15 as a white solid (5.11 g, yield 67%). The structure of the product was identified using FAB-MS ( $m/z=667$ ).

**[0165]** (Synthesis of Compound A126)


**[0166]** An amine compound according to an embodiment, Compound A126 may be synthesized by performing the steps of Reaction 8 and Reaction 9 below.

**[0167]** (1) Synthesis of Intermediate E



**[0168]** The same method as the synthetic method of Intermediate A was conducted except for using 2,8-dibromodibenzofuran (17.1 g, 50 mmol) instead of 4,6-dibromodibenzofuran (16.3 g, 50 mmol) to obtain Intermediate E as a white solid (13.05 g, yield 77%). The structure of the product was identified using FAB-MS ( $m/z=339$ ).


**[0169]** (2) Synthesis of Compound A126




**[0170]** The same method as the synthetic method of Compound A1 was conducted except for using Intermediate E (4.07 g, 12 mmol) and Intermediate B (4.88 g, 11.43 mmol) instead of Intermediate A (3.86 g, 11.96 mmol) and Intermediate B (4.86 g, 11.39 mmol) to obtain Compound A126 as a white solid (5.80 g, yield 74%). The structure of the product was identified using FAB-MS ( $m/z=685$ ).

**[0171]** (Synthesis of Compound A151)


**[0172]** An amine compound according to an embodiment, Compound A151 may be synthesized by performing the steps of Reaction 10 and Reaction 11 below.

**[0173]** (1) Synthesis of Intermediate F

**[0174]** The same method as the synthetic method of Intermediate A was conducted except for using 1,9-dibromodibenzofuran (16.3 g, 50 mmol) instead of 4,6-dibromodibenzofuran (16.3 g, 50 mmol) to obtain Intermediate F as a white solid (9.53 g, yield 59%). The structure of the product was identified using FAB-MS ( $m/z=323$ ).

**[0175]** (2) Synthesis of Compound A151

-continued



**[0176]** The same method as the synthetic method of Compound A1 was conducted except for using Intermediate F (3.86 g, 11.96 mmol) instead of Intermediate A (3.86 g, 11.96 mmol) to obtain Compound A151 as a white solid (4.15 g, yield 52%). The structure of the product was identified using FAB-MS ( $m/z=699$ ).

**[0177]** 2. Manufacture and Evaluation of Organic Electroluminescence Device Including an Amine Compound**[0178]** (Manufacture of Organic Electroluminescence Device)

**[0179]** An organic electroluminescence device of an embodiment including the amine compound of an embodiment in a hole transport layer was manufactured by the method described below. Organic electroluminescence devices of Examples 1 to 5 were manufactured using the amine compounds of Compounds A1, A76, B15, A126 and A151 as materials for a hole transport layer. Organic electroluminescence devices of Comparative Examples 1 to 10 were manufactured using Comparative Compounds C1 to C10 below as materials for a hole transport layer.

**[0180]** The compounds used in Examples 1 to 5 and Comparative Examples 1 to 10 are listed in Table 1.

TABLE 1

Compound A1






TABLE 1-continued

Compound A76




A76

Compound B15




B15

Compound A126




A126

Compound A151




A151


TABLE 1-continued

Comparative  
Compound C1


C1

Comparative  
Compound C2

C2


Comparative  
Compound C3

C3


Comparative  
Compound C4

C4


TABLE 1-continued

Comparative  
Compound C5

C5


Comparative  
Compound C6

C6


Comparative  
Compound C7

C7


TABLE 1-continued

Comparative  
Compound C8

C8

Comparative  
Compound C9

C9

Comparative  
Compound C10

C10

[0181] The organic electroluminescence devices of the examples and the comparative examples were manufactured by the method described below.

[0182] On a glass substrate, ITO with a thickness of about 150 nm was patterned and washed with ultra-pure water, and a UV ozone treatment was conducted for about 10 minutes. Then, a hole injection layer was formed using 4,4',4''-tris{N-

(1-naphthyl)-N-phenylamino}-triphenylamine (1-TNANA) to a thickness of about 60 nm, and a hole transport layer was formed using the example compound or the comparative compound to a thickness of about 30 nm.

[0183] Then, an emission layer was formed using dinaphthylanthracene (ADN) doped with 3% 2,5,8,11-tetra-tert-butylperylene (TBP) to a thickness of about 25 nm, and an

electron transport layer was formed using Alq3 to a thickness of about 25 nm. Then, an electron injection layer was formed using LiF to a thickness of about 1 nm, and a second electrode was formed using aluminum (A1) to a thickness of about 100 nm.

**[0184]** In the embodiments, a hole injection layer, a first hole transport layer, a second hole transport layer, an emission layer, a first electron transport layer, a second electron transport layer, an electron injection layer and a second electrode were formed by using a vacuum deposition apparatus.

**[0185]** The materials used in the organic electroluminescence device may be represented by the formulae below.

**[0186]** (Evaluation of Properties of Organic Electroluminescence Device)

**[0187]** In order to evaluate the properties of the organic electroluminescence devices according to the examples and the comparative examples, emission efficiency at a current density of about 10 mA/cm<sup>2</sup> was evaluated. The voltage and current density of the organic electroluminescence device were measured using a Source meter (Keithley Instrument Co., 2400 series), and half life represents time required for decreasing luminance from an initial luminance of about 1,000 cd/m<sup>2</sup> to half. The evaluation results of the properties of the organic electroluminescence devices are shown in Table 2.

TABLE 2

Division	Hole transport layer	Voltage (V)	Efficiency (cd/A)	Life LT <sub>50</sub> (h)
Example 1	Compound A1	5.4	7.8	189
Example 2	Compound A76	5.5	7.6	196
Example 3	Compound B15	5.6	7.6	194
Example 4	Compound A126	5.7	7.5	185
Example 5	Compound A151	5.6	7.7	184
Comparative Example 1	Comparative Compound C1	6.2	5.5	159
Comparative Example 2	Comparative Compound C2	6.5	6.5	165
Comparative Example 3	Comparative Compound C3	6.3	6.0	167
Comparative Example 4	Comparative Compound C4	6.4	5.2	165
Comparative Example 5	Comparative Compound C5	6.1	5.2	164
Comparative Example 6	Comparative Compound C6	5.9	6.9	169
Comparative Example 7	Comparative Compound C7	6.0	6.2	172
Comparative Example 8	Comparative Compound C8	6.2	5.7	156
Comparative Example 9	Comparative Compound C9	5.9	6.4	167
Comparative Example 10	Comparative Compound C10	6.6	5.4	142

**[0188]** Referring to Table 2, the organic electroluminescence devices of Examples 1 to 5 showed improved properties of a low voltage, long life and high efficiency when compared to Comparative Examples 1 to 10.

**[0189]** Particularly, Examples 1 to 5 used amine derivatives including a dibenzoheterole group which was substituted with a phenyl group, and the properties of a low voltage, long life and high efficiency of organic electroluminescence devices were improved.

**[0190]** In addition, since the amine compound of the inventive concept included a triarylsilyl group or a fluorenyl group, having excellent thermal and charge tolerance, the

properties of an amine could be maintained and the life of a device could be increased due to excellent thermal and charge tolerance. Since the amine compound of the inventive concept included a dibenzoheterole group including a substituent, the efficiency of a device could be improved by restraining the crystallinity by the deterioration of the symmetric performance of an entire molecule and by accommodating the improvement of a layer quality.

**[0191]** Particularly, Examples 1, 4 and 5, in which the substitution positions of a dibenzoheterole group, that is, the connecting positions of a dibenzoheterole group and an amine group were 4, 2 and 1, respectively, were found to have improved efficiency. This phenomenon was considered to be achieved, because a substituted dibenzoheterole group itself formed a folded conformation toward a nitrogen atom, a hole transport degree was controlled in a state where the volume of an entire molecule was increased and crystallinity was restrained, thereby increasing recombination probability of holes and electrons in an emission layer.

**[0192]** In addition, Examples 2 and 3, including a compound of which substitution position of a dibenzoheterole group was 3 were found to have increased life.

**[0193]** Meanwhile, when comparing Comparative Example 3 and Example 2, which included a compound not including a substituent at a position 7 of a dibenzoheterole group, it may be found that effect of long life by the introduction of a substituent was remarkable. This phenomenon was obtained because the stability of a radical state was improved due to the appropriate increase of a HOMO conjugation system around a nitrogen atom.

**[0194]** Meanwhile, for Comparative Examples 1 and 8, it may be found that an amine derivative having a dibenzofuranyl group was included but the dibenzofuranyl group did not include a substituent, and charge tolerance was insufficient. In addition, since the volume of a molecule was small and stacking in a molecule was induced resulting in easy crystallization, the life and efficiency of a device were reduced. In addition, in the compound of Comparative Example 2, a nitrogen atom and a dibenzofuranyl group were connected via a phenylene group, and the volume around a nitrogen atom was smaller than that of the compounds of an embodiment, and the efficiency of a device was reduced when compared to Example 1.

**[0195]** In addition, the compound of Comparative Example 4 is a compound making a direct bond to a fluorene skeleton, and the compound of Comparative Example 5 is a compound including a spirobifluorenyl group which is a spiro type, the volume around a nitrogen atom is too large, the degree of freedom of a molecular structure is reduced, and thermal decomposition is liable to occur. In addition, since the distance between molecules is large, the propagation rate of holes is slow, and the life and efficiency properties of a device are deteriorated when compared to those of the examples.

**[0196]** In the compounds of Comparative Examples 6 and 9, a heteroaryl group is substituted at a dibenzofuran or dibenzothiophene skeleton to lapse carrier balance, and the efficiency of a device was reduced when compared to Example 1. The compound of Comparative Example 7 includes a dibenzofuran substituted with a phenyl group at the ring side in the same direction as a nitrogen atom, and a it conjugation system was increased to increase the life of a device, but the planarity of a molecule was increased and

the distance between molecules was decreased, thereby reducing hole transport properties and decreasing the efficiency of a device.

[0197] When comparing Example 1 and Comparative Example 10, the compound of Comparative Example 10 does not include a triarylsilyl group or a fluorenyl group, and thermal and charge tolerance was weak, and thus the life of a device was reduced.

[0198] Examples 1 to 5 were found to have effect of increasing emission efficiency and emission life at the same time when compared to Comparative Examples 1 to 10.

[0199] From the results, the amine compound of an embodiment was found to achieve the increase of efficiency and life of an organic electroluminescence device by combining a dibenzoheterole group including a substituent with a nitrogen atom.

[0200] Particularly, it may be found that the increase of efficiency and life of an organic electroluminescence device may be achieved by combining a nitrogen atom of an amine at a position of an atomic number 4 of a dibenzoheterole group and a substituent at a position of an atomic number 6 of a dibenzoheterole group, by combining a nitrogen atom of an amine at a position of an atomic number 3 of a dibenzoheterole group and a substituent at a position of an atomic number 7 of a dibenzoheterole group, by combining a nitrogen atom of an amine at a position of an atomic number 2 of a dibenzoheterole group and a substituent at a position of an atomic number 8 of a dibenzoheterole group, or by combining a nitrogen atom of an amine at a position of an atomic number 1 of a dibenzoheterole group and a substituent at a position of an atomic number 9 of a dibenzoheterole group.


[0201] The amine compound of an embodiment may improve the emission efficiency and life of an organic electroluminescence device.

[0202] The organic electroluminescence device of an embodiment includes the amine compound of an embodiment in a hole transport region, specifically a hole transport layer, and may achieve high efficiency.

[0203] Although the exemplary embodiments of the present invention have been described, it is understood that the present invention should not be limited to these exemplary embodiments but various changes and modifications can be made by one ordinary skilled in the art within the spirit and scope of the present invention as hereinafter claimed.

What is claimed is:

1. An amine compound represented by the following Formula 1:



in Formula 1,  
X is O or S,  
Y is C or Si,

Ar<sub>1</sub> and Ar<sub>2</sub> are each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom,

L<sub>1</sub> and L<sub>2</sub> are each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring,

R<sub>1</sub> is a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring,

R<sub>2</sub> to R<sub>5</sub> are each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring,


“a” is an integer of 1 to 4,

“b” is an integer of 0 to 3,

“c” is 0 or 1, and

“d” and “e” are each independently an integer of 0 to 5.


2. The amine compound of claim 1, wherein Formula 1 is represented by the following Formula 1-1:



in Formula 1-1,

X, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>3</sub>, and “a” to “c” are the same as defined in Formula 1.


3. The amine compound of claim 1, wherein Formula 1 is represented by the following Formula 1-2:




in Formula 1-2,

X, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>3</sub>, and “a” to “c” are the same as defined in Formula 1.

4. The amine compound of claim 1, wherein



part in Formula 1 is represented by one of the following H-1 to H-4:



in H-1 to H-4,

X, R<sub>1</sub>, R<sub>2</sub> and “b” are the same as defined in Formula 1.

5. The amine compound of claim 1, wherein Ar<sub>1</sub> is a substituted or unsubstituted phenyl group, a substituted or unsubstituted biphenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted naphthyl group, or a substituted or unsubstituted phenanthryl group.


6. The amine compound of claim 1, wherein Ar<sub>1</sub> is a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.

7. The amine compound of claim 1, wherein Ar<sub>2</sub> is a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.


8. The amine compound of claim 1, wherein L<sub>1</sub> and L<sub>2</sub> are each independently a direct linkage, a substituted or unsubstituted phenylene group, a substituted or unsubstituted dibenzofuranylene group, a substituted or unsubstituted naphthalene group, or a substituted or unsubstituted fluorenylene group.

9. The amine compound of claim 1, wherein R<sub>1</sub> is a substituted or unsubstituted phenyl group, each of R<sub>2</sub> to R<sub>5</sub> is a hydrogen atom, a substituted or unsubstituted phenyl group, or a substituted or unsubstituted triphenylsilyl group, or combined with an adjacent group to form a ring.


10. The amine compound of claim 1, wherein Formula 1 is any one selected from compounds represented in the following Compound Group 1:




-continued




A5



A6




A7




A8


-continued




A9



A10




A11




A12


-continued




A13



A14




A15




A16


-continued



A17






A18







A19


-continued



-continued




-continued




A27

-continued




A31




A28


A32



A29




A32




A30

A33




A33


-continued




A34



A35




A36




A37


-continued




A38



A39




A40



A41


-continued

A42




-continued


A45




A43




A46



A44




A47




-continued


A48




A49



A50




A51




-continued


A52




A53



A54




A55




-continued

A56




-continued

A59




A60


A57





A58



A61











A62











-continued

-continued






-continued





-continued



-continued




-continued




-continued


A86




A87



A88




A89




-continued


A90




A91



A92











A93







-continued





-continued




-continued



-continued




-continued




A110


-continued




A114




A111




A115




A112



A116




A113




A117

-continued


A118




A119



A120




A121




-continued


A122




A123




A124



A125




-continued




A126


-continued




A131




A127




A132




A128




A133



A129



A134





A130

-continued

-continued



A135

A139





A136

A140





A137

A141




A142

A138




-continued

A143




A144



A145




A146




-continued


A147




A148



A149




A150




-continued

-continued





A151

A155





A152

A156





A153

A157




A154

A158




-continued




A159


-continued




A162




A160




A163




A161




A164



A165




-continued




A166


-continued




A170




A167




A171




A168



A172




A169




A173

-continued




A174


-continued




A177




A175



A178




A176




A179

-continued


A180




A181



A182




A183




-continued


A184




A185



A186




-continued




A187

-continued




A188

A191




A189




A190


A192



A193




-continued




A194


-continued




A197




A195



A198



A196





A199

-continued

-continued



A203

A200





A204

A201




A205

A202




A206




-continued

[Compound Group 2]




A207

B1




B2






A208

B3



A209


B4



Ⓜ indicates text missing or illegible when filed


11. The amine compound of claim 1, wherein Formula 1 is any one selected from compounds represented in the following Compound Group 2:

-continued





B5

-continued



B9



B6



B10



B11

B7




B12

B8




B13




-continued


B14




B15




B16



B17




B18




-continued


B19




B20



B21



B22





-continued

-continued



B27

B23





B24

B28





B25

B29



B26

B30





-continued

-continued



B31

B34





B32

B35









B33

B36




-continued

-continued




-continued




B43


-continued




B46




B44



B47




B45




B48

-continued




B49


-continued




B52




B50



B53




B51



B54


-continued

B55




-continued


B58




B56




B59



B57




B60




-continued

B61




B62



Ⓜ indicates text missing or illegible when filed

12. An organic electroluminescence device, comprising:  
 a first electrode;  
 a hole transport region disposed on the first electrode;  
 an emission layer disposed on the hole transport region;  
 an electron transport region disposed on the emission layer; and  
 a second electrode disposed on the electron transport region,  
 wherein the hole transport region comprises an amine compound represented by the following Formula 1:

[Formula 1]



in Formula 1,

X is O or S,

Y is C or Si,

Ar<sub>1</sub> and Ar<sub>2</sub> are each independently a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, which includes O or S as a heteroatom,

L<sub>1</sub> and L<sub>2</sub> are each independently a direct linkage, a substituted or unsubstituted arylene group having 6 to 30 carbon atoms for forming a ring, or a substituted or unsubstituted heteroarylene group having 2 to 30 carbon atoms for forming a ring,

R<sub>1</sub> is a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring,

R<sub>2</sub> to R<sub>5</sub> are each independently a hydrogen atom, a deuterium atom, a halogen atom, a cyano group, a substituted or unsubstituted silyl group, a substituted or unsubstituted alkyl group having 1 to 10 carbon atoms, a substituted or unsubstituted alkoxy group having 1 to 10 carbon atoms, a substituted or unsubstituted arylthio group having 1 to 10 carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 10 carbon atoms, a substituted or unsubstituted arylamino group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 50 carbon atoms for forming a ring, or a substituted or unsubstituted heteroaryl group having 2 to 50 carbon atoms for forming a ring, or combined with an adjacent group to form a ring,

“a” is an integer of 1 to 4,

“b” is an integer of 0 to 3,

“c” is 0 or 1, and

“d” and “e” are each independently an integer of 0 to 5.

13. The organic electroluminescence device of claim 12, wherein the hole transport region comprises:

a hole injection layer; and


a hole transport layer disposed between the hole injection layer and the emission layer,

wherein the hole transport layer comprises the amine compound represented by Formula 1.


14. The organic electroluminescence device of claim 12, wherein the emission layer emits blue light.

15. The organic electroluminescence device of claim 12, wherein Formula 1 is represented by the following Formula 1-1 or Formula 1-2:

[Formula 1-1]




-continued




in Formula 1-1 and Formula 1-2,

X, Ar<sub>1</sub>, Ar<sub>2</sub>, L<sub>1</sub>, L<sub>2</sub>, R<sub>1</sub> to R<sub>3</sub>, and "a" to "c" are the same as defined in Formula 1.

16. The organic electroluminescence device of claim 12, wherein



part in Formula 1 is represented by one of the following H-1 to H-4:



in H-1 to H-4,

X, R<sub>1</sub>, R<sub>2</sub> and "b" are the same as defined in Formula 1.

17. The organic electroluminescence device of claim 12, wherein Ar<sub>1</sub> is a substituted or unsubstituted phenyl group, a substituted or unsubstituted biphenyl group, a substituted or unsubstituted terphenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenan-

thryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.


18. The organic electroluminescence device of claim 12, wherein Ar<sub>2</sub> is a substituted or unsubstituted phenyl group, a substituted or unsubstituted naphthyl group, a substituted or unsubstituted phenanthryl group, a substituted or unsubstituted dibenzofuranyl group, or a substituted or unsubstituted dibenzothiophene group.

19. The organic electroluminescence device of claim 12, wherein L<sub>1</sub> and L<sub>2</sub> are each independently a direct linkage, a substituted or unsubstituted phenylene group, a substituted or unsubstituted dibenzofuranyl group, a substituted or unsubstituted naphthalene group, or a substituted or unsubstituted fluorenylene group.

20. The organic electroluminescence device of claim 12, wherein the hole transport region comprises at least one of amine compounds represented in the following Compound Group 1 or Compound Group 2:

[Compound Group 1]


A1



H-1

A2


H-2




H-3

A3

H-4




-continued




A4


-continued




A8




A5




A9




A6



A10




A7




A11

-continued




A12

-continued




A13

A16






A14

A17



A15

A18





-continued

-continued



A19

A22





A20

A23




A21

A24




-continued





A25

-continued





A29

A26





A30

A27




A31

A28




A32

-continued




A33


-continued




A37




A34




A38




A35



A39



A36





A40

-continued

-continued



A41

A44





A42

A45



A43

A46





-continued

-continued



A50

A47





A51

A48




A52








A49



A53




-continued




-continued


A61




A62



A63




A64




-continued


A65




A66



A67











A68




-continued

-continued




-continued


A77




A78



A79




A80




-continued


A81



A82




A83




-continued


A84




A85



A86




A87




-continued


A88




A89



A90











A91




-continued

-continued




-continued


A100




A101




A102



A103




A104




-continued


A105




A106




A107




A108




-continued




A109




A110



A111




A112




A113


-continued




A114



A115




A116




A117

-continued


A118




A119



A120




A121




A123

-continued


A122




A123




A124



A125




-continued




A126


-continued




A131




A127




A132




A128




A133



A129








A134







A130

-continued



-continued





-continued

-continued



A144

A148





A145

A149





A146

A150




A147

A151




-continued




A152


-continued




A156




A153




A157




A154



A158






A155







A159


-continued



-continued




-continued




A167


-continued




A171




A168




A172




A169



A173






A170







A174

-continued




-continued




-continued


A182




A183



A184




A185




-continued


A186




A187




A188



A189




-continued




A190


-continued




A193




A191



A194




A192




A195


-continued




-continued




A197




A200




A198




A201




-continued




A202



A203




A204




A205


-continued



A206




A207





A208

-continued




[Compound Group 2]



-continued


B3

A209




B4

B1




B5

B2




B6




-continued

-continued

B7




B11




B12


B8




B13




B9





B14



B10



B15





-continued

-continued



B16

B20





B17

B21





B18

B22



B19

B23





-continued

-continued



B24

B28





B25

B29





B26

B30




B27

B31




-continued


-continued




B32




B35




B33



B36




B34




B37

-continued




B38


-continued




B41




B39



B42




B40




B43

-continued




B44


-continued




B47



B45



B48




B46




B49

-continued




B50


-continued




B53




B51



B54




B52



B55


-continued

B56




-continued


B59




B57




B60



B58




B61



-continued

B62



? indicates text missing or illegible when filed

\* \* \* \* \*

专利名称(译)	胺化合物和包括其的有机电致发光器件		
公开(公告)号	<a href="#">US20190165285A1</a>	公开(公告)日	2019-05-30
申请号	US16/040332	申请日	2018-07-19
[标]申请(专利权)人(译)	三星显示有限公司		
申请(专利权)人(译)	三星DISPLAY CO. , LTD.		
当前申请(专利权)人(译)	三星DISPLAY CO. , LTD.		
[标]发明人	UNO TAKUYA		
发明人	UNO, TAKUYA		
IPC分类号	H01L51/00 C07F7/08 C09K11/06		
CPC分类号	H01L51/0094 C07F7/0812 C09K11/06 H01L51/0061 H01L51/006 H01L51/5056 H01L51/5012 H01L51/0073 C09K2211/1018 H01L51/0074 H01L51/0052		
优先权	1020170158831 2017-11-24 KR		
外部链接	<a href="#">Espacenet</a> <a href="#">USPTO</a>		

摘要(译)

提供一种提高发光效率的胺化合物，以及包含该胺化合物的有机电致发光器件。根据本发明构思的胺化合物由式1表示。

