



(11) **EP 2 730 218 A1**

(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:
14.05.2014 Bulletin 2014/20

(51) Int Cl.:
A61B 5/00 (2006.01) **A61B 5/0205 (2006.01)**
A61B 5/024 (2006.01) **A43B 3/00 (2006.01)**

(21) Application number: **13191986.2**

(22) Date of filing: **07.11.2013**

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME

(71) Applicant: **Hanrim Postech Co., Ltd**
Suwon-si, Gyeonggi-do (KR)

(72) Inventor: **Jung, Chun-Kil**
Seoul (KR)


(74) Representative: **Zardi, Marco**
M. Zardi & Co. SA
Via Pioda 6
6900 Lugano (CH)

(30) Priority: **09.11.2012 KR 20120126930**

(54) **Footwear able to be wirelessly charged and transmit bio information, method for managing health in wireless communication system including the footwear, and wireless communication system to which the method is applied**

(57) Disclosed herein are a method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, including obtaining a bio information of a user from a bio information detecting sensor of the footwear using a power obtained through a wireless power receiving device installed therein; and transmitting the bio information to an external terminal via a communication module, a footwear able to be wirelessly charged and transmit a bio information, and a wireless communication system to which the method is applied.

[FIG. 1]



EP 2 730 218 A1

Description

BACKGROUND

Field

[0001] The present invention relates to a footwear able to be wirelessly charged and transmit a bio information, a method for managing health in a wireless communication system including the footwear, and a wireless communication system to which the method is applied.

Description of the Related Art

[0002] In accordance with the development of a medical technology, an effort to monitor a bio signal of a patient at a remote place has been continuously made. For example, an electrocardiogram monitoring system for diagnosing a disease and a state associated with a heart guides an electrocardiogram waveform for a short period of time. Therefore, in order to observe a heart problem such as an arrhythmia that is intermittently generated, it has been required to continuously record and analyze the heart problem for a long period of time.

[0003] In addition, any means capable of coping with a rapid risk generated due to sleep apnea, or the like, in a home, or the like have not been suggested.

[0004] According to the related art, it is impossible to measure a bio signal of a patient in real time and an action may not be immediately taken when the patient is in an emergency state. In order to solve these problems, various studies and developments have been continuously conducted.

[0005] Korean Patent Application No. 10-1995-0029913 (entitled "System of Monitoring Bio Signal in Real Time by Using Wireless Communication Network; hereinafter, referred to as the 'related patent technology') has disclosed a technology capable of diagnosing and preventing a disease of a patient by continuously checking a bio signal of the patient via a bio signal measuring device to transmit a signal indicating that there is an abnormality in the bio signal to a bio signal monitoring server device of a hospital in real time via a wireless communication network only when it is indicated that there is the abnormality in the bio signal and transmitting a diagnosing and emergency treating method from a bio signal monitoring center of the hospital to the bio signal measuring device of the patient in real time.

SUMMARY

[0006] An object of the present invention is to provide a method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, capable of obtaining a bio information by the footwear worn by a user for a long period time and managing health and coping with an emergency situation through the bio information, and a

wireless communication system to which the method is applied.

[0007] According to an exemplary embodiment of the present invention, there is provided a method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, the method including: obtaining a bio information of a user from a bio information detecting sensor of the footwear using a power obtained through a wireless power receiving device installed therein; and transmitting the bio information to an external terminal via a communication module.

[0008] The method may further include storing an ID information in a memory installed in the footwear, wherein the transmitting of the bio information to the external terminal via the communication module includes: transmitting the ID information to the external terminal via the communication module; and transmitting the bio information to the external terminal via the communication module when an ID confirmation signal is received from the external terminal.

[0009] The external terminal may be a mobile communication terminal having a terminal ID information stored in a storing unit thereof, and the method may further include transmitting the terminal ID information and the bio information to a health management server via a mobile communication module of the mobile communication terminal.

[0010] The bio information may include a pulse information, a blood pressure information, a body temperature information, an exercising amount information, and a time information.

[0011] The method may further include: receiving an alarm information generated through the bio information via the communication module of the footwear; and outputting an alarm sound to a sound output module installed in the footwear, based on the alarm information.

[0012] According to another exemplary embodiment of the present invention, there is provided a method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, the method including: receiving a bio information and an ID information of a user from a bio information detecting sensor of the footwear using a power obtained via a wireless power receiving device installed therein; analyzing the bio information to generate an alarm information; and transmitting the alarm information to an external terminal.

[0013] The analyzing of the bio information to generate the alarm information may include: storing a personal data base in a memory; obtaining a health record information of the user in the personal data base by using the ID information of the user; and generating the alarm information by using the health record information and the bio information.

[0014] According to still another exemplary embodiment of the present invention, there is provided a footwear able to be wirelessly charged and transmit a bio

information, the footwear including: an insole; an outer cover installed on the insole and having a wear space formed therein; a heel attached to a lower surface of the insole; a secondary coil installed in any one of the insole, the outer cover, and the heel and receiving a wireless power signal from an external device; a battery installed in any one of the insole, the outer cover, and the heel and charged with an induced electromotive force generated in the secondary coil; a bio information detecting sensor installed in the wear space; a communication module installed at any one of the insole, the outer cover, and the heel; and a controller configured to charge the battery by using the wireless power signal received via the secondary coil and transmit the bio information obtained from the bio information detecting sensor to an external electronic device via the communication module.

[0015] The footwear may further include a memory configured to store an ID information of a user, wherein the controller is configured to transmit the ID information to an external terminal and transmit the bio information to the external terminal via the communication module when an ID confirmation signal is received from the external terminal via the communication module.

[0016] The bio information may include a pulse information, a blood pressure information, a body temperature information, an exercising amount information, and a time information.

[0017] The controller may be configured to output an alarm sound to a sound output module installed in the footwear based on an alarm information generated through the bio information when the alarm information is received via the communication module of the footwear.

[0018] The footwear may further include a position information module, wherein the controller is configured to transmit a position information obtained from the position information module to the external electronic device via the communication module when the alarm information is received via the communication module.

BRIEF DESCRIPTION OF THE DRAWINGS

[0019]

FIG. 1 is a view for describing a wireless communication system associated with a method for managing health in a wireless communication system according to an exemplary embodiment of the present invention;

FIG. 2 is a perspective view showing an example of a footwear able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention;

FIG. 3 is a cross-sectional view of the footwear able to be wirelessly charged and transmit a bio informa-

tion shown in FIG. 2;

FIG. 4 is a block diagram for describing electronic components of the footwear able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention; and

FIG. 5 is a flow chart for describing the method for managing health in a wireless communication system according to the exemplary embodiment of the present invention.

DETAILED DESCRIPTION

[0020] Hereinafter, a footwear able to be wirelessly charged and transmit a bio information, a method for managing health in a wireless communication system including the footwear, and a wireless communication system to which the method is applied according to an exemplary embodiment of the present invention will be described in detail with reference to the accompanying drawings.

[0021] FIG. 1 is a view for describing a wireless communication system associated with a method for managing health according to an exemplary embodiment of the present invention. As shown in FIG. 1, the wireless communication system associated with the method for managing health according to the exemplary embodiment of the present invention is configured to include a footwear 100, a mobile communication terminal 200, and a health management server 300.

[0022] The footwear 100 transmits a bio information obtained through a bio information detecting sensor 60 (See FIGS. 3 and 4) installed therein to the mobile communication terminal 200, and the mobile communication terminal 200 obtaining the bio information transmits the bio information to the health management server 300 via a mobile communication module installed therein. The mobile communication terminal 200 and the footwear 100 communicate with each other via Bluetooth or Zigbee, which is a near field communication module.

[0023] Meanwhile, the health management server 300 obtaining the bio information confirms a health state of a user by using the bio information and periodically transmits a current health state to the mobile communication terminal. Meanwhile, in the case of an emergency situation, that is, in the case in which a blood pressure rapidly becomes high or low or a body temperature rapidly becomes higher than a set temperature, the health management server 300 transmits an alarm information to the mobile communication terminal 200.

[0024] Although an example in which the bio information is transmitted to the health management server 300 via the mobile communication terminal 200 has been described in the exemplary embodiment of the present invention, the present invention is not limited thereto. That is, the bio information may be directly transmitted from

the footwear 100 to the health management server 300. That is, in the case in which a mobile communication module rather than the near field communication module is included in the footwear, the bio information may be directly transmitted together with an ID information stored in a memory of the footwear 100 to the health management server 300.

[0025] Hereinafter, a footwear 100 able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention will be described with reference to FIGS. 2 to 4.

[0026] FIG. 2 is a perspective view showing an example of a footwear able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention; and FIG. 3 is a cross-sectional view of the footwear able to be wirelessly charged and transmit a bio information shown in FIG. 2. As shown in FIGS. 2 and 3, the footwear 100 able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention is configured to include an insole 20; an outer cover 10 formed on the insole 20; and a heel 30 attached to a rear part of the insole 20. As shown in FIG. 3, a bio information detecting sensor 60 for obtaining a bio information of a user is attached to the insole 20, and a wireless power receiving device and a battery 34 are installed in the heel. That is, the heel 30 is provided with a secondary coil 31 receiving a wireless power signal, the battery 34 charged with power from the secondary coil 31, a controller 80 (See FIG. 4) controlling the battery 34 to control an operation of the bio information detecting sensor 60, a board 33 on which a communication module 70 (See FIG. 4) for transmitting a bio information obtained by the bio information detecting sensor 60 to a mobile communication terminal, which is an external electronic device, is installed, and a shielding plate 32 installed on the secondary coil 31 and allowing a leaked magnetic field not to affect the board 33 or the battery 34.

[0027] Here, the secondary coil 31 may include a first sub coil and a second sub coil installed on the first sub coil so as to be overlapped with the first sub coil, in order to increase a transmission efficiency. That is, in the case in which a cross-sectional width of the heel is not wide, such that it is difficult to form the secondary coil 31 having a sufficient size, two coils are installed to be overlapped with each other, thereby making it possible to increase a reception efficiency of the wireless power signal.

[0028] In addition, a pressure sensor 50 may be attached to a portion corresponding to the heel to control a turn on/off of the bio information detecting sensor 60. That is, through the pressure sensor 50, an operation of the bio information detecting sensor 60 may start when it is judged that the user is in the state in which he/she wears the footwear 100 and stop when it is judged that the user is in the state in which he/she takes off the footwear 100 (that is, when a pressure is not detected). Alternatively, the controller 80 may operate the bio information detecting sensor 60 at a predetermined period

based on a signal from the pressure sensor 50.

[0029] Meanwhile, a flexible circuit board may be used in order to connect the board 33 and the bio information detecting sensor 60 to each other. When a person walks or runs, the insole 20 of the footwear 100 is bent. In this case, when the flexible circuit board is used as an electrical connection means between the bio information detecting sensor 60 and the board 33, even though the insole 20 is bent, durability is not affected at all.

[0030] FIG. 4 is a block diagram for describing electronic components of the footwear able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention. As shown in FIG. 4, the footwear 100 able to be wirelessly charged and transmit a bio information according to the exemplary embodiment of the present invention may be configured to include the secondary coil 31, the battery 34, a memory 40, the pressure sensor 50, the bio information detecting sensor 60, a position information module 65, a communication module 70, a sound output module 75, and the controller 80. A description of the above-mentioned contents in operations of these components will be omitted for simplification.

[0031] As shown in FIG. 4, according to the exemplary embodiment of the present invention, an ID information of a user is stored in the memory 40. The ID information of the user may be generated at the time of purchasing the footwear or be generated by using the mobile communication terminal 200 of the user. The ID information of the user is transmitted together with the bio information to the mobile communication terminal 200 via the communication module 70. In other words, when the ID information of the user is transmitted, the mobile communication terminal 200 transmits an ID confirmation signal to the footwear 100 based on whether or not an ID information of the terminal and the ID information of the user are matched to each other. The footwear 100 receiving the ID confirmation signal transmits the bio information to the mobile communication terminal 200.

[0032] Meanwhile, the footwear 100 further includes the sound output module 75 and the position information module 65. After the bio information is transmitted to the health management server 300 in the above-mentioned scheme and the health management server 300 performs an analysis by using the bio information, when it is judged that the user is in an emergency situation, an alarm information is generated and is received by the footwear 100. In this case, the controller 80 may operate the sound output module 75 to output an alarm sound, thereby asking peoples around the user for help. In addition, the controller 80 may transmit an emergency rescue request signal together with a position information obtained through the position information module 65 to an emergency rescue server via the mobile communication terminal 200. The emergency rescue server receiving the emergency rescue request signal may dispatch an emergency rescue team by using the position information.

[0033] Hereinafter, a method for managing health in a wireless communication system including the footwear 100 able to be wirelessly charged and transmit a bio information and having the above-mentioned configuration will be described in detail with reference to FIG. 5.

[0034] FIG. 5 is a flow chart for describing the method for managing health in a wireless communication system according to the exemplary embodiment of the present invention. As shown in FIG. 5, first, the bio information of the user is obtained from the bio information detecting sensor 60 of the footwear 100 by using wireless power obtained through the wireless power receiving device installed therein (S11 and S13). Meanwhile, the ID information of the user is stored in the memory 40 installed in the footwear 100. The ID information of the user stored in the memory 40 is transmitted to the mobile communication terminal 200 via the communication module 70 (S15). The mobile communication terminal 200 confirms whether the ID information of the user and the ID information of the terminal are matched to each other and transmits an ID confirmation signal to the footwear 100 when they are matched to each other (S21 and S23). Then, the bio information is transmitted to the external terminal 200 (mobile communication terminal) via the communication module 70 (S17). The mobile communication terminal 200 obtaining the bio information transmits the ID information of the terminal (or the ID information of the user) and the bio information to the health management server 300 via the mobile communication module installed therein (S25).

[0035] Here, the bio information may include a pulse information, a blood pressure information, a body temperature information, an exercising amount information, and a time information. The health management server 300 analyzing the bio information periodically transmits a health state information to the mobile communication terminal 200.

[0036] Here, a personal database is stored in a memory of the health management server 300, and the health management server 300 obtains a health record information of the user from the personal database by using the ID information and performs a health analysis by using the health record information and the bio information. When it is judged by the health analysis based on the bio information that the user is in an emergency situation, the health management server 300 generates the alarm information (S31 and S33). The generated alarm information is transmitted to the footwear 100 via the mobile communication terminal (S35 and S27).

[0037] The footwear 100 receiving the alarm information operates an alarm module 75 (sound output module) installed therein to output an audio for asking persons around the user for help and operates the position information module 65 to obtain the position information and transmit the obtained position information to the emergency rescue server, thereby requesting the emergency rescue team.

[0038] According to the exemplary embodiment of the

present invention having the above-mentioned configuration, since the battery is charged by a wireless charging technology, a completely waterproof footwear may be manufactured at a cheap cost and a difficulty due to replacement of the battery may be prevented.

[0039] In addition, according to the exemplary embodiment of the present invention, since the bio information for a long period of time may be obtained from the footwear worn for a long period of time, basic data through which a health state of the user may be more accurately judged may be obtained.

[0040] Further, according to the exemplary embodiment of the present invention, when it is judged that the health state of the user is an emergency state, the user may be rescued by using the position information of the footwear.

[0041] In the footwear able to be wirelessly charged and transmit a bio information, the method for managing health in a wireless communication system including the footwear, and the wireless communication system to which the method is applied according to the exemplary embodiment of the present invention as described above, the configurations and the methods of the above-mentioned exemplary embodiments are not restrictively applied. That is, all or some of the respective exemplary embodiments may be selectively combined with each other so that they may be variously modified.

30 Claims

1. A method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, the method comprising:

obtaining a bio information of a user from a bio information detecting sensor of the footwear using a power obtained through a wireless power receiving device installed therein; and transmitting the bio information to an external terminal via a communication module.

2. The method of claim 1, further comprising:


storing an ID information in a memory installed in the footwear, wherein the transmitting of the bio information to the external terminal via the communication module includes:

transmitting the ID information to the external terminal via the communication module; and


transmitting the bio information to the external terminal via the communication module when an ID confirmation signal is received from the external terminal.

3. The method of claim 2, wherein the external terminal is a mobile communication terminal having a terminal ID information stored in a storing unit thereof, and the method further comprises transmitting the terminal ID information and the bio information to a health management server via a mobile communication module of the mobile communication terminal. 5
4. The method of claim 1, wherein the bio information includes a pulse information, a blood pressure information, a body temperature information, an exercising amount information, and a time information. 10
5. The method of claim 1, further comprising: 15
 receiving an alarm information generated through the bio information via the communication module of the footwear; and
 outputting an alarm sound to a sound output module installed in the footwear, based on the alarm information. 20
6. A method for managing health in a wireless communication system including a footwear to which a wireless charging technology is applied, the method comprising: 25
 receiving a bio information and an ID information of a user from a bio information detecting sensor of the footwear using a power obtained via a wireless power receiving device installed therein; 30
 analyzing the bio information to generate an alarm information; and
 transmitting the alarm information to an external terminal. 35
7. The method of claim 6, wherein the analyzing of the bio information to generate the alarm information includes: 40
 storing a personal database in a memory;
 obtaining a health record information of the user in the personal database by using the ID information of the user; and 45
 generating the alarm information by using the health record information and the bio information.
8. A footwear able to be wirelessly charged and transmit a bio information, the footwear comprising: 50
 an insole;
 an outer cover installed on the insole and having a wear space formed therein; 55
 a heel attached to a lower surface of the insole;
 a secondary coil installed in any one of the insole, the outer cover, and the heel and receiving a wireless power signal from an external device; a battery installed in any one of the insole, the outer cover, and the heel and charged with an induced electromotive force generated in the secondary coil;
 a bio information detecting sensor installed in the wear space;
 a communication module installed at any one of the insole, the outer cover, and the heel; and
 a controller configured to charge the battery by using the wireless power signal received via the secondary coil and transmit the bio information obtained from the bio information detecting sensor to an external electronic device via the communication module.
9. The footwear of claim 8, further comprising a memory configured to store an ID information of a user, wherein the controller is configured to transmit the ID information to an external terminal and transmit the bio information to the external terminal via the communication module when an ID confirmation signal is received from the external terminal via the communication module.
10. The footwear of claim 8, wherein the bio information includes a pulse information, a blood pressure information, a body temperature information, a exercising amount information, and a time information.
11. The footwear of claim 8, wherein the controller is configured to output an alarm sound to a sound output module installed in the footwear based on an alarm information generated through the bio information when the alarm information is received via the communication module of the footwear.
12. The footwear of claim 11, further comprising a position information module, wherein the controller is configured to transmit a position information obtained from the position information module to the external electronic device via the communication module when the alarm information is received via the communication module.


【FIG. 1】




【FIG. 2】




【FIG. 3】



【FIG. 4】



【FIG. 5】





EUROPEAN SEARCH REPORT

Application Number
EP 13 19 1986

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	JP 4 997617 B1 (CHERRY BPM CORP) 8 August 2012 (2012-08-08) * paragraphs [0005], [0008] - [0018], [0020] - [0024], [0028], [0031] - [0033], [0053] - [0060]; claims; figures *	1-12	INV. A61B5/00 A61B5/0205 A61B5/024 ADD. A43B3/00
X	US 2010/324455 A1 (RANGEL PAULO [US] ET AL) 23 December 2010 (2010-12-23) * paragraphs [0008], [0021], [0026] - [0027], [0029] - [0035], [0055], [0062], [0071], [0097], [0101], [0128] - [0151]; claims; figures *	1-12	
X	US 2010/185398 A1 (BERNS JASON A [US] ET AL) 22 July 2010 (2010-07-22) * paragraphs [0023] - [0039], [0041] - [0044], [0051]; claims; figures *	1-12	
X	WO 2012/113014 A1 (JOELMAR PTY LTD [AU]; MAHONY DENNIS [AU]; BRUCE ADRIAN [AU]; BATTY MIC) 30 August 2012 (2012-08-30) * page 8 - page 13 * * page 17 - page 18 * * page 30; claims; figures *	1-12	TECHNICAL FIELDS SEARCHED (IPC) A43B A61B
X	US 2007/100666 A1 (STIVORIC JOHN M [US] ET AL) 3 May 2007 (2007-05-03) * paragraphs [0027], [0097] - [0098], [0102], [0146], [0176] - [0177], [0228], [0240], [0283]; claims; figures *	1-12	
The present search report has been drawn up for all claims			
Place of search The Hague		Date of completion of the search 28 February 2014	Examiner Crisan, Carmen-Clara
CATEGORY OF CITED DOCUMENTS X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons & : member of the same patent family, corresponding document	

EPO FORM 1503 03/02 (P04C01) 2

ANNEX TO THE EUROPEAN SEARCH REPORT
ON EUROPEAN PATENT APPLICATION NO.

EP 13 19 1986

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

28-02-2014

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 4997617 B1	08-08-2012	JP 4997617 B1 JP 2013092909 A WO 2013061856 A1	08-08-2012 16-05-2013 02-05-2013
US 2010324455 A1	23-12-2010	NONE	
US 2010185398 A1	22-07-2010	US 2010185398 A1 WO 2010085688 A1	22-07-2010 29-07-2010
WO 2012113014 A1	30-08-2012	AU 2012220340 A1 CN 103429106 A EP 2677889 A1 US 2013321168 A1 WO 2012113014 A1	22-08-2013 04-12-2013 01-01-2014 05-12-2013 30-08-2012
US 2007100666 A1	03-05-2007	US 2007100666 A1 US 2008167535 A1	03-05-2007 10-07-2008

EPO FORM P0459

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- KR 1019950029913 [0005]

专利名称(译)	能够无线充电并传输生物信息的鞋类，用于管理包括鞋类的无线通信系统中的健康的方法，以及应用该方法 的无线通信系统		
公开(公告)号	EP2730218A1	公开(公告)日	2014-05-14
申请号	EP2013191986	申请日	2013-11-07
[标]申请(专利权)人(译)	翰林POSTECH株式会社		
申请(专利权)人(译)	翰林POSTECH CO., LTD.		
当前申请(专利权)人(译)	翰林POSTECH CO., LTD.		
[标]发明人	JUNG CHUN KIL		
发明人	JUNG, CHUN-KIL		
IPC分类号	A61B5/00 A61B5/0205 A61B5/024 A43B3/00		
CPC分类号	A43B3/0015 A43B3/0021 A61B5/0022 A61B5/02055 A61B5/02438 A61B5/6807 A61B5/7405 A61B5/747 A61B2503/10 A61B2560/0214 A61B2562/08 G16H40/67 A61B5/0015		
优先权	1020120126930 2012-11-09 KR		
外部链接	Espacenet		

摘要(译)

本文公开了一种用于管理无线通信系统中的健康的方法，该无线通信系统包括应用无线充电技术的鞋类，包括使用通过无线电力获得的电力从鞋类的生物信息检测传感器获得用户的生物信息。接收设备安装在其中；通过通信模块，能够无线充电并发送生物信息的鞋类，以及应用该方法
的无线通信系统，将生物信息发送到外部终端。

【FIG. 1】

