



(12) **EUROPEAN PATENT APPLICATION**

(88) Date of publication A3:  
**22.01.2014 Bulletin 2014/04**

(51) Int Cl.:  
**G01K 1/14** <sup>(2006.01)</sup> **G01K 3/06** <sup>(2006.01)</sup>  
**G01K 13/00** <sup>(2006.01)</sup> **A61B 5/00** <sup>(2006.01)</sup>

(43) Date of publication A2:  
**04.04.2012 Bulletin 2012/14**

(21) Application number: **11275115.1**

(22) Date of filing: **28.09.2011**

(84) Designated Contracting States:  
**AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR**  
 Designated Extension States:  
**BA ME**

(72) Inventor: **Yarden, Moshe**  
**Mevaseret Zion (IL)**

(74) Representative: **Evens, Paul Jonathan**  
**Maguire Boss**  
**24 East Street**  
**St. Ives**  
**Cambridgeshire PE27 5PD (GB)**

(30) Priority: **30.09.2010 US 895210**


(71) Applicant: **Medisim Ltd.**  
**90850 Neve Ilan (IL)**

(54) **Ergonomic hand held thermometer**

(57) A thermometer (100) useful for measuring the temperature of a patient, the thermometer including a housing (102), at least one temperature sensor assembly (130) including a plurality of external patient skin contacting surfaces (138), and a mounting element (134) for mounting the at least one temperature sensor assembly (130) on the housing (102) and being operative for mu-

tually independently mounting each of the plurality of external patient skin contacting surfaces (138) to be independently arrangeable in a spatial orientation which may be independently different from the spatial orientation of the external patient skin contacting surface of each other of the plurality of external patient skin contacting surfaces.

**FIG. 1**





EUROPEAN SEARCH REPORT

Application Number  
EP 11 27 5115

DOCUMENTS CONSIDERED TO BE RELEVANT			
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (IPC)
X	WO 02/46711 A1 (KINDERTEC LTD [GB]; GOSTICK MARK [GB]) 13 June 2002 (2002-06-13) * the whole document * -----	1-15	INV. G01K1/14 G01K3/06 G01K13/00 A61B5/00
			TECHNICAL FIELDS SEARCHED (IPC)
			G01K A61B
The present search report has been drawn up for all claims			
Place of search		Date of completion of the search	Examiner
The Hague		16 December 2013	Rosello Garcia, M
CATEGORY OF CITED DOCUMENTS			
X : particularly relevant if taken alone Y : particularly relevant if combined with another document of the same category A : technological background O : non-written disclosure P : intermediate document		T : theory or principle underlying the invention E : earlier patent document, but published on, or after the filing date D : document cited in the application L : document cited for other reasons ..... & : member of the same patent family, corresponding document	

1  
EPO FORM 1503 03 82 (P04C01)

**ANNEX TO THE EUROPEAN SEARCH REPORT  
ON EUROPEAN PATENT APPLICATION NO.**

EP 11 27 5115

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on  
The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

16-12-2013

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 0246711 A1	13-06-2002	AU 2091302 A	18-06-2002
		GB 2386692 A	24-09-2003
		WO 0246711 A1	13-06-2002
-----			

专利名称(译)	人体工学手持式温度计		
公开(公告)号	<a href="#">EP2437039A3</a>	公开(公告)日	2014-01-22
申请号	EP2011275115	申请日	2011-09-28
[标]申请(专利权)人(译)	MEDISIM		
申请(专利权)人(译)	MEDISIM LTD.		
当前申请(专利权)人(译)	MEDISIM LTD.		
[标]发明人	YARDEN MOSHE		
发明人	YARDEN, MOSHE		
IPC分类号	G01K1/14 G01K3/06 G01K13/00 A61B5/00		
CPC分类号	G01K13/002 A61B5/6802 A61B5/6826 A61B2562/0271 G01K1/143 G01K3/06		
优先权	12/895210 2010-09-30 US		
其他公开文献	EP2437039A2		
外部链接	<a href="#">Espacenet</a>		

摘要(译)

用于测量患者温度的温度计 ( 100 )，包括壳体 ( 102 ) 的温度计，包括多个外部患者皮肤接触表面 ( 138 ) 的至少一个温度传感器组件 ( 130 )，以及安装元件 ( 134 ) 用于将至少一个温度传感器组件 ( 130 ) 安装在壳体 ( 102 ) 上并且可操作于相互独立地安装多个外部患者皮肤接触表面 ( 138 ) 中的每一个，以可独立地布置在空间取向上，该空间取向可以是空间取向。独立地不同于多个外部患者皮肤接触表面中的彼此的外部患者皮肤接触表面的空间取向。

