



(19) **United States**

(12) **Patent Application Publication** (10) **Pub. No.: US 2008/0004907 A1**

**Bayne** (43) **Pub. Date: Jan. 3, 2008**

(54) **METHOD FOR CLINICIAN HOUSE CALLS UTILIZING PORTABLE COMPUTING AND COMMUNICATIONS EQUIPMENT**

(52) **U.S. Cl. .... 705/2; 455/517**

(57) **ABSTRACT**

(75) **Inventor: Cary Gresham Bayne, San Diego, CA (US)**

Mobile clinicians conduct in-home patient visits utilizing on-site diagnostic and treatment equipment, where service is enhanced by the use of portable computing and communications equipment. Initially, a mobile care entity provides a network of predesignated mobile clinicians, each having the use of a preprogrammed portable computer. Each computer is coupled to a wireless communications device, and includes local storage of patient data. Under a predetermined schedule, each portable computer updates patient data in the local storage utilizing the wireless communications device to download updates from a central storage facility. Whenever the mobile care entity receives requests for medical service at a patient's premises, the entity selects a mobile clinician and dispatches him/her to the patient's premises. The clinician visits the patient's premises accompanied by an assortment of electronic diagnostic and treatment devices, such as a pulse oximeter, x-ray machine, lab analyzer, EKG equipment, etc. To examine the patient, the doctor utilizes various diagnostic devices to prepare machine-readable reports of related aspects of the patient's condition. The clinician directs the portable computer to perform follow-up tasks including: (1) electronically collecting the prepared reports and graphically presenting them in human-readable form, (2) storing a machine-readable medical record including details of the patient's exam, and (3) utilizing the wireless device to transmit the reports and records to the central storage facility.

Correspondence Address:  
**DUCKOR SPRADLING METZGER & WYNNE  
A LAW CORPORATION  
3043 4th Ave.  
SAN DIEGO, CA 92103 (US)**

(73) **Assignee: C. Gresham Bayne**

(21) **Appl. No.: 11/767,469**


(22) **Filed: Jun. 22, 2007**

**Related U.S. Application Data**

(60) Continuation of application No. 10/934,802, filed on Sep. 3, 2004, now Pat. No. 7,249,036, which is a division of application No. 09/611,355, filed on Jul. 6, 2000, now abandoned.

**Publication Classification**

(51) **Int. Cl.**  
**G06Q 50/00 (2006.01)**  
**H04Q 7/20 (2006.01)**






FIG. 1

101




FIGURE 2





FIGURE 3






FIG. 6




FIG. 7





FIG. 8



## METHOD FOR CLINICIAN HOUSE CALLS UTILIZING PORTABLE COMPUTING AND COMMUNICATIONS EQUIPMENT

### CROSS REFERENCE TO RELATED APPLICATION

[0001] This application is a Continuation Patent Application under 37 C.F.R. §1.53(b) of U.S. patent application Ser. No. 10/934,802, "METHOD FOR CLINICIAN HOUSE CALLS UTILIZING PORTABLE COMPUTING AND COMMUNICATIONS EQUIPMENT", filed on Sep. 3, 2004, which is a Divisional of patent application Ser. No. 09/611,355, "METHOD FOR CLINICIAN HOUSE CALLS UTILIZING PORTABLE COMPUTING AND COMMUNICATIONS EQUIPMENT", filed on Jul. 6, 2000 (abandoned) and are incorporated by references.

### BACKGROUND OF THE INVENTION

#### [0002] 1. Field of the Invention

[0003] The present invention relates to the provision of medical services through clinicians' "house calls." More particularly, the invention concerns a method providing a network of mobile clinicians that individually conduct in-home patient visits utilizing on-site diagnostic and treatment equipment, where service is enhanced by the use of portable computing and communications equipment.

#### [0004] 2. Description of the Related Art

[0005] With the current American healthcare situation, many sick patients encounter difficulty when attempting to access a physician's office. Some of these difficulties include restrictions on the number or type of health maintenance organization (HMO) visits, limitations of visits to certain preselected physicians, scheduling difficulties, transportation and parking challenges, slow or non-existent insurance reimbursement, and the like. Aged, infirm, or other homebound patients are faced with the particularly difficult challenge of transporting themselves to a physician's office to receive medical attention. Even for ambulatory patients, the current setup can be frustrating to the patient, due to the need to schedule an appointment far in advance.

[0006] In contrast to the traditional doctor's office, urgent care centers are geared toward minor, ambulatory emergencies and generally provide office-level care on a walk-in basis. For non-ambulatory patients, the emergency room provides similar barriers to availability as a personal physician's office. Whether ambulatory or not, many patients report a strong aversion to visiting this typically expensive, uncontrolled, slow-moving environment, even among those with a serious medical need. Additionally, gatekeeper triage of acute medical conditions can leave the patient feeling abandoned and the physician feeling that she has taken a measurable risk with the patient's outcome. Nonetheless, there are still more than one hundred thousand visits to American emergency rooms annually. And, even though more than eighty percent of emergency room visits are not necessary to save life and limb, this is sometimes the only alternative for patients requiring prompt service.

[0007] As one alternative to visiting an emergency room or a personal physician, some patients call "911" to dispatch an ambulance, especially for medical conditions that are perceived to be particularly serious. Nonetheless, the fanfare

and cost of ambulance services can be excessive for many ultimately non-serious medical conditions that typically prompt patients to call an ambulance.

[0008] In contrast to the options of meeting a personal physician, visiting a emergency room, or calling an ambulance, many people would prefer to receive acute care in their home or workplace. In fact, the concept of rendering acute care in the home or workplace was the fundamental basis of healthcare for more than four thousand years until the mid-1950s. In the past forty years, however, the concept has fallen out of favor. In fact, between 1960 and 1975, the number of house calls made by family practitioners decreased by seventy-five percent to approximately seventeen million. In 1989, only one million house calls were billed to Medicare. Physicians stopped making house calls because of many reasons, including inadequate reimbursement, perceived liability, and questions about the quality of care. Each of these concerns is enhanced when dealing with acutely ill patients.

[0009] Due to these and other unsolved problems, then, patients' options for obtaining prompt, convenient, acute medical care are not completely adequate today.

### SUMMARY OF THE INVENTION

[0010] Broadly, the present invention concerns a method of providing medical care, in which mobile clinicians conduct in-home patient visits utilizing on-site diagnostic and treatment equipment, where service is enhanced by the use of portable computing and communications equipment. Initially, a mobile care entity provides a network of pre-designated mobile clinicians. The mobile care entity provides each clinician with use of a preprogrammed portable computer, called a "clinician device." Each clinician device is coupled to a wireless communications device and includes local storage of patient data. According to a predetermined schedule, each clinician device updates patient data in the local storage by utilizing the wireless communications device to download updates from a central storage facility. As an example, this may occur during off-hours on a daily basis, or another appropriate schedule. The mobile care entity receives requests for mobile service to be rendered at a patient's premises. These requests may originate directly from the patient, or from a referral source such as a personal physician, a health care organization, etc. In response to the request for service, the mobile care entity selects one of its pre-designated mobile clinicians and dispatches the selected clinician to the patient's premises.

[0011] The clinician visits the patient's premises accompanied, by an assortment of electronic medical care devices, such as a pulse oximeter, x-ray machine, laboratory analyzer, cardiac output monitoring equipment, etc. The clinician examines the patient, which may include selecting and operating one or more of the on-site medical care devices to analyze one or more aspects of the patient's condition and prepare representative outputs. Beneficially, the clinician device may also interact with off-site diagnostic devices, utilizing a communications interface to access remotely located diagnostic equipment that is unsuitable for transportation to the patient's premises due to size, expense, etc. Then, the clinician directs the clinician device to perform various operations, including (1) electronically collecting the medical care device outputs and presenting them in

human-readable form, (2) storing a machine-readable medical record including details of the clinician's examination of the patient, and (3) utilizing the wireless communications device to transmit the machine-readable reports and medical records to the central storage facility.

[0012] The foregoing features may be implemented in a number of different forms. For example, the invention may be implemented to provide a method to render on-site medical care. In another embodiment, the invention may be implemented to provide an apparatus, such as a portable computer programmed to assist the on-site clinician as discussed herein. In still another embodiment, the invention may be implemented to provide a signal-bearing medium tangibly embodying a program of machine-readable instructions executable by a digital data processing apparatus to perform operations as discussed herein. Another embodiment concerns logic circuitry having multiple interconnected electrically conductive elements configured to perform operations as discussed herein.

[0013] The invention affords its users with a number of distinct advantages. Importantly, the provision of in-home medical services enhances the bond between patient and doctor, as the doctor enters the patient's home and receives the patient's trust. Also, the provision of on-site medical services saves time of busy people, since they can avoid having to drive to the hospital and wait for medical attention and prescription filling. This invention also enables doctors to save money by avoiding the substantial overhead costs of maintaining traditional medical offices. Patients also save money by receiving at-home care rather than hospital commitment, ambulance services, or emergency room visits. This invention is especially useful for elderly or other infirm patients that simply cannot travel to the doctor's office. Also, in non-life threatening cases, the invention helps non-ambulatory patients obtain medical care without the flashing lights, sirens, costs, and other excessive attributes of ambulance service. By providing in-home care, the method of this invention also encourages more rapid discharge of patients after surgery. As another benefit, the invention can be used to provide on-site medical services for sporting events, air shows, beaches, and other public gatherings. The invention also provides a number of other advantages and benefits, which should be apparent from the following description of the invention.

#### BRIEF DESCRIPTION OF THE DRAWINGS

[0014] FIG. 1 is a block diagram of the hardware components and interconnections of an in-home medical care environment, according to the invention.

[0015] FIG. 2 is a block diagram of a digital data processing machine according to the invention.

[0016] FIG. 3 shows an exemplary signal-bearing medium according to the invention.

[0017] FIG. 4 is a flowchart of a patient call initiation sequence, according to the invention.

[0018] FIG. 5 is a flowchart of an automatic call initiation sequence, according to the invention.

[0019] FIG. 6 is a flowchart of a clinician notification sequence, according to the invention.

[0020] FIG. 7 is a flowchart of an on-site patient diagnosis/treatment sequence, according to the invention.

[0021] FIG. 8 is a flowchart of a mobile care setup sequence, according to the invention.

#### DETAILED DESCRIPTION

[0022] The nature, objectives, and advantages of the invention will become more apparent to those skilled in the art after considering the following detailed description in connection with the accompanying drawings.

#### Hardware Components & Interconnections

##### In-Home Medical Care Environment

[0023] One aspect of the invention concerns a system for dispatching medical services, which may be embodied by various hardware components and inter-connections. This system is illustrated, along with other related components, utilizing the exemplary operating environment 101 of FIG. 1. The operating environment 101 includes the patient's home 100, a call center 110, clinician device 140, on-site medical care devices 185, the Internet 200, and various secondary components 130-137. Generally, the call center 110 receives and processes requests for in-home medical visits to patients. Medical services are provided at the patient's home 100, which may be equipped with various devices for monitoring and reporting the patient's condition, as shown below. The clinician utilizes the computer-based clinician device 140 to aid in conducting house calls, as explained in greater detail below. As further described below, the secondary components 130-137 include other related components such as remote diagnostic equipment, records storage, third parties, Internet web sites, local hospitals, billing facilities, etc.

[0024] In the environment 101, employees or other agents of a "mobile care entity" screen and process incoming calls, dispatch clinicians, store records, process billings, and perform other services related to the providing of on-site medical care. The mobile care entity may comprise a corporation, non-profit group, partnership, sole proprietorship, or other suitable organization.

##### Patient's Home

[0025] Central to the provision of in-home medical services ("house calls") is the patient's home 100, workplace, relative's home (not the patient's), restaurant, mall, sporting event, or any other place where the patient desires to receive medical attention. For ease of reference, this place is referred to as the patient's "home"100. However, the site 100 is not limited to the patient's living quarters, although this may constitute an illustrative embodiment.

[0026] Although the invention contemplates clinicians making self-supported house calls without requiring any equipment at the patient's home 100, the mobile care entity may optionally pre-equip the home 100 with various electronics. For example, the patient's home 100 may be equipped with a telephone 102 for use by the patient in placing calls to the call center 110, and also for use by on-site clinicians. Moreover, the patient's home 100 may also include an internet capable communication device 104, such as a personal computer, web-enabled phone, web-TV, etc. As explained below, the device 104 may serve the

patient's requests for medical attention, as well as by on-site clinicians' need to gather information, file reports, etc. The patient's home **100** may also include an Internet-capable medical device **106**, which comprises one or more machines capable of monitoring the patient's medical condition and transmitting representative reports by the Internet **200**, administering medication or other treatment pursuant to remotely transmitted commands, etc. As an example, the device **106** may comprise heart monitoring equipment, dialysis machinery, blood pressure monitoring equipment, respiratory equipment, etc. A custom device programmed to contact the mobile care entity may also be installed at the patient's home **100**.

[0027] In one embodiment, one or more of the telephone **102**, communication device **104**, medical device **106** are interconnected to one another.

#### Call Center

[0028] The mobile care entity operates the call center **110** to receive requests for in-home patient visits. Alternatively, the mobile care entity may hire a subcontractor to perform the services of the call center **110**. The call center **110** includes a telephone bank **112**, triage processing block **114**, clinician location block **116**, pre-scheduled appointment information block **120**, and wireless clinician paging system **118**. In one embodiment, one or more of the telephone **112**, triage processing block **114**, clinician location block **116**, appointment information block **120**, and paging system **118** are interconnected to one another.

[0029] Depending upon whether the blocks **114-120** are implemented with humans or computers, the telephone bank **112** maybe implemented by traditional telephones (used by humans), or automated switching equipment (compatible with computers). The triage processing block **114** includes personnel and/or equipment trained or programmed to receive incoming calls, assess whether the reported medical condition is appropriate for treatment by mobile care entity's clinicians. The mobile care facility may field some conditions appropriate for emergency room treatment, such as influenza, broken bones, non-life threatening abrasions, etc. The triage processing block **114** however, refers life-threatening conditions to more appropriate ambulance, life-flight, or other critical care services.

[0030] The clinician location block **116** includes personnel and/or equipment trained or programmed to identify appropriate clinicians and dispatch them to serve incoming requests. The clinician location block **116** may operate based on geographic proximity, time availability, and other considerations. Once identified, the clinician is paged, called, or otherwise contacted by the wireless clinician paging system **118**, which includes personnel and/or equipment that is appropriately trained or programmed for this purpose. As described below, clinicians may be contacted via their clinician devices **140**. In one embodiment, the clinician location block **116** receives input from the clinician devices **140** as to the clinician's current geographic location. The clinician location block **116** stores this information for reference at the time of dispatch.

[0031] The pre-scheduled appointment information block **120** includes personnel and/or equipment trained or programmed to maintain schedules for the mobile care entity's network of clinicians. Thus, the block **120** may be implemented by scheduling software, physical calendars, or a combination.

#### Clinician Tools

[0032] In addition to operating the call center **110**, the mobile care entity hires, contracts, or otherwise maintains a network of mobile clinicians that are available on a full-time, part-time, on-call, or other basis. The mobile care entity provides each clinician with access to a clinician device **140** and a selection of "clinician tools" for on-site patient diagnosis/treatment, billing, and record keeping. Broadly, the clinician tools include a host of diagnostic and treatment devices, including the on-site medical care devices **185** along with the typical accoutrements of a family physician.

[0033] As explained below, each of the medical care devices **185** includes a wireless (as illustrated) or non-wireless communications interface with the clinician device **140**. Although the precise details may vary depending upon the application, the devices **185** may include the following items, which may be conveniently stored in a van or other means of transportation: electro cardiograph machine, pulse oximeter, laboratory analyzer, x-ray machine, and the like.

[0034] The clinician tools also include other devices without any wireless interface, such as a stethoscope, tongue depressor, thermometers, blood pressure cuff, splints, casts, bandages, sutures, syringes, and other typical equipment of an emergency room, family physician, etc. Furthermore, the clinician may arrive at the patient's house equipped with a mini-pharmacy, constituted by a representative selection of most commonly prescribed drugs. The clinician's tools may further include equipment for performing a broad range of diagnostic procedures and tests, including, urinalysis, blood count/chemistry, cholesterol/triglyceride analysis, splinting fractures and broken bones, biopsies, suturing lacerations, constructing casts, pregnancy tests, visual acuity tests, draining abscesses, foreign body removal, pregnancy tests, and the like.

[0035] As mentioned above, the clinician also arrives at the patient's home **100** with a portable computer, represented by the clinician device **140**. The mobile care entity provides each clinician with access to a clinician device **140**. To save costs, clinicians with different working hours may share the same clinician device **140**. In one embodiment, each clinician device **140** includes, in one or more housings, a wireless interface **142**, mapping device **144**, medical records **146**, wireless interface **148** for diagnostic equipment, human interface **150**, and location device **152**, although other embodiments may omit one or more of these. In one embodiment, one or more of these components are interconnected with one another.

[0036] In one embodiment, the wireless interface **142** comprises a digital cellular telephone capable of accessing the public Internet **200**. As an alternative or additional feature, the interface **142** also include a system to receive pages and/or wireless telephone calls, such as paging messages from the wireless clinician paging system **118**. The location device **152** comprises self-locating device such as a global positioning system (GPS) engine, long range navigation (LORAN) module, OmniTRACS system, radio frequency receiver, inertial navigation system, etc. The locating device **152** cooperates with mapping device **144** hardware and software to display maps to assist the clinician in reaching the patient's home **100**. Although the mapping device **144** may include mapping software, the clinician

device **140** may utilize the interface **142** to access mapping software available through the Internet **200** or other remote site. The medical records **146** comprise a medical records database that is frequently synchronized with patient data contained in the medical record center **130**. The wireless interface **148** utilizes Bluetooth technology, infrared, RF, spread spectrum, or other, wireless interface to conduct data exchange between the clinician device **140** and wireless components of the on-site diagnostic equipment **185**.

[0037] The clinician device **140** also includes a human interface **150** data entry, which may include a keyboard, digitizing pen, voice interface, mouse, touch-operated input device, a combination of the foregoing, or other appropriate device(s).

#### Internet & Secondary Components

[0038] As mentioned above, the system **101** also includes a number of secondary components **130-137**, with a variety of functions. These secondary components **130-137** as well as the patient's home **100**, call center **110**, and clinician's device **140** are selectively linked by an appropriate network such as the public Internet **200** (as shown), intranet, wide area network, token ring, etc. The selective linking between these components corresponds to the nature of interaction between components, which is described in greater detail below.

[0039] The secondary components **130-137** include a medical record center **130**, remote medical care devices **132**, web server **133**, third party vendors **131**, interested third party with access authorization **134**, medical information web site **135**, local hospital admissions **136**, and a billing entity **137**. Each of these components has a different type and extent of information exchange with other parts of the system **101**, as shown below. Additional secondary components may also be incorporated into the environment **101**, depending upon the particular needs of the application.

[0040] The medical record center **130** comprises a server, workstation, mass storage device, or other appropriate facility to store medical records for patients of the mobile care entity. The medical record center **130** may be co-located with the call center **110**, for example. As one example, the medical record center **130** may provide access to stored medical records through an Internet web site utilizing password checks, firewalls, encryption, or other suitable guarantees of patient security. This information, along with any other information to be shared, may be provided by the web server **133**. Depending upon the implementation requirements, communications may be expedited by integrating the web server **133** with one or more other components such as the call center **110**, medical records center **130**, etc.

[0041] The remote medical care devices **132** represent diagnostic and/or treatment equipment located remotely from the patient's home. The devices **132** include computer or other electronic communication components for exchanging information with the on-site clinician and the clinician device **140**. Despite their remote location from the patient, the devices **132** are therefore available to diagnose/treat the patient. As illustrated, communications between the remote devices **132** and the clinician device **140** is relayed by the Internet **200**. The devices **132** may include equipment that is expensive, bulky, movement-sensitive, unique, or otherwise unsuitable for transportation to the patient's home. Some

examples include a T<sub>c</sub>O<sub>2</sub> machine, End Tidal Capnometer, Pulmonary Function Machine, and the like.

[0042] The third party vendor **131** represents an entity such as a home health agency, durable medical equipment manufacturer, or health maintenance organization. The vendor **131** may have reason to communicate with the web server **133**, medical record center **130**, clinician (via clinician device **140**) or other clinical components for the purpose of fulfilling Health Care Financing Administration billing requirements, communicating medical info to the physician or receiving medical info, for example.

[0043] The interested third party with access authorization **134** represents an entity such as a patient's personal care physician, close friend, partner, or relative with a valid reason to access the medical records **130** to monitor the patient's treatment. In the illustrated embodiment, the third party **134** may access the medical records **130** via the Internet **200**.

[0044] The medical information web site **135** represents various Internet web sites with reference information that is helpful to mobile care clinicians. The clinicians may access these web sites during on-site patient visits, for example using the patient's internet capable communication device **104**, or by using the wireless interface **142** feature of the clinician device **140**. Clinicians may also access such web sites after patient visits, for the purpose of performing any follow-up research and diagnosis. Although some content may be provided by the mobile care entity through its web server **133**, the web sites **135** are chiefly operated by independent content providers supplying reference and other medical information.

[0045] The local hospital admissions **136** represents an admissions desk or other similar facility in a hospital. Communications with the admissions **136** may be helpful, for example, to aid the on-site clinician in admitting the patient to a hospital. Furthermore, hospital admissions **136** may have reason to communicate with the medical record center **130**, clinician (via clinician device **140**), and other clinical components for the purpose of medical records review, discharge planning or coordinating levels of service. The billing entity **137** represents an entity such as a contracted billing agency, in house billing staff, automated billing service or software, etc. The entity **137** may have reason to communicate with the clinical and administrative components or the environment **101** for the purpose of generating Health Care Financing Administration compliant bills, reviewing utilization experience or analyzing trends.

#### Exemplary Digital Data Processing Apparatus

[0046] Another aspect of the invention concerns a digital data processing apparatus, which may be used to implement the clinician device **140** and other components with data processing functions. This apparatus may be embodied by various hardware components and interconnections; one example is the digital data processing apparatus **200** of FIG. 2. The apparatus **200** includes a processor **202**, such as a microprocessor or other processing machine, coupled to a storage **204**. In the present example, the storage **204** includes a fast-access storage **206**, as well as nonvolatile storage **208**. The fast-access storage **206** may comprise random access memory ("RAM"), and maybe used to store the programming instructions executed by the processor **202**. The non-

volatile storage **208** may comprise, for example, one or more magnetic data storage disks such as a “hard drive,” a tape drive, or any other suitable storage device. The apparatus **200** also includes an input/output **210**, such as a line, bus, cable, electromagnetic link, or other means for the processor **202** to exchange data with other hardware external to the apparatus **200**.

[0047] Despite the specific foregoing description, ordinarily skilled artisans (having the benefit of, this disclosure) will recognize that the apparatus discussed, above may be implemented in a machine of different construction without departing from the scope of the invention. As a specific example, one of the components **206**, **208** may be eliminated; furthermore, the storage **204** may be provided on-board the processor **202**, or even provided externally to the apparatus **200**.

#### Logic Circuitry

[0048] In contrast to the digital data storage apparatus discussed previously, a different embodiment of the invention uses logic circuitry instead of computer-executed instructions. Depending upon the particular requirements of the application in the areas of speed, expense tooling costs, and the like, this logic may be implemented by constructing an application-specific integrated circuit (“ASIC”) having thousands of tiny integrated transistors. Such an ASIC may be implemented with CMOS, TTL, VLSI, or another suitable construction. Other alternatives include a digital signal processing chip (“DSP”), discrete circuitry (such as resistors, capacitors, diodes, inductors, and transistors), field programmable gate array (“FPGA”), programmable logic array (“PLA”), and the like.

#### Operation

[0049] Having described the structural features of the present invention, the method aspect of the present invention will now be described. Although the present invention has broad applicability to medical care, the specifics of the structure that has been described is best suited for providing a network of mobile clinicians that individually conduct in-home patient visits enhanced by the use of portable computing and communications equipment, and the explanation that follows will emphasize such an application of the invention without any intended limitation.

#### Signal-Bearing Media

[0050] In the context of FIG. 1, such a method may be implemented by operating the clinician device **140**, call center **110**, medical record center **130**, or other components (each as embodied by a digital data processing apparatus **200**) to execute respective sequences of machine-readable instructions. In each case, these instructions may reside in various types of signal-bearing media. In this respect, one aspect of the present invention concerns a programmed product, comprising signal-bearing media tangibly embodying a program of machine-readable instructions executable by a digital data processor to perform a method of rendering mobile medical care as described below.

[0051] As a specific example, this signal-bearing media may comprise, for example, RAM (not shown) contained within the clinician device **140**, as represented by the fast-access storage **206**. Alternatively, the instructions may be contained in another signal-bearing media, such as a

magnetic data storage diskette **300** (FIG. 3), directly or indirectly accessible by the processor **202**. Whether contained in the storage **206**, diskette **300**, or elsewhere, the instructions may be stored on a variety of machine-readable data storage media, such as direct access storage (e.g., a conventional “hard drive,” redundant array of inexpensive disks (“RAID”), or another direct access storage device (“DASD”)), magnetic tape, electronic read-only memory (e.g., ROM, EPROM, or EEPROM), optical storage (e.g., CD-ROM, WORM, DVD, digital optical tape), paper “punch” cards, or other suitable signal-bearing media including transmission media such as digital and analog and communication links and wireless. In an illustrative embodiment of the invention, the machine-readable instructions may comprise software object code, compiled from a language such as “C,” etc.

#### Logic Circuitry

[0052] In contrast to the signal-bearing medium discussed above, the method aspect of the invention may be implemented using logic circuitry, without using a processor to execute instructions. Logic circuitry may be implemented in the clinician device **140**, call center **110**, medical record center **130**, or other components, where the logic circuitry itself is configured to perform operations to implement the method of the invention. The logic circuitry may be implemented using many different types of circuitry, as discussed above.

#### Operating Sequences

[0053] FIGS. 4-8 provide one illustrative, detailed example of the method aspect of the invention. For ease of explanation, but without any intended limitation, the examples of FIGS. 4-8 are described in the context of the hardware components and interconnections of FIG. 1, as described above.

#### Mobile Care Setup

[0054] FIG. 8 shows a mobile care setup sequence **800**, where use and operation of the mobile care environment **100** is initiated. The sequence **800** begins in step **802**, where the mobile care entity establishes its network of clinicians. The mobile care entity may construct this network by full-time or part-time hiring of clinicians, enrolling independent contractors, contracting with other agencies, or other suitable relationships. Clinicians may include physicians, specialists such as dermatologist, x-ray technicians, nurses, nurse practitioners, physicians’ assistants, paramedics, E.M.T. personnel, or other suitable medical care providers. In step **804**, the mobile care entity provides the clinicians with the clinician devices **140**, described above. Each clinician has access to at least one of the clinician device **140** while on-duty; clinicians may also have access to clinician devices **140** while on-call if the budget and number of clinician devices **140** permits.

[0055] In step **806**, clinician devices **140** individually utilize their respective wireless interfaces **142** to self-initiate downloading of patient records from the medical record center **130**. To maintain current local records **146**, each clinician device **140** automatically repeats the synchronization step **806** whenever an appropriate criteria is met. This criteria may require a periodic, non-periodic, random, or other sufficiently frequent synchronization. The clinician devices **140** may be programmed to synchronize at the same

or different times. Synchronization helps the clinician devices **140** preserve the currency of their medical records **146**. However, if the number and size of medical records does not permit downloading of all data from the medical records center **130**, the synchronization **806** may be limited to certain patients (such as those scheduled for future visits by clinicians associated to the particular device **140**), medical records of prescribed recency/type, etc. As an alternative, the timing and extent of each clinician device's synchronization may be manually controlled by a clinician.

#### Patient Call Initiation

[**0056**] FIG. 4 shows a patient call initiation sequence **400**. In the sequence **400**, a patient requests medical attention from the mobile care entity, and the call center **110** responds by selecting and dispatching a clinician from its network. The sequence **400** begins in step **402**, where the patient enters the mobile care facility's web site (supported by the web server **133**). In this example, the patient initiates step **402** by using the internet capable communication device **104**. As an alternative, the patient may initiate the sequence **400** manually by using the telephone **102** to contact a call center telephone **112**, in which case the call processing and triage operations are performed manually by staff (not shown) at the call center **110**. For ease of explanation, the following description is limited to the embodiment where automated equipment at the call center **110** processes the patient's call.

[**0057**] Upon receiving initial access by the patient in step **402**, the web server **133** queries the patient for name, password, or other indicia that identifies the patient as an existing customer of the mobile care entity. Having identified the patient, the web server **133** proceeds to gather information from the patient as to his/her medical condition (step **404**). Namely, the patient answers certain predetermined "triage" or "screening" questions, which may include a series of interactive inquiries based upon the appropriate triage algorithm. In one embodiment, the patient answers these inquiries by mouse-clicking on alternative choices; entering typed text, etc.

[**0058**] Next, the web server **133** forwards the patient's triage answers to the triage processing block **114** (step **406**), which determines whether there is enough information to process the patient's call (step **408**). If not, the triage processing block generates additional inquiries (step **410**) and returns to step **404**. When the triage processing block **114** determines that the patient has provided sufficient information to proceed (step **408**), the triage processing block **114** determines whether the patient's condition presents a life-threatening situation (step **412**). In one embodiment, the triage processing block accesses medical information stored locally or via Internet **200** in order to determine the outcome of the triage process. If the patient's condition constitutes a life-threatening situation, the triage processing block **114** directs the web server **113** to display a message instructing the patient to obtain emergency ambulance services, for example by dialing "911" (step **414**). Thus, the call center **110** refuses the patient's call, since it is more appropriate for ambulance or other rapid deployment services rather than an on-site clinician visit.

[**0059**] If the patient's situation is not an emergency, step **412** leads to step **416**, where the triage processing block **114** retrieves the patient's medical records. The medical records

may be retrieved from a third party vendor **131** (such as the patient's primary care physician), from the medical record center **130**, locally from the call center **110**, or another source. Moreover, the records may be retrieved by hand, over the Internet **200**, by facsimile machine, or other automated or manual means.

[**0060**] Next, in step **418** the triage processing block determines the appropriate clinician type and equipment required to treat the patient's reported condition. As mentioned previously, clinicians may have qualifications of various levels, such as nurses, nurse practitioners, physicians, x-ray technicians, and the like. In one exemplary case, an appropriate clinician/device may be a nurse qualified to take blood (clinician) and a blood analyzer (device). In a different case, an appropriate clinician/device may be a physician (clinician) accompanied by an x-ray technician (second clinician) and x-ray machine (device). Some examples of other clinician/device combinations include cardiologist, and impedance monitor, ultrasound machine and technologist, and other specialists. As one example, step **418** may be performed by utilizing a software module such as an expert system.

[**0061**] After the triage processing block **114** identifies the appropriate type of clinician for the current patient (step **418**), the clinician location block **116** identifies (step **420**) and thereby selects a clinician in the mobile care entity's network to satisfy the requirements of clinician type from step **418**. This may be performed by consulting a look-up table or other cross-referencing guide, for example. Some exemplary considerations for step **420** include (1) the urgency of the patient's request, (2) the geographical location of both patient and candidate clinician, (3) the clinician status as being on-duty busy, on-duty idle, on-call, off-duty but available, (4) the clinician's pre-scheduled appointments available from the pie-scheduled appointment information block **120**, etc. Step **420** may select multiple clinicians if required, such as an x-ray technician visit at one o'clock and then a physician follow-up visit at two o'clock.

[**0062**] The wireless clinician paging system **118** then transmits a dispatch notification to the selected clinician; including forwarding of sufficient information to the clinician to initiate the house call (step **422**). This information identifies the patient's name, the patient's address and telephone number, the reported medical condition, and other information needed to initiate the house call. Further information may include, for example, call center instructions resulting from patient triage/interview, information on the patient's reported condition, call priority, proposed or promised arrival time, etc. This information may be conveyed to the clinician by various means, such as (1) the call center **110** transmitting a message to the Internet **200** for subsequent retrieval by the clinician, wireless Internet connection, (2) standard cellular telephone or paging system, (3) standard wireless paging system, (4) proprietary wireless system such as NEXTEL, or (5) other means. The on-call clinician receives this information at his/her clinician device **140**, via the wireless interface **142**.

[**0063**] In step **424**, the triage processing block **114** responds to the patient's initial call (from step **402**) by providing the patient with certain follow-up information, such as the name of any clinicians that have been dispatched, proposed arrival time, etc. The block **114** may convey this

information to the patient by telephone 102, e updating a confidential patient status area on the web site 133, etc. Furthermore, the triage processing block 114 may transmit e-mail or other suitable messages to other interested parties, or make such information available to parties with access authorization 134. Such parties may include, for example, the patient's primary care physician, pre-registered friends/relatives, those with e-mail addresses entered by the patient during initial registration with the mobile care entity, insurance providers, etc. This completes the sequence 400.

#### Automatic Call Initiation

[0064] FIG. 5 shows an automatic call initiation sequence 500. In the sequence 500, automatic equipment installed at the patient's home requests medical attention from the mobile care entity, and the call center 110 responds by selecting and dispatching one or more clinicians from its network. The steps are initiated in step 502, where the internet capable medical device 106 transmits notification to the triage processing block 114. This notification can take various forms, such as a periodic report, an emergency request automatically generated in response to a condition such as dangerously low blood pressure, manually generated emergency request such as the patient's manual activation of a "panic button," etc.

[0065] In response to the notification of step 502, the triage processing block 114 determines whether the notification contains sufficient information to begin the process of dispatching a clinician (step 504). If not, the call center 110 initiates a request for additional information (step 505). In one example, this request may occur manually, by call center staff placing a telephone call to the patient. In another example, the triage processing block 114 may submit a machine request for additional information, for example by querying the medical device 106.

[0066] When there is sufficient information to process the notification of step 502, the triage processing block 114 determines whether the patient's situation constitutes a life-threatening emergency. If so, the call center 110 directs the patient to obtain emergency medical care (step 508), for example by dialing "911." If the notification of step 502 arose from the patient activating a panic button, step 508 may be satisfied by call center 110 staff contacting the patient by telephone 102 or calling an ambulance on behalf of the patient. On the other hand, if the notification of step 502 arose from the medical device 106, step 508 may involve the triage processing block 114 returning an automated message to the medical device 106 or calling an ambulance on behalf of the patient.

[0067] If the present situation does not constitute an emergency, the triage processing block 114 retrieves the patient's medical record (step 510). The medical records may be retrieved from a third party vendor 131 (such as the patient's primary care physician), from the medical record center 130, locally from the call center 110, or another source. Moreover, the records may be retrieved by hand, over the Internet, by facsimile machine, or other automated or manual means.

[0068] Next, in step 512 the triage processing block 114 determines whether any response by an on-site clinician is required. This step is performed by evaluating the notification (from step 502), any additional information (from step

505), and the patient's medical record (from step 510). The evaluation of step 512 may be performed, for example, by using an expert system software module, or performing pre-programmed comparison with a list of various conditions for which clinician dispatch is required. If clinician dispatch is not needed, the patient is contacted and advised accordingly. Namely, call center 110 staff may manually contact the patient, or the triage processing block 114 may automatically contact the patient by sending an appropriate message to the medical device 106 and/or the device 104.

[0069] On the other hand, if step 512 mandates clinician dispatch, the triage processing block 114 proceeds with step 516. Particularly, the block 114 determines the appropriate clinician type and equipment required to treat the patient's reported condition, and then the clinician location block 116 identifies and thereby selects an on-call clinician in the mobile care entity's network to satisfy these requirements. The wireless clinician paging system 118 then transmits a dispatch notification to the selected clinician, including forwarding of sufficient information to the clinician to initiate the house call (step 518).

[0070] In step 520, the triage processing block 114 responds to the original notification of step 502 by providing the patient with certain follow-up information, such as the name of any clinician(s) scheduled to visit the patient and the proposed arrival time(s). This completes the sequence 500.

#### Clinician Notification

[0071] FIG. 6 shows a-clinician notification sequence 600, where the clinician receives dispatch notification from the call center 110 and responds accordingly. The steps are initiated in step 602, when the clinician device 140 receives the call center's dispatch notification (transmitted previously in steps 422 or 518, as discussed above). As mentioned above, this information identifies the patient, the reported medical condition, and other information needed to initiate the house call, and may include further information such as diagnosis/treatment instructions or allergy alerts resulting from patient triage/interview, information on the patient's reported condition, call priority, proposed arrival time, etc.

[0072] In response to the dispatch notification from step 602, the mapping device 144 component of the clinician device 142 consults the location device 152 to determine the clinician's current location (step 604). Also in step 604, the mapping device 144 prepares a map including the clinician's present location (from the device 152), the patient's location (from the call center's dispatch notification), and appropriate driving directions between these sites.

[0073] Next, in step 606 the clinician device 140 transmits a message reporting the location of the clinician device 140. To aid the call center 110 in monitoring the clinician's progress toward the patient's home, location reporting messages may be repeatedly transmitted to the call center 110 in response to: (1) occurrence of a repeating time period, such as one minute, (2) call center queries, (3) significant changes in clinician location, or (4) another reason.

[0074] After step 606, the clinician device 140 retrieves the patient's medical records. This is performed by operating the interface 142 to contact the medical record center 130 via the Internet 200, and retrieving the patient's most updated medical records. Also, the clinician device 140 updates any

locally stored medical records **146** with the current information from the medical record center **130**. Alternatively, rather than actively obtaining the patient's medical records, the clinician device **140** may receive unsolicited transmission of the patient's medical records by the call center **110**. After step **608**, the sequence **600** is complete and the clinician is ready to render on-site patient care upon arrival.

#### On-Site Patient Diagnosis/Treatment

[**0075**] FIG. 7 shows the sequence for on-site patient diagnosis/treatment, as performed by the clinician. The sequence **700** begins in step **702**, when the clinician visits the patient's home **100** after having been dispatched as discussed above. The clinician is accompanied by the clinician device **140**, on-site electronic medical care devices **185**, and other clinician tools as discussed above.

[**0076**] In step **704**, the clinician examines the patient. The clinician selects and operates various of the clinician's tools to conduct the examination. With traditional, manually-operated tools such as thermometers, blood pressure cuffs, and the like, use and feedback occurs in traditional fashion. The clinician may enter data from such manual examination into the clinician device **140** for inclusion into the patient's medical record and/or analysis by diagnostic programs of the clinician device **140**.

[**0077**] In contrast to traditional examination means, the clinician may perform more automated examination by coupling appropriate sensors between one or more on-site electronic medical care devices **185** (such as a laboratory analyzer) and the patient's proximity, body, bodily fluids, or tissue, whereupon the device(s) **185** analyze the bodily component under scrutiny and provide a representative output. In one case, the output may comprise a human-readable output medical care devices **185** present directly to the clinician. In other cases, the output of one or more of the devices **185** may comprise a machine-readable output presented to the clinician device **140**; in this embodiment, the clinician device **140** and device **185** communicate by the wireless link **148**, although other means maybe used as well such as infrared link, cables, fiber optic lines, etc. If the output of the device **185** is machine-readable, then the clinician device **140** collects this output and responsively provides a table, graph, diagram, or other human-readable presentation by computer display, printing, etc.

[**0078**] In addition to using on-site clinician tools, the clinician may also employ one or more remotely located medical care devices **132**. For this purpose, the clinician couples sensors between the clinician device **140** and the patient's proximity, body, bodily fluids, or tissue. The sensors measure various physiological conditions and relay representative information in machine-readable form to the clinician device **140**. In turn, the clinician device **140** invokes the wireless interface **142** to further relay these measurements to the remote device(s) **132**, retrieve any resultant analysis from the remote devices, and locally present the results for the clinician in human-readable form.

[**0079**] In step **706**, the clinician manually enters data from the patient's examination, and also utilizes the clinician device **140** to store the output of the devices **185/132**, whether such output occurs in human or machine-readable form. Furthermore, the clinician may direct the clinician device **140** to store any human-readable reports that it has

prepared utilizing machine-readable output of the devices **185**. If desired, the clinician may direct the clinician device **140** to transmit results from the diagnosis (including output from devices **185**) to the call center **110** for immediate evaluation by another clinician, for inclusion in the patient's medical record by call center personnel, etc.

[**0080**] As shown in step **708**, the clinician may supplement his/her evaluation of the patient's condition by utilizing the clinician device **140** and wireless interface **142** to access various medical information web sites **135** or other sources of information about drug interactions, symptoms, treatment strategies, etc. After step **708**, the clinician then diagnoses the patient (step **710**) and renders any on-site treatment (step **712**), if possible. The clinician may immediately prescribe and render medicine that s/he has brought along, as well as dispatch any available medical products, such as slings, casts sutures, bandages, etc. As for medicine or products that are not immediately available, the clinician may choose to order them (step **714**) from a third party vendor **131**. Advantageously, the order may be placed in immediately using the clinician device to contact the third party vendor **131** via the Internet **200**. Such products may include walkers, special beds, oxygen, leased medical equipment, and the like.

[**0081**] Next, in step **716**, the clinician prepares a record of the at-home patient visit by assembling the clinician's notes, reports from the clinician device **140**, output, from the equipment **185/132**, and the like. The clinician stores a machine-readable representation of this record, for example in the medical records **146**. At this time, or later, the clinician invokes the wireless interface **142** to transmit the machine-readable representation of the patient's report to the medical record center **130**.

[**0082**] Having completed the patient's visit, the clinician then performs various follow-up steps **718**. For instance, on behalf of the patient, the clinician may utilize the clinician device **140** to complete an on-line admission process to a: local hospital **136** if the patient's condition warrants. The clinician may also schedule one or more follow-up visits by manually contacting call center personnel, or by utilizing the clinician device **140** and wireless interface **142** to notify the pre-scheduled appointment information block **120** with follow-up information. In addition, the clinician device **140** may transmit an e-mail message to a friend, relative, personal care physician, or other pre-identified party after completion of the clinician's at-home visit. This e-mail message, which may be transmitted automatically by the clinician device **140** or manually by the clinician, contains information reporting the patient's examination, diagnosis, and treatment. At this time, the clinician may also receive, review, and respond to any e-mail messages that have been forwarded by the call center **110** from any interested third parties **134**. Other possible follow-up action includes various billing matters, such as transmitting messages to invoke the billing entity **137**, sending completed Health Care Financing Administration records to a referring home health agency, etc. Moreover, such billing operations may be performed automatically at the completion of the patient's visit, or by the clinician's use of the clinician device. Finally, the clinician utilizes the clinician device **140** to notify the call center **110** that the visit is complete.

## Other Embodiments

[0083] While the foregoing disclosure shows a number of illustrative embodiments of the invention, it will be apparent to those skilled in the art that various changes and modifications can be made herein without departing from the scope of the invention as defined by the appended claims. Furthermore, although elements of the invention may be described or claimed in the singular, the plural is contemplated unless limitation to the singular is explicitly stated. Additionally, ordinarily skilled artisans will recognize that operational sequences must be set forth in some specific order for the purpose of explanation and claiming but the present invent contemplates various changes beyond such specific order.

1. A method of providing medical treatment by clinicians, comprising operations of:

a mobile care entity providing a network of predesignated mobile clinicians;

the mobile care entity providing the clinicians with use of preprogrammed portable computers, each portable computer coupled to a wireless communications interface and including local storage of patient medical records;

a selected one of the clinicians visiting a patient's premises accompanied by the portable computer and a preselected collection of portable electronic medical care devices, at least one of the portable electronic medical care devices including a wireless device communications interface with the portable computer of the selected clinician;

the selected clinician examining the patient at the patient's premises, including selecting and operating one or more of the portable electronic medical care devices to analyze one or more aspects of the patient's condition and prepare representative outputs for transmission wirelessly to the portable computer;

storing the outputs in the local storage of the portable computer of the selected clinician;

the selected clinician updating the patient's medical record stored in the local storage at the patient's premises; and

the selected clinician directing the portable computer to perform follow-up operations including:

electronically collecting the outputs of the portable electronic medical care devices utilizing the wireless device communications interfaces directly to the portable computer and presenting them in human-readable form;

wirelessly transmitting from the portable computer the outputs of at least one of the portable electronic medical care devices stored in the local storage directly to at least one remote medical care device including remote treatment equipment for analyzing the outputs of the portable electronic medical care devices for the patient;

analyzing the transmitted outputs of the portable computer by the remote treatment equipment;

wirelessly retrieving with the portable computer the analysis of the outputs directly from the remote treatment equipment;

storing the retrieved analysis from the remote treatment equipment in the local storage of the portable computer;

displaying on the portable computer to the selected clinician in the patient's premises a portion of the patient's medical records, the outputs of the portable electronic medical care devices, and the analysis from the remote treatment equipment; and

treating the patient at the patient's premise by the selected clinician in response to the information displayed on the portable computer.

2. The method of claim 1, the medical care devices including at least one of the following:

an x-ray machine;

a cardiac output monitoring machine;

laboratory analyzer;

a pulse oximeter.

3. The method of claim 1, the operations further comprising:

the selected clinician treating the patient; and

the selected clinician directing the portable computer to store a machine-readable record including a summary of the selected clinician's treatment of the patient.

4. The method of claim 1, the wireless communications interface comprising a mobile digital telephone.

5. The method of claim 1, the wireless communications interface comprising a radio frequency transceiver.

6. The method of claim 1, the selected clinician further directing the portable computer to perform operations comprising:

directing the portable computer and wireless communications interface to transmit selected machine-readable reports and records from the local storage to a patient referral source.

7. The method of claim 1, the operations further comprising:

each portable computer tracking and recording various event times related to the patient visit, including at least one of the following: dispatch time, travel time, patient visit time.

8. The method of claim 1, the operations further comprising:

downloading of updates of the patient's medical records to the portable computer from the central storage facility via the public Internet.

9. The method of claim 1, the operation of the wirelessly transmitting from the portable computer the outputs of at least one of the portable electronic medical care devices stored in the local storage directly to at least one remote medical care device comprising:

transmitting the outputs of at least one of the portable electronic medical care devices stored in the local storage to at least one remote medical care device via the public Internet.

10. The method of claim 1, the operation of the selected clinician examining the patient further comprising:

the selected clinician interconnecting one or more sensors between the patient and the portable computer;

the selected clinician directing the portable computer to gather machine-readable representations of bodily conditions measured by the sensors, and transmit the representations via the wireless communications interface to a remotely located electronic medical care device; and

the portable computer communicating with the remotely located device to obtain a machine-readable output representing analysis performed by the remotely located device.

11. The method of claim 10, the operation of obtaining, a machine-readable output representing analysis performed by the remotely located device further comprising:

the portable computer presenting the results in human-readable form to the selected clinician.

12. The method of claim 1, the operation of the selected clinician examining the patient further comprising:

the selected clinician directing the portable computer and communications interface to cooperatively engage in machine-readable communications with a remotely located electronic medical care device to report bodily conditions of the patient to the remotely located device and receive analysis based thereon.

13. The method of claim 12, the remotely located electronic medical care device including an ultrasound machine.

14. The method of claim 1, the operations further comprising:

the selected clinician directing the portable computer and communications interface to obtain information provided by Internet web sites.

15. The method of claim 1, the operations further comprising:

while at the patient's premises, the selected clinician utilizing the portable computer to place orders for medical supplies over the Internet.

16. The method of claim 1, the operations further comprising:

the mobile care entity receiving a request for medical services at a patient's premises,

wherein the receiving a request comprises receiving patient medical information transmitted by a medical device located at the patient's premises.

17. The method of claim 1, the operations further comprising:

the mobile care entity dispatching the selected clinician to the patient's premises,

wherein the dispatching of the selected clinician to the patient's premises includes sending wireless dispatch information to the selected clinician, including patient medical record information, current medical condition information, and patient location information.

18. The method of claim 1, the operations further comprising:

responsive to a request for medical services, transmitting a machine-readable notification of the request to a pre-registered party.

19. The method of claim 1, the operations further comprising:

responsive to a request for medical services, transmitting a machine-readable response to the patient including at least one of the following: posting a message upon an Internet web site, transmitting an e-mail message.

20. The method of claim 1, the operations further comprising:

responsive to a request for medical services, transmitting a machine-readable notification of at least one of the following to the patient: geographic location of the selected clinician, and expected arrival time of the selected clinician at the patient's premises.

21. The method of claim 1, the operations further comprising:

responsive to completion of the selected clinician's visit to the patient, conducting automatic computer-driven operations including generating and transmitting an e-mail notification to a pre-registered party.

22. The method of claim 1, the operations further comprising:

responsive to completion of the selected clinician's visit to the patient, conducting automatic computer-driven operations including:

scheduling of a follow-up visit; and

transmitting machine-readable notification of the scheduled follow-up visit to a pre-registered party.

23. The method of claim 1, the operations further comprising:

automated medical-condition monitoring equipment at the patient's premises generating and transmitting a request for medical services to the mobile care entity.

24. The method of claim 1, the follow-up operations further comprising:

the selected clinician operating the portable computer to prepare and make wireless transmission of one or more orders for items related to the examination for delivery to the patient.

25. The method of claim 1, the follow-up operations further comprising:

the selected clinician operating the portable computer to prepare and make wireless transmission of information to admit the patient to a hospital.

26. A method of patient treatment comprising:

visiting a patient accompanied by a portable computer having local storage containing the patient's medical records, a wireless communication interface, and a preselected collection of portable electronic medical care devices, at least one of the devices including a wireless device communications interface with the portable computer;

examining the patient with one or more of the portable electronic medical care devices providing outputs to the portable computer via the wireless device communications interface by applying at least one of the portable electronic medical care devices to the patient;

- wirelessly transmitting the outputs of at least one of the portable electronic medical care devices to the portable computer;
- storing the outputs in the local storage of the portable computer at the patient's location;
- wirelessly transmitting the outputs from the local storage of the portable computer at the patient's location directly to at least one remote medical care device for analysis including remote treatment equipment;
- analyzing the transmitted outputs by the remote treatment equipment;
- wirelessly retrieving the analysis directly from the remote treatment equipment via the portable computer at the patient's location;
- storing the analysis in the local storage of the portable computer at the patient's location;
- displaying on the portable computer at the patient's location a portion of the medical records, the outputs of the portable electronic medical care devices, and the analysis from the remote medical care device; and
- treating the patient according to the information displayed on the portable computer.
- 27.** The method of claim 26, further comprising wirelessly ordering delivery of medication for the patient via the interface of the portable computer.
- 28.** The method of claim 26, further comprising wirelessly ordering delivery of medical equipment for the patient via the interface of the portable computer.
- 29.** The method of claim 26, wherein the medical treatment information comprises a request to automatically schedule a follow-up visit for the patient.
- 30.** The method of claim 26, further comprising wirelessly contacting a predetermined party as to the medical treatment information via e-mail.
- 31.** The method of claim 26, further comprising wirelessly transmitting admission information for admitting the patient to a hospital.
- 32.** The method of claim 26, further comprising sending wireless notification of a current medical care provider location.
- 33.** A method of providing medical treatment by clinicians, comprising:
- providing a plurality of mobile clinicians, with portable computers each being equipped with local storage, and with portable wireless on-site electronic medical care devices for analyzing patient conditions and for transmitting the condition information to the portable computer wirelessly;
- prior to arrival of a selected one of the plurality of appropriate mobile clinicians at a given patient's premises, wirelessly downloading to the selected portable computer from a remote central storage facility a complete medical record for the given patient to enable the mobile clinician to treat the given patient;
- prior to arrival of the appropriate mobile clinician at the given patient's premises, storing the downloaded complete medical record in the local storage in the selected portable computer of the selected mobile clinician;
- transporting the selected portable computer storing the complete medical record and the wireless on-site medical care devices to the given patient's premises by the selected mobile clinician;
- applying by the selected mobile clinician at least one of the wireless on-site medical care devices to the given patient in the given patient's premises in response to the dispatch notice;
- wirelessly sending patient information from the on-site medical care devices directly to the selected portable computer at the given patient's premises;
- storing the patient information in the local storage of the selected portable computer;
- directly communicating wirelessly between the selected portable computer at the given patient's premises and at least one remote medical care device including remote treatment equipment for analyzing the patient information for the given patient;
- analyzing the patient information for the given patient by the at least one remote treatment equipment;
- wirelessly receiving in the selected portable computer at the given patient's premises the analysis from the remote treatment equipment;
- storing the analysis received from the remote treatment equipment in the local storage of the selected portable computer;
- displaying on the selected portable computer to the selected mobile clinician in the given patient's premises a portion of the medical record, the patient information, and the analysis from the remote treatment equipment;
- treating the given patient at the given patient's premises by the selected mobile clinician in response to the information displayed on the selected portable computer.

\* \* \* \* \*

专利名称(译)	利用便携式计算和通信设备的临床医生家庭呼叫的方法		
公开(公告)号	<a href="#">US20080004907A1</a>	公开(公告)日	2008-01-03
申请号	US11/767469	申请日	2007-06-22
[标]申请(专利权)人(译)	ÇGRESHAM贝恩		
申请(专利权)人(译)	C. GRESHAM贝恩		
当前申请(专利权)人(译)	C. GRESHAM贝恩		
[标]发明人	BAYNE CARY GRESHAM		
发明人	BAYNE, CARY GRESHAM		
IPC分类号	G06Q50/00 H04Q7/20 A61B5/00 G16H10/60 H04M11/04		
CPC分类号	A61B5/411 G06F19/322 G06F19/3406 A61B5/0022 G06Q50/22 G06Q50/24 H04M11/04 G06F19/3418 G16H10/60 G16H40/63 G16H40/67 G16H50/20 G06F19/00 G16H80/00		
其他公开文献	US8117046		
外部链接	<a href="#">Espacenet</a> <a href="#">USPTO</a>		

摘要(译)

移动临床医生利用现场诊断和治疗设备进行家庭病人就诊，其中通过使用便携式计算和通信设备来增强服务。最初，移动护理实体提供预先指定的移动临床医生网络，每个临床医生都使用预编程的便携式计算机。每个计算机耦合到无线通信设备，并且包括患者数据的本地存储。在预定的时间表下，每个便携式计算机利用无线通信设备更新本地存储器中的患者数据，以从中央存储设施下载更新。每当移动护理实体在患者的场所接收医疗服务请求时，该实体选择移动临床医生并将他/她派遣到患者的场所。临床医生访问患者的处所伴随的电子诊断和治疗装置，各种各样诸如脉搏血氧仪，x射线机，实验室分析仪，EKG设备等。为了检查患者，医生利用各种诊断设备以制备机 - 有关患者病情相关方面的可读报告。临床医生指示便携式计算机执行后续任务，包括：(1)以电子方式收集准备好的报告并以人类可读的形式图形呈现它们，(2)存储包括患者检查细节的机器可读医疗记录，以及(3)利用无线设备将报告和记录发送到中央存储设施。

