



US007877127B2

(12) **United States Patent**
Hannula et al.

(10) **Patent No.:** **US 7,877,127 B2**
(45) **Date of Patent:** ***Jan. 25, 2011**

(54) **HAT-BASED OXIMETER SENSOR**

(75) Inventors: **Don Hannula**, San Luis Obispo, CA
(US); **Paul Mannheimer**, Danville, CA
(US)

(73) Assignee: **Nellcor Puritan Bennett LLC**, Boulder,
CO (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 1105 days.

This patent is subject to a terminal dis-
claimer.

4,510,938 A	4/1985	Jobsis et al.
4,570,638 A	2/1986	Stoddart et al.
4,675,919 A	6/1987	Heine et al.
4,739,757 A	4/1988	Edwards
4,775,116 A	10/1988	Klein
4,784,162 A	11/1988	Ricks et al.
4,802,485 A	2/1989	Bowers et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN	1306260	8/2001
----	---------	--------

(21) Appl. No.: **11/494,435**

(22) Filed: **Jul. 26, 2006**

(Continued)

(65) **Prior Publication Data**

US 2006/0264724 A1 Nov. 23, 2006

OTHER PUBLICATIONS

U.S. Appl. No. 10/677,742, filed Oct. 1, 2003 Hannula.

(Continued)

Related U.S. Application Data

(60) Continuation of application No. 11/358,868, filed on
Feb. 21, 2006, which is a division of application No.
10/606,668, filed on Jun. 25, 2003, now Pat. No. 7,047,
056.

Primary Examiner—Eric F Winakur
(74) *Attorney, Agent, or Firm*—Fletcher Yoder

(57)

ABSTRACT

(51) **Int. Cl.**

A61B 5/1455 (2006.01)

(52) **U.S. Cl.** **600/344**; 600/340

(58) **Field of Classification Search** 600/310,
600/322, 323, 340, 344

See application file for complete search history.


(56) **References Cited**

U.S. PATENT DOCUMENTS

4,025,733 A	5/1977	Klar et al.	
4,047,400 A	9/1977	Thorneburg	
4,321,930 A *	3/1982	Jobsis et al.	600/344
4,462,116 A	7/1984	Sanzone et al.	
4,499,741 A	2/1985	Harris	

A method for use and an improved oximeter sensor substrate that is conforming to the shape of the patient's forehead. In one embodiment, the present invention is an oximeter sensor, having a substrate with a shape similar to a shape of at least a portion of a patient's forehead and including a section adapted to substantially fit over a portion of a forehead of a patient; an emitter disposed on the substrate at a position located on the section; and a detector disposed on the substrate at a distance from the emitter. In one embodiment, the substrate includes a hat that holds the emitter and the detector in a spaced-part manner against the patient's forehead.

34 Claims, 3 Drawing Sheets



US 7,877,127 B2

Page 2

U.S. PATENT DOCUMENTS

4,825,872	A	5/1989	Tan et al.	5,564,108	A	10/1996	Hunsaker et al.
4,825,879	A	5/1989	Tan et al.	5,564,417	A	10/1996	Chance
4,833,734	A	5/1989	Der Estephanian	5,584,296	A	12/1996	Cui et al.
4,838,279	A	6/1989	Fore	5,592,408	A	1/1997	Keskin et al.
4,856,116	A	8/1989	Sullivan	5,596,987	A	1/1997	Chance
4,890,619	A	1/1990	Hatschek	5,617,865	A	4/1997	Palczewska et al.
4,910,804	A	3/1990	Lidgren	5,617,866	A	4/1997	Marian, Jr.
4,918,758	A	4/1990	Rendina	5,627,323	A	5/1997	Stern
4,930,888	A	6/1990	Freisleben et al.	5,634,466	A	6/1997	Gruner
4,942,877	A	7/1990	Sakai et al.	5,638,593	A	6/1997	Gerhardt et al.
4,972,331	A	11/1990	Chance	5,638,818	A	6/1997	Diab et al.
4,977,011	A	12/1990	Smith	5,640,953	A	6/1997	Bishop et al.
4,991,234	A	2/1991	Greenberg	5,645,440	A	7/1997	Tobler et al.
4,996,975	A	3/1991	Nakamura	5,645,586	A	7/1997	Meltzer
5,005,374	A	4/1991	Spitler	5,646,416	A	7/1997	Van de Velde
5,040,540	A *	8/1991	Sackner 600/485	5,671,750	A	9/1997	Shinoda
5,054,488	A	10/1991	Muz	5,673,708	A	10/1997	Athanasίου et al.
5,080,096	A	1/1992	Hooper et al.	5,678,544	A	10/1997	DeLonzor et al.
5,080,098	A	1/1992	Willett et al.	5,681,285	A	10/1997	Ford et al.
H1039	H	4/1992	Tripp, Jr. et al.	5,683,434	A	11/1997	Archer
5,111,817	A	5/1992	Clark et al.	5,697,363	A	12/1997	Hart
5,119,815	A	6/1992	Chance	5,697,367	A	12/1997	Lewis et al.
5,122,974	A	6/1992	Chance	5,701,894	A	12/1997	Cherry et al.
5,125,403	A	6/1992	Culp	5,706,820	A	1/1998	Hossack et al.
5,167,230	A	12/1992	Chance	5,732,475	A	3/1998	Sacks et al.
5,188,108	A	2/1993	Secker	5,738,612	A	4/1998	Tsuda
5,191,891	A	3/1993	Righter	5,743,856	A	4/1998	Oka et al.
5,209,230	A	5/1993	Swedlow et al.	5,743,857	A	4/1998	Shinoda et al.
5,214,409	A	5/1993	Beigel	5,752,913	A	5/1998	Oka
5,217,012	A	6/1993	Young et al.	5,752,920	A	5/1998	Ogura et al.
5,217,013	A	6/1993	Lewis et al.	5,758,644	A	6/1998	Diab et al.
5,241,300	A	8/1993	Buschmann	5,772,601	A	6/1998	Oka et al.
5,246,003	A	9/1993	DeLonzor	5,776,058	A	7/1998	Levinson et al.
5,253,645	A	10/1993	Friedman et al.	5,776,071	A	7/1998	Inukai et al.
5,267,563	A	12/1993	Swedlow et al.	5,779,631	A	7/1998	Chance
5,267,567	A	12/1993	Aung et al.	5,779,639	A	7/1998	Yeung
5,295,490	A	3/1994	Dodakian	5,782,757	A	7/1998	Diab et al.
5,313,940	A	5/1994	Fuse et al.	5,786,592	A	7/1998	Hok
5,337,744	A	8/1994	Branigan	5,791,347	A	8/1998	Flaherty et al.
5,348,008	A	9/1994	Bornn et al.	5,791,348	A	8/1998	Aung et al.
5,353,798	A	10/1994	Sieben	5,792,052	A	8/1998	Isaacson et al.
5,354,979	A	10/1994	Adelson et al.	5,792,058	A	8/1998	Lee et al.
5,357,953	A	10/1994	Merrick et al.	5,797,841	A	8/1998	DeLonzor et al.
5,368,025	A	11/1994	Young et al.	5,810,724	A	9/1998	Gronvall
5,368,562	A	11/1994	Blomquist et al.	5,813,980	A	9/1998	Levinson et al.
5,383,874	A	1/1995	Jackson et al.	5,817,008	A *	10/1998	Rafert et al. 600/323
5,392,777	A	2/1995	Swedlow et al.	5,823,012	A	10/1998	Hackaylo
5,398,689	A	3/1995	Connor et al.	5,823,952	A	10/1998	Levinson et al.
5,400,267	A	3/1995	Denen et al.	5,826,277	A	10/1998	McConville
5,405,269	A	4/1995	Stupecky	5,830,136	A	11/1998	DeLonzor et al.
5,405,614	A	4/1995	D'Angelo et al.	5,830,137	A	11/1998	Scharf
5,413,099	A	5/1995	Schmidt et al.	5,830,148	A	11/1998	Inukai et al.
5,413,101	A	5/1995	Sugiura	5,830,149	A	11/1998	Oka et al.
5,413,102	A	5/1995	Schmidt et al.	5,833,602	A	11/1998	Osemwota
5,415,166	A	5/1995	Imran	5,836,887	A	11/1998	Oka et al.
5,425,360	A	6/1995	Nelson	5,839,439	A	11/1998	Nierlich et al.
5,432,170	A	7/1995	Stindl et al.	RE36,000	E	12/1998	Swedlow et al.
5,437,275	A	8/1995	Amundsen et al.	5,842,981	A	12/1998	Larsen et al.
5,437,634	A	8/1995	Amano	5,842,982	A	12/1998	Mannheimer
5,444,254	A	8/1995	Thomson	5,851,179	A	12/1998	Ritson et al.
5,451,763	A	9/1995	Pickett et al.	5,857,974	A	1/1999	Eberle et al.
5,452,717	A	9/1995	Branigan et al.	5,860,932	A	1/1999	Goto et al.
5,465,714	A	11/1995	Scheuing	5,860,957	A	1/1999	Jacobsen et al.
5,469,845	A	11/1995	DeLonzor et al.	5,868,133	A	2/1999	DeVries et al.
5,482,034	A	1/1996	Lewis et al.	5,870,626	A	2/1999	Lebeau
5,490,523	A	2/1996	Isaacson et al.	5,872,713	A	2/1999	Douglas et al.
5,507,752	A *	4/1996	Elliott 606/123	5,873,821	A	2/1999	Chance et al.
5,528,519	A	6/1996	Ohkura et al.	5,879,294	A	3/1999	Anderson et al.
5,546,955	A	8/1996	Wilk	5,891,021	A	4/1999	Dillon et al.
5,551,423	A	9/1996	Sugiura	5,891,026	A	4/1999	Wang et al.
5,562,718	A	10/1996	Palermo	5,895,359	A	4/1999	Peel, III
				5,902,235	A	5/1999	Lewis et al.
				5,906,581	A	5/1999	Tsuda

5,913,819 A	6/1999	Taylor et al.	6,280,213 B1	8/2001	Tobler et al.
5,916,154 A	6/1999	Hobbs et al.	6,282,450 B1	8/2001	Hartlaub et al.
5,919,133 A	7/1999	Taylor et al.	6,283,922 B1	9/2001	Goto et al.
5,931,789 A *	8/1999	Alfano et al. 600/310	6,285,895 B1	9/2001	Ristolainen et al.
5,931,790 A	8/1999	Peel, III	6,306,076 B1	10/2001	Gill
5,931,791 A	8/1999	Saltzstein et al.	6,308,089 B1	10/2001	von der Ruhr et al.
5,934,925 A	8/1999	Tobler et al.	6,321,100 B1	11/2001	Parker
5,936,539 A	8/1999	Fuchs	6,322,516 B1	11/2001	Masuda et al.
5,947,905 A	9/1999	Hadjicostis et al.	6,343,223 B1	1/2002	Chin et al.
5,954,053 A	9/1999	Chance et al.	6,343,224 B1	1/2002	Parker
5,957,850 A	9/1999	Marian, Jr. et al.	6,346,886 B1	2/2002	De La Hueriga
5,964,701 A	10/1999	Asada et al.	6,349,228 B1	2/2002	Kiani et al.
5,980,464 A	11/1999	Tsuda	6,356,774 B1	3/2002	Bernstein et al.
5,983,129 A	11/1999	Cowan et al.	6,362,622 B1	3/2002	Stauber et al.
5,987,343 A	11/1999	Kinast	6,368,282 B1	4/2002	Oka et al.
5,987,351 A	11/1999	Chance	6,370,411 B1	4/2002	Osadchy et al.
5,991,648 A	11/1999	Levin	6,377,829 B1	4/2002	Al-Ali
5,995,077 A	11/1999	Wilcox et al.	6,381,480 B1	4/2002	Stoddart et al.
5,995,855 A	11/1999	Kiani et al.	6,381,481 B1	4/2002	Levendowski et al.
5,995,856 A	11/1999	Mannheimer et al.	6,385,486 B1	5/2002	John et al.
5,995,857 A	11/1999	Toomim et al.	6,385,821 B1	5/2002	Modgil et al.
6,007,492 A	12/1999	Goto et al.	6,387,092 B1	5/2002	Burnside et al.
6,011,986 A	1/2000	Diab et al.	6,388,240 B2	5/2002	Schulz et al.
6,022,320 A	2/2000	Ogura et al.	6,397,091 B2	5/2002	Diab et al.
6,027,453 A	2/2000	Miwa et al.	6,405,075 B1	6/2002	Levin
6,030,351 A	2/2000	Schmidt et al.	6,416,471 B1	7/2002	Kumar et al.
6,031,603 A	2/2000	Fine et al.	6,416,474 B1	7/2002	Penner et al.
6,036,651 A	3/2000	Inukai et al.	6,417,774 B1	7/2002	Hibbs et al.
6,041,247 A	3/2000	Weckstrom et al.	6,423,010 B1	7/2002	Friedman et al.
6,047,201 A	4/2000	Jackson, III	6,430,423 B2	8/2002	DeLonzor et al.
6,047,203 A	4/2000	Sackner et al.	6,432,050 B1	8/2002	Porat et al.
6,049,958 A	4/2000	Eberle et al.	6,450,168 B1	9/2002	Nguyen
6,050,951 A	4/2000	Friedman et al.	6,450,957 B1	9/2002	Yoshimi et al.
6,052,619 A	4/2000	John	6,450,981 B1	9/2002	Shabty et al.
6,073,038 A	6/2000	Wang et al.	6,454,708 B1	9/2002	Ferguson et al.
6,084,380 A	7/2000	Burton	6,456,862 B2 *	9/2002	Benni 600/331
6,085,752 A	7/2000	Kehr et al.	6,461,305 B1	10/2002	Schnall
6,088,607 A	7/2000	Diab et al.	6,463,310 B1	10/2002	Swedlow et al.
6,106,780 A	8/2000	Douglas et al.	6,466,809 B1	10/2002	Riley
6,112,107 A	8/2000	Hannula	6,468,241 B1	10/2002	Gelfand et al.
6,115,621 A	9/2000	Chin	6,470,199 B1	10/2002	Kopotic et al.
6,118,382 A	9/2000	Hibbs et al.	6,470,279 B1	10/2002	Samssoondar
6,134,459 A	10/2000	Roberts et al.	6,480,762 B1	11/2002	Uchikubo et al.
6,144,868 A	11/2000	Parker	6,491,638 B2	12/2002	Oka
6,149,481 A	11/2000	Wang et al.	6,491,639 B1	12/2002	Turcott
6,152,754 A	11/2000	Gerhardt et al.	6,503,087 B1	1/2003	Eggert et al.
6,154,667 A	11/2000	Miura et al.	6,503,204 B1	1/2003	Sumanaweera et al.
6,162,188 A	12/2000	Barnea	6,505,061 B2	1/2003	Larson
6,165,173 A	12/2000	Kamdar et al.	6,511,478 B1	1/2003	Burnside et al.
6,171,258 B1	1/2001	Karakasoglu et al.	6,516,289 B2	2/2003	David
6,173,196 B1	1/2001	Delonzor et al.	6,519,487 B1	2/2003	Parker
6,179,786 B1	1/2001	Young	6,524,257 B2	2/2003	Ogura
6,181,959 B1	1/2001	Schollermann et al.	6,525,386 B1	2/2003	Mills et al.
6,184,521 B1	2/2001	Coffin, IV et al.	6,526,309 B1	2/2003	Chance
6,186,953 B1	2/2001	Narimatsu	6,526,970 B2	3/2003	DeVries et al.
6,186,954 B1	2/2001	Narimatsu	6,527,725 B1	3/2003	Inukai et al.
6,190,325 B1	2/2001	Narimatsu	6,527,726 B2	3/2003	Goto et al.
6,196,974 B1	3/2001	Miwa	6,535,765 B1	3/2003	Amely-Velez et al.
6,198,952 B1	3/2001	Miesel	6,537,220 B1	3/2003	Friemel et al.
6,199,550 B1	3/2001	Wiesmann et al.	6,541,756 B2	4/2003	Schulz et al.
6,209,144 B1	4/2001	Carter	6,542,081 B2	4/2003	Torch
6,216,021 B1	4/2001	Franceschini et al.	6,547,743 B2	4/2003	Brydon
6,223,063 B1	4/2001	Chaiken et al.	6,551,252 B2	4/2003	Sackner et al.
6,241,680 B1	6/2001	Miwa	6,553,242 B1	4/2003	Sarussi
6,248,083 B1	6/2001	Smith et al.	6,575,902 B1	6/2003	Burton
6,251,076 B1	6/2001	Hovland et al.	6,577,884 B1 *	6/2003	Boas 600/310
6,251,080 B1	6/2001	Henkin et al.	6,580,086 B1	6/2003	Schulz et al.
6,251,081 B1	6/2001	Narimatsu	6,582,371 B2	6/2003	Miller
6,251,113 B1	6/2001	Appelbaum et al.	6,582,374 B2	6/2003	Yokozeki
6,256,523 B1	7/2001	Diab et al.	6,584,356 B2	6/2003	Wassmund et al.
6,256,524 B1	7/2001	Walker et al.	6,589,171 B2	7/2003	Keirsbilck
6,263,221 B1	7/2001	Chance et al.	6,589,183 B2	7/2003	Yokozeki
6,263,223 B1	7/2001	Shepherd et al.	6,589,189 B2	7/2003	Meyerson et al.

US 7,877,127 B2

Page 4

6,594,513	B1	7/2003	Jobsis et al.	6,985,763	B2	1/2006	Boas et al.
6,597,933	B2	7/2003	Kiani et al.	6,985,764	B2	1/2006	Mason et al.
6,605,038	B1	8/2003	Teller et al.	6,990,371	B2	1/2006	Powers et al.
6,606,993	B1	8/2003	Wiesmann et al.	6,993,371	B2	1/2006	Kiani et al.
6,611,793	B1	8/2003	Burnside et al.	6,995,665	B2	2/2006	Appelt et al.
6,615,065	B1	9/2003	Barrett et al.	7,001,334	B2	2/2006	Reed et al.
6,622,034	B1	9/2003	Gorski et al.	7,018,338	B2	3/2006	Vetter et al.
6,626,537	B1 *	9/2003	Odom et al. 600/318	7,020,508	B2	3/2006	Stivoric et al.
6,635,048	B1	10/2003	Ullestad et al.	7,024,235	B2	4/2006	Melker et al.
6,645,154	B2	11/2003	Oka	7,027,850	B2	4/2006	Wasserman
6,645,155	B2	11/2003	Inukai et al.	7,027,871	B2	4/2006	Burnes et al.
6,654,622	B1	11/2003	Eberhard et al.	7,039,449	B2	5/2006	Al-Ali
6,666,860	B1	12/2003	Takahashi	7,041,121	B1	5/2006	Williams et al.
6,671,531	B2	12/2003	Al-Ali et al.	7,047,054	B2	5/2006	Benni
6,678,543	B2	1/2004	Diab et al.	7,047,055	B2	5/2006	Boas et al.
6,681,454	B2	1/2004	Modgil et al.	7,047,056	B2	5/2006	Hannula et al.
6,684,091	B2	1/2004	Parker	7,048,687	B1	5/2006	Reuss et al.
6,691,160	B1	2/2004	Bradley	7,054,453	B2	5/2006	Causevic et al.
6,700,497	B2	3/2004	Hibbs et al.	7,054,454	B2	5/2006	Causevic et al.
6,704,601	B1	3/2004	Amely-Velez et al.	7,063,669	B2	6/2006	Brawner et al.
6,708,048	B1	3/2004	Chance	7,067,893	B2	6/2006	Mills et al.
6,711,425	B1	3/2004	Reuss	7,072,704	B2	7/2006	Bucholz
6,712,767	B2	3/2004	Hossack et al.	7,079,036	B2	7/2006	Cooper et al.
6,721,585	B1	4/2004	Parker	7,085,597	B2	8/2006	Fein et al.
6,721,602	B2	4/2004	Engmark et al.	7,087,023	B2	8/2006	Daft et al.
6,725,075	B2	4/2004	Al-Ali	7,089,061	B2	8/2006	Grey
6,726,327	B2	4/2004	Torrey et al.	7,096,052	B2	8/2006	Mason et al.
6,731,963	B2	5/2004	Finarov et al.	7,096,054	B2	8/2006	Abdul-Hafiz et al.
6,735,459	B2	5/2004	Parker	7,097,621	B2	8/2006	Narimatsu et al.
6,736,255	B1	5/2004	Mitzenheim	7,107,706	B1	9/2006	Bailey, Sr. et al.
6,736,759	B1	5/2004	Stubbs et al.	7,113,815	B2	9/2006	O'Neil et al.
6,736,786	B1	5/2004	Smith et al.	RE39,359	E	10/2006	McGraw et al.
6,743,173	B2	6/2004	Penner et al.	7,127,278	B2	10/2006	Melker et al.
6,743,202	B2	6/2004	Hirschman et al.	7,132,641	B2	11/2006	Schulz et al.
6,745,061	B1	6/2004	Hicks et al.	7,136,452	B2	11/2006	Spartiotis et al.
6,748,254	B2	6/2004	Chin et al.	7,171,251	B2	1/2007	Sarussi et al.
6,763,255	B2	7/2004	DeLonzor et al.	7,181,264	B2	2/2007	Wiesmann et al.
6,771,994	B2	8/2004	Kiani et al.	7,204,250	B1	4/2007	Burton
6,776,758	B2	8/2004	Peszynski et al.	7,220,220	B2	5/2007	Stubbs et al.
6,779,257	B2	8/2004	Kiepen et al.	7,245,953	B1	7/2007	Parker
6,792,300	B1	9/2004	Diab et al.	7,248,910	B2	7/2007	Li et al.
6,796,946	B2	9/2004	Ogura et al.	7,289,837	B2	10/2007	Mannheimer et al.
6,804,543	B2	10/2004	Miller et al.	7,297,119	B2	11/2007	Westbrook et al.
6,808,496	B2	10/2004	Oka et al.	7,313,427	B2	12/2007	Benni
6,811,538	B2	11/2004	Westbrook et al.	7,349,726	B2	3/2008	Casciani et al.
6,813,511	B2	11/2004	Diab et al.	7,376,454	B2	5/2008	Casciani et al.
6,824,520	B2	11/2004	Orr et al.	7,415,298	B2	8/2008	Casciani et al.
6,827,688	B2	12/2004	Goto et al.	2001/0000790	A1	5/2001	Delonzor et al.
6,830,711	B2	12/2004	Mills et al.	2001/0009265	A1	7/2001	Schulz et al.
6,832,987	B2	12/2004	David et al.	2001/0009398	A1	7/2001	Sekura et al.
6,842,722	B2	1/2005	David	2001/0028309	A1	10/2001	Torch
6,847,294	B1	1/2005	Lin et al.	2001/0029325	A1	10/2001	Parker
6,849,074	B2	2/2005	Chen et al.	2001/0034506	A1	10/2001	Hirschman et al.
6,853,304	B2	2/2005	Reisman et al.	2001/0037068	A1	11/2001	Goto et al.
6,870,479	B2	3/2005	Gabriel	2001/0045532	A1	11/2001	Schulz et al.
6,893,400	B2	5/2005	Kawaguchi et al.	2001/0047126	A1	11/2001	Nagai et al.
6,898,299	B1	5/2005	Brooks	2001/0048466	A1	12/2001	Takami
6,904,124	B2	6/2005	Staver et al.	2001/0051773	A1	12/2001	Oka
6,909,912	B2	6/2005	Melker	2002/0005197	A1	1/2002	DeVries et al.
6,911,027	B1	6/2005	Edwards et al.	2002/0013538	A1	1/2002	Teller
6,920,345	B2	7/2005	Al-Ali et al.	2002/0013613	A1	1/2002	Haller et al.
6,921,198	B2	7/2005	Gruszecki et al.	2002/0026107	A1	2/2002	Kiani et al.
6,923,771	B2	8/2005	Ogura et al.	2002/0026109	A1	2/2002	Diab et al.
6,923,776	B2	8/2005	Shabty et al.	2002/0032386	A1	3/2002	Sackner et al.
6,930,608	B2	8/2005	Grajales et al.	2002/0038082	A1	3/2002	Chin
6,934,570	B2	8/2005	Kiani et al.	2002/0042558	A1	4/2002	Mendelson
6,934,571	B2	8/2005	Wiesmann et al.	2002/0045807	A1	4/2002	Al-Ali et al.
6,936,011	B2	8/2005	Sheldon	2002/0049372	A1	4/2002	Diab
6,939,314	B2	9/2005	Hall et al.	2002/0052539	A1	5/2002	Haller et al.
6,943,881	B2	9/2005	Wang	2002/0052552	A1	5/2002	Yokozeki
6,955,650	B2	10/2005	Mault et al.	2002/0077535	A1	6/2002	Finarov et al.
6,965,071	B2	11/2005	Watchko et al.	2002/0082486	A1	6/2002	Lavery et al.
6,971,790	B2	12/2005	Quinn et al.	2002/0082489	A1	6/2002	Casciani et al.

2002/0082665 A1	6/2002	Haller et al.	2003/0125616 A1	7/2003	Black et al.
2002/0084904 A1	7/2002	De La Hueraga	2003/0132495 A1	7/2003	Mills et al.
2002/0087087 A1	7/2002	Oka et al.	2003/0135124 A1	7/2003	Russell
2002/0091335 A1	7/2002	John et al.	2003/0135127 A1	7/2003	Sackner et al.
2002/0091416 A1	7/2002	Wassmund et al.	2003/0137425 A1	7/2003	Gabriel
2002/0091417 A1	7/2002	Splett et al.	2003/0139641 A1	7/2003	Hoedeman et al.
2002/0095087 A1	7/2002	Mourad et al.	2003/0139656 A1	7/2003	Kiani et al.
2002/0095092 A1	7/2002	Kondo et al.	2003/0139680 A1	7/2003	Sheldon
2002/0099268 A1	7/2002	Paul et al.	2003/0143297 A1	7/2003	Mills et al.
2002/0099298 A1	7/2002	Yokozekei	2003/0144579 A1	7/2003	Buss
2002/0103445 A1	8/2002	Rahdert et al.	2003/0144584 A1	7/2003	Mendelson
2002/0109600 A1	8/2002	Mault et al.	2003/0149366 A1	8/2003	Stringer et al.
2002/0111543 A1	8/2002	Penner et al.	2003/0153834 A1	8/2003	Miller
2002/0111777 A1	8/2002	David	2003/0156288 A1	8/2003	Barnum et al.
2002/0115919 A1	8/2002	Al-Ali	2003/0159844 A1	8/2003	Wolf et al.
2002/0116797 A1	8/2002	Modgil et al.	2003/0162414 A1	8/2003	Schulz et al.
2002/0124295 A1	9/2002	Fenwick et al.	2003/0167080 A1	9/2003	Hart et al.
2002/0133066 A1	9/2002	Miller et al.	2003/0176810 A1	9/2003	Maahs et al.
2002/0133082 A1	9/2002	Ogura	2003/0181799 A1	9/2003	Lindekugel et al.
2002/0135488 A1	9/2002	Hibbs et al.	2003/0189492 A1	10/2003	Harvie
2002/0139368 A1	10/2002	Bachinski	2003/0208109 A1	11/2003	David et al.
2002/0148470 A1	10/2002	Blue et al.	2003/0208128 A1	11/2003	Hamilton et al.
2002/0151929 A1	10/2002	Goto et al.	2003/0210149 A1	11/2003	Reisman et al.
2002/0156353 A1	10/2002	Larson	2003/0212334 A1	11/2003	Ogura et al.
2002/0156354 A1	10/2002	Larson	2003/0214408 A1	11/2003	Grajales et al.
2002/0156503 A1	10/2002	Powers et al.	2003/0216659 A1	11/2003	Brawner et al.
2002/0161290 A1	10/2002	Chance	2003/0216728 A1	11/2003	Stern et al.
2002/0161305 A1	10/2002	Oka	2003/0217972 A1	11/2003	Connell et al.
2002/0161309 A1	10/2002	Marro	2003/0225323 A1	12/2003	Kiani et al.
2002/0165440 A1	11/2002	Mason et al.	2003/0229276 A1	12/2003	Sarussi et al.
2002/0165462 A1	11/2002	Westbrook et al.	2003/0230307 A1	12/2003	DeVries et al.
2002/0165590 A1	11/2002	Crowe et al.	2003/0233087 A1	12/2003	Chen et al.
2002/0173706 A1	11/2002	Takatani	2004/0002655 A1	1/2004	Bolorforosh et al.
2002/0173708 A1	11/2002	DeLonzor et al.	2004/0004547 A1	1/2004	Appelt et al.
2002/0188206 A1	12/2002	Davis et al.	2004/0007585 A1	1/2004	Griffith et al.
2002/0193692 A1	12/2002	Inukai et al.	2004/0030258 A1	2/2004	Williams et al.
2003/0004445 A1	1/2003	Hall et al.	2004/0030323 A1	2/2004	Ullestad et al.
2003/0004547 A1	1/2003	Owen et al.	2004/0035208 A1	2/2004	Diaz et al.
2003/0009083 A1	1/2003	Takahashi	2004/0036854 A1	2/2004	Fukuda et al.
2003/0009092 A1	1/2003	Parker	2004/0039254 A1	2/2004	Stivoric et al.
2003/0009119 A1	1/2003	Kamm et al.	2004/0039272 A1	2/2004	Abdul-Hafiz et al.
2003/0009308 A1	1/2003	Kirtley	2004/0044286 A1	3/2004	Hossack et al.
2003/0018243 A1	1/2003	Gerhardt et al.	2004/0044545 A1	3/2004	Wiesmann et al.
2003/0023140 A1	1/2003	Chance	2004/0047210 A1	3/2004	Iwasaki
2003/0023146 A1	1/2003	Shusterman, D.O.	2004/0054287 A1	3/2004	Stephens
2003/0023277 A1	1/2003	Owen et al.	2004/0054289 A1	3/2004	Eberle et al.
2003/0028105 A1	2/2003	Miller	2004/0054291 A1	3/2004	Schulz et al.
2003/0032887 A1	2/2003	Harada et al.	2004/0064097 A1	4/2004	Peterson
2003/0032988 A1	2/2003	Fincke	2004/0064165 A1	4/2004	Thompson
2003/0040779 A1	2/2003	Engmark et al.	2004/0082842 A1	4/2004	Lumba et al.
2003/0040820 A1	2/2003	Staver et al.	2004/0088027 A1	5/2004	Burnes et al.
2003/0045785 A1	3/2003	Diab et al.	2004/0092919 A1	5/2004	Ritchie et al.
2003/0045806 A1	3/2003	Brydon	2004/0100784 A1	5/2004	Willers et al.
2003/0050551 A1	3/2003	Shabty et al.	2004/0102931 A1	5/2004	Ellis et al.
2003/0055308 A1	3/2003	Friemel et al.	2004/0114659 A1	6/2004	Quinn et al.
2003/0062046 A1	4/2003	Wiesmann et al.	2004/0117891 A1	6/2004	Hannula et al.
2003/0065269 A1	4/2003	Vetter et al.	2004/0122302 A1	6/2004	Mason et al.
2003/0065273 A1	4/2003	Mault et al.	2004/0133088 A1	7/2004	Al-Ali
2003/0065274 A1	4/2003	Mault et al.	2004/0144391 A1	7/2004	Brady et al.
2003/0065275 A1	4/2003	Mault et al.	2004/0147822 A1	7/2004	Al-Ali et al.
2003/0066672 A1	4/2003	Watchko et al.	2004/0147823 A1	7/2004	Kiani et al.
2003/0069508 A1	4/2003	Kawaguchi et al.	2004/0147974 A1	7/2004	Engmark et al.
2003/0074037 A1	4/2003	Moore et al.	2004/0149282 A1	8/2004	Hickle
2003/0086156 A1	5/2003	McGuire, Jr.	2004/0158303 A1	8/2004	Lennox et al.
2003/0088203 A1	5/2003	Gelfand et al.	2004/0160144 A1	8/2004	Daft et al.
2003/0088385 A1	5/2003	David	2004/0162494 A1	8/2004	Ogura et al.
2003/0092999 A1	5/2003	Goto et al.	2004/0163648 A1	8/2004	Burton
2003/0097074 A1	5/2003	Oka et al.	2004/0168519 A1	9/2004	Kalvensten et al.
2003/0105403 A1	6/2003	Istvan et al.	2004/0173456 A1	9/2004	Boos et al.
2003/0116159 A1	6/2003	Orr et al.	2004/0186390 A1	9/2004	Ross et al.
2003/0120183 A1	6/2003	Simmons	2004/0221370 A1	11/2004	Hannula et al.
2003/0120271 A1	6/2003	Burnside et al.	2004/0230108 A1	11/2004	Melker et al.
2003/0122706 A1	7/2003	Choi et al.	2004/0230116 A1	11/2004	Cowan et al.

2004/0231772	A1	11/2004	Leonard et al.	2006/0009698	A1	1/2006	Banet et al.
2004/0236207	A1	11/2004	Widener et al.	2006/0011199	A1	1/2006	Rashad et al.
2004/0236224	A1	11/2004	Stringer et al.	2006/0020181	A1	1/2006	Schmitt
2004/0236242	A1	11/2004	Graham et al.	2006/0030049	A1	2/2006	Bhimani et al.
2004/0242981	A1	12/2004	Pattisapu	2006/0030767	A1	2/2006	Lang et al.
2004/0252750	A1	12/2004	Gruszecki et al.	2006/0036179	A1	2/2006	Miller
2004/0254490	A1	12/2004	Egli	2006/0047447	A1	3/2006	Brady et al.
2004/0254501	A1	12/2004	Mault	2006/0058593	A1	3/2006	Drinan et al.
2004/0254569	A1	12/2004	Brosch et al.	2006/0058690	A1	3/2006	Bartnik et al.
2004/0260161	A1	12/2004	Melker et al.	2006/0064133	A1	3/2006	Von Arx et al.
2004/0260191	A1	12/2004	Stubbs et al.	2006/0064134	A1	3/2006	Mazar et al.
2004/0263337	A1	12/2004	Terauchi et al.	2006/0064142	A1	3/2006	Chavan et al.
2004/0267104	A1	12/2004	Hannula et al.	2006/0064143	A1	3/2006	Von Arx et al.
2004/0267145	A1	12/2004	David et al.	2006/0072645	A1	4/2006	Quinn et al.
2005/0001728	A1	1/2005	Appelt et al.	2006/0074283	A1	4/2006	Henderson et al.
2005/0012617	A1	1/2005	DiSilvestro et al.	2006/0074324	A1	4/2006	Wu et al.
2005/0015653	A1	1/2005	Hajji et al.	2006/0084848	A1	4/2006	Mitchnick
2005/0017864	A1	1/2005	Tsoukalis	2006/0084852	A1	4/2006	Mason et al.
2005/0020919	A1	1/2005	Stringer et al.	2006/0085227	A1	4/2006	Rosenfeld et al.
2005/0027207	A1	2/2005	Westbrook et al.	2006/0095032	A1	5/2006	Jackson et al.
2005/0029432	A1	2/2005	Bacarella et al.	2006/0100496	A1	5/2006	Avron
2005/0041531	A1	2/2005	Sekura	2006/0100530	A1	5/2006	Kliot et al.
2005/0043599	A1	2/2005	O'Mara	2006/0100618	A1	5/2006	Chan et al.
2005/0043763	A1	2/2005	Marcovecchio et al.	2006/0122517	A1	6/2006	Banet et al.
2005/0046575	A1	3/2005	Cooper et al.	2006/0122520	A1	6/2006	Banet et al.
2005/0049465	A1	3/2005	Wang	2006/0124128	A1	6/2006	Deane et al.
2005/0049501	A1	3/2005	Conero et al.	2006/0125623	A1	6/2006	Appelt et al.
2005/0059869	A1	3/2005	Scharf et al.	2006/0132382	A1	6/2006	Jannard
2005/0070776	A1	3/2005	Mannheimer et al.	2006/0133362	A1	6/2006	Stein et al.
2005/0070778	A1	3/2005	Lackey et al.	2006/0142640	A1	6/2006	Takahashi
2005/0070813	A1	3/2005	Donofrio et al.	2006/0149132	A1	7/2006	Iddan
2005/0075550	A1	4/2005	Lindekugel	2006/0149339	A1	7/2006	Burnes et al.
2005/0080345	A1	4/2005	Finburgh et al.	2006/0167351	A1	7/2006	Isaacson et al.
2005/0085799	A1	4/2005	Luria et al.	2006/0173247	A1	8/2006	Medina
2005/0090754	A1	4/2005	Wolff et al.	2006/0183980	A1	8/2006	Yang
2005/0096557	A1	5/2005	Vosburgh et al.	2006/0184051	A1	8/2006	Hempstead et al.
2005/0102167	A1	5/2005	Kapoor	2006/0189859	A1	8/2006	Kiani et al.
2005/0113650	A1	5/2005	Pacione et al.	2006/0195026	A1	8/2006	Casciani et al.
2005/0113656	A1	5/2005	Chance	2006/0195027	A1	8/2006	Casciani et al.
2005/0113703	A1	5/2005	Farringdon et al.	2006/0195028	A1	8/2006	Hannula et al.
2005/0114154	A1	5/2005	Wolkowicz et al.	2006/0211929	A1	9/2006	Casciani et al.
2005/0154299	A1	7/2005	Hector et al.	2006/0211942	A1	9/2006	Hector et al.
2005/0171576	A1	8/2005	Williams et al.	2006/0217604	A1	9/2006	Fein et al.
2005/0182458	A1	8/2005	Goedeke	2006/0217605	A1	9/2006	Fein et al.
2005/0188991	A1	9/2005	Sun et al.	2006/0217606	A1	9/2006	Fein et al.
2005/0190068	A1	9/2005	Gentry et al.	2006/0217607	A1	9/2006	Fein et al.
2005/0197548	A1	9/2005	Dietiker	2006/0217608	A1	9/2006	Fein et al.
2005/0197550	A1	9/2005	Al-Ali et al.	2006/0224040	A1	10/2006	Khait et al.
2005/0206518	A1	9/2005	Welch et al.	2006/0224326	A1	10/2006	St. Ores et al.
2005/0215847	A1	9/2005	Heruth et al.	2006/0224421	A1	10/2006	St. Ores et al.
2005/0215880	A1	9/2005	Harrison et al.	2006/0229510	A1	10/2006	Fein et al.
2005/0215947	A1	9/2005	Heruth et al.	2006/0229511	A1	10/2006	Fein et al.
2005/0216064	A1	9/2005	Heruth et al.	2006/0229517	A1	10/2006	Lin et al.
2005/0216199	A1	9/2005	Banet	2006/0241358	A1	10/2006	Al-Ali et al.
2005/0222522	A1	10/2005	Heruth et al.	2006/0241384	A1	10/2006	Fisher et al.
2005/0222643	A1	10/2005	Heruth et al.	2006/0241510	A1	10/2006	Halperin et al.
2005/0228234	A1	10/2005	Yang	2006/0247504	A1	11/2006	Tice
2005/0228296	A1	10/2005	Banet	2006/0253010	A1	11/2006	Brady et al.
2005/0228297	A1	10/2005	Banet et al.	2006/0253953	A1	11/2006	Williams
2005/0231686	A1	10/2005	Rathjen	2006/0258922	A1	11/2006	Mason et al.
2005/0234312	A1	10/2005	Suzuki et al.	2006/0264722	A1	11/2006	Hannula et al.
2005/0234317	A1	10/2005	Kiani	2006/0264723	A1	11/2006	Hannula et al.
2005/0234518	A1	10/2005	Heruth et al.	2006/0264724	A1	11/2006	Hannula et al.
2005/0240087	A1	10/2005	Keenan et al.	2006/0264725	A1	11/2006	Hannula et al.
2005/0245797	A1	11/2005	Al-Ali et al.	2006/0264726	A1	11/2006	Mannheimer et al.
2005/0256523	A1	11/2005	Chen et al.	2006/0264727	A1	11/2006	Mannheimer et al.
2005/0261594	A1	11/2005	Banet	2006/0264771	A1	11/2006	Lin et al.
2005/0268916	A1	12/2005	Mumford et al.	2006/0276700	A1	12/2006	O'Neil et al.
2005/0272986	A1	12/2005	Smith et al.	2006/0276701	A1	12/2006	Ray
2005/0277819	A1	12/2005	Kiani et al.	2006/0281984	A1	12/2006	Mannheimer et al.
2005/0277821	A1	12/2005	Payne	2007/0032732	A1	2/2007	Shelley et al.
2005/0283082	A1	12/2005	Geddes et al.	2007/0149871	A1	6/2007	Sarussi et al.
2006/0009685	A1	1/2006	Finarov et al.	2007/0293746	A1	12/2007	Sarussi et al.

2008/0009691 A1 1/2008 Parker
 2008/0076988 A1 3/2008 Sarussi et al.
 2008/0076990 A1 3/2008 Sarussi et al.

FOREIGN PATENT DOCUMENTS






CN 1657007 8/2005
 DE 3705493 8/1988
 DE 3744781 A1 1/1989
 DE 3810411 A1 10/1989
 DE 3927038 2/1991
 DE 4429845 C1 10/1995
 DE 19541605 A1 5/1997
 DE 19939302 5/2001
 DE 10029205 1/2002
 EP 0268850 6/1988
 EP 0 313 238 A1 10/1988
 EP 0338518 10/1989
 EP 0463620 1/1992
 EP 0 573 137 A1 2/1993
 EP 0543172 A2 5/1993
 EP 0 572 684 A1 8/1993
 EP 0578530 1/1994
 EP 0580385 A1 1/1994
 EP 0621026 A2 10/1994
 EP 0631756 1/1995
 EP 0665025 A2 8/1995
 EP 0 721 110 A1 7/1996
 EP 1 683 478 A1 10/1999
 EP 0 695 139 A1 12/1999
 EP 0996063 4/2000
 EP 1048323 A2 11/2000
 EP 1 169 965 A1 6/2001
 EP 1130412 A2 9/2001
 EP 0775311 B1 7/2002
 FR 2555744 5/1985
 FR 002601137 A1 1/1988
 GB 834469 5/1960
 GB 2135074 A 8/1984
 GB 2390903 A 1/2004
 JP 55024614 A 2/1980
 JP 07336597 A 12/1985
 JP 04057161 A 2/1992
 JP 08111295 A 4/1996
 JP 08112257 A 5/1996
 JP 08336546 A 12/1996
 JP 09010319 A 1/1997
 JP 9154937 A 6/1997
 JP 10314149 A 12/1998
 JP 11259583 A 9/1999
 JP 2000/189440 A 7/2000
 JP 2001/161648 A 6/2001
 JP 2001-190498 A 7/2001
 JP 2001-308576 A 11/2001
 JP 2001-332832 A 11/2001
 JP 2001/346775 A 12/2001
 JP 2002/065647 A 3/2002
 JP 2003/210402 A 7/2003
 JP 2003/235813 A 8/2003
 JP 2003/265425 A 9/2003
 JP 2004-16659 A 1/2004




JP 2004/065832 A 3/2004
 JP 2004/121549 A 4/2004
 JP 2004258761 A 9/2004
 JP 2005/013612 A 1/2005
 JP 2005/110816 A 4/2005
 JP 2005/111187 A 4/2005
 JP 2005/143782 A 5/2005
 JP 2005/168600 A 6/2005
 JP 2005/266860 A 9/2005
 JP 2006/061178 A 3/2006
 JP 2006/066512 A 3/2006
 JP 2006/122693 A 5/2006
 KR 2003-195176 8/2002
 KR 2005-292552 12/2004
 RU 2000-337592 C1 6/1999
 RU 2132204 6/1999
 WO WO9001293 2/1990
 WO WO9111137 8/1991
 WO WO 91/15151 A1 10/1991
 WO WO 91/18550 12/1991
 WO WO 92/20273 11/1992
 WO WO 95/06430 3/1995
 WO WO9512349 5/1995
 WO WO 96/15714 5/1996
 WO WO 96/16591 A1 6/1996
 WO WO 96/41138 A1 12/1996
 WO WO 97/20494 6/1997
 WO WO 97/20497 A1 6/1997
 WO WO9817174 4/1998
 WO WO 99/63883 12/1999
 WO WO0059374 10/2000
 WO WO 00/78209 A1 12/2000
 WO WO 01/01855 A1 1/2001
 WO WO 01/17425 A2 3/2001
 WO WO0176471 10/2001
 WO WO 01/87224 A1 11/2001
 WO WO 02/15784 A1 2/2002
 WO WO 02/065901 A2 8/2002
 WO WO 02/66977 A1 8/2002
 WO WO 02/89664 11/2002
 WO WO 02/89664 A2 11/2002
 WO WO 03/026558 A2 4/2003
 WO WO 03/057030 A1 7/2003
 WO WO03071928 9/2003
 WO WO 03/080152 A1 10/2003
 WO WO 2004/030480 A1 4/2004
 WO WO 2004/046673 A1 6/2004
 WO WO 2004/084720 A2 10/2004
 WO WO 2005/046466 A1 5/2005
 WO WO 2005/079663 A1 9/2005
 WO WO 2006/007231 1/2006
 WO WO 2006/017117 A1 2/2006
 WO WO 2006/021956 A2 3/2006
 WO WO 2006/094108 A1 8/2006







OTHER PUBLICATIONS

U.S. Appl. No. 10/779,331, filed Feb. 13, 2004 Hannula et al.
 U.S. Appl. No. 11/358,868, filed Feb. 21, 2006 Hannula et al.

* cited by examiner







HAT-BASED OXIMETER SENSOR**CROSS REFERENCE TO RELATED APPLICATIONS**

This application is a continuation of U.S. application Ser. No. 11/358,868 filed Feb. 21, 2006, the specification of which is hereby incorporated by reference in its entirety, which is a divisional of prior U.S. application Ser. No. 10/606,668, filed Jun. 25, 2003, now U.S. Pat. No. 7,047,056 issued May 16, 2006, the specification of which is incorporated by reference in its entirety.

BACKGROUND OF THE INVENTION**1. Field of the Invention**

The present invention relates to optical oximeter sensors, and in particular to hat-based pulse oximeter sensors.

Many types of optical sensors are used to measure physiological characteristics of a patient. Typically, an optical sensor provides emitted light which is then scattered through a portion of a patient's tissue and detected. Various characteristics of a patient can be determined from analyzing such light, such as oxygen saturation, pulse rate, tissue bilirubin, etc.

Pulse oximetry is typically used to measure various blood flow characteristics including, but not limited to, the blood-oxygen saturation of hemoglobin in arterial blood, the volume of individual blood pulsations supplying the tissue, and the rate of blood pulsations corresponding to each heartbeat of a patient. Measurement of these characteristics has been accomplished by use of a non-invasive sensor which scatters light through a portion of the patient's tissue where blood perfuses the tissue, and photoelectrically senses the absorption of light in such tissue. The amount of light absorbed is then used to calculate the amount of blood constituent being measured.

The light scattered through the tissue is selected to be of one or more wavelengths that are absorbed by the blood in an amount representative of the amount of the blood constituent present in the blood. The amount of transmitted light scattered through the tissue will vary in accordance with the changing amount of blood constituent in the tissue and the related light absorption. For measuring blood oxygen level, such sensors have typically been provided with a light source that is adapted to generate light of at least two different wavelengths, and with photodetectors sensitive to both of those wavelengths, in accordance with known techniques for measuring blood oxygen saturation.

Known non-invasive sensors include devices that are secured to a portion of the body, such as a finger, an ear or the scalp. In animals and humans, the tissue of these body portions is perfused with blood and the tissue surface is readily accessible to the sensor.

Certain types of oximeter sensors are applied to a patient's forehead. To aid in the sensor's proper placement and the proper application of pressure by the sensor to the forehead site, some forehead sensors are maintained at the forehead site by either the assistance of an adhesive layer and/or a headband. While these approaches are helpful, there is still a need for an improved and easy way of placing, retaining, and locating the sensor on the forehead of its user.

BRIEF SUMMARY OF THE INVENTION

The present invention provides an oximeter sensor which will attach to a patient's forehead in an improved manner. In

certain embodiments, the securing of the sensor to the forehead of the patient is achieved by attaching the sensor to the inside of hat which is worn by the patient when the sensor is in use.

In one embodiment, the present invention is an oximeter sensor, having: a substrate having a shape similar to a shape of at least a portion of a patient's forehead and including a section adapted to substantially fit over a portion of a forehead of a patient; an emitter disposed on the substrate at a position located on the section; and a detector disposed on the substrate at a distance from the emitter.

In one embodiment, the substrate is resilient and has a shape conformable to the forehead of a patient.

In one embodiment, the substrate includes an adhesive layer for adhering to the forehead of a patient.

In one embodiment, a hat is used for holding the sensor against the patient's forehead.

In one embodiment, the substrate is adhered to the inside of said hat.

In one embodiment, the substrate is adhesively attached to the inside of the hat. Alternately, the substrate is sewn into the hat.

In another embodiment, the present invention provides a method for determination of a blood characteristic, including: applying an emitter and a detector to spaced-apart positions on a forehead of a patient in the lower forehead region, above the eyebrow, with both the detector and the emitter placed above and predominantly lateral of the iris; securing the emitter and detector to the patient; emitting electromagnetic radiation with the emitter; detecting electromagnetic radiation scattered by the tissues of the forehead by the detector and producing a detector signal; and determining a blood characteristic in the patient from the detector signal.

In one embodiment, the securing of the emitter and the detector to the patient's forehead is achieved by attaching the emitter and the detector to an inside of a hat, and placing the hat on the head of the patient.

For a further understanding of the nature and advantages of the present invention, reference should be made to the following description in conjunction with the accompanying drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

FIGS. 1A-1E are assembly drawings of an embodiment of the sensor in accordance with the present invention that can be placed within a hat or cap.

FIGS. 2A-2C are drawings of a stocking hat, with an embodiment of the sensor in accordance with the present invention shown mounted in the hat.

FIGS. 3A-3F are assembly drawings of an embodiment of the sensor of FIGS. 1 or 2.

DETAILED DESCRIPTION OF THE INVENTION

The embodiments of the present invention are directed towards configuring a reflectance-type oximeter sensor for placement in a hat in order to provide a relatively easy means of placing, retaining, and locating the sensor on the forehead of the user. With regard to the location of the sensor on the patient's forehead, it is preferred to have the sensor be located on the lower forehead region, above the eyebrow, with the sensor optics (emitter and detector) located above and predominantly lateral to or centered over the iris. The oximeter sensor can be attached to the inside band of a hat. The precise location of the reflectance sensor in the hat allows appropriate placement of the sensor in the optimal forehead location by a

user not skilled in sensor placement. It has been found that the placement of a reflectance forehead sensor is a factor in the accurate determination of a blood flow characteristic, due to the vasculature of the forehead. In addition, it has been shown that having a certain amount of pressure on the forehead sensor can reduce the incidence of venous pulsations effects on the oximeter reading. The placement of the sensor in the band of the hat would minimize these issues, as the placement of a hat is fairly repeatable and predictable. A hat-based oximeter sensor as embodied by the present invention can be used on patients in clinical settings, or by athletes, soldiers, firemen, or in any environment where information related to a physiological parameter, such as heart rate or oxygen saturation information is desired.

FIGS. 1A-1E are assembly drawings of an embodiment of the sensor in accordance with the present invention that can be placed within a hat or cap. This figure shows an oximeter sensor placed on a substrate **102** that can be placed or adhered to the inside of a hat **104**. In the hat-based embodiment, the sensor uses an emitter **106** containing two discrete wavelengths and a detector **108** placed more than 2 mm away, and ideally 10 mm-15 mm from the emitter. The surface **102** can be black in order to minimize any shunting of light between sensor and patient skin. The sensor in a hat could be used in conjunction with a small, portable oximeter to allow mobility of the user during activities. Similarly, the sensor could be incorporated into a headband. Alternately, it may be desirable to provide a sensor with adhesive backing that would allow the user to place the sensor in a hat of their choice. Also shown in FIG. 1 is a cable **110** for providing drive current to the LED and for providing the detector signal to the oximeter. The cable provides the electrical connection to the monitor; it also provides power for the emitter, signal carrying conductors from the detector, and shielding to protect the small signals from the detector against external electrical interference.

The sensor is shown in a multi-layer structure having a face portion **112**. The face **112** is the surface that is placed against the patient's skin. The face material may have an adhesive layer such as an acrylic or synthetic rubber adhesive, or it may be without adhesive, and typically made from a foam PVC or foam polyurethane material. The face **112** component is preferably black so as to minimize the incidence of reflected light that does not go through the tissue. Below the face layer **112** are two windows **114**. The windows **114** are generally a clear component, such as for example, a thin film or a clear molded plastic component that makes contact with the skin. The thin film window may be a polyurethane or an acrylic adhesive on a polyester film. The intent of the window **114** is to provide an efficient optical coupling mechanism between the optical components (emitter and detector) and the skin. Located above the face **114**, is a Faraday shield **116**. The Faraday shield **116** is a conductive material, for example, a copper film or copper mesh, that is electrically connected to the monitor ground to help shield the detector from extraneous electrical interference while passing light to the detector. Next located are the LED **106** and the detector **108**. Above the LED and the detector is a mask layer, which may include more than one mask layer. The mask layer **118** is generally a thin film that is intended to block light from entering the back side of the sensor, or from traveling directly from emitter to detector (shunt light). The purpose of the mask **118** is to ensure that all of the light reaching the detector is light from the emitter that has traveled through the capillary bed. Above the mask layer **118** is the back layer **120**. The back or the top layer is the non-tissue contacting surface of the sensor. This layer may include a cosmetic finish for the sensor, which can be white with some printed artwork identifying the sensor. Typical

materials may be Velcro loop, or soft PVC foam. In a case where the sensor is mounted inside a hat or cap, the top layer is sometimes referred to as the back layer. In this case, the back layer may include a double stick adhesive so that it can be mounted inside the hat.

FIGS. 2A-2C shows a stocking hat, with an embodiment of the sensor in accordance with the present invention shown mounted in the hat. This alternate embodiment of the present invention, is directed towards the placement of a small reflectance sensor **202** in a stocking cap or beanie **204**. FIG. 2 shows the sensor carrier layer **202** holding an LED **206** and a detector **208** and a cable **210**, similar to the ones described above in conjunction with FIG. 1. This embodiment may be used for neonates. This embodiment would allow easy placement of a sensor on the forehead of a patient while applying a predictable pressure on the sensor. The sensor in a hat also resolves a concern about the cosmetic appearance of having a sensor on the forehead of the patient. A sensor in a stocking cap is much more acceptable to a parent than having a sensor located on the forehead. Depending on the tension of the stocking cap, provided by its own stretchiness or by an adjustable integral headband strap, the sensor may have a light tack adhesive, or no adhesive at all. The lack of an adhesive layer is a desirable feature, especially on neonates as adhesives may sometimes leave visible damage to the fragile skin of a neonate.

FIGS. 3A-3F are assembly drawings for an embodiment of the sensor of FIGS. 1 or 2. FIGS. 3A-3F show that the sensor portion generally includes a face layer **302**, a top layer **304** and a flex circuit **306** that is placed between the face and top layers. Also shown in FIG. 3 is a multi-layer unassembled view showing the relative positions of the face **302**, flex circuit **306**, a cable **308** and the top layer **304**. The flex circuit layer **306** holds the emitter (LED) **310** and the detector **312** as well as the mask layer **314** and Faraday shield as described above. The flex circuit **306** also has several holes **316** to allow for electrical connections between the leads in the cable and the LED and the detector.

As will be understood by those skilled in the art, the present invention may be embodied in other specific forms without departing from the essential characteristics thereof. For example, the sensor may include adhesive layers for adhering to the inside of a hat or the user's skin, or that that the sensor may be sewn into the hat. These other embodiments are intended to be included within the scope of the present invention, which is set forth in the following claims.

What is claimed is:

1. A sensor comprising:

a stocking cap;

a substrate disposed on the stocking cap;

at least one sensing component disposed on the substrate; and

an electrical connector disposed on the substrate, wherein the electrical connector extends from the substrate through an open portion of the stocking cap configured to be proximate to a top of the stocking cap when the stocking cap is applied to the patient.

2. The sensor of claim 1, wherein the substrate is conformable to a forehead-contacting surface of the stocking cap.

3. The sensor of claim 1, wherein the substrate is adapted to be attached to the stocking cap.

4. The sensor of claim 1, wherein the substrate comprises an adhesive layer adapted to attach the substrate to the stocking cap.

5. The sensor of claim 1, wherein the stocking cap comprises a neonatal stocking cap.

5

6. The sensor of claim 1, wherein the at least one sensing component is adapted to be attached to a forehead-contacting surface of the stocking cap.

7. The sensor of claim 1, wherein the stocking cap comprises an opening adapted to accommodate the the at least one sensing component.

8. The sensor of claim 7, wherein the opening comprises a hole or a pocket.

9. The sensor of claim 1, wherein the electrical connector is secured by a portion of the stocking cap.

10. The sensor of claim 1, wherein at least a portion of the electrical connector comprises a flexible circuit.

11. The sensor of claim 1, wherein the at least a portion of the electrical connector comprises a cable.

12. The sensor of claim 1, wherein the sensing component comprises at least one of an emitter or a detector.

13. The sensor of claim 1, wherein the stocking cap is configured to position the substrate at a predetermined position on the patient's forehead.

14. The sensor of claim 13, wherein the predetermined position comprises a lower forehead region.

15. The sensor of claim 13, wherein the predetermined position comprises a position substantially centering the sensing component above a patient's iris.

16. A method of manufacturing a cap-based sensor comprising:

providing a stocking cap;

providing a substrate;

providing at least one sensing component disposed on the substrate; and

providing an electrical connector disposed on the substrate, wherein the electrical connector extends from the substrate through an open portion of the stocking cap configured to be proximate to a top of the stocking cap when the stocking cap is applied to the patient.

17. The method of claim 16, wherein the substrate is conformable to a forehead-contacting surface of the stocking cap.

18. The method of claim 16, wherein the substrate is adapted to be attached to the stocking cap.

19. The method of claim 16, comprising providing an adhesive layer adapted to attach the substrate to the stocking cap.

20. The method of claim 16, wherein the stocking cap comprises a neonatal stocking cap.

6

21. The method of claim 16, wherein the at least one sensing component is adapted to be attached to a forehead-contacting surface of the stocking cap.

22. The method of claim 16, comprising providing an opening adapted to accommodate the at least one sensing component.

23. The method of claim 22, wherein the opening comprises a hole or a pocket.

24. The method of claim 16, wherein the electrical connector is secured by a portion of the stocking cap.

25. The method of claim 16, wherein at least a portion of the electrical connector comprises a flexible circuit.

26. The method of claim 16, wherein the at least a portion of the electrical connector comprises a cable.

27. The method of claim 16, wherein the at least one sensing component comprises at least one of an emitter or a detector.

28. The method of claim 16, comprising configuring the stocking cap to position the substrate at a predetermined position on the patient's forehead.

29. The method of claim 28, wherein the predetermined position comprises a lower forehead region.

30. The method of claim 28, wherein the predetermined position comprises a position substantially centering the sensing component above a patient's iris.

31. A method comprising:

applying a stocking cap to a patient, wherein the stocking cap comprises:

a substrate;

at least one sensing component disposed on the substrate; and

an electrical connector disposed on the substrate, wherein the electrical connector extends from the substrate through an open portion of the stocking cap configured to be proximate to a top of the stocking cap when the stocking cap is applied to the patient.

32. The method of claim 31, wherein the electrical connector is secured by a portion of the stocking cap.

33. The method of claim 31, wherein at least a portion of the electrical connector comprises a flexible circuit.

34. The method of claim 31, wherein the at least a portion of the electrical connector comprises a cable.

* * * * *

专利名称(译)	基于帽子的血氧计传感器		
公开(公告)号	US7877127	公开(公告)日	2011-01-25
申请号	US11/494435	申请日	2006-07-26
[标]申请(专利权)人(译)	HANNULA DON MANNHEIMER PAUL		
申请(专利权)人(译)	HANNULA DON MANNHEIMER PAUL		
当前申请(专利权)人(译)	COVIDIEN LP		
[标]发明人	HANNULA DON MANNHEIMER PAUL		
发明人	HANNULA, DON MANNHEIMER, PAUL		
IPC分类号	A61B5/1455 A61B5/00		
CPC分类号	A61B5/14552 A61B5/6804 A61B5/6814 A61B5/6833 A61B5/14553 A61B2503/06		
其他公开文献	US20060264724A1		
外部链接	Espacenet USPTO		

摘要(译)

一种使用方法和改进的血氧计传感器基板，其符合患者前额的形状。在一个实施例中，本发明是一种血氧计传感器，其具有基板，该基板的形状类似于患者前额的至少一部分的形状，并且包括适于基本上装配在患者前额的一部分上的部分；发射器，设置在基板上位于该部分上的位置；探测器设置在距离发射器一定距离的基板上。在一个实施例中，基板包括帽子，该帽子以间隔开的方式将发射器和检测器保持在患者的前额上。

