



(19) **United States**

(12) **Patent Application Publication**
Rothman et al.

(10) **Pub. No.: US 2012/0108913 A1**

(43) **Pub. Date: May 3, 2012**

(54) **SYSTEMS AND METHODS FOR PROVIDING
A CONTINUAL MEASUREMENT OF
HEALTH**

Publication Classification

(51) **Int. Cl.**
A61B 5/00 (2006.01)

(75) Inventors: **Michael Rothman**, Hopewell
Junction, NY (US); **Steven
Rothman**, Sarasota, FL (US)

(52) **U.S. Cl.** **600/300**

(73) Assignee: **Rothman Healthcare
Corporation**, Sarasota, FL (US)

(57) **ABSTRACT**

(21) Appl. No.: **13/346,180**


(22) Filed: **Jan. 9, 2012**

A system for improving hospital patient care by generating a Health Score. The system includes an interface module for receiving incoming medical data from a patient, a transformation module for transforming each of the medical datum into a transformed Health Score value, and a combination module for combining the transformed Health Score values corresponding to each of the medical datum into a single Health Score. A presentation and comparison module displays the Health Score as a Health Score plot over a predetermined time frame, such that a user may identify health trends in a patient by evaluating said Health Score plot.

Related U.S. Application Data

(63) Continuation of application No. 11/362,450, filed on Feb. 24, 2006, now Pat. No. 8,092,380.

(60) Provisional application No. 60/657,365, filed on Feb. 28, 2005.






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12

SYSTEMS AND METHODS FOR PROVIDING A CONTINUAL MEASUREMENT OF HEALTH

RELATED APPLICATIONS

[0001] This application is a continuation of U.S. Ser. No. 11/362,450, filed Feb. 24, 2006, which claims the benefit of U.S. Provisional Application Ser. No. 60/657,365, filed on Feb. 28, 2005, the entirety of these applications is incorporated herein by reference.

FIELD

[0002] The present invention relates to a system and method for improving hospital patient care. More particularly, the present invention relates to a system and method for providing a continual measurement and display of each patient's health.

BACKGROUND

[0003] One of the major problems in delivery of effective medical treatment in hospitals is the quality and continuity of patient care. A typical patient, undergoing a serious procedure in a hospital, may easily see five or more physicians during a stay, and also many nurses and other supporting personnel. Maintaining a complete medical record for each patient ("charting") swallows huge amounts of nursing time without providing any guidance to the medical staff on how to improve the patient's care. The present state of the art in medical care within hospitals makes very little use of the medical record, which is so bulky and awkward that it can only be quickly perused by doctors on their rounds. Such reading of the chart makes it almost impossible to evaluate treatment modalities, or to detect a patient's declining health in time for intervention (before a crisis).

[0004] During a week's hospital stay, each patient may see many doctors and many nurses. This makes it extremely difficult to provide continuity of care. Every different caregiver must understand the medical record to give the patient optimum care, but the form and content of present-day medical charting provides no help. Each subsequent physician, whether a consultant or a shift replacement, is ill-prepared by current methods to obtain a correct overall medical status of the patient, thus posing a danger to the continued care of the patient, particularly in the recovery stages after serious operations.

[0005] For example, an attending physician, while making rounds in a hospital, may stop in on a patient, see that the patient has good color and is sitting up in bed, and thusly satisfied, goes on to his next appointment. However, if that patient had been walking up and down the corridors two days ago, and now cannot get out of bed, there is a problem. The patient may be experiencing a major and potentially life-threatening complication.

[0006] The essence of this problem is that, although all the medical information is recorded, it is not easily understood. After just a few days in the hospital, a patient may have twenty or even one hundred pages in their hospital record, including physician progress reports, nursing evaluations, records of vital signs, test results, heart monitoring information, and so on. However, even if every doctor and nurse who saw the patient were fully aware of the material in this record, it would not be enough to allow for the best medical care because it is very difficult to detect trends in such voluminous data.

[0007] The result of this arrangement has been to allow a number of patients in recovery, post-operation or procedure, to deteriorate to the point of medical crisis before addressing their problems. This causes a serious drain to the resources of the hospital, and much unnecessary pain and suffering, even death. It is particularly bothersome because many of the conditions that lead to such crises can easily be avoided if the failing condition of a patient were discovered hours or days earlier.

[0008] One thing that a few hospitals have done is to employ an Early Warning System (EWS) as a means for deciding whether a patient needs to be transferred to the ICU. Other hospitals have developed a Modified Early Warning System (MEWS). Both existing systems typically use a small number of factors such as pulse, blood pressure, temperature, and respiratory rate. For each factor, a partial score is given, and all of these are then tabulated into a total score, which in turn is expressed as a binary recommendation: whether or not to move the patient into the ICU; no other action is suggested, no other information is obtained.

[0009] Such systems determine a patient's need to be transferred to the ICU by providing an emergency alert. However, these systems do not provide assistance to the doctor or nurse in helping to anticipate and thereby avoid medical crises, nor are they helpful to the clinical researcher in evaluating the efficacy of procedures and treatments. They convey no health trend information. Also, they are limited in the number of factors analyzed and thus are not very sensitive to general health conditions. For example, in the above-described example of a patient sitting up and alert in bed, this type of evaluation completely misses the patient's declining health. Because the patient still does have acceptable vital signs, he is not moved to the ICU, and neither the EWS, nor the MEWS, would generate an alert. However, if during the two previous days, this same patient had been walking around the hospital halls, but is now not able to rise from a bed, an important medical decline has happened, possibly one that will lead to a medical crisis if not attended to, even though his major vital signs are still acceptable. Our invention addresses these omissions, providing new continual, sensitive tools for improving medical care.

SUMMARY

[0010] The present invention overcomes the drawbacks associated with the prior art by providing a system and method for continually tracking the health of a patient in a hospital. One advantage of such a system is, in general, to allow physicians and nurses and clinical researchers to provide more effective health care for each patient, especially those spending several days in a hospital. A second advantage is that hospitals can avoid errors and reduce crisis management by using the invention's capability to detect trends in a patient's health before the patient reaches a crisis point. Recognizing a serious decline soon enough to administer proper treatment is a life-saving benefit. A third advantage is that such a system gives physicians and nurses a way in which to get the "big picture" of a patient's condition and absorb in a glance perhaps 100 pages of a patient's medical records. This deeper understanding, along with this new capability to detect health trends, both short-term (over the space of hours), and long-term (over the space of days), is extremely important in delivery of effective medical care. A fourth advantage is to enable an entirely new field of scientific study, where medical

and surgical treatments can be evaluated by the new measurements provided by this invention.

[0011] The present invention generates a new measurement of health, herein termed the patient "Health Score" which is continually plotted and displayed to show each patient's medical progress during his hospital stay. This invention may prove to be a vital aid for improving the quality and continuity of medical care.

[0012] To this end the present invention provides a system for improving hospital patient care by generating a Health Score. The system includes an interface module for receiving incoming medical data from a patient, a transformation module for transforming each of the medical datum into a transformed Health Score value, and a combination module for combining the transformed Health Score values corresponding to each of the medical datum into a single Health Score. A presentation and comparison module displays the Health Score as a Health Score plot over a predetermined time frame, such that a user may identify health trends in a patient by evaluating said Health Score plot.

BRIEF DESCRIPTION OF THE DRAWINGS

[0013] For the purpose of illustrating the invention, there are shown in the drawings several forms, which are presently preferred, it being understood, however, that the invention is not limited to the precise arrangements and instrumentalities shown.

[0014] FIG. 1 is a logical diagram of the Health Score system, in accordance with one embodiment of the present invention;

[0015] FIG. 2 is an installation arrangement of the Health Score system as shown in FIG. 1, in accordance with one embodiment of the present invention;

[0016] FIG. 3 is a flow chart of the generation of a Health Score chart, using the Health Score system illustrated in FIG. 1, in accordance with one embodiment of the present invention;

[0017] FIG. 4 is a sample Health Score chart, in accordance with one embodiment of the present invention;

[0018] FIG. 5 is a sample Health Score chart as shown in FIG. 4 with additional pre-operation information, in accordance with one embodiment of the present invention;

[0019] FIG. 6 is a sample Health Score chart as shown in FIG. 4 with additional statistical reference curves, in accordance with one embodiment of the present invention;

[0020] FIG. 7 is a sample Health Score chart as shown in FIG. 4 with additional principal corresponding measurement curves, in accordance with one embodiment of the present invention;

[0021] FIG. 8 is a sample Health Score chart as shown in FIG. 4 with additional principal corresponding measurement curves, in accordance with one embodiment of the present invention;

[0022] FIG. 9 is a sample Health Score chart as shown in FIG. 4 with additional component expansion window, in accordance with one embodiment of the present invention;

[0023] FIG. 10 is a sample Health Score chart as shown in FIG. 4 with additional slope lines, in accordance with one embodiment of the present invention;

[0024] FIG. 11 is a panel of Health Score charts as shown in FIG. 4, in accordance with one embodiment of the present invention; and

[0025] FIG. 12 is a chart showing the correlation between patient Health Scores and rate of expiration, in accordance with one embodiment of the present invention.

DETAILED DESCRIPTION

[0026] In one embodiment of the present invention, a Health Score system 10 is provided for generating and presenting a Health Score chart. The newly invented Health Score is a medical reference "figure-of-merit" that is used by a physician or nurse to track the patient's health before, during or after a medical procedure or illness, in order to assist in preventing that patient from reaching a health crisis. When used in this manner, the Health Score chart enables the attending physicians and nurses to detect trends in the patient's health over time, particularly in evaluating post-operative recovery in the hospital. It also provides a statistically significant "outcome" for both clinical studies and retrospective studies of the relative efficacies among various surgical procedures or techniques, and among medical treatments and drugs.

[0027] In addition to short term intensive use of the Health Score system 10, a similar modified form may be used on a long term basis by regular general practitioners or other health care facilities such as nursing homes. For example, as it stands, yearly physicals are usually accompanied by a series of medical measurements of the patient. Entering such data in Health Score system 10 may be useful in spotting long term declining health trends, even if none of the particular medical conditions have reached a crisis level.

[0028] To generate and present the Health Score, as illustrated in FIG. 1, system 10 maintains an interface module 12, a collection module 14, a transformation module 16, a combination module 18, a presentation and comparison module 20, an alert module 22, and a storage module 24.

[0029] Interface module 12 is configured to obtain raw medical input, either directly from patient monitoring devices, or from attending physicians or nurses. Collection module 14 collects the raw medical data from interface module 12, and further collects additional material from storage module 24, including the patient's historical medical data as well as other required general medical data (optional statistics). The raw medical data is transmitted to transformation module 16, and the stored and historical medical data is sent to presentation and comparison module 20.

[0030] Transformation module 16 receives incoming raw medical data and converts this data into a usable format for generating the patient's Health Score. Transformation module 16 converts raw medical data into a form that will allow different types of data to be combined. The transformed data is then sent to combination module 18, which in turn generates a patient's Health Score, using a predetermined algorithm.

[0031] Presentation and comparison module 20 receives the calculated Health Score and prepares a Health Score chart 100, plotting the patient's Health Score as a function of time. Alert module 22, generates an alarm for the attending physicians and nurses when a problem is detected with a patient's Health Score chart 100. Such problems are alerted when the Health Score of a patient descends below an acceptable threshold, determined in advance by system 10 or set by the attending physician, or if a downward trend is detected. Storage module 24 is configured to store and retrieve Health Score information at various times during the Health Score generation and presentation procedure.

[0032] It is understood that the above list of modules is intended only as a sample of the logical organization of modules within system 10. For example, many of the modules may be combined with one another or subdivided and separated according to their function. Any similar Health Score system, employing similar logical modules to obtain a Health Score is also within the contemplation of the present invention.

[0033] Furthermore, it is noted that the modules of system 10, illustrated in FIG. 1, are to show their logical relationship to one another. However, this is not intended to limit the physical construction of such a system. For example, system 10 may be employed on a single larger computer or on a series of smaller computers, possibly with different components residing within different geographical locations, such as the use of an off-site storage module 24. Any similar health care system 10, employing similar modules to generate a Health Score alert, is within the contemplation of the present invention.

[0034] FIG. 2 gives a typical example of an arrangement for system 10, showing five patient recovery rooms 30, in a typical hospital with a central nursing station 32 that is monitored 24 hours a day. System 10 has a local terminal 10A in each of the five patient rooms 30 and a main terminal 10B at nursing station 32.

[0035] FIG. 3 is a flow chart outlining the process for generating and presenting a patient's Health Score via system 10. In step 200, a patient is admitted for a particular illness or surgical procedure and is subsequently connected to system 10. At step 202, various medical devices/monitors for obtaining the pertinent raw medical data are attached to the patient, such as blood pressure monitors, heart rate monitors, etc.

[0036] At step 204, interface module 12 begins obtaining the pertinent raw medical data about the patient and imports this data into system 10. Some data is obtained directly from the attached medical devices or from electronic medical records. Other data may be entered into the system by an attending physician or nurse. At step 206, this data is sent to collection module 14. At step 208, collection module 14 further obtains any necessary past medical data, most importantly the past Health Scores of the same patient. The raw data is transmitted to transformation module 16, and the historical data is sent to presentation and comparison module 20.

[0037] Next, at step 210, transformation module 16 transforms the raw patient medical data into a usable format, so that all of the disparate forms of medical data can readily be compiled with one another. At step 212, the transformed medical data is sent to combination module 18, which converts that raw transformed medical data into a Health Score using a predetermined algorithm. At step 214, the Health Score is transmitted to presentation and comparison module 20, which uses the current Health Score, as well as historical data from storage module 24 (past Health Scores), to generate a Health Score chart 100.

[0038] A sample Health Score chart 100 is shown in FIG. 4, plotting a patient's Health Score, calculated by system 10 as a function of time. Chart 100 includes scale markings 102 and label material 104 and a Health Score plot 106. This chart 100 shows a sample Health Score plot 106 for a patient recovering from open-heart surgery, for 6 days. Initially the recovery was going well, but at approximately the beginning of the fourth day, health deteriorated. A more detailed description of the contents and evaluation of a Health Score chart 100 is included below.

[0039] At step 216, after Health Score chart 100 has been generated, presentation and comparison module 20 may modify and display the Health Score chart 100 to healthcare providers, via interface module 12 of system 10. At step 218, presentation and comparison module may further save any necessary information to storage module 24.

[0040] Finally at step 220, if the Health Score, according to plot 106, falls below a predetermined threshold, alert module 22 informs the healthcare providers, either through interface module 12 or via some other alarm, that the patient is in need of attention.

[0041] It is noted that the above list of steps for generating Health Score chart 100 via system 10 is intended only to show an exemplary step-by-step process. For example, several of the steps may be combined with one another or possibly one step may be divided into a number of subroutines. Any similar process using steps to create a Health Score chart on a similar system is also within the contemplation of the present invention.

[0042] Turning now to a more detailed description of the various modules of system 10, interface module 12 receives raw medical data input at step 204, and transmits it to the various collection and processing modules 14, 16, 18, 20, 22 and 24 of system 10, at step 206. Typically, the input may include any number of the medical statistics that are used to generate the Health Score produced by system 10. Interface module 12 of system 10 may be as simple as a keyboard and monitor, used for manual entry of patient data. Furthermore, it may additionally include a set of automated electrical instruments such as pulse clips, automated blood pressure devices, blood oxygen measuring devices, fluid monitoring devices or any other standard medical measuring device, attached either by wire or remotely to interface module 12.

[0043] In addition to providing an interface for receiving medical data on the patients, interface module 12 may also be configured to present a means for users, such as doctors or nurses, to update, modify or review the patient's Health Score at step 216. Furthermore, interface module 12 may also be employed by alert module 22 at step 220 to alert the healthcare providers that alert module 22 has detected a threshold breach, which is explained in greater detail below.

[0044] Collection module 14 is coupled to interface module 12 for receiving the various raw patient data at step 206. Collection module 14 accepts this data from various ports, including interface module 12 as well as other programs, such as electronic medical records (EMR), and stores this data in storage module 24. Thus, in addition to the raw physical patient data and physician/nurse input obtained from interface module 12, collection module 14 further collects and organizes all of the data necessary to generate and maintain the Health Score chart 100 of the patient, including collection of historical data, performed at step 208.

[0045] In one example of generating a Health Score chart 100, the necessary patient data that must be collected by collection module 14 of system 10 may include: diastolic blood pressure, systolic blood pressure, temperature, pulse, respiration rate, a pain score, skin breakdown score, EKG pattern, and a set of nursing assessments. Nursing assessments may include: respiration, pain, cardiac, gastrointestinal, genitourinary, nutrition, musculoskeletal, skin, neurological, psycho-social, peripheral vascular, and safety (likelihood of falling). Thus, collection module 14 obtains both past and present data necessary for the patient on each of the categories to form Health Score chart 100.

[0046] Transformation module **16** is configured to transform each of the pieces of medical data obtained from collection module **14** into a numerical quantity at step **210**. The transformation performed by module **16** may include any number of mathematical or logical operations. Transformations may also take multiple inputs to produce a single transformed output. Multiple inputs may include historical data for this patient or for any given class of patients. For example, if the patient's pulse is greater than one standard deviation above that expected for a certain group of patients at this stage of their recovery, then the value of "High Pulse" is one, otherwise it is zero. An example of a transformation for diastolic blood pressure (TDBP) would be:

[0047] if diastolic blood pressure (DBP)<50, then TDBP=2;

[0048] if DBP >50 and DBP <90, then TDBP=0;

[0049] if DBP >90 and DBP <100, then TDBP=1;

[0050] if DBP >99 then, TDBP=2.

[0051] In this case, either very low values of diastolic blood pressure (less than 50), or high values of diastolic blood pressure (greater than 99), are considered dangerous.

[0052] Another example of a transformation may be for a nursing assessment. For example, if the respiration assessment equals "met standards" then the transformed respiration rate equals zero. If the nursing assessment for respiration equals "did not meet standards" then the transformed respiration rate equals one.

[0053] Thus, transformation module **16**, after receiving raw data from collection module **14**, processes the data and transforms them into numbers for use in generating a Health Score for the patient.

[0054] The following serves as an example of a list of typical conversions of raw medical data into numerical form ("transformed numbers") by transformation module **16**, for use by system **10** in developing a patient Health Score:

[0055] if diastolic blood pressure <50 then Transformed Diastolic BP=2

[0056] diastolic between 50 and 89, then . . . 0

[0057] diastolic between 90 and 99, then . . . 1

[0058] diastolic >99, then . . . 2

[0059] all nursing assessments . . . Met=0 . . . or Not Met=1 multiply cardiac, neurological, pain, peripheral vascular, psychosocial, respiratory and skin/tissue assessments by 2

[0060] if Braden score <18, then . . . 1

[0061] if Braden score greater or equal to 18, then . . . 0

[0062] if systolic blood pressure <70, then . . . 3

[0063] if systolic >69 and <81, then . . . 2

[0064] if systolic >80 and less than 101, then . . . 1

[0065] if systolic >100 and <200, then . . . 0

[0066] if systolic >199, then . . . 2

[0067] if heart rate <40, then . . . 2

[0068] if heart rate >39 and <51, then . . . 1

[0069] if heart rate >50 and <101, then . . . 0

[0070] if heart rate >100 and <111, then . . . 1

[0071] if heart rate >110 and <130, then . . . 2

[0072] if heart rate >129, then . . . 3

[0073] if respiration <9, then . . . 2

[0074] if respiration >8 and <15, then . . . 0

[0075] if respiration >14 and <21, then . . . 1

[0076] if respiration >20 and <30, then . . . 2

[0077] if respiration >29, then . . . 3

[0078] if temperature <95, then . . . 2

[0079] if temperature >94 and <101.1, then . . . 0

[0080] if temperature greater or equal to 101.1, then . . . 2

[0081] If the monitored heart pattern is "atrial fibrillation", "sinus rhythm", "sinus tachycardia" or "paced" then . . . 1

[0082] If the monitored heart pattern is "sinus bradycardia" then . . . 2

[0083] If the monitored heart pattern is "atrial flutter" OR "heart block" then . . . 3

[0084] If the monitored heart pattern is "junctional rhythm" then . . . 4

[0085] If the monitored heart pattern is "ventricular tachycardia" then . . . 5

[0086] Or if the monitored heart pattern is "ventricular fibrillation" then . . . 5.

[0087] These conversions of patient data into numbers are done solely for the purpose of example. It is understood that any conversion of raw medical data into a useable form for further calculation within the context of system **10** is within the contemplation of the present invention.

[0088] The above conversions of medical data into scaled numbers is geared to assessment of negative factors. However, it is understood that positive assessments may be included too, resulting in "negative" scaled numbers, that would show a positive affect on the Health Score. For example, transformation module **16** may give a negative scaled number in the event that heart rate or lung capacity or other such medical data is not only OK, but is in fact at an ideal state.

[0089] Combination module **18** is configured to take the transformed quantities from transformation module **16**, apply weighting modifiers, and to combine them, and then to scale them onto a range, such as a score between 0 and 100, at step **212**. This score, generated by combination module **18**, is based on the various health factors measured and transformed above, the resulting score being a relative overall Health Score of the patient being monitored.

[0090] An example of a combination Health Score generated by combination module **18**, using the "transformed numbers" (as described above) generated by transformation module **16** of system **10**, may be:

"Health Sum"=Diastolic Blood Pressure+Temperature+Respiration+Systolic Blood Pressure+Heart Rate+Braden Score+Cardiac Assessment+Food Assessment+Gastrointestinal Assessment+Genitourinary Assessment+Heart Rhythm+Musculoskeletal Assessment+Neurological Assessment+Pain Score+Pain Assessment+Peripheral Vascular Assessment+Psycho-Sociological+Respiratory Assessment+Safety/Fall Assessment+Skin/Tissue Assessment Part 1

Health Score=100*(30-"Health Sum")/30 Part 2

[0091] Based upon the above formulae, a sample calculation of a patient's Health Score could be performed by transformation module **16** and combination module **18**, if the collection module **14** of system **10** found the following raw medical data:

[0092] Diastolic Blood Pressure of 95=1

[0093] Negative nursing cardiac assessment=2

[0094] Negative nursing respiratory assessment=2

[0095] Braden Score of 18=0

[0096] Systolic Blood Pressure of 202=1

[0097] Heart Rate of 100=1

[0098] Respiration Rate of 14=0

[0099] Temperature of 98=0

[0100] Heart Rhythm of sinus bradycardia=2

[0101] "Health Sum"=(totaling of all above)=9

[0102] Health Score=100*(30-"Health Sum")/30=100*(30-9)/30=70

[0103] Such transformations and calculations are intended only to be a simple example of determining a Health Score, as performed by system 10. However, it is in no way intended to limit the possible methods of calculating the score. For example, not all measured raw medical data need to be incorporated into a Health Score. The attending physician may wish to generate the score using only limited data to prevent non-essential medical data from significantly altering the Health Score.

[0104] Another example would be to include the use of weighting factors (2 times, 3 times, etc.) that can be added or multiplied to certain transformed numbers, such as the respiratory factors, when a particular patient is recovering from a lung-based ailment such as pneumonia. Likewise, similar weighting factors can be added to the transformed scores of heart rate, heart rhythm, systolic and diastolic pressure for patients with heart ailments. It is understood that any number of modifications introduced into a similar combination module 18 within a similar system 10 for generating a Health Score is within the contemplation of the present invention.

[0105] Presentation and comparison module 20 of system 10 is configured to import the various data components compiled by combination module 18 and to create a Health Score chart 100 for the patient at step 214, and display it via interface module 12 of system 10, or on an existing medical information system, such as the hospital's pre-existing computer system. As discussed above, FIG. 4 illustrates a sample Health Score chart 100 generated by system 10 using the above-described modules. Additional functions of comparison module 20 are shown below which edit, modify or otherwise present various versions of Health Score chart 100, performed by system 10 at step 216.

[0106] Health Score chart 100 is for displaying the Health Score of a patient at particular times, and more importantly, is for detecting trends in a patient's health. Thus, Health Score chart 100 includes a number of Health Score assessments taken frequently, both at periodic (e.g. every 15 minutes, or every 3 hours), or at irregular intervals. This generates the Health Score chart 106 as shown in FIG. 4, plotting the patient's Health Score versus time as set by scales 102.

[0107] For example in FIG. 4, the Health Score of the patient is computed ten times a day, approximately every 2 hours over the course of the six-day post-operative stay. During the first four days, the patient progressed from an average Health Score in the low 60s to the high 80s. But shortly thereafter, at the beginning of the fourth day, the patient's score began to decline back into the 60s range.

[0108] It is at this particular moment, at the beginning of the fourth day, that the Health Score chart 100 can prove to be a critical tool for medical care. If an attending physician were to see this patient at the end of day 4 without the Health Score chart, the patient's vital statistics would show a person of decent physical health. This corresponds to the score of 70 on the health chart, which is about average health during a post-operation recovery, according to this example. Thus without the chart 100, the patient would exhibit decent health, and the attending physician would have to rely his own quick perusal of the patient's medical records.

[0109] However, with the Health Score chart 100 available, it would be obvious to a physician or nurse that something is

going wrong with the patient at the end of day 4. This is a critical time for the patient, because immediate treatment may prevent a crisis. The new information conveyed by chart 100, beyond what is normally available (that the patient is currently in an acceptable state), is that: less than 1 day ago, this patient was in a much better general state of health and is currently in a state of declining health. Thus by intervening in the situation right at the beginning of day 5, the doctors were able to be stabilize the patient without further significant decline, so that he could be released from the hospital at the end of day 6.

[0110] Comparison module 20 may be used to generate and present pre-operation reference curves. Information from pre-operation 108 may be posted on the patient's Health Score chart 100 so as to give additional context to their condition. For example, before an operation, the patient may have exhibited a Health Score of 50. After the operation, the doctors may expect the patient to be significantly better. Since before the operation he had a Health Score of 75, we expect that, although he will go through some difficult periods during recovery, he will get back to 75 within a week. This acts as a baseline reference, to help better personalize the chart 100 to each patient. FIG. 5 shows an example of pre-operation Health Score information 108, included on a typical Health Score chart 100, with a pre-operation Health Score of 80.

[0111] Statistical reference curves 110 may also be added to Health Score chart by comparison module 20. For example, when such information is available, statistically computed average patient Health Score trajectories, for each specific procedure and initial patient condition, may be included on chart 100 next to the Health Score plot 106. This information may be stored in a storage module 24, and be imported into comparison module 20 by collection module 14. Statistical reference curves 110 may include linear information with standard deviation error bars or transformed values. If the patient is below expectation by a certain number of standard deviations, the system generates an alert using alert module 22, as discussed below.

[0112] For example, in FIG. 6, on the Health Score chart 100, the line labeled "Standard Open Heart" may be a statistical reference curve 110 of the average recovery of an open-heart surgery patient of age 80. The Health Score plot 106 labeled "Jane Smith—Room 7A" is the actual Health Score representation of the recovery of Jane Smith. One sees that although Ms. Smith has steadily improved since her operation, for the last several days she has improved at a much slower rate than would be expected when compared to average (past) patients of the same age undergoing a similar procedure. Statistical reference curves 110 can be compiled from current patients or an evaluation of past patients by using their records to generate Health Score histories.

[0113] Further subdivisions can also be made for such statistical reference curves. For example, instead of having a single reference curve 110 for average open-heart patients of age 80, it can be further broken down by gender, and even further modified as to a patient's initial condition by using only patients with similar Health Scores at the time of admission into the hospital.

[0114] Principal corresponding measurement curves 112 may also be generated by comparison module 20 of system 10. The Health Score chart 100 provides an instant context and patient health trajectory on Health Score plot 106. It is also important for healthcare providers to have access to other direct measurements. FIG. 7 illustrates a typical Health Score

chart **100** that includes these direct medical measurements **112**. The measurement curves **112** may include but are not limited to: diastolic blood pressure, temperature, respiration rate, pulse, and pain score. This allows healthcare providers to detect other trends that may be affecting the Health Score and, thus, the patient.

[**0115**] In the example in FIG. 7, the patient has a severely reduced Health Score from December 12 through December 15. By looking at the accompanying principal corresponding measurement curves **112**, it can be seen that the patient had developed a fever on the 12th and was also dealing with Atrial Fibrillation. By the 16th these conditions had been resolved, with a corresponding sharp increase in Health Score.

[**0116**] FIG. 8 is another example of adding principal corresponding measurement curves **112** to a standard Health Score chart **100**. In this example, it can be seen that the Principal Corresponding Measurement curves **112** themselves are important. The line at the bottom of the Health Score chart **100** is “pain scale” which is an evaluation of the patient’s pain level. It is scaled between zero and ten. This patient is experiencing significant pain almost exactly every 24 hours. This situation may be the result of a poor pain management strategy; the patient is under-medicated until he experiences a crisis, at which time a large dosage of medication is administered. Evaluation of the chart would prompt modification of this patient’s pain medication frequency and dosage.

[**0117**] It is understood that, when using the option of adding direct medical data to the Health Score chart **100**, system **10** has the ability to let the healthcare provider select which principal corresponding measurements **112** they would like to see. When the Health Score is improving or is adequate, such features may be toggled off, as they are less important in such instances. They can easily be added to chart **100** if the score on plot **106** again drops, allowing the healthcare provider, optionally, to have additional analysis tools for determining the cause of the drop.

[**0118**] In another embodiment, presentation and comparison module **20** may be configured to alter Health Score chart **100**, so that when a healthcare provider detects a trend in the Health Score plot **106**, they can understand exactly what factors are contributing. To this end, as illustrated in FIG. 9, system **10** provides for a component expansion window **114**, such that if the patient has a Health Score of 65 (for example), the expansion might show that the patient lost 12 points due to elevated temperature (over 101 Fahrenheit), lost 18 points due to rapid pulse (between 100 and 110 beats per minute) and lost 5 points due to a pain score of 5; all out of the perfect Health Score of 100.

[**0119**] In another embodiment, presentation and comparison module **20** may also alter Health Score chart **100** to obtain certain kinds of slope information. Even though trends are usually easy to spot by eye upon looking at Health Score plot **106**, an automatic “simple” slope calculation may also be useful. Mathematically, this is the first derivative of the Health Score as a function of time. Due to the “noisiness” of typical Health Score plots **106**, some averaging methods may be employed as well. If the slope is positive, the patient is probably getting better; if it is approximately zero, then the patient is staying the same; and if it is negative, then the patient is probably getting worse. Slope lines **116** may be added to the Health Score plot **106**, as shown in FIG. 10. Such slope information may help identify trends in Health Score plot **106**, particularly, when plot **106** is “noisy” due to large

variations between each Health Score measurement. Although normally “staying the same” would not be considered a negative, in the situation where the patient is expected to be recuperating, “staying the same” may be quite worrisome. In the present example, although the most recent Health Scores on plot **106** are constant at about a level of 70, the slope line **116** shows a negative slope, taking into account prior points, including a time early on day 4 when the score was closer to 90.

[**0120**] Presentation and comparison module **20** of system **10** may also compute “rate of change” of the simple slope. For instance, although the patient is still getting better, the rate of improvement may be decreasing. This slow-down in recovery could be evidence of a problem just beginning to develop. Mathematically, this curvature information is the second derivative of Health Score as a function of time. Similar to the slope data **116**, due to the “noisiness” of the curves, averaging is included in the computation. It is understood that attending physicians can adjust the slope calculation to include more or less reference Health Scores from plot **100** depending on the time span over which the physician intends to analyze.

[**0121**] When the raw data is noisy, a “running average” or other “smoothing” of the Health Score can be displayed on Health Score charts. The smoothed Health Score curve **118**, shown in FIG. 10, could incorporate both the 1st derivative (slope) and/or the 2nd derivative (curvature) by color-coding or by thickness of the displayed line. For example, if the patient was getting worse (negative slope), the line might be colored red. If the patient is getting worse at an accelerating rate, or is getting better at a lessening rate, then the line could be bolded for emphasis.

[**0122**] Presentation and comparison module **20** may further display a panel of Health Score charts **120**, as shown in FIG. 11. Typically, a nurse or a doctor or a unit supervisor wants to see, on a single page, the graphs for all the patients in their care. Therefore, system **10** provides for the creation of a patient panel **120**, displaying a series of Health Score charts **100**. Patient IDs can be included in the label data **104** to identify each chart **100** on panel **120**. This is especially useful because an attending physician may wish to appoint more of his time to patients with falling Health Scores (rather than rising ones), given that those patients with falling scores will likely require more attention and given that the physician’s time is usually very limited.

[**0123**] It is understood that such modifications to patient Health Score charts **100** are intended only as example modification and are in no way intended to limit the scope of the present invention. Any similar invention that utilizes modified Health Score charts **100** is also within the contemplation of the present invention.

[**0124**] In one embodiment of the present invention, as illustrated in FIG. 1, alert module **22** may send an alert to an attending physician or supervising nurse that a Health Score of a particular patient has fallen below a pre-determined threshold at step **220**. For example, if an attending physician sets a threshold of 70, then patients falling below such a level will cause alert module **22** to send an alert message to system terminal **10B** at nursing station **32**. Although the physician may wish to see Health Score charts **100**, regardless of the alerts, alert module **22** acts a reserve precaution warning of the general failing health conditions of a patient who may be approaching a crisis situation. It is understood that the alert may actually be set to an upper threshold as well. Keeping physicians aware of improving health conditions of certain

patients may be useful in making discharge decisions or in adjusting medication. Alerts may also be triggered by a fall of so many points in Health Score or by a slope that is of a sufficient negative magnitude.

[0125] As such, the above-described system **10** and accompanying generated Health Score charts **100** provide a convenient means for monitoring patient health status, particularly in hospital post-operational situations. It allows doctors to get a feel for the overall health of the patient and to detect trends in the patient's health. Such information is particularly useful in preventing crisis situations from arising in patients, where the worsening condition (of a patient of adequate, yet deteriorating health) is overlooked until it is too late. The creation of the Health Score chart **100**, by the present invention, helps in alerting attending physicians, nurses, or "rapid response teams" to deteriorating conditions, even when a spot check of the patient's health would seem to show the patient to be in an adequate state of health.

[0126] In addition to the uses outlined above, the Health Score can be used for statistical analysis. For example, the Health Score and the Health Score charts **100** can be used in retrospective research. Many studies of drugs and procedures are published monthly. These studies would benefit from the inclusion of a readily computable Health Score.

[0127] For example, a procedure is often evaluated in terms of mortality rate, length of hospital stay, or number of readmissions to the hospital. These measures are all significant, but at the same time are all rather crude measures. For example, if "Procedure A" has a mortality rate of 0.5% and "Procedure B" has a mortality rate of 0.7%, it may be very difficult to judge one the superior of the other, using only these mortality statistics. However, if patients discharged after Procedure A have an average Health Score of 80, and those discharged after Procedure B have an average Health Score of 60, there may be a real and meaningful difference between the two procedures in terms of overall efficacy in treating the patient. Thus, system **10** may provide a more sensitive measurement of health than any other available measure, since it is not based solely on major "outcomes" (like discharge or death), but rather on a more subtle combination of overall health factors. A medical study using the Health Score, which this invention makes readily available for every patient, would find earlier and easier and more meaningful "statistical significance" than a similar study that needed to wait for eventual mortality outcomes.

[0128] An additional feature of Health Scores generated by system **10** is that the Health Score can be used as a predictor to assist in determining which patients require the most care. Although individual symptoms and raw medical data may be varied, the amalgamated Health Score, as shown on Health Score charts **100**, tends to be an accurate predictor of patient outcome. For instance, using Health Score data generated post facto, FIG. 12 shows actual graphic correlation between Health Scores from system **10** (computed at transfer to the ICU from a regular ward of the hospital) versus the rate of predicted expiration after an ICU stay. The chart shows a precipitous decline in survival rates when the patient has, incoming to the ICU, an overall Health Score below 65. In such instances, ICU units admitting patients with Health Scores below 65 may choose to divert additional resources to these patients, in order to reduce morbidity and mortality rates. The Health Score is a sensitive new tool for the ICU use. In this example, patient "A" with a Health Score of 65, versus patient "B" with a Health Score of 75, might not exhibit

obviously different symptoms, and thus the patients might be treated similarly if the Health Score were not available. But when the doctors know that there is a statistically significant decline in survival rate when the Health Score is 65, patient "A" may get the additional care that would save his life.

[0129] Furthermore, incoming Health Scores can be used as an indicator of survival rates before undergoing certain procedure. Not all patients are equal when entering the hospital for a procedure. In some cases, a decision "not to operate" may be made if the risks of complication are too great. An admission-timed Health Score from system **10** may also provide statistical information for post-operative survival rates, which could greatly influence a hospital's decision to recommend the use of surgery, versus alternative treatments.

[0130] While only certain features of the invention have been illustrated and described herein, many modifications, substitutions, changes or equivalents will now occur to those skilled in the art. It is therefore, to be understood that this application is intended to cover all such modifications and changes that fall within the true spirit of the invention.

What is claimed is:

1. A system for determining overall efficacy of a surgical procedure, a medical treatment or a drug comprising:
 - a) an interface module, executing on a computer, for obtaining, over a period of time, incoming disparate medical data relating to a patient who has undergone the surgical procedure, undergone the medical treatment or taken the drug;
 - b) a storage module, executing on a computer, for storing historical medical data relating to the patient;
 - c) a collection module, executing on a computer, for collecting the incoming disparate medical data from the interface module and for collecting the historical medical data relating to the patient from the storage module;
 - d) a transformation module, executing on a computer, for transforming each of the incoming disparate medical data collected at a single point in time into a transformed numerical quantity health score value, wherein each of the transformed numerical quantity health score values are in a format for combining together;
 - e) a combination module, executing on a computer, for combining each of the transformed numerical quantity health score values into a single health score, the single health score representing the health of the patient at the single point in time at which the incoming disparate medical data was collected; and
 - f) a presentation and comparison module, executing on a computer, for continually plotting and displaying on a health score plot single health scores that have been calculated for the patient as a function of time, wherein each of the single health scores displayed at a given point in time are recalculated using any new incoming disparate medical data,

wherein, based on the values of the single health scores displayed on the health score plot, the overall efficacy of the surgical procedure, the medical treatment or the drug can be determined.

2. The system of claim 1 wherein the incoming disparate medical data includes at least one datum from a nursing assessment, wherein the nursing assessment is performed by a nurse.

3. The system of claim 1 wherein the historical medical data relating to the patient is a past single health score.

4. The system of claim 1 further comprising an alert module, executing on a computer, for alerting a user when a single health score falls below a predetermined threshold.

5. The system of claim 1 wherein the transformation module transforms each of the incoming disparate medical data collected at a single point in time into a scaled number, and wherein the combination module adds together the scaled numbers, and applies a predetermined algorithm to the added scaled numbers to generate the single health score.

6. The system of claim 5 wherein the user can modify the algorithm used to generate the single health score based on an illness or condition of the patient.

7. The system of claim 1 wherein the presentation and comparison module displays a statistical reference curve on the health score plot so that the health score plot can be compared to a health score plot of a patient who has undergone the same surgical procedure, undergone the same medical treatment or taken the same drug.

8. The system of claim 1 wherein the presentation and comparison module displays principal corresponding measurements of direct medical data on the health score plot.

9. The system of claim 2 wherein the at least one datum from the nursing assessment includes at least one of: respiration, pain, cardiac, gastrointestinal, genitourinary, nutrition, musculoskeletal, skin, Braden score, neurological, psychosocial, peripheral vascular, and safety.

10. A method for determining overall efficacy of a surgical procedure comprising:

generating a health score plot as a function of time for a patient who has undergone the surgical procedure, wherein the health score plot is generated by:

continually obtaining on a computer, over a period of time, incoming disparate medical data relating to the patient;

transforming, on a computer, each of the incoming disparate medical data collected at a single point in time into a transformed numerical quantity health score value, wherein each of the transformed numerical quantity health score values are in a format for combining together;

combining, on a computer, each of the transformed numerical quantity health score values into a single health score, the single health score representing the health of the patient at the single point in time at which the incoming disparate medical data was collected;

generating, on a computer, a health score plot of single health scores that have been calculated for the patient as a function of time, wherein each of the single health scores displayed at a given point in time are recalculated using any new incoming disparate medical data; and

determining, based on the values of the single health scores displayed on the health score plot, the overall efficacy of the surgical procedure.

11. The method of claim 10 wherein the incoming disparate medical data includes at least one datum from a nursing assessment, wherein the nursing assessment is performed by a nurse.

12. The method of claim 10 further comprising: alerting, on a computer, a user when a single health score falls below a predetermined threshold.

13. The method of claim 10 wherein the transformed numerical quantity health score value is a scaled number, wherein the scaled numbers are added together, and wherein a predetermined algorithm is applied to the added scaled numbers to generate the single health score.

14. The method of claim 13 wherein the algorithm used to generate the single health score is modified based on an illness or condition of the patient.

15. The method of claim 10 wherein the health score plot includes a statistical reference curve so that the health score plot can be compared to a health score plot of a patient who has undergone the same surgical procedure.

16. The method of claim 10 wherein principal corresponding measurements of direct incoming medical data is displayed on the health score plot.

17. The method of claim 11 wherein the at least one datum from the nursing assessment includes at least one of: respiration, pain, cardiac, gastrointestinal, genitourinary, nutrition, musculoskeletal, skin, Braden score, neurological, psychosocial, peripheral vascular, and safety.

18. A method for determining overall efficacy of a medical treatment or a drug comprising:

generating a health score plot as a function of time for a patient who has undergone the medical treatment or taken the drug, wherein the health score plot is generated by:

continually obtaining on a computer, over a period of time, incoming disparate medical data relating to the patient;

transforming, on a computer, each of the incoming disparate medical data collected at a single point in time into a transformed numerical quantity health score value, wherein each of the transformed numerical quantity health score values are in a format for combining together;

combining, on a computer, each of the transformed numerical quantity health score values into a single health score, the single health score representing the health of the patient at the single point in time at which the incoming disparate medical data was collected;

generating, on a computer, a health score plot of single health scores that have been calculated for the patient as a function of time, wherein each of the single health scores displayed at a given point in time are recalculated using any new incoming disparate medical data; and

determining, based on the values of the single health scores displayed on the health score plot, the overall efficacy of the medical treatment or the drug.

19. The method of claim 18 wherein the incoming disparate medical data includes at least one datum from a nursing assessment, wherein the nursing assessment is performed by a nurse.

20. The method of claim 18 wherein the health score plot includes a statistical reference curve so that the health score plot can be compared to a health score plot of a patient who has undergone the same medical treatment or taken the same drug.

* * * * *

专利名称(译)	提供持续健康测量的系统和方法		
公开(公告)号	US20120108913A1	公开(公告)日	2012-05-03
申请号	US13/346180	申请日	2012-01-09
[标]申请(专利权)人(译)	罗斯曼HEALTHCARE CORP		
申请(专利权)人(译)	罗斯曼保健公司		
当前申请(专利权)人(译)	罗斯曼保健公司		
[标]发明人	ROTHMAN MICHAEL ROTHMAN STEVEN		
发明人	ROTHMAN, MICHAEL ROTHMAN, STEVEN		
IPC分类号	A61B5/00 G16H10/60		
CPC分类号	G06Q50/22 G06Q50/24 G16H15/00 G16H40/20 G16H50/30 G16H10/60		
优先权	60/657365 2005-02-28 US		
其他公开文献	US8454506		
外部链接	Espacenet USPTO		

摘要(译)

通过生成健康分数改善医院患者护理的系统。该系统包括：接口模块，用于接收来自患者的输入医疗数据；转换模块，用于将每个医疗数据转换为转换后的健康分数值；以及组合模块，用于组合对应于每个医疗数据的转换后的健康分数值。成为一个健康分数。呈现和比较模块在预定时间范围内将健康评分显示为健康评分图，使得用户可通过评估所述健康评分图来识别患者的健康趋势。

