



US009259175B2

(12) **United States Patent**
Stafford

(10) **Patent No.:** **US 9,259,175 B2**

(45) **Date of Patent:** **Feb. 16, 2016**

(54) **FLEXIBLE PATCH FOR FLUID DELIVERY AND MONITORING BODY ANALYTES**

(75) Inventor: **Gary Ashley Stafford**, Hayward, CA (US)

(73) Assignee: **ABBOTT DIABETES CARE, INC.**, Alameda, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 2167 days.

(21) Appl. No.: **11/552,065**

(22) Filed: **Oct. 23, 2006**

(65) **Prior Publication Data**

US 2008/0119707 A1 May 22, 2008

(51) **Int. Cl.**

A61B 5/1468 (2006.01)

A61B 5/1473 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61B 5/14503** (2013.01); **A61B 5/14532** (2013.01); **A61B 5/6833** (2013.01); **A61M 5/14248** (2013.01); **A61M 5/1723** (2013.01); **A61B 2560/0252** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC A61B 5/145; A61B 5/14503; A61B 5/14532; A61B 5/14546; A61B 5/1468; A61B 5/1473; A61B 5/14735; A61B 5/1486; A61B 5/14865; A61B 5/1495; A61B 2560/0252; A61B 2560/0412; A61B 5/6833; A61M 5/14248; A61M 5/1723; A61M 2005/1726; A61M 2205/3569; A61M 2205/3592; A61M 2205/82; A61M 2230/201

USPC 600/345-365, 309

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,123,790 A 3/1964 Tyler

3,211,001 A 10/1965 Petit

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2291105 12/1998

EP 1177802 2/2002

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion of the International Searching Authority for PCT Application No. PCT/US2007/082121 filed Oct. 22, 2007 to Abbott Diabetes Care, Inc. mailed May 9, 2008.

(Continued)

Primary Examiner — Navin Natnithithadha


(74) *Attorney, Agent, or Firm* — One LLP

(57)

ABSTRACT

A wearable, conductive textile patch is provided that may include any of a number of features for monitoring body analytes and/or delivering fluids to a body. In one embodiment of the invention, a single, patch-mounted system monitors glucose levels of a diabetic person and provides appropriate doses of insulin in response to the glucose measurements. A hand-held user interface can be provided for wirelessly controlling the system and/or receiving information from it. Conductive pathways can be formed in the fabric of the patch. Components that can be integrated into the flexible patch include a power source, controller, transmitter, antenna, temperature and other sensors, fluid pump, infusion set, electrical pathways, switches, controls, electrodes, connectors, resistors and other circuit elements. Such components can be embedded, interwoven or coated on to the flexible patch instead of or in addition to surface mounting. Methods associated with use of the flexible patch system are also covered.

18 Claims, 2 Drawing Sheets



(51)	Int. Cl.		4,526,661 A	7/1985	Steckhan et al.
	<i>A61B 5/145</i>	(2006.01)	4,527,240 A	7/1985	Kvitash
	<i>A61B 5/00</i>	(2006.01)	4,534,356 A	8/1985	Papadakis
	<i>A61M 5/142</i>	(2006.01)	4,538,616 A	9/1985	Rogoff
	<i>A61M 5/172</i>	(2006.01)	4,543,955 A	10/1985	Schroepfel
(52)	U.S. Cl.		4,545,382 A	10/1985	Higgins et al.
	CPC	<i>A61B 2560/0412</i> (2013.01); <i>A61M</i>	4,552,840 A	11/1985	Riffer
		<i>2005/1726</i> (2013.01); <i>A61M 2205/3569</i>	4,560,534 A	12/1985	Kung et al.
		(2013.01); <i>A61M 2205/3592</i> (2013.01); <i>A61M</i>	4,571,292 A	2/1986	Liu et al.
		<i>2205/82</i> (2013.01); <i>A61M 2230/201</i> (2013.01)	4,573,994 A	3/1986	Fischell et al.
			4,581,336 A	4/1986	Malloy et al.
			4,595,011 A	6/1986	Phillips
			4,619,754 A	10/1986	Niki et al.
			4,619,793 A	10/1986	Lee
(56)	References Cited		4,627,445 A	12/1986	Garcia et al.
	U.S. PATENT DOCUMENTS		4,627,908 A	12/1986	Miller
			4,633,878 A	1/1987	Bombardien
			4,637,403 A	1/1987	Garcia et al.
	3,260,656 A	7/1966 Ross, Jr.	4,650,547 A	3/1987	Gough
	3,581,062 A	5/1971 Aston	4,654,197 A	3/1987	Lilja et al.
	3,653,841 A	4/1972 Klein	4,655,880 A	4/1987	Liu
	3,719,564 A	3/1973 Lilly, Jr. et al.	4,655,885 A	4/1987	Hill et al.
	3,776,832 A	12/1973 Oswin et al.	4,671,288 A	6/1987	Gough
	3,837,339 A	9/1974 Aisenberg et al.	4,679,562 A	7/1987	Luksha
	3,926,760 A	12/1975 Allen et al.	4,680,268 A	7/1987	Clark, Jr.
	3,949,388 A	4/1976 Fuller	4,682,602 A	7/1987	Prohaska
	3,972,320 A	8/1976 Kalman	4,684,537 A	8/1987	Graetzel et al.
	3,979,274 A	9/1976 Newman	4,685,463 A	8/1987	Williams
	4,008,717 A	2/1977 Kowarski	4,685,466 A	8/1987	Rau
	4,016,866 A	4/1977 Lawton	4,703,756 A	11/1987	Gough et al.
	4,036,749 A	7/1977 Anderson	4,711,245 A	12/1987	Higgins et al.
	4,055,175 A	10/1977 Clemens et al.	4,711,247 A	12/1987	Fishman
	4,059,406 A	11/1977 Fleet	4,717,673 A	1/1988	Wrighton et al.
	4,076,596 A	2/1978 Connery et al.	4,721,601 A	1/1988	Wrighton et al.
	4,098,574 A	7/1978 Dappen	4,721,677 A	1/1988	Clark, Jr.
	4,100,048 A	7/1978 Pompei et al.	4,726,378 A	2/1988	Kaplan
	4,120,292 A	10/1978 LeBlanc, Jr. et al.	4,726,716 A	2/1988	McGuire
	4,129,128 A	12/1978 McFarlane	4,729,672 A	3/1988	Takagi
	4,151,845 A	5/1979 Clemens	4,731,726 A	3/1988	Allen, III
	4,168,205 A	9/1979 Danniger et al.	4,749,985 A	6/1988	Corsberg
	4,172,770 A	10/1979 Semersky et al.	4,755,173 A	7/1988	Konopka
	4,178,916 A	12/1979 McNamara	4,757,022 A	7/1988	Shults et al.
	4,206,755 A	6/1980 Klein	4,758,323 A	7/1988	Davis et al.
	4,224,125 A	9/1980 Nakamura et al.	4,759,371 A	7/1988	Franetzki
	4,240,438 A	12/1980 Updike et al.	4,759,828 A	7/1988	Young et al.
	4,245,634 A	1/1981 Albisser et al.	4,764,416 A	8/1988	Ueyama et al.
	4,247,297 A	1/1981 Berti et al.	4,776,944 A	10/1988	Janata et al.
	4,294,258 A	10/1981 Bernard	4,777,953 A	10/1988	Ash et al.
	4,327,725 A	5/1982 Cortese et al.	4,779,618 A	10/1988	Mund et al.
	4,340,458 A	7/1982 Lerner et al.	4,781,683 A	11/1988	Wozniak et al.
	4,344,438 A	8/1982 Schultz	4,781,798 A	11/1988	Gough
	4,349,728 A	9/1982 Phillips et al.	4,784,736 A	11/1988	Lonsdale et al.
	4,352,960 A	10/1982 Dormer et al.	4,795,707 A	1/1989	Niiyama et al.
	4,356,074 A	10/1982 Johnson	4,796,634 A	1/1989	Huntsman et al.
	4,365,637 A	12/1982 Johnson	4,805,624 A	2/1989	Yao et al.
	4,366,033 A	12/1982 Richter et al.	4,813,424 A	3/1989	Wilkins
	4,373,527 A	2/1983 Fischell	4,815,469 A	3/1989	Cohen et al.
	4,375,399 A	3/1983 Havas et al.	4,820,399 A	4/1989	Senda et al.
	4,384,586 A	5/1983 Christiansen	4,822,337 A	4/1989	Newhouse et al.
	4,390,621 A	6/1983 Bauer	4,830,959 A	5/1989	McNeil et al.
	4,401,122 A	8/1983 Clark, Jr.	4,832,797 A	5/1989	Vadgama et al.
	4,404,066 A	9/1983 Johnson	RE32,947 E	6/1989	Dormer et al.
	4,418,148 A	11/1983 Oberhardt	4,840,893 A	6/1989	Hill et al.
	4,425,920 A	1/1984 Bourland et al.	4,848,351 A	7/1989	Finch
	4,427,770 A	1/1984 Chen et al.	4,854,322 A	8/1989	Ash et al.
	4,431,004 A	2/1984 Bessman et al.	4,865,038 A	9/1989	Rich et al.
	4,436,094 A	3/1984 Cerami	4,871,351 A	10/1989	Feingold
	4,440,175 A	4/1984 Wilkins	4,871,440 A	10/1989	Nagata et al.
	4,441,968 A	4/1984 Emmer et al.	4,874,500 A	10/1989	Madou et al.
	4,450,842 A	5/1984 Zick et al.	4,890,620 A	1/1990	Gough
	4,458,686 A	7/1984 Clark, Jr.	4,894,137 A	1/1990	Takizawa et al.
	4,461,691 A	7/1984 Frank	4,895,147 A	1/1990	Bodicky et al.
	4,469,110 A	9/1984 Slama	4,897,162 A	1/1990	Lewandowski et al.
	4,477,314 A	10/1984 Richter et al.	4,897,173 A	1/1990	Nankai et al.
	4,478,976 A	10/1984 Goertz et al.	4,909,908 A	3/1990	Ross et al.
	4,484,987 A	11/1984 Gough	4,911,794 A	3/1990	Parce et al.
	4,494,950 A	1/1985 Fischell	4,917,800 A	4/1990	Lonsdale et al.
	4,509,531 A	4/1985 Ward	4,919,141 A	4/1990	Zier et al.
	4,522,690 A	6/1985 Venkatasetty	4,919,767 A	4/1990	Vadgama et al.
	4,524,114 A	6/1985 Samuels et al.			

(56)

References Cited

U.S. PATENT DOCUMENTS

4,923,586 A	5/1990	Katayama et al.	5,293,877 A	3/1994	O'Hara et al.
4,925,268 A	5/1990	Iyer et al.	5,299,571 A	4/1994	Mastrototaro
4,927,516 A	5/1990	Yamaguchi et al.	5,320,098 A	6/1994	Davidson
4,934,369 A	6/1990	Maxwell	5,320,715 A	6/1994	Berg
4,935,105 A	6/1990	Churchouse	5,320,725 A	6/1994	Gregg et al.
4,935,345 A	6/1990	Guilbeau et al.	5,322,063 A	6/1994	Allen et al.
4,938,860 A	7/1990	Wogoman	5,337,747 A	8/1994	Neftei
4,944,299 A	7/1990	Silvian	5,340,722 A	8/1994	Wolfbeis et al.
4,950,378 A	8/1990	Nagara	5,342,789 A	8/1994	Chick et al.
4,953,552 A	9/1990	DeMarzo	5,352,348 A	10/1994	Young et al.
4,954,129 A	9/1990	Giuliani et al.	5,356,786 A	10/1994	Heller et al.
4,969,468 A	11/1990	Byers et al.	5,360,404 A	11/1994	Novacek et al.
4,970,145 A	11/1990	Bennetto et al.	5,368,028 A	11/1994	Palti
4,974,929 A	12/1990	Curry	5,372,133 A	12/1994	Hogen Esch
4,986,271 A	1/1991	Wilkins	5,372,427 A	12/1994	Padovani et al.
4,988,341 A	1/1991	Columbus et al.	5,376,251 A	12/1994	Kaneko et al.
4,994,167 A	2/1991	Shults et al.	5,378,628 A	1/1995	Gratzel et al.
4,995,402 A	2/1991	Smith et al.	5,379,238 A	1/1995	Stark
5,000,180 A	3/1991	Kuypers et al.	5,387,327 A	2/1995	Khan
5,002,054 A	3/1991	Ash et al.	5,390,670 A	2/1995	Centa et al.
5,013,161 A	5/1991	Zaragoza et al.	5,390,671 A	2/1995	Lord et al.
5,019,974 A	5/1991	Beckers	5,391,250 A	2/1995	Cheney, II et al.
5,035,860 A	7/1991	Kleingeld et al.	5,395,504 A	3/1995	Saurer et al.
5,036,860 A	8/1991	Leigh et al.	5,400,782 A	3/1995	Beaubiah
5,047,044 A	9/1991	Smith et al.	5,408,999 A	4/1995	Singh et al.
5,050,612 A	9/1991	Matsumura	5,411,647 A	5/1995	Johnson et al.
5,055,171 A	10/1991	Peck	5,425,361 A	6/1995	Fenzlein et al.
5,058,592 A	10/1991	Whisler	5,431,160 A	7/1995	Wilkins
5,070,535 A	12/1991	Hochmair et al.	5,431,921 A	7/1995	Thombre
5,082,550 A	1/1992	Rishpon et al.	5,437,999 A	8/1995	Diebold et al.
5,082,786 A	1/1992	Nakamoto	5,462,645 A	10/1995	Albery et al.
5,089,112 A	2/1992	Skotheim et al.	5,469,846 A	11/1995	Khan
5,095,904 A	3/1992	Seligman et al.	5,489,414 A	2/1996	Schreiber et al.
5,101,814 A	4/1992	Palti	5,491,474 A	2/1996	Suni et al.
5,106,365 A	4/1992	Hernandez	5,494,562 A	2/1996	Maley et al.
5,108,564 A	4/1992	Szuminsky et al.	5,496,453 A	3/1996	Uenoyama et al.
5,108,889 A	4/1992	Smith et al.	5,497,772 A	3/1996	Schulman et al.
5,109,850 A	5/1992	Blanco et al.	5,507,288 A	4/1996	Bocker et al.
5,120,420 A	6/1992	Nankai et al.	5,509,410 A	4/1996	Hill et al.
5,122,925 A	6/1992	Inpyun	5,514,718 A	5/1996	Lewis et al.
5,126,034 A	6/1992	Carter et al.	5,531,878 A	7/1996	Vadgama et al.
5,133,856 A	7/1992	Yamaguchi et al.	5,543,326 A	8/1996	Heller et al.
5,135,003 A	8/1992	Souma	5,545,191 A	8/1996	Mann et al.
5,140,985 A	8/1992	Schroeder et al.	5,551,427 A	9/1996	Altman
5,141,868 A	8/1992	Shanks et al.	5,560,357 A	10/1996	Faupei et al.
5,161,532 A	11/1992	Joseph	5,562,713 A	10/1996	Silvian
5,165,407 A	11/1992	Wilson et al.	5,565,085 A	10/1996	Ikeda et al.
5,174,291 A	12/1992	Schoonen et al.	5,567,302 A	10/1996	Song et al.
5,190,041 A	3/1993	Palti	5,568,806 A	10/1996	Cheney, II et al.
5,192,416 A	3/1993	Wang et al.	5,569,186 A	10/1996	Lord et al.
5,198,367 A	3/1993	Aizawa et al.	5,575,563 A	11/1996	Chiu et al.
5,202,261 A	4/1993	Musho et al.	5,582,184 A	12/1996	Erickson et al.
5,205,920 A	4/1993	Oyama et al.	5,582,697 A	12/1996	Ikeda et al.
5,208,154 A	5/1993	Weaver et al.	5,582,698 A	12/1996	Flaherty et al.
5,209,229 A	5/1993	Gilli	5,584,813 A	12/1996	Livingston et al.
5,217,595 A	6/1993	Smith et al.	5,586,553 A	12/1996	Halili et al.
5,229,282 A	7/1993	Yoshioka et al.	5,589,326 A	12/1996	Deng et al.
5,234,835 A	8/1993	Nestor et al.	5,593,852 A	1/1997	Heller et al.
5,238,729 A	8/1993	Debe	5,596,150 A	1/1997	Arndt et al.
5,246,867 A	9/1993	Lakowicz et al.	5,601,435 A	2/1997	Quy
5,250,439 A	10/1993	Musho et al.	5,613,978 A	3/1997	Harding
5,262,035 A	11/1993	Gregg et al.	5,617,851 A	4/1997	Lipkovker
5,262,305 A	11/1993	Heller et al.	5,628,310 A	5/1997	Rao et al.
5,264,103 A	11/1993	Yoshioka et al.	5,628,890 A	5/1997	Carter et al.
5,264,104 A	11/1993	Gregg et al.	5,632,557 A	5/1997	Simons
5,264,105 A	11/1993	Gregg et al.	5,651,869 A	7/1997	Yoshioka et al.
5,264,106 A	11/1993	McAleer et al.	5,653,239 A	8/1997	Pompei et al.
5,271,815 A	12/1993	Wong	5,660,163 A	8/1997	Schulman et al.
5,279,294 A	1/1994	Anderson et al.	5,665,071 A	9/1997	Wyrick
5,284,156 A	2/1994	Schramm et al.	5,665,222 A	9/1997	Heller et al.
5,285,792 A	2/1994	Sjoquist et al.	5,670,031 A	9/1997	Hintsche et al.
5,286,362 A	2/1994	Hoenes et al.	5,680,858 A	10/1997	Hansen et al.
5,286,364 A	2/1994	Yacynych et al.	5,682,233 A	10/1997	Brinda
5,288,636 A	2/1994	Pollmann et al.	5,695,623 A	12/1997	Michel et al.
5,293,546 A	3/1994	Tadros et al.	5,708,247 A	1/1998	McAleer et al.
			5,711,001 A	1/1998	Bussan et al.
			5,711,297 A	1/1998	Iliff et al.
			5,711,861 A	1/1998	Ward et al.
			5,711,862 A	1/1998	Sakoda et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

5,733,044 A	3/1998	Rose et al.	6,175,752 B1 *	1/2001	Say et al.	600/345
5,735,285 A	4/1998	Albert et al.	6,186,982 B1	2/2001	Gross et al.	
5,741,211 A	4/1998	Renirie et al.	6,200,265 B1	3/2001	Walsh et al.	
5,743,262 A	4/1998	Lepper, Jr. et al.	6,212,416 B1	4/2001	Ward et al.	
5,746,697 A	5/1998	Swedlow et al.	6,219,574 B1	4/2001	Cormier et al.	
5,749,656 A	5/1998	Boehm et al.	6,248,067 B1	6/2001	Causey, III et al.	
5,766,131 A	6/1998	Kondo et al.	6,254,536 B1	7/2001	DeVito	
5,771,001 A	6/1998	Cobb	6,254,586 B1	7/2001	Mann et al.	
5,772,586 A	6/1998	Heinonen et al.	6,270,455 B1	8/2001	Brown	
5,779,665 A	7/1998	Mastrototaro et al.	6,275,717 B1	8/2001	Gross et al.	
5,791,344 A	8/1998	Schulman et al.	6,283,761 B1	9/2001	Joao	
5,800,420 A	9/1998	Gross et al.	6,283,982 B1	9/2001	Levaughn et al.	
5,807,375 A *	9/1998	Gross et al.	6,284,478 B1	9/2001	Heller et al.	604/890.1
5,814,020 A	9/1998	Gross	6,293,925 B1	9/2001	Safabash et al.	
5,820,551 A	10/1998	Hill et al.	6,295,506 B1	9/2001	Heinonen et al.	
5,820,622 A	10/1998	Gross et al.	6,299,757 B1	10/2001	Feldman et al.	
5,822,715 A	10/1998	Worthington et al.	6,302,866 B1	10/2001	Marggi	
5,827,184 A	10/1998	Netherly et al.	6,306,104 B1	10/2001	Cunningham et al.	
5,840,020 A	11/1998	Heinonen et al.	6,309,884 B1	10/2001	Cooper et al.	
5,842,983 A	12/1998	Abel et al.	6,329,161 B1	12/2001	Heller et al.	
5,851,197 A	12/1998	Marano et al.	6,331,244 B1	12/2001	Lewis et al.	
5,858,001 A	1/1999	Tsals et al.	6,338,790 B1	1/2002	Feldman et al.	
5,885,211 A	3/1999	Eppstein et al.	6,348,640 B1	2/2002	Navot et al.	
5,899,855 A	5/1999	Brown	6,359,444 B1	3/2002	Grimes	
5,918,603 A	7/1999	Brown	6,360,888 B1	3/2002	McIvor et al.	
5,924,979 A	7/1999	Sedlow et al.	6,366,794 B1	4/2002	Moussy et al.	
5,925,021 A	7/1999	Castellano et al.	6,368,141 B1	4/2002	Van Antwerp et al.	
5,931,814 A	8/1999	Alex et al.	6,368,274 B1	4/2002	Van Antwerp et al.	
5,938,679 A	8/1999	Freeman et al.	6,377,828 B1	4/2002	Chaiken et al.	
5,942,979 A	8/1999	Luppino	6,377,894 B1	4/2002	Deweese et al.	
5,948,006 A	9/1999	Mann	6,379,301 B1	4/2002	Worthington et al.	
5,951,521 A	9/1999	Mastrototaro et al.	6,409,740 B1	6/2002	Kuhr et al.	
5,951,582 A	9/1999	Thorne et al.	6,413,393 B1	7/2002	Van Antwerp et al.	
5,954,643 A	9/1999	Van Antwerp	6,418,332 B1	7/2002	Mastrototaro et al.	
5,954,685 A	9/1999	Tiery	6,424,847 B1	7/2002	Mastrototaro et al.	
5,957,854 A	9/1999	Besson et al.	6,427,088 B1	7/2002	Bowman, IV et al.	
5,961,451 A	10/1999	Reber et al.	6,433,743 B1	8/2002	Massy et al.	
5,964,993 A	10/1999	Blubaugh, Jr. et al.	6,435,017 B1	8/2002	Nowicki, Jr. et al.	
5,965,380 A	10/1999	Heller et al.	6,437,679 B1	8/2002	Roques	
5,971,922 A	10/1999	Arita et al.	6,440,068 B1	8/2002	Brown et al.	
5,972,199 A	10/1999	Heller et al.	6,445,374 B2	9/2002	Albert et al.	
5,987,353 A	11/1999	Khatchatrian et al.	6,461,496 B1	10/2002	Feldman et al.	
5,993,411 A	11/1999	Choi	6,478,736 B1	11/2002	Mault	
5,995,860 A	11/1999	Sun et al.	6,482,176 B1	11/2002	Wich	
5,997,501 A	12/1999	Gross et al.	6,484,045 B1	11/2002	Holker et al.	
6,001,067 A	12/1999	Shults et al.	6,484,046 B1	11/2002	Say et al.	
6,004,278 A	12/1999	Botich et al.	6,503,381 B1	1/2003	Gotoh et al.	
6,017,335 A	1/2000	Burnham	6,514,460 B1	2/2003	Fendrock	
6,022,368 A	2/2000	Gavronsky et al.	6,514,718 B2	2/2003	Heller et al.	
6,024,699 A	2/2000	Surwit et al.	6,520,326 B2	2/2003	McIvor et al.	
6,026,321 A	2/2000	Miyata et al.	6,540,891 B1	4/2003	Stewart et al.	
6,027,459 A	2/2000	Shain et al.	6,546,268 B1	4/2003	Ishikawa et al.	
6,049,727 A	4/2000	Crothall	6,551,494 B1	4/2003	Heller et al.	
6,056,718 A	5/2000	Funderburk et al.	6,551,496 B1	4/2003	Moles et al.	
6,059,946 A	5/2000	Yukawa et al.	6,554,798 B1	4/2003	Mann et al.	
6,068,399 A	5/2000	Tseng	6,558,320 B1	5/2003	Causey, III et al.	
6,071,391 A	6/2000	Gotoh et al.	6,558,321 B1	5/2003	Burd et al.	
6,083,710 A	7/2000	Heller et al.	6,560,471 B1	5/2003	Heller et al.	
6,088,608 A	7/2000	Schulman et al.	6,561,978 B1	5/2003	Conn et al.	
6,091,975 A	7/2000	Daddona et al.	6,562,001 B2	5/2003	Lebel et al.	
6,091,976 A	7/2000	Pfeiffer et al.	6,564,105 B2	5/2003	Starkweather et al.	
6,093,172 A	7/2000	Funderburk et al.	6,565,509 B1	5/2003	Say et al.	
6,103,033 A	8/2000	Say et al.	6,571,128 B2	5/2003	Lebel et al.	
6,117,290 A	9/2000	Say et al.	6,572,566 B2	6/2003	Effenhauser	
6,119,028 A	9/2000	Schulman et al.	6,576,101 B1	6/2003	Heller et al.	
6,120,676 A	9/2000	Heller et al.	6,577,899 B2	6/2003	Lebel et al.	
6,121,009 A	9/2000	Heller et al.	6,579,690 B1	6/2003	Bonnecaze et al.	
6,121,611 A	9/2000	Lindsay et al.	6,585,644 B2	7/2003	Lebel et al.	
6,122,351 A	9/2000	Schlueter, Jr. et al.	6,589,229 B1	7/2003	Connelly et al.	
6,134,461 A	10/2000	Say et al.	6,591,125 B1	7/2003	Buse et al.	
6,143,164 A	11/2000	Heller et al.	6,592,745 B1	7/2003	Feldman et al.	
6,144,837 A	11/2000	Quy	6,595,919 B2	7/2003	Berner et al.	
6,159,147 A	12/2000	Lichter et al.	6,600,997 B2	7/2003	Deweese et al.	
6,161,095 A	12/2000	Brown	6,605,200 B1	8/2003	Mao et al.	
6,162,611 A	12/2000	Heller et al.	6,605,201 B1	8/2003	Mao et al.	
			6,607,509 B2	8/2003	Bobroff et al.	
			6,610,012 B2	8/2003	Mault	
			6,616,819 B1	9/2003	Liamos et al.	
			6,618,934 B1	9/2003	Feldman et al.	

(56)

References Cited

U.S. PATENT DOCUMENTS

6,633,772	B2	10/2003	Ford et al.	7,171,274	B2	1/2007	Starkweather et al.
6,635,014	B2	10/2003	Starkweather et al.	7,190,988	B2	3/2007	Say et al.
6,648,821	B2	11/2003	Lebel et al.	7,192,450	B2	3/2007	Brauker et al.
6,650,471	B2	11/2003	Doi	7,198,606	B2	4/2007	Boecker et al.
6,654,625	B1	11/2003	Say et al.	7,207,974	B2	4/2007	Safabash et al.
6,659,948	B2	12/2003	Lebel et al.	7,226,978	B2	6/2007	Tapsak et al.
6,666,849	B1	12/2003	Marshall et al.	7,276,029	B2	10/2007	Goode, Jr. et al.
6,668,196	B1	12/2003	Villegas et al.	7,278,983	B2	10/2007	Ireland et al.
6,676,290	B1	1/2004	Lu	7,297,151	B2	11/2007	Boecker et al.
6,687,546	B2	2/2004	Lebel et al.	7,299,082	B2	11/2007	Feldman et al.
6,689,056	B1	2/2004	Kilcoyne et al.	7,310,544	B2	12/2007	Brister et al.
6,694,191	B2	2/2004	Starkweather et al.	7,318,816	B2	1/2008	Bobroff et al.
6,695,860	B1	2/2004	Ward et al.	7,324,012	B2	1/2008	Mann et al.
6,702,857	B2	3/2004	Brauker et al.	7,329,239	B2	2/2008	Safabash et al.
6,730,200	B1	5/2004	Stewart et al.	7,335,294	B2	2/2008	Heller et al.
6,733,446	B2	5/2004	Lebel et al.	7,340,287	B2	3/2008	Mason et al.
6,736,957	B1	5/2004	Forrow et al.	7,340,309	B2	3/2008	Miazga et al.
6,740,075	B2	5/2004	Lebel et al.	7,354,420	B2	4/2008	Steil et al.
6,741,877	B1	5/2004	Shults et al.	7,364,592	B2	4/2008	Carr-Brendel et al.
6,746,582	B2	6/2004	Heller et al.	7,366,556	B2	4/2008	Brister et al.
6,749,740	B2	6/2004	Liamos et al.	7,379,765	B2	5/2008	Petisce et al.
6,758,810	B2	7/2004	Lebel et al.	7,381,184	B2	6/2008	Funderburk et al.
6,764,581	B1	7/2004	Forrow et al.	7,402,153	B2	7/2008	Steil et al.
6,770,030	B1	8/2004	Schaupp et al.	7,416,541	B2	8/2008	Yuzhakov et al.
6,773,671	B1	8/2004	Lewis et al.	7,424,318	B2	9/2008	Brister et al.
6,790,178	B1	9/2004	Mault et al.	7,455,663	B2	11/2008	Bikovsky
6,809,653	B1	10/2004	Mann et al.	7,460,898	B2	12/2008	Brister et al.
6,810,290	B2	10/2004	Lebel et al.	7,462,264	B2	12/2008	Heller et al.
6,811,533	B2	11/2004	Lebel et al.	7,467,003	B2	12/2008	Brister et al.
6,811,534	B2	11/2004	Bowman, IV et al.	7,471,972	B2	12/2008	Rhodes et al.
6,813,519	B2	11/2004	Lebel et al.	7,494,465	B2	2/2009	Brister et al.
6,830,551	B1	12/2004	Uchigaki et al.	7,497,827	B2	3/2009	Brister et al.
6,837,858	B2	1/2005	Cunningham et al.	7,499,002	B2	3/2009	Blasko et al.
6,837,885	B2	1/2005	Koblish et al.	7,519,408	B2	4/2009	Rasdal et al.
6,837,988	B2	1/2005	Leong et al.	7,583,990	B2	9/2009	Goode, Jr. et al.
6,849,052	B2	2/2005	Ughigaki et al.	7,591,801	B2	9/2009	Brauker et al.
6,854,882	B2	2/2005	Chen	7,599,726	B2	10/2009	Goode, Jr. et al.
6,862,465	B2	3/2005	Shults et al.	7,604,592	B2	10/2009	Freeman et al.
6,873,268	B2	3/2005	Lebel et al.	7,613,491	B2	11/2009	Boock et al.
6,881,551	B2	4/2005	Heller et al.	7,615,007	B2	11/2009	Shults et al.
6,892,085	B2	5/2005	McIvor et al.	7,632,228	B2	12/2009	Brauker et al.
6,893,545	B2	5/2005	Gotoh et al.	7,637,868	B2	12/2009	Saint et al.
6,895,265	B2	5/2005	Silver	7,640,048	B2	12/2009	Dobbles et al.
6,931,327	B2	8/2005	Goode, Jr. et al.	7,651,596	B2	1/2010	Petisce et al.
6,932,892	B2	8/2005	Chen et al.	7,654,956	B2	2/2010	Brister et al.
6,932,894	B2	8/2005	Mao et al.	7,657,297	B2	2/2010	Simpson et al.
6,936,006	B2	8/2005	Sabra	7,666,149	B2	2/2010	Simons et al.
6,942,518	B2	9/2005	Liamos et al.	7,682,338	B2	3/2010	Griffin
6,950,708	B2	9/2005	Bowman, IV et al.	7,697,967	B2	4/2010	Stafford
6,958,705	B2	10/2005	Lebel et al.	7,711,402	B2	5/2010	Shults et al.
6,968,294	B2	11/2005	Gutta et al.	7,713,574	B2	5/2010	Brister et al.
6,971,274	B2	12/2005	Olin	7,715,893	B2	5/2010	Kamath et al.
6,971,999	B2	12/2005	Py et al.	7,736,344	B2	6/2010	Moberg et al.
6,974,437	B2	12/2005	Lebel et al.	7,763,042	B2	7/2010	Iio et al.
6,990,366	B2	1/2006	Say et al.	7,766,829	B2	8/2010	Sloan et al.
6,997,907	B2	2/2006	Safabash et al.	7,866,026	B1	1/2011	Wang et al.
6,998,247	B2	2/2006	Monfire et al.	2002/0013538	A1	1/2002	Teller
7,003,336	B2	2/2006	Holker et al.	2002/0019022	A1	2/2002	Dunn et al.
7,003,340	B2	2/2006	Say et al.	2002/0022855	A1	2/2002	Bobroff et al.
7,003,341	B2	2/2006	Say et al.	2002/0042090	A1	4/2002	Heller et al.
7,024,245	B2	4/2006	Lebel et al.	2002/0050250	A1	5/2002	Peterson et al.
7,025,743	B2	4/2006	Mann et al.	2002/0055711	A1	5/2002	Lavi et al.
7,041,068	B2	5/2006	Freeman et al.	2002/0057993	A1	5/2002	Maisey et al.
7,041,468	B2	5/2006	Drucker et al.	2002/0066764	A1	6/2002	Perry et al.
7,052,483	B2	5/2006	Wojcik	2002/0076966	A1	6/2002	Carron et al.
7,056,302	B2	6/2006	Douglas	2002/0082487	A1	6/2002	Kollias et al.
7,074,307	B2	7/2006	Simpson et al.	2002/0103499	A1	8/2002	Perez et al.
7,081,195	B2	7/2006	Simpson et al.	2002/0106709	A1	8/2002	Potts et al.
7,098,803	B2	8/2006	Mann et al.	2002/0119711	A1	8/2002	VanAntwerp et al.
7,108,778	B2	9/2006	Simpson et al.	2002/0128594	A1	9/2002	Das et al.
7,110,803	B2	9/2006	Shults et al.	2002/0130042	A1	9/2002	Moerman et al.
7,113,821	B1	9/2006	Sun et al.	2002/0133066	A1	9/2002	Miller et al.
7,134,999	B2	11/2006	Brauker et al.	2002/0154050	A1	10/2002	Krupp et al.
7,136,689	B2	11/2006	Shults et al.	2002/0161288	A1	10/2002	Shin et al.
7,167,818	B2	1/2007	Brown	2002/0161290	A1	10/2002	Chance
				2002/0165462	A1	11/2002	Westbrook et al.
				2002/0169369	A1	11/2002	Ward et al.
				2002/0198444	A1	12/2002	Ughigaki et al.
				2003/0023317	A1	1/2003	Brauker et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2003/0023461	A1	1/2003	Quintanilla et al.	2005/0070819	A1	3/2005	Poux et al.
2003/0028089	A1	2/2003	Galley et al.	2005/0085872	A1	4/2005	Yanagihara et al.
2003/0032867	A1	2/2003	Crothall et al.	2005/0090607	A1	4/2005	Tapsak et al.
2003/0032874	A1	2/2003	Rhodes et al.	2005/0090850	A1	4/2005	Thoes et al.
2003/0042137	A1	3/2003	Mao et al.	2005/0096520	A1	5/2005	Maekawa et al.
2003/0060753	A1	3/2003	Starkweather et al.	2005/0106713	A1	5/2005	Phan et al.
2003/0065308	A1	4/2003	Lebel et al.	2005/0112169	A1	5/2005	Brauker et al.
2003/0069510	A1	4/2003	Semler	2005/0114068	A1	5/2005	Chey et al.
2003/0078560	A1	4/2003	Miller et al.	2005/0121322	A1	6/2005	Say et al.
2003/0083686	A1	5/2003	Freeman et al.	2005/0131346	A1	6/2005	Douglas
2003/0097092	A1	5/2003	Flaherty	2005/0143635	A1	6/2005	Kamath et al.
2003/0100040	A1	5/2003	Bonnecaze et al.	2005/0154410	A1	7/2005	Conway et al.
2003/0109775	A1	6/2003	O'Neil et al.	2005/0165404	A1	7/2005	Miller
2003/0134347	A1	7/2003	Heller et al.	2005/0173245	A1	8/2005	Feldman et al.
2003/0135333	A1	7/2003	Aceti et al.	2005/0176136	A1	8/2005	Burd et al.
2003/0144581	A1	7/2003	Conn et al.	2005/0182306	A1	8/2005	Sloan
2003/0144608	A1	7/2003	Kojima et al.	2005/0187720	A1	8/2005	Goode, Jr. et al.
2003/0155656	A1	8/2003	Chiu et al.	2005/0192557	A1	9/2005	Brauker et al.
2003/0168338	A1	9/2003	Gao et al.	2005/0195930	A1	9/2005	Spital et al.
2003/0176933	A1	9/2003	Lebel et al.	2005/0197554	A1	9/2005	Polcha
2003/0187338	A1	10/2003	Say et al.	2005/0203360	A1	9/2005	Brauker et al.
2003/0199790	A1	10/2003	Boecker et al.	2005/0222518	A1	10/2005	Dib
2003/0199910	A1	10/2003	Boecker et al.	2005/0222599	A1	10/2005	Czernecki et al.
2003/0212379	A1	11/2003	Bylund et al.	2005/0236277	A9	10/2005	Imran et al.
2003/0217966	A1	11/2003	Tapsak et al.	2005/0239154	A1	10/2005	Feldman et al.
2003/0225361	A1	12/2003	Sabra	2005/0239156	A1	10/2005	Drucker et al.
2004/0002682	A1	1/2004	Kovelman et al.	2005/0241957	A1	11/2005	Mao et al.
2004/0010207	A1	1/2004	Flaherty et al.	2005/0245795	A1	11/2005	Goode, Jr. et al.
2004/0011671	A1	1/2004	Shults et al.	2005/0245799	A1	11/2005	Brauker et al.
2004/0040840	A1	3/2004	Mao et al.	2005/0245844	A1	11/2005	Mace et al.
2004/0045879	A1	3/2004	Shults et al.	2005/0267327	A1	12/2005	Izuka et al.
2004/0054263	A1	3/2004	Moerman et al.	2005/0277164	A1	12/2005	Drucker et al.
2004/0064068	A1	4/2004	DeNuzzio et al.	2005/0283114	A1	12/2005	Bresina et al.
2004/0064133	A1	4/2004	Miller et al.	2005/0287620	A1	12/2005	Heller et al.
2004/0072357	A1	4/2004	Steine et al.	2006/0001538	A1	1/2006	Kraft et al.
2004/0096959	A1	5/2004	Steine et al.	2006/0004303	A1	1/2006	Weidenhaupt et al.
2004/0106858	A1	6/2004	Say et al.	2006/0009727	A1	1/2006	O'Mahony et al.
2004/0106859	A1	6/2004	Say et al.	2006/0010098	A1	1/2006	Goodnow et al.
2004/0116847	A1	6/2004	Wall	2006/0015020	A1	1/2006	Neale et al.
2004/0116865	A1	6/2004	Bengtsson	2006/0015024	A1	1/2006	Brister et al.
2004/0122353	A1	6/2004	Shahmirian et al.	2006/0016700	A1	1/2006	Brister et al.
2004/0122489	A1	6/2004	Mazar et al.	2006/0019327	A1	1/2006	Brister et al.
2004/0133164	A1	7/2004	Funderburk et al.	2006/0020186	A1	1/2006	Brister et al.
2004/0135684	A1	7/2004	Steinthal et al.	2006/0020187	A1	1/2006	Brister et al.
2004/0138544	A1	7/2004	Ward et al.	2006/0020188	A1	1/2006	Kamath et al.
2004/0138588	A1	7/2004	Saikley et al.	2006/0020189	A1	1/2006	Brister et al.
2004/0138688	A1	7/2004	Giraud	2006/0020190	A1	1/2006	Kamath et al.
2004/0140211	A1	7/2004	Broy et al.	2006/0020191	A1	1/2006	Brister et al.
2004/0147996	A1	7/2004	Miazga et al.	2006/0020192	A1*	1/2006	Brister et al. 600/345
2004/0158207	A1	8/2004	Hunn et al.	2006/0020300	A1	1/2006	Nghiem et al.
2004/0167801	A1	8/2004	Say et al.	2006/0025662	A1	2/2006	Buse et al.
2004/0171910	A1	9/2004	Moore-Steele	2006/0036139	A1	2/2006	Brister et al.
2004/0171921	A1	9/2004	Say et al.	2006/0036140	A1	2/2006	Brister et al.
2004/0176672	A1	9/2004	Silver et al.	2006/0036141	A1	2/2006	Kamath et al.
2004/0186362	A1	9/2004	Brauker et al.	2006/0036142	A1	2/2006	Brister et al.
2004/0186365	A1	9/2004	Jin et al.	2006/0036143	A1	2/2006	Brister et al.
2004/0193090	A1	9/2004	Lebel et al.	2006/0036144	A1	2/2006	Brister et al.
2004/0199059	A1	10/2004	Brauker et al.	2006/0036145	A1	2/2006	Brister et al.
2004/0204687	A1	10/2004	Mogensen et al.	2006/0047220	A1	3/2006	Sakata et al.
2004/0210122	A1	10/2004	Sleburg	2006/0091006	A1	5/2006	Wang et al.
2004/0223985	A1	11/2004	Dunfiled et al.	2006/0129173	A1	6/2006	Wilkinson
2004/0225338	A1	11/2004	Lebel et al.	2006/0155210	A1	7/2006	Beckman et al.
2004/0236200	A1	11/2004	Say et al.	2006/0155317	A1	7/2006	List et al.
2004/0236251	A1	11/2004	Roe et al.	2006/0166629	A1	7/2006	Reggiardo
2004/0254433	A1	12/2004	Bandis et al.	2006/0173444	A1	8/2006	Choy et al.
2004/0254434	A1	12/2004	Goodnow et al.	2006/0189939	A1	8/2006	Gonnelli et al.
2004/0267300	A1	12/2004	Mace	2006/0193375	A1	8/2006	Lee
2005/0003470	A1	1/2005	Nelson et al.	2006/0195029	A1	8/2006	Shults et al.
2005/0004494	A1	1/2005	Perez et al.	2006/0200181	A1	9/2006	Fukuzawa et al.
2005/0006122	A1	1/2005	Burnette	2006/0200970	A1	9/2006	Brister et al.
2005/0010269	A1	1/2005	Lebel et al.	2006/0222566	A1	10/2006	Brauker et al.
2005/0027177	A1	2/2005	Shin et al.	2006/0226985	A1	10/2006	Goodnow et al.
2005/0027180	A1	2/2005	Goode, Jr. et al.	2006/0247508	A1	11/2006	Fennell
2005/0031689	A1	2/2005	Shults et al.	2006/0253086	A1	11/2006	Moberg et al.
2005/0043598	A1	2/2005	Goode, Jr. et al.	2006/0258929	A1	11/2006	Goode, Jr. et al.
				2006/0264888	A1	11/2006	Moberg et al.
				2006/0276724	A1	12/2006	Freeman et al.
				2006/0282042	A1	12/2006	Walters et al.
				2006/0287591	A1	12/2006	Ocvirk et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2007/0016381	A1	1/2007	Kamath et al.	2008/0200791	A1	8/2008	Simpson et al.
2007/0027381	A1	2/2007	Stafford	2008/0200897	A1	8/2008	Hoss et al.
2007/0038044	A1	2/2007	Dobbles et al.	2008/0208025	A1	8/2008	Shults et al.
2007/0056858	A1	3/2007	Chen et al.	2008/0214481	A1	9/2008	Challoner et al.
2007/0060814	A1	3/2007	Stafford	2008/0214915	A1	9/2008	Brister et al.
2007/0068807	A1	3/2007	Feldman et al.	2008/0214918	A1	9/2008	Brister et al.
2007/0073129	A1	3/2007	Shah et al.	2008/0228051	A1	9/2008	Shults et al.
2007/0078320	A1	4/2007	Stafford	2008/0228054	A1	9/2008	Shults et al.
2007/0078321	A1	4/2007	Mazza et al.	2008/0242961	A1	10/2008	Brister et al.
2007/0078322	A1	4/2007	Stafford	2008/0262330	A1	10/2008	Reynolds et al.
2007/0088377	A1	4/2007	Levaughn et al.	2008/0262469	A1	10/2008	Brister et al.
2007/0095661	A1	5/2007	Wang et al.	2008/0269673	A1	10/2008	Butoi et al.
2007/0106135	A1	5/2007	Sloan et al.	2008/0275313	A1	11/2008	Brister et al.
2007/0108048	A1	5/2007	Wang et al.	2008/0283396	A1	11/2008	Wang et al.
2007/0110124	A1	5/2007	Zaragoza et al.	2008/0287764	A1	11/2008	Rasdal et al.
2007/0149875	A1	6/2007	Ouyang et al.	2008/0287765	A1	11/2008	Rasdal et al.
2007/0163880	A1	7/2007	Woo et al.	2008/0287766	A1	11/2008	Rasdal et al.
2007/0173706	A1	7/2007	Neinast et al.	2008/0294096	A1	11/2008	Uber et al.
2007/0173741	A1	7/2007	Deshmukh et al.	2008/0296155	A1	12/2008	Shults et al.
2007/0191701	A1	8/2007	Feldman et al.	2008/0300476	A1	12/2008	Stafford
2007/0199818	A1	8/2007	Petyt et al.	2008/0306368	A1	12/2008	Goode, Jr. et al.
2007/0203407	A1	8/2007	Hoss et al.	2008/0306434	A1	12/2008	Dobbles et al.
2007/0203966	A1	8/2007	Brauker et al.	2008/0306435	A1	12/2008	Kamath et al.
2007/0213611	A1	9/2007	Simpson et al.	2008/0306444	A1	12/2008	Brister et al.
2007/0219496	A1	9/2007	Kamen et al.	2009/0005659	A1	1/2009	Kollias et al.
2007/0227911	A1	10/2007	Wang et al.	2009/0012377	A1	1/2009	Jennewine et al.
2007/0232879	A1	10/2007	Brister et al.	2009/0012379	A1	1/2009	Goode, Jr. et al.
2007/0233013	A1	10/2007	Schoenberg et al.	2009/0018424	A1	1/2009	Kamath et al.
2007/0235331	A1	10/2007	Simpson et al.	2009/0030294	A1	1/2009	Petisce et al.
2007/0244368	A1	10/2007	Bayloff et al.	2009/0036758	A1	2/2009	Brauker et al.
2007/0244379	A1	10/2007	Boock et al.	2009/0036763	A1	2/2009	Brauker et al.
2007/0244398	A1	10/2007	Lo et al.	2009/0036915	A1	2/2009	Karbowniczek et al.
2007/0249922	A1	10/2007	Peysen et al.	2009/0043181	A1	2/2009	Brauker et al.
2007/0255302	A1	11/2007	Koeppel et al.	2009/0043182	A1	2/2009	Brauker et al.
2008/0004512	A1	1/2008	Funderburk et al.	2009/0043525	A1	2/2009	Brauker et al.
2008/0009692	A1	1/2008	Stafford	2009/0043541	A1	2/2009	Brauker et al.
2008/0009805	A1	1/2008	Ethelfeld	2009/0043542	A1	2/2009	Brauker et al.
2008/0017522	A1	1/2008	Heller et al.	2009/0045055	A1	2/2009	Rhodes et al.
2008/0021666	A1	1/2008	Goode, Jr. et al.	2009/0054866	A1	2/2009	Teisen-Simony et al.
2008/0027474	A1	1/2008	Curry et al.	2009/0062633	A1	3/2009	Brauker et al.
2008/0029391	A1	2/2008	Mao et al.	2009/0062635	A1	3/2009	Brauker et al.
2008/0033254	A1	2/2008	Kamath et al.	2009/0069658	A1	3/2009	Say et al.
2008/0033268	A1	2/2008	Stafford	2009/0069750	A1	3/2009	Schraga
2008/0033318	A1	2/2008	Mace et al.	2009/0076356	A1	3/2009	Simpson et al.
2008/0039702	A1	2/2008	Hayter et al.	2009/0076359	A1	3/2009	Peysen
2008/0045824	A1	2/2008	Tapsak et al.	2009/0076360	A1	3/2009	Brister et al.
2008/0064937	A1	3/2008	McGarraugh et al.	2009/0076361	A1	3/2009	Kamath et al.
2008/0064941	A1	3/2008	Funderburk et al.	2009/0082693	A1	3/2009	Stafford
2008/0065646	A1	3/2008	Zhang et al.	2009/0088614	A1	4/2009	Taub
2008/0066305	A1	3/2008	Wang et al.	2009/0088787	A1	4/2009	Koike et al.
2008/0071156	A1	3/2008	Brister et al.	2009/0099436	A1	4/2009	Brister et al.
2008/0083617	A1	4/2008	Simpson et al.	2009/0102678	A1	4/2009	Stafford et al.
2008/0086042	A1	4/2008	Brister et al.	2009/0105569	A1	4/2009	Stafford
2008/0086044	A1	4/2008	Brister et al.	2009/0124878	A1	5/2009	Goode et al.
2008/0086273	A1	4/2008	Shults et al.	2009/0124879	A1	5/2009	Brister et al.
2008/0097246	A1	4/2008	Stafford	2009/0124964	A1	5/2009	Leach et al.
2008/0099332	A1	5/2008	Scott et al.	2009/0124979	A1	5/2009	Raymond et al.
2008/0112848	A1	5/2008	Huffstodt et al.	2009/0131768	A1	5/2009	Simpson et al.
2008/0133702	A1	6/2008	Sharma et al.	2009/0131769	A1	5/2009	Leach et al.
2008/0161664	A1	7/2008	Mastrototaro et al.	2009/0131776	A1	5/2009	Simpson et al.
2008/0167578	A1	7/2008	Bryer et al.	2009/0131777	A1	5/2009	Simpson et al.
2008/0183061	A1	7/2008	Goode, Jr. et al.	2009/0131860	A1	5/2009	Nielsen
2008/0183399	A1	7/2008	Goode, Jr. et al.	2009/0137886	A1	5/2009	Shariati et al.
2008/0188731	A1	8/2008	Brister et al.	2009/0137887	A1	5/2009	Shariati et al.
2008/0189051	A1	8/2008	Goode, Jr. et al.	2009/0143659	A1	6/2009	Li et al.
2008/0194935	A1	8/2008	Brister et al.	2009/0143660	A1	6/2009	Brister et al.
2008/0194936	A1	8/2008	Goode, Jr. et al.	2009/0156919	A1	6/2009	Brister et al.
2008/0194937	A1	8/2008	Goode, Jr. et al.	2009/0156924	A1	6/2009	Shariati et al.
2008/0194938	A1	8/2008	Brister et al.	2009/0163790	A1	6/2009	Brister et al.
2008/0195049	A1	8/2008	Thalman et al.	2009/0163791	A1	6/2009	Brister et al.
2008/0195232	A1	8/2008	Carr-Brendel et al.	2009/0171182	A1	7/2009	Stafford
2008/0195967	A1	8/2008	Goode, Jr. et al.	2009/0178459	A1	7/2009	Li et al.
2008/0197024	A1	8/2008	Simpson et al.	2009/0182217	A1	7/2009	Li et al.
2008/0200788	A1	8/2008	Brister et al.	2009/0192366	A1	7/2009	Mensing et al.
2008/0200789	A1	8/2008	Brister et al.	2009/0192380	A1	7/2009	Shariati et al.
				2009/0192722	A1	7/2009	Shariati et al.
				2009/0192724	A1	7/2009	Brauker et al.
				2009/0192745	A1	7/2009	Kamath et al.
				2009/0192751	A1	7/2009	Kamath et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2009/0198215	A1	8/2009	Chong et al.	2010/0185069	A1	7/2010	Brister et al.
2009/0203981	A1	8/2009	Brauker et al.	2010/0185070	A1	7/2010	Brister et al.
2009/0204341	A1	8/2009	Brauker et al.	2010/0185071	A1	7/2010	Simpson et al.
2009/0212766	A1	8/2009	Olson et al.	2010/0185072	A1	7/2010	Goode et al.
2009/0216103	A1	8/2009	Brister et al.	2010/0185075	A1	7/2010	Brister et al.
2009/0240120	A1	9/2009	Mensingher et al.	2010/0191082	A1	7/2010	Brister et al.
2009/0240128	A1	9/2009	Mensingher et al.	2010/0198033	A1	8/2010	Krulevitch et al.
2009/0240193	A1	9/2009	Mensingher et al.	2010/0198034	A1	8/2010	Thomas et al.
2009/0242399	A1	10/2009	Kamath et al.	2010/0198035	A1	8/2010	Kamath et al.
2009/0242425	A1	10/2009	Kamath et al.	2010/0198036	A1	8/2010	Kamath et al.
2009/0247855	A1	10/2009	Boock et al.	2010/0204653	A1	8/2010	Gryn et al.
2009/0247856	A1	10/2009	Boock et al.	2010/0212583	A1	8/2010	Brister et al.
2009/0259118	A1	10/2009	Feldman et al.	2010/0214104	A1	8/2010	Goode et al.
2009/0259201	A1	10/2009	Hwang et al.	2010/0217105	A1	8/2010	Yodfat et al.
2009/0259202	A1	10/2009	Leefflang et al.	2010/0217557	A1	8/2010	Kamath et al.
2009/0270765	A1	10/2009	Ghesquire et al.	2010/0223013	A1	9/2010	Kamath et al.
2009/0287073	A1	11/2009	Boock et al.	2010/0223022	A1	9/2010	Kamath et al.
2009/0287074	A1	11/2009	Shults et al.	2010/0223023	A1	9/2010	Kamath et al.
2009/0292184	A1	11/2009	Funderburk et al.	2010/0228109	A1	9/2010	Kamath et al.
2009/0292185	A1	11/2009	Funderburk et al.	2010/0228497	A1	9/2010	Kamath et al.
2009/0299155	A1	12/2009	Yang et al.	2010/0240975	A1	9/2010	Goode et al.
2009/0299156	A1	12/2009	Simpson et al.	2010/0240976	A1	9/2010	Goode et al.
2009/0299162	A1	12/2009	Brauker et al.	2010/0261987	A1	10/2010	Kamath et al.
2009/0299167	A1	12/2009	Seymour	2010/0262201	A1	10/2010	He et al.
2009/0299276	A1	12/2009	Brauker et al.	2010/0274107	A1	10/2010	Boock et al.
2010/0004597	A1	1/2010	Gryn et al.	2010/0280341	A1	11/2010	Boock et al.
2010/0010324	A1	1/2010	Brauker et al.	2010/0286496	A1	11/2010	Simpson et al.
2010/0010331	A1	1/2010	Brauker et al.	2010/0298684	A1	11/2010	Leach et al.
2010/0010332	A1	1/2010	Brauker et al.	2010/0324403	A1	12/2010	Brister et al.
2010/0016687	A1	1/2010	Brauker et al.	2010/0331642	A1	12/2010	Bruce et al.
2010/0016698	A1	1/2010	Rasdal et al.	2010/0331644	A1	12/2010	Neale et al.
2010/0022855	A1	1/2010	Brauker et al.	2010/0331647	A1	12/2010	Shah et al.
2010/0030038	A1	2/2010	Brauker et al.	2010/0331648	A1	12/2010	Kamath et al.
2010/0030053	A1	2/2010	Goode, Jr. et al.	2010/0331656	A1	12/2010	Mensingher et al.
2010/0030484	A1	2/2010	Brauker et al.	2010/0331657	A1	12/2010	Mensingher et al.
2010/0030485	A1	2/2010	Brauker et al.	2011/0004085	A1	1/2011	Mensingher et al.
2010/0036215	A1	2/2010	Goode, Jr. et al.	2011/0009727	A1	1/2011	Mensingher et al.
2010/0036216	A1	2/2010	Goode, Jr. et al.	2011/0024043	A1	2/2011	Boock et al.
2010/0036222	A1	2/2010	Goode, Jr. et al.	2011/0024307	A1	2/2011	Simpson et al.
2010/0036223	A1	2/2010	Goode, Jr. et al.	2011/0027127	A1	2/2011	Simpson et al.
2010/0036225	A1	2/2010	Goode, Jr. et al.	2011/0027453	A1	2/2011	Boock et al.
2010/0036281	A1	2/2010	Doi	2011/0027458	A1	2/2011	Boock et al.
2010/0041971	A1	2/2010	Goode, Jr. et al.	2011/0028815	A1	2/2011	Simpson et al.
2010/0045465	A1	2/2010	Brauker et al.	2011/0028816	A1	2/2011	Simpson et al.
2010/0049014	A1	2/2010	Funderburk et al.	2011/0040256	A1	2/2011	Bobroff et al.
2010/0049024	A1	2/2010	Saint et al.	2011/0040263	A1	2/2011	Hordum et al.
2010/0063373	A1	3/2010	Kamath et al.	2011/0046456	A1	2/2011	Hordum et al.
2010/0069728	A1	3/2010	Funderburk et al.	2011/0046467	A1	2/2011	Simpson et al.
2010/0076283	A1	3/2010	Simpson et al.	2011/0077490	A1	3/2011	Simpson et al.
2010/0081908	A1	4/2010	Dobbles et al.	2011/0118579	A1	5/2011	Goode et al.
2010/0081910	A1	4/2010	Brister et al.	2011/0118580	A1	5/2011	Goode et al.
2010/0087724	A1	4/2010	Brauker et al.	2011/0124992	A1	5/2011	Brauker et al.
2010/0096259	A1	4/2010	Zhang et al.	2011/0124997	A1	5/2011	Goode et al.
2010/0099970	A1	4/2010	Shults et al.	2011/0125410	A1	5/2011	Goode et al.
2010/0099971	A1	4/2010	Shults et al.	2011/0130970	A1	6/2011	Goode et al.
2010/0100113	A1	4/2010	Iio et al.	2011/0130971	A1	6/2011	Goode et al.
2010/0106088	A1	4/2010	Yodfat et al.	2011/0130998	A1	6/2011	Goode et al.
2010/0113897	A1	5/2010	Brenneman et al.	2011/0137257	A1	6/2011	Gryn et al.
2010/0119693	A1	5/2010	Tapsak et al.	2011/0144465	A1	6/2011	Shults et al.
2010/0121169	A1	5/2010	Petisce et al.	2011/0178378	A1	7/2011	Brister et al.
2010/0168677	A1	7/2010	Gabriel et al.	2011/0178461	A1	7/2011	Chong et al.
2010/0174157	A1	7/2010	Brister et al.	2011/0190614	A1	8/2011	Brister et al.
2010/0174158	A1	7/2010	Kamath et al.	2011/0201910	A1	8/2011	Rasdal et al.
2010/0174163	A1	7/2010	Brister et al.	2011/0201911	A1	8/2011	Johnson et al.
2010/0174164	A1	7/2010	Brister et al.	2011/0218414	A1	9/2011	Kamath et al.
2010/0174165	A1	7/2010	Brister et al.	2011/0231107	A1	9/2011	Brauker et al.
2010/0174166	A1	7/2010	Brister et al.	2011/0231140	A1	9/2011	Goode et al.
2010/0174167	A1	7/2010	Kamath et al.	2011/0231141	A1	9/2011	Goode et al.
2010/0174168	A1	7/2010	Goode et al.	2011/0231142	A1	9/2011	Goode et al.
2010/0179401	A1	7/2010	Rasdal et al.	2011/0253533	A1	10/2011	Shults et al.
2010/0179402	A1	7/2010	Goode et al.	2011/0257521	A1	10/2011	Fraden
2010/0179404	A1	7/2010	Kamath et al.	2011/0257895	A1	10/2011	Brauker et al.
2010/0179408	A1	7/2010	Kamath et al.	2011/0263958	A1	10/2011	Brauker et al.
2010/0179409	A1	7/2010	Kamath et al.	2011/0270062	A1	11/2011	Goode et al.
2010/0185065	A1	7/2010	Goode et al.	2011/0270158	A1	11/2011	Brauker et al.
				2011/0275919	A1	11/2011	Petisce et al.
				2011/0290645	A1	12/2011	Brister et al.
				2011/0313543	A1	12/2011	Brauker et al.
				2011/0319739	A1	12/2011	Kamath et al.

(56) References Cited

U.S. PATENT DOCUMENTS

2011/0320130	A1	12/2011	Valdes et al.
2012/0035445	A1	2/2012	Boock et al.
2012/0040101	A1	2/2012	Tapsak et al.
2012/0046534	A1	2/2012	Simpson et al.
2012/0078071	A1	3/2012	Bohm et al.
2012/0108934	A1	5/2012	Valdes et al.
2012/0108983	A1	5/2012	Banet et al.
2012/0123385	A1	5/2012	Edwards et al.
2012/0296327	A1	11/2012	Hutchins et al.
2013/0047981	A1	2/2013	Bacon

FOREIGN PATENT DOCUMENTS

EP	1630898	3/2006
EP	0987982	1/2007
EP	2060284	5/2009
EP	2201969	6/2010
EP	2327362	6/2011
EP	2335587	6/2011
JP	11-506629	6/1999
JP	2003-516011	5/2003
JP	2004-520103	7/2004
JP	2004-520898	7/2004
WO	WO-96/39977	5/1996
WO	WO-97/21457	6/1997
WO	WO-98/56293	12/1998
WO	WO-99/33504	7/1999
WO	WO-02/50534	6/2002
WO	WO-02/058537	8/2002
WO	WO-03/028784	4/2003
WO	WO-03/073936	9/2003
WO	WO-03/076893	9/2003
WO	WO-03/082091	10/2003
WO	WO-2004/054445	7/2004
WO	WO-2004/060436	7/2004
WO	WO-2004/061420	7/2004
WO	WO-2005/084534	9/2005
WO	WO-2005/089103	9/2005
WO	WO-2006/042811	4/2006
WO	WO-2006/108809	10/2006
WO	WO-2007/016399	2/2007
WO	WO-2007/027788	3/2007
WO	WO-2007/041069	4/2007
WO	WO-2007/041070	4/2007
WO	WO-2007/041248	4/2007
WO	WO-2007/120363	10/2007
WO	WO-2007/140783	12/2007
WO	WO-2007/143225	12/2007
WO	WO-2008/031106	3/2008
WO	WO-2008/031110	3/2008
WO	WO-2008/039944	4/2008
WO	WO-2008/051920	5/2008
WO	WO-2008/051924	5/2008
WO	WO-2008/065646	6/2008
WO	WO-2008/103620	8/2008
WO	WO-2008/133702	11/2008
WO	WO-2008/150917	12/2008
WO	WO-2009/062675	5/2009
WO	WO-2010/112521	10/2010
WO	WO-2011/002815	1/2011

OTHER PUBLICATIONS

Isermann, R., "Supervision, Fault-Detection and Fault-Diagnosis Methods—An Introduction", *Control Engineering Practice*, vol. 5, No. 5, 1997, pp. 639-652.

Isermann, R., et al., "Trends in the Application of Model-Based Fault Detection and Diagnosis of Technical Processes", *Control Engineering Practice*, vol. 5, No. 5, 1997, pp. 709-719.

Chinese Patent Application No. 200780039416.2, Original Language and English Translation of Office Action mailed Mar. 30, 2011.

European Patent Application No. EP-07854298.2, Extended European Search Report mailed Mar. 29, 2010.

PCT Application No. PCT/US2007/082121, Preliminary Report on Patentability and Written Opinion of the International Searching Authority mailed May 7, 2009.

Armour, J. C., et al., "Application of Chronic Intravascular Blood Glucose Sensor in Dogs", *Diabetes*, vol. 39, 1990, pp. 1519-1526.

Aussedat, B., et al., "A User-Friendly Method for Calibrating a Subcutaneous Glucose Sensor-Based Hypoglycemic Alarm", *Biosensors & Bioelectronics*, vol. 12, No. 11, 1997, pp. 1061-1071.

Bennion, N., et al., "Alternate Site Glucose Testing: A Crossover Design", *Diabetes Technology & Therapeutics*, vol. 4, No. 1, 2002, pp. 25-33.

Blank, T. B., et al., "Clinical Results From a Non-Invasive Blood Glucose Monitor", *Optical Diagnostics and Sensing of Biological Fluids and Glucose and Cholesterol Monitoring II, Proceedings of SPIE*, vol. 4624, 2002, pp. 1-10.

Brooks, S. L., et al., "Development of an On-Line Glucose Sensor for Fermentation Monitoring", *Biosensors*, vol. 3, 1987/88, pp. 45-56.

Cass, A. E., et al., "Ferrocene-Medicated Enzyme Electrode for Amperometric Determination of Glucose", *Analytical Chemistry*, vol. 56, No. 4, 1984, 667-671.

Csoregi, E., et al., "Design and Optimization of a Selective Subcutaneously Implantable Glucose Electrode Based on 'Wired' Glucose Oxidase", *Analytical Chemistry*, vol. 67, No. 7, 1995, pp. 1240-1244.

Feldman, B., et al., "A Continuous Glucose Sensor Based on Wired Enzyme™ Technology—Results from a 3-Day Trial in Patients with Type 1 Diabetes", *Diabetes Technology & Therapeutics*, vol. 5, No. 5, 2003, pp. 769-779.

Feldman, B., et al., "Correlation of Glucose Concentrations in Interstitial Fluid and Venous Blood During Periods of Rapid Glucose Change", *Abbott Diabetes Care, Inc. Freestyle Navigator Continuous Glucose Monitor Pamphlet*, 2004.

Johnson, P. C., "Peripheral Circulation", *John Wiley & Sons*, 1978, pp. 198.

Jungheim, K., et al., "How Rapid Does Glucose Concentration Change in Daily Life of Patients with Type 1 Diabetes?", 2002, pp. 250.

Jungheim, K., et al., "Risky Delay of Hypoglycemia Detection by Glucose Monitoring at the Arm", *Diabetes Care*, vol. 24, No. 7, 2001, pp. 1303-1304.

Kaplan, S. M., "Wiley Electrical and Electronics Engineering Dictionary", *IEEE Press*, 2004, pp. 141, 142, 548, 549.

Lortz, J., et al., "What is Bluetooth? We Explain The Newest Short-Range Connectivity Technology", *Smart Computing Learning Series, Wireless Computing*, vol. 8, Issue 5, 2002, pp. 72-74.

Malin, S. F., et al., "Noninvasive Prediction of Glucose by Near-Infrared Diffuse Reflectance Spectroscopy", *Clinical Chemistry*, vol. 45, No. 9, 1999, pp. 1651-1658.

McGarraugh, G., et al., "Glucose Measurements Using Blood Extracted from the Forearm and the Finger", *TheraSense, Inc.*, 2001, 16 Pages.

McGarraugh, G., et al., "Physiological Influences on Off-Finger Glucose Testing", *Diabetes Technology & Therapeutics*, vol. 3, No. 3, 2001, pp. 367-376.

McKean, B. D., et al., "A Telemetry-Instrumentation System for Chronically Implanted Glucose and Oxygen Sensors", *IEEE Transactions on Biomedical Engineering*, vol. 35, No. 7, 1988, pp. 526-532.

Pickup, J., et al., "Implantable Glucose Sensors: Choosing the Appropriate Sensing Strategy", *Biosensors*, vol. 3, 1987/88, pp. 335-346.

Pickup, J., et al., "In Vivo Molecular Sensing in Diabetes Mellitus: An Implantable Glucose Sensor with Direct Electron Transfer", *Diabetologia*, vol. 32, 1989, pp. 213-217.

Pishko, M. V., et al., "Amperometric Glucose Microelectrodes Prepared Through Immobilization of Glucose Oxidase in Redox Hydrogels", *Analytical Chemistry*, vol. 63, No. 20, 1991, pp. 2268-2272.

Quinn, C. P., et al., "Kinetics of Glucose Delivery to Subcutaneous Tissue in Rats Measured with 0.3-mm Amperometric Microsensors", *The American Physiological Society*, 1995, E155-E161.

Roe, J. N., et al., "Bloodless Glucose Measurements", *Critical Review in Therapeutic Drug Carrier Systems*, vol. 15, Issue 3, 1998, pp. 199-241.

(56)

References Cited

OTHER PUBLICATIONS

- Sakakida, M., et al., "Development of Ferrocene-Mediated Needle-Type Glucose Sensor as a Measure of True Subcutaneous Tissue Glucose Concentrations", *Artificial Organs Today*, vol. 2, No. 2, 1992, pp. 145-158.
- Sakakida, M., et al., "Ferrocene-Mediated Needle-Type Glucose Sensor Covered with Newly Designed Biocompatible Membrane", *Sensors and Actuators B*, vol. 13-14, 1993, pp. 319-322.
- Salehi, C., et al., "A Telemetry-Instrumentation System for Long-Term Implantable Glucose and Oxygen Sensors", *Analytical Letters*, vol. 29, No. 13, 1996, pp. 2289-2308.
- Schmidt, F. J., et al., "Calibration of a Wearable Glucose Sensor", *The International Journal of Artificial Organs*, vol. 15, No. 1, 1992, pp. 55-61.
- Schmidtke, D. W., et al., "Measurement and Modeling of the Transient Difference Between Blood and Subcutaneous Glucose Concentrations in the Rat After Injection of Insulin", *Proceedings of the National Academy of Sciences*, vol. 95, 1998, pp. 294-299.
- Shaw, G. W., et al., "In Vitro Testing of a Simply Constructed, Highly Stable Glucose Sensor Suitable for Implantation in Diabetic Patients", *Biosensors & Bioelectronics*, vol. 6, 1991, pp. 401-406.
- Shichiri, M., et al., "Glycaemic Control in Pancreatectomized Dogs with a Wearable Artificial Endocrine Pancreas", *Diabetologia*, vol. 24, 1983, pp. 179-184.
- Shichiri, M., et al., "In Vivo Characteristics of Needle-Type Glucose Sensor—Measurements of Subcutaneous Glucose Concentrations in Human Volunteers", *Hormone and Metabolic Research Supplement Series*, vol. 20, 1988, pp. 17-20.
- Shichiri, M., et al., "Membrane Design for Extending the Long-Life of an Implantable Glucose Sensor", *Diabetes Nutrition and Metabolism*, vol. 2, 1989, pp. 309-313.
- Shichiri, M., et al., "Needle-type Glucose Sensor for Wearable Artificial Endocrine Pancreas", *Implantable Sensors for Closed-Loop Prosthetic Systems*, Chapter 15, 1985, pp. 197-210.
- Shichiri, M., et al., "Telemetry Glucose Monitoring Device With Needle-Type Glucose Sensor: A Useful Tool for Blood Glucose Monitoring in Diabetic Individuals", *Diabetes Care*, vol. 9, No. 3, 1986, pp. 298-301.
- Shichiri, M., et al., "Wearable Artificial Endocrine Pancreas With Needle-Type Glucose Sensor", *The Lancet*, 1982, pp. 1129-1131.
- Shults, M. C., et al., "A Telemetry-Instrumentation System for Monitoring Multiple Subcutaneously Implanted Glucose Sensors", *IEEE Transactions on Biomedical Engineering*, vol. 41, No. 10, 1994, pp. 937-942.
- Sternberg, R., et al., "Study and Development of Multilayer Needle-Type Enzyme-Based Glucose Microsensors", *Biosensors*, vol. 4, 1988, pp. 27-40.
- Thompson, M., et al., "In Vivo Probes: Problems and Perspectives", *Clinical Biochemistry*, vol. 19, 1986, pp. 255-261.
- Turner, A., et al., "Diabetes Mellitus: Biosensors for Research and Management", *Biosensors*, vol. 1, 1985, pp. 85-115.
- Updike, S. J., et al., "Principles of Long-Term Fully Implanted Sensors with Emphasis on Radiotelemetric Monitoring of Blood Glucose from Inside a Subcutaneous Foreign Body Capsule (FBC)", *Biosensors in the Body: Continuous in vivo Monitoring*, Chapter 4, 1997, pp. 117-137.
- Velho, G., et al., "Strategies for Calibrating a Subcutaneous Glucose Sensor", *Biomedica Biochimica Acta*, vol. 48, 1989, pp. 957-964.
- Wilson, G. S., et al., "Progress Toward the Development of an Implantable Sensor for Glucose", *Clinical Chemistry*, vol. 38, No. 9, 1992, pp. 1613-1617.
- Alcock, S. J., et al., "Continuous Analyte Monitoring to Aid Clinical Practice", *IEEE Engineering in Medicine and Biology Magazine*, 1994, pp. 319-325.
- Bindra, D. S., et al., "Design and in Vitro Studies of a Needle-Type Glucose Sensor for Subcutaneous Monitoring", *Analytical Chemistry*, vol. 63, No. 17, 1991, pp. 1692-1696.
- Bobbioni-Harsch, E., et al., "Lifespan of Subcutaneous Glucose Sensors and Their Performances During Dynamic Glycaemia Changes in Rats", *Journal of Biomedical Engineering*, vol. 15, 1993, pp. 457-463.
- Gregg, B. A., et al., "Cross-Linked Redox Gels Containing Glucose Oxidase for Amperometric Biosensor Applications", *Analytical Chemistry*, vol. 62, No. 3, 1990, pp. 258-263.
- Harrison, D. J., et al., "Characterization of Perfluorosulfonic Acid Polymer Coated Enzyme Electrodes and a Miniatureized Integrated Potentiostat for Glucose Analysis in Whole Blood", *Analytical Chemistry*, vol. 60, No. 19, 1988, pp. 2002-2007.
- Heller, A., "Electrical Connection Enzyme Redox Centers to Electrodes", *Journal of Physical Chemistry*, vol. 96, No. 9, 1990, pp. 3579-3587.
- Johnson, K. W., et al., "In vivo Evaluation of an Electroenzymatic Glucose Sensor Implanted in Subcutaneous Tissue", *Biosensors & Bioelectronics*, vol. 7, 1992, pp. 709-714.
- Maidan, R., et al., "Elimination of Electrooxidizable Interferant-Produced Currents in Amperometric Biosensors", *Analytical Chemistry*, vol. 64, No. 23, 1992, pp. 2889-2896.
- Mastrototaro, J. J., et al., "An Electroenzymatic Glucose Sensor Fabricated on a Flexible Substrate", *Sensors and Actuators B*, vol. 5, 1991, pp. 139-144.
- Moatti-Sirat, D., et al., "Towards Continuous Glucose Monitoring: In Vivo Evaluation of a Miniaturized Glucose Sensor Implanted for Several Days in Rat Subcutaneous Tissue", *Diabetologia*, vol. 35, 1992, pp. 224-330.
- Ohara, T. J., et al., "Glucose Electrodes Based on Cross-Linked [Os(bpy)₂C1]⁺²⁺ Complexed Poly(1-Vinylimidazole) Films", *Analytical Chemistry*, vol. 65, No. 23, 1993, pp. 3512-3517.
- Poitout, V., et al., "In Vitro and In Vivo Evaluation in Dogs of a Miniaturized Glucose Sensor", *ASAIO Transactions*, vol. 37, No. 3, 1991, pp. M298-M300.
- Reach, G., et al., "Can Continuous Glucose Monitoring Be Used for the Treatment of Diabetes?", *Analytical Chemistry*, vol. 64, No. 6, 1992, pp. 381-386.
- Rebrin, K., et al., "Automated Feedback Control of Subcutaneous Glucose Concentration in Diabetic Dogs", *Diabetologia*, vol. 32, 1989, pp. 573-576.
- Ye, L., et al., "High Current Density 'Wired' Quinoprotein Glucose Dehydrogenase Electrode", *Analytical Chemistry*, vol. 65, No. 3, 1993, pp. 238-241.
- Japanese Patent Application No. 2009-534799, English Translation of Office Action mailed Sep. 27, 2011.
- Chinese Patent Application No. 200780039416.2, Original Language and English Translation of Office Action mailed Apr. 25, 2012.
- Japanese Patent Application No. 2009-534799, Original Language and English Translation of Office Action mailed Feb. 19, 2013.
- Mexican Patent Application No. MX/a/2009/004322, English Translation of Office Action mailed Sep. 19, 2012.
- Mexican Patent Application No. MX/a/2009/004322, English Translation of Office Action mailed Mar. 11, 2013.
- Russian Patent Application No. 2009-119430, Original Language and English Translation of Office Action mailed Jun. 5, 2011.
- Australian Patent Application No. 2007309070, Examination Report mailed Apr. 26, 2012.
- Gunasingham, et al., "Electrochemically Modulated Optrode for Glucose", *Biosensors & Bioelectronics*, vol. 7, 1992, pp. 353-359.
- Ikeda, T., et al., "Artificial Pancreas—Investigation of the Stability of Glucose Sensors Using a Telemetry System" (English language translation of abstract), *Jpn. J. Artif. Organs*, vol. 19, No. 2, 1990, 889-892.
- Minimed Technologies, "Tape Tips and Other Infusion Site Information", 1995.
- Japanese Patent Application No. 2013-169447, Original Language and English Translation of Office Action mailed Sep. 2, 2014.

* cited by examiner

FIG. 1




FIG. 2





FIG. 3



FLEXIBLE PATCH FOR FLUID DELIVERY AND MONITORING BODY ANALYTES

FIELD OF THE INVENTION

The present invention relates to medical devices for monitoring analytes in a living body and delivering fluids thereto, such as monitoring glucose levels and delivering insulin to people with diabetes. More particularly, the invention relates to analyte monitoring and fluid delivery systems integrated into a flexible patch.

BACKGROUND OF THE INVENTION

In recent years, people with diabetes have typically measured their blood glucose level by lancing a finger tip or other body location to draw blood, applying the blood to a disposable test strip in a hand-held meter and allowing the meter and strip to perform an electrochemical test of the blood to determine the current glucose concentration. Such discrete, in vitro testing is typically conducted at least several times per day. Continuous in vivo glucose monitoring devices are currently being developed to replace in vitro devices. Some of these continuous systems employ a disposable, transcutaneous sensor that is inserted into the skin to measure glucose concentrations in interstitial fluid. A portion of the sensor protrudes from the skin and is coupled with a durable controller and transmitter unit that is attached to the skin with adhesive. A wireless handheld unit is used in combination with the skin-mounted transmitter and sensor to receive glucose readings periodically, such as once a minute. Every three, five or seven days, the disposable sensor is removed and replaced with a fresh sensor which is again coupled to the reusable controller and transmitter unit. With this arrangement, a person with diabetes may continuously monitor their glucose level with the handheld unit. Detailed descriptions of such a continuous glucose monitoring system and its use are provided in U.S. Pat. No. 6,175,752, issued to Abbott Diabetes Care Inc., formerly known as TheraSense, Inc., on Jan. 16, 2001, which is incorporated by reference herein in its entirety.

Portable insulin pumps are widely available and are used by diabetic people to automatically deliver insulin over extended periods of time. Currently available insulin pumps employ a common pumping technology, the syringe pump. In a syringe pump, the plunger of the syringe is advanced by a lead screw that is turned by a precision stepper motor. As the plunger advances, fluid is forced out of the syringe, through a catheter to the patient. Insulin pumps need to be very precise to deliver the relatively small volume of insulin required by a typical diabetic (about 0.1 to about 1.0 cm³ per day) in a nearly continuous manner. The delivery rate of an insulin pump can also be readily adjusted through a large range to accommodate changing insulin requirements of an individual (e.g., various basal rates and bolus doses) by adjusting the stepping rate of the motor. In addition to the renewable insulin reservoir, lead-screw and stepper motor, an insulin pump includes a battery, a controller and associated electronics, and typically a display and user controls. A typical insulin pump has a footprint about the size of a deck of cards and can be worn under clothing or attached with a belt clip. A disposable infusion set is coupled with the pump to deliver insulin to the person. The infusion set includes a cannula that is inserted through the skin, an adhesive mount to hold the cannula in place and a length of tubing to connect the cannula to the pump.

The continuous glucose monitoring and insulin delivery systems described above include various drawbacks. The

rigid, flat mounting surfaces of the skin-mounted transmitters currently being developed can make them uncomfortable to wear. Additionally, since these transmitter units do not conform to the portion of the body they are mounted to, adherence to the skin and the locations on the body available for use can be limited. Currently available insulin pumps are complicated and expensive pieces of equipment costing thousands of dollars. The overall size and weight of the insulin pump and the long length of infusion set tubing can make currently available pumping systems cumbersome to use. Additionally, because of their cost, currently available insulin pumps have an intended period of use of up to two years, which necessitates routine maintenance of the device such as recharging the power supply and refilling with insulin.

Various attempts to significantly miniaturize and combine the monitoring and pumping systems described above while making them more reliable, less complex and less expensive have not been successful. Constraints which hinder such development efforts include the system requirements of sensors, insulin supplies and batteries which require periodic replacement, and the need to reduce risk of infection, increase user comfort and ease of use.

SUMMARY OF THE INVENTION

According to aspects of some embodiments of the present invention, an analyte monitoring and/or fluid delivery system is provided having components integrated into a flexible textile patch. The flexible patch may be configured to be worn on the skin of a person or animal. In one embodiment of the invention, a single, patch-mounted system monitors glucose levels of a diabetic person and may provide appropriate doses of insulin in response to the glucose measurements. According to other aspects of the invention, a hand-held user interface may be provided for wirelessly controlling the system and/or receiving information from it.

In some embodiments of the invention, conductive pathways are formed in the fabric of the patch. Components that may be integrated with the flexible patch include, but are not limited to: a power source, controller, transmitter, antenna, temperature and other sensors, fluid pump, infusion set, electrical pathways, switches, controls, electrodes, connectors, resistors and other circuit elements. Such components may be embedded, interwoven or coated on to the flexible patch instead of or in addition to surface mounting.

The flexible patch can be constructed of polyester, nylon, polyurethane, Lycra® or other synthetic or natural fibers. In one embodiment, the patch has elastomeric properties that come from properties of the fibers themselves, or from how the fibers are combined to form patch. The flexible patch may be woven, non-woven, knitted, spun or constructed of a textured film, preferably to form an electro-active fabric. Conductive aspects of the textile may come from fine metal wires, either in the yarn used to make the fabric of the patch or woven into the fabric alongside ordinary textile fibers. Alternatively, the electrical properties of patch 12 may come from inherently conductive polymers or nanocomposites deposited as coatings on the fabric's fibers.

According to aspects of some embodiments of the invention, the flexible patch may be soft, stretchable and breathable to increase patient comfort during use. The fabric of the flexible patch may be rolled, crumpled and folded without damaging its functionality. The flexible patch may also be constructed or coated to be flame resistant, water-resistant, or waterproof.

According to aspects of some embodiments of the invention, portions of a flexible patch system or the entire system

itself may be disposable, for instance after a predetermined period of use and/or after a particular consumable, such as an insulin supply, is exhausted. For example, just an analyte sensor, an infusion set and a mounting adhesive may be disposable, while the rest of the flexible patch system is reusable. In such an arrangement, an insulin or other fluid reservoir may be refillable, and/or may comprise a removable cartridge. A portion of electronic circuitry and/or fluid pump may also be removed and reused with a new flexible patch while the remainder of the used patch is discarded. Alternatively, a flexible patch monitoring and fluid delivery system may be constructed inexpensively enough, according to aspects of the present invention, so that the entire system can be disposed of and replaced periodically. Such arrangements would have the advantage of lowering the fixed and recurring costs associated with the use of a monitoring and/or fluid delivery system.

Various analytes may be monitored using aspects of the present invention. These analytes may include, but are not limited to, lactate, acetyl choline, amylase, bilirubin, cholesterol, chorionic gonadotropin, creatine kinase (e.g., CK-MB), creatine, DNA, fructosamine, glucose, glutamine, growth hormones, hematocrit, hemoglobin (e.g. HbA1c), hormones, ketones, lactate, oxygen, peroxide, prostate-specific antigen, prothrombin, RNA, thyroid stimulating hormone, and troponin, in samples of body fluid. Monitoring systems may also be configured to determine the concentration of drugs, such as, for example, antibiotics (e.g., gentamicin, vancomycin, and the like), digoxin, digoxin, drugs of abuse, theophylline, warfarin and the like. Such analytes may be monitored in blood, interstitial fluid and other bodily fluids. Fluids that can be delivered include, but are not limited to, insulin and other medicines.

BRIEF DESCRIPTION OF THE DRAWINGS

Each of the figures diagrammatically illustrates aspects of the invention. Of these:

FIG. 1 is a plan view showing an exemplary embodiment of a flexible patch system constructed according to aspects of the present invention;

FIG. 2 is a side view of the system of FIG. 1 shown mounted on a patient P;

FIG. 3 is a perspective view illustrating the use of the system of FIG. 1 on a person.

Variation of the invention from that shown in the figures is contemplated.

DETAILED DESCRIPTION

The following description focuses on one variation of the present invention. The variation of the invention is to be taken as a non-limiting example. It is to be understood that the invention is not limited to particular variation(s) set forth and may, of course, vary. Changes may be made to the invention described and equivalents may be substituted (both presently known and future-developed) without departing from the true spirit and scope of the invention. In addition, modifications may be made to adapt a particular situation, material, composition of matter, process, process act(s) or step(s) to the objective(s), spirit or scope of the present invention.

FIG. 1 shows a top view of an exemplary embodiment of a combined fluid delivery and analyte monitoring system 10 constructed according to some aspects of the present invention, while FIG. 2 shows an elevational end view of system 10 mounted on the skin of patient P. Flexible fabric patch 12 forms the base of system 10. Flexible patch 12 may be pro-

vided with an adhesive on a bottom surface to secure patch 12 to the skin of the patient during use. Various components may be attached to or integrated into flexible patch 12, such as power source 14, controller and transmitter module 16, antenna 18, temperature sensor 20, fluid pump 22 and infusion set 24. Electrical pathways 26 may be integrated into flexible patch 12 for interconnecting components of system 10.

Flexible patch 12 may be provided with a thicker area 28, generally towards its center, to afford sufficient support for mounting components. In one embodiment, central area 28 is about 1 mm thick. A peripheral area 30 of flexible patch 12 may be made thinner to promote attachment and adhesion to the skin, particularly as the skin moves and flexes.

Power source 14 may be one or more solar cells, disposable or rechargeable batteries or device, an electrochemical device generating power from an analyte of the patient, and/or other power source suitable for satisfying the power requirements of the components located on flexible patch 12. Such power sources may be directly integrated into flexible patch 12, or removably inserted into a holder attached to patch 12. Power source 14 may itself be flexible by constructing a battery from one or more layers of paper or fabric. Such a paper or fabric battery can convert chemical energy directly into electricity by oxidizing metal on one side of the layer and allowing an oxide to be reduced on the other side when the battery is connected. The metal may be zinc, aluminum, nickel or other metals, the oxide can be manganese oxide, or other oxides, and the paper or fabric layer can contain an electrolyte. Such flexible batteries are currently being developed by companies such as Enfucell Ltd. of Espoo, Finland (www.enfucell.com). Flexible patch 12 itself may comprise one or more layers that can be used to form a flexible battery. Such an arrangement can reduce the need for electrical connectors for the battery, thereby contributing to making the overall system 10 smaller, softer, more conforming to the user and more comfortable to wear.

Circuitry for controller and transmitter 16 may be directly integrated into flexible patch 12. Alternatively, controller and transmitter 16 can be constructed using traditional electronic component assembly techniques then physically and electronically attached to patch 12. Such attachment of module 16 can be permanent or removable. Permanent attachment can be achieved by soldering electrical leads of module 16 to electrical leads on patch 12. Removable attachment of module 16 can be achieved with a traditional electrical connector or with a snap type fitting 32 having electrical pathways interconnecting module 16 to patch 12. Module 16 is preferably powered by power source 14, but may include its own power source in addition to or instead of power source 14.

Antenna 18 preferably is at least somewhat flexible to provide enhanced fit and comfort of patch 12. Antenna 18 can be a separate element physically and electrically coupled with patch 12, but preferably is formed by a conductive layer or layers of patch 12. Antenna 18 is electrically connected to controller and transmitter module 16 to transmit radio frequency (RF) signals such as analyte readings therefrom to an external device, such as a handheld user interface. If module 16 is configured to receive information as well, antenna 18 can be arranged to both transmit and receive RF signals. An infrared (IR) transmitter or transceiver (not shown) can be utilized in addition to or instead of antenna 18 to wirelessly communicate information between system 10 and an external device. A transducer coil and/or cable connector (not shown) can also be provided for external communications, such as to a computer for running diagnostics, or uploading or downloading information.

Flexible patch **12** may be provided with one or more sensor sites **34** for receiving transcutaneous analyte sensors. Multiple sensors can be used simultaneously to provide redundant analyte readings. Alternatively, one sensor may be inserted at a time. After each sensor is used for a predetermined period, such as three, five or seven days each, it can be removed and a fresh sensor can be inserted at an unused sensor site. Preferably, once all of the sensor sites **34** of a particular patch **12** have been used, patch **12** is removed from the skin and a new patch **12** is applied to a different location on the user's skin. Alternatively, a portion of patch **12** can be reused with a new adhesive portion.

Transcutaneous analyte sensors can be inserted into the user's skin using an automatic introducer or inserter device, such as those described in U.S. patent application Ser. No. 10/703,214, published Jul. 8, 2004 under publication number 20040133164, now U.S. Pat. No. 7,381,184, incorporated herein by reference in its entirety. An inserted sensor can be electrically connected to controller and transmitter module **16** directly, with external conductors or through internal electrical pathways within flexible patch **12**. The sensors may include adhesive mounts, or some type of mounting feature such as one or more snaps, hooks, clamps, pins, clips or other means molded onto or attached to the patch to secure the sensor to flexible patch **12** or to the user's skin during use.

Monitoring and delivery system **10** can also include a temperature sensor **20** for sensing ambient temperature, skin surface temperature or sub-dermal temperature. Ideally, sub-dermal temperature is measured to more accurately calibrate the readings taken by the analyte sensors, since such readings are typically temperature sensitive. However, sub-dermal temperature measurement can be impractical, since this typically necessitates another puncture to the user's skin. Placing a temperature sensor below the surface of the skin can cause discomfort and increased chance of infection. Accordingly, temperature sensor **20** can be mounted to or integrated with the bottom surface of flexible patch **12** to measure the local surface temperature of the skin. From this temperature reading, the higher sub-dermal temperature may be estimated for the depth of penetration associated with sensor **20**. In one embodiment, temperature sensor **20** may be connected to controller and transmitter module **16** with internal electrical pathways within flexible patch **12**.

A fluid pump **22**, such as for delivering insulin or other medicine, can also be located on flexible patch **12**. In this exemplary embodiment, fluid pump **22** includes a removable fluid reservoir **36**. Reservoir **36** may be a disposable or refillable vial that is replaced by another vial when depleted. Reservoir **36** may be flexible so that it collapses like a balloon when its contents are emptied, or it may include a flexible diaphragm portion. Alternatively, reservoir **36** may be a rigid cylinder with a plunger **38** that forces fluid out when advanced into the reservoir **36**. Actuator **40** may be a stepper motor, a shape-memory alloy actuator or other suitable mechanism for advancing plunger **38** or otherwise moving fluid out of reservoir **36**. A shape-memory alloy actuator is preferred because of its small size, simplicity and reliability. It's low cost of manufacture also allows pump **22** to be disposable with patch **22** if desired. Details of such a shape-memory alloy driven pump are provided in U.S. patent application Ser. No. 10/683,659, published Jun. 17, 2004 under Publication No. 20040115067A1, now U.S. Pat. No. 6,916,159, incorporated herein by reference in its entirety. Reservoir **36** need not be removable from pump **22** and/or patch **12**, particularly if patch **12** is designed to be disposed of after the fluid is depleted.

Pump **22** preferably is powered by power source **14**, but may have its own power source. Internal conductive pathways **26** can be used to connect pump **22** with power source **14** and/or controller and transmitter module **16**. Pump **22** may be removably or fixedly attached to patch **12**. Pump **22** or a pump mounting base may be attached to patch **12** by sandwiching a portion of the patch material between the pump or base and a plate or washer(s) on the opposite side. Alternatively, pump **22** or a mounting base may be attached to patch **12** with an adhesive, fasteners or other suitable means.

In operation, pump **22** can receive control signals from controller and transmitter module **16**, causing actuator **40** to push fluid from reservoir **36** into tubing **42** of infusion set **24**, through cannula **44** and into the patient. Infusion set **24** may include an adhesive mount **46** for securing the distal end of infusion set **24** to patch **12** or directly to the patient's skin. The proximal end of infusion set **24** may be removably connected to an output port **48** of pump **22**. Multiple sites **50** may be provided in the thin region **30** of patch **12** for alternately placing infusion sets **24**. An automatic inserter or introducer may be used to insert cannula **44** of infusion set **24** into the patient. Preferably, a single puncture device can be used to insert cannulas **44** and the transcutaneous analyte sensors described above. After a predetermined period of use, typically 3 days, infusion set **24** can be removed by lifting adhesive mount **46**, removing cannula **44** from the patient and disconnecting tubing **42** from pump output port **48**. A fresh infusion set **24** may then be placed in another one of the sites **50** and connected to pump **22**. It may be advantageous to separate infusion set insertion sites **50** as far as possible from sensor insertion sites **34** as shown so that the local effect of the infusion of insulin or other fluid does not interfere with glucose monitoring or other analyte measurement. In one embodiment, infusion sites **50** are spaced about 1 inch apart.

In arranging system **10** components on flexible patch **12**, the longitudinal axis of components such as controller and transmitter module **16**, antenna **18** and pump **22** may be aligned with each other. This allows the overall system to be highly flexible in at least one direction. Since these components may be fairly long and rigid, the exemplary system **10** shown in FIG. 1 is more flexible along the y-axis shown than along the x-axis. With such an arrangement, patch **12** can more compliantly conform to curves of a patient's body when the y-axis is aligned with the direction of the sharpest curve at the application site of patch **12**. An example of such an alignment is shown in FIG. 3, where patch **12** is attached to an upper arm of a patient P. As shown, the more compliant y-axis of flexible patch **12** is arranged horizontally to traverse the curve of the arm, while the less compliant x-axis is arranged vertically along the straighter, longitudinal axis of the arm. System **10** may be adhered to other suitable locations of the body, such as the torso, thigh or calf. In this exemplary embodiment, system **10** is about 4 inches long along the x-axis, about 3 inches long along the y-axis and has a maximum thickness of about 0.75 inches at pump **22**.

Flexible patch **12** itself can be constructed of polyester, nylon, polyurethane, Lycra® or other synthetic or natural fibers. Preferably, patch **12** has elastomeric properties that come from properties of the fibers themselves, or from how the fibers are combined to form patch **12**. Patch **12** can be woven, non-woven, knitted, spun or constructed of a textured film, preferably to form an electro-active fabric. Conductive aspects of the textile can come from fine metal wires, either in the yarn used to make the fabric of patch **12** or woven into the fabric alongside ordinary textile fibers. Alternatively, the

electrical properties of patch **12** can come from inherently conductive polymers or nanocomposites deposited as coatings on the fabric's fibers.

As discussed above, various components of system **10** can be woven directly into the fabric of patch **12**, including, but not limited to, complex electronic pathways, circuits, controls, electrodes, temperature and other sensors, traces, connectors, resistors, antenna, batteries, switches and other components. Switches and other controls can be incorporated into flexible patch **12** by using a multilayered fabric. For example, three electro-active layers can be used. Two outer conductive layers can surround an inner resistive layer that separates the conductive layers until the layers are momentarily pressed together.

Using fabrics as discussed above, flexible patch **12** can be soft, stretchable and breathable to provide patient comfort during use. Existing fabrics can provide a high moisture vapor transmission rate (MVTR). Such fabrics can be rolled, crumpled and folded without damaging functionality. Patch **12** may also be constricted or coated to be flame resistant, waterproof or water-resistant if desired.

Further information on suitable fabrics, general construction and component integration methods for flexible patch **12** may be obtained from companies currently developing "smart fabrics" or conductive textiles, such as Textronics (www.textronics.com), Konarka (www.konarka.com), Nanosonic (www.nanosonic.com), Eleksen (www.eleksen.com) and Eeonyx (www.eeonyx.com). For instance, Eeonyx has a proprietary process for coating textiles with inherently conductive polymers based on doped polypyrrole. The company polymerizes the materials in situ—or on the surface of the fabric itself—so the coating material fills interstices in the surface and forms a physical bond with the fibers. See also "Fabrics Get Smart", by Joseph Ogando, Design News, May 15, 2006 (www.designnews.com/article/ca6330247.html), incorporated herein by reference in its entirety.

As for additional details pertinent to the present invention, materials and manufacturing techniques may be employed as within the level of those with skill in the relevant art. The same may hold true with respect to method-based aspects of the invention in terms of additional acts commonly or logically employed. Also, it is contemplated that any optional feature of the inventive variations described may be set forth and claimed independently, or in combination with any one or more of the features described herein. Likewise, reference to a singular item, includes the possibility that there are plural of the same items present. More specifically, as used herein and in the appended claims, the singular forms "a," "and," "said," and "the" include plural referents unless the context clearly dictates otherwise. It is further noted that the claims may be drafted to exclude any optional element. As such, this statement is intended to serve as antecedent basis for use of such exclusive terminology as "solely," "only" and the like in connection with the recitation of claim elements, or use of a "negative" limitation. Unless defined otherwise herein, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which this invention belongs. The breadth of the present invention is not to be limited by the subject specification, but rather only by the plain meaning of the claim terms employed.

What is claimed as the invention is:

1. A method for measuring analyte utilizing a body analyte monitoring system, the body analyte monitoring system having a flexible patch, a first analyte sensor, a second analyte sensor, a power source, and a controller, wherein a plurality of sensor insertion sites are on the flexible patch, and wherein

the flexible patch is configured to be worn on a skin surface and to receive one or more analyte sensors at one or more of the plurality of sensor insertion sites, the method comprising:

- inserting the first analyte sensor into one of the plurality of predefined sensor insertion sites through the skin surface and in contact with fluid under the skin surface at the one of the plurality of predefined sensor insertion sites;
- removing the first analyte sensor from the one of the plurality of predefined sensor insertion sites after the lifetime of the first analyte sensor has expired while the flexible patch is retained on the skin surface;
- inserting the second analyte sensor in another one of the plurality of predefined sensor insertion sites through the skin surface and in contact with the fluid under the skin surface at the another one of the plurality of predefined sensor insertion sites after the first analyte sensor is removed from the one of the predefined sensor insertion sites and while the flexible patch is retained on the skin surface; and
- communicating signals from the second analyte sensor to the controller, wherein the controller is powered by the power source.

2. The method of claim **1**, further comprising transmitting data from the second analyte sensor to a second device using a transmitter integrated with the flexible patch, wherein the transmitter is powered by the power source controlled by the controller.

3. The method of claim **2**, further comprising transmitting the data using a flexible antenna integrated with the flexible patch.

4. The method of claim **1**, further comprising transmitting data corresponding the monitored analyte level and receiving information from a second device using a transceiver integrated with the flexible patch.

5. The method of claim **4**, further comprising transmitting signals from the transceiver and receiving signals from the second device using an antenna integrated with the flexible patch.

6. The method of claim **1**, wherein the second analyte sensor generates signals corresponding the monitored analyte level in the fluid under the skin surface.

7. The method of claim **5**, wherein the controller, the transceiver, and the antenna are located along a longitudinal axis of the flexible patch.

8. The method of claim **1**, wherein the flexible patch includes a material with elastomeric properties.

9. The method of claim **5**, wherein at least one of the first or the second analyte sensors, the power source, the controller, the transceiver, and the antenna are woven into the flexible patch.

10. The method of claim **1**, wherein one or more of the first and second analyte sensors includes a plurality of electrodes, wherein the plurality of electrodes include a working electrode comprising an analyte-responsive enzyme chemically bonded to a polymer disposed on the working electrode.

11. The method of claim **10**, wherein the analyte-responsive enzyme is crosslinked with the polymer.

12. The method of claim **10**, wherein the working electrode comprises a mediator.

13. The method of claim **12**, wherein the mediator is chemically bonded to the polymer disposed on the working electrode.

14. The method of claim **1**, wherein one or more of the first and second analyte sensors includes a plurality of electrodes, wherein the plurality of electrodes include a working electrode comprising a mediator chemically bonded to a polymer.

15. The method of claim 14, wherein the mediator is crosslinked with the polymer disposed on the working electrode.

16. The method of claim 1, wherein the power source associated with the flexible patch is flexible.

5

17. The method of claim 16, wherein the power source includes a flexible battery directly integrated with the flexible patch.

18. The method of claim 1, wherein the flexible patch is removed from the skin surface after the second analyte sensor is removed from the another one of the plurality of predefined sensor insertion sites.

10

* * * * *

专利名称(译)	灵活的补丁，用于流体输送和监测身体分析物		
公开(公告)号	US9259175	公开(公告)日	2016-02-16
申请号	US11/552065	申请日	2006-10-23
[标]申请(专利权)人(译)	STAFFORD GARY ASHLEY		
申请(专利权)人(译)	STAFFORD GARY ASHLEY		
当前申请(专利权)人(译)	雅培糖尿病，INC.		
[标]发明人	STAFFORD GARY ASHLEY		
发明人	STAFFORD, GARY, ASHLEY		
IPC分类号	A61B5/1468 A61B5/00 A61B5/145 A61B5/1473 A61M5/142 A61M5/172		
CPC分类号	A61B5/14503 A61B5/14532 A61B5/6833 A61M5/14248 A61M5/1723 A61B2560/0252 A61B2560/0412 A61M2005/1726 A61M2205/3569 A61M2205/3592 A61M2205/82 A61M2230/201		
其他公开文献	US20080119707A1		
外部链接	Espacenet	USPTO	

摘要(译)

提供了一种可穿戴的导电纺织品贴片，其可包括用于监测身体分析物和/或将流体输送到身体的许多特征中的任何特征。在本发明的一个实施例中，单个贴片安装系统监测糖尿病人的葡萄糖水平，并响应于葡萄糖测量提供适当剂量的胰岛素。可以提供手持用户界面，用于无线控制系统和/或从系统接收信息。可以在贴片的织物中形成导电通路。可以集成到柔性贴片中的组件包括电源，控制器，发射器，天线，温度和其他传感器，流体泵，输注装置，电通路，开关，控制器，电极，连接器，电阻器和其他电路元件。除了表面安装之外或者除了表面安装之外，这些部件可以嵌入，交织或涂覆到柔性贴片上。还涉及与使用柔性贴片系统相关的方法。

