



US010478072B2

(12) **United States Patent**
Tearney et al.

(10) **Patent No.:** **US 10,478,072 B2**

(45) **Date of Patent:** **Nov. 19, 2019**

(54) **METHODS AND SYSTEM FOR
CHARACTERIZING AN OBJECT**

(71) Applicant: **The General Hospital Corporation,**
Boston, MA (US)

(72) Inventors: **Guillermo J. Tearney**, Cambridge, MA
(US); **Li Li**, Quincy, MA (US);
Balachundhar Subramaniam,
Lexington, MA (US)

(73) Assignee: **The General Hospital Corporation,**
Boston, MA (US)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 1100 days.

(21) Appl. No.: **14/777,135**

(22) PCT Filed: **Mar. 14, 2014**

(86) PCT No.: **PCT/US2014/029235**

§ 371 (c)(1),

(2) Date: **Sep. 15, 2015**

(87) PCT Pub. No.: **WO2014/144709**

PCT Pub. Date: **Sep. 18, 2014**

(65) **Prior Publication Data**

US 2016/0029894 A1 Feb. 4, 2016

Related U.S. Application Data

(60) Provisional application No. 61/791,713, filed on Mar.
15, 2013.

(51) **Int. Cl.**

A61B 5/1455 (2006.01)

A61B 5/1459 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61B 5/0095** (2013.01); **A61B 5/0035**
(2013.01); **A61B 5/1459** (2013.01);

(Continued)

(58) **Field of Classification Search**

CPC ... A61B 5/0095; A61B 5/1455; A61B 5/1459;
A61B 5/687; A61B 5/72; A61B 5/7221

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,339,754 A 1/1944 Brace
3,080,753 A 3/1963 Matuszak et al.

(Continued)

FOREIGN PATENT DOCUMENTS

CN 1550203 12/2004
DE 4105221 9/1991

(Continued)

OTHER PUBLICATIONS

Japan Patent Office, Notification of Reasons for Refusal, Applica-
tion No. 2016-503022, dated Dec. 5, 2017.

(Continued)


Primary Examiner — Eric F Winakur

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP

(57) **ABSTRACT**

Exemplary system, method and computer accessible medium are provided for determining at least one characteristic of a target object located behind or within a medium. For example, it is possible to identify a reference object that is located behind or within the medium. The target object and the reference object can be irradiated via a surface of the medium using at least one electromagnetic wave. At least one acoustic signal provided from an irradiated tissue volume that is responsive to the electromagnetic wave(s) can be measured. Calibration information can be obtained from the acoustic signal measured from the reference object based on at least one known property of the reference object. Then, the characteristic(s) of the target object can be determined based on the calibration information and the acoustic signal from the target object.

18 Claims, 6 Drawing Sheets



- (51) **Int. Cl.**
A61B 5/1495 (2006.01)
A61B 5/00 (2006.01)
A61B 1/06 (2006.01)
- (52) **U.S. Cl.**
 CPC *A61B 5/1495* (2013.01); *A61B 5/14552* (2013.01); *A61B 5/687* (2013.01); *A61B 5/6861* (2013.01); *A61B 1/06* (2013.01); *A61B 2505/05* (2013.01); *A61B 2560/0223* (2013.01); *A61B 2560/063* (2013.01)
- (56) **References Cited**
 U.S. PATENT DOCUMENTS
- | | | | | | |
|-------------|---------|------------------|-------------|---------|------------------------|
| 3,601,480 A | 8/1971 | Randall | 5,241,364 A | 8/1993 | Kimura et al. |
| 3,856,000 A | 12/1974 | Chikama | 5,248,876 A | 9/1993 | Kerstens et al. |
| 3,872,407 A | 3/1975 | Hughes | 5,250,186 A | 10/1993 | Dollinger et al. |
| 3,941,121 A | 3/1976 | Olinger | 5,251,009 A | 10/1993 | Bruno |
| 3,973,219 A | 8/1976 | Tang et al. | 5,262,644 A | 11/1993 | Maguire |
| 3,983,507 A | 9/1976 | Tang et al. | 5,275,594 A | 1/1994 | Baker |
| 4,030,827 A | 6/1977 | Delhay et al. | 5,281,811 A | 1/1994 | Lewis |
| 4,030,831 A | 6/1977 | Gowrinathan | 5,283,795 A | 2/1994 | Fink |
| 4,140,364 A | 2/1979 | Yamashita et al. | 5,291,885 A | 3/1994 | Taniji et al. |
| 4,141,362 A | 2/1979 | Wurster | 5,293,872 A | 3/1994 | Alfano et al. |
| 4,224,929 A | 9/1980 | Furihata | 5,293,873 A | 3/1994 | Fang |
| 4,295,738 A | 10/1981 | Meltz et al. | 5,302,025 A | 4/1994 | Kleinerman |
| 4,300,816 A | 11/1981 | Snitzer et al. | 5,304,173 A | 4/1994 | Kittrell et al. |
| 4,303,300 A | 12/1981 | Pressiat et al. | 5,304,810 A | 4/1994 | Amos |
| 4,428,643 A | 1/1984 | Kay | 5,305,759 A | 4/1994 | Kaneko et al. |
| 4,479,499 A | 10/1984 | Alfano et al. | 5,317,389 A | 5/1994 | Hochberg et al. |
| 4,533,247 A | 8/1985 | Epworth | 5,318,024 A | 6/1994 | Kittrell et al. |
| 4,585,349 A | 4/1986 | Gross et al. | 5,321,501 A | 6/1994 | Swanson et al. |
| 4,601,036 A | 7/1986 | Faxvog et al. | 5,333,144 A | 7/1994 | Liedenbaum et al. |
| 4,607,622 A | 8/1986 | Fritch et al. | 5,348,003 A | 9/1994 | Caro |
| 4,631,498 A | 12/1986 | Cutler | 5,353,790 A | 10/1994 | Jacques et al. |
| 4,639,999 A | 2/1987 | Daniele | 5,383,467 A | 1/1995 | Auer et al. |
| 4,650,327 A | 3/1987 | Ogi | 5,394,235 A | 2/1995 | Takeuchi et al. |
| 4,734,578 A | 3/1988 | Horikawa | 5,400,771 A | 3/1995 | Pirak et al. |
| 4,744,656 A | 5/1988 | Moran et al. | 5,404,415 A | 4/1995 | Mori et al. |
| 4,751,706 A | 6/1988 | Rohde et al. | 5,411,016 A | 5/1995 | Kume et al. |
| 4,763,977 A | 8/1988 | Kawasaki et al. | 5,414,509 A | 5/1995 | Veligdan |
| 4,770,492 A | 9/1988 | Levin et al. | 5,419,323 A | 5/1995 | Kittrell et al. |
| 4,827,907 A | 5/1989 | Tashiro et al. | 5,424,827 A | 6/1995 | Horwitz et al. |
| 4,834,111 A | 5/1989 | Khanna et al. | 5,439,000 A | 8/1995 | Gunderson et al. |
| 4,868,834 A | 9/1989 | Fox et al. | 5,441,053 A | 8/1995 | Lodder et al. |
| 4,890,901 A | 1/1990 | Cross, Jr. | 5,450,203 A | 9/1995 | Penkethman |
| 4,892,406 A | 1/1990 | Waters | 5,454,807 A | 10/1995 | Lennox et al. |
| 4,905,169 A | 2/1990 | Buican et al. | 5,459,325 A | 10/1995 | Hueton et al. |
| 4,909,631 A | 3/1990 | Tan et al. | 5,459,570 A | 10/1995 | Swanson et al. |
| 4,925,302 A | 5/1990 | Cutler | 5,465,147 A | 11/1995 | Swanson |
| 4,928,005 A | 5/1990 | Lefèvre et al. | 5,479,928 A | 1/1996 | Cathignoal et al. |
| 4,940,328 A | 7/1990 | Hartman | 5,486,701 A | 1/1996 | Norton et al. |
| 4,965,441 A | 10/1990 | Picard | 5,491,524 A | 2/1996 | Hellmuth et al. |
| 4,965,599 A | 10/1990 | Roddy et al. | 5,491,552 A | 2/1996 | Knüttel |
| 4,966,589 A | 10/1990 | Kaufman | 5,522,004 A | 5/1996 | Djupsjobacka et al. |
| 4,984,888 A | 1/1991 | Tobias et al. | 5,526,338 A | 6/1996 | Hasman et al. |
| 4,993,834 A | 2/1991 | Carlhoff et al. | 5,555,087 A | 9/1996 | Miyagawa et al. |
| 4,998,972 A | 3/1991 | Chin et al. | 5,562,100 A | 10/1996 | Kittrell et al. |
| 5,039,193 A | 8/1991 | Snow et al. | 5,565,983 A | 10/1996 | Barnard et al. |
| 5,040,889 A | 8/1991 | Keane | 5,565,986 A | 10/1996 | Knüttel |
| 5,045,936 A | 9/1991 | Lobb et al. | 5,566,267 A | 10/1996 | Neuberger |
| 5,046,501 A | 9/1991 | Crilly | 5,583,342 A | 12/1996 | Ichie |
| 5,065,331 A | 11/1991 | Vachon et al. | 5,590,660 A | 1/1997 | MacAulay et al. |
| 5,085,496 A | 2/1992 | Yoshida et al. | 5,600,486 A | 2/1997 | Gal et al. |
| 5,120,953 A | 6/1992 | Harris | 5,601,087 A | 2/1997 | Gunderson et al. |
| 5,121,983 A | 6/1992 | Lee | 5,621,830 A | 4/1997 | Lucey et al. |
| 5,127,730 A | 7/1992 | Brelje et al. | 5,623,336 A | 4/1997 | Raab et al. |
| 5,177,488 A | 1/1993 | Wang et al. | 5,628,313 A | 5/1997 | Webster, Jr. |
| 5,197,470 A | 3/1993 | Helfer et al. | 5,635,830 A | 6/1997 | Itoh |
| 5,202,745 A | 4/1993 | Sorin et al. | 5,649,924 A | 7/1997 | Everett et al. |
| 5,202,931 A | 4/1993 | Bacus et al. | 5,697,373 A | 12/1997 | Richards-Kortum et al. |
| 5,208,651 A | 5/1993 | Buican | 5,698,397 A | 12/1997 | Zarling et al. |
| 5,212,667 A | 5/1993 | Tomlinson et al. | 5,701,155 A | 12/1997 | Welch et al. |
| 5,214,538 A | 5/1993 | Lobb | 5,710,630 A | 1/1998 | Essenpreis et al. |
| 5,217,456 A | 6/1993 | Narciso, Jr. | 5,716,324 A | 2/1998 | Toida |
| 5,228,001 A | 7/1993 | Birge et al. | 5,719,399 A | 2/1998 | Alfano et al. |
| | | | 5,730,731 A | 3/1998 | Mollenauer et al. |
| | | | 5,735,276 A | 4/1998 | Lemelson |
| | | | 5,740,808 A | 4/1998 | Panescu et al. |
| | | | 5,748,318 A | 5/1998 | Maris et al. |
| | | | 5,748,598 A | 5/1998 | Swanson et al. |
| | | | 5,752,518 A | 5/1998 | McGee et al. |
| | | | 5,784,352 A | 7/1998 | Swanson et al. |
| | | | 5,785,651 A | 7/1998 | Kuhn et al. |
| | | | 5,795,295 A | 8/1998 | Hellmuth et al. |
| | | | 5,801,826 A | 9/1998 | Williams |
| | | | 5,801,831 A | 9/1998 | Sargoytchev et al. |
| | | | 5,803,082 A | 9/1998 | Stapleton et al. |
| | | | 5,807,261 A | 9/1998 | Benaron et al. |
| | | | 5,810,719 A | 9/1998 | Toida |
| | | | 5,817,144 A | 10/1998 | Gregory |
| | | | 5,829,439 A | 11/1998 | Yokosawa et al. |
| | | | 5,836,877 A | 11/1998 | Zavislan et al. |

(56)

References Cited

U.S. PATENT DOCUMENTS

5,840,023 A	11/1998	Oraevsky et al.	6,245,026 B1	6/2001	Campbell et al.
5,840,031 A	11/1998	Crowley	6,249,349 B1	6/2001	Lauer
5,840,075 A	11/1998	Mueller et al.	6,249,381 B1	6/2001	Suganuma
5,842,995 A	12/1998	Mahadevan-Jansen et al.	6,249,630 B1	6/2001	Stock et al.
5,843,000 A	12/1998	Nishioka et al.	6,263,234 B1	7/2001	Engelhardt et al.
5,843,052 A	12/1998	Benja-Athon	6,264,610 B1	7/2001	Zhu
5,847,827 A	12/1998	Fercher	6,272,268 B1	8/2001	Miller et al.
5,862,273 A	1/1999	Pelletier	6,272,376 B1	8/2001	Marcu et al.
5,865,754 A	2/1999	Sevick-Muraca et al.	6,274,871 B1	8/2001	Dukor et al.
5,867,268 A	2/1999	Gelikonov et al.	6,282,011 B1	8/2001	Tearney et al.
5,871,449 A	2/1999	Brown	6,297,018 B1	10/2001	French et al.
5,872,879 A	2/1999	Hamm	6,301,048 B1	10/2001	Cao et al.
5,877,856 A	3/1999	Fercher	6,308,092 B1	10/2001	Hoyns
5,887,009 A	3/1999	Mandella et al.	6,324,419 B1	11/2001	Guzelsu et al.
5,892,583 A	4/1999	Li	6,341,036 B1	1/2002	Tearney et al.
5,910,839 A	6/1999	Erskine et al.	6,353,693 B1	3/2002	Kano et al.
5,912,764 A	6/1999	Togino	6,359,692 B1	3/2002	Groot
5,920,373 A	7/1999	Bille	6,374,128 B1	4/2002	Toida et al.
5,920,390 A	7/1999	Farahi et al.	6,377,349 B1	4/2002	Fercher
5,921,926 A	7/1999	Rolland et al.	6,384,915 B1	5/2002	Everett et al.
5,926,592 A	7/1999	Harris et al.	6,393,312 B1	5/2002	Hoyns
5,949,929 A	9/1999	Hamm	6,394,964 B1	5/2002	Sievert, Jr. et al.
5,951,482 A	9/1999	Winston et al.	6,396,941 B1	5/2002	Bacus et al.
5,955,737 A	9/1999	Hallidy et al.	6,421,164 B2	7/2002	Tearney et al.
5,956,355 A	9/1999	Swanson et al.	6,437,867 B2	8/2002	Zeylikovich et al.
5,968,064 A	10/1999	Selmon et al.	6,441,892 B2	8/2002	Xiao et al.
5,975,697 A	11/1999	Hellmuth et al.	6,441,959 B1	8/2002	Yang et al.
5,983,125 A	11/1999	Alfano et al.	6,445,485 B1	9/2002	Frigo et al.
5,987,346 A	11/1999	Benaron et al.	6,445,939 B1	9/2002	Swanson et al.
5,991,697 A	11/1999	Nelson et al.	6,445,944 B1	9/2002	Ostrovsky
5,994,690 A	11/1999	Kulkarni et al.	6,459,487 B1	10/2002	Chen et al.
5,995,223 A	11/1999	Power	6,463,313 B1	10/2002	Winston et al.
6,002,480 A	12/1999	Izatt et al.	6,469,846 B2	10/2002	Ebizuka et al.
6,004,314 A	12/1999	Wei et al.	6,475,159 B1	11/2002	Casscells et al.
6,006,128 A	12/1999	Izatt et al.	6,475,210 B1	11/2002	Phelps et al.
6,007,996 A	12/1999	McNamara et al.	6,477,403 B1	11/2002	Eguchi et al.
6,010,449 A	1/2000	Selmon et al.	6,485,413 B1	11/2002	Boppart et al.
6,014,214 A	1/2000	Li	6,485,482 B1	11/2002	Belef
6,016,197 A	1/2000	Krivoshlykov	6,498,942 B1	12/2002	Esenaliev et al.
6,020,963 A	2/2000	Dimarzio et al.	6,501,551 B1	12/2002	Tearney et al.
6,025,956 A	2/2000	Nagano et al.	6,501,878 B2	12/2002	Hughes et al.
6,033,721 A	3/2000	Nassuphis	6,516,014 B1	2/2003	Sellin et al.
6,037,579 A	3/2000	Chan et al.	6,517,532 B1	2/2003	Altshuler et al.
6,044,288 A	3/2000	Wake et al.	6,538,817 B1	3/2003	Farmer et al.
6,045,511 A	4/2000	Ott et al.	6,540,391 B2	4/2003	Lanzetta et al.
6,048,742 A	4/2000	Weyburne et al.	6,549,801 B1	4/2003	Chen et al.
6,052,186 A	4/2000	Tsai	6,552,796 B2	4/2003	Magnin et al.
6,053,613 A	4/2000	Wei et al.	6,556,305 B1	4/2003	Aziz et al.
6,069,698 A	5/2000	Ozawa et al.	6,556,853 B1	4/2003	Cabib et al.
6,078,047 A	6/2000	Mittleman et al.	6,558,324 B1	5/2003	Von Behren et al.
6,091,496 A	7/2000	Hill	6,560,259 B1	5/2003	Hwang et al.
6,091,984 A	7/2000	Perelman et al.	6,564,087 B1	5/2003	Pitris et al.
6,094,274 A	7/2000	Yokoi	6,564,089 B2	5/2003	Izatt et al.
6,107,048 A	8/2000	Goldenring et al.	6,567,585 B2	5/2003	Harris et al.
6,111,645 A	8/2000	Tearney et al.	6,593,101 B2	7/2003	Richards-Kortum et al.
6,117,128 A	9/2000	Gregory	6,611,833 B1	8/2003	Johnson et al.
6,120,516 A	9/2000	Selmon et al.	6,615,071 B1	9/2003	Casscells, III et al.
6,134,003 A	10/2000	Tearney et al.	6,622,732 B2	9/2003	Constantz
6,134,010 A	10/2000	Zavitslan	6,654,127 B2	11/2003	Everett et al.
6,134,033 A	10/2000	Bergano et al.	6,657,730 B2	12/2003	Pfau et al.
6,141,577 A	10/2000	Rolland et al.	6,658,278 B2	12/2003	Gruhl
6,151,522 A	11/2000	Alfano et al.	6,680,780 B1	1/2004	Fee
6,159,445 A	12/2000	Klaveness et al.	6,685,885 B2	2/2004	Nolte et al.
6,160,826 A	12/2000	Swanson et al.	6,687,007 B1	2/2004	Meigs
6,161,031 A	12/2000	Hochmann et al.	6,687,010 B1	2/2004	Horii et al.
6,166,373 A	12/2000	Mao	6,687,036 B2	2/2004	Riza
6,174,291 B1	1/2001	McMahon et al.	6,692,430 B2	2/2004	Adler
6,175,669 B1	1/2001	Colston et al.	6,701,181 B2	3/2004	Tang et al.
6,185,271 B1	2/2001	Kinsinger	6,721,094 B1	4/2004	Sinclair et al.
6,191,862 B1	2/2001	Swanson et al.	6,725,073 B1	4/2004	Motamedi et al.
6,193,676 B1	2/2001	Winston et al.	6,738,144 B1	5/2004	Dogariu et al.
6,198,956 B1	3/2001	Dunne	6,741,355 B2	5/2004	Drabarek
6,201,989 B1	3/2001	Whitehead et al.	6,741,884 B1	5/2004	Freeman et al.
6,208,415 B1	3/2001	De Boer et al.	6,757,467 B1	6/2004	Rogers
6,208,887 B1	3/2001	Clarke	6,790,175 B1	9/2004	Furusawa et al.
			6,806,963 B1	10/2004	Wälti et al.
			6,816,743 B2	11/2004	Moreno et al.
			6,831,781 B2	12/2004	Tearney et al.
			6,839,496 B1	1/2005	Mills et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,882,432 B2	4/2005	Deck	2002/0076152 A1	6/2002	Hughes et al.
6,900,899 B2	5/2005	Nevis	2002/0085209 A1	7/2002	Mittleman et al.
6,903,820 B2	6/2005	Wang	2002/0086347 A1	7/2002	Johnson et al.
6,909,105 B1	6/2005	Heintzmann et al.	2002/0091322 A1	7/2002	Chaiken et al.
6,949,072 B2	9/2005	Furnish et al.	2002/0093662 A1	7/2002	Chen et al.
6,961,123 B1	11/2005	Wang et al.	2002/0109851 A1	8/2002	Deck
6,980,299 B1	12/2005	de Boer	2002/0113965 A1	8/2002	Yun
6,996,549 B2	2/2006	Zhang et al.	2002/0122182 A1	9/2002	Everett et al.
7,006,231 B2	2/2006	Ostrovsky et al.	2002/0122246 A1	9/2002	Tearney et al.
7,006,232 B2	2/2006	Rollins et al.	2002/0140942 A1	10/2002	Fee et al.
7,019,838 B2	3/2006	Izatt et al.	2002/0158211 A1	10/2002	Gillispie
7,027,633 B2	4/2006	Foran et al.	2002/0161357 A1	10/2002	Anderson et al.
7,061,622 B2	6/2006	Rollins et al.	2002/0163622 A1	11/2002	Magnin et al.
7,072,047 B2	7/2006	Westphal et al.	2002/0166946 A1	11/2002	Iizuka et al.
7,075,658 B2	7/2006	Izatt et al.	2002/0168158 A1	11/2002	Furusawa et al.
7,099,358 B1	8/2006	Chong et al.	2002/0172485 A1	11/2002	Keaton et al.
7,113,288 B2	9/2006	Fercher	2002/0183623 A1	12/2002	Tang et al.
7,113,625 B2	9/2006	Watson et al.	2002/0188204 A1	12/2002	McNamara et al.
7,130,320 B2	10/2006	Tobiason et al.	2002/0196446 A1	12/2002	Roth et al.
7,139,598 B2	11/2006	Hull et al.	2002/0198457 A1	12/2002	Tearney et al.
7,142,835 B2	11/2006	Paulus	2003/0001071 A1	1/2003	Mandella et al.
7,145,661 B2	12/2006	Hiltzenberger	2003/0013973 A1	1/2003	Georgakoudi et al.
7,148,970 B2	12/2006	De Boer	2003/0023153 A1	1/2003	Izatt et al.
7,177,027 B2	2/2007	Hirasawa et al.	2003/0025917 A1	2/2003	Suhami
7,190,464 B2	3/2007	Alphonse	2003/0026735 A1	2/2003	Nolte et al.
7,230,708 B2	6/2007	Lapotko et al.	2003/0028114 A1	2/2003	Casscells, III et al.
7,231,243 B2	6/2007	Tearney et al.	2003/0030816 A1	2/2003	Eom et al.
7,236,637 B2	6/2007	Sirohey et al.	2003/0043381 A1	3/2003	Fercher
7,242,480 B2	7/2007	Alphonse	2003/0053673 A1	3/2003	Dewaale et al.
7,267,494 B2	9/2007	Deng et al.	2003/0067607 A1	4/2003	Wolleschensky et al.
7,272,252 B2	9/2007	De La Torre-Bueno et al.	2003/0082105 A1	5/2003	Fischman et al.
7,304,798 B2	12/2007	Izumi et al.	2003/0097048 A1	5/2003	Ryan et al.
7,310,150 B2	12/2007	Tearney et al.	2003/0103212 A1	6/2003	Westphal et al.
7,330,270 B2	2/2008	O'Hara et al.	2003/0108911 A1	6/2003	Klimant et al.
7,336,366 B2	2/2008	Choma et al.	2003/0120137 A1	6/2003	Pawluczyk et al.
7,342,659 B2	3/2008	Horn et al.	2003/0135101 A1	7/2003	Webler
7,355,716 B2	4/2008	De Boer et al.	2003/0137669 A1	7/2003	Rollins et al.
7,355,721 B2	4/2008	Quadling et al.	2003/0164952 A1	9/2003	Deichmann et al.
7,359,062 B2	4/2008	Chen et al.	2003/0165263 A1	9/2003	Hamer et al.
7,365,858 B2	4/2008	Fang-Yen et al.	2003/0171691 A1	9/2003	Casscells, III et al.
7,366,376 B2	4/2008	Shishkov et al.	2003/0174339 A1	9/2003	Feldchtein et al.
7,382,809 B2	6/2008	Chong et al.	2003/0191392 A1	10/2003	Haldeman
7,391,520 B2	6/2008	Zhou et al.	2003/0199769 A1	10/2003	Podoleanu et al.
7,458,683 B2	12/2008	Chernyak et al.	2003/0216719 A1	11/2003	Debenedictis et al.
7,530,948 B2	5/2009	Seibel et al.	2003/0218756 A1	11/2003	Chen et al.
7,539,530 B2	5/2009	Caplan et al.	2003/0220749 A1	11/2003	Chen et al.
7,609,391 B2	10/2009	Betzig	2003/0236443 A1	12/2003	Cespedes et al.
7,630,083 B2	12/2009	de Boer et al.	2004/0002650 A1	1/2004	Mandrusov et al.
7,643,152 B2	1/2010	de Boer et al.	2004/0039252 A1	2/2004	Koch
7,643,153 B2	1/2010	de Boer et al.	2004/0039298 A1	2/2004	Abreu
7,646,905 B2	1/2010	Guittet et al.	2004/0054268 A1	3/2004	Esenaliev et al.
7,649,160 B2	1/2010	Colomb et al.	2004/0072200 A1	4/2004	Rigler et al.
7,664,300 B2	2/2010	Lange et al.	2004/0075841 A1	4/2004	Van Neste et al.
7,733,497 B2	6/2010	Yun et al.	2004/0076940 A1	4/2004	Alexander et al.
7,782,464 B2	8/2010	Mujat et al.	2004/0077949 A1	4/2004	Blofgett et al.
7,799,558 B1	9/2010	Dultz	2004/0085540 A1	5/2004	Lapotko et al.
7,805,034 B2	9/2010	Kato et al.	2004/0086245 A1	5/2004	Farroni et al.
7,911,621 B2	3/2011	Motaghiannezam et al.	2004/0095464 A1	5/2004	Miyagi et al.
7,969,578 B2	6/2011	Yun et al.	2004/0100631 A1	5/2004	Bashkansky et al.
7,973,936 B2	7/2011	Dantus	2004/0100681 A1	5/2004	Bjarklev et al.
8,135,450 B2 *	3/2012	Esenaliev	2004/0110206 A1	6/2004	Wong et al.
		A61B 5/0095	2004/0126048 A1	7/2004	Dave et al.
		600/316	2004/0126120 A1	7/2004	Cohen et al.
8,315,282 B2	11/2012	Huber et al.	2004/0133191 A1	7/2004	Momiuchi et al.
2001/0020126 A1	9/2001	Khoury	2004/0150829 A1	8/2004	Koch et al.
2001/0036002 A1	11/2001	Tearney et al.	2004/0150830 A1	8/2004	Chan
2001/0047137 A1	11/2001	Moreno et al.	2004/0152989 A1	8/2004	Puttappa et al.
2001/0055462 A1	12/2001	Seibel	2004/0165184 A1	8/2004	Mizuno
2002/0016533 A1	2/2002	Marchitto et al.	2004/0166593 A1	8/2004	Nolte et al.
2002/0024015 A1	2/2002	Hoffmann et al.	2004/0188148 A1	9/2004	Chen et al.
2002/0037252 A1	3/2002	Toida et al.	2004/0189999 A1	9/2004	De Groot et al.
2002/0048025 A1	4/2002	Hideyuki	2004/0204651 A1	10/2004	Freeman et al.
2002/0048026 A1	4/2002	Isshiki et al.	2004/0212808 A1	10/2004	Okawa et al.
2002/0052547 A1	5/2002	Toida	2004/0239938 A1	12/2004	Izatt et al.
2002/0057431 A1	5/2002	Fateley et al.	2004/0246490 A1	12/2004	Wang
2002/0064341 A1	5/2002	Fauver et al.	2004/0246583 A1	12/2004	Mueller et al.
			2004/0247268 A1	12/2004	Ishihara et al.
			2004/0254474 A1	12/2004	Seibel et al.
			2004/0258106 A1	12/2004	Araujo et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0263843 A1 12/2004 Knopp et al.
 2005/0004453 A1 1/2005 Tearney et al.
 2005/0018133 A1 1/2005 Huang et al.
 2005/0018200 A1 1/2005 Guillermo et al.
 2005/0018201 A1 1/2005 De Boer et al.
 2005/0035295 A1 2/2005 Bouma et al.
 2005/0036150 A1 2/2005 Izatt et al.
 2005/0046837 A1 3/2005 Izumi et al.
 2005/0049488 A1 3/2005 Homan
 2005/0057680 A1 3/2005 Agan
 2005/0057756 A1 3/2005 Fang-Yen et al.
 2005/0059894 A1 3/2005 Zeng et al.
 2005/0065421 A1 3/2005 Burckhardt et al.
 2005/0075547 A1 4/2005 Wang
 2005/0083534 A1 4/2005 Riza et al.
 2005/0119567 A1 6/2005 Choi et al.
 2005/0128488 A1 6/2005 Yelin et al.
 2005/0165303 A1 7/2005 Kleen et al.
 2005/0171438 A1 8/2005 Chen et al.
 2005/0190372 A1 9/2005 Dogariu et al.
 2005/0197530 A1 9/2005 Daniel et al.
 2005/0221270 A1 10/2005 Connelly et al.
 2005/0254059 A1 11/2005 Alphonse
 2005/0254061 A1 11/2005 Alphonse et al.
 2006/0020172 A1 1/2006 Luerssen et al.
 2006/0033923 A1 2/2006 Hirasawa et al.
 2006/0039004 A1 2/2006 De Boer et al.
 2006/0093276 A1 5/2006 Bouma et al.
 2006/0103850 A1 5/2006 Alphonse et al.
 2006/0106375 A1 5/2006 Werneth et al.
 2006/0146339 A1 7/2006 Fujita et al.
 2006/0155193 A1 7/2006 Leonardi et al.
 2006/0164639 A1 7/2006 Horn et al.
 2006/0167363 A1 7/2006 Bernstein et al.
 2006/0171503 A1 8/2006 O'Hara et al.
 2006/0184048 A1 8/2006 Saadat et al.
 2006/0189928 A1 8/2006 Camus et al.
 2006/0193352 A1 8/2006 Chong et al.
 2006/0224053 A1 10/2006 Black et al.
 2006/0244973 A1 11/2006 Yun et al.
 2006/0279742 A1 12/2006 Tearney
 2007/0002435 A1 1/2007 Ye et al.
 2007/0019208 A1 1/2007 Toida et al.
 2007/0024860 A1 2/2007 Tobiasson et al.
 2007/0035743 A1 2/2007 Vakoc et al.
 2007/0038040 A1 2/2007 Cense et al.
 2007/0048818 A1 3/2007 Rosen et al.
 2007/0070496 A1 3/2007 Gweon et al.
 2007/0076217 A1 4/2007 Baker et al.
 2007/0086013 A1 4/2007 De Lega et al.
 2007/0086017 A1 4/2007 Buckland et al.
 2007/0091317 A1 4/2007 Freischlad et al.
 2007/0133002 A1 6/2007 Wax et al.
 2007/0188855 A1 8/2007 Shishkov et al.
 2007/0203404 A1 8/2007 Zysk et al.
 2007/0208225 A1 9/2007 Czaniera et al.
 2007/0223006 A1 9/2007 Tearney et al.
 2007/0233056 A1 10/2007 Yun
 2007/0233396 A1 10/2007 Tearney et al.
 2007/0236700 A1 10/2007 Yun et al.
 2007/0253901 A1 11/2007 Deng et al.
 2007/0258094 A1 11/2007 Izatt et al.
 2007/0263226 A1 11/2007 Kurtz et al.
 2007/0291277 A1 12/2007 Everett et al.
 2008/0002197 A1 1/2008 Sun et al.
 2008/0007734 A1 1/2008 Park et al.
 2008/0013960 A1 1/2008 Tearney et al.
 2008/0021275 A1 1/2008 Tearney et al.
 2008/0049220 A1 2/2008 Izzia et al.
 2008/0070323 A1 3/2008 Hess et al.
 2008/0094613 A1 4/2008 de Boer et al.
 2008/0094637 A1 4/2008 de Boer et al.
 2008/0097225 A1 4/2008 Tearney et al.
 2008/0097709 A1 4/2008 de Boer et al.
 2008/0100837 A1 5/2008 de Boer et al.

2008/0139906 A1 6/2008 Bussek et al.
 2008/0152353 A1 6/2008 de Boer et al.
 2008/0154090 A1 6/2008 Hashimshony
 2008/0192236 A1 8/2008 Smith et al.
 2008/0201081 A1 8/2008 Reid
 2008/0204762 A1 8/2008 Izatt et al.
 2008/0218696 A1 9/2008 Mir
 2008/0226029 A1 9/2008 Weir et al.
 2008/0228086 A1 9/2008 Ilegbusi
 2008/0234560 A1 9/2008 Nomoto et al.
 2008/0252901 A1 10/2008 Shimizu
 2008/0255433 A1 10/2008 Prough et al.
 2008/0265130 A1 10/2008 Colomb et al.
 2008/0297806 A1 12/2008 Motachianezam
 2008/0308730 A1 12/2008 Vizi et al.
 2009/0004453 A1 1/2009 Murai et al.
 2009/0005691 A1 1/2009 Huang
 2009/0011948 A1 1/2009 Uniu et al.
 2009/0012368 A1 1/2009 Banik et al.
 2009/0044799 A1 2/2009 Bangsaruntip et al.
 2009/0051923 A1 2/2009 Andres et al.
 2009/0131801 A1 5/2009 Suter et al.
 2009/0192358 A1 7/2009 Yun
 2009/0196477 A1 8/2009 Cense et al.
 2009/0209834 A1 8/2009 Fine
 2009/0273777 A1 11/2009 Yun et al.
 2009/0281390 A1 11/2009 Quinjun et al.
 2009/0290156 A1 11/2009 Popescu et al.
 2009/0305309 A1 12/2009 Chien et al.
 2009/0306520 A1 12/2009 Schmitt et al.
 2009/0323056 A1 12/2009 Yun et al.
 2010/0002241 A1 1/2010 Hirose
 2010/0016731 A1 1/2010 Eggers et al.
 2010/0086251 A1 4/2010 Xu et al.
 2010/0094576 A1 4/2010 de Boer et al.
 2010/0145145 A1 6/2010 Shi et al.
 2010/0150467 A1 6/2010 Zhao et al.
 2010/0261995 A1 10/2010 Mckenna et al.
 2010/0309477 A1 12/2010 Yun et al.
 2011/0028967 A1 2/2011 Rollins et al.
 2011/0160681 A1 6/2011 Dacey, Jr. et al.
 2011/0218403 A1 9/2011 Tearney et al.
 2012/0022338 A1 1/2012 Subramaniam et al.
 2012/0150024 A1 6/2012 Amit et al.
 2013/0066175 A1 3/2013 Addison et al.

FOREIGN PATENT DOCUMENTS

DE 4309056 9/1994
 DE 19542955 5/1997
 DE 10351319 6/2005
 DE 102005034443 2/2007
 EP 0110201 6/1984
 EP 0251062 1/1988
 EP 0617286 2/1994
 EP 0590268 4/1994
 EP 0697611 2/1996
 EP 0728440 8/1996
 EP 0933096 8/1999
 EP 1324051 7/2003
 EP 1426799 6/2004
 EP 2149776 2/2010
 FR 2738343 8/1995
 GB 1257778 12/1971
 GB 2030313 4/1980
 GB 2209221 5/1989
 GB 2298054 8/1996
 JP 6073405 4/1985
 JP 361040633 3/1986
 JP 62-188001 6/1989
 JP 04-056907 2/1992
 JP 20040056907 2/1992
 JP 4135550 5/1992
 JP 4135551 5/1992
 JP 5509417 12/1993
 JP H8-136345 5/1996
 JP H08-160129 6/1996
 JP 9-10213 1/1997
 JP 9-230248 9/1997

(56)	References Cited		WO	9628212	9/1996
	FOREIGN PATENT DOCUMENTS		WO	9732182	9/1997
			WO	9800057	1/1998
			WO	9801074	1/1998
JP	10-213485	8/1998	WO	9814132	4/1998
JP	10-267631	10/1998	WO	1998-35203	8/1998
JP	10-267830	10/1998	WO	9835203	8/1998
JP	2259617	10/1999	WO	9838907	9/1998
JP	2000-023978	1/2000	WO	9846123	10/1998
JP	2000-046729	2/2000	WO	9848838	11/1998
JP	2000-121961	4/2000	WO	1998048846	11/1998
JP	2000-504234	4/2000	WO	9905487	2/1999
JP	2000-126116	5/2000	WO	1999044089	2/1999
JP	2000-131222	5/2000	WO	99-28856	6/1999
JP	2001-4447	1/2001	WO	1999-45838	9/1999
JP	2001-500026	1/2001	WO	9944089	9/1999
JP	2001-104315	4/2001	WO	1999-45338	10/1999
JP	2001-174404	6/2001	WO	9957507	11/1999
JP	2001-174744	6/2001	WO	2000-42906	7/2000
JP	2001-507251	6/2001	WO	2000-43730	7/2000
JP	2001-508340	6/2001	WO	0058766	10/2000
JP	2007-539336	6/2001	WO	2001-04828	1/2001
JP	2001-212086	8/2001	WO	0101111	1/2001
JP	2008-533712	8/2001	WO	0108579	2/2001
JP	2001-264246	9/2001	WO	2001027679	4/2001
JP	2001-515382	9/2001	WO	2001-033215	5/2001
JP	2001-525580	12/2001	WO	2001-38820	5/2001
JP	2002-503134	1/2002	WO	0138820	5/2001
JP	2002-035005	2/2002	WO	2001-42735	6/2001
JP	2002-205434	2/2002	WO	0142735	6/2001
JP	2002-095663	4/2002	WO	2001-82786	11/2001
JP	2002-113017	4/2002	WO	2002-037075	5/2002
JP	2002-148185	5/2002	WO	0236015	5/2002
JP	2002-516586	6/2002	WO	0238040	5/2002
JP	2002-214127	7/2002	WO	20020037075	5/2002
JP	2002-214128	7/2002	WO	2002-045572	6/2002
JP	2002214127	7/2002	WO	2002-068853	6/2002
JP	2003-014585	1/2003	WO	2002-054027	7/2002
JP	2003-504627	2/2003	WO	0254027	7/2002
JP	20030035659	2/2003	WO	2002053050	7/2002
JP	2003-512085	4/2003	WO	2002-083003	10/2002
JP	2003-513278	4/2003	WO	2002084263	10/2002
JP	2003-516531	5/2003	WO	2003-003903	1/2003
JP	2004-028970	1/2004	WO	2003-012405	2/2003
JP	2004-037165	2/2004	WO	2003-013624	2/2003
JP	2004-057652	2/2004	WO	20030013624	2/2003
JP	2004-089552	3/2004	WO	03020119	3/2003
JP	2004-113780	4/2004	WO	03052478	6/2003
JP	2004-514920	5/2004	WO	2003046495	6/2003
JP	2004-258144	9/2004	WO	2003046636	6/2003
JP	2004-317437	11/2004	WO	03062802	7/2003
JP	2005-062850	3/2005	WO	2003062802	7/2003
JP	2005-110208	4/2005	WO	20030053226	7/2003
JP	2005-510323	4/2005	WO	03-088826	10/2003
JP	2005-156540	6/2005	WO	2003-088826	10/2003
JP	2005-516187	6/2005	WO	2003105678	12/2003
JP	2005-195485	7/2005	WO	WO 2004/010866	2/2004
JP	2005-241872	9/2005	WO	2004034869	4/2004
JP	2006-237359	9/2006	WO	2004-037068	5/2004
JP	2007-500059	1/2007	WO	2004-043251	5/2004
JP	2007-075403	3/2007	WO	2004057266	7/2004
JP	2007-83053	4/2007	WO	20040066824	8/2004
JP	2007-524455	8/2007	WO	2004-073501	9/2004
JP	2007271761	10/2007	WO	2004088361	10/2004
JP	2003-102672	4/2012	WO	2004-100789	11/2004
RU	2149464	5/2000	WO	2004-105598	12/2004
RU	2209094	7/2003	WO	04105598	12/2004
RU	2213421	9/2003	WO	20050000115	1/2005
RU	2242710	12/2004	WO	2005-045362	5/2005
RU	2255426	6/2005	WO	2005-047813	5/2005
RU	2108122	6/2006	WO	2005047813	5/2005
WO	7900841	10/1979	WO	2005054780	6/2005
WO	9201966	2/1992	WO	2005082225	9/2005
WO	9216865	10/1992	WO	20050082225	9/2005
WO	9219930	11/1992	WO	2006004743	1/2006
WO	9303672	3/1993	WO	2006-020605	2/2006
WO	9533971	12/1995	WO	2006014392	2/2006
WO	1996-02184	2/1996	WO	2006039091	4/2006
WO	1996-04839	2/1996	WO	20060038876	4/2006

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	2006-050320	5/2006
WO	2006-058187	6/2006
WO	2006059109	6/2006
WO	2006-131859	12/2006
WO	2006124860	12/2006
WO	2006130797	12/2006
WO	2007-030835	3/2007
WO	2007028531	3/2007
WO	2007038787	4/2007
WO	2007083138	7/2007
WO	2007084995	7/2007
WO	2009-033064	3/2009
WO	20090153929	12/2009
WO	WO 2010/048258	4/2010
WO	2011-055376	5/2011
WO	2011-080713	7/2011

OTHER PUBLICATIONS

Extended European Search Report and Written Opinion for EP 14763147.7 dated Sep. 16, 2016.

R. Haggitt et al., "Barrett's Esophagus Correlation Between Mucin Histochemistry, Flow Cytometry, and Histological Diagnosis for Predicting Increased Cancer Risk," Apr. 1988, *American Journal of Pathology*, vol. 131, No. 1, pp. 53-61.

R.H. Hardwick et al., (1995) "c-erbB-2 Overexpression in the Dysplasia/Carcinoma Sequence of Barrett's Oesophagus," *Journal of Clinical Pathology*, vol. 48, No. 2, pp. 129-132.

W. Polkowski et al. (1998) Clinical Decision making in Barrett's Oesophagus can be supported by Computerized Immunoquantitation and Morphometry of Features Associated with Proliferation and Differentiation, *Journal of pathology*, vol. 184, pp. 161-168.

J.R. Turner et al., MN Antigen Expression in Normal Preneoplastic, and Neoplastic Esophagus: A Clinicopathological Study of a New Cancer-Associated Biomarker, Jun. 1997, *Human Pathology*, vol. 28, No. 6, pp. 740-744.

D.J. Bowery et al., (1999) "Patterns of Gastritis in Patients with Gastro-Oesophageal Reflux Disease," *Gut*, vol. 45, pp. 798-803.

O'Reich et al., (2000) "Expression of Oestrogen and Progesterone Receptors in Low-Grade Endometrial Stromal Sarcomas," *British Journal of Cancer*, vol. 82, No. 5, pp. 1030-1034.

M.I. Canto et al., (1999) "Vital Staining and Barrett's Esophagus," *Gastrointestinal Endoscopy*, vol. 49, No. 3, Part 2, pp. S12-S16.

S. Jackle et al., (2000) "In Vivo Endoscopic Optical Coherence Tomography of the Human Gastrointestinal Tract-Toward Optical Biopsy," *Endoscopy*, vol. 32, No. 10, pp. 743-749.

E. Montgomery et al., "Reproducibility of the Diagnosis of Dysplasia in Barrett Esophagus: A Reaffirmation," Apr. 2001, *Human Pathology*, vol. 32, No. 4, pp. 368-378.

H. Geddert et al., "Expression of Cyclin B1 in the Metaplasia-Dysphasia-Carcinoma Sequence of Barrett Esophagus," Jan. 2002, *Cancer*, vol. 94, No. 1, pp. 212-218.

P. Pfau et al., (2003) "Criteria for the Diagnosis of Dysphasia by Endoscopic Optical Coherence Tomography," *Gastrointestinal Endoscopy*, vol. 58, No. 2, pp. 196-202.

R. Kiesslich et al., (2004) "Confocal Laser Endoscopy for Diagnosing Intraepithelial Neoplasias and Colorectal Cancer in Vivo," *Gastroenterology*, vol. 127, No. 3, pp. 706-713.

X. Qi et al., (2004) "Computer Aided Diagnosis of Dysphasia in Barrett's Esophagus Using Endoscopic Optical Coherence Tomography," SPIE, Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine VIII. Proc. of Conference on., vol. 5316, pp. 33-40.

Seltzer et al., (1991) "160 nm Continuous Tuning of a MQW Laser in an External Cavity Across the Entire 1.3 μ m Communications Window," *Electronics Letters*, vol. 27, pp. 95-96.

Office Action dated Jan. 25, 2010 for U.S. Appl. No. 11/537,048. International Search Report dated Jan. 27, 2010 for PCT/US2009/050553.

International Search Report dated Jan. 27, 2010 for PCT/US2009/047988.

International Search Report dated Feb. 23, 2010 for U.S. Appl. No. 11/445,131.

Office Action dated Mar. 18, 2010 of U.S. Appl. No. 11/844,454.

Office Action dated Apr. 8, 2010 of U.S. Appl. No. 11/414,564.

Japanese Office Action dated Apr. 13, 2010 for Japanese Patent application No. 2007-515029.

International Search Report dated May 27, 2010 for PCT/US2009/063420.

Office Action dated May 28, 2010 for U.S. Appl. No. 12/015,642.

Office Action dated Jun. 2, 2010 for U.S. Appl. No. 12/112,205.

Office Action dated Jul. 7, 2010 for U.S. Appl. No. 11/624,277.

Montag Ethan D., "Parts of the Eye" online textbook for JIMG 774: Vision & Psychophysics, download on Jun. 23, 2010 from http://www.cis.rit.edu/people/faculty/montag/vandplite/pages/chap_8/ch8p3.html.

Office Action dated Jul. 16, 2010 for U.S. Appl. No. 11/445,990.

Office Action dated Jul. 20, 2010 for U.S. Appl. No. 11/625,135.

Office Action dated Aug. 5, 2010 for U.S. Appl. No. 11/623,852.

Chinese office action dated Aug. 4, 2010 for CN 200780005949.9.

Chinese office action dated Aug. 4, 2010 for CN 200780016266.3.

Zhang et al., "Full Range Polarization-Sensitive Fourier Domain Optical Coherence Tomography" *Optics Express*, Nov. 29, 2004, vol. 12, No. 24.

Office Action dated Aug. 27, 2010 for U.S. Appl. No. 11/569,790.

Office Action dated Aug. 31, 2010 for U.S. Appl. No. 11/677,278.

Office Action dated Sep. 3, 2010 for U.S. Appl. No. 12/139,314.

Yong Zhao et al: "Virtual Data Grid Middleware Services for Data-Intensive Science", *Concurrency and Computation: Practice and Experience*, Wiley, London, GB, Jan. 1, 2000, pp. 1-7, pp. 1532-0626.

Swan et al., "Toward Nanometer-Scale Resolution in Fluorescence Microscopy using Spectral Self-Interference" *IEEE Journal. Selected Topics in Quantum Electronics* 9 (2) 2003, pp. 294-300.

Moiseev et al., "Spectral Self-Interference Fluorescence Microscopy", *J. Appl. Phys.* 96 (9) 2004, pp. 5311-5315.

Hendrik Verschueren, "Interference Reflection Microscopy in Cell Biology", *J. Cell Sci.* 75, 1985, pp. 289-301.

Park et al., "Diffraction Phase and Fluorescence Microscopy", *Opt. Expr.* 14 (18) 2006, pp. 8263-8268.

Swan et al., "High Resolution Spectral Self-Interference Fluorescence Microscopy", *Proc. SPIE* 4621, 2002, pp. 77-85.

M. Gustafsson "Nonlinear structured illumination microscopy: Wide-field fluorescence imaging with theoretically unlimited resolution," *PNAS* 102:13081 (2005).

R. Thompson et al. "Precise nanometer localization analysis for individual fluorescent probes," *Biophysical Journal* 82:2775 (2002).

K. Drabe et al. "Localization of Spontaneous Emission in front of a mirror," *Optics Communications* 73:91 (1989).

Swan et al. "Toward nanometer-scale resolution in fluorescence microscopy using spectral self-interference," *IEEE Quantum Electronics* 9:294 (2003).

C. Joo, et al. "Spectral Domain optical coherence phase and multiphoton microscopy," *Optics Letters* 32:623 (2007).

Virmani et al., "Lesions from sudden coronary death: A comprehensive morphological classification scheme for atherosclerotic lesions," *Arterioscler. Thromb. Vase. Bio.*, 20:1262-75 (2000).

Gonzalez, R.C. and Wintz, P., "Digital Image Processing" Addison-Wesley Publishing Company, Reading MA, 1987.

V. Tuchin et al., "Speckle interferometry in the measurements of tissues vibrations," *SPIE*, 1647: 125 (1992).

A.A. Bednov et al., "Investigation of Statistical Properties of Lymph Flow Dynamics Using Speckle-Microscopy," *SPIE*, 2981: 181-90 (1997).

Feng et al., "Mesoscopic Conductors and Correlations in Laser Speckle Patterns" *Science*, New Series, vol. 251, No. 4994, pp. 633-639 (Feb. 8, 1991).

Lee et al., "The Unstable Atheroma," *Arteriosclerosis, Thrombosis & Vascular Biology*, 17:1859-67 (1997).

International Search report dated Apr. 29, 2011 for PCT/US2010/051715.

(56)

References Cited

OTHER PUBLICATIONS

- International Search report dated Sep. 13, 2010 for PCT/US2010/023215.
- International Search Report dated Jul. 28, 2011 for PCT/US2010/059534.
- International Search report dated Nov. 18, 2011 for PCT/US2011/027450.
- International Search report dated Nov. 18, 2011 for PCT/US2011/027437.
- International Search report dated Nov. 22, 2011 for PCT/US2011/027421.
- Poneros et al: "Optical Coherence Tomography of the Biliary Tree During ERCP", *Gastrointestinal Endoscopy*, Elsevier, NL, vol. 55, No. 1, Jan. 1, 2002, pp. 84-88.
- Fu et al: Double-Clad Photonic Crystal Fiber Coupler for compact Nonlinear Optical Microscopy Imaging, *Optics Letters*, OSA, Optical Society of America, vol. 31, No. 10, May 15, 2006, pp. 1471-1473.
- Japanese language Appeal Decision dated Jan. 10, 2012 for JP 2006-503161.
- Japanese Notice of Grounds for Rejection dated Oct. 28, 2011 for JP2009-294737.
- Japanese Notice of Grounds for Rejection dated Dec. 28, 2011 for JP2008-535793.
- Japanese Notice of Reasons for Rejection dated Dec. 12, 2011 for JP 2008-533712.
- International Search Report and Written Opinion dated Feb. 9, 2012 based on PCT/US2011/034810.
- Japanese Notice of Reasons for Rejection dated Mar. 27, 2012 for JP 2003-102672.
- Japanese Notice of Reasons for Rejection dated May 8, 2012 for JP 2008-533727.
- Korean Office Action dated May 25, 2012 for KR 10-2007-7008116.
- Japanese Notice of Reasons for Rejection dated May 21, 2012 for JP 2008-551523.
- Japanese Notice of Reasons for Rejection dated Jun. 20, 2012 for JP 2009-546534.
- European Official Communication dated Aug. 1, 2012 for EP 10193526.0.
- European Search Report dated Jun. 25, 2012 for EP 10 10733985.5.
- Wieser, Wolfgang et al., "Multi-Megahertz OCT: High Quality 3D Imaging at 20 million A-Scans and 4.5 Gvoxels Per Second" Jul. 5, 2010, vol. 18, No. 14, *Optics Express*.
- European Communication Pursuant to EPC Article 94(3) for EP 07845206.7 dated Aug. 30, 2012.
- International Search Report and Written Opinion dated Aug. 30, 2012 for PCT/US2012/035234.
- Giuliano, Scarcelli et al., "Three-Dimensional Brillouin Confocal Microscopy", *Optical Society of American*, 2007, CtuV5.
- Giuliano, Scarcelli et al., "Confocal Brillouin Microscopy for Three-Dimensional Mechanical Imaging." *Nat Photonics*, Dec. 9, 2007.
- Japanese Notice of Reasons for Rejections dated Oct. 10, 2012 for 2008-55351 FO.
- W.Y. Oh et al: "High-Speed Polarization Sensitive Optical Frequency Domain Imaging with Frequency Multiplexing", *Optics Express*, vol. 16, No. 2, Jan. 1, 2008.
- Athey, B.D. et al., "Development Demonstration of a Networked Telepathology 3-D Imaging, Databasing, and Communication System", 1998 ("C2"), pp. 5-17.
- D'Amico, A.V., et al., "Optical Coherence Tomography as a Method for Identifying Benign and Malignant Microscopic Structures in the Prostate Gland", *Urology*, vol. 55, Issue 5, May 2000 ("C3"), pp. 783-787.
- Tearney, G.J. et al., "In Vivo Endoscopic Optical Biopsy with Optical Coherence Tomography", *Science*, vol. 276, No. 5321, Jun. 27, 1997 ("C6"), pp. 2037-2039.
- Japanese Notice of Reasons for Rejections dated Oct. 2, 2012 for 2007-543626.
- Canadian Office Action dated Oct. 10, 2012 for 2,514,189.
- Japanese Notice of Reasons for Rejections dated Nov. 9, 2012 for JP 2007-530134.
- Japanese Notice of Reasons for Rejections dated Nov. 27, 2012 for JP 2009-554772.
- Japanese Notice of Reasons for Rejections dated Oct. 11, 2012 for JP 2008-533712.
- Yoden, K. et al. "An Approach to Optical Reflection Tomography Along the Geometrical Thickness," *Optical Review*, vol. 7, No. 5, Oct. 1, 2000.
- International Search Report and Written Opinion dated Oct. 25, 2012 for PCT/US2012/047415.
- Joshua, Fox et al: "Measuring Primate RNFL Thickness with OCT", *IEEE Journal of Selected Topics in Quantum Electronics*, IEEE Service Center, Piscataway, NJ, US, vol. 7, No. 6, Nov. 1, 2001.
- European Official Communication dated Feb. 6, 2013 for 04822169.1.
- International Search Report dated Jan. 31, 2013 for PCT/US2012/061135.
- Viliyam K. Pratt. *Lazernye Sistemy Svyazi*. Moskva, Izdatelstvo "Svyaz", 1972. p. 68-70.
- International Search Report and Written Opinion dated Jan. 31, 2013 for PCT/US2012/060843.
- European Search Report dated Mar. 11, 2013 for EP 10739129.4.
- Huber, R et al: "Fourier Domain Mode Locked Lasers for OCT Imaging at up to 290 kHz Sweep Rates", *Proceedings of SPIE, SPIE—International Society for Optical Engineering*, US, vol. 5861, No. 1, Jan. 1, 2005.
- M. Kourogi et al: "Programmable High Speed (1MHz) Vernier-mode-locked Frequency-Swept Laser for OCT Imaging", *Proceedings of SPIE*, vol. 6847, Feb. 7, 2008.
- Notice of Reasons for Rejection dated Feb. 5, 2013 for JP 2008-509233.
- Notice of Reasons for Rejection dated Feb. 19, 2013 for JP 2008-507983.
- European Extended Search Report dated Mar. 26, 2013 for EP 09825421.1.
- Masahiro, Yamanari et al: "polarization-Sensitive Swept-Source Optical Coherence Tomography with Continuous Source Polarization Modulation", *Optics Express*, vol. 16, No. 8, Apr. 14, 2008.
- European Extended Search Report dated Feb. 1, 2013 for EP 12171521.3.
- Nakamura, Koichiro et al., "A New Technique of Optical Ranging by a Frequency-Shifted Feedback Laser", *IEEE Photonics Technology Letters*, vol. 10, No. 12, pp. 1041-1135, Dec. 1998.
- Lee, Seok-Jeong et al., "Ultra-high Scanning Speed Optical Coherence Tomography Using Optical Frequency Comb Generators", *The Japan Society of Applied Physics*, vol. 40 (2001).
- Kinoshita, Masaya et al., "Optical Frequency-Domain Imaging Microprofilometry with a Frequency-Tunable Liquid-Crystal Fabry-Perot Etalon Device" *Applied Optics*, vol. 38, No. 34, Dec. 1, 1999.
- Notice of Reasons for Rejection dated Apr. 16, 2013 for JP 2009-510092.
- Bachmann A.H. et al: "Heterodyne Fourier Domain Optical Coherence Tomography for Full Range Probing with High Axial Resolution", *Optics Express*, OSA, vol. 14, No. 4, Feb. 20, 2006.
- European Search Report for 12194876.4 dated Feb. 1, 2013.
- International Search Report and Written Opinion for PCT/US2013/022136.
- Thomas J. Flotte: "Pathology Correlations with Optical Biopsy Techniques", *Annals of the New York Academy of Sciences*, Wiley-Blackwell Publishing, Inc. SU, vol. 838, No. 1, Feb. 1, 1998, pp. 143-149.
- Constance R. Chu et al: *Arthroscopic Microscopy of Articular Cartilage Using Optical Coherence Tomography*, *American Journal of Sports Medicine*, American Orthopedic Society for Sports Medicine, Waltham, MA, Vol. 32, No. 9, Apr. 1, 2004.
- Bouma B E et al: *Diagnosis of Specialized Intestinal Metaplasia of the Esophagus with Optical Coherence Tomography*, *Conference on Lasers and Electro-Optics. Technical Digest*, OSA, US, vol. 56, May 6, 2001.

(56)

References Cited

OTHER PUBLICATIONS

- Shen et al: "Ex Vivo Histology-Related Optical Coherence Tomography in the Detection of Transmural Inflammation in Crohn's Disease", *Clinical Gastroenterology and Hepatology*, vol. 2, No. 9, Sep. 1, 2004.
- Shen et al: "In Vivo Colonoscopic Optical Coherence Tomography for Transmural Inflammation in Inflammatory Bowel Disease", *Clinical Gastroenterology and Hepatology*, American Gastroenterological Association, US, vol. 2, No. 12, Dec. 1, 2004.
- Ge Z et al: "Identification of Colonic Dysplasia and Neoplasia by Diffuse Reflectance Spectroscopy and Pattern Recognition Techniques", *Applied Spectroscopy*, The Society for Applied Spectroscopy, vol. 52, No. 6, Jun. 1, 1998.
- Elena Zagaynova et al: "Optical Coherence Tomography: Potentialities in Clinical Practice", *Proceedings of SPIE*, Aug. 20, 2004.
- Westphal et al: "Correlation of Endoscopic Optical Coherence Tomography with Histology in the Lower-GI Tract", *Gastrointestinal Endoscopy*, Elsevier, NL, vol. 61, No. 4, Apr. 1, 2005.
- Haggitt et al: "Barrett's Esophagus, Dysplasia, and Adenocarcinoma", *Human Pathology*, Saunders, Philadelphia, PA, US, vol. 25, No. 10, Oct. 1, 1994.
- Gang Yao et al: "Monte Carlo Simulation of an Optical Coherence Tomography Signal in Homogenous Turbid Media," *Physics in Medicine and Biology*, 1999.
- Murakami, K. "A Miniature Confocal Optical Scanning Microscopy for Endoscopes", *Proceedings of SPIE*, vol. 5721, Feb. 28, 2005, pp. 119-131.
- Seok, H. Yun et al: "Comprehensive Volumetric Optical Microscopy in Vivo", *Nature Medicine*, vol. 12, No. 12, Jan. 1, 2007.
- Baxter: "Image Zooming", Jan. 25, 2005, Retrieved from the Internet.
- Qiang Zhou et al: "A Novel Machine Vision Application for Analysis and Visualization of Confocal Microscopic Images" *Machine Vision and Applications*, vol. 16, No. 2, Feb. 1, 2005.
- Igor Gurov et al: (2007) "Full-field High-Speed Optical Coherence Tomography System for Evaluating Multilayer and Random Tissues", *Proc. of SPIE*, vol. 6618.
- Igor Gurov et al: "High-Speed Signal Evaluation in Optical Coherence Tomography Based on Sub-Nyquist Sampling and Kalman Filtering Method" *AIP Coherence Proceedings*, vol. 860, Jan. 1, 2006.
- Groot De P et al: "Three Dimensional Imaging by Sub-Nyquist Sampling of White-Light Interferograms", *Optics Letters*, vol. 18, No. 17, Sep. 1, 1993.
- Silva et al: "Extended Range, Rapid Scanning Optical Delay Line for Biomedical Interferometric Imaging", *Electronics Letters*, IEE Stevenage, GB vol. 35, No. 17, Aug. 19, 1999.
- International Search Report for International Application No. PCT/US2014/029235 dated Mar. 27, 2015.
- Written Opinion for International Application No. PCT/US2014/029235 dated Mar. 27, 2015.
- Fujimoto et al., "High Resolution in Vivo Intra-Arterial Imaging with Optical Coherence Tomography," *Official Journal of the British Cardiac Society*, vol. 82, pp. 128-133 Heart, 1999.
- D. Huang et al., "Optical Coherence Tomography," *Science*, vol. 254, pp. 1178-1181, Nov. 1991.
- Tearney et al., "High-Speed Phase -and Group Delay Scanning with a Grating Based Phase Control Line," *Optics Letters*, vol. 22, pp. 1811-1813, Dec. 1997.
- Rollins, et al., "In Vivo Video Rate Optical Coherence Tomography," *Optics Express*, vol. 3, pp. 219-229, Sep. 1998.
- Saxer, et al., High Speed Fiber-Based Polarization-Sensitive Optical Coherence Tomography of in Vivo Human Skin, *Optical Society of America*, vol. 25, pp. 1355-1357, Sep. 2000.
- Oscar Eduardo Martinez, "3000 Times Grating Compress or with Positive Group Velocity Dispersion," *IEEE*, vol. QE-23, pp. 59-64, Jan. 1987.
- Kulkarni, et al., "Image Enhancement in Optical Coherence Tomography Using Deconvolution," *Electronics Letters*, vol. 33, pp. 1365-1367, Jul. 1997.
- Bashkansky, et al., "Signal Processing for Improving Field Cross-Correlation Function in Optical Coherence Tomography," *Optics & Photonics News*, vol. 9, pp. 8137-8138, May 1998.
- Yung et al., "Phase-Domain Processing of Optical Coherence Tomography Images," *Journal of Biomedical Optics*, vol. 4, pp. 125-136, Jan. 1999.
- Tearney, et al., "In Vivo Endoscopic Optical Biopsy with Optical Coherence Tomography," *Science*, vol. 276, Jun. 1997.
- W. Drexler et al., "In Vivo Ultrahigh-Resolution Optical Coherence Tomography," *Optics Letters* vol. 24, pp. 1221-1223, Sep. 1999.
- Nicuser V. Ifimia et al., (2005) "A Portable, Low Coherence Interferometry Based Instrument for Fine Needle Aspiration Biopsy Guidance," Accepted to Review of Scientific Instruments, published May 23, 2005.
- Abbas, G.L., V.W.S. Chan et al., "Local-Oscillator Excess-Noise Suppression for Homodyne and Heterodyne-Detection," *Optics Letters*, vol. 8, pp. 419-421, Aug. 1983 issue.
- Agrawal, G.P., "Population Pulsations and Nondegenerate 4-Wave Mixing in Semiconductor-Lasers and Amplifiers," *Journal of the Optical Society of America B-Optical Physics*, vol. 5, pp. 147-159, Jan. 1998.
- Andretzky, P. et al., "Optical Coherence Tomography by Spectral Radar: Improvement of Signal-to-Noise Ratio," *The International Society for Optical Engineering, USA*, vol. 3915, 2000.
- Ballif, J. et al., "Rapid and Scalable Scans at 21 m/s in optical Low-Coherence Reflectometry," *Optics Letters*, vol. 22, pp. 757-759, Jun. 1997.
- Barfuss H. et al., "Modified Optical Frequency-Domain Reflectometry with High Spatial-Resolution for Components of Integrated Optic Systems," *Journal of Lightwave Technology*, vol. 7, pp. 3-10, Jan. 1989.
- Beaud, P. et al., "Optical Reflectometry with Micrometer Resolution for the Investigation of Integrated Optical-Devices," *IEEE Journal of Quantum Electronics*, vol. 25, pp. 755-759, Apr. 1989.
- Bouma, Brett et al., "Power-Efficient Nonreciprocal Interferometer and Linear-Scanning Fiber-Optic Catheter for Optical Coherence Tomography," *Optics Letters*, vol. 24, pp. 531-533, Apr. 1999.
- Brinkmeyer, E. et al., "Efficient Algorithm for Non-Equidistant Interpolation of Sampled Data," *Electronics Letters*, vol. 28, p. 693, Mar. 1992.
- Brinkmeyer, E. et al., "High-Resolution OCDR in Dispersive Wave-Guides," *Electronics Letters*, vol. 26, pp. 413-414, Mar. 1990.
- Chinn, S.R. et al., "Optical Coherence Tomography Using a Frequency-Tunable Optical Source," *Optics Letters*, vol. 22, pp. 340-342, Mar. 1997.
- Danielson, B.L. et al., "Absolute Optical Ranging Using Low Coherence Interferometry," *Applied Optics*, vol. 30, p. 2975, Jul. 1991.
- Dorner, C. et al., "Spectral Resolution and Sampling Issues in Fourier-Transform Spectral Interferometry," *Journal of the Optical Society of America B-Optical Physics*, vol. 17, pp. 1795-1802, Oct. 2000.
- Dudley, J.M. et al., "Cross-Correlation Frequency Resolved Optical Gating Analysis of Broadband Continuum Generation in Photonic Crystal Fiber: Simulations and Experiments," *Optics Express*, vol. 10, p. 1215, Oct. 2002.
- Eickhoff, W. et al., "Optical Frequency-Domain Reflectometry in Single-Mode Fiber," *Applied Physics Letters*, vol. 39, pp. 693-695, 1981.
- Fercher, Adolf "Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 1, pp. 157-173, Apr. 1996.
- Ferreira, L.A. et al., "Polarization-Insensitive Fiberoptic White-Light Interferometry," *Optics Communications*, vol. 114, pp. 386-392, Feb. 1995.
- Fujii, Yohji, "High-Isolation Polarization-Independent Optical Circulator", *Journal of Lightwave Technology*, vol. 9, pp. 1239-1243, Oct. 1991.
- Glance, B., "Polarization Independent Coherent Optical Receiver," *Journal of Lightwave Technology*, vol. LT-5, p. 274, Feb. 1987.
- Glombitza, U., "Coherent Frequency-Domain Reflectometry for Characterization of Single-Mode Integrated-Optical Wave-Guides," *Journal of Lightwave Technology*, vol. 11, pp. 1377-1384, Aug. 1993.

(56)

References Cited

OTHER PUBLICATIONS

- Golubovic, B. et al., "Optical Frequency-Domain Reflectometry Using Rapid Wavelength Tuning of a Cr⁴⁺:Forsterite Laser," *Optics Letters*, vol. 11, pp. 1704-1706, Nov. 1997.
- Haberland, U. H. P. et al., "Chirp Optical Coherence Tomography of Layered Scattering Media," *Journal of Biomedical Optics*, vol. 3, pp. 259-266, Jul. 1998.
- Hammer, Daniel X. et al., "Spectrally Resolved White-Light Interferometry for Measurement of Ocular Dispersion," *Journal of the Optical Society of America A-Optics Image Science and Vision*, vol. 16, pp. 2092-2102, Sep. 1999.
- Harvey, K. C. et al., "External-Cavity Diode-Laser Using a Grazing-Incidence Diffraction Grating," *Optics Letters*, vol. 16, pp. 910-912, Jun. 1991.
- Hausler, Gerd et al., "'Coherence Radar' and 'Spectral Radar' New Tools for Dermatological Diagnosis," *Journal of Biomedical Optics*, vol. 3, pp. 21-31, Jan. 1998.
- Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," *Journal of the Optical Society of America B (Optical Physics)*, vol. 9, pp. 903-908, Jun. 1992.
- Hotate Kazuo et al., "Optical Coherence Domain Reflectometry by Synthesis of Coherence Function," *Journal of Lightwave Technology*, vol. 11, pp. 1701-1710, Oct. 1993.
- Inoue, Kyo et al., "Nearly Degenerate 4-Wave-Mixing in a Traveling-Wave Semiconductor-Laser Amplifier," *Applied Physics Letters*, vol. 51, pp. 1051-1053, 1987.
- Ivanov, A. P. et al., "New Method for High-Range Resolution Measurements of Light Scattering in Optically Dense Inhomogeneous Media," *Optics Letters*, vol. 1, pp. 226-228, Dec. 1977.
- Ivanov, A. P. et al., "Interferometric Study of the Spatial Structure of a Light-Scattering Medium," *Journal of Applied Spectroscopy*, vol. 28, pp. 518-525, 1978.
- Kazovsky, L. G. et al., "Heterodyne Detection Through Rain, Snow, and Turbid Media: Effective Receiver Size at Optical Through Millimeter Wavelengths," *Applied Optics*, vol. 22, pp. 706-710, Mar. 1983.
- Kersey, A. D. et al., "Adaptive Polarization Diversity Receiver Configuration for Coherent Optical Fiber Communications," *Electronics Letters*, vol. 25, pp. 275-277, Feb. 1989.
- Kohlhaas, Andreas et al., "High-Resolution OCDR for Testing Integrated-Optical Waveguides: Dispersion-Corrupted Experimental Data Corrected by a Numerical Algorithm," *Journal of Lightwave Technology*, vol. 9, pp. 1493-1502, Nov. 1991.
- Larkin, Kieran G., "Efficient Nonlinear Algorithm for Envelope Detection in White Light Interferometry," *Journal of the Optical Society of America A-Optics Image Science and Vision*, vol. 13, pp. 832-843, Apr. 1996.
- Leitgeb, R. et al., "Spectral measurement of Absorption by Spectroscopic Frequency-Domain Optical Coherence Tomography," *Optics Letters*, vol. 25, pp. 820-822, Jun. 2000.
- Lexer, F. et al., "Wavelength-Tuning Interferometry of Intraocular Distances," *Applied Optics*, vol. 36, pp. 6548-6553, Sep. 1997.
- Mitsui, Takahisa, "Dynamic Range of Optical Reflectometry with Spectral Interferometry," *Japanese Journal of Applied Physics Part 1—Regular Papers Short Notes & Review Papers*, vol. 38, pp. 6133-6137, 1999.
- Naganuma, Kazunori et al., "Group-Delay Measurement Using the Fourier-Transform of an Interferometric Cross-Correlation Generated by White Light," *Optics Letters*, vol. 15, pp. 393-395, Apr. 1990.
- Okoshi, Takanori, "Polarization-State Control Schemes for Heterodyne or Homodyne Optical Fiber Communications," *Journal of Lightwave Technology*, vol. LT-3, pp. 1232-1237, Dec. 1995.
- Passy, R. et al., "Experimental and Theoretical Investigations of Coherent OFDR with Semiconductor-Laser Sources," *Journal of Lightwave Technology*, vol. 12, pp. 1622-1630, Sep. 1994.
- Podoleanu, Adrian G., "Unbalanced Versus Balanced Operation in an Optical Coherence Tomography System," *Applied Optics*, vol. 39, pp. 173-182, Jan. 2000.
- Price, J. H. V. et al., "Tunable, Femtosecond Pulse Source Operating in the Range 1.06-1.33 μ m Based on an Yb³⁺-doped Holey Fiber Amplifier," *Journal of the Optical Society of America B—Optical Physics*, vol. 19, pp. 1286-1294, Jun. 2002.
- Schmitt, J. M. et al., "Measurement of Optical-Properties of Biological Tissues by Low-Coherence Reflectometry," *Applied Optics*, vol. 32, pp. 6032-6042, Oct. 1993.
- Silberberg, Y. et al., "Passive-Mode Locking of a Semiconductor Diode-Laser," *Optics Letters*, vol. 9, pp. 507-509, Nov. 1984.
- Smith, L. Montgomery et al., "Absolute Displacement Measurements Using Modulation of the Spectrum of White-Light in a Michelson Interferometer," *Applied Optics*, vol. 28, pp. 3339-3342, Aug. 1989.
- Sonnenschein, C. M. et al., "Signal-To-Noise Relationships for Coaxial Systems that Heterodyne Backscatter from Atmosphere," *Applied Optics*, vol. 10, pp. 1600-1604, Jul. 1971.
- Sorin, W. V. et al., "Measurement of Rayleigh Backscattering at 1.55 μ m with 32 μ m Spatial Resolution," *IEEE Photonics Technology Letters*, vol. 4, pp. 374-376, Apr. 1992.
- Sorin, W. V. et al., "A Simple Intensity Noise-Reduction Technique for Optical Low-Coherence Reflectometry," *IEEE Photonics Technology Letters*, vol. 4, pp. 1404-1406, Dec. 1992.
- Swanson, E. A. et al., "High-Speed Optical Coherence Domain Reflectometry," *Optics Letters*, vol. 17, pp. 151-153, Jan. 1992.
- Takada, K. et al., "High-Resolution OFDR with Incorporated Fiber-optic Frequency Encoder," *IEEE Photonics Technology Letters*, vol. 4, pp. 1069-1072, Sep. 1992.
- Takada, Kazumasa et al., "Narrow-Band light Source with Acoustooptic Tunable Filter for Optical Low-Coherence Reflectometry," *IEEE Photonics Technology Letters*, vol. 8, pp. 658-660, May 1996.
- Takada, Kazumasa et al., "New Measurement System for Fault Location in Optical Wave-Guide Devices Based on an Interometric-Technique," *Applied Optics*, vol. 26, pp. 1603-1606, May 1987.
- Tateda, Mitsuhiro et al., "Interferometric Method for Chromatic Dispersion Measurement in a Single-Mode Optical Fiber," *IEEE Journal of Quantum Electronics*, vol. 17, pp. 404-407, Mar. 1981.
- Toide, M. et al., "Two-Dimensional Coherent Detection Imaging in Multiple Scattering Media Based the Directional Resolution Capability of the Optical Heterodyne Method," *Applied Physics B (Photophysics and Laser Chemistry)*, vol. B52, pp. 391-394, 1991.
- Trutna, W. R. et al., "Continuously Tuned External-Cavity Semiconductor-Laser," *Journal of Lightwave Technology*, vol. 11, pp. 1279-1286, Aug. 1993.
- Uttam, Deepak et al., "Precision Time Domain Reflectometry in Optical Fiber Systems Using a Frequency Modulated Continuous Wave Ranging Technique," *Journal of Lightwave Technology*, vol. 3, pp. 971-977, Oct. 1985.
- Von Der Weid, J. P. et al., "On the Characterization of Optical Fiber Network Components with Optical Frequency Domain Reflectometry," *Journal of Lightwave Technology*, vol. 15, pp. 1131-1141, Jul. 1997.
- Wysocki, P. F. et al., "Broad-Spectrum, Wavelength-Swept, Erbium-Doped Fiber Laser at 1.55- μ m," *Optics Letters*, vol. 15, pp. 879-881, Aug. 1990.
- Youngquist, Robert C. et al., "Optical Coherence-Domain Reflectometry—A New Optical Evaluation Technique," *Optics Letters*, vol. 12, pp. 158-160, Mar. 1987.
- Yun, S. H. et al., "Wavelength-Swept Fiber Laser with Frequency Shifted Feedback and Resonantly Swept Intra-Cavity Acoustooptic Tunable Filter," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 3, pp. 1087-1096, Aug. 1997.
- Yun, S. H. et al., "Interrogation of Fiber Grating Sensor Arrays with a Wavelength-Swept Fiber Laser," *Optics Letters*, vol. 23, pp. 843-845, Jun. 1998.
- Yung, K. M., "Phase-Domain Processing of Optical Coherence Tomography Images," *Journal of Biomedical Optics*, vol. 4, pp. 125-136, Jan. 1999.
- Zhou, Xiao-Qun et al., "Extended-Range FMCW Reflectometry Using an optical Loop with a Frequency Shifter," *IEEE Photonics Technology Letters*, vol. 8, pp. 248-250, Feb. 1996.
- Zorabedian, Paul et al., "Tuning Fidelity of Acoustooptically Controlled External Cavity Semiconductor-Lasers," *Journal of Lightwave Technology*, vol. 13, pp. 62-66, Jan. 1995.

(56)

References Cited

OTHER PUBLICATIONS

- Victor S. Y. Lin et al., "A Porous Silicon-Based Optical Interferometric Biosensor," *Science Magazine*, vol. 278, pp. 840-843, Oct. 31, 1997.
- De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," *Journal of Biomedical Optics*, vol. 7, No. 3, Jul. 2002, pp. 359-371.
- Jiao, Shuliang et al., "Depth-Resolved Two-Dimensional Stokes Vectors of Backscattered Light and Mueller Matrices of Biological Tissue Measured with Optical Coherence Tomography," *Applied Optics*, vol. 39, No. 34, Dec. 1, 2000, pp. 6318-6324.
- Park, B. Hyle et al., "In Vivo Burn Depth Determination by High-Speed Fiber-Based Polarization Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 6 No. 4, Oct. 2001, pp. 474-479.
- Roth, Jonathan E. et al., "Simplified Method for Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 26, No. 14, Jul. 15, 2001, pp. 1069-1071.
- Hitzenberger, Christopher K. et al., "Measurement and Imaging of Birefringence and Optic Axis Orientation by Phase Resolved Polarization Sensitive Optical Coherence Tomography," *Optics Express*, vol. 9, No. 13, Dec. 17, 2001, pp. 780-790.
- Wang, Xuedong et al., (2001) "Propagation of Polarized Light in Birefringent Turbid Media: Time-Resolved Simulations," Optical Imaging Laboratory, Biomedical Engineering Program, Texas A&M University, Aug. 27, 2001, pp. 254-259.
- Wong, Brian J.F. et al., "Optical Coherence Tomography of the Rat Cochlea," *Journal of Biomedical Optics*, vol. 5, No. 4, Oct. 2000, pp. 367-370.
- Yao, Gang et al., "Propagation of Polarized Light in Turbid Media: Simulated Animation Sequences," *Optics Express*, vol. 7, No. 5, Aug. 28, 2000, pp. 198-203.
- Wang, Xiao-Jun et al., "Characterization of Dentin and Enamel by Use of Optical Coherence Tomography," *Applied Optics*, vol. 38, No. 10, Apr. 1, 1999, pp. 2092-2096.
- De Boer, Johannes F. et al., "Determination of the Depth-Resolved Stokes Parameters of Light Backscattered from Turbid Media by use of Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 24, No. 5, Mar. 1, 1999, pp. 300-302.
- Ducros, Mathieu G. et al., "Polarization Sensitive Optical Coherence Tomography of the Rabbit Eye," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 5, No. 4, Jul./Aug. 1999, pp. 1159-1167.
- Groner, Warren et al., "Orthogonal Polarization Spectral Imaging: A New Method for Study of the Microcirculation," *Nature Medicine Inc.*, vol. 5 No. 10, Oct. 1999, pp. 1209-1213.
- De Boer, Johannes F. et al., "Polarization Effects in Optical Coherence Tomography of Various Viological Tissues," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 5, No. 4, Jul./Aug. 1999, pp. 1200-1204.
- Yao, Gang et al., "Two-Dimensional Depth-Resolved Mueller Matrix Characterization of Biological Tissue by Optical Coherence Tomography," *Optics Letters*, Apr. 15, 1999, vol. 24, No. 8, pp. 537-539.
- Lu, Shih-Yau et al., "Homogeneous and Inhomogeneous Jones Matrices," *J. Opt. Soc. Am. A*, vol. 11, No. 2, Feb. 1994, pp. 766-773.
- Bickel, S. William et al., "Stokes Vectors, Mueller Matrices, and Polarized Scattered Light," *Am. J. Phys.*, vol. 53, No. 5, May 1985 pp. 468-478.
- Br  honnet, F. Le Roy et al., "Optical Media and Target Characterization by Mueller Matrix Decomposition," *J. Phys. D: Appl. Phys.* 29, 1996, pp. 34-38.
- Cameron, Brent D. et al., "Measurement and Calculation of the Two-Dimensional Backscattering Mueller Matrix of a Turbid Medium," *Optics Letters*, vol. 23, No. 7, Apr. 1, 1998, pp. 485-487.
- De Boer, Johannes F. et al., "Two-Dimensional Birefringence Imaging in Biological Tissue by Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 22, No. 12, Jun. 15, 1997, pp. 934-936.
- De Boer, Johannes F. et al., "Imaging Thermally Damaged Tissue by Polarization Sensitive Optical Coherence Tomography," *Optics Express*, vol. 3, No. 6, Sep. 14, 1998, pp. 212-218.
- Everett, M.J. et al., "Birefringence Characterization of Biological Tissue by Use of Optical Coherence Tomography," *Optics Letters*, vol. 23, No. 3, Feb. 1, 1998, pp. 228-230.
- Hee, Michael R. et al., "Polarization-Sensitive Low-Coherence Reflectometer for Birefringence Characterization and Ranging," *J. Opt. Soc. Am. B*, vol. 9, No. 6, Jun. 1992, pp. 903-908.
- Barakat, Richard, "Statistics of the Stokes Parameters," *J. Opt. Soc. Am. B*, vol. 2, No. 7, Jul. 1987, pp. 1256-1263.
- Schmitt, J.M. et al., "Cross-Polarized Backscatter in Optical Coherence Tomography of Biological Tissue," *Optics Letters*, vol. 23, No. 13, Jul. 1, 1998, pp. 1060-1062.
- Schoenenberger, Klaus et al., "Mapping of Birefringence and Thermal Damage in Tissue by use of Polarization-Sensitive Optical Coherence Tomography," *Applied Optics*, vol. 37, No. 25, Sep. 1, 1998, pp. 6026-6036.
- Pierce, Mark C. et al., "Simultaneous Intensity, Birefringence, and Flow Measurements with High-Speed Fiber-Based Optical Coherence Tomography," *Optics Letters*, vol. 27, No. 17, Sep. 1, 2002, pp. 1534-1536.
- De Boer, Johannes F. et al., "Review of Polarization Sensitive Optical Coherence Tomography and Stokes Vector Determination," *Journal of Biomedical Optics*, Jul. 2002, vol. 7, No. 3, pp. 359-371.
- Fried, Daniel et al., "Imaging Caries Lesions and Lesion Progression with Polarization Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 7, No. 4, Oct. 2002, pp. 618-627.
- Jiao, Shuliang et al., "Two-Dimensional Depth-Resolved Mueller Matrix of Biological Tissue Measured with Double-Beam Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 27, No. 2, Jan. 15, 2002, pp. 101-103.
- Jiao, Shuliang et al., "Jones-Matrix Imaging of Biological Tissues with Quadruple-Channel Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 7, No. 3, Jul. 2002, pp. 350-358.
- Kuranov, R.V. et al., "Complementary Use of Cross-Polarization and Standard OCT for Differential Diagnosis of Pathological Tissues," *Optics Express*, vol. 10, No. 15, Jul. 29, 2002, pp. 707-713.
- Cense, Barry et al., "In Vivo Depth-Resolved Birefringence Measurements of the Human Retinal Nerve Fiber Layer by Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 27, No. 18, Sep. 15, 2002, pp. 1610-1612.
- Ren, Hongwu et al., "Phase-Resolved Functional Optical Coherence Tomography: Simultaneous Imaging of In Situ Tissue Structure, Blood Flow Velocity, Standard Deviation, Birefringence, and Stokes Vectors in Human Skin," *Optics Letters*, vol. 27, No. 19, Oct. 1, 2002, pp. 1702-1704.
- Tripathi, Renu et al., "Spectral Shaping for Non-Gaussian Source Spectra in Optical Coherence Tomography," *Optics Letters*, vol. 27, No. 6, Mar. 15, 2002, pp. 406-408.
- Yasuno, Y. et al., "Birefringence Imaging of Human Skin by Polarization-Sensitive Spectral Interferometric Optical Coherence Tomography," *Optics Letters*, vol. 27, No. 20, Oct. 15, 2002 pp. 1803-1805.
- White, Brian R. et al., "In Vivo Dynamic Human Retinal Blood Flow Imaging Using Ultra-High-Speed Spectral Domain Optical Doppler Tomography," *Optics Express*, vol. 11, No. 25, Dec. 15, 2003, pp. 3490-3497.
- De Boer, Johannes F. et al., "Improved Signal-to-Noise Ratio in Spectral-Domain Compared with Time-Domain Optical Coherence Tomography," *Optics Letters*, vol. 28, No. 21, Nov. 1, 2003, pp. 2067-2069.
- Jiao, Shuliang et al., "Optical-Fiber-Based Mueller Optical Coherence Tomography," *Optics Letters*, vol. 28, No. 14, Jul. 15, 2003, pp. 1206-1208.
- Jiao, Shuliang et al., "Contrast Mechanisms in Polarization-Sensitive Mueller-Matrix Optical Coherence Tomography and Application in Burn Imaging," *Applied Optics*, vol. 42, No. 25, Sep. 1, 2003, pp. 5191-5197.
- Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. I. Theory," *Applied Optics*, vol. 42, No. 19, Jul. 1, 2003, pp. 3800-3810.

(56)

References Cited

OTHER PUBLICATIONS

- Moreau, Julien et al., "Full-Field Birefringence Imaging by Thermal-Light Polarization-Sensitive Optical Coherence Tomography. II. Instrument and Results," *Applied Optics*, vol. 42, No. 19, Jul. 1, 2003, pp. 3811-3818.
- Morgan, Stephen P. et al., "Surface-Reflection Elimination in Polarization Imaging of Superficial Tissue," *Optics Letters*, vol. 28, No. 2, Jan. 15, 2003, pp. 114-116.
- Oh, Jung-Taek et al., "Polarization-Sensitive Optical Coherence Tomography for Photoelasticity Testing of Glass/Epoxy Composites," *Optics Express*, vol. 11, No. 14, Jul. 14, 2003, pp. 1669-1676.
- Park, B. Hyle et al., "Real-Time Multi-Functional Optical Coherence Tomography," *Optics Express*, vol. 11, No. 7, Apr. 7, 2003, pp. 782-793.
- Shribak, Michael et al., "Techniques for Fast and Sensitive Measurements of Two-Dimensional Birefringence Distributions," *Applied Optics*, vol. 42, No. 16, Jun. 1, 2003, pp. 3009-3017.
- Somervell, A.R.D. et al., "Direct Measurement of Fringe Amplitude and Phase Using a Heterodyne Interferometer Operating in Broadband Light," *Elsevier, Optics Communications*, Oct. 2003.
- Stifter, D. et al., "Polarisation-Sensitive Optical Coherence Tomography for Material Characterisation and Strain-Field Mapping," *Applied Physics A 76, Materials Science & Processing*, Jan. 2003, pp. 947-951.
- Davé, Digant P. et al., "Polarization-Maintaining Fiber-Based Optical Low-Coherence Reflectometer for Characterization and Ranging of Birefringence," *Optics Letters*, vol. 28, No. 19, Oct. 1, 2003, pp. 1775-1777.
- Yang, Ying et al., "Observations of Birefringence in Tissues from Optic-Fibre-Based Optical Coherence Tomography," *Measurement Science and Technology*, Nov. 2002, pp. 41-46.
- Yun, S.H. et al., "High-Speed Optical Frequency-Domain Imaging," *Optics Express*, vol. 11, No. 22, Nov. 3, 2003, pp. 2953-2963.
- Yun, S.H. et al., "High-Speed Spectral-Domain Optical Coherence Tomography at 1.3 μm Wavelength," *Optics Express*, vol. 11, No. 26, Dec. 29, 2003, pp. 3598-3604.
- Zhang, Jun et al., "Determination of Birefringence and Absolute Optic Axis Orientation Using Polarization-Sensitive Optical Coherence Tomography with PM Fibers," *Optics Express*, vol. 11, No. 24, Dec. 1, 2003, pp. 3262-3270.
- Pircher, Michael et al., "Three Dimensional Polarization Sensitive OCT of Human Skin In Vivo," 2004, *Optics Express*, vol. 12, No. 14, Jul. 12, 2004, pp. 3236-3244.
- Götzinger, Erich et al., "Measurement and Imaging of Birefringent Properties of the Human Cornea with Phase-Resolved, Polarization-Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 9, No. 1, Jan./Feb. 2004, pp. 94-102.
- Guo, Shuguang et al., "Depth-Resolved Birefringence and Differential Optical Axis Orientation Measurements with Finer-based Polarization-Sensitive Optical Coherence Tomography," *Optics Letters*, vol. 29, No. 17, Sep. 1, 2004, pp. 2025-2027.
- Huang, Xiang-Run et al., "Variation of Peripapillary Retinal Nerve Fiber Layer Birefringence in Normal Human Subjects," *Investigative Ophthalmology & Visual Science*, vol. 45, No. 9, Sep. 2004, pp. 3073-3080.
- Matcher, Stephen J. et al., "The Collagen Structure of Bovine Intervertebral Disc Studied Using Polarization-Sensitive Optical Coherence Tomography," *Physics in Medicine and Biology*, 2004, pp. 1295-1306.
- Nassif, Nader et al., "In Vivo Human Retinal Imaging by Ultrahigh-Speed Spectral Domain Optical Coherence Tomography," *Optics Letters*, vol. 29, No. 5, Mar. 1, 2004, pp. 480-482.
- Nassif, N.A. et al., "In Vivo High-Resolution Video-Rate Spectral-Domain Optical Coherence Tomography of the Human Retina and Optic Nerve," *Optics Express*, vol. 12, No. 3, Feb. 9, 2004, pp. 367-376.
- Park, B. Hyle et al., "Comment on Optical-Fiber-Based Mueller Optical Coherence Tomography," *Optics Letters*, vol. 29, No. 24, Dec. 15, 2004, pp. 2873-2874.
- Park, B. Hyle et al., "Jones Matrix Analysis for a Polarization-Sensitive Optical Coherence Tomography System Using Fiber-Optic Components," *Optics Letters*, vol. 29, No. 21, Nov. 1, 2004, pp. 2512-2514.
- Pierce, Mark C. et al., "Collagen Denaturation can be Quantified in Burned Human Skin Using Polarization-Sensitive Optical Coherence Tomography," *Elsevier, Burns*, 2004, pp. 511-517.
- Pierce, Mark C. et al., "Advances in Optical Coherence Tomography Imaging for Dermatology," *The Society for Investigative Dermatology, Inc.* 2004, pp. 458-463.
- Pierce, Mark C. et al., "Birefringence Measurements in Human Skin Using Polarization-Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 9, No. 2, Mar./Apr. 2004, pp. 287-291.
- Cense, Barry et al., "In Vivo Birefringence and Thickness Measurements of the Human Retinal Nerve Fiber Layer Using Polarization-Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 9, No. 1, Jan./Feb. 2004, pp. 121-125.
- Pircher, Michael et al., "Imaging of Polarization Properties of Human Retina in Vivo with Phase Resolved Transversal PS-OCT," *Optics Express*, vol. 12, No. 24, Nov. 29, 2004 pp. 5940-5951.
- Pircher, Michael et al., "Transversal Phase Resolved Polarization Sensitive Optical Coherence Tomography," *Physics in Medicine & Biology*, 2004, pp. 1257-1263.
- Srinivas, Shyam M. et al., "Determination of Burn Depth by Polarization-Sensitive Optical Coherence Tomography," *Journal of Biomedical Optics*, vol. 9, No. 1, Jan./Feb. 2004, pp. 207-212.
- Strasswimmer, John et al., "Polarization-Sensitive Optical Coherence Tomography of Invasive Basal Cell Carcinoma," *Journal of Biomedical Optics*, vol. 9, No. 2, Mar./Apr. 2004, pp. 292-298.
- Todorović, Miloš et al., "Determination of Local Polarization Properties of Biological Samples in the Presence of Diattenuation by use of Mueller Optical Coherence Tomography," *Optics Letters*, vol. 29, No. 20, Oct. 15, 2004, pp. 2402-2404.
- Yasuno, Yoshiaki et al., "Polarization-Sensitive Complex Fourier Domain Optical Coherence Tomography for Jones Matrix Imaging of Biological Samples," *Applied Physics Letters*, vol. 85, No. 15, Oct. 11, 2004, pp. 3023-3025.
- Acioli, L. H., M. Ulman, et al. (1991). "Femtosecond Temporal Encoding in Barium-Titanate," *Optics Letters* 16(24): 1984-1986.
- Aigouy, L., A. Lahrech, et al. (1999). "Polarization effects in apertureless scanning near-field optical microscopy: an experimental study," *Optics Letters* 24(4): 187-189.
- Akiba, M., K. P. Chan, et al. (2003). "Full-field optical coherence tomography by two-dimensional heterodyne detection with a pair of CCD cameras," *Optics Letters* 28(10): 816-818.
- Akkin, T., D. P. Dave, et al. (2004). "Detection of neural activity using phase-sensitive optical low-coherence reflectometry," *Optics Express* 12(11): 2377-2386.
- Akkin, T., D. P. Dave, et al. (2003). "Surface analysis using phase sensitive optical low coherence reflectometry," *Lasers in Surgery and Medicine*: 4-4.
- Akkin, T., D. P. Dave, et al. (2003). "Imaging tissue response to electrical and photothermal stimulation with nanometer sensitivity," *Lasers in Surgery and Medicine* 33(4): 219-225.
- Akkin, T., T. E. Milner, et al. (2002). "Phase-sensitive measurement of birefringence change as an indication of neural functionality and diseases," *Lasers in Surgery and Medicine*: 6-6.
- Andretzky, P., Lindner, M.W., Herrmann, J.M., Schultz, A., Konzog, M., Kiesewetter, F., Haeusler, G. (1999). "Optical coherence tomography by 'spectral radar': Dynamic range estimation and in vivo measurements of skin," *Proceedings of SPIE—The International Society for Optical Engineering* 3567: pp. 78-87.
- Antcliff, R. J., T. J. flytche, et al. (2000). "Optical coherence tomography of melanocytoma," *American Journal of Ophthalmology* 130(6): 845-7.
- Antcliff, R. J., M. R. Stanford, et al. (2000). "Comparison between optical coherence tomography and fundus fluorescein angiography for the detection of cystoid macular edema in patients with uveitis," *Ophthalmology* 107(3): 593-9.
- Anvari, B., T. E. Milner, et al. (1995). "Selective Cooling of Biological Tissues—Application for Thermally Mediated Therapeutic Procedures," *Physics in Medicine and Biology* 40(2): 241-252.

(56)

References Cited

OTHER PUBLICATIONS

- Anvari, B., B. S. Tanenbaum, et al. (1995). "A Theoretical-Study of the Thermal Response of Skin to Cryogen Spray Cooling and Pulsed-Laser Irradiation—Implications for Treatment of Port-Wine Stain Birthmarks." *Physics in Medicine and Biology* 40(9): 1451-1465.
- Arend, O., M. Ruffer, et al. (2000). "Macular circulation in patients with diabetes mellitus with and without arterial hypertension." *British Journal of Ophthalmology* 84(12): 1392-1396.
- Arimoto, H. and Y. Ohtsuka (1997). "Measurements of the complex degree of spectral coherence by use of a wave-front-folded interferometer." *Optics Letters* 22(13): 958-960.
- Azzolini, C., F. Patelli, et al. (2001). "Correlation between optical coherence tomography data and biomicroscopic interpretation of idiopathic macular hole." *American Journal of Ophthalmology* 132(3): 348-55.
- Baba, T., K. Ohno-Matsui, et al. (2002). "Optical coherence tomography of choroidal neovascularization in high myopia." *Acta Ophthalmologica Scandinavica* 80(1): 82-7.
- Bail, M. A. H., Gerd; Herrmann, Juergen M.; Lindner, Michael W.; Ringler, R. (1996). "Optical coherence tomography with the "spectral radar": fast optical analysis in volume scatterers by short-coherence interferometry." *Proc. SPIE*, 2925: p. 298-303.
- Baney, D. M. and W. V. Sorin (1993). "Extended-Range Optical Low-Coherence Reflectometry Using a Recirculating Delay Technique." *Ieee Photonics Technology Letters* 5(9): 1109-1112.
- Baney, D. M., B. Szafraniec, et al. (2002). "Coherent optical spectrum analyzer." *Ieee Photonics Technology Letters* 14(3): 355-357.
- Barakat, R. (1981). "Bilinear Constraints between Elements of the 4by4 Mueller-Jones Transfer-Matrix of Polarization Theory." *Optics Communications* 38(3): 159-161.
- Barakat, R. (1993). "Analytic Proofs of the Arago-Fresnel Laws for the Interference of Polarized-Light." *Journal of the Optical Society of America a-Optics Image Science and Vision* 10(1): 180-185.
- Barbastathis, G. and D. J. Brady (1999). "Multidimensional tomographic imaging using volume holography." *Proceedings of the Ieee* 87(12): 2098-2120.
- Bardal, S., A. Kamal, et al. (1992). "Photoinduced Birefringence in Optical Fibers—a Comparative-Study of Low-Birefringence and High-Birefringence Fibers." *Optics Letters* 17(6): 411-413.
- Barsky, S. H., S. Rosen, et al. (1980). "Nature and Evolution of Port Wine Stains—Computer-Assisted Study." *Journal of Investigative Dermatology* 74(3): 154-157.
- Barton, J. K., J. A. Izatt, et al. (1999). "Three-dimensional reconstruction of blood vessels from in vivo color Doppler optical coherence tomography images." *Dermatology* 198(4): 355-361.
- Barton, J. K., A. Rollins, et al. (2001). "Photothermal coagulation of blood vessels: a comparison of high-speed optical coherence tomography and numerical modelling." *Physics in Medicine and Biology* 46.
- Barton, J. K., A. J. Welch, et al. (1998). "Investigating pulsed dye laser-blood vessel interaction with color Doppler optical coherence tomography." *Optics Express* 3.
- Bashkansky, M., M. D. Duncan, et al. (1997). "Subsurface defect detection in ceramics by high-speed high-resolution optical coherent tomography." *Optics Letters* 22 (1): 61-63.
- Bashkansky, M. and J. Reintjes (2000). "Statistics and reduction of speckle in optical coherence tomography." *Optics Letters* 25(8): 545-547.
- Baumgartner, A., S. Dichtl, et al. (2000). "Polarization-sensitive optical coherence tomography of dental structures." *Caries Research* 34(1): 59-69.
- Baumgartner, A., C. K. Hitzenger, et al. (2000). "Resolution-improved dual-beam and standard optical coherence tomography: a comparison." *Graefes Archive for Clinical and Experimental Ophthalmology* 238(5): 385-392.
- Baumgartner, A., C. K. Hitzenger, et al. (1998). "Signal and resolution enhancements in dual beam optical coherence tomography of the human eye." *Journal of Biomedical Optics* 3(1): 45-54.
- Beaurepaire, E., P. Gleyzes, et al. (1998). *Optical coherence microscopy for the in-depth study of biological structures: System based on a parallel detection scheme*, Proceedings of SPIE—The International Society for Optical Engineering.
- Beaurepaire, E., L. Moreaux, et al. (1999). "Combined scanning optical coherence and two-photon-excited fluorescence microscopy." *Optics Letters* 24(14): 969-971.
- Bechara, F. G., T. Gambichler, et al. (2004). "Histomorphologic correlation with routine histology and optical coherence tomography." *Skin Research and Technology* 10 (3): 169-173.
- Bechmann, M., M. J. Thiel, et al. (2000). "Central corneal thickness determined with optical coherence tomography in various types of glaucoma. [see comments]." *British Journal of Ophthalmology* 84(11): 1233-7.
- Bek, T. and M. Kandi (2000). "Quantitative anomalouscopy and optical coherence tomography scanning in central serous chorioretinopathy." *Acta Ophthalmologica Scandinavica* 78(6): 632-7.
- Benoit, A. M., K. Naoun, et al. (2001). "Linear dichroism of the retinal nerve fiber layer expressed with Mueller matrices." *Applied Optics* 40(4): 565-569.
- Bicout, D., C. Brosseau, et al. (1994). "Depolarization of Multiply Scattered Waves by Spherical Diffusers—Influence of the Size Parameter." *Physical Review E* 49(2): 1767-1770.
- Blanchot, L., M. Lebec, et al. (1997). *Low-coherence in depth microscopy for biological tissues imaging: Design of a real time control system*. Proceedings of SPIE—The International Society for Optical Engineering.
- Blumenthal, E. Z. and R. N. Weinreb (2001). "Assessment of the retinal nerve fiber layer in clinical trials of glaucoma neuroprotection. [Review] [36 refs]." *Survey of Ophthalmology* 45(Suppl 3): S305-12; discussion S332-4.
- Blumenthal, E. Z., J. M. Williams, et al. (2000). "Reproducibility of nerve fiber layer thickness measurements by use of optical coherence tomography." *Ophthalmology* 107(12): 2278-82.
- Boppert, S. A., B. E. Bouma, et al. (1996). "Imaging developing neural morphology using optical coherence tomography." *Journal of Neuroscience Methods* 70.
- Boppert, S. A., B. E. Bouma, et al. (1997). "Forward-imaging instruments for optical coherence tomography." *Optics Letters* 22.
- Boppert, S. A., B. E. Bouma, et al. (1998). "Intraoperative assessment of microsurgery with three-dimensional optical coherence tomography." *Radiology* 208: 81-86.
- Boppert, S. A., J. Herrmann, et al. (1999). "High-resolution optical coherence tomography-guided laser ablation of surgical tissue." *Journal of Surgical Research* 82(2): 275-84.
- Bouma, B. E. and J. G. Fujimoto (1996). "Compact Kerr-lens mode-locked resonators." *Optics Letters* 21. 134-136.
- Bouma, B. E., L. E. Nelson, et al. (1998). "Optical coherence tomographic imaging of human tissue at 1.55 μm and 1.81 μm using Br and Tm-doped fiber sources." *Journal of Biomedical Optics* 3. 76-79.
- Bouma, B. E., M. Ramaswamy-Paye, et al. (1997). "Compact resonator designs for mode-locked solid-state lasers." *Applied Physics B (Lasers and Optics)* B65. 213-220.
- Bouma, B. E. and G. J. Tearney (2002). "Clinical imaging with optical coherence tomography." *Academic Radiology* 9(8): 942-953.
- Bouma, B. E., G. J. Tearney, et al. (1996). "Self-phase-modulated Kerr-lens mode-locked Cr:forsterite laser source for optical coherence tomography." *Optics Letters* 21(22): 1839.
- Bouma, B. E., G. J. Tearney, et al. (2000). "High-resolution imaging of the human esophagus and stomach in vivo using optical coherence tomography." *Gastrointestinal Endoscopy* 51(4): 467-474.
- Bouma, B. E., G. J. Tearney, et al. (2003). "Evaluation of intracoronary stenting by intravascular optical coherence tomography." *Heart* 89(3): 317-320.
- Bourquin, S., V. Monterosso, et al. (2000). "Video-rate optical low-coherence reflectometry based on a linear smart detector array." *Optics Letters* 25(2): 102-104.
- Bourquin, S., P. Seitz, et al. (2001). "Optical coherence topography based on a two-dimensional smart detector array." *Optics Letters* 26(8): 512-514.

(56)

References Cited

OTHER PUBLICATIONS

- Bouzid, A., M. A. G. Abushagur, et al. (1995). "Fiber-optic four-detector polarimeter." *Optics Communications* 118(3-4): 329-334.
- Bowd, C., R. N. Weinreb, et al. (2000). "The retinal nerve fiber layer thickness in ocular hypertensive, normal, and glaucomatous eyes with optical coherence tomography." *Archives of Ophthalmology* 118(1): 22-6.
- Bowd, C., L. M. Zangwill, et al. (2001). "Detecting early glaucoma by assessment of retinal nerve fiber layer thickness and visual function." *Investigative Ophthalmology & Visual Science* 42(9): 1993-2003.
- Bowd, C., L. M. Zangwill, et al. (2002). "Imaging of the optic disc and retinal nerve fiber layer: the effects of age, optic disc area, refractive error, and gender." *Journal of the Optical Society of America, A, Optics, Image Science, & Vision* 19(1): 197-207.
- Brand, S., J. M. Poneris, et al. (2000). "Optical coherence tomography in the gastrointestinal tract." *Endoscopy* 32(10): 796-803.
- Brezinski, M. E. and J. G. Fujimoto (1999). "Optical coherence tomography: high-resolution imaging in nontransparent tissue." *IEEE Journal of Selected Topics in Quantum Electronics* 5(4): 1185-1192.
- Brezinski, M. E., G. J. Tearney, et al. (1996). "Imaging of coronary artery microstructure (in vitro) with optical coherence tomography." *American Journal of Cardiology* 77 (1): 92-93.
- Brezinski, M. E., G. J. Tearney, et al. (1996). "Optical coherence tomography for optical biopsy—Properties and demonstration of vascular pathology." *Circulation* 93(6): 1206-1213.
- Brezinski, M. E., G. J. Tearney, et al. (1997). "Assessing atherosclerotic plaque morphology: Comparison of optical coherence tomography and high frequency intravascular ultrasound." *Heart* 77(5): 397-403.
- Brink, H. B. K. and G. J. Vanblokkland (1988). "Birefringence of the Human Foveal Area Assessed In vivo with Mueller-Matrix Ellipsometry." *Journal of the Optical Society of America a-Optics Image Science and Vision* 5(1): 49-57.
- Brosseau, C. and D. Bicout (1994). "Entropy Production in Multiple-Scattering of Light by a Spatially Random Medium." *Physical Review E* 50(6): 4997-5005.
- Burgoyne, C. F., D. E. Mercante, et al. (2002). "Change detection in regional and volumetric disc parameters using longitudinal confocal scanning laser tomography." *Ophthalmology* 109(3): 455-66.
- Candido, R. and T. J. Allen (2002). "Haemodynamics in microvascular complications in type 1 diabetes." *Diabetes-Metabolism Research and Reviews* 18(4): 286-304.
- Cense, B., T. C. Chen, et al. (2004). "Thickness and birefringence of healthy retinal nerve fiber layer tissue measured with polarization-sensitive optical coherence tomography." *Investigative Ophthalmology & Visual Science* 45(8): 2606-2612.
- Cense, B., N. Nassif, et al. (2004). "Ultrahigh-Resolution High-Speed Retinal Imaging Using Spectral-Domain Optical Coherence Tomography." *Optics Express* 12(11): 2435-2447.
- Chance, B., J. S. Leigh, et al. (1988). "Comparison of Time-Resolved and Time-Unresolved Measurements of Deoxyhemoglobin in Brain." *Proceedings of the National Academy of Sciences of the United States of America* 85(14): 4971-4975.
- Chang, E. P., D. A. Keedy, et al. (1974). "Ultrastructures of Rabbit Corneal Stroma—Mapping of Optical and Morphological Anisotropies." *Biochimica Et Biophysica Acta* 343(3): 615-626.
- Chartier, T., A. Hideur, et al. (2001). "Measurement of the elliptical birefringence of single-mode optical fibers." *Applied Optics* 40(30): 5343-5353.
- Chauhan, B. C., J. W. Blanchard, et al. (2000). "Technique for Detecting Serial Topographic Changes in the Optic Disc and Peripapillary Retina Using Scanning Laser Tomograph." *Invest Ophthalmol Vis Sci* 41: 775-782.
- Chen, Z. P., T. E. Milner, et al. (1997). "Optical Doppler tomographic imaging of fluid flow velocity in highly scattering media." *Optics Letters* 22(1): 64-66.
- Chen, Z. P., T. E. Milner, et al. (1997). "Noninvasive imaging of in vivo blood flow velocity using optical Doppler tomography." *Optics Letters* 22(14): 1119-1121.
- Chen, Z. P., Y. H. Zhao, et al. (1999). "Optical Doppler tomography." *Ieee Journal of Selected Topics in Quantum Electronics* 5(4): 1134-1142.
- Cheong, W. F., S. A. Pahl, et al. (1990). "A Review of the Optical-Properties of Biological Tissues." *Ieee Journal of Quantum Electronics* 26(12): 2166-2185.
- Chernikov, S. V., Y. Zhu, et al. (1997). "Supercontinuum self-Q-switched ytterbium fiber laser." *Optics Letters* 22(5): 298-300.
- Cho, S. H., B. E. Bouma, et al. (1999). "Low-repetition-rate high-peak-power Kerr-lens mode-locked Ti:Al/sub 2O/sub 3/ laser with a multiple-pass cavity." *Optics Letters* 24(6): 417-419.
- Choma, M. A., M. V. Sarunic, et al. (2003). "Sensitivity advantage of swept source and Fourier domain optical coherence tomography." *Optics Express* 11(18): 2183-2189.
- Choma, M. A., C. H. Yang, et al. (2003). "Instantaneous quadrature low-coherence interferometry with 3x3 fiber-optic couplers." *Optics Letters* 28(22): 2162-2164.
- Choplin, N. T. and D. C. Lundy (2001). "The sensitivity and specificity of scanning laser polarimetry in the detection of glaucoma in a clinical setting." *Ophthalmology* 108 (5): 899-904.
- Christens Barry, W. A., W. J. Green, et al. (1996). "Spatial mapping of polarized light transmission in the central rabbit cornea." *Experimental Eye Research* 62(6): 651-662.
- Chvapil, M., D. P. Speer, et al. (1984). "Identification of the depth of burn injury by collagen stainability." *Plastic & Reconstructive Surgery* 73(3): 438-41.
- Cioffi, G. A. (2001). "Three common assumptions about ocular blood flow and glaucoma." *Survey of Ophthalmology* 45: S325-S331.
- Coleman, A. L. (1999). "Glaucoma." *Lancet* 354(9192): 1803-10.
- Collaborative Normal-Tension Glaucoma Study Group (1998). "Comparison of Glaucomatous Progression Between Untreated Patients With Normal Tension Glaucoma and Patients with Therapeutically Reduced Intraocular Pressures." *Am J Ophthalmol* 126: 487-97.
- Collaborative Normal-Tension Glaucoma Study Group (1998). "The effectiveness of intraocular pressure reduction in the treatment of normal-tension glaucoma." *Am J Ophthalmol* 126: 498-505.
- Collaborative Normal-Tension Glaucoma Study Group (2001). "Natural History of Normal-Tension Glaucoma." *Ophthalmology* 108: 247-253.
- Colston, B. W., M. J. Everett, et al. (1998). "Imaging of hard- and soft-tissue structure in the oral cavity by optical coherence tomography." *Applied Optics* 37(16): 3582-3585.
- Colston, B. W., U. S. Sathyam, et al. (1998). "Dental OCT." *Optics Express* 3(6): 230-238.
- Congdon, N. G., D. S. Friedman, et al. (2003). "Important causes of visual impairment in the world today." *Jama-Journal of the American Medical Association* 290(15): 2057-2060.
- Cregan, R. F., B. J. Mangan, et al. (1999). "Single-mode photonic band gap guidance of light in air." *Science* 285(5433): 1537-1539.
- DalMolin, M., A. Galtarossa, et al. (1997). "Experimental investigation of linear polarization in high-birefringence single-mode fibers." *Applied Optics* 36(12): 2526-2528.
- Danielson, B. L. and C. D. Whittenberg (1987). "Guided-Wave Reflectometry with Micrometer Resolution." *Applied Optics* 26(14): 2836-2842.
- Dave, D. P. and T. E. Milner (2000). "Doppler-angle measurement in highly scattering media." *Optics Letters* 25(20): 1523-1525.
- De Boer, J. F., T. E. Milner, et al. (1998). *Two dimensional birefringence imaging in biological tissue using phase and polarization sensitive optical coherence tomography*. Trends in Optics and Photonics (TOPS): Advances in Optical Imaging and Photon Migration, Orlando, USA, Optical Society of America, Washington, DC 1998.
- De Boer, J. F., C. E. Saxer, et al. (2001). "Stable carrier generation and phase-resolved digital data processing in optical coherence tomography." *Applied Optics* 40(31): 5787-5790.
- Degroot, P. and L. Deck (1993). "3-Dimensional Imaging by Sub-Nyquist Sampling of White-Light Interferograms." *Optics Letters* 18(17): 1462-1464.

(56)

References Cited

OTHER PUBLICATIONS

- Denk, W., J. H. Strickler, et al. (1990). "2-Photon Laser Scanning Fluorescence Microscopy." *Science* 248(4951): 73-76.
- Descour, M. R., A. H. O. Karkkainen, et al. (2002). "Toward the development of miniaturized Imaging systems for detection of pre-cancer." *Ieee Journal of Quantum Electronics* 38(2): 122-130.
- Dettwiller, L. (1997). "Polarization state interference: A general investigation." *Pure and Applied Optics* 6(1): 41-53.
- DiCarlo, C. D., W. P. Roach, et al. (1999). "Comparison of optical coherence tomography imaging of cataracts with histopathology." *Journal of Biomedical Optics* 4.
- Ding, Z., Y. Zhao, et al. (2002). "Real-time phase-resolved optical coherence tomography and optical Doppler tomography." *Optics Express* 10(5): 236-245.
- Dobrin, P. B. (1996). "Effect of histologic preparation on the cross-sectional area of arterial rings." *Journal of Surgical Research* 61(2): 413-5.
- Donohue, D. J., B. J. Stoyanov, et al. (1995). "Numerical Modeling of the Corneal Lamellar Structure and Birefringence Properties." *Journal of the Optical Society of America a-Optics Image Science and Vision* 12(7): 1425-1438.
- Doornbos, R. M. P., R. Lang, et al. (1999). "The determination of in vivo human tissue optical properties and absolute chromophore concentrations using spatially resolved steady-state diffuse reflectance spectroscopy." *Physics in Medicine and Biology* 44(4): 967-981.
- Drexler, W., A. Baumgartner, et al. (1997). "Biometric investigation of changes in the anterior eye segment during accommodation." *Vision Research* 37(19): 2789-2800.
- Drexler, W., A. Baumgartner, et al. (1997). "Submicrometer precision biometry of the anterior segment of the human eye." *Investigative Ophthalmology & Visual Science* 38(7): 1304-1313.
- Drexler, W., A. Baumgartner, et al. (1998). "Dual beam optical coherence tomography: signal identification for ophthalmologic diagnosis." *Journal of Biomedical Optics* 3 (1): 55-65.
- Drexler, W., O. Findl, et al. (1998). "Partial coherence interferometry: A novel approach to biometry in cataract surgery." *American Journal of Ophthalmology* 126(4): 524-534.
- Drexler, W., O. Findl, et al. (1997). "Clinical feasibility of dual beam optical coherence topography and tomography for ophthalmologic diagnosis." *Investigative Ophthalmology & Visual Science* 38(4): 1038-1038.
- Drexler, W., C. K. Hitzenberger, et al. (1998). "Investigation of dispersion effects in ocular media by multiple wavelength partial coherence interferometry." *Experimental Eye Research* 66(1): 25-33.
- Drexler, W., C. K. Hitzenberger, et al. (1996). "(Sub)micrometer precision biometry of the human eye by optical coherence tomography and topography." *Investigative Ophthalmology & Visual Science* 37(3): 4374-4374.
- Drexler, W., C. K. Hitzenberger, et al. (1995). "Measurement of the Thickness of Fundus Layers by Partial Coherence Tomography." *Optical Engineering* 34(3): 701-710.
- Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography." *Nature Medicine* 7(4): 502-507.
- Drexler, W., U. Morgner, et al. (2001). "Ultrahigh-resolution ophthalmic optical coherence tomography. [erratum appears in Nat Med May 2001;7(5):636.]" *Nature Medicine* 7(4): 502-7.
- Drexler, W., H. Sattmann, et al. (2003). "Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography." *Archives of Ophthalmology* 121(5): 695-706.
- Drexler, W., D. Stamper, et al. (2001). "Correlation of collagen organization with polarization sensitive imaging of in vitro cartilage: implications for osteoarthritis." *Journal of Rheumatology* 28(6): 1311-8.
- Droog, E. J., W. Steenbergen, et al. (2001). "Measurement of depth of burns by laser Doppler perfusion imaging." *Burns* 27(6): 561-8.
- Dubois, A., K. Grieve, et al. (2004). "Ultrahigh-resolution full-field optical coherence tomography." *Applied Optics* 43(14): 2874-2883.
- Dubois, A., L. Vabre, et al. (2002). "High-resolution full-field optical coherence tomography with a Linnik microscope." *Applied Optics* 41(4): 805-812.
- Ducros, M., M. Laubscher, et al. (2002). "Parallel optical coherence tomography in scattering samples using a two-dimensional smart-pixel detector array." *Optics Communications* 202(1-3): 29-35.
- Ducros, M. G., J. D. Marsack, et al. (2001). "Primate retina imaging with polarization-sensitive optical coherence tomography." *Journal of the Optical Society of America a-Optics Image Science and Vision* 18(12): 2945-2956.
- Duncan, A., J. H. Meek, et al. (1995). "Optical Pathlength Measurements on Adult Head, Calf and Forearm and the Head of the Newborn-Infant Using Phase-Resolved Optical Spectroscopy." *Physics in Medicine and Biology* 40(2): 295-304.
- Eigensee, A., G. Haeusler, et al. (1996). "New method of short-coherence interferometry in human skin (in vivo) and in solid volume scatterers." *Proceedings of SPIE—The International Society for Optical Engineering* 2925: 169-178.
- Eisenbeiss, W., J. Marotz, et al. (1999). "Reflection-optical multispectral imaging method for objective determination of burn depth." *Burns* 25(8): 697-704.
- Elbaum, M., M. King, et al. (1972). "Wavelength-Diversity Technique for Reduction of Speckle Size." *Journal of the Optical Society of America* 62(5): 732-&.
- Ervin, J. C., H. G. Lemij, et al. (2002). "Clinician change detection viewing longitudinal stereophotographs compared to confocal scanning laser tomography in the LSU Experimental Glaucoma (LEG) Study." *Ophthalmology* 109(3): 467-81.
- Essenpreis, M., C. E. Elwell, et al. (1993). "Spectral Dependence of Temporal Point Spread Functions in Human Tissues." *Applied Optics* 32(4): 418-425.
- Eun, H. C. (1995). "Evaluation of skin blood flow by laser Doppler flowmetry. [Review] [151 refs]." *Clinics in Dermatology* 13(4): 337-47.
- Evans, J. A., J. M. Poneris, et al. (2004). "Application of a histopathologic scoring system to optical coherence tomography (OCT) images to identify high-grade dysplasia in Barrett's esophagus." *Gastroenterology* 126(4): A51-A51.
- Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "In vivo OCT imaging of hard and soft tissue of the oral cavity." *Optics Express* 3(6): 239-250.
- Feldchtein, F. I., G. V. Gelikonov, et al. (1998). "Endoscopic applications of optical coherence tomography." *Optics Express* 3(6): 257-270.
- Fercher, A. F., W. Drexler, et al. (1997). "Optical ocular tomography." *Neuro-Ophthalmology* 18(2): 39-49.
- Fercher, A. F., W. Drexler, et al. (1994). *Measurement of optical distances by optical spectrum modulation*. Proceedings of SPIE—The International Society for Optical Engineering.
- Fercher, A. F., W. Drexler, et al. (2003). "Optical coherence tomography—principles and applications." *Reports on Progress in Physics* 66(2): 239-303.
- Fercher, A. F., C. Hitzenberger, et al. (1991). "Measurement of Intraocular Optical Distances Using Partially Coherent Laser-Light." *Journal of Modern Optics* 38(7): 1327-1333.
- Fercher, A. F., C. K. Hitzenberger, et al. (1996). *Ocular partial coherence interferometry*. Proceedings of SPIE—The International Society for Optical Engineering.
- Fercher, A. F., C. K. Hitzenberger, et al. (1993). "In-Vivo Optical Coherence Tomography." *American Journal of Ophthalmology* 116(1): 113-115.
- Fercher, A. F., C. K. Hitzenberger, et al. (1994). *In-vivo dual-beam optical coherence tomography*. Proceedings of SPIE—The International Society for Optical Engineering.
- Fercher, A. F., C. K. Hitzenberger, et al. (1995). "Measurement of Intraocular Distances by Backscattering Spectral Interferometry." *Optics Communications* 117(1-2): 43-48.
- Fercher, A. F., C. K. Hitzenberger, et al. (2000). "A thermal light source technique for optical coherence tomography." *Optics Communications* 185(1-3): 57-64.
- Fercher, A. F., C. K. Hitzenberger, et al. (2001). "Numerical dispersion compensation for Partial Coherence Interferometry and Optical Coherence Tomography." *Optics Express* 9(12): 610-615.

(56)

References Cited

OTHER PUBLICATIONS

- Fercher, A. F., C. K. Hitzenberger, et al. (2002). "Dispersion compensation for optical coherence tomography depth-scan signals by a numerical technique." *Optics Communications* 204(1-6): 67-74.
- Fercher, A. F., H. C. Li, et al. (1993). "Slit Lamp Laser-Doppler Interferometer." *Lasers in Surgery and Medicine* 13(4): 447-452.
- Fercher, A. F., K. Mengedocht, et al. (1988). "Eye-Length Measurement by Interferometry with Partially Coherent-Light." *Optics Letters* 13(3): 186-188.
- Ferro, P., M. Haelterman, et al. (1991). "All-Optical Polarization Switch with Long Low-Birefringence Fiber." *Electronics Letters* 27(16): 1407-1408.
- Fetterman, M. R., D. Goswami, et al. (1998). "Ultrafast pulse shaping: amplification and characterization." *Optics Express* 3(10): 366-375.
- Findl, O., W. Drexler, et al. (2001). "Improved prediction of intraocular lens power using partial coherence interferometry." *Journal of Cataract and Refractive Surgery* 27 (6): 861-867.
- Fork, R. L., C. H. B. Cruz, et al. (1987). "Compression of Optical Pulses to 6 Femtoseconds by Using Cubic Phase Compensation." *Optics Letters* 12(7): 483-485.
- Foschini, G. J. and C. D. Poole (1991). "Statistical-Theory of Polarization Dispersion in Single-Mode Fibers." *Journal of Lightwave Technology* 9(11): 1439-1456.
- Francia, C., F. Bruyere, et al. (1998). "PMD second-order effects on pulse propagation in single-mode optical fibers." *Ieee Photonics Technology Letters* 10(12): 1739-1741.
- Fried, D., R. E. Glena, et al. (1995). "Nature of Light-Scattering in Dental Enamel and Dentin at Visible and near-Infrared Wavelengths." *Applied Optics* 34(7): 1278-1285.
- Fujimoto, J. G., M. E. Brezinski, et al. (1995). "Optical Biopsy and Imaging Using Optical Coherence Tomography." *Nature Medicine* 1(9): 970-972.
- Fukasawa, A. and H. Iijima (2002). "Optical coherence tomography of choroidal osteoma." *American Journal of Ophthalmology* 133(3): 419-21.
- Fymat, A. L. (1981). "High-Resolution Interferometric Spectrophotopolarimetry." *Optical Engineering* 20(1): 25-30.
- Galtarossa, A., L. Palmieri, et al. (2000). "Statistical characterization of fiber random birefringence." *Optics Letters* 25(18): 1322-1324.
- Galtarossa, A., L. Palmieri, et al. (2000). "Measurements of beat length and perturbation length in long single-mode fibers." *Optics Letters* 25(6): 384-386.
- Gandjbakhche, A. H., P. Mills, et al. (1994). "Light-Scattering Technique for the Study of Orientation and Deformation of Red-Blood-Cells in a Concentrated Suspension." *Applied Optics* 33(6): 1070-1078.
- Garcia, N. and M. Nieto-Vesperinas (2002). "Left-handed materials do not make a perfect lens." *Physical Review Letters* 88(20).
- Gelikonov, V. M., G. V. Gelikonov, et al. (1995). "Coherent Optical Tomography of Microscopic Inhomogeneities in Biological Tissues." *Jetp Letters* 61(2): 158-162.
- George, N. and A. Jain (1973). "Speckle Reduction Using Multiple Tones of Illumination." *Applied Optics* 12(6): 1202-1212.
- Gibson, G. N., R. Klank, et al. (1996). "Electro-optically cavity-dumped ultrashort-pulse Ti:sapphire oscillator." *Optics Letters* 21(14): 1055.
- Gil, J. J. (2000). "Characteristic properties of Mueller matrices." *Journal of the Optical Society of America a-Optics Image Science and Vision* 17(2): 328-334.
- Gil, J. J. and E. Bernabeu (1987). "Obtainment of the Polarizing and Retardation Parameters of a Nondepolarizing Optical-System from the Polar Decomposition of Its Mueller Matrix." *Optik* 76(2): 67-71.
- Gladkova, N. D., G. A. Petrova, et al. (2000). "In vivo optical coherence tomography imaging of human skin: norm and pathology." *Skin Research and Technology* 6 (1): 6-16.
- Glaessl, A., A. G. Schreyer, et al. (2001). "Laser surgical planning with magnetic resonance imaging-based 3-dimensional reconstructions for intrascleral Nd : YAG laser therapy of a venous malformation of the neck." *Archives of Dermatology* 137(10): 1331-1335.
- Gloesmann, M., B. Hermann, et al. (2003). "Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography." *Investigative Ophthalmology & Visual Science* 44(4): 1696-1703.
- Goldberg, L. and D. Mehuys (1994). "High-Power Superluminescent Diode Source." *Electronics Letters* 30(20): 1682-1684.
- Goldsmith, J. A., Y. Li, et al. (2005). "Anterior chamber width measurement by high speed optical coherence tomography." *Ophthalmology* 112(2): 238-244.
- Goldstein, L. E., J. A. Muffat, et al. (2003). "Cytosolic beta-amyloid deposition and supranuclear cataracts in lenses from people with Alzheimer's disease." *Lancet* 361(9365): 1258-1265.
- Golubovic, B., B. E. Bouma, et al. (1996). "Thin crystal, room-temperature Cr/sup 4 +/forstefite laser using near-infrared pumping." *Optics Letters* 21(24): 1993-1995.
- Gonzalez, S. and Z. Tannous (2002). "Real-time, in vivo confocal reflectance microscopy of basal cell carcinoma." *Journal of the American Academy of Dermatology* 47(6): 869-874.
- Gordon, M. O. and M. A. Kass (1999). "The Ocular Hypertension Treatment Study: design and baseline description of the participants." *Archives of Ophthalmology* 117(5): 573-83.
- Grayson, T. P., J. R. Torgerson, et al. (1994). "Observation of a Nonlocal Pancharatnam Phase-Shift in the Process of Induced Coherence without Induced Emission." *Physical Review A* 49(1): 626-628.
- Greaney, M. J., D. C. Hoffman, et al. (2002). "Comparison of optic nerve imaging methods to distinguish normal eyes from those with glaucoma." *Investigative Ophthalmology & Visual Science* 43(1): 140-5.
- Greenfield, D. S., H. Bagga, et al. (2003). "Macular thickness changes in glaucomatous optic neuropathy detected using optical coherence tomography." *Archives of Ophthalmology* 121(1): 41-46.
- Greenfield, D. S., R. W. Knighton, et al. (2000). "Effect of corneal polarization axis on assessment of retinal nerve fiber layer thickness by scanning laser polarimetry." *American Journal of Ophthalmology* 129(6): 715-722.
- Griffin, R. A., D. D. Sampson, et al. (1995). "Coherence Coding for Photonic Code-Division Multiple-Access Networks." *Journal of Lightwave Technology* 13(9): 1826-1837.
- Guedes, V., J. S. Schuman, et al. (2003). "Optical coherence tomography measurement of macular and nerve fiber layer thickness in normal and glaucomatous human eyes." *Ophthalmology* 110(1): 177-189.
- Gueugniaud, P. Y., H. Carsin, et al. (2000). "Current advances in the initial management of major thermal burns. [Review] [76 refs]." *Intensive Care Medicine* 26(7): 848-56.
- Guido, S. and R. T. Tranquillo (1993). "A Methodology for the Systematic and Quantitative Study of Cell Contact Guidance in Oriented Collagen Gels—Correlation of Fibroblast Orientation and Gel Birefringence." *Journal of Cell Science* 105: 317-331.
- Gurses-Ozden, R., H. Ishikawa, et al. (1999). "Increasing sampling density improves reproducibility of optical coherence tomography measurements." *Journal of Glaucoma* 8(4): 238-41.
- Guzzi, R. (1998). "Scattering Theory from Homogeneous and Coated Spheres." 1-11.
- Haberland, U. B., Vladimir; Schmitt, Hans J. (1996). "Optical coherent tomography of scattering media using electrically tunable near-infrared semiconductor laser." *Applied Optics* Draft Copy.
- Haberland, U. R., Walter; Blazek, Vladimir; Schmitt, Hans J. (1995). "Investigation of highly scattering media using near-infrared continuous wave tunable semiconductor laser." *Proc. SPIE*, 2389: 503-512.
- Hale, G. M. and M. R. Querry (1973). "Optical-Constants of Water in 200-Nm to 200-Mum Wavelength Region." *Applied Optics* 12(3): 555-563.
- Hammer, D. X., R. D. Ferguson, et al. (2002). "Image stabilization for scanning laser ophthalmoscopy." *Optics Express* 10(26): 1542.
- Hara, T., Y. Ooi, et al. (1989). "Transfer Characteristics of the Microchannel Spatial Light-Modulator." *Applied Optics* 28(22): 4781-4786.

(56)

References Cited

OTHER PUBLICATIONS

- Harland, C. C., S. G. Kale, et al. (2000). "Differentiation of common benign pigmented skin lesions from melanoma by high-resolution ultrasound." *British Journal of Dermatology* 143(2): 281-289.
- Hartl, I., X. D. Li, et al. (2001). "Ultrahigh-resolution optical coherence tomography using continuum generation in an air-silica microstructure optical fiber." *Optics Letters* 26(9): 608-610.
- Hassenstein, A., A. A. Bialasiewicz, et al. (2000). "Optical coherence tomography in uveitis patients." *American Journal of Ophthalmology* 130(5): 669-70.
- Hattenhauer, M. G., D. H. Johnson, et al. (1998). "The probability of blindness from open-angle glaucoma. [see comments]." *Ophthalmology* 105(11): 2099-104.
- Hausler, G., J. M. Herrmann, et al. (1996). "Observation of light propagation in volume scatterers with 10(11)-fold slow motion." *Optics Letters* 21(14): 1087-1089.
- Hazebroek, H. F. and A. A. Holscher (1973). "Interferometric Ellipsometry." *Journal of Physics E-Scientific Instruments* 6(9): 822-826.
- Hazebroek, H. F. and W. M. Visser (1983). "Automated Laser Interferometric Ellipsometry and Precision Reflectometry." *Journal of Physics E-Scientific Instruments* 16(7): 654-661.
- He, Z. Y., N. Mukozaka, et al. (1997). "Selective image extraction by synthesis of the coherence function using two-dimensional optical lock-in amplifier with microchannel spatial light modulator." *Ieee Photonics Technology Letters* 9(4): 514-516.
- Hee, M. R., J. A. Izatt, et al. (1993). "Femtosecond Transillumination Optical Coherence Tomography." *Optics Letters* 18(12): 950-952.
- Hee, M. R., J. A. Izatt, et al. (1995). "Optical coherence tomography of the human retina." *Archives of Ophthalmology* 113(3): 325-32.
- Hee, M. R., C. A. Puliafito, et al. (1998). "Topography of diabetic macular edema with optical coherence tomography." *Ophthalmology* 105(2): 360-70.
- Hee, M. R., C. A. Puliafito, et al. (1995). "Quantitative assessment of macular edema with optical coherence tomography." *Archives of Ophthalmology* 113(8): 1019-29.
- Hellmuth, T. and M. Welle (1998). "Simultaneous measurement of dispersion, spectrum, and distance with a fourier transform spectrometer." *Journal of Biomedical Optics* 3(1): 7-11.
- Hemenger, R. P. (1989). "Birefringence of a medium of tenuous parallel cylinders." *Applied Optics* 28(18): 4030-4034.
- Henry, M. (1981). "Fresnel-Arago Laws for Interference in Polarized-Light—Demonstration Experiment." *American Journal of Physics* 49(7): 690-691.
- Herz, P. R., Y. Chen, et al. (2004). "Micromotor endoscope catheter for in vivo, ultrahigh-resolution optical coherence tomography." *Optics Letters* 29(19): 2261-2263.
- Hirakawa, H., H. Iijima, et al. (1999). "Optical coherence tomography of cystoid macular edema associated with retinitis pigmentosa." *American Journal of Ophthalmology* 128(2): 185-91.
- Hitzenberger, C. K., A. Baumgartner, et al. (1994). "Interferometric Measurement of Corneal Thickness with Micrometer Precision." *American Journal of Ophthalmology* 118(4): 468-476.
- Hitzenberger, C. K., A. Baumgartner, et al. (1999). "Dispersion effects in partial coherence interferometry: Implications for intraocular ranging." *Journal of Biomedical Optics* 4(1): 144-151.
- Hitzenberger, C. K., A. Baumgartner, et al. (1998). "Dispersion induced multiple signal peak splitting in partial coherence interferometry." *Optics Communications* 154 (4): 179-185.
- Hitzenberger, C. K., M. Danner, et al. (1999). "Measurement of the spatial coherence of superluminescent diodes." *Journal of Modern Optics* 46(12): 1763-1774.
- Hitzenberger, C. K. and A. F. Fercher (1999). "Differential phase contrast in optical coherence tomography." *Optics Letters* 24(9): 622-624.
- Hitzenberger, C. K., M. Sticker, et al. (2001). "Differential phase measurements in low-coherence interferometry without 2 pi ambiguity." *Optics Letters* 26(23): 1864-1866.
- Hoeling, B. M., A. D. Fernandez, et al. (2000). "An optical coherence microscope for 3-dimensional imaging in developmental biology." *Optics Express* 6(7): 136-146.
- Hoerauf, H., C. Scholz, et al. (2002). "Transscleral optical coherence tomography: a new imaging method for the anterior segment of the eye." *Archives of Ophthalmology* 120(6): 816-9.
- Hoffmann, K., M. Happe, et al. (1998). "Optical coherence tomography (OCT) in dermatology." *Journal of Investigative Dermatology* 110(4): 583-583.
- Hoh, S. T., D. S. Greenfield, et al. (2000). "Optical coherence tomography and scanning laser polarimetry in normal, ocular hypertensive, and glaucomatous eyes." *American Journal of Ophthalmology* 129(2): 129-35.
- Hohenleutner, U., M. Hilbert, et al. (1995). "Epidermal Damage and Limited Coagulation Depth with the Flashlamp-Pumped Pulsed Dye-Laser—a Histochemical-Study." *Journal of Investigative Dermatology* 104(5): 798-802.
- Holland, A. J. A., H. C. O. Martin, et al. (2002). "Laser Doppler imaging prediction of burn wound outcome in children." *Burns* 28(1): 11-17.
- Hotate, K. and T. Okugawa (1994). "Optical Information-Processing by Synthesis of the Coherence Function." *Journal of Lightwave Technology* 12(7): 1247-1255.
- Hourdakis, C. J. and A. Perris (1995). "A Monte-Carlo Estimation of Tissue Optical-Properties for Use in Laser Dosimetry." *Physics in Medicine and Biology* 40(3): 351-364.
- Hu, Z., F. Li, et al. (2000). "Wavelength-tunable narrow-linewidth semiconductor fiber-ring laser." *Ieee Photonics Technology Letters* 12(8): 977-979.
- Huang, F., W. Yang, et al. (2001). "Quadrature spectral interferometric detection and pulse shaping." *Optics Letters* 26(6): 382-384.
- Huang, X. R. and R. W. Knighton (2002). "Linear birefringence of the retinal nerve fiber layer measured in vitro with a multispectral imaging micropolarimeter." *Journal of Biomedical Optics* 7(2): 199-204.
- Huber, R., M. Wojtkowski, et al. (2005). "Amplified, frequency swept lasers for frequency domain reflectometry and OCT imaging: design and scaling principles." *Optics Express* 13(9): 3513-3528.
- Hunter, D. G., J. C. Sandruck, et al. (1999). "Mathematical modeling of retinal birefringence scanning." *Journal of the Optical Society of America a-Optics Image Science and Vision* 16(9): 2103-2111.
- Hurwitz, H. H. and R. C. Jones (1941). "A new calculus for the treatment of optical systems II. Proof of three general equivalence theorems." *Journal of the Optical Society of America* 31(7): 493-499.
- Huttner, B., C. De Barros, et al. (1999). "Polarization-induced pulse spreading in birefringent optical fibers with zero differential group delay." *Optics Letters* 24(6): 370-372.
- Huttner, B., B. Gisin, et al. (1999). "Distributed PMD measurement with a polarization—OTDR in optical fibers." *Journal of Lightwave Technology* 17(10): 1843-1848.
- Huttner, B., J. Reecht, et al. (1998). "Local birefringence measurements in single-mode fibers with coherent optical frequency-domain reflectometry." *Ieee Photonics Technology Letters* 10(10): 1458-1460.
- Hyde, S. C. W., N. P. Barry, et al. (1995). "Sub-100-Mu-M Depth-Resolved Holographic Imaging through Scattering Media in the near-Infrared." *Optics Letters* 20(22): 2330-2332.
- Hyde, S. C. W., N. P. Barry, et al. (1995). "Depth-Resolved Holographic Imaging through Scattering Media by Photorefractive." *Optics Letters* 20(11): 1331-1333.
- Iftimia, N. V., B. E. Bouma, et al. (2004). "Adaptive ranging for optical coherence tomography." *Optics Express* 12(17): 4025-4034.
- Iida, T., N. Hagimura, et al. (2000). "Evaluation of central serous chorioretinopathy with optical coherence tomography." *American Journal of Ophthalmology* 129(1): 16-20.
- Imai, M., H. Iijima, et al. (2001). "Optical coherence tomography of tractional macular elevations in eyes with proliferative diabetic retinopathy. [republished in Am J Ophthalmol. Sep. 2001;132(3):458-61 ; 11530091.]" *American Journal of Ophthalmology* 132(1): 81-4.

(56)

References Cited

OTHER PUBLICATIONS

- Indebetouw, G. and P. Klysubun (2000). "Imaging through scattering media with depth resolution by use of low-coherence gating in spatiotemporal digital holography." *Optics Letters* 25(4): 212-214.
- Ip, M. S., B. J. Baker, et al. (2002). "Anatomical outcomes of surgery for idiopathic macular hole as determined by optical coherence tomography." *Archives of Ophthalmology* 120(1): 29-35.
- Ismail, R., V. Tanner, et al. (2002). "Optical coherence tomography imaging of severe commotio retinae and associated macular hole." *British Journal of Ophthalmology* 86(4): 473-4.
- Izatt, J. A., M. R. Hee, et al. (1994). "Optical Coherence Microscopy in Scattering Media." *Optics Letters* 19(8): 590-592.
- Izatt, J. A., M. R. Hee, et al. (1994). "Micrometer-scale resolution imaging of the anterior eye in vivo with optical coherence tomography." *Archives of Ophthalmology* 112 (12): 1584-9.
- Izatt, J. A., M. D. Kulkarni, et al. (1997). "In vivo bidirectional color Doppler flow imaging of picoliter blood volumes using optical coherence tomography." *Optics Letters* 22(18): 1439-1441.
- Izatt, J. A., M. D. Kulkarni, et al. (1996). "Optical coherence tomography and microscopy in gastrointestinal tissues." *IEEE Journal of Selected Topics in Quantum Electronics* 2(4): 1017.
- Jacques, S. L., J. S. Nelson, et al. (1993). "Pulsed Photothermal Radiometry of Port-Wine-Stain Lesions." *Applied Optics* 32(13): 2439-2446.
- Jacques, S. L., J. R. Roman, et al. (2000). "Imaging superficial tissues with polarized light." *Lasers in Surgery and Medicine* 26(2): 119-129.
- Jang, I. K., B. E. Bouma, et al. (2002). "Visualization of coronary atherosclerotic plaques in patients using optical coherence tomography: Comparison with intravascular ultrasound." *Journal of the American College of Cardiology* 39(4): 604-609.
- Jang, I. K., B. D. MacNeill, et al. (2002). "In-vivo characterization of coronary plaques in patients with ST elevation acute myocardial infarction using optical coherence tomography (OCT)." *Circulation* 106(19): 698-698 3440 Suppl. S.
- Jang, I. K., G. J. Tearney, et al. (2000). "Comparison of optical coherence tomography and intravascular ultrasound for detection of coronary plaques with large lipid-core in living patients." *Circulation* 102(18): 509-509.
- Jeng, J. C., A. Bridgeman, et al. (2003). "Laser Doppler imaging determines need for excision and grafting in advance of clinical judgment: a prospective blinded trial." *Burns* 29(7): 665-670.
- Jesser, C. A., S. A. Boppart, et al. (1999). "High resolution imaging of transitional cell carcinoma with optical coherence tomography: feasibility for the evaluation of bladder pathology." *British Journal of Radiology* 72: 1170-1176.
- Johnson, C. A., J. L. Keltner, et al. (2002). "Baseline visual field characteristics in the ocular hypertension treatment study." *Ophthalmology* 109(3): 432-7.
- Jones, R. C. (1941). "A new calculus for the treatment of optical systems III. The Sohncke theory of optical activity." *Journal of the Optical Society of America* 31 (7): 500-503.
- Jones, R. C. (1941). "A new calculus for the treatment of optical systems I. Description and discussion of the calculus." *Journal of the Optical Society of America* 31(7): 488-493.
- Jones, R. C. (1942). "A new calculus for the treatment of optical systems. IV." *Journal of the Optical Society of America* 32(8): 486-493.
- Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .6. Experimental Determination of the Matrix." *Journal of the Optical Society of America* 37(2): 110-112.
- Jones, R. C. (1947). "A New Calculus for the Treatment of Optical Systems .5. A More General Formulation, and Description of Another Calculus." *Journal of the Optical Society of America* 37(2): 107-110.
- Jones, R. C. (1948). "A New Calculus for the Treatment of Optical Systems .7. Properties of the N-Matrices." *Journal of the Optical Society of America* 38(8): 671-685.
- Jones, R. C. (1956). "New Calculus for the Treatment of Optical Systems .8. Electromagnetic Theory." *Journal of the Optical Society of America* 46(2): 126-131.
- Jopson, R. M., L. E. Nelson, et al. (1999). "Measurement of second-order polarization-mode dispersion vectors in optical fibers." *Ieee Photonics Technology Letters* 11 (9): 1153-1155.
- Jost, B. M., A. V. Sergienko, et al. (1998). "Spatial correlations of spontaneously down-converted photon pairs detected with a single-photon-sensitive CCD camera." *Optics Express* 3(2): 81-88.
- Kaplan, B., E. Compain, et al. (2000). "Phase-modulated Mueller ellipsometry characterization of scattering by latex sphere suspensions." *Applied Optics* 39 (4): 629-636.
- Kass, M. A., D. K. Heuer, et al. (2002). "The Ocular Hypertension Treatment Study: a randomized trial determines that topical ocular hypotensive medication delays or prevents the onset of primary open-angle glaucoma." *Archives of Ophthalmology* 120(6): 701-13; discussion 829-30.
- Kasuga, Y., J. Arai, et al. (2000). "Optical coherence tomography to confirm early closure of macular holes." *American Journal of Ophthalmology* 130(5): 675-6.
- Kaufman, T., S. N. Lusthaus, et al. (1990). "Deep Partial Skin Thickness Burns—a Reproducible Animal-Model to Study Burn Wound-Healing." *Burns* 16(1): 13-16.
- Kemp, N. J., J. Park, et al. (2005). "High-sensitivity determination of birefringence in turbid media with enhanced polarization-sensitive optical coherence tomography." *Journal of the Optical Society of America a-Optics Image Science and Vision* 22(3): 552-560.
- Kerrigan-Baumrind, L. A., H. A. Quigley, et al. (2000). "Number of ganglion cells in glaucoma eyes compared with threshold visual field tests in the same persons." *Investigative Ophthalmology & Visual Science* 41(3): 741-8.
- Kesen, M. R., G. L. Spaeth, et al. (2002). "The Heidelberg Retina Tomograph vs clinical impression in the diagnosis of glaucoma." *American Journal of Ophthalmology* 133(5): 613-6.
- Kienle, A. and R. Hibst (1995). "A New Optimal Wavelength for Treatment of Port-Wine Stains." *Physics in Medicine and Biology* 40(10): 1559-1576.
- Kienle, A., L. Lilge, et al. (1996). "Spatially resolved absolute diffuse reflectance measurements for noninvasive determination of the optical scattering and absorption coefficients of biological tissue." *Applied Optics* 35(13): 2304-2314.
- Kim, B. Y. and S. S. Choi (1981). "Analysis and Measurement of Birefringence in Single-Mode Fibers Using the Backscattering Method." *Optics Letters* 6(11): 578-580.
- Kimel, S., L. O. Svaasand, et al. (1994). "Differential Vascular-Response to Laser Photothermolysis." *Journal of Investigative Dermatology* 103(5): 693-700.
- Kloppenborg, F. W. H., G. Beerhuizen, et al. (2001). "Perfusion of burn wounds assessed by Laser Doppler Imaging is related to burn depth and healing time." *Burns* 27(4): 359-363.
- Knighton, R. W. and X. R. Huang (2002). "Analytical methods for scanning laser polarimetry." *Optics Express* 10(21): 1179-1189.
- Knighton, R. W., X. R. Huang, et al. (2002). "Analytical model of scanning laser polarimetry for retinal nerve fiber layer assessment." *Investigative Ophthalmology & Visual Science* 43(2): 383-392.
- Knuettel, A. R. S., Joseph M.: Shay, M.; Knutson, Jay R. (1994). "Stationary low-coherence light imaging and spectroscopy using a CCD camera." *Proc. SPIE*, vol. 2135: p. 239-250.
- Knuttel, A. and M. Boehlau-Godau (2000). "Spatially confined and temporally resolved refractive index and scattering evaluation in human skin performed with optical coherence tomography." *Journal of Biomedical Optics* 5(1): 83-92.
- Knuttel, A. and J. M. Schmitt (1993). "Stationary Depth-Profiling Reflectometer Based on Low-Coherence Interferometry." *Optics Communications* 102(3-4): 193-198.
- Knuttel, A., J. M. Schmitt, et al. (1994). "Low-Coherence Reflectometry for Stationary Lateral and Depth Profiling with Acoustooptic Deflectors and a Ccd Camera." *Optics Letters* 19(4): 302-304.
- Kobayashi, M., H. Hanafusa, et al. (1991). "Polarization-Independent Interferometric Optical-Time-Domain Reflectometer." *Journal of Lightwave Technology* 9(5): 623-628.

(56)

References Cited

OTHER PUBLICATIONS

- Kolios, M. C., M. D. Sherar, et al. (1995). "Large Blood-Vessel Cooling in Heated Tissues—a Numerical Study." *Physics in Medicine and Biology* 40(4): 477-494.
- Koozekanani, D., K. Boyer, et al. (2001). "Retinal thickness measurements from optical coherence tomography using a Markov boundary model." *Ieee Transactions on Medical Imaging* 20(9): 900-916.
- Kop, R. H. J. and R. Sprik (1995). "Phase-sensitive interferometry with ultrashort optical pulses." *Review of Scientific Instruments* 66(12): 5459-5463.
- Kramer, R. Z., J. Bella, et al. (1999). "Sequence dependent conformational variations of collagen triple-helical structure." *Nature Structural Biology* 6(5): 454-7.
- Kulkarni, M. D., T. G. van Leeuwen, et al. (1998). "Velocity-estimation accuracy and frame-rate limitations in color Doppler optical coherence tomography." *Optics Letters* 23(13): 1057-1059.
- Kwon, Y. H., C. S. Kim, et al. (2001). "Rate of visual field loss and long-term visual outcome in primary open-angle glaucoma." *American Journal of Ophthalmology* 132(1): 47-56.
- Kwong, K. F., D. Yankelevich, et al. (1993). "400-Hz Mechanical Scanning Optical Delay-Line." *Optics Letters* 18(7): 558-560.
- Landers, J., I. Goldberg, et al. (2002). "Analysis of risk factors that may be associated with progression from ocular hypertension to primary open angle glaucoma." *Clin Experiment Ophthalmology* 30(4): 242-7.
- Laszlo, A. and A. Venetianer (1998). Heat resistance in mammalian cells: Lessons and challenges. *Stress of Life*. 851: 169-178.
- Laszlo, A. and A. Venetianer (1998). "Heat resistance in mammalian cells: lessons and challenges. [Review] [52 refs]." *Annals of the New York Academy of Sciences* 851: 169-78.
- Laufer, J., R. Simpson, et al. (1998). "Effect of temperature on the optical properties of ex vivo human dermis and subdermis." *Physics in Medicine and Biology* 43(9): 2479-2489.
- Lederer, D. E., J. S. Schuman, et al. (2003). "Analysis of macular volume in normal and glaucomatous eyes using optical coherence tomography." *American Journal of Ophthalmology* 135(6): 838-843.
- Lee, P. P., Z. W. Feldman, et al. (2003). "Longitudinal prevalence of major eye diseases." *Archives of Ophthalmology* 121(9): 1303-1310.
- Lehrer, M. S., T. T. Sun, et al. (1998). "Strategies of epithelial repair: modulation of stem cell and transit amplifying cell proliferation." *Journal of Cell Science* 111(Pt 19): 2867-75.
- Leibowitz, H. M., D. E. Krueger, et al. (1980). "The Framingham Eye Study monograph: An ophthalmological and epidemiological study of cataract, glaucoma, diabetic retinopathy, macular degeneration, and visual acuity in a general population of 2631 adults, 1973-1975." *Survey of Ophthalmology* 24(Suppl): 335-610.
- Leitgeb, R., C. K. Hitzenberger, et al. (2003). "Performance of fourier domain vs. time domain optical coherence tomography." *Optics Express* 11(8): 889-894.
- Leitgeb, R., L. F. Schmetterer, et al. (2002). "Flow velocity measurements by frequency domain short coherence interferometry." *Proc. SPIE* 4619: 16-21.
- Leitgeb, R. A., W. Drexler, et al. (2004). "Ultrahigh resolution Fourier domain optical coherence tomography." *Optics Express* 12(10): 2156-2165.
- Leitgeb, R. A., C. K. Hitzenberger, et al. (2003). "Phase-shifting algorithm to achieve high-speed long-depth-range probing by frequency-domain optical coherence tomography." *Optics Letters* 28(22): 2201-2203.
- Leitgeb, R. A., L. Schmetterer, et al. (2003). "Real-time assessment of retinal blood flow with ultrafast acquisition by color Doppler Fourier domain optical coherence tomography." *Optics Express* 11(23): 3116-3121.
- Leitgeb, R. A., L. Schmetterer, et al. (2004). "Real-time measurement of in vitro flow by Fourier-domain color Doppler optical coherence tomography." *Optics Letters* 29 (2): 171-173.
- LeRoyBrehonnet, F. and B. LeJeune (1997). "Utilization of Mueller matrix formalism to obtain optical targets depolarization and polarization properties." *Progress in Quantum Electronics* 21(2): 109-151.
- Leske, M. C., A. M. Connell, et al. (1995). "Risk factors for open-angle glaucoma. The Barbados Eye Study. [see comments]." *Archives of Ophthalmology* 113(7): 918-24.
- Leske, M. C., A. M. Connell, et al. (2001). "Incidence of open-angle glaucoma: the Barbados Eye Studies. The Barbados Eye Studies Group. [see comments]." *Archives of Ophthalmology* 119(1): 89-95.
- Leske, M. C., A. Heijl, et al. (1999). "Early Manifest Glaucoma Trial. Design and Baseline Data." *Ophthalmology* 106(11): 2144-2153.
- Lewis, S. E., J. R. DeBoer, et al. (2005). "Sensitive, selective, and analytical improvements to a porous silicon gas sensor." *Sensors and Actuators B: Chemical* 110(1): 54-65.
- Lexer, F., C. K. Hitzenberger, et al. (1999). "Dynamic coherent focus OCT with depth-independent transversal resolution." *Journal of Modern Optics* 46(3): 541-553.
- Li, X., C. Chudoba, et al. (2000). "Imaging needle for optical coherence tomography." *Optics Letters* 25: 1520-1522.
- Li, X., T. H. Ko, et al. (2001). "Intraluminal fiber-optic Doppler imaging catheter for structural and functional optical coherence tomography." *Optics Letters* 26: 1906-1908.
- Liddington, M. I. and P. G. Shakespeare (1996). "Timing of the thermographic assessment of burns." *Burns* 22(1): 26-8.
- Lindmo, T., D. J. Smithies, et al. (1998). "Accuracy and noise in optical Doppler tomography studied by Monte Carlo simulation." *Physics in Medicine and Biology* 43(10): 3045-3064.
- Liu, J., X. Chen, et al. (1999). "New thermal wave aspects on burn evaluation of skin subjected to instantaneous heating." *IEEE Transactions on Biomedical Engineering* 46(4): 420-8.
- Luke, D. G., R. McBride, et al. (1995). "Polarization mode dispersion minimization in fiber-wound piezoelectric cylinders." *Optics Letters* 20(24): 2550-2552.
- MacNeill, B. D., I. K. Jang, et al. (2004). "Focal and multi-focal plaque distributions in patients with macrophage acute and stable presentations of coronary artery disease." *Journal of the American College of Cardiology* 44(5): 972-979.
- Mahgerefteh, D. and C. R. Menyuk (1999). "Effect of first-order PMD compensation on the statistics of pulse broadening in a fiber with randomly varying birefringence." *Ieee Photonics Technology Letters* 11(3): 340-342.
- Maitland, D. J. and J. T. Walsh, Jr. (1997). "Quantitative measurements of linear birefringence during heating of native collagen." *Lasers in Surgery & Medicine* 20 (3): 310-8.
- Majaron, B., S. M. Srinivas, et al. (2000). "Deep coagulation of dermal collagen with repetitive Er : YAG laser irradiation." *Lasers in Surgery and Medicine* 26(2): 215-222.
- Mansuripur, M. (1991). "Effects of High-Numerical-Aperture Focusing on the State of Polarization in Optical and Magneto-optic Data-Storage Systems." *Applied Optics* 30(22): 3154-3162.
- Marshall, G. W., S. J. Marshall, et al. (1997). "The dentin substrate: structure and properties related to bonding." *Journal of Dentistry* 25(6): 441-458.
- Martin, P. (1997). "Wound healing—Aiming for perfect skin regeneration." *Science* 276 (5309): 75-81.
- Martinez, O. E. (1987). "3000 Times Grating Compressor with Positive Group-Velocity Dispersion—Application to Fiber Compensation in 1.3-1.6 μ m Region." *Ieee Journal of Quantum Electronics* 23(1): 59-64.
- Martinez, O. E., J. P. Gordon, et al. (1984). "Negative Group-Velocity Dispersion Using Refraction." *Journal of the Optical Society of America a-Optics Image Science and Vision* 1(10): 1003-1006.
- McKinney, J. D., M. A. Webster, et al. (2000). "Characterization and imaging in optically scattering media by use of laser speckle and a variable-coherence source." *Optics Letters* 25(1): 4-6.
- Miglior, S., M. Casula, et al. (2001). "Clinical ability of Heidelberg retinal tomograph examination to detect glaucomatous visual field changes." *Ophthalmology* 108 (9): 1621-7.

(56)

References Cited

OTHER PUBLICATIONS

- Milner, T. E., D. M. Goodman, et al. (1996). "Imaging laser heated subsurface chromophores in biological materials: Determination of lateral physical dimensions." *Physics in Medicine and Biology* 41(1): 31-44.
- Milner, T. E., D. M. Goodman, et al. (1995). "Depth Profiling of Laser-Heated Chromophores in Biological Tissues by Pulsed Photothermal Radiometry." *Journal of the Optical Society of America a-Optics Image Science and Vision* 12 (7): 1479-1488.
- Milner, T. E., D. J. Smithies, et al. (1996). "Depth determination of chromophores in human skin by pulsed photothermal radiometry." *Applied Optics* 35(19): 3379-3385.
- Mishchenko, M. I. and J. W. Hovenier (1995). "Depolarization of Light Backscattered by Randomly Oriented Nonspherical Particles." *Optics Letters* 20(12): 1356-8.
- Mistlberger, A., J. M. Liebmann, et al. (1999). "Heidelberg retina tomography and optical coherence tomography in normal, ocular-hypertensive, and glaucomatous eyes." *Ophthalmology* 106(10): 2027-32.
- Mitsui, T. (1999). "High-speed detection of ballistic photons propagating through suspensions using spectral interferometry." *Japanese Journal of Applied Physics Part 1—Regular Papers Short Notes & Review Papers* 38(5A): 2978-2982.
- Molteno, A. C., N. J. Bosma, et al. (1999). "Otago glaucoma surgery outcome study: long-term results of trabeculectomy—1976 to 1995." *Ophthalmology* 106(9): 1742-50.
- Morgner, U., W. Drexler, et al. (2000). "Spectroscopic optical coherence tomography." *Optics Letters* 25(2): 111-113.
- Morgner, U., F. X. Kartner, et al. (1999). "Sub-two-cycle pulses from a Kerr-lens mode-locked Ti : sapphire laser (vol. 24, p. 411, 1999)." *Optics Letters* 24(13): 920-920.
- Mourant, J. R., A. H. Hielscher, et al. (1998). "Evidence of intrinsic differences in the light scattering properties of tumorigenic and nontumorigenic cells." *Cancer Cytopathology* 84(6): 366-374.
- Muller, M., J. Squier, et al. (1998). "Dispersion pre-compensation of 15 femtosecond optical pulses for high-numerical-aperture objectives." *Journal of Microscopy—Oxford* 191: 141-150.
- Muscat, S., N. McKay, et al. (2002). "Repeatability and reproducibility of corneal thickness measurements by optical coherence tomography." *Investigative Ophthalmology & Visual Science* 43(6): 1791-5.
- Musch, D. C., P. R. Lichter, et al. (1999). "The Collaborative Initial Glaucoma Treatment Study. Study Design, MethodsR, and Baseline Characteristics of Enrolled Patients." *Ophthalmology* 106: 653-662.
- Neerken, S., Lucassen, G. W., Bisschop, M. A., Lenderink, E., Nuijs, T. A. M. (2004). "Characterization of age-related effects in human skin: A comparative study that applies confocal laser scanning microscopy and optical coherence tomography." *Journal of Biomedical Optics* 9(2): 274-281.
- Nelson, J. S., K. M. Kelly, et al. (2001). "Imaging blood flow in human port-wine stain in situ and in real time using optical Doppler tomography." *Archives of Dermatology* 137(6): 741-744.
- Newson, T. P., F. Farahi, et al. (1988). "Combined Interferometric and Polarimetric Fiber Optic Temperature Sensor with a Short Coherence Length Source." *Optics Communications* 68(3): 161-165.
- November, L. J. (1993). "Recovery of the Matrix Operators in the Similarity and Congruency Transformations—Applications in Polarimetry." *Journal of the Optical Society of America a-Optics Image Science and Vision* 10(4): 719-739.
- Oh, W. Y., S. H. Yun, et al. (2005). "Wide tuning range wavelength-swept laser with two semiconductor optical amplifiers." *Ieee Photonics Technology Letters* 17(3): 678-680.
- Oka, K. and T. Kato (1999). "Spectroscopic polarimetry with a channeled spectrum." *Optics Letters* 24(21): 1475-1477.
- Okugawa, T. and K. Rotate (1996). "Real-time optical image processing by synthesis of the coherence function using real-time holography." *Ieee Photonics Technology Letters* 8(2): 257-259.
- Oshima, M., R. Torii, et al. (2001). "Finite element simulation of blood flow in the cerebral artery." *Computer Methods in Applied Mechanics and Engineering* 191 (6-7): 661-671.
- Pan, Y. T., H. K. Xie, et al. (2001). "Endoscopic optical coherence tomography based on a microelectromechanical mirror." *Optics Letters* 26(24): 1966-1968.
- Parisi, V., G. Manni, et al. (2001). "Correlation between optical coherence tomography, pattern electroretinogram, and visual evoked potentials in open-angle glaucoma patients." *Ophthalmology* 108(5): 905-12.
- Park, B. H., M. C. Pierce, et al. (2005). "Real-time fiber-based multi-functional spectral-domain optical coherence tomography at 1.3 μ m." *Optics Express* 13(11): 3931-3944.
- Park, D. H., J. W. Hwang, et al. (1998). "Use of laser Doppler flowmetry for estimation of the depth of burns." *Plastic and Reconstructive Surgery* 101(6): 1516-1523.
- Pendry, J. B., A. J. Holden, et al. (1999). "Magnetism from conductors and enhanced nonlinear phenomena." *Ieee Transactions on Microwave Theory and Techniques* 47(11): 2075-2084.
- Penninckx, D. and V. Morenas (1999). "Jones matrix of polarization mode dispersion." *Optics Letters* 24(13): 875-877.
- Pierce, M. C., M. Shishkov, et al. (2005). "Effects of sample arm motion in endoscopic polarization-sensitive optical coherence tomography." *Optics Express* 13(15): 5739-5749.
- Pircher, M., E. Gotzinger, et al. (2003). "Measurement and imaging of water concentration in human cornea with differential absorption optical coherence tomography." *Optics Express* 11(18): 2190-2197.
- Pircher, M., E. Gotzinger, et al. (2003). "Speckle reduction in optical coherence tomography by frequency compounding." *Journal of Biomedical Optics* 8(3): 565-569.
- Podoleanu, A. G., G. M. Dobre, et al. (1998). "En-face coherence imaging using galvanometer scanner modulation." *Optics Letters* 23(3): 147-149.
- Podoleanu, A. G. and D. A. Jackson (1999). "Noise analysis of a combined optical coherence tomograph and a confocal scanning ophthalmoscope." *Applied Optics* 38(10): 2116-2127.
- Podoleanu, A. G., J. A. Rogers, et al. (2000). "Three dimensional OCT images from retina and skin." *Optics Express* 7(9): 292-298.
- Podoleanu, A. G., M. Seeger, et al. (1998). "Transversal and longitudinal images from the retina of the living eye using low coherence reflectometry." *Journal of Biomedical Optics* 3(1): 12-20.
- Poole, C. D. (1988). "Statistical Treatment of Polarization Dispersion in Single-Mode Fiber." *Optics Letters* 13(8): 687-689.
- Povazay, B., K. Bizheva, et al. (2002). "Submicrometer axial resolution optical coherence tomography." *Optics Letters* 27(20): 1800-1802.
- Qi, B., A. P. Himmer, et al. (2004). "Dynamic focus control in high-speed optical coherence tomography based on a microelectromechanical mirror." *Optics Communications* 232(1-6): 123-128.
- Radhakrishnan, S., A. M. Rollins, et al. (2001). "Real-time optical coherence tomography of the anterior segment at 1310 nm." *Archives of Ophthalmology* 119(8): 1179-1185.
- Rogers, A. J. (1981). "Polarization-Optical Time Domain Reflectometry—a Technique for the Measurement of Field Distributions." *Applied Optics* 20(6): 1060-1074.
- Rollins, A. M. and J. A. Izatt (1999). "Optimal interferometer designs for optical coherence tomography." *Optics Letters* 24(21): 1484-1486.
- Rollins, A. M., R. Ung-arunyawee, et al. (1999). "Real-time in vivo imaging of human gastrointestinal ultrastructure by use of endoscopic optical coherence tomography with a novel efficient interferometer design." *Optics Letters* 24(19): 1358-1360.
- Rollins, A. M., S. Yazdanfar, et al. (2002). "Real-time in vivo colors Doppler optical coherence tomography." *Journal of Biomedical Optics* 7(1): 123-129.
- Rollins, A. M., S. Yazdanfar, et al. (2000). "Imaging of human retinal hemodynamics using color Doppler optical coherence tomography." *Investigative Ophthalmology & Visual Science* 41(4): S548-S548.
- Sandoz, P. (1997). "Wavelet transform as a processing tool in white-light interferometry." *Optics Letters* 22(14): 1065-1067.

(56)

References Cited

OTHER PUBLICATIONS

- Sankaran, V., M. J. Everett, et al. (1999). "Comparison of polarized-light propagation in biological tissue and phantoms." *Optics Letters* 24(15): 1044-1046.
- Sankaran, V., J. T. Walsh, et al. (2000). "Polarized light propagation through tissue phanto, ehms containing densely packed scatterers." *Optics Letters* 25(4): 239-241.
- Sarunic, M. V., M. A. Choma, et al. (2005). "Instantaneous complex conjugate resolved spectral domain and swept-source OCT using 3x3 fiber couplers." *Optics Express* 13(3): 957-967.
- Sathyam, U. S., B. W. Colston, et al. (1999). "Evaluation of optical coherence quantitation of analytes in turbid media by use of two wavelengths." *Applied Optics* 38(10): 2097-2104.
- Schmitt, J. M. (1997). "Array detection for speckle reduction in optical coherence microscopy." *Physics in Medicine and Biology* 42(7): 1427-1439.
- Schmitt, J. M. (1999). "Optical coherence tomography (OCT): A review." *Ieee Journal of Selected Topics in Quantum Electronics* 5(4): 1205-1215.
- Schmitt, J. M. and A. Knüttel (1997). "Model of optical coherence tomography of heterogeneous tissue." *Journal of the Optical Society of America a-Optics Image Science and Vision* 14(6): 1231-1242.
- Schmitt, J. M., S. L. Lee, et al. (1997). "An optical coherence microscope with enhanced resolving power in thick tissue." *Optics Communications* 142(4-6): 203-207.
- Schmitt, J. M., S. H. Xiang, et al. (1998). "Differential absorption imaging with optical coherence tomography." *Journal of the Optical Society of America a-Optics Image Science and Vision* 15(9): 2288-2296.
- Schmitt, J. M., S. H. Xiang, et al. (1999). "Speckle in optical coherence tomography." *Journal of Biomedical Optics* 4(1): 95-105.
- Schmitt, J. M., M. J. Yadlowsky, et al. (1995). "Subsurface Imaging of Living Skin with Optical Coherence Microscopy." *Dermatology* 191(2): 93-98.
- Shi, H., J. Finlay, et al. (1997). "Multiwavelength 10-GHz picosecond pulse generation from a single-stripe semiconductor diode laser." *Ieee Photonics Technology Letters* 9(11): 1439-1441.
- Shi, H., I. Nitta, et al. (1999). "Demonstration of phase correlation in multiwavelength mode-locked semiconductor diode lasers." *Optics Letters* 24(4): 238-240.
- Simon, R. (1982). "The Connection between Mueller and Jones Matrices of Polarization Optics." *Optics Communications* 42(5): 293-297.
- Smith, P. J. M., (2000) "Variable-Focus Microlenses as a Potential Technology for Endoscopy." SPIE (vol. 3919), USA pp. 187-192.
- Smithies, D. J., T. Lindmo, et al. (1998). "Signal attenuation and localization in optical coherence tomography studied by Monte Carlo simulation." *Physics in Medicine and Biology* 43(10): 3025-3044.
- Sorin, W. V. and D. F. Gray (1992). "Simultaneous Thickness and Group Index Measurement Using Optical Low-Coherence Reflectometry." *Ieee Photonics Technology Letters* 4(1): 105-107.
- Sticker, M., C. K. Hitzengerger, et al. (2001). "Quantitative differential phase measurement and imaging in transparent and turbid media by optical coherence tomography." *Optics Letters* 26(8): 518-520.
- Sticker, M., M. Pircher, et al. (2002). "En face imaging of single cell layers by differential phase-contrast optical coherence microscopy." *Optics Letters* 27(13): 1126-1128.
- Stoller, P., B. M. Kim, et al. (2002). "Polarization-dependent optical second-harmonic imaging of a rat-tail tendon." *Journal of Biomedical Optics* 7(2): 205-214.
- Sun, C. S. (2003). "Multiplexing of fiber-optic acoustic sensors in a Michelson interferometer configuration." *Optics Letters* 28(12): 1001-1003.
- Swanson, E. A., J. A. Izatt, et al. (1993). "In-Vivo Retinal Imaging by Optical Coherence Tomography." *Optics Letters* 18(21): 1864-1866.
- Takada, K., A. Himeno, et al. (1991). "Phase-Noise and Shot-Noise Limited Operations of Low Coherence Optical-Time Domain Reflectometry." *Applied Physics Letters* 59(20): 2483-2485.
- Takenaka, H. (1973). "Unified Formalism for Polarization Optics by Using Group—Theory I (Theory)." *Japanese Journal of Applied Physics* 12(2): 226-231.
- Tanno, N., T. Ichimura, et al. (1994). "Optical Multimode Frequency-Domain Reflectometer." *Optics Letters* 19(8): 587-589.
- Targowski, P., M. Wojtkowski, et al. (2004). "Complex spectral OCT in human eye imaging in vivo." *Optics Communications* 229(1-6): 79-84.
- Tearney, G. J., S. A. Boppart, et al. (1996). "Scanning single-mode fiber optic catheter-endoscope for optical coherence tomography (vol. 21, p. 543, 1996)." *Optics Letters* 21(12): 912-912.
- Tearney, G. J., B. E. Bouma, et al. (1996). "Rapid acquisition of in vivo biological images by use of optical coherence tomography." *Optics Letters* 21(17): 1408-1410.
- Tearney, G. J., B. E. Bouma, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." *Science* 276(5321): 2037-2039.
- Tearney, G. J., M. E. Brezinski, et al. (1996). "Catheter-based optical imaging of a human coronary artery." *Circulation* 94(11): 3013-3013.
- Tearney, G. J., M. E. Brezinski, et al. (1997). "In vivo endoscopic optical biopsy with optical coherence tomography." *Science* 276(5321): 2037-9.
- Tearney, G. J., M. E. Brezinski, et al. (1997). "Optical biopsy in human gastrointestinal tissue using optical coherence tomography." *American Journal of Gastroenterology* 92(10): 1800-1804.
- Tearney, G. J., M. E. Brezinski, et al. (1995). "Determination of the refractive index of highly scattering human tissue by optical coherence tomography." *Optics Letters* 20(21): 2258-2260.
- Tearney, G. J., I. K. Jang, et al. (2000). "Porcine coronary imaging in vivo by optical coherence tomography." *Acta Cardiologica* 55(4): 233-237.
- Tearney, G. J., R. H. Webb, et al. (1998). "Spectrally encoded confocal microscopy." *Optics Letters* 23(15): 1152-1154.
- Tearney, G. J., H. Yabushita, et al. (2003). "Quantification of macrophage content in atherosclerotic plaques by optical coherence tomography." *Circulation* 107(1): 113-119.
- Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: I. Microscopic elliptical polarimetry." *Biophysical Journal* 81(5): 2954-2963.
- Tower, T. T. and R. T. Tranquillo (2001). "Alignment maps of tissues: II. Fast harmonic analysis for imaging." *Biophysical Journal* 81(5): 2964-2971.
- Troy, T. L. and S. N. Thennadil (2001). "Optical properties of human skin in the near infrared wavelength range of 1000 to 2200 nm." *Journal of Biomedical Optics* 6 (2): 167-176.
- Vabre, L., A. Dubois, et al. (2002). "Thermal-light full-field optical coherence tomography." *Optics Letters* 27(7): 530-532.
- Vakhtin, A. B., D. J. Kane, et al. (2003). "Common-path interferometer for frequency-domain optical coherence tomography." *Applied Optics* 42(34): 6953-6958.
- Vakhtin, A. B., K. A. Peterson, et al. (2003). "Differential spectral interferometry: an imaging technique for biomedical applications." *Optics Letters* 28(15): 1332-1334.
- Vakoc, B. J., S. H. Yun, et al. (2005). "Phase-resolved optical frequency domain imaging." *Optics Express* 13(14): 5483-5493.
- Van Leeuwen, T. G., M. D. Kulkarni, et al. (1999). "High-flow-velocity and shear-rate imaging by use of color Doppler optical coherence tomography." *Optics Letters* 24(22): 1584-1586.
- Vansteenkiste, N., P. Vignolo, et al. (1993). "Optical Reversibility Theorems for Polarization—Application to Remote-Control of Polarization." *Journal of the Optical Society of America a-Optics Image Science and Vision* 10(10): 2240-2245.
- Vargas, O., E. K. Chan, et al. (1999). "Use of an agent to reduce scattering in skin." *Lasers in Surgery and Medicine* 24(2): 133-141.
- Wang, R. K. (1999). "Resolution improved optical coherence-gated tomography for imaging through biological tissues." *Journal of Modern Optics* 46(13): 1905-1912.

(56)

References Cited

OTHER PUBLICATIONS

- Wang, X. J., T. E. Milner, et al. (1997). "Measurement of fluid-flow-velocity profile in turbid media by the use of optical Doppler tomography." *Applied Optics* 36(1): 144-149.
- Wang, X. J., T. E. Milner, et al. (1995). "Characterization of Fluid-Flow Velocity by Optical Doppler Tomography." *Optics Letters* 20(11): 1337-1339.
- Wang, Y. M., J. S. Nelson, et al. (2003). "Optimal wavelength for ultrahigh-resolution optical coherence tomography." *Optics Express* 11(12): 1411-1417.
- Wang, Y. M., Y. H. Zhao, et al. (2003). "Ultrahigh-resolution optical coherence tomography by broadband continuum generation from a photonic crystal fiber." *Optics Letters* 28(3): 182-184.
- Watkins, L. R., S. M. Tan, et al. (1999). "Determination of interferometer phase distributions by use of wavelets." *Optics Letters* 24(13): 905-907.
- Wetzel, J. (2001). "Optical coherence tomography in dermatology: a review." *Skin Research and Technology* 7(1): 1-9.
- Wentworth, R. H. (1989). "Theoretical Noise Performance of Coherence-Multiplexed Interferometric Sensors." *Journal of Lightwave Technology* 7(6): 941-956.
- Westphal, V., A. M. Rollins, et al. (2002). "Correction of geometric and refractive image distortions in optical coherence tomography applying Fermat's principle." *Optics Express* 10(9): 397-404.
- Westphal, V., S. Yazdanfar, et al. (2002). "Real-time, high velocity-resolution color Doppler optical coherence tomography." *Optics Letters* 27(1): 34-36.
- Williams, P. A. (1999). "Rotating-wave-plate Stokes polarimeter for differential group delay measurements of polarization-mode dispersion." *Applied Optics* 38(31): 6508-6515.
- Wojtkowski, M., T. Bajraszewski, et al. (2003). "Real-time in vivo imaging by high-speed spectral optical coherence tomography." *Optics Letters* 28(19): 1745-1747.
- Wojtkowski, M., A. Kowalczyk, et al. (2002). "Full range complex spectral optical coherence tomography technique in eye imaging." *Optics Letters* 27(16): 1415-1417.
- Wojtkowski, M., R. Leitgeb, et al. (2002). "In vivo human retinal imaging by Fourier domain optical coherence tomography." *Journal of Biomedical Optics* 7(3): 457-463.
- Wojtkowski, M., R. Leitgeb, et al. (2002). "Fourier domain OCT imaging of the human eye in vivo." *Proc. SPIE* 4619: 230-236.
- Wojtkowski, M., V. J. Srinivasan, et al. (2004). "Ultrahigh-resolution, high-speed, Fourier domain optical coherence tomography and methods for dispersion compensation." *Optics Express* 12(11): 2404-2422.
- Wong, B. J. F., Y. H. Zhao, et al. (2004). "Imaging the internal structure of the rat cochlea using optical coherence tomography at 0.827 μm and 1.3 μm ." *Otolaryngology—Head and Neck Surgery* 130(3): 334-338.
- Yabushita, H. B., et al. (2002). "Measurement of Thin Fibrous Caps in Atherosclerotic Plaques by Optical Coherence Tomography." American Heart Association, INC, Circulation 2002;106;1640.
- Yang, C., A. Wax, et al. (2001). "Phase-dispersion optical tomography." *Optics Letters* 26(10): 686-688.
- Yang, C., A. Wax, et al. (2001). "Phase-referenced interferometer with subwavelength and subhertz sensitivity applied to the study of cell membrane dynamics." *Optics Letters* 26(16): 1271-1273.
- Yang, C. H., A. Wax, et al. (2001). "Phase-dispersion optical tomography." *Optics Letters* 26(10): 686-688.
- Yang, C. H., A. Wax, et al. (2000). "Interferometric phase-dispersion microscopy." *Optics Letters* 25(20): 1526-1528.
- Yang, V. X. D., M. L. Gordon, et al. (2002). "Improved phase-resolved optical Doppler tomography using the Kasai velocity estimator and histogram segmentation." *Optics Communications* 208(4-6): 209-214.
- Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part I): System design, signal processing, and performance." *Optics Express* 11(7): 794-809.
- Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part II): Imaging in vivo cardiac dynamics of *Xenopus laevis*." *Optics Express* 11(14): 1650-1658.
- Yang, V. X. D., M. L. Gordon, et al. (2003). "High speed, wide velocity dynamic range Doppler optical coherence tomography (Part III): in vivo endoscopic imaging of blood flow in the rat and human gastrointestinal tracts." *Optics Express* 11(19): 2416-2424.
- Yang, V. X. D., B. Qi, et al. (2003). "In vivo feasibility of endoscopic catheter-based Doppler optical coherence tomography." *Gastroenterology* 124(4): A49-A50.
- Yao, G. and L. H. V. Wang (2000). "Theoretical and experimental studies of ultrasound-modulated optical tomography in biological tissue." *Applied Optics* 39(4): 659-664.
- Yazdanfar, S. and J. A. Izatt (2002). "Self-referenced Doppler optical coherence tomography." *Optics Letters* 27(23): 2085-2087.
- Yazdanfar, S., M. D. Kulkarni, et al. (1997). "High resolution imaging of in vivo cardiac dynamics using color Doppler optical coherence tomography." *Optics Express* 1 (13) : 424-431.
- Yazdanfar, S., A. M. Rollins, et al. (2000). "Imaging and velocimetry of the human retinal circulation with color Doppler optical coherence tomography." *Optics Letters* 25(19): 1448-1450.
- Yazdanfar, S., A. M. Rollins, et al. (2000). "Noninvasive imaging and velocimetry of human retinal blood flow using color Doppler optical coherence tomography." *Investigative Ophthalmology & Visual Science* 41(4): S548-S548.
- Yazdanfar, S., A. M. Rollins, et al. (2003). "In vivo imaging of human retinal flow dynamics by color Doppler optical coherence tomography." *Archives of Ophthalmology* 121(2): 235-239.
- Yazdanfar, S., C. H. Yang, et al. (2005). "Frequency estimation precision in Doppler optical coherence tomography using the Cramer-Rao lower bound." *Optics Express* 13(2): 410-416.
- Yun, S. H., C. Boudoux, et al. (2004). "Extended-cavity semiconductor wavelength-swept laser for biomedical imaging." *Ieee Photonics Technology Letters* 16(1): 293-295.
- Yun, S. H., C. Boudoux, et al. (2003). "High-speed wavelength-swept semiconductor laser with a polygon-scanner-based wavelength filter." *Optics Letters* 28(20): 1981-1983.
- Yun, S. H., G. J. Tearney, et al. (2004). "Pulsed-source and swept-source spectral-domain optical coherence tomography with reduced motion artifacts." *Optics Express* 12(23): 5614-5624.
- Yun, S. H., G. J. Tearney, et al. (2004). "Removing the depth-degeneracy in optical frequency domain imaging with frequency shifting." *Optics Express* 12(20): 4822-4828.
- Yun, S. H., G. J. Tearney, et al. (2004). "Motion artifacts in optical coherence tomography with frequency-domain ranging." *Optics Express* 12(13): 2977-2998.
- Zhang, J., J. S. Nelson, et al. (2005). "Removal of a mirror image and enhancement of the signal-to-noise ratio in Fourier-domain optical coherence tomography using an electro-optic phase modulator." *Optics Letters* 30(2): 147-149.
- Zhang, Y., M. Sato, et al. (2001). "Numerical investigations of optimal synthesis of several low coherence sources for resolution improvement." *Optics Communications* 192(3-6): 183-192.
- Zhang, Y., M. Sato, et al. (2001). "Resolution improvement in optical coherence tomography by optimal synthesis of light-emitting diodes." *Optics Letters* 26(4): 205-207.
- Zhao, Y., Z. Chen, et al. (2002). "Real-time phase-resolved functional optical coherence tomography by use of optical Hilbert transformation." *Optics Letters* 27(2): 98-100.
- Zhao, Y. H., Z. P. Chen, et al. (2000). "Doppler standard deviation imaging for clinical monitoring of in vivo human skin blood flow." *Optics Letters* 25(18): 1358-1360.
- Zhao, Y. H., Z. P. Chen, et al. (2000). "Phase-resolved optical coherence tomography and optical Doppler tomography for imaging blood flow in human skin with fast scanning speed and high velocity sensitivity." *Optics Letters* 25(2): 114-116.
- Zhou, D., P. R. Prucnal, et al. (1998). "A widely tunable narrow linewidth semiconductor fiber ring laser." *IEEE Photonics Technology Letters* 10(6): 781-783.
- Zuluaga, A. F. and R. Richards-Kortum (1999). "Spatially resolved spectral interferometry for determination of subsurface structure." *Optics Letters* 24(8): 519-521.

(56)

References Cited

OTHER PUBLICATIONS

- Zvyagin, A. V., J. B. FitzGerald, et al. (2000). "Real-time detection technique for Doppler optical coherence tomography," *Optics Letters* 25(22): 1645-1647.
- Marc Nildes et al., "Brillouin gain spectrum characterization in single-mode optical fibers", *Journal of Lightwave Technology* 1997, 15 (10): 1842-1851.
- Tsuyoshi Sonehara et al., "Forced Brillouin Spectroscopy Using Frequency-Tunable Continuous-Wave Lasers", *Physical Review Letters* 1995, 75 (23): 4234-4237.
- Hajime Tanaka et al., "New Method of Superheterodyne Light Beating Spectroscopy for Brillouin-Scattering Using Frequency-Tunable Lasers", *Physical Review Letters* 1995, 74 (9): 1609-1612.
- Webb RH et al. "Confocal Scanning Laser Ophthalmoscope", *Applied Optics* 1987, 26 (8): 1492-1499.
- Andreas Zumbusch et al. "Three-dimensional vibrational imaging by coherent anti-Stokes Raman scattering", *Physical Review Letters* 1999, 82 (20): 4142-4145.
- Katrin Kneipp et al., "Single molecule detection using surface-enhanced Raman scattering (SERS)", *Physical Review Letters* 1997, 78 (9): 1667-1670.
- K.J. Koski et al., "Brillouin imaging" *Applied Physics Letters* 87, 2005.
- Boas et al., "Diffusing temporal light correlation for burn diagnosis", *SPIE*, 1999, 2979:468-477.
- David J. Briers, "Speckle fluctuations and biomedical optics: implications and applications", *Optical Engineering*, 1993, 32(2):277-283.
- Clark et al., "Tracking Speckle Patterns with Optical Correlation", *SPIE*, 1992, 1772:77-87.
- Facchini et al., "An endoscopic system for DSPI", *Optik*, 1993, 95(1):27-30.
- Hrabovsky, M., "Theory of speckle displacement and decorrelation: application in mechanics", *SPIE*, 1998, 3479:345-354.
- Sean J. Kirkpatrick et al., "Micromechanical behavior of cortical bone as inferred from laser speckle data", *Journal of Biomedical Materials Research*, 1998, 39(3):373-379.
- Sean J. Kirkpatrick et al., "Laser speckle microstrain measurements in vascular tissue", *SPIE*, 1999, 3598:121-129.
- Loree et al., "Mechanical Properties of Model Atherosclerotic Lesion Lipid Pools", *Arteriosclerosis and Thrombosis*, 1994, 14(2):230-234.
- Podbielska, H. "Interferometric Methods and Biomedical Research", *SPIE*, 1999, 2732:134-141.
- Richards-Kortum et al., "Spectral diagnosis of atherosclerosis using an optical fiber laser catheter", *American Heart Journal*, 1989, 118(2):381-391.
- Ruth, B. "blood flow determination by the laser speckle method", *Int J Microcirc: Clin Exp*, 1990, 9:21-45.
- Shapo et al., "Intravascular strain imaging: Experiments on an Inhomogeneous Phantom", *IEEE Ultrasonics Symposium* 1996, 2:1177-1180.
- Shapo et al., "Ultrasonic displacement and strain imaging of coronary arteries with a catheter array", *IEEE Ultrasonics Symposium* 1995, 2:1511-1514.
- Thompson et al., "Imaging in scattering media by use of laser speckle", *Opt. Soc. Am. A*, 1997, 14(9):2269-2277.
- Thompson et al., "Diffusive media characterization with laser speckle", *Applied Optics*, 1997, 36(16):3726-3734.
- Tuchin, Valery V., "Coherent Optical Techniques for the Analysis of Tissue Structure and Dynamics," *Journal of Biomedical Optics*, 1999, 4(1):106-124.
- M. Wussling et al., "Laser diffraction and speckling studies in skeletal and heart muscle", *Biomed, Biochim, Acta*, 1986, 45(1/2):S 23-S 27.
- T. Yoshimura et al., "Statistical properties of dynamic speckles", *J. Opt. Soc. Am. A*, 1986, 3(7):1032-1054.
- Zimnyakov et al., "Spatial speckle correlometry in applications to tissue structure monitoring", *Applied Optics* 1997, 36(22): 5594-5607.
- Zimnyakov et al., "A study of statistical properties of partially developed speckle fields as applied to the diagnosis of structural changes in human skin", *Optics and Spectroscopy*, 1994, 76(5): 747-753.
- Zimnyakov et al., "Speckle patterns polarization analysis as an approach to turbid tissue structure monitoring", *SPIE* 1999, 2981:172-180.
- Ramasamy Manoharan et al., "Biochemical analysis and mapping of atherosclerotic human artery using FT-IR microspectroscopy", *Atherosclerosis*, May 1993, 181-1930.
- N.V. Salunke et al., "Biomechanics of Atherosclerotic Plaque" *Critical Reviews™ in Biomedical Engineering* 1997, 25(3):243-285.
- D. Fu et al., "Non-invasive quantitative reconstruction of tissue elasticity using an iterative forward approach", *Phys. Med. Biol.* 2000 (45): 1495-1509.
- S.B. Adams Jr. et al., "The use of polarization sensitive optical coherence tomography and elastography to assess connective tissue", *Optical Soc. of American Washington* 2002, p. 3.
- International Search Report for International Patent application No. PCT/US2005/039740 published Feb. 21, 2006.
- International Written Opinion for International Patent application No. PCT/US2005/039740 published Feb. 21, 2006.
- International Search Report for International Patent application No. PCT/US2005/030294 published Aug. 22, 2006.
- International Written Opinion for International Patent application No. PCT/US2005/043951 published Apr. 6, 2006.
- International Search Report for International Patent application No. PCT/US2005/043951 published Apr. 6, 2006.
- Erdelyi et al. "Generation of diffraction-free beams for applications in optical microlithography", *J. Vac. Sci. Technol. B* 15 (12), Mar./Apr. 1997, pp. 287-292.
- International Search Report for International Patent application No. PCT/US2005/023664 published Oct. 12, 2005.
- International Written Opinion for International Patent application No. PCT/US2005/023664 published Oct. 12, 2005.
- Tearney et al., "Spectrally encoded miniature endoscopy" *Optical Society of America; Optical Letters* vol. 27, No. 6, Mar. 15, 2002; pp. 412-414.
- Yelin et al., "Double-clad Fiber for Endoscopy" *Optical Society of America; Optical Letters* vol. 29, No. 20, Oct. 16, 2005; pp. 2408-2410.
- International Search Report for International Patent application No. PCT/US2001/049704 published Dec. 10, 2002.
- International Search Report for International Patent application No. PCT/US2004/039454 published May 11, 2005.
- International Written Opinion for International Patent application No. PCT/US2004/039454 published May 11, 2005.
- PCT International Preliminary Report on Patentability for International Application No. PCT/US2004/038404 dated Jun. 2, 2006.
- Notice of Reasons for Rejection and English translation for Japanese Patent Application No. 2002-538830 dated May 12, 2008.
- Office Action dated Aug. 24, 2006 for U.S. Appl. No. 10/137,749.
- Barry Cense et al., "Spectral-domain polarization-sensitive optical coherence tomography at 850nm", *Coherence Domain Optical Methods and Optical Coherence Tomography in Biomedicine IX*, 2005, pp. 159-162.
- A. Ymeti et al., "Integration of microfluidics with a four-channel integrated optical Young interferometer immunosensor", *Biosensors and Bioelectronics*, Elsevier Science Publishers, 2005, pp. 1417-1421.
- PCT International Search Report for Application No. PCT/US2006/018865 filed May 5, 2006.
- International Written Opinion for International Patent application No. PCT/US2006/018865 filed May 5, 2006.
- John M. Poneros, "Diagnosis of Barrett's esophagus using optical coherence tomography", *Gastrointestinal Endoscopy clinics of North America*, 14 (2004) pp. 573-588.
- P.F. Escobar et al., "Diagnostic efficacy of optical coherence tomography in the management of preinvasive and invasive cancer of uterine cervix and vulva", *Int. Journal of Gynecological Cancer* 2004, 14, pp. 470-474.

(56)

References Cited

OTHER PUBLICATIONS

- Ko T et al., "Ultrahigh resolution in vivo versus ex vivo OCT imaging and tissue preservation", Conference on Lasers and electro-optics, 2001, pp. 252-253.
- Paul M. Ripley et al., "A comparison of Artificial Intelligence techniques for spectral classification in the diagnosis of human pathologies based upon optical biopsy", Journal of Optical Society of America, 2000, pp. 217-219.
- Wolfgang Drexler et al., "Ultrahigh-resolution optical coherence tomography", Journal of Biomedical Optics Spie USA, 2004, pp. 47-74.
- PCT International Search Report for Application No. PCT/US2006/016677 filed Apr. 28, 2006.
- International Written Opinion for International Patent application No. PCT/US2006/016677 filed Apr. 28, 2006.
- Office Action dated Nov. 13, 2006 for U.S. Appl. No. 10/501,268.
- Office Action dated Nov. 20, 2006 for U.S. Appl. No. 09/709,162.
- PCT International Search Report and Written Opinion for Application No. PCT/US2004/023585 filed Jul. 23, 2004.
- Office Action dated Dec. 6, 2006 for U.S. Appl. No. 10/997,789.
- Elliott, K. H. "The use of commercial CCD cameras as linear detectors in the physics undergraduate teaching laboratory", European Journal of Physics, 1998, pp. 107-117.
- Lauer, V. "New approach to optical diffraction tomography yielding a vector equation of diffraction tomography and a novel tomographic microscope", Journal of Microscopy vol. 205, Issue 2, 2002, pp. 165-176.
- Yu, P. et al. "Imaging of tumor necroses using full-frame optical coherence imaging", Proceedings of SPIE vol. 4956, 2003, pp. 34-41.
- Zhao, Y. et al. "Three-dimensional reconstruction of in vivo blood vessels in human skin using phase-resolved optical Doppler tomography", IEEE Journal of Selected Topics in Quantum Electronics 7.6 (2001): 931-935.
- Office Action dated Dec. 18, 2006 for U.S. Appl. No. 10/501,276.
- Devesa, Susan S. et al. (1998) "Changing Patterns in the Incidence of Esophageal and Gastric Carcinoma in the United States." *American Cancer Society* vol. 83, No. 10 pp. 2049-2053.
- Barr, H et al. (2005) "Endoscopic Therapy for Barrett's Oesophagus" *Gut* vol. 54:875-884.
- Johnston, Mark H. (2005) "Technology Insight: Ablative Techniques for Barrett's Esophagus—Current and Emerging Trends" www.Nature.com/clinicalpractice/gasthep.
- Falk, Gary W. et al. (1997) "Surveillance of Patients with Barrett's Esophagus for Dysplasia and Cancer with Ballon Cytology" *Gastroenterology* vol. 112, pp. 1787-1797.
- Sepchler, Stuart Jon. (1997) "Barrett's Esophagus: Should We Brush off this Balloning Problem?" *Gastroenterology* vol. 112, pp. 2138-2152.
- Froehly, J. et al. (2003) "Multiplexed 3D Imaging Using Wavelength Encoded Spectral Interferometry: A Proof of Principle" *Optics Communications* vol. 222, pp. 127-136.
- Kubba A.K. et al. (1999) "Role of p53 Assessment in Management of Barrett's Esophagus" *Digestive Disease and Sciences* vol. 44, No. 4, pp. 659-667.
- Reid, Brian J. (2001) "p53 and Neoplastic Progression in Barrett's Esophagus" *The American Journal of Gastroenterology* vol. 96, No 5, pp. 1321-1323.
- Sharma, P. et al. (2003) "Magnification Chromoendoscopy for the Detection of Intestinal Metaplasia and Dysplasia in Barrett's Oesophagus" *Gut* vol. 52, pp. 24-27.
- Kuipers E.J et al. (2005) "Diagnostic and Therapeutic Endoscopy" *Journal of Surgical Oncology* vol. 92, pp. 203-209.
- Georgakoudi, Irene et al. (2001) "Fluorescence, Reflectance, and Light-Scattering Spectroscopy for Evaluating Dysplasia in Patients with Barrett's Esophagus" *Gastroenterology* vol. 120, pp. 1620-1629.
- Adrain, Alyn L. et al. (1997) "High-Resolution Endoluminal Sonography is a Sensitive Modality for the Identification of Barrett's Meaplasia" *Gastrointestinal Endoscopy* vol. 46, No. 2, pp. 147-151.
- Canto, Marcia Irene et al (1999) "Vital Staining and Barrett's Esophagus" *Gastrointestinal Endoscopy* vol. 49, No. 3, part 2, pp. 12-16.
- Evans, John A. et al. (2006) "Optical Coherence Tomography to Identify Intramucosal Carcinoma and High-Grade Dysplasia in Barrett's Esophagus" *Clinical Gastroenterology and Hepatology* vol. 4, pp. 38-3.
- Poneros, John M. et al. (2001) "Diagnosis of Specialized Intestinal Metaplasia by Optical Coherence Tomography" *Gastroenterology* vol. 120, pp. 7-12.
- Ho, W. Y. et al. (2005) "115 KHz Tuning Repetition Rate Ultrahigh-Speed Wavelength-Swept Semiconductor Laser" *Optics Letters* col. 30, No. 23, pp. 3159-3161.
- Brown, Stanley B. et al. (2004) "The Present and Future Role of Photodynamic Therapy in Cancer Treatment" *The Lancet Oncology* vol. 5, pp. 497-508.
- Boogert, Jolanda Van Den et al. (1999) "Endoscopic Ablation Therapy for Barrett's Esophagus with High-Grade Dysplasia: A Review" *The American Journal of Gastroenterology* vol. 94, No. 5, pp. 1153-1160.
- Sampliner, Richard E. et al. (1996) "Reversal of Barrett's Esophagus with Acid Suppression and Multipolar Electrocoagulation: Preliminary Results" *Gastrointestinal Endoscopy* vol. 44, No. 5, pp. 532-535.
- Sampliner, Richard E. (2004) "Endoscopic Ablative Therapy for Barrett's Esophagus: Current Status" *Gastrointestinal Endoscopy* vol. 59, No. 1, pp. 66-69.
- Soetikno, Roy M. et al. (2003) "Endoscopic Mucosal resection" *Gastrointestinal Endoscopy* vol. 57, No. 4, pp. 567-579.
- Ganz, Robert A. et al. (2004) "Complete Ablation of Esophageal Epithelium with a Balloon-based Bipolar Electrode: A Phased Evaluation in the Porcine and in the Human Esophagus" *Gastrointestinal Endoscopy* vol. 60, No. 6, pp. 1002-1010.
- Pfefer, Jorje at al. (2006) "Performance of the Aer-O-Scope, A Pneumatic, Self Propelling, Self Navigating Colonoscope in Animal Experiments" *Gastrointestinal Endoscopy* vol. 63, No. 5, pp. AB223.
- Overholt, Bergein F. et al. (1999) "Photodynamic Therapy for Barrett's Esophagus: Follow-Up in 100 Patients" *Gastrointestinal Endoscopy* vol. 49, No. 1, pp. 1-7.
- Vogel, Alfred et al. (2003) "Mechanisms of Pulsed Laser Ablation of Biological Tissues" *American Chemical Society* vol. 103, pp. 577-644.
- McKenzie, A. L. (1990) "Physics of Thermal Processes in Laser-Tissue Interaction" *Phys. Med. Biol* vol. 35, No. 9, pp. 1175-1209.
- Anderson, R. Rox et al. (1983) "Selective Photothermolysis" Precise Microsurgery by Selective Absorption of Pulsed Radiation *Science* vol. 220, No. 4596, pp. 524-527.
- Jacques, Steven L. (1993) "Role of Tissue Optics and Pulse Duration on Tissue Effects During High-Power Laser Irradiation" *Applied Optics* vol. 32, No. 13, pp. 2447-2454.
- Nahen, Kester et al. (1999) "Investigations on Acosustic On-Line Monitoring of IR Laser Ablation of burned Skin" *Lasers in Surgery and Medicine* vol. 25, pp. 69-78.
- Jerath, Maya R. et al. (1993) "Calibrated Real-Time Control of Lesion Size Based on Reflectance Images" *Applied Optics* vol. 32, No. 7, pp. 1200-1209.
- Jerath, Maya R. et al (1992) "Dynamic Optical Property Changes: Implications for Reflectance Feedback Control of Photocoagulation" *Journal of Photochemical, Photobiology. B: Biol* vol. 16, pp. 113-126.
- Deckelbaum, Lawrence I. (1994) "Coronary Laser Angioplasty" *Lasers in Surgery and Medicine* vol. 14, pp. 101-110.
- Kim, B.M. et al. (1998) "Optical Feedback Signal for Ultrashort Laser Pulse Ablation of Tissue" *Applied Surface Science* vol. 127-129, pp. 857-862.
- Brinkman, Ralf et al. (1996) "Analysis of Cavitation Dynamics During Pulsed Laser Tissue Ablation by Optical On-Line Monitoring" *IEEE Journal of Selected Topics in Quantum Electronics* vol. 2, No. 4, pp. 826-835.
- Whelan, W.M. et al. (2005) "A novel Strategy for Monitoring Laser Thermal Therapy Based on Changes in Optothermal Properties of Heated Tissues" *International Journal of Thermophysics* vol. 26., No. 1, pp. 233-241.

(56)

References Cited

OTHER PUBLICATIONS

- Thomsen, Sharon et al. (1990) "Microscopic Correlates of Macroscopic Optical Property Changes During Thermal Coagulation of Myocardium" *SPIE* vol. 1202, pp. 2-11.
- Khan, Misban Huzaira et al. (2005) "Intradermally Focused Infrared Laser Pulses: Thermal Effects at Defined Tissue Depths" *Lasers in Surgery and Medicine* vol. 36, pp. 270-280.
- Neumann, R.A. et al. (1991) "Enzyme Histochemical Analysis of Cell Viability After Argon Laser-Induced Coagulation Necrosis of the Skin" *Journal of the American Academy of Dermatology* vol. 25, No. 6, pp. 991-998.
- Nadkarni, Seemantini K. et al (2005) "Characterization of Atherosclerotic Plaques by Laser Speckle Imaging" *Circulation* vol. 112, pp. 885-892.
- Zimnyakov, Dmitry A. et al (2002) "Speckle-Contrast Monitoring of Tissue Thermal Modification" *Applied Optics* vol. 41, No. 28, pp. 5989-5996.
- Morelli, J.G., et al (1986) "Tunable Dye Laser (577 nm) Treatment of Port Wine Stains" *Lasers in Surgery and Medicine* vol. 6, pp. 94-99.
- French, P.M.W. et al. (1993) "Continuous-wave Mode-Locked Cr⁴⁺: YAG Laser" *Optics Letters* vol. 18, No. 1, pp. 39-41.
- Sennaroglu, Alphan et al. (1995) "Efficient Continuous-Wave Chromium-Doped YAG Laser" *Journal of Optical Society of America* vol. 12, No. 5, pp. 930-937.
- Bouma, B et al. (1994) "Hybrid Mode Locking of a Flash-Lamp-Pumped Ti: Al₂O₃ Laser" *Optics Letters* vol. 19, No. 22, pp. 1858-1860.
- Bouma, B et al. (1995) "High Resolution Optical Coherence Tomography Imaging Using a Mode-Locked Ti: Al₂O₃ Laser Source" *Optics Letters* vol. 20, No. 13, pp. 1486-1488.
- Fernández, Cabrera Delia et al. "Automated detection of retinal layer structures on optical coherence tomography images", *Optics Express* vol. 13, No. 25, Oct. 4, 2005, pp. 10200-10216.
- Ishikawa, Hiroshi et al. "Macular Segmentation with optical coherence tomography", *Investigative Ophthalmology & Visual Science*, vol. 46, No. 6, Jun. 2005, pp. 2012-2017.
- Hariri, Lida P. et al. "Endoscopic Optical Coherence Tomography and Laser-Induced Fluorescence Spectroscopy in a Murine Colon Cancer Model", *Laser in Surgery and Medicine*, vol. 38, 2006, pp. 305-313.
- PCT International Search Report and Written Opinion for Application No. PCT/US2006/031905 dated May 3, 2007.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/060481 dated May 23, 2007.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/060717 dated May 24, 2007.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/060319 dated Jun. 6, 2007.
- D. Yelin et al., "Three-dimensional imaging using spectral encoding heterodyne interferometry", *Optics Letters*, Jul. 15, 2005, vol. 30, No. 14, pp. 1794-1796.
- Akiba, Masahiro et al. "En-face optical coherence imaging for three-dimensional microscopy", *SPIE*, 2002, pp. 8-15.
- Office Action dated Aug. 10, 2007 for U.S. Appl. No. 10/997,789.
- Office Action dated Feb. 2, 2007 for U.S. Appl. No. 11/174,425.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/060657 dated Aug. 13, 2007.
- Lewis, Neil E. et al., (2006) "Applications of Fourier Transform Infrared Imaging Microscopy in Neurotoxicity", *Annals New York Academy of Sciences*, Dec. 17, 2006, vol. 820, pp. 234-246.
- Joo, Chulmin et al., Spectral-domain optical coherence phase microscopy for quantitative phase-contrast imaging, *Optics Letters*, Aug. 15, 2005, vol. 30, No. 16, pp. 2131-2133.
- Guo, Bujin et al., "Laser-based mid-infrared reflectance imaging of biological tissues", *Optics Express*, Jan. 12, 2004, vol. 12, No. 1, pp. 208-219.
- Office Action dated Mar. 28, 2007 for U.S. Appl. No. 11/241,907.
- Office Action dated May 23, 2007 for U.S. Appl. No. 10/406,751.
- Office Action dated May 23, 2007 for U.S. Appl. No. 10/551,735.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/061815 dated Aug. 2, 2007.
- Sir Randall, John et al., "Brillouin scattering in systems of biological significance", *Phil. Trans. R. Soc. Lond. A* 293, 1979, pp. 341-348.
- Takagi, Yasunari, "Application of a microscope to Brillouin scattering spectroscopy", *Review of Scientific Instruments*, No. 12, Dec. 1992, pp. 5552-5555.
- Lees, S. et al., "Studies of Compact Hard Tissues and Collagen by Means of Brillouin Light Scattering", *Connective Tissue Research*, 1990, vol. 24, pp. 187-205.
- Berovic, N. "Observation of Brillouin scattering from single muscle fibers", *European Biophysics Journal*, 1989, vol. 17, pp. 69-74.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/062465 dated Aug. 8, 2007.
- Pythila John W. et al., "Rapid, depth-resolved light scattering measurements using Fourier domain, angle-resolved low coherence interferometry", *Optics Society of America*, 2004.
- Pythila John W. et al., "Determining nuclear morphology using an improved angle-resolved low coherence interferometry system", *Optics Express*, Dec. 15, 2003, vol. 11, No. 25, pp. 3473-3484.
- Desjardins A.E., et al., "Speckle reduction in OCT using massively-parallel detection and frequency-domain ranging", *Optics Express*, May 15, 2006, vol. 14, No. 11, pp. 4736-4745.
- Nadkarni, Seemantini K., et al., "Measurement of fibrous cap thickness in atherosclerotic plaques by spatiotemporal analysis of laser speckle images", *Journal of Biomedical Optics*, vol. 11 Mar./Apr. 2006, pp. 021006-1-021006-8.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/066017 dated Aug. 30, 2007.
- Yamanari M. et al., "Polarization sensitive Fourier domain optical coherence tomography with continuous polarization modulation", *Proc. of SPIE*, vol. 6079, 2006.
- Zhang Jun et al., "Full range polarization-sensitive Fourier domain optical coherence tomography", *Optics Express*, Nov. 29, 2004, vol. 12, No. 24, pp. 6033-6039.
- European Patent Office Search report for Application No. 01991092.6-2305 dated Jan. 12, 2006.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/060670 dated Sep. 21, 2007.
- J. M. Schmitt et al., (1999) "Speckle in Optical Coherence Tomography: An Overview", *SPIE* vol. 3726, pp. 450-461.
- Office Action dated Oct. 11, 2007 for U.S. Appl. No. 11/534,095.
- Office Action dated Oct. 9, 2007 for U.S. Appl. No. 09/709,162.
- Notice of Allowance dated Oct. 3, 2007 for U.S. Appl. No. 11/225,840.
- Siavash Yazdanfar et al., "In Vivo imaging in blood flow in human retinal vessels using color Doppler optical coherence tomography", *SPIE*, 1999 vol. 3598, pp. 177-184.
- Office Action dated Oct. 30, 2007 for U.S. Appl. No. 11/670,069.
- Tang C. L. et al., "Wide-band electro-optical tuning of semiconductor lasers", *Applied Physics Letters*, vol. 30, No. 2, Jan. 15, 1977, pp. 113-116.
- Tang C. L. et al., "Transient effects in wavelength-modulated dye lasers", *Applied Physics Letters*, vol. 26, No. 9, May 1, 1975, pp. 534-537.
- Telle M. John, et al., "Very rapid tuning of cw dye laser", *Applied Physics Letters*, vol. 26, No. 10, May 15, 1975, pp. 572-574.
- Telle M. John, et al., "New method for electro-optical tuning of tunable lasers", *Applied Physics Letters*, vol. 24, No. 2, Jan. 15, 1974, pp. 85-87.
- Schmitt M. Joseph et al. "OCT elastography: imaging microscopic deformation and strain of tissue", *Optics Express*, vol. 3, No. 6, Sep. 14, 1998, pp. 199-211.
- M. Gualini Muddassir et al., "Recent Advancements of Optical Interferometry Applied to Medicine", *IEEE Transactions on Medical Imaging*, vol. 23, No. 2, Feb. 2004, pp. 205-212.
- Maurice L. Roch et al. "Noninvasive Vascular Elastography: Theoretical Framework", *IEEE Transactions on Medical Imaging*, vol. 23, No. 2, Feb. 2004, pp. 164-180.
- Kirkpatrick J. Sean et al. "Optical Assessment of Tissue Mechanical Properties", *Proceedings of the SPIE—The International Society for Optical Engineering SPIE—vol. 4001, 2000, pp. 92-101.*

(56)

References Cited

OTHER PUBLICATIONS

- Lisauskas B. Jennifer et al., "Investigation of Plaque Biomechanics from Intravascular Ultrasound Images using Finite Element Modeling", Proceedings of the 19th International Conference—IEEE Oct. 30-Nov. 2, 1997, pp. 887-888.
- Parker K. J. et al., "Techniques for Elastic Imaging: A Review", IEEE Engineering in Medicine and Biology, Nov./Dec. 1996, pp. 52-59.
- European Patent Office Search Report dated Nov. 20, 2007 for European Application No. 05791226.3.
- Dubois Arnaud et al., "Ultrahigh-resolution OCT using white-light interference microscopy", Proceedings of SPIE, 2003, vol. 4956, pp. 14-21.
- Office Action dated Jan. 3, 2008 for U.S. Appl. No. 10/997,789.
- Office Action dated Dec. 21, 2007 for U.S. Appl. No. 11/264,655.
- Office Action dated Dec. 18, 2007 for U.S. Appl. No. 11/288,994.
- Office Action dated Jan. 10, 2008 for U.S. Appl. No. 11/435,228.
- Office Action dated Jan. 10, 2008 for U.S. Appl. No. 11/410,937.
- Office Action dated Jan. 11, 2008 for U.S. Appl. No. 11/445,990.
- Office Action dated Feb. 4, 2008 for U.S. Appl. No. 10/861,179.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/061463 dated Jan. 23, 2008.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/061481 dated Mar. 17, 2008.
- PCT International Search Report and Written Opinion for Application No. PCT/US2007/078254 dated Mar. 28, 2008.
- Sadhwani, Ajay et al., "Determination of Teflon thickness with laser speckle I. Potential for burn depth diagnosis", Optical Society of America, 1996, vol. 35, No. 28, pp. 5727-5735.
- C.J. Stewart et al., "A comparison of two laser-based methods for determination of burn scar perfusion: Laser Doppler versus laser speckle imaging", Elsevier Ltd., 2005, vol. 31, pp. 744-752.
- G. J. Tearney et al., "Atherosclerotic plaque characterization by spatial and temporal speckle pattern analysis", CLEO 2001, vol. 56, pp. 307-307.
- PCT International Search Report for Application No. PCT/US2007/068233 dated Feb. 21, 2008.
- PCT International Search Report for Application No. PCT/US2007/060787 dated Mar. 18, 2008.
- Statement under Article 19 and Reply to PCT Written Opinion for PCT International Application No. PCT/US2005/043951 dated Jun. 6, 2006.
- PCT International Preliminary Report on Patentability for Application No. PCT/US2005/043951 dated Jun. 7, 2007.
- Liptak David C. et al., (2007) "On the Development of a Confocal Rayleigh-Brillouin Microscope" *American Institute of Physics* vol. 78, 016106.
- Office Action dated Oct. 1, 2008 for U.S. Appl. No. 11/955,986.
- Invitation of Pay Additional Fees dated Aug. 7, 2008 for International Application No. PCT/US2008/062354.
- Invitation of Pay Additional Fees dated Jul. 20, 2008 for International Application No. PCT/US2007/081982.
- International Search Report and Written Opinion dated Mar. 7, 2006 for PCT/US2005/035711.
- International Search Report and Written Opinion dated Jul. 18, 2008 for PCT/US2008/057533.
- Aizu, Y et al. (1991) "Bio-Speckle Phenomena and Their Application to the Evaluation of Blood Flow" *Optics and Laser Technology*, vol. 23, No. 4, Aug. 1, 1991.
- Richards G.J. et al. (1997) "Laser Speckle Contrast Analysis (LASCA): A Technique for Measuring Capillary Blood Flow Using the First Order Statistics of Laser Speckle Patterns" Apr. 2, 1997.
- Gonick, Maria M., et al (2002) "Visualization of Blood Microcirculation Parameters in Human Tissues by Time Integrated Dynamic Speckles Analysis" vol. 972, No. 1, Oct. 1, 2002.
- International Search Report and Written Opinion dated Jul. 4, 2008 for PCT/US2008/051432.
- Jonathan, Enock (2005) "Dual Reference Arm Low-Coherence Interferometer-Based Reflectometer for Optical Coherence Tomography (OCT) Application" *Optics Communications* vol. 252.
- Motaghian Nezam, S.M.R. (2007) "increased Ranging Depth in optical Frequency Domain Imaging by Frequency Encoding" *Optics Letters*, vol. 32, No. 19, Oct. 1, 2007.
- Office Action dated Jun. 30, 2008 for U.S. Appl. No. 11/670,058.
- Office Action dated Jul. 7, 2008 for U.S. Appl. No. 10/551,735.
- Australian Examiner's Report dated May 27, 2008 for Australian patent application No. 2003210669.
- Notice of Allowance dated Jun. 4, 2008 for U.S. Appl. No. 11/174,425.
- European communication dated May 15, 2008 for European patent application No. 05819917.5.
- International Search Report and Written Opinion dated Jun. 10, 2008 for PCT/US2008/051335.
- Oh, W.Y. et al (2006) "Ultrahigh-Speed Optical Frequency Domain Imaging and Application to laser Ablation Monitoring" *Applied Physics Letters*, vol. 88.
- Office Action dated Aug. 21, 2008 for U.S. Appl. No. 11/505,700.
- Sticker, Markus (2002) En Face Imaging of Single Cell layers by Differential Phase-Contrast Optical Coherence Microscopy) *Optics Letters*, col. 27, No. 13, Jul. 1, 2002.
- International Search Report and Written Opinion dated Jul. 17, 2008 for International Application No. PCT/US2008/057450.
- International Search Report and Written Opinion dated Aug. 11, 2008 for International Application No. PCT/US2008/058703.
- US National Library of Medicine (NLM), Bethesda, MD, US; Oct. 2007 (Oct. 2007), "Abstracts of the 19th Annual Symposium of Transcatheter Cardiovascular Therapeutics, Oct. 20-25, 2007, Washington, DC, USA."
- International Search Report and Written Opinion dated May 26, 2008 for International Application No. PCT/US2008/051404.
- Office Action dated Aug. 25, 2008 for U.S. Appl. No. 11/264,655.
- Office Action dated Sep. 11, 2008 for U.S. Appl. No. 11/624,334.
- Office Action dated Aug. 21, 2008 for U.S. Appl. No. 11/956,079.
- Gelikono, V. M. et al. Oct. 1, 2004 "Two-Wavelength Optical Coherence Tomography" *Radio physics and Quantum Electronics*, Kluwer Academic Publishers-Consultants. vol. 47, No. 10-1.
- International Search Report and Written Opinion for PCT/US2007/081982 dated Oct. 19, 2007.
- Database Compendex Engineering Information, Inc., New York, NY, US; Mar. 5, 2007, Yelin, Dvir et al: "Spectral-Domain Spectrally-Encoded Endoscopy".
- Database Biosis Biosciences Information Service, Philadelphia, PA, US; Oct. 2006, Yelin D. et al: "Three-Dimensional Miniature Endoscopy".
- International Search Report and Written Opinion dated Mar. 14, 2005 for PCT/US2004/018045.
- Notification of the international Preliminary Report on Patentability dated Oct. 21, 2005.
- Shim M.G. et al., "Study of Fiber-Optic Probes for In vivo Medical Raman Spectroscopy" *Applied Spectroscopy*. vol. 53, No. 6, Jun. 1999.
- Bingdi U. et al., "Fibre-Optic Laser-Assisted Infrared Tumour Diagnostics (FLAIR); Infrared Tumour Diagnostics" *Journal of Physics D. Applied Physics*, vol. 38, No. 15, Aug. 7, 2005.
- Jun Zhang et al. "Full Range Polarization-Sensitive Fourier Domain Optical Coherence Tomography" *Optics Express*, vol. 12, No. 24, Nov. 29, 2004.
- Yonghua et al., "Real-Time Phase-Resolved Functional Optical Hilbert Transformation" *Optics Letters*, vol. 27, No. 2, Jan. 15, 2002.
- Siavash et al., "Self-Referenced Doppler Optical Coherence Tomography" *Optics Letters*, vol. 27, No. 23, Dec. 1, 2002.
- International Search Report and Written Opinion dated Dec. 20, 2004 for PCT/US04/10152.
- Notification Concerning Transmittal of International Preliminary Report on Patentability dated Oct. 13, 2005 for PCT/US04/10152.
- International Search Report and Written Opinion dated Mar. 23, 2006 for PCT/US2005/042408.
- International Preliminary Report on Patentability dated Jun. 7, 2007 for PCT/US2005/042408.
- International Search Report and Written Opinion dated Feb. 28, 2007 for International Application No. PCT/US2006/038277.
- International Search Report and Written Opinion dated Jan. 30, 2009 for International Application No. PCT/US2008/081834.

(56)

References Cited

OTHER PUBLICATIONS

Fox, J.A. et al; "A New Galvanometric Scanner for Rapid tuning of CO₂ Lasers" New York, IEEE, US vol. Apr. 7, 1991.

Motaghian Nezam, S.M. et al: "High-speed Wavelength-Swept Semiconductor laser using a Diffraction Grating and a Polygon Scanner in Littro Configuration" *Optical Fiber Communication and the National Fiber Optic Engineers Conference* Mar. 29, 2007.

International Search Report and Written Opinion dated Feb. 2, 2009 for International Application No. PCT/US2008/071786.

Bilenca A et al: "The Role of Amplitude and phase in Fluorescence Coherence Imaging: From Wide Filed to Nanometer Depth Profiling", *Optics IEEE*, May 5, 2007.

Inoue, Yusuke et al: "Variable Phase-Contrast Fluorescence Spectrometry for Fluorescently Strained Cells", *Applied Physics Letters*, Sep. 18, 2006.

Bernet, S et al: "Quantitative Imaging of Complex Samples by Spiral Phase Contrast Microscopy", *Optics Express*, May 9, 2006.

International Search Report and Written Opinion dated Jan. 15, 2009 for International Application No. PCT/US2008/074863.

Office Action dated Feb. 17, 2009 for U.S. Appl. No. 11/211,483.

Notice of Reasons for Rejection dated Dec. 2, 2008 for Japanese patent application No. 2000-533782.

International Search Report and Written Opinion dated Feb. 24, 2009 for PCT/US2008/076447.

European Official Action dated Dec. 2, 2008 for EP 07718117.0.

Barfuss et al (1989) "Modified Optical Frequency Domain Reflectometry with High spatial Resolution for Components of integrated optic Systems", *Journal of Lightwave Technology*, IEEE vol. 7., No. 1.

Yun et al., (2004) "Removing the Depth-Degeneracy in Optical Frequency Domain Imaging with Frequency Shifting", *Optics Express*, vol. 12, No. 20.

International Search Report and Written Opinion dated Jun. 10, 2009 for PCT/US08/075456.

European Search Report dated May 5, 2009 for European Application No. 01991471.2.

Motz, J.T. et al: "Spectral- and Frequency-Encoded Fluorescence Imaging" *Optics Letters*, OSA, Optical Society of America, Washington, DC, US, vol. 30, No. 20, Oct. 15, 2005, pp. 2760-2762.

Japanese Notice of Reasons for Rejection dated Jul. 14, 2009 for Japanese Patent application No. 2006-503161.

Office Action dated Aug. 18, 2009 for U.S. Appl. No. 12/277,178.

Office Action dated Aug. 13, 2009 for U.S. Appl. No. 10/136,813.

Office Action dated Aug. 6, 2009 for U.S. Appl. No. 11/624,455.

Office Action dated May 15, 2009 for U.S. Appl. No. 11/537,123.

Office Action dated Apr. 17, 2009 for U.S. Appl. No. 11/537,343.

Office Action dated Apr. 15, 2009 for U.S. Appl. No. 12/205,775.

Office Action dated Dec. 9, 2008 for U.S. Appl. No. 09/709,162.

Office Action dated Dec. 23, 2008 for U.S. Appl. No. 11/780,261.

Office Action dated Jan. 9, 2010 for U.S. Appl. No. 11/624,455.

Office Action dated Feb. 18, 2009 for U.S. Appl. No. 11/285,301.

Beddow et al, (May 2002) "Improved Performance Interferometer Designs for Optical Coherence Tomography", *IEEE Optical Fiber Sensors Conference*, pp. 527-530.

Yaqoob et al., (Jun. 2002) "High-Speed Wavelength-Multiplexed Fiber-Optic Sensors for Biomedicine," *Sensors Proceedings of the IEEE*, pp. 325-330.

Office Action dated Feb. 18, 2009 for U.S. Appl. No. 11/697,012.

Zhang et al, (Sep. 2004), "Fourier Domain Functional Optical Coherence Tomography", *Saratov Fall Meeting 2004*, pp. 8-14.

Office Action dated Feb. 23, 2009 for U.S. Appl. No. 11/956,129.

Office Action dated Mar. 16, 2009 for U.S. Appl. No. 11/621,694.

Office Action dated Oct. 1, 2009 for U.S. Appl. No. 11/677,278.

Office Action dated Oct. 6, 2009 for U.S. Appl. No. 12/015,642.

Lin, Stollen et al., (1977) "A CW Tunable Near-infrared (1.085-1.175-um) Raman Oscillator," *Optics Letters*, vol. 1, 96.

Summons to attend Oral Proceedings dated Oct. 9, 2009 for European patent application No. 06813365.1.

Office Action dated Dec. 15, 2009 for U.S. Appl. No. 11/549,397.

* cited by examiner




FIG. 1A




FIG. 1b





FIG. 2

FIG. 3a






FIG. 3b




FIG. 4b

FIG. 4a

1

METHODS AND SYSTEM FOR CHARACTERIZING AN OBJECT

CROSS-REFERENCE TO RELATED APPLICATION(S)

This application relates to and claims the benefit and priority from International Patent Application No. PCT/US2014/029235 filed on Mar. 14, 2014, which claims the benefit and priority from U.S. Provisional Application Ser. No. 61/791,713 filed on Mar. 15, 2013, the entire disclosures of which are incorporated herein by reference.

FIELD OF THE DISCLOSURE

Exemplary embodiments of the present disclosure relate generally to methods and systems for accurately characterizing an object (e.g., a deep object within a tissue), and in particular, to exemplary methods and systems for providing, e.g., a low-risk hemodynamic monitoring in critical care.

BACKGROUND INFORMATION

Hemodynamic monitoring plays an important role in managing critically ill patients in emergency departments, surgical rooms and intensive care units. Adequate blood oxygen supply to tissue is essential to sustain human life. A lasting deficiency of tissue oxygen could lead to the failure of vital organs, and is ultimately responsible for most deaths from a variety of diseases, such as trauma, burn, heart attack and sepsis. Mixed venous oxygen saturation (SvO_2) is a primary target of hemodynamic monitoring. SvO_2 , the oxygen saturation measured from the mixed venous blood in a pulmonary artery, reflects the dynamic balance between the body's global oxygen supply and demand. Normally, SvO_2 is closely maintained between 60–80%. In patients, there are various challenges to the balance of oxygen metabolism. For example, the oxygen demand will increase in case of fever, shivering and seizure, while the oxygen supply could decrease when bleeding. When challenged, stable patients can restore the oxygen equilibrium by increasing the cardiac output, and do not require hemodynamic intervention. But, in high-risk patients, especially those with poor cardiopulmonary reserve, the compensatory increase in cardiac output is limited. As a result, bodies' last defense is called upon by extracting more oxygen from blood, that is when SvO_2 starts to decrease. Immediate intervention is indicated, if a >10% deviation of SvO_2 from baseline is seen to last beyond 3 minutes.

In current practice, SvO_2 can be measured with an indwelling pulmonary artery catheter (PAC), introduced invasively from a peripheral vein. However, the use of PAC was found to be associated with 10% incidence of complications, including hematoma, vessel puncture and cardiac arrest. As a result, the use of PAC has decreased by about 65% between 1993–2004. Modern echocardiography provides a clear view of the cardiac motion and a quantitative evaluation of the cardiac output. But it provides no information about the blood oxygen content.

Therefore, there is a need to address at least some of such deficiencies and/or issues, and, e.g., to provide a safe device for monitoring SvO_2 .

SUMMARY OF EXEMPLARY EMBODIMENTS

To that end, it may be beneficial to provide exemplary methods and systems for accurately characterizing an object

2

(e.g., a deep object within a tissue), and/or, e.g., facilitating a low-risk hemodynamic monitoring in critical care.

According to an exemplary embodiment of the present disclosure, method and system can be provided for accurately characterizing a deep target object located behind or inside a medium, which include identifying a reference object, which is located behind and inside said medium, illuminating both the target object and the reference object through a surface of the medium with an electromagnetic wave, measuring acoustic signals emitted from the illuminated tissue volume, obtaining a calibration dataset from the acoustic signal measured from the reference object based on at least one known property of the reference object, and determining at least one property of the target object using the calibration data and the acoustic signal from the target object.

According to another embodiment, the present disclosure provides a system for monitoring a mixed venous oxygen saturation from a pulmonary artery, having a source generating light with time-varying intensity, a light guide that guides said to illuminate a pulmonary artery and an aorta through a wall of an esophagus, at least one acoustic transducer that detects acoustic signals generated from the illuminated tissue volume, and a processing unit, which (i) obtains a calibration data from the acoustic signal measured from the aorta, based on at least one property of the aorta; and (ii) determines at least one property of the pulmonary artery using the calibration data and the acoustic signal from the pulmonary artery.

According to yet another exemplary embodiment of the present disclosure, exemplary system, method and computer accessible medium are provided for determining at least one characteristic of a target object located behind or within a medium. For example, it is possible to identify a reference object that is located behind or within the medium. The target object and the reference object can be irradiated via a surface of the medium using at least one electromagnetic wave. At least one acoustic signal provided from an irradiated tissue volume that is responsive to the electromagnetic wave(s) can be measured. Calibration information can be obtained from the acoustic signal measured from the reference object based on at least one known property of the reference object. Then, the characteristic(s) of the target object can be determined based on the calibration information and the acoustic signal from the target object.

In another exemplary embodiment of the present disclosure, a system for determining at least one characteristic of at least one anatomical structure can be provided. For example, a first arrangement can be provided that is configured to forward at least one electromagnetic radiation having a time-varying intensity to the anatomical structure and a further anatomical structure. A second arrangement can be provided which is configured to detect at least one acoustic signal provided from each of the structures in response to the electromagnetic radiation(s) impacting the structures. A processing hardware third arrangement can be provided that is configured to (i) obtain calibration data from the acoustic signal from the further tissue structure, based on at least one property of thereof; and (ii) determine the characteristic(s) of the anatomical structure using the calibration data and the acoustic signal from the at least one anatomical structure.

The characteristic(s) can include a mixed venous oxygen saturation. The second arrangement can comprise at least one acoustic transducer. The anatomical structure(s) can include a pulmonary artery, and the further anatomical structure can include an aorta. A light guide can be provided

which is configured to forward the radiation(s) to the pulmonary artery and the aorta through a wall of an esophagus. The acoustic signal can be obtained from the aorta. The characteristic(s) of the pulmonary artery can be a mixed venous oxygen saturation. The property of the aorta can be an arterial blood oxygen saturation. An oximetric apparatus can be provided for measuring the arterial oxygen saturation, which can include a pulse oximeter. At least a part of the acoustic transducer can be provided and structured to be inside an esophagus. The acoustic transducer can be configured to acquire sonographic images.

These and other objects, features and advantages of the exemplary embodiments of the present disclosure will become apparent upon reading the following detailed description of the exemplary embodiments of the present disclosure, when taken in conjunction with the appended claims.

BRIEF DESCRIPTION OF THE DRAWINGS

Further objects, features and advantages of the present disclosure will become apparent from the following detailed description taken in conjunction with the accompanying figures showing illustrative embodiments of the present disclosure, in which:

FIG. 1a is a diagram illustrating a procedure/method for characterizing a deep tissue according to an exemplary embodiment of the present disclosure;

FIG. 1b is a flow diagram illustrating the steps taken by the exemplary procedure/method shown in FIG. 1a;

FIG. 2 is a diagram of a transesophageal photoacoustic endoscopic system for monitoring a mixed venous oxygen saturation, according to an exemplary embodiment of the present disclosure;

FIG. 3a is an exemplary graph illustrating an exemplary relation between a blood oxygen saturation and acoustic waves measured by an transesophageal endoscopic system according to the exemplary embodiment of the present disclosure;

FIG. 3b is a flow diagram of an exemplary method for accurately monitoring a mixed venous oxygen saturation using a transesophageal endoscopic system according to an exemplary embodiment of the present disclosure;

FIG. 4a is a Bland-Altman graph providing a comparison of SvO₂ measured by a transesophageal endoscopic system according to an exemplary embodiment of the present disclosure without a calibration using SaO₂, with SvO₂ measured from venous blood samples by a CO-oximeter; and

FIG. 4b is a Bland-Altman graph providing a comparison of SvO₂ measured by the transesophageal endoscopic system according to the exemplary embodiment of the present disclosure with calibration using SaO₂, with SvO₂ measured from venous blood samples by a CO-oximeter.

Throughout the drawings, the same reference numerals and characters, if any and unless otherwise stated, are used to denote like features, elements, components, or portions of the illustrated embodiments. Moreover, while the subject disclosure will now be described in detail with reference to the drawings, it is done so in connection with the illustrative embodiments. It is intended that changes and modifications can be made to the described exemplary embodiments without departing from the true scope and spirit of the subject disclosure.

DETAILED DESCRIPTION OF EXEMPLARY EMBODIMENTS

FIG. 1 illustrates an exemplary method/procedure for characterizing an object of interest 102 (e.g., a deep object)

using an acoustic signal 112, 116 generated by at least one electromagnetic irradiation or with a plurality of electromagnetic radiation 110 according to one embodiment of the present disclosure. The targeted object 102 can be located behind or inside a medium 104 (e.g., a biological medium). Because at least property of the medium 104 can be unknown or varying with time in an unknown manner, the incident electromagnetic wave/radiation 110 can undergo one or more unknown modifications before reaching the target 102. As a result, it can generally be difficult to accurately characterize the target 102, e.g., without an extensive knowledge regarding the medium 104.

To address the aforementioned issue, as shown in a flow diagram of FIG. 1b, it is possible to first identify a reference object 106, which can also be located behind or inside the same medium 104—procedure 150. Such reference object 106 can be preferably located in a proximity of the target 102. For example, at least one property of the reference 106 can be known, or obtained and/or measured by another method/procedure known to those having ordinary skill in the art. In addition, it is possible to select the reference object 106 which can naturally co-exist with the target object 102 and/or may be introduced for a purpose different from characterizing the target object 102 (e.g., intervention, a different measurement, etc.)—procedure 155.

Next, it is possible to transmit an electromagnetic wave/radiation 110 to illuminate both the target object 102 and the reference object 106 through a surface of the medium 104—procedure 160. The electromagnetic wave/radiation 110 can be a light, a microwave or an X-ray. Further, the intensity of the electromagnetic wave 110 can be varied with time. After absorbing part of the electromagnetic energy, the target object 102 and the reference object 106 can emit propagating acoustic waves 112, 116, respectively, through, e.g., a thermoelastic expansion. Then, it is possible to measure both acoustic waves 112, 116 at a surface of the medium 104—procedure 165. The measured acoustic waves 112, 116 may be separated in time or space.

Further, based on at least a physical mechanism or an experiment, it is possible to establish at least one relation between at least one property of the object and at least one feature of the measured acoustic wave emitted from it—procedure 170. Further, based on an established relation, using at least one feature of the measured acoustic wave 116 from the reference 106 and its known property, a calibration dataset can be obtained to reflect the modification done by the medium 104 to the electromagnetic wave 110—procedure 175. Finally, based on an established relation, using the calibration dataset and the acoustic wave 112, it is possible to obtain at least one property (e.g. chemical composition, stiffness or temperature) about the target object 102—procedure 180.

For example, an object (102 or 106) can contain N major constituents. ϵ_i and C_i are the molar extinction coefficient and concentration of the i-th constituent, respectively. Physics laws indicates that the peak-to-peak pressure of the emitted acoustic wave (112 or 116) P can be related to a chemical composition of the object (e.g., object 102 or object 106), e.g., $\{C_1 \dots C_N\}$, by a group of equations

$$\{P(\lambda_j)=kF(\lambda_j)\sum_{i=1}^N[\epsilon_i(\lambda_j)C_i(\lambda_j)]\}_{j=1,2,\dots,M} \quad (\text{Equation 1})$$

where k is a system constant, F is the fluence of the electromagnetic irradiation reaching the object (102 or 106), and λ_j is one of the M electromagnetic wavelengths used to excite an acoustic emission. Because of missing knowledge about the medium 104, the dependence of F on λ is unknown. According to one embodiment of the present

disclosure, using knowledge about the composition (i.e. $\{C_1 \dots C_N\}$) of the reference object **106** and the corresponding measured acoustic wave **116**, $kF(\lambda_j)_{j=1, \dots, M}$ can be calculated based on Equation 1. Finally, based on Equation 1, using $kF(\lambda_j)_{j=1, \dots, M}$ and the measured acoustic wave **112**, it is possible to obtain the chemical composition (i.e. $\{C_1 \dots C_N\}$) of the target object **102**.

FIG. 2 illustrates a transesophageal endoscopic system according to another exemplary embodiment of the present disclosure. The exemplary system can be used to safely monitor mixed venous oxygen saturation (SvO₂) from a mixed venous blood in a pulmonary artery **202** through a wall of an esophagus **204** using an arterial blood in an aorta **206** as a reference. The exemplary system can comprise a light source **222** (or an optical source, or another source of electromagnetic radiation), a transesophageal probe **224**, an acoustic pulser/receiver **226**, a processor **228** and a graphic user interface **230**. The source **222** can generate a light or another electromagnetic radiation with a time-varying intensity. The radiation and/or light can have a wavelength 600 and 1200 nm. For example, the source **222** can be a pulsed laser, such as a Q-switched Nd:YAG laser, a fiber laser, a dye laser, a Ti-sapphire laser, an optical parametric oscillator (OPO) laser, or a pulsed diode laser. The pulse duration can be on the order of nanoseconds. The source **222** can also be an intensity-modulated continuous-wave light source, such as, e.g., a laser diode, a LED or a solid-state laser. It is possible that measurements be made with light/radiation at a plurality of wavelengths to estimate a blood oxygen saturation. The source **222** can be tuned to generate a plurality of light and/or other radiation with different wavelength. In addition, the exemplary source **222** can be or include a combination of a plurality of optical sources that operate at distinct wavelengths.

The transesophageal probe **224** can further comprise a light guide **232** and an acoustic transducer **234**. The light guide **232** can be configured to collect the light and/or other radiation from the source **222**, e.g., at a proximal end and emit light **210** (and/or other radiation) to illuminate the tissue at a distal end. Examples of the light guide **232** can include, but are not limited to a glass fiber bundle, a silica fiber bundle, a photonic crystal fiber, or an articulated arm with mirrors or prisms. Examples of the acoustic transducer **234** can include, but are not limited to a microphone, a hydrophone, a piezoelectric transducer, a polyvinylidene fluoride film transducer, a capacitor micro-machined transducer, an optical acoustic sensor based on an optical set-up or configuration (e.g., an interferometry, a resonator, etc.). The acoustic transducer **234** can also be and/or include a combination of a plurality of the described acoustic detectors, such as, e.g., a phased array acoustic probe. The central wavelength of the acoustic detector can be in the range of about 0.5~10 MHz.

The distal end of the light guide **232** and the acoustic transducer **234** can be assembled into a capsule **236**. The capsule **236** is preferred to have a diameter smaller than 2 cm, thus can be introduced into the esophagus **204** through a mouth or a nose. Said capsule **236** is preferred to be able to be navigated to characterize different tissue through the esophageal wall by advancing, rotating or flexing the probe **224**. Also, the acoustic transducer **234** is preferred to be able to be rotated inside the pill to look at tissue in a view plane of interest. For monitoring SvO₂, as shown in FIG. 2, it is possible to place the **236** at a height between an arch of the aorta **206** and the pulmonary artery **202**, rotate the capsule **236** to ensure acoustic transducer **234** facing both vessels, then rotate the acoustic transducer **234** to look at both

vessels in a sagittal plane. The aforementioned deployment of the capsule **236** is termed as the modified upper-esophagus aortic arch short-axis view.

Following the illumination by light **210** or other radiation, the acoustic waves **212** and **216** generated respectively from the pulmonary artery **202** and the aorta **206** can be detected by the acoustic transducer **234**, amplified and digitized by the pulser/receiver **226**, analyzed by the processor **228** to calculate SvO₂, and display the results on the graphic interface **230**. The pulser/receiver **226** can also be configured to energize the acoustic transducer **234** to emit an acoustic wave (not shown). By detecting the reflected acoustic waves (not shown) from the tissue, real-time sonographic images **238** showing tissue anatomy can be obtained to guide and/or deploy the capsule **236**, e.g., at a desired view location. Under many physiological conditions, arterial blood can remain completely oxygenated, e.g., the blood oxygenation in aorta, SaO₂, can be close to 100%. The exemplary transesophageal endoscopic system could further include an oximeter (not shown) to measure SaO₂ in real time. Examples of the oximeter include, but are not limited to a pulse oximeter, a CO-oximeter or an oximetric peripheral arterial catheter.

For example, relations can be established to link a property of the pulmonary artery **202** (e.g. SvO₂) to at least one feature of the measured acoustic waves **212** and **216**. Examples of such exemplary feature can include, but is not limited to, a peak-to-peak pressure, a slope, a peak amplitude or a spectrum of the acoustic wave, a ratio between peak-to-peak pressure of the acoustic wave measured at a different pair of wavelengths, a function of peak-to-peak pressure of the acoustic wave measured at more than two wavelengths. FIG. 3a illustrates a plot providing an exemplary relation between a blood oxygen saturation and acoustic waves measured by the transesophageal endoscopic system according to an exemplary embodiment of the present disclosure. Using the exemplary system shown in FIG. 2, acoustic waves can be generated from a group of blood samples with known oxygen saturation (SO₂) with light at two wavelengths (830 nm and 760 nm). Notations P(830) and P(760) denote the peak-to-peak pressure of the acoustic waves measured from a blood sample using, e.g., approximately 830-nm and 760-nm light, respectively. Notations F(830) and F(760) represent the optical fluence at a surface of a blood sample at, e.g., about 830 nm and 760 nm, respectively. And Pr=P(830)/P(760) and Fr=F(830)/F(760). From experiments, it was found that the SO₂ and Pr/Fr can be fitted by a polynomial curve M(SO₂, Pr/Fr) shown as a solid curve in FIG. 3a.

FIG. 3b is a flow diagram representing an exemplary method for accurately monitoring a mixed venous oxygen saturation using a transesophageal endoscopic system according to an exemplary embodiment of the present disclosure. At procedure **350**, a physician use real-time sonographic images **238** as a guidance, introduce the capsule **236** into a patient through his/her mouth or nose, and place it in the modified upper-esophagus aortic arch short-axis view. Then, at procedure **352**, the exemplary system can activate and/or control the source **222** at least once at about 830 nm, measure the peak-to-peak pressure of the acoustic wave **212**-P_{pa}(830) from the pulmonary artery and the acoustic wave **216**-P_{ao}(830) from the aorta. Further, at procedure **354**, the exemplary system can activate/control the source **222** at least once at, e.g., about 760 nm, measure P_{pa}(760) from the pulmonary artery and P_{ao}(760) from the aorta. Procedures **354** and **356** can be reversed, and/or performed at a different optical wavelength. Next, at procedure

cedure 356, the exemplary system can calculate $Pr_{pa} = P_{pa}(830)/P_{pa}(760)$ and $Pr_{ao} = P_{ao}(830)/P_{ao}(760)$. Further, at procedure 358, the exemplary system can either assume a typical value for the aortic oxygen saturation SaO_2 (e.g. 100%) or measure such exemplary value with a pulse oximeter from a finger or toe, an earlobe or a piece of esophageal wall. Based on $M(SO_2, Pr/Fr)$ shown in FIG. 3a, using Pr_{ao} and SaO_2 , the exemplary system can calculate the calibration dataset Fr . Finally, at procedure 360, based on $M(SO_2, Pr/Fr)$ shown in FIG. 3a, using Pr_{pa} and Fr , the exemplary system can calculate and display SvO_2 . The procedures 358 and 360 can be simplified into the follow equation:

$$SvO_2 = M \left\{ \frac{Pr_{pa}}{Pr_{ao}} M^{-1} \{ SaO_2 \} \right\}$$

FIGS. 4a and 4b shows exemplary graphs which illustrate a comparison of the bias and precision in SvO_2 measurements made by a transesophageal endoscopic system with and without a calibration step using SaO_2 (see procedure 358 of FIG. 3b). Both measurements can be analyzed using a standard Bland-Altman method against the actual SvO_2 measured from venous blood samples by a gold-standard CO-oximeter. The use of the calibration step utilizing SaO_2 (see procedure 358 of FIG. 3b) according to an exemplary embodiment of the present disclosure can significantly reduce the bias (from about 6.4% to about 0.4%), and also can improve precision (from about 3.3% to about 2.4%) in measurement of SvO_2 .

The foregoing merely illustrates the principles of the disclosure. Various modifications and alterations to the described embodiments will be apparent to those skilled in the art in view of the teachings herein. The arrangements, systems and methods according to the exemplary embodiments of the present disclosure can be used measure a venous blood oxygen saturation from any vein (e.g. a jugular vein) by using a nearby artery (e.g. a carotid artery) as a reference. Indeed, the arrangements, systems and methods according to the exemplary embodiments of the present disclosure can be used with and/or implement any OCT system, OFDI system, SD-OCT system or other imaging systems, and for example with those described in International Patent Application PCT/US2004/029148, filed Sep. 8, 2004 which published as International Patent Publication No. WO 2005/047813 on May 26, 2005, U.S. patent application Ser. No. 11/266,779, filed Nov. 2, 2005 which published as U.S. Patent Publication No. 2006/0093276 on May 4, 2006, and U.S. patent application Ser. No. 10/501,276, filed Jul. 9, 2004 which published as U.S. Patent Publication No. 2005/0018201 on Jan. 27, 2005, and U.S. Patent Publication No. 2002/0122246, published on May 9, 2002, the disclosures of which are incorporated by reference herein in their entireties. It will thus be appreciated that those skilled in the art will be able to devise numerous systems, arrangements and methods which, although not explicitly shown or described herein, embody the principles of the disclosure and are thus within the spirit and scope of the present disclosure. It should be understood that the exemplary procedures described herein can be stored on any computer accessible medium, including a hard drive, RAM, removable disks, CD-ROM, memory sticks, etc., and executed by a processing arrangement and/or computing arrangement which can be and/or include a hardware processors, micro-processor, mini, macro, mainframe, etc., including a plural-

ity and/or combination thereof. In addition, certain terms used in the present disclosure, including the specification, drawings and claims thereof, can be used synonymously in certain instances, including, but not limited to, e.g., data and information. It should be understood that, while these words, and/or other words that can be synonymous to one another, can be used synonymously herein, that there can be instances when such words can be intended to not be used synonymously. Further, to the extent that the prior art knowledge has not been explicitly incorporated by reference herein above, it can be explicitly incorporated herein in its entirety. All publications referenced herein can be incorporated herein by reference in their entireties.

What is claimed is:

1. A system for determining at least one characteristic of at least one anatomical structure, comprising:

a first arrangement configured to forward at least one electromagnetic radiation having a time-varying intensity to the at least one anatomical structure and a further anatomical structure;

a detector second arrangement configured to detect at least one acoustic signal provided from each of the at least one anatomical structure and the further anatomical structure in response to the at least one electromagnetic radiation impacting the structures; and

a processing hardware third arrangement configured to (i) obtain calibration data from the acoustic signal from the further anatomical structure, based on at least one property of thereof; and (ii) determine the at least one characteristic of the at least one anatomical structure using the calibration data and the acoustic signal from the at least one anatomical structure;

wherein the at least one anatomical structure includes at least one of a pulmonary artery or a vein, and the further anatomical structure includes at least one of an aorta or an artery.

2. The system according to claim 1, wherein the at least one characteristic includes a blood oxygen saturation.

3. The system according to claim 2, further comprising an oximetric apparatus configured to measure the arterial oxygen saturation.

4. The system according to claim 3, wherein the oximetric apparatus is a pulse oximeter.

5. The system according to claim 1, wherein the second arrangement comprises at least one acoustic transducer.

6. The system according to claim 5, wherein at least a part of the acoustic transducer at least one of (i) is provided and structured to be inside an esophagus, or (ii) configured to acquire sonographic images.

7. The system according to claim 1, further comprising a light guide which is configured to forward the at least one radiation to the pulmonary artery and the aorta through a wall of an esophagus.

8. The system according to claim 1, wherein the acoustic signal is obtained from the aorta.

9. The system according to claim 1, wherein the at least one characteristic of the pulmonary artery is a mixed venous oxygen saturation.

10. The system according to claim 1, wherein the at least one property of the aorta is an arterial blood oxygen saturation.

11. A non-transitory computer-accessible medium which includes computer executable instructions for determining at least one characteristic of a target object located behind or within a medium, wherein, when a hardware processing

9

arrangement executes the instructions, the processing arrangement is configured to execute procedures comprising:

identifying a reference object that is located behind or within the medium;
causing an irradiation on the target object and the reference object via a surface of the medium using at least one electromagnetic wave;
measuring at least one acoustic signal provided from an irradiated tissue volume that is responsive to the at least one electromagnetic wave;
obtaining a calibration information from the acoustic signal measured from the reference object on at least one known property of the reference object; and
determining the at least one characteristic of the target object based on the calibration information and the acoustic signal from the target object;
wherein the target object includes at least one of a pulmonary artery or a vein, and the reference object includes at least one of an aorta or an artery.

12. The computer-accessible medium according to claim 11, wherein the at least one characteristic includes a blood oxygen saturation.

13. The computer-accessible medium according to claim 11, wherein the processing arrangement is configured to cause the at least one radiation to the pulmonary artery and the aorta using a light guide to be provided through a wall of an esophagus.

14. The computer-accessible medium according to claim 11, wherein the acoustic signal is obtained from the aorta.

15. The computer-accessible medium according to claim 11, wherein the at least one characteristic of the pulmonary artery is a mixed venous oxygen saturation.

10

16. The computer-accessible medium according to claim 11, wherein the at least one property of the aorta is an arterial blood oxygen saturation.

17. The computer-accessible medium according to claim 11, wherein the at least one acoustic signal is measured using an acoustic transducer and at least a part of the acoustic transducer at least one of (i) is provided and structured to be inside an esophagus, or (ii) configured to acquire sonographic images.

18. A method for determining at least one characteristic of a target object located behind or within a medium, comprising:

identifying a reference object that is located behind or within the medium;

irradiating the target object and the reference object via a surface of the medium using at least one electromagnetic wave;

measuring acoustic signals provided from an irradiated tissue volume of the target and reference objects responsive to the at least one electromagnetic wave;

obtaining a calibration information from at least one of the acoustic signals measured from the reference object based on at least one known property of the reference object; and

determining the at least one characteristic of the target object based on the calibration information and the acoustic signal from the target object;

wherein the target object includes at least one of a pulmonary artery or a vein, and the reference object includes at least one of an aorta or an artery.

* * * * *

专利名称(译)	表征物体的方法和系统		
公开(公告)号	US10478072	公开(公告)日	2019-11-19
申请号	US14/777135	申请日	2014-03-14
[标]申请(专利权)人(译)	通用医疗公司		
申请(专利权)人(译)	总医院CORPORATION		
当前申请(专利权)人(译)	总医院CORPORATION		
[标]发明人	TEARNEY GUILLERMO J LI LI SUBRAMANIAM BALACHUNDHAR		
发明人	TEARNEY, GUILLERMO J. LI, LI SUBRAMANIAM, BALACHUNDHAR		
IPC分类号	A61B5/1455 A61B5/1459 A61B5/1495 A61B5/00 A61B1/06		
CPC分类号	A61B5/1459 A61B5/14552 A61B5/687 A61B5/1495 A61B5/0095 A61B5/0035 A61B5/6861 A61B1/06 A61B2505/05 A61B2560/0223 A61B2560/063		
代理机构(译)	夸尔斯和BRADY LLP		
优先权	61/791713 2013-03-15 US		
其他公开文献	US20160029894A1		
外部链接	Espacenet		

摘要(译)

提供了示例性系统，方法和计算机可访问介质，用于确定位于介质后面或内部的目标对象的至少一个特征。例如，可以识别位于介质后面或内部的参考对象。可以使用至少一种电磁波经由介质的表面照射目标物体和参考物体。可以测量从辐射的组织体积提供的响应于电磁波的至少一个声学信号。可以基于参考物体的至少一种已知特性，从从参考物体测量的声学信号获得校准信息。然后，可以基于校准信息和来自目标物体的声信号来确定目标物体的特性。

