



US009308043B2

(12) **United States Patent**
Zarins et al.

(10) **Patent No.:** **US 9,308,043 B2**
(45) **Date of Patent:** ***Apr. 12, 2016**

(54) **METHODS FOR MONOPOLAR RENAL NEUROMODULATION**

(71) Applicant: **Medtronic Ardian Luxembourg S.a.r.l.**, Luxembourg (LU)

(72) Inventors: **Denise Zarins**, Los Gatos, CA (US); **Hanson Gifford, III**, Woodside, CA (US); **Mark Deem**, Mountain View, CA (US); **Howard R. Levin**, Teaneck, NJ (US); **Mark Gelfand**, New York, NY (US); **Nicolas Zadno**, Fremont, CA (US)

(73) Assignee: **Medtronic Ardian Luxembourg S.a.r.l.**, Luxembourg (LU)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **14/548,810**

(22) Filed: **Nov. 20, 2014**

(65) **Prior Publication Data**

US 2015/0080884 A1 Mar. 19, 2015

Related U.S. Application Data

(60) Continuation of application No. 13/958,450, filed on Aug. 2, 2013, now abandoned, which is a continuation of application No. 13/371,285, filed on Feb. 10, 2012, now abandoned, which is a division of application No.

(Continued)

(51) **Int. Cl.**
A61B 18/14 (2006.01)
A61B 5/00 (2006.01)

(Continued)

(52) **U.S. Cl.**

CPC **A61B 18/1492** (2013.01); **A61B 5/4848** (2013.01); **A61B 5/0536** (2013.01);
(Continued)

(58) **Field of Classification Search**

CPC A61B 18/1492; A61B 2018/00577; A61B 2018/00434; A61B 2018/00267; A61B 2018/0022; A61B 2018/00642; A61B 5/0536; A61B 2018/00613; A61B 5/201; A61B 5/4848; A61N 1/3606

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,130,758 A 9/1938 Rose
2,276,995 A 3/1942 Milinowski

(Continued)

FOREIGN PATENT DOCUMENTS

DE 3151180 8/1982
EP 0811395 12/1997

(Continued)

OTHER PUBLICATIONS


U.S. Appl. No. 95/002,110, filed Aug. 29, 2012, Demarais et al.
(Continued)

Primary Examiner — Mark W Bockelman

(57) **ABSTRACT**

Methods and apparatus are provided for monopolar neuromodulation, e.g., via a pulsed electric field. Such monopolar neuromodulation may effectuate irreversible electroporation or electrofusion, necrosis and/or inducement of apoptosis, alteration of gene expression, action potential attenuation or blockade, changes in cytokine up-regulation and other conditions in target neural fibers. In some embodiments, monopolar neuromodulation is applied to neural fibers that contribute to renal function. In some embodiments, such monopolar neuromodulation is performed bilaterally.

22 Claims, 8 Drawing Sheets



Related U.S. Application Data

- 11/403,329, filed on Apr. 13, 2006, now Pat. No. 8,131,371, which is a continuation-in-part of application No. 11/129,765, filed on May 13, 2005, now Pat. No. 7,653,438, and a continuation-in-part of application No. 10/408,665, filed on Apr. 8, 2003, now Pat. No. 7,162,303, and a continuation-in-part of application No. 11/189,563, filed on Jul. 25, 2005, now Pat. No. 8,145,316, and a continuation-in-part of application No. 11/266,993, filed on Nov. 4, 2005, now Pat. No. 7,756,583, and a continuation-in-part of application No. 11/363,867, filed on Feb. 27, 2006, now Pat. No. 7,620,451.
- (60) Provisional application No. 60/442,970, filed on Jan. 29, 2003, provisional application No. 60/415,575, filed on Oct. 3, 2002, provisional application No. 60/370,190, filed on Apr. 8, 2002, provisional application No. 60/813,589, filed on Dec. 29, 2005, provisional application No. 60/616,254, filed on Oct. 5, 2004, provisional application No. 60/624,793, filed on Nov. 2, 2004.
- (51) **Int. Cl.**
A61B 18/00 (2006.01)
A61B 5/053 (2006.01)
A61N 1/36 (2006.01)
A61B 5/20 (2006.01)
- (52) **U.S. Cl.**
 CPC *A61B 5/201* (2013.01); *A61B 2018/0022* (2013.01); *A61B 2018/00267* (2013.01); *A61B 2018/00434* (2013.01); *A61B 2018/00577* (2013.01); *A61B 2018/00613* (2013.01); *A61B 2018/00642* (2013.01); *A61N 1/3606* (2013.01)

(56) References Cited

U.S. PATENT DOCUMENTS

2,276,996 A	3/1942	Milinowski	4,405,305 A	9/1983	Stephen et al.
3,043,310 A	7/1962	Milinowski	4,454,883 A	6/1984	Fellus et al.
3,127,895 A	4/1964	Kendall et al.	4,467,808 A	8/1984	Brighton et al.
3,181,535 A	5/1965	Milinowski	4,487,603 A	12/1984	Harris
3,270,746 A	9/1966	Kendall et al.	4,530,840 A	7/1985	Tice et al.
3,329,149 A	7/1967	Kendall et al.	4,587,975 A	5/1986	Salo et al.
3,522,811 A	8/1970	Schwartz et al.	4,602,624 A	7/1986	Naples et al.
3,563,246 A	2/1971	Puharich et al.	4,608,985 A	9/1986	Crish et al.
3,650,277 A	3/1972	Sjostrand et al.	4,649,936 A	3/1987	Ungar et al.
3,670,737 A	6/1972	Pearo	4,671,286 A	6/1987	Renault et al.
3,760,812 A	9/1973	Timm et al.	4,674,482 A	6/1987	Waltonen et al.
3,774,620 A	11/1973	Hansjurgens et al.	4,692,147 A	9/1987	Duggan
3,794,022 A	2/1974	Nawracaj et al.	4,709,698 A	12/1987	Johnston et al.
3,800,802 A	4/1974	Berry et al.	4,715,852 A	12/1987	Reinicke et al.
3,803,463 A	4/1974	Cover	4,774,967 A	10/1988	Zanakis et al.
3,894,532 A	7/1975	Morey	4,791,931 A	12/1988	Slate
3,895,639 A	7/1975	Rodler et al.	4,816,016 A	3/1989	Schulte et al.
3,897,789 A	8/1975	Blanchard	4,852,573 A	8/1989	Kennedy
3,911,930 A	10/1975	Hagfors et al.	4,865,845 A	9/1989	Eckenhoff et al.
3,952,751 A	4/1976	Yarger	4,890,623 A	1/1990	Cook et al.
3,987,790 A	10/1976	Eckenhoff et al.	4,976,711 A	12/1990	Parins et al.
4,011,861 A	3/1977	Enger	4,979,511 A	12/1990	Terry, Jr.
4,026,300 A	5/1977	DeLuca et al.	4,981,146 A	1/1991	Bertolucci
4,055,190 A	10/1977	Tany	4,998,532 A	3/1991	Griffith
4,071,033 A	1/1978	Nawracaj et al.	5,006,119 A	4/1991	Acker et al.
4,105,017 A	8/1978	Ryaby et al.	5,014,699 A	5/1991	Pollack et al.
4,141,365 A	2/1979	Fischell et al.	5,019,034 A	5/1991	Weaver et al.
4,266,532 A	5/1981	Ryaby et al.	5,057,318 A	10/1991	Magruder et al.
4,266,533 A	5/1981	Ryaby et al.	5,058,584 A	10/1991	Bourgeois et al.
4,305,115 A	12/1981	Armitage et al.	5,059,423 A	10/1991	Magruder et al.
4,315,503 A	2/1982	Ryaby et al.	5,061,492 A	10/1991	Okada et al.
4,360,019 A	11/1982	Portner et al.	5,094,242 A	3/1992	Gleason et al.
4,379,462 A	4/1983	Borkan et al.	5,111,815 A	5/1992	Mower
			5,112,614 A	5/1992	Magruder et al.
			5,125,928 A	6/1992	Parins et al.
			5,131,409 A	7/1992	Lobarev et al.
			5,137,727 A	8/1992	Eckenhoff
			5,188,837 A	2/1993	Domb
			5,193,048 A	3/1993	Kaufman et al.
			5,193,539 A	3/1993	Schulman et al.
			5,193,540 A	3/1993	Schulman et al.
			5,199,428 A	4/1993	Obel et al.
			5,203,326 A	4/1993	Collins et al.
			5,213,098 A	5/1993	Bennett et al.
			5,215,086 A	6/1993	Terry, Jr. et al.
			5,231,988 A	8/1993	Wernicke et al.
			5,234,692 A	8/1993	Magruder et al.
			5,234,693 A	8/1993	Magruder et al.
			5,251,634 A	10/1993	Weinberg
			5,251,643 A	10/1993	Osypka et al.
			5,263,480 A	11/1993	Wernicke et al.
			5,269,303 A	12/1993	Wernicke et al.
			5,282,468 A	2/1994	Klepinski
			5,282,785 A	2/1994	Shapland et al.
			5,286,254 A	2/1994	Shapland et al.
			5,299,569 A	4/1994	Wernicke et al.
			5,300,068 A	4/1994	Rosar et al.
			5,304,120 A	4/1994	Crandell et al.
			5,304,206 A	4/1994	Baker, Jr. et al.
			5,317,155 A	5/1994	King
			5,324,255 A	6/1994	Passafaro et al.
			5,324,316 A	6/1994	Schulman et al.
			5,334,193 A	8/1994	Nardella
			5,335,657 A	8/1994	Terry, Jr. et al.
			5,338,662 A	8/1994	Sadri
			5,351,394 A	10/1994	Weinberg
			5,358,514 A	10/1994	Schulman et al.
			5,368,591 A	11/1994	Lennox et al.
			5,370,680 A	12/1994	Proctor
			5,389,069 A	2/1995	Weaver
			5,397,308 A	3/1995	Ellis et al.
			5,397,338 A	3/1995	Grey et al.
			5,400,784 A	3/1995	Durand et al.
			5,405,367 A	4/1995	Schulman et al.
			5,423,744 A	6/1995	Gencheff et al.
			5,425,364 A	6/1995	Imran
			5,429,634 A	7/1995	Narciso, Jr.
			5,433,739 A	7/1995	Sluijter et al.
			5,439,440 A	8/1995	Hofmann

(56)

References Cited

U.S. PATENT DOCUMENTS

5,454,782	A	10/1995	Perkins	5,935,075	A	8/1999	Casscells et al.
5,454,809	A	10/1995	Janssen	5,944,710	A	8/1999	Dev et al.
5,458,568	A	10/1995	Racchini et al.	5,954,719	A	9/1999	Chen et al.
5,458,626	A	10/1995	Krause	5,983,131	A	11/1999	Weaver et al.
5,458,631	A	10/1995	Xavier	5,983,141	A	11/1999	Sluijter et al.
5,470,352	A	11/1995	Rappaport	6,004,269	A	12/1999	Crowley et al.
5,472,406	A	12/1995	de la Torre et al.	6,006,134	A	12/1999	Hill et al.
5,478,303	A	12/1995	Foley-Nolan et al.	6,009,877	A	1/2000	Edwards
5,484,400	A	1/1996	Edwards et al.	6,010,613	A	1/2000	Walters et al.
5,494,822	A	2/1996	Sadri	6,024,740	A	2/2000	Lesh et al.
5,498,238	A	3/1996	Shapland et al.	6,026,326	A	2/2000	Bardy
5,499,971	A	3/1996	Shapland et al.	6,036,687	A	3/2000	Laufer et al.
5,505,700	A	4/1996	Leone et al.	6,041,252	A	3/2000	Walker et al.
5,507,724	A	4/1996	Hofmann et al.	6,051,017	A	4/2000	Loeb et al.
5,507,791	A	4/1996	Sit'ko et al.	6,058,328	A	5/2000	Levine et al.
5,531,778	A	7/1996	Maschino et al.	6,058,331	A	5/2000	King
5,540,730	A	7/1996	Terry, Jr. et al.	6,066,134	A	5/2000	Eggers et al.
5,540,734	A	7/1996	Zabara	6,073,048	A	6/2000	Kieval et al.
5,553,611	A	9/1996	Budd et al.	6,077,227	A	6/2000	Miesel et al.
5,560,360	A	10/1996	Filler et al.	6,086,527	A	7/2000	Talpade
5,569,198	A	10/1996	Racchini	6,091,995	A	7/2000	Ingle et al.
5,571,147	A	11/1996	Sluijter et al.	6,117,101	A	9/2000	Diederich et al.
5,571,150	A	11/1996	Wernicke et al.	6,122,548	A	9/2000	Starkebaum et al.
5,573,552	A	11/1996	Hansjurgens et al.	6,123,718	A	9/2000	Tu et al.
5,584,863	A	12/1996	Rauch et al.	6,135,999	A	10/2000	Fanton et al.
5,588,964	A	12/1996	Imran et al.	6,146,380	A	11/2000	Racz et al.
5,589,192	A	12/1996	Okabe et al.	6,149,620	A	11/2000	Baker et al.
5,599,345	A	2/1997	Edwards et al.	6,161,048	A	12/2000	Sluijter et al.
5,618,563	A	4/1997	Berde et al.	6,171,306	B1	1/2001	Swanson et al.
5,626,576	A	5/1997	Janssen	6,178,349	B1	1/2001	Kieval
5,626,862	A	5/1997	Brem et al.	6,190,353	B1	2/2001	Makower et al.
5,628,730	A	5/1997	Shapland et al.	6,192,889	B1	2/2001	Morrish
5,634,462	A	6/1997	Tyler et al.	6,205,361	B1	3/2001	Kuzma et al.
5,634,899	A	6/1997	Shapland et al.	6,208,894	B1	3/2001	Schulman et al.
5,672,174	A	9/1997	Gough et al.	6,214,032	B1	4/2001	Loeb et al.
5,688,266	A	11/1997	Edwards et al.	6,219,577	B1	4/2001	Brown, III et al.
5,689,877	A	11/1997	Grill, Jr. et al.	6,224,592	B1	5/2001	Eggers et al.
5,690,691	A	11/1997	Chen et al.	6,238,702	B1	5/2001	Berde et al.
5,700,282	A	12/1997	Zabara	6,241,724	B1	6/2001	Fleischman et al.
5,700,485	A	12/1997	Berde et al.	6,245,026	B1	6/2001	Campbell et al.
5,704,908	A	1/1998	Hofmann et al.	6,246,912	B1	6/2001	Sluijter et al.
5,707,400	A	1/1998	Terry, Jr. et al.	6,251,130	B1	6/2001	Dobak, III et al.
5,711,326	A	1/1998	Thies et al.	6,254,598	B1	7/2001	Edwards et al.
5,713,847	A	2/1998	Howard, III et al.	6,258,087	B1	7/2001	Edwards et al.
5,722,401	A	3/1998	Pietroski et al.	6,259,952	B1	7/2001	Sluijter et al.
5,723,001	A	3/1998	Pilla et al.	6,269,269	B1	7/2001	Ottenhoff et al.
5,725,563	A	3/1998	Klotz et al.	6,272,377	B1	8/2001	Sweeney et al.
5,728,396	A	3/1998	Peery et al.	6,272,383	B1	8/2001	Grey et al.
5,747,060	A	5/1998	Sackler et al.	6,273,886	B1	8/2001	Edwards et al.
5,755,750	A	5/1998	Petruska et al.	6,280,377	B1	8/2001	Talpade
5,756,115	A	5/1998	Moo-Young et al.	6,287,304	B1	9/2001	Eggers et al.
5,772,590	A	6/1998	Webster, Jr.	6,287,608	B1	9/2001	Levin et al.
5,792,187	A	8/1998	Adams	6,292,695	B1	9/2001	Webster, Jr. et al.
5,800,464	A	9/1998	Kieval	6,304,777	B1	10/2001	Ben-Haim et al.
5,807,306	A	9/1998	Shapland et al.	6,304,787	B1	10/2001	Kuzma et al.
5,810,802	A	9/1998	Panescu et al.	6,306,423	B1	10/2001	Donovan et al.
5,814,079	A	9/1998	Kieval	6,314,325	B1	11/2001	Fitz
5,824,087	A	10/1998	Aspden et al.	6,322,558	B1	11/2001	Taylor et al.
5,836,935	A	11/1998	Ashton et al.	6,322,559	B1	11/2001	Daulton et al.
RE35,987	E	12/1998	Harris et al.	6,326,020	B1	12/2001	Kohane et al.
5,843,069	A	12/1998	Butler et al.	6,326,177	B1	12/2001	Schoenbach et al.
5,860,974	A	1/1999	Abele	6,328,699	B1	12/2001	Eigler et al.
5,861,021	A	1/1999	Thome et al.	6,334,069	B1	12/2001	George et al.
5,865,787	A	2/1999	Shapland et al.	6,347,247	B1	2/2002	Dev et al.
5,871,449	A	2/1999	Brown	6,353,763	B1	3/2002	George et al.
5,891,181	A	4/1999	Zhu et al.	6,356,786	B1	3/2002	Rezai et al.
5,893,885	A	4/1999	Webster et al.	6,356,787	B1	3/2002	Rezai et al.
5,906,636	A	5/1999	Casscells, III et al.	6,366,808	B1	4/2002	Schroeppe et al.
5,906,817	A	5/1999	Moullier et al.	6,366,815	B1	4/2002	Haugland et al.
5,913,876	A	6/1999	Taylor et al.	6,393,324	B2	5/2002	Gruzdowich et al.
5,916,154	A	6/1999	Hobbs et al.	6,400,982	B2	6/2002	Sweeney et al.
5,916,239	A	6/1999	Geddes et al.	6,405,079	B1	6/2002	Ansarinia
5,919,187	A	7/1999	Guglielmi et al.	6,405,732	B1	6/2002	Edwards et al.
5,924,997	A	7/1999	Campbell	6,413,255	B1	7/2002	Stern
5,928,272	A	7/1999	Adkins et al.	6,415,183	B1	7/2002	Scheiner et al.
				6,415,187	B1	7/2002	Kuzma et al.
				6,438,423	B1	8/2002	Rezai et al.
				6,442,424	B1	8/2002	Ben-Haim et al.
				6,449,507	B1	9/2002	Hill et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

6,450,942	B1	9/2002	Lapanashvili et al.	7,122,019	B1	10/2006	Kesten et al.
6,461,314	B1	10/2002	Pant et al.	7,155,284	B1	12/2006	Whitehurst et al.
6,464,687	B1	10/2002	Ishikawa et al.	7,162,303	B2	1/2007	Levin et al.
6,473,644	B1	10/2002	Terry, Jr. et al.	7,191,015	B2	3/2007	Lamson et al.
6,482,619	B1	11/2002	Rubinsky et al.	7,373,204	B2	5/2008	Gelfand et al.
6,488,679	B1	12/2002	Swanson et al.	7,444,183	B2	10/2008	Knudson et al.
6,506,189	B1	1/2003	Rittman, III et al.	7,617,005	B2	11/2009	Demarais et al.
6,508,774	B1	1/2003	Acker et al.	7,620,451	B2	11/2009	Demarais et al.
6,514,226	B1	2/2003	Levin et al.	7,647,115	B2	1/2010	Levin et al.
6,516,211	B1	2/2003	Acker et al.	7,653,438	B2	1/2010	Deem et al.
6,517,811	B2	2/2003	John et al.	7,717,948	B2	5/2010	Demarais et al.
6,522,926	B1	2/2003	Kieval et al.	7,756,583	B2	7/2010	Demarais et al.
6,522,932	B1	2/2003	Kuzma et al.	8,131,371	B2	3/2012	Demarais et al.
6,524,607	B1	2/2003	Goldenheim et al.	8,145,317	B2	3/2012	Demarais et al.
6,534,081	B2	3/2003	Goldenheim et al.	8,150,519	B2	4/2012	Demarais et al.
6,536,949	B1	3/2003	Heuser	8,150,520	B2	4/2012	Demarais et al.
6,542,781	B1	4/2003	Koblish et al.	8,175,711	B2	5/2012	Demarais et al.
6,564,096	B2	5/2003	Mest	2001/0044596	A1	11/2001	Jaafar
6,571,127	B1	5/2003	Ben-Haim et al.	2002/0002329	A1	1/2002	Avitall
6,592,567	B1	7/2003	Levin et al.	2002/0026222	A1	2/2002	Schauerte et al.
6,599,256	B1	7/2003	Acker et al.	2002/0026228	A1	2/2002	Schauerte
6,600,954	B2	7/2003	Cohen et al.	2002/0032468	A1	3/2002	Hill et al.
6,600,956	B2	7/2003	Maschino et al.	2002/0038137	A1	3/2002	Stein
6,601,459	B1	8/2003	Jenni	2002/0040204	A1	4/2002	Dev et al.
6,605,084	B2	8/2003	Acker et al.	2002/0045853	A1	4/2002	Dev et al.
6,613,045	B1	9/2003	Laufer et al.	2002/0065541	A1	5/2002	Fredricks et al.
6,615,071	B1	9/2003	Casscells, III et al.	2002/0072782	A1	6/2002	Osorio et al.
6,616,624	B1	9/2003	Kieval	2002/0087208	A1	7/2002	Koblish et al.
6,620,151	B2	9/2003	Blischak et al.	2002/0107515	A1	8/2002	Edwards et al.
6,622,041	B2	9/2003	Terry, Jr. et al.	2002/0107553	A1	8/2002	Hill et al.
6,622,731	B2	9/2003	Daniel et al.	2002/0116030	A1	8/2002	Rezai
6,635,054	B2	10/2003	Fjield et al.	2002/0120304	A1	8/2002	Mest
6,654,636	B1	11/2003	Dev et al.	2002/0139379	A1	10/2002	Edwards et al.
6,666,845	B2	12/2003	Hooper et al.	2002/0165532	A1	11/2002	Hill et al.
6,669,655	B1	12/2003	Acker et al.	2002/0165586	A1	11/2002	Hill et al.
6,671,556	B2	12/2003	Osorio et al.	2002/0169413	A1	11/2002	Keren et al.
6,672,312	B2	1/2004	Acker	2002/0177846	A1	11/2002	Mulier et al.
6,676,657	B2	1/2004	Wood	2002/0183682	A1	12/2002	Darvish et al.
6,681,136	B2	1/2004	Schuler et al.	2002/0183684	A1	12/2002	Dev et al.
6,684,105	B2	1/2004	Cohen et al.	2002/0188325	A1	12/2002	Hill et al.
6,690,971	B2	2/2004	Schauerte et al.	2002/0198512	A1	12/2002	Seward
6,692,738	B2	2/2004	MacLaughlin et al.	2003/0004549	A1	1/2003	Hill et al.
6,697,670	B2	2/2004	Chomenky et al.	2003/0009145	A1	1/2003	Struijker-Boudier et al.
6,711,444	B2	3/2004	Koblish	2003/0018367	A1	1/2003	DiLorenzo
6,718,208	B2	4/2004	Hill et al.	2003/0040774	A1	2/2003	Terry et al.
6,735,471	B2	5/2004	Hill et al.	2003/0045909	A1	3/2003	Gross et al.
6,738,663	B2	5/2004	Schroepel et al.	2003/0050635	A1	3/2003	Truckai et al.
6,749,598	B1	6/2004	Keren et al.	2003/0050681	A1	3/2003	Pianca et al.
6,752,805	B2	6/2004	Maguire et al.	2003/0060848	A1	3/2003	Kieval et al.
6,786,904	B2	9/2004	Doscher et al.	2003/0060857	A1	3/2003	Perrson et al.
6,795,728	B2	9/2004	Chormenky et al.	2003/0060858	A1	3/2003	Kieval et al.
6,845,267	B2	1/2005	Harrison et al.	2003/0074039	A1	4/2003	Puskas
6,850,801	B2	2/2005	Kieval et al.	2003/0100924	A1	5/2003	Foreman et al.
6,862,479	B1	3/2005	Whitehurst et al.	2003/0120270	A1	6/2003	Acker
6,865,416	B2	3/2005	Dev et al.	2003/0125790	A1	7/2003	Fastovsky et al.
6,869,431	B2	3/2005	Maguire et al.	2003/0150464	A1	8/2003	Casscells
6,885,888	B2	4/2005	Rezai	2003/0158584	A1	8/2003	Cates et al.
6,916,656	B2	7/2005	Walters et al.	2003/0181897	A1	9/2003	Thomas et al.
6,927,049	B2	8/2005	Rubinsky et al.	2003/0181963	A1	9/2003	Pellegrino et al.
6,936,047	B2	8/2005	Nasab et al.	2003/0195507	A1	10/2003	Stewart et al.
6,939,345	B2	9/2005	KenKnight et al.	2003/0199747	A1	10/2003	Michlitsch et al.
6,939,346	B2	9/2005	Kannenberget al.	2003/0199767	A1	10/2003	Cespedes et al.
6,958,060	B2	10/2005	Mathiesen et al.	2003/0199768	A1	10/2003	Cespedes et al.
6,969,388	B2	11/2005	Goldman et al.	2003/0199806	A1	10/2003	Kieval
6,972,013	B1	12/2005	Zhang et al.	2003/0199863	A1	10/2003	Swanson et al.
6,978,174	B2	12/2005	Gelfand et al.	2003/0204161	A1	10/2003	Ferek-Petric
6,985,774	B2	1/2006	Kieval et al.	2003/0216792	A1	11/2003	Levin et al.
6,994,700	B2	2/2006	Elkins et al.	2003/0220521	A1	11/2003	Reitz et al.
6,994,706	B2	2/2006	Chormenky et al.	2003/0233099	A1	12/2003	Danaek et al.
7,004,911	B1	2/2006	Tu et al.	2003/0236443	A1	12/2003	Cespedes et al.
7,054,685	B2	5/2006	Dimmer et al.	2004/0010289	A1	1/2004	Biggs et al.
7,063,679	B2	6/2006	Maguire et al.	2004/0010303	A1	1/2004	Bolea et al.
7,081,114	B2	7/2006	Rashidi	2004/0019364	A1	1/2004	Kieval et al.
7,081,115	B2	7/2006	Taimisto	2004/0019371	A1	1/2004	Jaafar et al.
7,083,614	B2	8/2006	Fjield et al.	2004/0064090	A1	4/2004	Keren et al.
				2004/0064091	A1	4/2004	Keren et al.
				2004/0065615	A1	4/2004	Hooper et al.
				2004/0073238	A1	4/2004	Makower
				2004/0082978	A1	4/2004	Harrison et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2004/0101523 A1 5/2004 Reitz et al.
 2004/0106953 A1 6/2004 Yomtov et al.
 2004/0111080 A1 6/2004 Harper et al.
 2004/0127942 A1 7/2004 Yomtov et al.
 2004/0162590 A1 8/2004 Whitehurst et al.
 2004/0163655 A1 8/2004 Gelfand et al.
 2004/0167415 A1 8/2004 Gelfand et al.
 2004/0167509 A1 8/2004 Taimisto
 2004/0176699 A1 9/2004 Walker et al.
 2004/0176757 A1 9/2004 Sinelnikov et al.
 2004/0193228 A1 9/2004 Gerber
 2004/0215186 A1 10/2004 Cornelius et al.
 2004/0220511 A1 11/2004 Scott et al.
 2004/0243102 A1 12/2004 Berg et al.
 2004/0243206 A1 12/2004 Tadlock
 2004/0249416 A1 12/2004 Yun et al.
 2004/0254616 A1 12/2004 Rossing et al.
 2005/0010263 A1 1/2005 Schauerte
 2005/0021092 A1 1/2005 Yun et al.
 2005/0038409 A1 2/2005 Segal et al.
 2005/0049542 A1 3/2005 Sigg et al.
 2005/0065562 A1 3/2005 Rezai
 2005/0065573 A1 3/2005 Rezai
 2005/0065574 A1 3/2005 Rezai
 2005/0075681 A1 4/2005 Rezai et al.
 2005/0080409 A1 4/2005 Young et al.
 2005/0080459 A1 4/2005 Jacobson et al.
 2005/0096710 A1 5/2005 Kieval
 2005/0153885 A1 7/2005 Yun et al.
 2005/0154418 A1 7/2005 Kieval et al.
 2005/0171523 A1 8/2005 Rubinsky et al.
 2005/0171574 A1 8/2005 Rubinsky et al.
 2005/0171575 A1 8/2005 Dev et al.
 2005/0187579 A1 8/2005 Danek et al.
 2005/0197624 A1 9/2005 Goodson et al.
 2005/0209548 A1 9/2005 Dev et al.
 2005/0209642 A1 9/2005 Palti
 2005/0228460 A1 10/2005 Levin et al.
 2005/0234523 A1 10/2005 Levin et al.
 2005/0240126 A1 10/2005 Foley et al.
 2005/0240173 A1 10/2005 Palti
 2005/0240228 A1 10/2005 Palti
 2005/0240241 A1 10/2005 Yun et al.
 2005/0245882 A1 11/2005 Elkins et al.
 2005/0245892 A1 11/2005 Elkins et al.
 2005/0251212 A1 11/2005 Kieval et al.
 2005/0261672 A1 11/2005 Deem et al.
 2005/0267010 A1 12/2005 Goodson et al.
 2005/0282284 A1 12/2005 Rubinsky et al.
 2005/0288730 A1 12/2005 Deem et al.
 2006/0004417 A1 1/2006 Rossing et al.
 2006/0004430 A1 1/2006 Rossing et al.
 2006/0025821 A1 2/2006 Gelfand et al.
 2006/0030814 A1 2/2006 Valencia et al.
 2006/0036218 A1 2/2006 Goodson et al.
 2006/0041277 A1 2/2006 Deem et al.
 2006/0041283 A1 2/2006 Gelfand et al.
 2006/0067972 A1 3/2006 Kesten et al.
 2006/0069323 A1 3/2006 Elkins et al.
 2006/0074453 A1 4/2006 Kieval et al.
 2006/0079859 A1 4/2006 Elkins et al.
 2006/0085046 A1 4/2006 Rezai et al.
 2006/0085054 A1 4/2006 Zikorus et al.
 2006/0089674 A1 4/2006 Walters et al.
 2006/0095029 A1 5/2006 Young et al.
 2006/0100618 A1 5/2006 Chan et al.
 2006/0100667 A1 5/2006 Machado et al.
 2006/0106429 A1 5/2006 Libbus et al.
 2006/0111754 A1 5/2006 Rezai et al.
 2006/0116720 A1 6/2006 Knoblich
 2006/0121016 A1 6/2006 Lee
 2006/0121610 A1 6/2006 Rubinsky et al.
 2006/0135998 A1 6/2006 Libbus et al.
 2006/0136004 A1 6/2006 Cowan et al.
 2006/0149350 A1 7/2006 Patel et al.

2006/0155344 A1 7/2006 Rezai et al.
 2006/0167437 A1 7/2006 Valencia
 2006/0167498 A1 7/2006 DiLorenzo
 2006/0167499 A1 7/2006 Palti
 2006/0189941 A1 8/2006 Seward et al.
 2006/0189960 A1 8/2006 Kesten et al.
 2006/0190044 A1 8/2006 Libbus et al.
 2006/0206149 A1 9/2006 Yun
 2006/0206150 A1 9/2006 Demarais et al.
 2006/0212076 A1 9/2006 Demarais et al.
 2006/0212078 A1 9/2006 Demarais et al.
 2006/0229677 A1 10/2006 Moffitt et al.
 2006/0235474 A1 10/2006 Demarais
 2006/0265014 A1 11/2006 Demarais et al.
 2006/0265015 A1 11/2006 Demarais et al.
 2006/0271111 A1 11/2006 Demarais et al.
 2006/0276852 A1 12/2006 Demarais et al.
 2007/0066957 A1 3/2007 Demarais et al.
 2007/0066972 A1 3/2007 Ormsby et al.
 2007/0083239 A1 4/2007 Demarais et al.
 2007/0129720 A1 6/2007 Demarais et al.
 2007/0129760 A1 6/2007 Demarais et al.
 2007/0129761 A1 6/2007 Demarais et al.
 2007/0135875 A1 6/2007 Demarais et al.
 2007/0142864 A1 6/2007 Libbus et al.
 2007/0156200 A1 7/2007 Kornet et al.
 2007/0173899 A1 7/2007 Levin et al.
 2007/0208382 A1 9/2007 Yun
 2007/0265687 A1 11/2007 Deem et al.
 2007/0282376 A1 12/2007 Shuros et al.
 2007/0288070 A1 12/2007 Libbus et al.
 2008/0004673 A1 1/2008 Rossing et al.
 2008/0015659 A1 1/2008 Zhang et al.
 2008/0039904 A1 2/2008 Bulkes et al.
 2008/0091255 A1 4/2008 Caparso et al.
 2008/0140150 A1 6/2008 Zhou et al.
 2008/0213331 A1 9/2008 Gelfand et al.
 2008/0255642 A1 10/2008 Zarins et al.
 2008/0319513 A1 12/2008 Pu et al.
 2009/0024195 A1 1/2009 Rezai et al.
 2009/0036948 A1 2/2009 Levin et al.
 2009/0062873 A1 3/2009 Wu et al.
 2009/0076409 A1 3/2009 Wu et al.
 2010/0010567 A1 1/2010 Deem et al.
 2010/0057150 A1 3/2010 Demarais et al.
 2010/0137860 A1 6/2010 Demarais et al.
 2010/0137952 A1 6/2010 Demarais et al.
 2010/0168731 A1 7/2010 Wu et al.
 2010/0168739 A1 7/2010 Wu et al.
 2010/0174282 A1 7/2010 Demarais et al.
 2010/0191112 A1 7/2010 Demarais et al.
 2010/0222851 A1 9/2010 Deem et al.
 2010/0222854 A1 9/2010 Demarais et al.
 2010/0249773 A1 9/2010 Clark et al.
 2010/0268307 A1 10/2010 Demarais et al.
 2011/0060324 A1 3/2011 Wu et al.
 2011/0112400 A1 5/2011 Emery et al.
 2011/0137298 A1 6/2011 Nguyen et al.
 2011/0178570 A1 7/2011 Demarais
 2011/0200171 A1 8/2011 Beutel et al.
 2011/0202098 A1 8/2011 Demarais et al.
 2011/0257564 A1 10/2011 Demarais et al.
 2011/0264011 A1 10/2011 Wu et al.
 2011/0264075 A1 10/2011 Leung et al.
 2012/0143181 A1 6/2012 Demarais et al.

FOREIGN PATENT DOCUMENTS

EP 2092957 8/2009
 WO WO-85/01213 3/1985
 WO WO-91/04725 4/1991
 WO WO-9220291 11/1992
 WO WO-93/02740 2/1993
 WO WO-93/07803 4/1993
 WO WO-94/00188 1/1994
 WO WO-9407446 4/1994

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO-94/11057	5/1994
WO	WO-95/25472	9/1995
WO	WO-95/33514	11/1995
WO	WO-95/33514	12/1995
WO	WO-96/00039	1/1996
WO	WO-96/04957	2/1996
WO	WO-96/11723	4/1996
WO	WO-97/13463	4/1997
WO	WO-97/13550	4/1997
WO	WO-97/36548	10/1997
WO	WO-97/49453	12/1997
WO	WO-98/37926	9/1998
WO	WO-98/42403	10/1998
WO	WO-98/43700	10/1998
WO	WO-98/43701	10/1998
WO	WO-98/48888	11/1998
WO	WO-99/00060	1/1999
WO	WO-99/33407	7/1999
WO	WO-99/51286	10/1999
WO	WO-99/52424	10/1999
WO	WO-01/26729	4/2001
WO	WO-01/22897	4/2001
WO	WO-01/70114	9/2001
WO	WO-02/09808	2/2002
WO	WO-02/26314	4/2002
WO	WO-02/053207	7/2002
WO	WO-02/070039	9/2002
WO	WO-02/070047	9/2002
WO	WO-02/085448	10/2002
WO	WO-02/085192	10/2002
WO	WO-03/018108	3/2003
WO	WO-03/022167	3/2003
WO	WO-03/028802	4/2003
WO	WO-03/063692	8/2003
WO	WO 03/071140	8/2003
WO	WO-03/076008	9/2003
WO	WO-03/082080	10/2003
WO	WO-03/082403	10/2003
WO	WO-2004/026370	4/2004
WO	WO-2004/026371	4/2004
WO	WO-2004/026374	4/2004
WO	WO-2004/030718	4/2004
WO	WO-2004/032791	4/2004
WO	WO-2004/107965	12/2004
WO	WO-2005/014100	2/2005
WO	WO-2005/016165	2/2005
WO	WO-2005/032646	4/2005
WO	WO-2005/030072	4/2005
WO	WO-2005/041748	5/2005
WO	WO-2005/065284	7/2005
WO	WO-2005/084389	9/2005
WO	WO-2005/097256	10/2005
WO	WO-2005/110528	11/2005
WO	WO-2005/123183	12/2005
WO	WO-2006/007048	1/2006
WO	WO-2006/018528	2/2006
WO	WO-2006/022790	3/2006
WO	WO-2006/031899	3/2006
WO	WO-2006/041847	4/2006
WO	WO-2006/041881	4/2006
WO	WO-2006/105121	10/2006
WO	WO-2007/008954	1/2007
WO	WO-2007/035537	3/2007
WO	WO-2007/078997	7/2007
WO	WO-2007/086965	8/2007
WO	WO-2007/103879	9/2007
WO	WO-2007/103881	9/2007
WO	WO-2007/121309	10/2007
WO	WO-2007/146834	12/2007
WO	WO-2008/003058	1/2008
WO	WO-2008/049084	4/2008
WO	WO-2008/061150	5/2008
WO	WO-2008/061152	5/2008
WO	WO-2008/070413	6/2008
WO	WO-2010/078175	7/2010

OTHER PUBLICATIONS

U.S. Appl. No. 95/002,209, filed Sep. 13, 2012, Levin et al.
U.S. Appl. No. 95/002,233, filed Sep. 13, 2012, Levin et al.
U.S. Appl. No. 95/002,243, filed Sep. 13, 2012, Levin et al.
U.S. Appl. No. 95/002,253, filed Sep. 13, 2012, Demarais et al.
U.S. Appl. No. 95/002,255, filed Sep. 13, 2012, Demarais et al.
U.S. Appl. No. 95/002,292, filed Sep. 14, 2012, Demarais et al.
U.S. Appl. No. 95/002,327, filed Sep. 14, 2012, Demarais et al.
U.S. Appl. No. 95/002,335, filed Sep. 14, 2012, Demarais et al.
U.S. Appl. No. 95/002,336, filed Sep. 14, 2012, Levin et al.
U.S. Appl. No. 95/002,356, filed Sep. 14, 2012, Demarais et al.
“2011 Edison Award Winners.” Edison Awards: Honoring Innovations & Innovators, 2011, 6 pages, <http://www.edisonawards.com/BestNewProduct_2011.php>.
“2012 top 10 advances in heart disease and stroke research: American Heart Association/America Stroke Association Top 10 Research Report.” American Heart Association, Dec. 17, 2012, 5 pages, <<http://newsroom.heart.org/news/2012-top-10-advances-in-heart-241901>>.
“Ardian(R) Receives 2010 EuroPCR Innovation Award and Demonstrates Further Durability of Renal Denervation Treatment for Hypertension.” PR Newswire, Jun. 3, 2010, 2 pages, <<http://www.prnewswire.com/news-releases/ardianr-receives-2010-europer-innovation-award-and-demonstrates-further-durability-of-renal-denervation-treatment-for-hypertension-95545014.html>>.
“Boston Scientific to Acquire Vessix Vascular, Inc.: Company to Strengthen Hypertension Program with Acquisition of Renal Denervation Technology.” Boston Scientific: Advancing science for life—Investor Relations, Nov. 8, 2012, 2 pages, <<http://phx.corporate-ir.net/phoenix.zhtml?c=62272&p=irol-newsArticle&iid=1756108>>.
“Cleveland Clinic Unveils Top 10 Medical Innovations for 2012: Experts Predict Ten Emerging Technologies that will Shape Health Care Next Year.” Cleveland Clinic, Oct. 6, 2011, 2 pages. <http://my.clevelandclinic.org/media_relations/library/2011/2011-10-6-cleveland-clinic-unveils-top-10-medical-innovations-for-2012.aspx>.
“Does renal denervation represent a new treatment option for resistant hypertension?” Interventional News, Aug. 3, 2010, 2 pages. <<http://www.cvxvascular.com/in-latest-news/interventional-news--latest-news/does-renal-denervation-represent-a-new-treatment-option-for-resistant-hypertension>>.
“Iberis—Renal Sympathetic Denervation System: Turning innovation into quality care.” [Brochure], Terumo Europe N.V., 2013, Europe, 3 pages.
“Neurotech Reports Announces Winners of Gold Electrode Awards.” Neurotech business report, 2009. 1 page. <<http://www.neurotechreports.com/pages/goldelectrodes09.html>>.
“Quick. OneShot renal Denervation System” [Brochure], Covidien: positive results for life, 2013, (n.l.), 4 pages.
“Renal Denervation Technology of Vessix Vascular, Inc. been acquired by Boston Scientific Corporation (BSX) to pay up to \$425 Million.” Vessix Vascular Pharmaceutical Intelligence: A blog specializing in Pharmaceutical Intelligence and Analytics, Nov. 8, 2012, 21 pages, <<http://pharmaceuticalintelligence.com/tag/vessix-vascular/>>.
“The Edison Awards™” Edison Awards: Honoring Innovations & Innovators, 2013, 2 pages, <<http://www.edisonawards.com/Awards.php>>.
“The Future of Renal denervation for the Treatment of Resistant Hypertension.” St. Jude Medical, Inc., 2012, 12 pages.
“Vessix Renal Denervation System: So Advanced It’s Simple.” [Brochure], Boston Scientific: Advancing science for life, 2013, 6 pages.
Asbell, Penny, “Conductive Keratoplasty for the Correction of Hyperopia.” Tr Am Ophth Soc, 2001, vol. 99, 10 pages.
Badoer, Emilio, “Cardiac afferents play the dominant role in renal nerve inhibition elicited by volume expansion in the rabbit.” Am J Physiol Regul Integr Comp Physiol, vol. 274, 1998, 7 pages.
Bengel, Frank, “Serial Assessment of Sympathetic Reinnervation After Orthotopic Heart Transplantation: A longitudinal Study Using PET and C-11 Hydroxyephedrine.” Circulation, vol. 99, 1999, 7 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Benito, F., et al. "Radiofrequency catheter ablation of accessory pathways in infants." *Heart*, 78:160-162 (1997).
- Bettmann, Michael, Carotid Stenting and Angioplasty: A Statement for Healthcare Professionals From the Councils on Cardiovascular Radiology, Stroke, Cardio-Thoracic and Vascular Surgery, Epidemiology and Prevention, and Clinical Cardiology, American Heart Association, *Circulation*, vol. 97, 1998, 4 pages.
- Bohm, Michael et al., "Rationale and design of a large registry on renal denervation: the Global SYMPPLICITY registry." *EuroIntervention*, vol. 9, 2013, 9 pages.
- Brosky, John, "EuroPCR 2013: CE-approved devices line up for renal denervation approval." *Medical Device Daily*, May 28, 2013, 3 pages, <http://www.medicaldevicedaily.com/servlet/com.accumedia.web.Dispatcher?next=bioWorldHeadlines_article&forceid=83002>.
- Davis, Mark et al., "Effectiveness of Renal Denervation Therapy for Resistant Hypertension." *Journal of the American College of Cardiology*, vol. 62, No. 3, 2013, 11 pages.
- Dubuc, M., et al., "Feasibility of cardiac cryoablation using a transvenous steerable electrode catheter." *J Interv Cardiac Electrophysiol*, 2:285-292 (1998).
- Final Office Action; U.S. Appl. No. 12/827,700; Mailed on Feb. 5, 2013, 61 pages.
- Geisler, Benjamin et al., "Cost-Effectiveness and Clinical Effectiveness of Catheter-Based Renal Denervation for Resistant Hypertension." *Journal of the American College of Cardiology*, col. 60, No. 14, 2012, 7 pages.
- Gelfand, M., et al., "Treatment of renal failure and hypertension." U.S. Appl. No. 60/442,970, filed Jan. 29, 2003, 23 pages.
- Gertner, Jon, "Meet the Tech Duo That's Revitalizing the Medical Device Industry." *FAST COMPANY*, Apr. 15, 2013, 6:00 AM, 17 pages, <<http://www.fastcompany.com/3007845/meet-tech-duo-thats-revitalizing-medical-device-industry>>.
- Golwyn, D. H., Jr., et al. "Percutaneous Transcatheter Renal Ablation with Absolute Ethanol for Uncontrolled Hypertension or Nephrotic Syndrome: Results in 11 Patients with End-Stage Renal Disease." *JVIR*, 8: 527-533 (1997).
- Hall, W. H., et al. "Combined embolization and percutaneous radiofrequency ablation of a solid renal tumor." *Am. J. Roentgenol*, 174: 1592-1594 (2000).
- Han, Y.-M., et al., "Renal artery embolization with diluted hot contrast medium: An experimental study." *J Vasc Interv Radiol*, 12: 862-868 (2001).
- Hansen, J. M., et al. "The transplanted human kidney does not achieve functional reinnervation." *Clin. Sci*, 87: 13-19 (1994).
- Hendee, W. R. et al. "Use of Animals in Biomedical Research: The Challenge and Response." *American Medical Association White Paper* (1988) 39 pages.
- Hering, Dagmara et al., "Chronic kidney disease: role of sympathetic nervous system activation and potential benefits of renal denervation." *EuroIntervention*, vol. 9, 2013, 9 pages.
- Imimdtanz, "Medtronic awarded industry's highest honor for renal denervation system." The official blog of Medtronic Australasia, Nov. 12, 2012, 2 pages, <<http://97waterlooad.wordpress.com/2012/11/12/medtronic-awarded-industrys-highest-honour-for-renal-denervation-system/>>.
- Kaiser, Chris, *AHA Lists Year's Big Advances in CV Research*, medpage Today, Dec. 18, 2012, 4 pages, <<http://www.medpagetoday.com/Cardiology/PCI/36509>>.
- Kompanowska, E., et al., "Early Effects of renal denervation in the anaesthetised rat: Natriuresis and increased cortical blood flow." *J Physiol*, 531. 2:527-534 (2001).
- Lee, S. J., et al. "Ultrasonic energy in endoscopic surgery." *Yonsei Med J*, 40:545-549 (1999).
- Linz, Dominik et al., "Renal denervation suppresses ventricular arrhythmias during acute ventricular ischemia in pigs." *Heart Rhythm*, vol. 0, No. 0, 2013, 6 pages.
- Lustgarten, D. L., et al., "Cryothermal ablation: Mechanism of tissue injury and current experience in the treatment of tachyarrhythmias." *Progr Cardiovasc Dis*, 41:481-498 (1999).
- Mabin, Tom et al., "First experience with endovascular ultrasound renal denervation for the treatment of resistant hypertension." *EuroIntervention*, vol. 8, 2012, 5 pages.
- Mahfoud, Felix et al., "Ambulatory Blood Pressure Changes after Renal Sympathetic Denervation in Patients with Resistant Hypertension." *Circulation*, 2013, 25 pages.
- Mahfoud, Felix et al., "Expert consensus document from the European Society of Cardiology on catheter-based renal denervation." *European Heart Journal*, 2013, 9 pages.
- Mahfoud, Felix et al., "Renal Hemodynamics and Renal Function After Catheter-Based Renal Sympathetic Denervation in Patients With Resistant Hypertension." *Hypertension*, 2012, 6 pages.
- Medical-Dictionary.com, Definition of "Animal Model," [http://medical-dictionary.com/search/Animal Model/](http://medical-dictionary.com/search/Animal%20Model/), 2005, 1 page.
- Medtronic, Inc., Annual Report (Form 10-K) (Jun. 28, 2011) 44 pages.
- Millard, F. C., et al., "Renal Embolization for ablation of function in renal failure and hypertension." *Postgraduate Medical Journal*, 65, 729-734, (1989).
- Oliveira, V., et al., "Renal denervation normalizes pressure and baroreceptor reflex in high renin hypertension in conscious rats." *Hypertension*, 19:II-17-II-21 (1992).
- Ong, K. L., et al. "Prevalence, Awareness, Treatment, and Control of Hypertension Among United States Adults 1999-2004." *Hypertension*, 49: 69-75 (2007) (originally published online Dec. 11, 2006).
- Ormiston, John et al., "First-in-human use of the OneShot™ renal denervation system from Covidien." *EuroIntervention*, vol. 8, 2013, 4 pages.
- Ormiston, John et al., "Renal denervation for resistant hypertension using an irrigated radiofrequency balloon: 12-month results from the Renal Hypertension Ablation System (RHAS) trial." *EuroIntervention*, vol. 9, 2013, 5 pages.
- Pedersen, Amanda, "TCT 2012: Renal denervation device makers play show and tell." *Medical Device Daily*, Oct. 26, 2012, 2 pages, <http://www.medicaldevicedaily.com/servlet/com.accumedia.web.Dispatcher?next=bioWorldHeadlines_article&forceid=80880>.
- Peet, M., "Hypertension and its Surgical Treatment by bilateral supradiaphragmatic splanchnicectomy" *Am J Surgery* (1948) pp. 48-68.
- Renal Denervation (RDN), Symplicity RDN System Common Q&A (2011), 4 pages, <http://www.medtronic.com/rdn/mediakit/RDN%20FAQ.pdf>.
- Schlaich, Markus et al., "Renal Denervation in Human Hypertension: Mechanisms, Current Findings, and Future Prospects." *Curr Hypertens Rep*, vol. 14, 2012, 7 pages.
- Schmid, Axel et al., "Does Renal Artery Supply Indicate Treatment Success of Renal Denervation." *Cardiovasc Intervent Radiol*, vol. 36, 2013, 5 pages.
- Schmieder, Roland E. et al., "Updated ESH position paper on interventional therapy of resistant hypertension." *EuroIntervention*, vol. 9, 2013, 9 pages.
- Sievert, Horst, "Novelty Award EuroPCR 2010." *Euro PCR*, 2010, 15 pages.
- Stella, A., et al., "Effects of reversible renal denervation on haemodynamic and excretory functions on the ipsilateral and contralateral kidney in the cat." *Hypertension*, 4:181-188 (1986).
- Stouffer, G. A. et al., "Catheter-based renal denervation in the treatment of resistant hypertension." *Journal of Molecular and Cellular Cardiology*, vol. 62, 2013, 6 pages.
- Swartz, J. F., et al., "Radiofrequency endocardial catheter ablation of accessory atrioventricular pathway atrial insertion sites." *Circulation*, 87: 487-499 (1993).
- Uchida, F., et al., "Effect of radiofrequency catheter ablation on parasympathetic denervation: A comparison of three different ablation sites." *PACE*, 21:2517-2521 (1998).
- Verloop, W. L. et al., "Renal denervation: a new treatment option in resistant arterial hypertension." *Neth Heart J*, Nov. 30, 2012, 6 pages, <<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3547427/>>.

(56)

References Cited

OTHER PUBLICATIONS

- Weinstock, M., et al., "Renal denervation prevents sodium retention and hypertension in salt sensitive rabbits with genetic baroreflex impairment." *Clinical Science*, 90:287-293 (1996).
- Wilcox, Josiah N., Scientific Basis Behind Renal Denervation for the Control of Hypertension, ICI 2012, Dec. 5-6, 2012. 38 pages.
- Worthley, Stephen et al., "Safety and efficacy of a multi-electrode renal sympathetic denervation system in resistant hypertension: the EnligHTN I trial." *European Heart Journal*, vol. 34, 2013, 9 pages.
- Worthley, Stephen, "The St. Jude Renal Denervation System Technology and Clinical Review." The University of Adelaide Australia, 2012, 24 pages.
- Zuern, Christine S., "Impaired Cardiac Baroreflex Sensitivity Predicts Response to Renal Sympathetic Denervation in Patients with Resistant Hypertension." *Journal of the American College of Cardiology*, 2013, doi: 10.1016/j.jacc.2013.07.046, 24 pages.
- Miller, Reed, "Finding A Future for Renal Denervation With Better Controlled Trials." *Pharma & Medtech Business Intelligence*, Article # 01141006003, Oct. 6, 2014, 4 pages.
- Papademetriou, Vasilios, "Renal Denervation and Symplicity HTN-3: "Dubium Sapientiae Initium" (Doubt Is the Beginning of Wisdom)", *Circulation Research*, 2014; 115: 211-214.
- Papademetriou, Vasilios et al., "Renal Nerve Ablation for Resistant Hypertension: How Did We Get Here, Present Status, and Future Directions." *Circulation*. 2014; 129: 1440-1450.
- Papademetriou, Vasilios et al., "Catheter-Based Renal Denervation for Resistant Hypertension: 12-Month Results of the EnligHTN I First-in-Human Study Using a Multielectrode Ablation System." *Hypertension*. 2014; 64: 565-572.
- Doumas, Michael et al., "Renal Nerve Ablation for Resistant Hypertension: The Dust Has Not Yet Settled." *The Journal of Clinical Hypertension*. 2014; vol. 16, No. 6, 2 pages.
- Messerli, Franz H. et al. "Renal Denervation for Resistant Hypertension: Dead or Alive?" *Healio: Cardiology today's Intervention*, May/ Jun. 2014, 2 pages.
- Ahmed, Humera et al., Renal Sympathetic Denervation Using an Irrigated Radiofrequency Ablation Catheter for the Management of Drug-Resistant Hypertension, *JACC Cardiovascular Interventions*, vol. 5, No. 7, 2012, pp. 758-765.
- Avitall et al., "The creation of linear contiguous lesions in the atria with an expandable loop catheter," *Journal of the American College of Cardiology*, 1999; 33; pp. 972-984.
- Beale et al., "Minimally Invasive Treatment for Varicose Veins: A Review of Endovenous Laser Treatment and Radiofrequency Ablation". *Lower Extremity Wounds* 3(4), 2004, 10 pages.
- Blessing, Erwin et al., Cardiac Ablation and Renal Denervation Systems Have Distinct Purposes and Different Technical Requirements, *JACC Cardiovascular Interventions*, vol. 6, No. 3, 2013, 1 page.
- ClinicalTrials.gov, Renal Denervation in Patients with uncontrolled Hypertension in Chinese (2011), 6pages. www.clinicaltrials.gov/ct2/show/NCT01390831.
- Excerpt of Operators Manual of Boston Scientific's EPT-1000 XP Cardiac Ablation Controller & Accessories, Version of Apr. 2003, (6 pages).
- Excerpt of Operators Manual of Boston Scientific's Maestro 30000 Cardiac Ablation System, Version of Oct. 17, 2005, (4 pages).
- Holmes et al., Pulmonary Vein Stenosis Complicating Ablation for Atrial Fibrillation: Clinical Spectrum and Interventional Considerations, *JACC: Cardiovascular Interventions*, 2: 4, 2009, 10 pages.
- Kandarpa, Krishna et al., "Handbook of Interventional Radiologic Procedures", Third Edition, pp. 194-210 (2002).
- Mount Sinai School of Medicine clinical trial for Impact of Renal Sympathetic Denervation of Chronic Hypertension, Mar. 2013, 11 pages. <http://clinicaltrials.gov/ct2/show/NCT01628198>.
- Opposition to European Patent No. EP1802370, Granted Jan. 5, 2011, Date of Opposition Oct. 5, 2011, 20 pages.
- Opposition to European Patent No. EP2037840, Granted Dec. 7, 2011, Date of Opposition Sep. 7, 2012, 25 pages.
- Opposition to European Patent No. EP2092957, Granted Jan. 5, 2011, Date of Opposition Oct. 5, 2011, 26 pages.
- Oz, Mehmet, Pressure Relief, *TIME*, Jan. 9, 2012, 2 pages. <www.time.com/time/printout/0,8816,2103278,00.html>.
- Papademetriou, Vasilios, Renal Sympathetic Denervation for the Treatment of Difficult-to-Control or Resistant Hypertension, *Int. Journal of Hypertension*, 2011, 8 pages.
- Prochnau, Dirk et al., Catheter-based renal denervation for drug-resistant hypertension by using a standard electrophysiology catheter; *Euro Intervention* 2012, vol. 7, pp. 1077-1080.
- Purerfellner, Helmut et al., Incidence, Management, and Outcome in Significant Pulmonary Vein Stenosis Complicating Ablation for Atrial Fibrillation, *Am. J. Cardiol*, 93, Jun. 1, 2004, 4 pages.
- Schneider, Peter A., "Endovascular Skills—Guidewire and Catheter Skills for Endovascular Surgery," Second Edition Revised and Expanded, 10 pages, (2003).
- ThermoCool Irrigated Catheter and Integrated Ablation System, Biosense Webster (2006), 6 pages.
- Tsao, Hsuan-Ming, Evaluation of Pulmonary Vein Stenosis after Catheter Ablation of Atrial Fibrillation, *Cardiac Electrophysiology Review*, 6, 2002, 4 pages.
- Wittkamp et al., "Control of radiofrequency lesion size by power regulation," *Journal of the American Heart Association*, 1989, 80: pp. 962-968.
- Zheng et al., "Comparison of the temperature profile and pathological effect at unipolar, bipolar and phased radiofrequency current configurations," *Journal of Interventional Cardiac Electrophysiology*, 2001, pp. 401-410.
- U.S. Appl. No. 60/813,589, filed Dec. 29, 2005, Demarais et al.
- 2003 European Society of Hypertension—European Society of Cardiology guidelines for the management of arterial hypertension, Guidelines Committee, *Journal of Hypertension* 2003, vol. 21, No. 6, pp. 1011-1053.
- Aars, H. and S. Akre, Reflex Changes in Sympathetic Activity and Arterial Blood Pressure Evoked by Afferent Stimulation of the Renal Nerve, Feb. 26, 1999, *Acta physiol. Scand.*, vol. 78, 1970, pp. 184-188.
- Abramov, G.S. et al., Alteration in sensory nerve function following electrical shock, *Burns* vol. 22, No. 8, 1996 Elsevier Science Ltd., pp. 602-606.
- Achar, Suraj, M.D., and Suriti Kundu, M.D., Principles of Office Anesthesia: Part I. Infiltrative Anesthesia, Office Procedures, *American Family Physician*, Jul. 1, 2002, vol. 66, No. 1, pp. 91-94.
- Advanced Neuromodulation Systems' Comparison Chart, Dec. 16, 2008, pp. 1.
- Advances in the role of the sympathetic nervous system in cardiovascular medicine, 2001 SNS Report, No. 3, Springer, Published with an educational grant from Servier, pp. 1-8.
- Aggarwal, A. et al., Regional sympathetic effects of low-dose clonidine in heart failure. *Hypertension*. 2003;41:553-7.
- Agnew, William F. et al., Evolution and Resolution of Stimulation-Induced Axonal Injury in Peripheral Nerve, May 21, 1999, *Muscle & Nerve*, vol. 22, Oct. 1999, John Wiley & Sons, Inc. 1999, pp. 1393-1402.
- Ahadian, Farshad M., M.D., Pulsed Radiofrequency Neurotomy: Advances in Pain Medicine, *Current Pain and Headache Reports* 2004, vol. 8, 2004 Current Science Inc., pp. 34-40.
- Alexander, B.T. et al., Renal denervation abolishes hypertension in low-birth-weight offspring from pregnant rats with reduced uterine perfusion, *Hypertension*, 2005; 45 (part 2): pp. 754-758.
- Alford, J. Winslow, M.D. and Paul D. Fadale, M.D., Evaluation of Postoperative Bupivacaine Infusion for Pain Management After Anterior Cruciate Ligament Reconstruction, *The Journal of Arthroscopic and Related Surgery*, vol. 19, No. 8, Oct. 2003 Arthroscopy Association of North America, pp. 855-861.
- Allen, E.V., Sympathectomy for essential hypertension, *Circulation*, 1952, 6:131-140.
- Amersham Health. Hypaque-Cysto, 2003, 6 pages.
- Andrews, B.T. et al., The use of surgical sympathectomy in the treatment of chronic renal pain. *Br J Urol*. 1997; 80: 6-10.
- Antman, Elliott M. and Eugene Braunwald, Chapter 37—Acute Myocardial Infarction, *Heart Disease—A Textbook of Cardiovascular Medicine*, 5th Edition, vol. 2, 1997, Edited by Eugene Braunwald, pp. 1184-1288.

(56)

References Cited

OTHER PUBLICATIONS

- Archer, Steffen et al., Cell Reactions to Dielectrophoretic Manipulation, Mar. 1, 1999, Biochemical and Biophysical Research Communications, 1999 Academic Press, pp. 687-698.
- Arentz, T. et al., Incidence of pulmonary vein stenosis 2 years after radiofrequency catheter ablation of refractory atrial fibrillation. *European Heart Journal*. 2003. 24; pp. 963-969.
- Arias, M.D., Manuel J., Percutaneous Radio-Frequency Thermocoagulation with Low Temperature in the Treatment of Essential Glossopharyngeal Neuralgia, *Surg. Neurol.* 1986, vol. 25, 1986 Elsevier Science Publishing Co., Inc., pp. 94-96.
- Aronofsky, David H., D.D.S., Reduction of dental postsurgical symptoms using nonthermal pulsed high-peak-power electromagnetic energy, *Oral Surg.*, Nov. 1971, vol. 32, No. 5, pp. 688-696.
- Aspelin, Peter, M.D., Ph.D. et al., Nephrotoxic Effects in High-Risk Patients Undergoing Angiography, Feb. 6, 2003, *New England Journal of Medicine* 2003, vol. 348, No. 6, 2003 Massachusetts Medical Society, pp. 491-499.
- Atrial Fibrillation Heart and Vascular Health on Yahoo! Health. 2 pgs. <URL: http://health.yahoo.com/topic/heart/overview/article/healthwise/hw160872;_ylt=AiBT43Ey74HQ7ft3jAb4C.sPu7cF> Feb. 21, 2006.
- Augustyniak, Robert A. et al., Sympathetic Overactivity as a Cause of Hypertension in Chronic Renal Failure, Aug. 14, 2001, *Journal of Hypertension* 2002, vol. 20, 2002 Lippincott Williams & Wilkins, pp. 3-9.
- Awwad, Ziad M., Frcs and Bashir A. Atiyat, GBA, JBA, Pain relief using continuous bupivacaine infusion in the paravertebral space after loin incision, May 15, 2004, *Saudi Med J* 2004, vol. 25 (10), pp. 1369-1373.
- Badyal, D. K., H. Lata and A.P. Dadhich, Animal Models of Hypertension and Effect of Drugs, Aug. 19, 2003, *Indian Journal of Pharmacology* 2003, vol. 35, pp. 349-362.
- Baker, Carol E. et al., Effect of pH of Bupivacaine on Duration of Repeated Sciatic Nerve Blocks in the Albino Rat, *Anesth Analg*, 1991, vol. 72, The International Anesthesia Research Society 1991, pp. 773-778.
- Balazs, Tibor, Development of Tissue Resistance to Toxic Effects of Chemicals, Jan. 26, 1974, *Toxicology*, 2 (1974), Elsevier/North-Holland, Amsterdam, pp. 247-255.
- Barajas, L. Innervation of the renal cortex. *Fex Proc.* 1978;37:1 192-201.
- Barrett, Carolyn J. et al., Long-term control of renal blood flow: what is the role of the renal nerves?, Jan. 4, 2001, *Am J Physiol Regulatory Integrative Comp Physiol* 280, 2001, the American Physiological Society 2001, pp. R1534-R1545.
- Barrett, Carolyn J. et al., What Sets the Long-Term Level of Renal Sympathetic Nerve Activity, May 12, 2003, *Integrative Physiology, Circ Res.* 2003, vol. 92, 2003 American Heart Association, pp. 1330-1336.
- Bassett, C. Andrew L. et al., Augmentation of Bone Repair by Inductively Coupled Electromagnetic Fields, May 3, 1974, *SCIENCE*, vol. 184, pp. 575-577.
- Bassett, C. Andrew L., Fundamental and Practical Aspects of Therapeutic Uses of Pulsed Electromagnetic Fields (PEMFs), *Critical Reviews in Biomedical Engineering*, vol. 17, Issue 5, 1989, pp. 451-514.
- Beebe, Stephen J. et al., Nanosecond pulsed electric fields modulate cell function through intracellular signal transduction mechanisms, Apr. 8, 2004, *Physiol. Meas.* 25, 2004, IOP Publishing Ltd. 2004, pp. 1077-1093.
- Beebe, Stephen J., et al., Nanosecond Pulsed Electric Field (nsPEF) Effects on Cells and Tissues: Apoptosis Induction and Tumor Growth Inhibition, Oct. 11, 2001, *IEEE Transactions on Plasma Science*, vol. 30, No. 1, Feb. 2002, IEEE 2002, pp. 286-292.
- Bello-Reuss, E. et al., Acute unilateral renal denervation in rats with extracellular vol. expansion, *Departments of Medicine and Physiology, University of North Carolina School of Medicine*. F26-F32 Jul. 1975.
- Bello-Reuss, E. et al., Effect of renal sympathetic nerve stimulation on proximal water and sodium reabsorption, *J Clin Invest*, 1976;57:1104-1107.
- Bello-Reuss, E. et al., Effects of Acute Unilateral Renal Denervation in the Rat, *J Clin Invest*, 1975;56:208-217.
- Berde, C. et al., Local Anesthetics, Anesthesia, Chapter 13, 5th addition, Churchill-Livingston, Philadelphia 2000, pp. 491-521.
- Bhadra, Niloy and Kevin L. Kilgore, Direct Current Electrical Conduction Block of Peripheral Nerve, Feb. 25, 2004, *IEEE Transactions on Neural Systems and Rehabilitation Engineering*, vol. 12, No. 3, Sep. 2004, pp. 313-324.
- Bhandari, A. and Ellias, M., Loin pain hematuria syndrome: Pain control with RFA to the Splanchnic plexus, *The Pain Clinic*, 2000, vol. 12, No. 4, pp. 323-327.
- Bhatt, Deepak L. et al., Rhabdomyolysis Due to Pulsed Electric Fields, May 11, 1989, *Plastic and Reconstructive Surgery* Jul. 1990, pp. 1-11.
- Bichet, D., et al., Renal intracortical blood flow and renin secretion after denervation by 6-hydroxydopamine. *Can J Physiol Pharmacol.* 1982;60:184-92.
- Bigler, D. et al., Tachyphylaxis during postoperative epidural analgesia—new insights, Apr. 15, 1987, Letter to the Editor, *Acta Anaesthesiol Scand.* 1987, vol. 31, pp. 664-665.
- Binder, Allan et al., Pulsed Electromagnetic Field Therapy of Persistent Rotator Cuff Tendinitis, *The Lancet*, Saturday Mar. 31, 1984, The Lancet Ltd., pp. 695-698.
- Black, M.D., Henry R., Resistant Hypertension 2004, presentation at Rush University Medical Center, Jul. 15, 2004, 40 pages.
- Blad, B., et al., An Electrical Impedance index to Assess Electroporation in Tissue, *Tissue and Organ (Therapy)*, 2001, Oslo, www.bl.uk <<http://www.bl.uk>> British Library, pp. 31-34.
- Blair, M. L. et al., Sympathetic activation cannot fully account for increased plasma renin levels during water deprivation, Sep. 23, 1996, *Am. J. Physiol.*, vol. 272, 1997, the American Physiological Society 1997, pp. R1197-R1203.
- Blomberg, S.G., M.D., PhD, Long-Term Home Self-Treatment with High Thoracic Epidural Anesthesia in Patients with Severe Coronary Artery Disease, Mar. 29, 1994, *Anesth Analg* 1994, vol. 79, 1994 International Anesthesia Research Society, pp. 413-421.
- Boehmer, J.P., Resynchronization Therapy for Chronic CHF: Indications, Devices and Outcomes. Penn State College of Medicine: Penn State Heart and Vascular Institute. Transcatheter Cardiovascular Therapeutics 2005, 31 slides.
- Bourge, R.C., Heart Failure Monitoring Devices: Rationale and Status 28 pages, Feb. 2001.
- Braunwald, E., Heart Disease, A Textbook of Cardiovascular Medicine, 5th Ed., vol. 2, 1997, pp. 480-481, 824-825, 1184-1288 and 1923-1925, W.B. Saunders Company.
- Bravo, E.L., et al., Renal denervation for resistant hypertension, *American Journal of Kidney Diseases*, 2009, 3 pgs.
- Bunch, Jared T. et al. Mechanisms of Phrenic Nerve Injury During Radiofrequency Ablation at the Pulmonary Vein Orifice. *Journal of Cardiovascular Electrophysiology*, vol. 16, No. 12, pp. 1318-1325. Dec. 2005.
- Burkhoff, D., Interventional Device-Based Therapy for CHF Will Redefine Current Treatment Paradigms. Columbia University. 2004. 32 slides.
- Burns, J. et al., Relationship between central sympathetic drive and magnetic resonance imaging-determined left ventricular mass in essential hypertension. *Circulation*. 2007;115:1999-2005.
- Cahana, A. et al., Acute Differential Modulation of Synaptic Transmission and Cell Survival During Exposure to Pulsed and Continuous Radiofrequency Energy, May 2003, *The Journal of Pain*, vol. 4, No. 4, © 2003 by the American Pain Society, pp. 197-202.
- Cahana, Alex, M.D., Pulsed Radiofrequency: A Neurobiologic and Clinical Reality, May 17, 2005, *Anesthesiology* 2005, vol. 103, No. 6, Dec. 2005, 2005 American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins, Inc., p. 1311.
- Calaresu, F.R. et al., Haemodynamic Responses and Renin Release During Stimulation of Afferent Renal Nerves in the Cat, Aug. 12, 1975, *J. Physiol.* 1976, vol. 255, pp. 687-700.

(56)

References Cited

OTHER PUBLICATIONS

- Cameron, Tracy. Micromodular Implants to Provide Electrical Stimulation of Paralyzed Muscles and Limbs. *IEEE Transactions on Biomedical Engineering*, vol. 44, No. 9, Sep. 1997, pp. 781-790.
- Campese, V.M. et al., Renal afferent denervation prevents hypertension in rats with chronic renal failure. *Hypertension*. 1995;25:878-82.
- Campese, V.M. et al., Renal Afferent Denervation Prevents the Progression of Renal Disease in the Renal Ablation Model of Chronic Renal Failure in the Rat, *Am J Kidney Dis*. 1995;26:861-5.
- Campese, V.M., A new model of neurogenic hypertension caused by renal injury: pathophysiology and therapeutic implications, *Clin Exp Nephrol* (2003) 7: 167-171, Japanese Society of Nephrology 2003.
- Campese, V.M., Neurogenic factors and hypertension in chronic renal failure, *Journal of Nephrology*, vol. 10, No. 4, 1997, Societa Italiana di Nefrologia, pp. 184-187.
- Campese, V.M., Neurogenic factors and hypertension in renal disease. *Kidney Int*. 2000;57 Suppl 75:S2-3.
- Canbaz, S. et al., Electrophysiological evaluation of phrenic nerve injury during cardiac surgery—a prospective, controlled clinical study. *BioMed Central*. 5 pgs. 2004.
- Cardiac Glycosides, Heart Disease—A Textbook of Cardiovascular Medicine vol. 2, Edited by Eugene Braunwald, 5th Edition, 1997 WB Saunders Company, pp. 480-481.
- Carls, G. et al., Electrical and magnetic stimulation of the intercostal nerves: a comparative study, *Electromyogr. clin. Neurophysiol*. 1997, vol. 37, pp. 509-512.
- Carlson, Scott H. and J. Michael Wyss, e-Hypertension—Opening New Vistas, Introductory Commentary, *Hypertension* 2000, vol. 35, American Heart Association, Inc. 2000, p. 538.
- Carson, P., Device-based Treatment for Chronic Heart Failure: Electrical Modulation of Myocardial Contractility. *Transcatheter Cardiovascular Therapeutics* 2005, 21 slides.
- Chang, Donald C., Cell poration and cell fusion using an oscillating electric field, *Biophysical Journal*, vol. 56, Oct. 1989, Biophysical Society, pp. 641-652.
- Chen, S.A. et al., Initiation of atrial fibrillation by ectopic beats originating from the pulmonary veins: electrophysiological characteristics, pharmacological responses, and effects of radiofrequency ablation, *Circulation*, 1999, 100:1879-1886.
- Chin, J.L. et al., Renal autotransplantation for the loin pain-hematuria syndrome: long term follow up of 26 cases, *J Urol*, 1998, vol. 160, pp. 1232-1236.
- Chiou, C.W. et al., Efferent Vagal Innervation of the Canine Atria and Sinus and Atrioventricular Nodes. *Circulation*. Jun. 1997. 95(11):2573-2584. Abstract only. 2 pgs.
- Chobanian, Aram V. et al., Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, Nov. 6, 2003, *Hypertension* 2003, vol. 42, 2003 American Heart Association, Inc., pp. 1206-1252.
- Clinical Trials in Hypertension and Renal Diseases, Slide Source, www.hypertensiononline.org, 33 pages Aug. 13, 2001.
- Conradi, E. and Ines Helen Pages, Effects of Continuous and Pulsed Microwave Irradiation on Distribution of Heat in the Gluteal Region of Minipigs, *Scand J Rehab Med*, vol. 21, 1989, pp. 59-62.
- Converse, R.L., Jr. et al., Sympathetic Overactivity in Patients with Chronic Renal Failure, *N Engl J Med*. Dec. 31, 1992, vol. 327 (27), pp. 1912-1918.
- Cosman, E.R., Jr. et al., Electric and Thermal Field Effects in Tissue Around Radiofrequency Electrodes, *Pain Medicine*, vol. 6, No. 6, 2005, American Academy of Pain Medicine, pp. 405-424.
- Cosman, E.R., Ph.D., A Comment on the History of the Pulsed Radiofrequency Technique for Pain Therapy, *Anesthesiology* Dec. 2005, vol. 103, No. 6, 2005 American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins, Inc., p. 1312.
- Crawford, William H. et al., Pulsed Radio Frequency Therapy of Experimentally Induced Arthritis in Ponies, Dec. 18, 1989, *Can. J. Vet. Res*. 1991, vol. 55, pp. 76-85.
- Curtis, J.J. et al., Surgical therapy for persistent hypertension after renal transplantation, *Transplantation*, 1981, 31(2):125-128.
- Dahm, Peter et al., Efficacy and Technical Complications of Long-Term Continuous Intrathecal Infusions of Opioid and/or Bupivacaine in Refractory Nonmalignant Pain . . . , Oct. 6, 1997, *The Clinical Journal of Pain*, vol. 14, No. 1, 1998, Lippincott-Raven Publishers 1998, pp. 4-16.
- Dahm, Peter O. et al., Long-Term Intrathecal Infusion of Opioid and/or Bupivacaine in the Prophylaxis and Treatment of Phantom Limb Pain, *Neuromodulation*, vol. 1, No. 3, 1998, International Neuromodulation Society 1998, pp. 111-128.
- Dang, Nicholas C. et al., A Novel Approach to Increase Total Urine Output in Heart Failure: Renal Nerve Blockade, *ACC 2005 poster*; 1 page.
- Daniel, Alan and Honig, Carl R. Does Histamine Influence Vasodilation Caused by Prolonged Arterial Occlusion or Heavy Exercise? *The Journal of Pharmacology and Experimental Therapeutics*. vol. 215 No. 2. Aug. 21, 1980. pp. 533-538.
- Davalos, R. et al., Electrical Impedance Tomography for Imaging Tissue Electroporation, Jul. 25, 2003, *IEEE Transactions on Biomedical Engineering*, vol. 51, No. 5, May 2004, IEEE 2004, pp. 761-767.
- Davalos, R.V. et al., Tissue Ablation with Irreversible Electroporation, Sep. 7, 2004, *Annals of Biomedical Engineering*, Feb. 2005, vol. 33, No. 2, 2005 Biomedical Engineering Society, pp. 223-231.
- De Leeuw, Peter W. et al., Renal Vascular Tachyphylaxis to Angiotensin II: Specificity of the Response for Angiotensin, Dec. 28, 1981, *Life Sciences*, vol. 30, 1982 Pergamon Press Ltd., pp. 813-819.
- Deng, Jingdong et al., The Effects of Intense Submicrosecond Electrical Pulses on Cells, Nov. 26, 2002, *Biophysical Journal*, vol. 84, Apr. 2003, Biophysical Society 2003, pp. 2709-2714.
- Denton, Kate M. et al., Differential Neural Control of Glomerular Ultrafiltration, Jan. 30, 2004, *Proceedings of the Australian Physiological and Pharmacological Society Symposium: Hormonal, Metabolic and Neural Control of the Kidney, Clinical and Experimental Pharmacology and Physiology* (2004) 31, pp. 380-386.
- Dev, Nagendu B., Ph.D. et al., Intravascular Electroporation Markedly Attenuates Neointima Formation After Balloon Injury of the Carotid Artery in the Rat, *Journal of Interventional Cardiology*, vol. 13, No. 5, 2000, pp. 331-338.
- Dev, Nagendu B., Ph.D. et al., Sustained Local Delivery of Heparin to the Rabbit Arterial Wall with an Electroporation Catheter, May 5, 1998, *Catheterization and Cardiovascular Diagnosis*, vol. 45, 1998, Wiley-Liss, Inc. 1998, pp. 337-345.
- Devereaux, R.B. et al., Regression of Hypertensive Left Ventricular Hypertrophy by Losartan Compared With Atenolol: The Losartan Intervention for Endpoint Reduction in Hypertension (LIFE) Trial, *Circulation*, 2004, vol. 110, pp. 1456-1462.
- Dibona, Gerald F. and Linda L. Sawin, Role of renal nerves in sodium retention of cirrhosis and congestive heart failure, Sep. 27, 1990, *Am. J. Physiol*. 1991, vol. 260, 1991 the American Physiological Society, pp. R298-R305.
- Dibona, Gerald F. and Susan Y. Jones, Dynamic Analysis of Renal Nerve Activity Responses to Baroreceptor Denervation in Hypertensive Rats, Sep. 19, 2000, *Hypertension* Apr. 2001, American Heart Association, Inc. 2001, pp. 1153-1163.
- Dibona, Gerald F. and Ulla C. Kopp, Neural Control of Renal Function, *Physiological Reviews*, vol. 77, No. 1, Jan. 1997, the American Physiological Society 1997, pp. 75-197.
- Dibona, Gerald F. and Ulla C. Kopp, Role of the Renal Sympathetic Nerves in Pathophysiological States, *Neural Control of Renal Function*, vol. 77, pp. 142-197 Jan. 1997.
- Dibona, Gerald F., Functionally Specific Renal Sympathetic Nerve Fibers: Role in Cardiovascular Regulation, Mar. 6, 2001, *American Journal of Hypertension*, 2001, vol. 14, 2001 American Journal of Hypertension, Ltd. Published by Elsevier Science Inc., pp. 163S-170S.
- Dibona, Gerald F., L.L. Sawin, Effect of renal nerve stimulation on NaCl and H₂O transport in Henle's loop of the rat, 1982, *American Physiological Society*, F576-F580, 5 pgs.
- Dibona, Gerald F., Nervous Kidney—Interaction Between Renal Sympathetic Nerves and the Renin-Angiotensin System in the Control of Renal Function, Jun. 21, 2000, *Hypertension* 2000, vol. 36, 2000 American Heart Association, Inc., pp. 1083-1088.

(56)

References Cited

OTHER PUBLICATIONS

- Dibona, Gerald F., Neural Control of the Kidney—Past, Present and Future, Nov. 4, 2002, Novartis Lecture, Hypertension 2003, 41 part 2, 2002 American Heart Association, Inc., pp. 621-624.
- DiBona, Gerald F., Neural Control of the Kidney: Functionally Specific Renal Sympathetic Nerve Fibers, Starling Lecture, Am J Physiol Regulatory Integrative Comp Physiol, 2000, 279, 2000 The American Physiological Society, pp. R1517-R1524.
- Dibona, Gerald F., Peripheral and Central Interactions between the Renin-Angiotensin System and the Renal Sympathetic Nerves in Control of Renal Function, Annals New York Academy of Sciences, pp. 395-406 Jan. 25, 2006.
- Dibona, Gerald F., Renal Innervation and Denervation: Lessons from Renal Transplantation Reconsidered, Artificial Organs, vol. 11, No. 6, Raven Press, Ltd., 1987 International Society for Artificial Organs, pp. 457-462.
- Dibona, Gerald F., Sympathetic Nervous System and the Kidney in Hypertension, Current Opinion in Nephrology and Hypertension 2002, vol. 11, 2002 Lippincott Williams & Wilkins, pp. 197-200.
- Dibona, Gerald F., The Sympathetic Nervous System and Hypertension, Dec. 4, 2003, Hypertension Highlights, Hypertension Feb. 2004, vol. 43, 2004 American Heart Association, Inc., pp. 147-150.
- Dibona, Gerald, LL Sawin, Effect of renal denervation on dynamic autoregulation of renal blood flow, Feb. 12, 2004, AmJ Physiol Renal Physiol 286, pp. F1209-F1218.
- Dong, Jun et al. Incidence and Predictors of Pulmonary Vein Stenosis Following Catheter Ablation of Atrial Fibrillation Using the Anatomic Pulmonary Vein Ablation Approach: Results from Paired Magnetic Resonance Imaging, Journal of Cardiovascular Electrophysiology, vol. 16, No. 8, Aug. 2005, pp. 845-852.
- Dorros, Gerald, M.D., Renal Artery Stenting State of the Art, presentation, TCT, Washington D.C., Sep. 2003, 27 pages.
- Dueck, Ron, M.D., Noninvasive Cardiac Output Monitoring, The Cardiopulmonary and Critical Care Journal, Chest, vol. 120, sec. 2, Aug. 2001, American College of Chest Physicians 2005, pp. 339-341, 5 pages.
- Dunn, Matthew D. et al., Laparoscopic Nephrectomy in Patients With End-Stage Renal Disease and Autosomal Dominant Polycystic Kidney Disease, Oct. 25, 1999, American Journal of Kidney Diseases, vol. 35, No. 4 Apr. 2000, National Kidney Foundation, Inc. 2000, pp. 720-725.
- Durand, D.M., Electric Field Effects in Hyperexcitable Neural Tissue: A Review, Radiation Protection Dosimetry, vol. 106, No. 4, 2003 Nuclear Technology Publishing, pp. 325-331.
- Effects of Renal Failure on the Cardiovascular System, 5th Edition Heart Disease, A Textbook of Cardiovascular Medicine, vol. 2, Edited by Eugene Braunwald, 1997, W.B. Saunders Company, pp. 1923-1925.
- Electrical Stimulation for the Treatment of Chronic Wounds, Radiation Protection Standard, Maximum Exposure Levels to Radiofrequency Fields—3 KHz to 300 GHz, Radiation Protection Series No. 3, Australian Radiation Protection and Nuclear Safety Agency, Apr. 1996, 322 pgs.
- Electroporation (Electroporation), Cyto Pulse Sciences, Inc., <http://www.cypulpulse.com/electroporation.html> (last accessed Mar. 3, 2005), 3 pgs.
- Electroporation based Technologies and Treatments, ESPE Newsletter No. 6, QLK 02002-2003, Jan. 2005, www.cliniporator.com, 4 pgs.
- End-stage renal disease payment policies in traditional Medicare, Chapter 8, Report to the Congress: Medicare Payment Policy, Mar. 2001, Medpac, pp. 123-138.
- Epidemiology of Renal Disease in Hypertension, slide presentation by hypertensiononline.org, 21 pages Mar. 30, 2001.
- Erdine, Serap and Alev Arat-Ozkan, Resistant Hypertension, European Society of Hypertension Scientific Newsletter: Update on Hypertension Management 2003, vol. 4, No. 15, 2 pages.
- Esler, M. et al., Mechanism of elevated plasma noradrenaline in the course of essential hypertension. J Cardiovasc Pharmacol. 1986;8:S39-43.
- Esler, M. et al., Noradrenaline release and the pathophysiology of primary human hypertension. Am J Hypertens. 1989; 2:140S-146S.
- Esler, M. et al., Sympathetic nerve biology in essential hypertension, Clin and Exp Pharmacology and Physiology, 2001, 28:986-989.
- European Examination Report; European Patent Application No. 07799148.7; Applicant: Ardian, Inc.; Date of Mailing: Jan. 19, 2010 4 pgs.
- European Examination Report; European Patent Application No. 09156661.2; Applicant: Ardian, Inc.; Date of Mailing: Jan. 19, 2010, 6 pgs.
- European Search Report; European Patent Application No. 05806045.0; Applicant: Ardian, Inc.; Date of Mailing: Sep. 22, 2009, 8 pgs.
- European Search Report; European Patent Application No. 05811851.4; Applicant: Ardian, Inc.; Date of Mailing: Oct. 1, 2009, 7 pgs.
- European Search Report; European Patent Application No. 06847926.0; Applicant: Ardian, Inc.; Date of Mailing: Feb. 10, 2010, 6 pgs.
- European Search Report; European Patent Application No. 07757925.8; Applicant: Ardian, Inc.; Date of Mailing: Apr. 29, 2010, 9 pgs.
- European Search Report; European Patent Application No. 07798341.9; Applicant: Ardian, Inc.; Date of Mailing Aug. 4, 2011; 6 pgs.
- European Search Report; European Patent Application No. 07799148.7; Applicant: Ardian, Inc.; Date of Mailing: Jul. 23, 2009, 6 pgs.
- European Search Report; European Patent Application No. 07868755.5; Applicant: Ardian, Inc.; Date of Mailing: Jul. 28, 2010, 7 pgs.
- European Search Report; European Patent Application No. 09156661.2; Applicant: Ardian, Inc.; Date of Mailing: Jul. 23, 2009, 6 pgs.
- European Search Report; European Patent Application No. 09167937.3; Applicant: Ardian, Inc.; Date of Mailing: Nov. 11, 2009, 6 pgs.
- European Search Report; European Patent Application No. 09168202.1; Applicant: Ardian, Inc.; Date of Mailing: Nov. 11, 2009, 5 pgs.
- European Search Report; European Patent Application No. 09168204.7; Applicant: Ardian, Inc.; Date of Mailing: Nov. 19, 2009, 6 pgs.
- Evelyn, K.A. et al., Effect of thoracolumbar sympathectomy on the clinical course of primary (essential) hypertension, Am J Med, 1960;28:188-221.
- Ex parte Quayle Office Action*; U.S. Appl. No. 11/144,173; Mailed on May 28, 2009, 4 pgs.
- Fact Book Fiscal Year 2003, National Institutes of Health National Heart, Lung, and Blood Institute, Feb. 2004, 197 pgs.
- Fajardo, J. et al., Effect of chemical sympathectomy on renal hydroelectrolytic handling in dogs with chronic caval constriction. Clin Physiol Biochem. 1986;4:252-6.
- Fareed, Jawed, Ph.D. et al., Some Objective Considerations for the Use of Heparins and Recombinant Hirudin in Percutaneous Transluminal Coronary Angioplasty, Seminars in Thrombosis and Hemostasis 1991, vol. 17, No. 4, 1991 by Thieme Medical Publishers, Inc., pp. 455-470.
- Ferguson, D.R. et al., Responses of the pig isolated renal artery to transmural electrical stimulation and drugs, Dec. 7, 1984, Br. J. Pharmac. 1985, vol. 84, The Macmillan Press Ltd. 1985, pp. 879-882.
- Fernandez-Ortiz, Antonio, et al., A New Approach for Local Intravascular Drug Delivery—Iontophoretic Balloon, Intravascular Iontophoretic Local Delivery, Circulation, vol. 89, No. 4, Apr. 1994, pp. 1518-1522.
- Fields, Larry E. et al., The Burden of Adult Hypertension in the United States 1999 to 2000—A Rising Tide, May 18, 2004, American Heart Association 2004, Hypertension Oct. 2004, pp. 1-7.
- Final Office Action; U.S. Appl. No. 11/233,814; Mailed on Jan. 29, 2009, 11 pgs.
- Final Office Action; U.S. Appl. No. 11/266,993; Mailed on Jan. 8, 2010, 7 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Final Office Action; U.S. Appl. No. 11/363,867; Mailed on May 1, 2009, 8 pgs.
- Final Office Action; U.S. Appl. No. 11/451,728; Mailed on Jan. 13, 2009, 7 pgs.
- Final Office Action; U.S. Appl. No. 11/599,649; Mailed on Jan. 15, 2009, 10 pgs.
- Final Office Action; U.S. Appl. No. 11/599,723; Mailed on Apr. 5, 2010, 17 pgs.
- Final Office Action; U.S. Appl. No. 11/599,890; Mailed on Apr. 29, 2009, 9 pgs.
- Fischell, Tim A. et al., Ultrasonic Energy: Effects on Vascular Function and Integrity, *Circulation: Journal of the American Heart Association*. 1991. 84;pp. 1783-1795.
- Freeman, Scott A. et al., Theory of Electroporation of Planar Bilayer Membranes: Predictions of the Aqueous Area, Change in Capacitance, and Pore-Pore Separation, Feb. 23, 1994, *Biophysical Journal*, Jul. 1994, vol. 67, 1994 by the Biophysical Society, pp. 42-56.
- Fukuoka, Yuko et al., Imaging of neural conduction block by neuromagnetic recording, Oct. 16, 2002, *Clinical Neurophysiology*, vol. 113, 2002, Elsevier Science Ireland Ltd. 2002, pp. 1985-1992.
- Fuster, Valentin et al. ACC/AHA/ESC Practice Guidelines: ACA/AHA/ESC 2006 Guidelines for the Management of Patients with Atrial Fibrillation. *JACC* vol. 48, No. 4, Aug. 15, 2006.
- Gami, Apoor S., M.D. and Vesna D. Garovic, M.D., Contrast Nephropathy After Coronary Angiography, *Mayo Clin Proc.* 2004, vol. 79, 2004 Mayo Foundation for Medical Education and Research, pp. 211-219.
- Gattone II, Vincent H. et al., Contribution of Renal Innervation to Hypertension in Polycystic Kidney Disease in the Rat, University of Chicago Section of Urology, 16 pages, Mar. 17, 2008.
- Gaylor, D.C. et al., Significance of Cell Size and Tissue Structure in Electrical Trauma, Jan. 26, 1988, *J. theor. Biol.* 1988, vol. 133, 1988 Academic Press Limited, pp. 223-237.
- Gazdar, A.F. and G.J. Dammin, Neural degeneration and regeneration in human renal transplants, *NEJM*, Jul. 30, 1970, 283:222-244.
- Gehl, Julie et al., In Vivo Electroporation of Skeletal Muscle: Threshold, Efficacy and Relation to Electric Field Distribution, *Biochimica et Biophysica Acta*, 1428, 1999, Elsevier Science B.V. 1999, pp. 233-240, www.elsevier.com/locate/bba <<http://www.elsevier.com/locate/bba>>.
- Getts, R.T. et al., Regression of left ventricular hypertrophy after bilateral nephrectomy, *Nephrol Dial Transplant*, 2006, vol. 21, pp. 1089-1091.
- Ghoname, El-sayed A. et al., Percutaneous electrical nerve stimulation: an alternative to TENS in the management of sciatica, Apr. 26, 1999, *Pain* 1999, vol. 83, 1999 International Association for the Study of Pain / Published by Elsevier Science B.V., pp. 193-199.
- Gimple, M.D., Lawrence et al., Effect of Chronic Subcutaneous or Intramural Administration of Heparin on Femoral Artery Restenosis After Balloon Angioplasty in Hypercholesterolemic Rabbits, *Laboratory Investigation, Circulation*, vol. 86, No. 5, Nov. 1992, pp. 1536-1546.
- Goldberger, Jeffrey J. et al., New technique for vagal nerve stimulation, Jun. 2, 1999, *Journal of Neuroscience Methods* 91, 1999, Elsevier Science B.V. 1999, pp. 109-114.
- Gorbunov, F.E. et al., The Use of Pulsed and Continuous Short Wave Diathermy (Electric Field) in Medical Rehabilitation of the Patients with Guillan-Barre Syndrome and Other Peripheral Myelinopathies, May 6, 1994, 5 pages (most of article in Russian language).
- Gottschalk, C.W., Renal nerves and sodium excretion, *Ann. Rev. Physiol.*, 1979, 41:229-240.
- Greenwell, T.J. et al., The outcome of renal denervation for managing loin pain haematuria syndrome. *BJU International*, 2004; 4 pgs.
- Gruberg, Luis, M.D. et al., The Prognostic Implications of Further Renal Function Deterioration Within 48 h of Interventional Coronary Procedures in Patients with Pre-existent Chronic Renal Insufficiency, Jun. 19, 2000, *Journal of the American College of Cardiology* 2000, vol. 36, No. 5, 2000 by the American College of Cardiology, pp. 1542-1548.
- Guimaraes, Sarfim. Vascular Adrenoceptors: An Update. pp. 319-356, Jun. 1, 2001.
- Haissaguerre, M. et al., Spontaneous initiation of atrial fibrillation by ectopic beats originating in the pulmonary veins, *New England Journal of Medicine*, 1998, 339: 659-666.
- Hajjar, Ihab, M.D., M.S. and Theodore A. Kotchen, M.D., Trends in Prevalence, Awareness, Treatment, and Control of Hypertension in the United States, 1988-2000, *JAMA*, Jul. 9, 2003, vol. 290, No. 2, pp. 199-206.
- Hammer, Leah W. Differential Inhibition of Functional Dilation of Small Arterioles by Indomethacin and Glibenclamide. Hypertension. Feb. 2001 Part II. pp. 599-603.
- Hampers, C.L. et al., A hemodynamic evaluation of bilateral nephrectomy and hemodialysis in hypertensive man, *Circulation*. 1967;35:272-288.
- Hamza, M.D., Mohamed A. et al., Effect of the Duration of Electrical Stimulation on the Analgesic Response in Patients with Low Back Pain, *Anesthesiology*, vol. 91, No. 6, Dec. 1999, American Society of Anesthesiologists, Inc. 1999, pp. 1622-1627.
- Han, Hyo-Kyung and Gordon L. Amidon, Targeted Prodrug Design to Optimize Drug Delivery, Mar. 21, 2000, *AAPS Pharmsci* 2000, 2 (1) article 6, pp. 1-11.
- Hansen, J.M. et al., The transplanted human kidney does not achieve functional reinnervation, *Clin Science*, 1994, vol. 87, pp. 13-20.
- Hasking, G.J. et al., Norepinephrine spillover to plasma in patients with congestive heart failure: evidence of increased overall and cardiorenal sympathetic nervous activity, *Circulation*. 1986;73:615-21.
- Hausberg, M. et al., Sympathetic nerve activity in end-stage renal disease, *Circulation*, 2002, 106: 1974-1979.
- Heart Arrhythmia Heart and Vascular Health on Yahoo! Health. 13 pgs. <URL: http://health.yahoo.com/topic/heart/overview/article/mayoclinic/21BBE2B0-128D-4AA2-A5CE215065586678;_ylt=Aqd9M5rNyHD0sbP0mHXFhLcPu7cF> Feb. 16, 2005.
- Heart Disease and Stroke Statistics—2004 Update, American Heart Association, American Stroke Association, Dallas, Texas, 2003 American Heart Association, 52 pgs.
- Heida, Tjitske, et al., Investigating Membrane Breakdown of Neuronal Cells Exposed to Nonuniform Electric Fields by Finite-Element Modeling and Experiments, May 9, 2002, *IEEE Transactions on Biomedical Engineering*, vol. 49, No. 10, Oct. 2002, IEEE 2002, pp. 1195-1203.
- Heuer, G.J., The surgical treatment of essential hypertension, *Annals of Surgery*, 1936; 104 (4): 771-786.
- Higuchi, Yoshinori, M.D., Ph.D. et al, Exposure of the Dorsal Root Ganglion in Rats to Pulsed Radiofrequency Currents Activates Dorsal Horn Lamina I and II Neurons, Dec. 4, 2001, *Experimental Studies, Neurosurgery*, vol. 50, No. 4, Apr. 2002, pp. 850-856.
- Hildebrand, Keith R., D.V.M., Ph.D. et al., Stability, Compatibility, and Safety of Intrathecal Bupivacaine Administered Chronically via an Implantable Delivery System, May 18, 2001, *The Clinical Journal of Pain*, vol. 17, No. 3, 2001 Lippincott Williams & Wilkins, Inc., pp. 239-244.
- Hing, Esther, M.P.H. and Kimberly Middleton, B.S.N., M.P.H., National Hospital Ambulatory Medical Care Survey: 2001 Outpatient Department Summary, Aug. 5, 2003, *Advance Data from Vital and Health Statistics*, No. 338, CDC, 32 pages.
- Hodgkin, Douglas D. et al., Electrophysiologic Characteristics of a Pulsed Iontophoretic Drug-Delivery System in Coronary Arteries, *Journal of Cardiovascular Pharmacology*. 29(1):pp. 39-44, Jan. 1997, Abstract, 2 pgs.
- Hopp, F.A. et al., Respiratory Responses to Selective Blockade of Carotid Sinus Baroreceptors in the Dog, Jun. 22, 2005, *Am J Physiol Regul Integr Comp Physiol* 1998, vol. 275, 2005 American Physiological Society, pp. R10-R18.
- Hortobagyi, Gabriel N., Randomized Trial of High-Dose Chemotherapy and Blood Cell Autographs for High-Risk Primary Breast Carcinoma, *Journal of the National Cancer Institute*, vol. 92, No. 3, Feb. 2, 2000, pp. 225-233.
- Norwich, Tamara, M.D., New Advances in the Diagnosis and Management of Acute Decompensated Heart Failure, the heart.org satellite program, Rapid Review, CME Symposium presented on Nov. 8, 2004 at the Sheraton New Orleans Hotel, 4 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Huang, Wann-Chu et al. Renal Denervation Prevents and Reverses Hyperinsulinemia-Induced Hypertension in Rats, Mar. 25, 1998, Hypertension 1998, vol. 32, 1998 American Heart Association, pp. 249-254.
- Huang, Yifei et al., Remodeling of the chronic severely failing ischemic sheep heart after coronary microembolization: functional, energetic, structural and cellular responses, Jan. 8, 2004, Am J Physiol. Heart Circ. Physiol. 2004, vol. 286, 2004 the American Physiological Society, pp. H2141-H2150.
- Hughes, Gordon B., M.D. et al., A Comparative Study of Neuropathologic Changes Following Pulsed and Direct Current Stimulation of the Mouse Sciatic Nerve, Jun. 27, 1980, American Journal of Otolaryngology, Nov. 1980, vol. 1, No. 5, pp. 378-384.
- Hypertension and Renal Disease: Mechanisms, Slide Show by www.hypertensiononline.org, 22 pages Mar. 30, 2001.
- Hypertension Incidence and Prevalence, Age-Specific Rates, by Gender, B.C., 2001/2002, Graph, Chronic Disease Management, May 2003, British Columbia Ministry of Health Services, 1 page.
- Implantable Neurostimulation Systems, Medtronic Neurological, Jan. 18, 1999, 6 pages. http://medtronic.com/neuro/paintherapies/pain_treatment_ladder/pdf/implantable_brochure.pdf.
- Implantable Pump—The Medtronic MiniMed 2007 Implantable Insulin Pump System, Medtronic MiniMed 2004, 4 pgs.
- International Search Report and Written Opinion for PCT/US2009/069334; Applicant: Ardian, Inc.; Mailing Date: Mar. 1, 2010, 10 pgs.
- International Search Report and Written Opinion, PCT/US05/35693, Mailed on Mar. 8, 2006, Applicant: Ardian, Inc., 29 pgs.
- International Search Report and Written Opinion, PCT/US05/35757, Mailed on Dec. 27, 2006, Applicant: Ardian, Inc., 8 pgs.
- International Search Report and Written Opinion, PCT/US06/36120, Mailed on Jun. 25, 2008, Applicant: Ardian, Inc., 10 pgs.
- International Search Report and Written Opinion, PCT/US06/41889, Mailed on Oct. 20, 2008, Applicant: Ardian, Inc., 7 pgs.
- International Search Report and Written Opinion, PCT/US06/48822, Mailed on Aug. 15, 2008, Applicant: Ardian, Inc., 12 pgs.
- International Search Report and Written Opinion, PCT/US07/63322, Mailed on Mar. 3, 2008, Applicant: Ardian, Inc., 13 pgs.
- International Search Report and Written Opinion, PCT/US07/63324, Mailed on Oct. 10, 2008, Applicant: Ardian, Inc., 10 pgs.
- International Search Report and Written Opinion, PCT/US07/66539, Mailed on Jan. 28, 2008, Applicant: Ardian, Inc., 6 pgs.
- International Search Report and Written Opinion, PCT/US07/70799, Mailed on Jul. 2, 2008, Applicant: Ardian, Inc., 7 pgs.
- International Search Report and Written Opinion, PCT/US07/72396, Mailed on Aug. 27, 2008, Applicant: Ardian, Inc., 9 pgs.
- International Search Report and Written Opinion, PCT/US07/84701, Mailed on Aug. 21, 2008, Applicant: Ardian, Inc., 11 pgs.
- International Search Report and Written Opinion, PCT/US07/84705, Mailed on Jul. 28, 2008, Applicant: Ardian, Inc., 12 pgs.
- International Search Report and Written Opinion, PCT/US07/84708, Mailed on Aug. 11, 2008, Applicant: Ardian, Inc., 9 pgs.
- International Search Report, PCT/US02/0039, Mailed Sep. 11, 2002, Applicant: Advanced Neuromodulation Systems, Inc.
- International Search Report, PCT/US02/25712, Mailed on Apr. 23, 2003, Applicant: Cyberonics, Inc.
- International Search Report, PCT/US03/08014, Mailed on Sep. 23, 2003, Applicant: The General Hospital Corporation.
- International Search Report, PCT/US03/09764, Mailed on Oct. 28, 2003, Applicant: CVRX, Inc.
- International Search Report, PCT/US04/38498, Mailed Feb. 18, 2005, Applicant: G & L Consulting, LLC, 4 pgs.
- Introduction to Autonomic Pharmacology, Chapter 3, Part 2 Autonomic Pharmacology, pp. 18-26, May 24, 2002.
- Isovue: Data Sheet. Regional Health Limited. 8 pgs. Mar. 11, 2003.
- Israilli, Z.H., Clinical pharmacokinetics of angiotensin II (AT) receptor blockers in hypertension, Journal of Human Hypertension, 2000, Macmillan Publishers Ltd., vol. 14, pp. S73-S86.
- Janda, J., Impact of the electrical stimulation apparatus rebox on the course of ischemic renal damage in rats, British Library-The world's knowledge pp. 252-254 (translated and untranslated versions) 1996.
- Janssen, Ben J.A. et al., Effects of complete renal denervation and selective afferent renal denervation on the hypertension induced by intrarenal norepinephrine infusion in conscious rats, Jan. 4, 1989, Journal of Hypertension 1989, vol. 7, No. 6, Current Science Ltd, pp. 447-455.
- Jia, Jianping et al., Cold injury to nerves is not due to ischaemia alone, Brain. 121 ;pp. 989-1001. 1998.
- Jia, Jianping et al., The pathogenesis of non-freezing cold nerve injury: Observations in the rat, Brain. 120; pp. 631-646. 1997.
- Jin, Yuanzhe et al., Pulmonary Vein Stenosis and Remodeling After Electrical Isolation for Treatment of Atrial Fibrillation: Short- and Medium-Term Follow-Up, PACE, vol. 27., Oct. 2004, pp. 1362-1370.
- Johansson, Bjorn, Electrical Membrane Breakdown, A Possible Mediator of the Actions of Electroconvulsive Therapy, Medical Hypotheses 1987, vol. 24, Longman Group UK Ltd 1987, pp. 313-324.
- Joles, J.A. et al., Causes and Consequences of Increased Sympathetic Activity in Renal Disease. Hypertension. 2004;43:699-706.
- Jorgensen, William A. et al., Electrochemical Therapy of Pelvic Pain: Effects of Pulsed Electromagnetic Fields (PEMF) on Tissue Trauma, Eur J Surg 1994, Suppl 574, vol. 160, 1994 Scandinavian University Press, pp. 83-86.
- Joshi, R. P. and K. H. Schoenbach, Mechanism for membrane electroporation irreversibility under high-intensity, ultrashort electrical pulse conditions, Nov. 11, 2002, Physical Review E 66, 2002, The American Physical Society 2002, pp. 052901-1-052901-4.
- Joshi, R. P. et al., Improved energy model for membrane electroporation in biological cells subjected to electrical pulses, Apr. 9, 2002, Physical Review E, vol. 65, 041920-1, 2002 The American Physical Society, 8 pages.
- Joshi, R. P. et al., Self-consistent simulations of electroporation dynamics in biological cells subjected to ultrashort electrical pulses, Jun. 21, 2001, Physical Review E, vol. 64, 011913, 2001 The American Physical Society, pp. 1-10.
- Joye, James D. et al., In Vivo Study of Endovascular Cryotherapy for the Prevention of Restenosis, 4 pages, 2003.
- Kanduser, Masa et al., Effect of surfactant polyoxyethylene glycol (C12E8) on electroporation of cell line DC3F, Aug. 20, 2002, Colloids and Surfaces A: Physicochem. Eng. Aspects 214, 2003, Elsevier Science B.V. 2002, pp. 205-217.
- Kassab, S. et al., Renal denervation attenuates the sodium retention and hypertension associated with obesity, Hypertension, 1995, 25:893-897.
- Katholi, R.E. et al., Importance of the renal nerves in established two-kidney, one clip Goldblatt hypertension, Hypertension, 1982, 4 (suppl II): II-166-11-174.
- Katholi, R.E. et al., Role of the renal nerves in the pathogenesis of one-kidney renal hypertension in the rat, Hypertension, 1981, 3(4) 404-409.
- Katholi, R.E., Renal nerves and hypertension: an update, Fed Proc., 1985, 44:2846-2850.
- Katholi, Richard E., Renal nerves in the pathogenesis of hypertension in experimental animals and humans, Am. J. Physiol. vol. 245, 1983, the American Physiological Society 1983, pp. F1-F14.
- Kaye, D.M. et al., Functional and neurochemical evidence for partial cardiac sympathetic reinnervation after cardiac transplantation in humans, Circulation, 1993, vol. 88, pp. 1101-1109.
- Kelleher, Catherine L. et al., Characteristics of Hypertension in Young Adults with Autosomal Dominant Polycystic Kidney Disease Compared with the General U.S. Population, Jun. 9, 2004, American Journal of Hypertension 2004, pp. 1029-1034.
- King, Ronald W. P., Nerves in a Human Body Exposed to Low-Frequency Electromagnetic Fields, Jun. 7, 1999, IEEE Transactions on Biomedical Engineering, vol. 46, No. 12, Dec. 1999, IEEE 1999, pp. 1426-1431.
- Kinney, Brian M., M.D., High-Tech Healing—The evolution of therapeutic electromagnetic fields in plastic surgery, Plastic Surgery Products, Jun. 2004, pp. 32-36, 3 pages.

(56)

References Cited

OTHER PUBLICATIONS

- Kirchheim, H. et al., Sympathetic modulation of renal hemodynamics, renin release and sodium excretion, *Klin Wochenschr*, 1989, 67:858-864.
- Klein, K. et al., Impaired autotfeedback regulation of hypothalamic norepinephrine release in experimental uremia. *J Am Soc Nephrol*. 2005;16:2081-7.
- Knot, H. J. et al., Regulation of arterial diameter and wall [Ca²⁺] in cerebral arteries of rat by membrane potential and intravascular pressure. *The Journal of Physiology*. 1998. 508; pp. 199-209.
- Kok, Lai Chow et al. Effect of Heating on Pulmonary Veins: How to Avoid Pulmonary Vein Stenosis. *Journal of Cardiovascular Electrophysiology*. vol. 14, No. 3, Mar. 2003. pp. 250-254.
- Kok, R. J. et al., Specific Delivery of Captopril to the Kidney with the Prodrug Captopril-Lysozyme, Aug. 16, 1998, *Journal of Pharmacology and Experimental Therapeutics*, vol. 288, No. 1, 1999 by the American Society for Pharmacology and Experimental Therapeutics, pp. 281-285.
- Kon, V. Neural Control of Renal Circulation, *Miner Electrolyte Metab*. 1989;15:33-43.
- Koomans, H.A., et al., Sympathetic hyperactivity in chronic renal failure: a wake-up call. *J Am Soc Nephrol*. 2004;15:524-37.
- Kopp, U. et al., Dietary sodium loading increases arterial pressure in afferent renal-denervated rats, *Hypertension*, 2003, 42:968-973.
- Kopp, U.C. et al., Renal sympathetic nerve activity modulates afferent renal nerve activity by PGE₂-dependent activation of alpha₁- and alpha₂-adrenoceptors on renal sensory nerve fibers. *Am J Physiol Regul Integr Comp Physiol*. 2007;293:R1561-72.
- Koyama, Shozo et al., Relative Contribution of Renal Nerve and Adrenal Gland to Renal Vascular Tone During Prolonged Canine Hemorrhagic Hypotension, Sep. 24, 1992, *Circulatory Shock* 1993, vol. 39, Wiley-Liss, Inc. 1993, pp. 269-274.
- Kozak, Lola Jean, Ph.D et al., National Hospital Discharge Survey: 2001 Annual Summary with Detailed Diagnosis and Procedure Data, Vital and Health Statistics, Series 13 No. 156, Jun. 2004, CDC, 206 pages.
- Kumagai, K. et al. New Approach to Pulmonary Vein Isolation for Atrial Fibrillation Using a Multielectrode Basket Catheter. *Circulation Journal*. 2006;70:88-93.
- Lafayette, Richard A., M.D., How Does Knocking Out Angiotensin II Activity Reduce Renal Injury in Mice?, Jun. 14, 1999, *Journal Club*, American Journal of Kidney Diseases, vol. 35, No. 1, Jan. 2000, National Kidney Foundation, Inc. 2000, pp. 166-172.
- Lavie, Peretz, Ph.D. and Victor Hoffstein, M.D., Sleep Apnea Syndrome: A Possible Contributing Factor to Resistant Hypertension, Jun. 2001, *SLEEP* 2001, vol. 24, No. 6, pp. 721-725.
- Le Noble, J.L. et al., Pharmacological evidence for rapid destruction of efferent renal nerves in rats by intrarenal infusion of 6-hydroxydopamine. *J Hypertens Suppl*. 1985;3:S137-40.
- Lee, Michael A. (editor). *SPORTSMed. Connecticut State Medical Society Committee on the Medical Aspects of Sports*. Fall/Winter 2005. 10 pgs.
- Lee, Raphael C. et al., Biophysical Injury Mechanisms in Electronic Shock Trauma, *Annu. Rev. Biomed. Eng.*, 2000, vol. 2, Copyright © 2000 by Annual Reviews, pp. 477-509.
- Lee, Raphael C. et al., Clinical Sequelae Manifested in Electrical Shock Survivors, Presentation by the Electrical Trauma Research Program, the University of Chicago, 37 pp. Dec. 24, 2004.
- Lee, Raphael C. et al., Membrane Biology and Biophysics, Chapter 25, *Surgical Research*, 2001 Academic Press, pp. 297-305.
- Lee, Raphael C., M.D., Sc.D. and Michael S. Kolodney, S.B., Electrical Injury Mechanisms: Electrical Breakdown of Cell Membranes, Oct. 1, 1986, *Plastic and Reconstructive Surgery*, Nov. 1987, vol. 80, No. 5, pp. 672-679.
- Lenoble, L.M. et al., Selective efferent chemical sympathectomy of rat kidneys. *Am J Physiol*. 1985;249:R496-501.
- Ligtenberg, Gerry M.D. et al., Reduction of Sympathetic Hyperactivity by Enalapril in Patients with Chronic Renal Failure, Apr. 29, 1999, *New England Journal of Medicine* 1999, vol. 340, No. 17, 1999 Massachusetts Medical Society, pp. 1321-1328.
- Lin, Vernon W. H. et al., High intensity magnetic stimulation over the lumbosacral spine evokes antinociception in rats, Apr. 16, 2002, *Clinical Neurophysiology*, vol. 113, 2002 Elsevier Science Ireland Ltd., pp. 1006-1012.
- Lipfert, Peter, M.D. et al., Tachyphylaxis to Local Anesthetics Does Not Result from Reduced Drug Effectiveness at the Nerve Itself, Aug. 3, 1988, *Anesthesiology* 1989, vol. 70, pp. 71-75.
- Lohmeier, Thomas E. and Drew A. Hildebrandt, Renal Nerves Promote Sodium Excretion in Angiotensin-Induced Hypertension, Oct. 20, 1997, *Hypertension* 1998, vol. 31, part 2, 1998 American Heart Association, Inc., pp. 429-434.
- Lohmeier, Thomas E. et al., Prolonged Activation of the Baroreflex Produces Sustained Hypotension, Harry Goldblatt Award, Nov. 26, 2003, *Hypertension* 2004, vol. 43, Part 2, 2004 American Heart Association, Inc., pp. 306-311.
- Lohmeier, Thomas E. et al., Renal Nerves Promote Sodium Excretion During Long-Term Increases in Salt Intake, Oct. 23, 1998, *Hypertension* 1999, vol. 33, part II, 1999 American Heart Association, Inc., pp. 487-492.
- Lohmeier, Thomas E. et al., Sustained influence of the renal nerves to attenuate sodium retention in angiotensin hypertension, Apr. 13, 2001, *Am J Physiol Regulatory Integrative Comp Physiol*, vol. 281, 2001 the American Physiological Society, pp. R434-R443.
- Lohmeier, Thomas E., et al., Baroreflexes prevent neurally induced sodium retention in angiotensin hypertension, *American Journal Physiol Regulatory Integrative Comp Physiol*, vol. 279, 2000 the American Physiological Society, pp. R1437-R1448.
- Lohmeier, Thomas E., Interactions Between Angiotensin II and Baroreflexes in Long-Term Regulation of Renal Sympathetic Nerve Activity, *Circulation Research*, Jun. 27, 2003, American Heart Association, Inc. 2003, pp. 1282-1284.
- Luff, S.E. et al., Two types of sympathetic axon innervating the juxtaglomerular arterioles of the rabbit and rat kidney differ structurally from those supplying other arteries, May 1, 1991, *Journal of Neurocytology* 1991, vol. 20, 1991 Chapman and Hall Ltd., pp. 781-795.
- Luippold, G. et al., Chronic renal denervation prevents glomerular hyperfiltration in diabetic rats, *Nephrol Dial Transplant* (2004) 19:342-347.
- Lundborg, C. et al., Clinical experience using intrathecal (IT) bupivacaine infusion in three patients with complex regional pain syndrome type I (CRPS-I), *Acta Anaesthesiol Scand* 1999, vol. 43, pp. 667-678.
- Maeder, Micha, M.D. et al., Contrast Nephropathy: Review Focusing on Prevention, Jun. 22, 2004, *Journal of the American College of Cardiology* Nov. 2, 2004, vol. 44, No. 9, 2004 by the American College of Cardiology Foundation, pp. 1763-1771.
- Malpas, Simon C., What sets the long-term level of sympathetic nerve activity: is there a role for arterial baroreceptors?, Invited Review, *Am J Physiol Regul Integr Comp Physiol* 2004, vol. 286, 2004 the American Physiological Society, pp. R1-R12.
- Mancia, G., Grassi, G., Giannattasio, C., Seravalle, G., Sympathetic activation of pathogenesis of hypertension and progression of organ damage, *Hypertension* 1999, 34 (4 Pt 2): 724-728.
- Marenzi, Giancarlo, M.D. et al., The Prevention of Radiocontrast-Agent-Induced Nephropathy by Hemofiltration, *New England Journal of Medicine*, Oct. 2, 2003, vol. 349 (14), 2003 Massachusetts Medical Society, pp. 1333-1340.
- Market for infusion pumps grows with an aging population, *NWL* 97-01, *The BBI Newsletter*, vol. 20, No. 2, Feb. 1, 1997, American Health Consultants, Inc., pp. 6.
- Martin, Jason B. et al., Gene Transfer to Intact Mesenteric Arteries by Electroporation, Mar. 27, 2000, *Journal of Vascular Research* 2000, vol. 37, 2000 S. Karger AG, Basel, pp. 372-380.
- McCreery, Douglas B. et al., Charge Density and Charge Per Phase as Cofactors in Neural Injury Induced by Electrical Stimulation, *IEEE Transactions on Biomedical Engineering*, vol. 17, No. 10, Oct. 1990, pp. 996-1000.
- McCullough, Peter A., M.D., Mph et al., Acute Renal Failure after Coronary Intervention: Incidence, Risk Factors and Relationship to Mortality, Apr. 14, 1997, *Am J Med*. 1997, vol. 103, 1997 Excerpta Medica, Inc., pp. 368-375.

(56)

References Cited

OTHER PUBLICATIONS

- McMurray, John J.V., M.D. and Eileen O'Meara, M.D., Treatment of Heart Failure with Spironolactone—Trial and Tribulations, Aug. 5, 2004, New England Journal of Medicine, vol. 351, No. 6, 2004 Massachusetts Medical Society, pp. 526-528.
- McRobbie, D. and M.A. Foster, Thresholds for biological effects of time-varying magnetic fields, Dec. 16, 1983, Clin. Phys. Physiol. Meas. 1984, vol. 5, No. 2, 1984 The Institute of Physics, pp. 67-78.
- Medtronic Neurostimulation Systems, Expanding the Array of Pain Control Solutions, informational pamphlet, 1999 Medtronic, Inc., 6 pages.
- Medtronic, Spinal Cord Stimulation, Patient Management Guidelines for Clinicians, Medtronic, Inc. 1999, 115 pages.
- Medtronic, SynchroMed Infusion System—Clinical Reference Guide for Pain Therapy, Medtronic, Inc. 1998, 198 pages.
- Mehran, Roxana, Renal insufficiency and contrast nephropathy: The most common, least understood risk factor, Cardiovascular Research Foundation, Columbia University Medical Center, 2005, 86 slides.
- Mess, Sarah A., M.D. et al., Implantable Baclofen Pump as an Adjuvant in Treatment of Pressure Sores, Mar. 1, 2003, Annals of Plastic Surgery, vol. 51, No. 5, Nov. 2003, Lippincott Williams & Wilkins 2003, pp. 465-467.
- Micro ETS Hyperhidrosis USA Hyperhidrosis USA. 2 pgs. <URL: <http://www.hyperhidrosis-usa.com/Index.html>>. Nov. 6, 2006.
- Mihran, Richard T. et al., Temporally-Specific Modification of Myelinated Axon Excitability in Vitro Following a Single Ultrasound Pulse, Sep. 25, 1989, Ultrasound in Med. & Biol. 1990, vol. 16, No. 3, pp. 297-309.
- Miklavčič, D. et al, A Validated Model of in Vivo Electric Field Distribution in Tissues for Electrochemotherapy and for DNA Electrotansfer for Gene Therapy, Biochimica et Biophysica Acta, 1523, 2000, pp. 73-83, <<http://www.elsevier.com/locate/bba>>.
- Mitchell, G. A. G., The Nerve Supply of the Kidneys, Aug. 20, 1949, Acta Anatomica, vol. X, Fasc. 1/2, 1950, pp. 1-37.
- Morrissey, D.M. et al., Sympathectomy in the treatment of hypertension: Review of 122 cases, Lancet. 1953;1:403-408.
- Moss, Nicholas G., Renal function and renal afferent and efferent nerve activity, Am. J. Physiol. 1982, vol. 243, 1982 the American Physiological Society, pp. F425-F433.
- Munglani, Rajesh, The longer term effect of pulsed radiofrequency for neuropathic pain, Jun. 8, 1998, Pain 80, 1999, International Association for the Study of Pain 1999, Published by Elsevier Science B.V., pp. 437-439.
- Naropin (ropivacaine HCl) Injection, RX only Description, AstraZeneca 2001, 3 pages.
- National High Blood Pressure Education Program, 1995 Update of the Working Group Reports on Chronic Renal Failure and Renovascular Hypertension, presentation, 13 pages.
- National Kidney Foundation, Are You At Increased Risk for Chronic Kidney Disease?, 2002 National Kidney Foundation, Inc., 14 pages.
- Nelson, L. et al., Neurogenic Control of Renal Function in Response to Graded Nonhypotensive Hemorrhage in Conscious Dogs, Sep. 13, 1992, Am J. Physiol. 264, 1993, American Physiological Society 1993, pp. R661-R667.
- Nikolsky, Eugenia, M.D. et al., Radiocontrast Nephropathy: Identifying the High-Risk Patient and the Implications of Exacerbating Renal Function, Rev Cardiovasc Med. 2003, vol. 4, Suppl. 1, 2003 MedReviews, LLC, pp. S7-S14.
- Non-Final Office Action; U.S. Appl. No. 10/408,665; Mailed on Mar. 21, 2006, 14 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/129,765; Mailed on May 18, 2007, 10 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/129,765; Mailed on Sep. 10, 2007, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/129,765; Mailed on Oct. 6, 2006, 30 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/133,925; Mailed on Oct. 8, 2008, 41 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,173; Mailed on Apr. 5, 2007, 33 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,173; Mailed on Sep. 10, 2007, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,298; Mailed Oct. 29, 2009, 8 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,298; Mailed on Apr. 5, 2007, 33 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,298; Mailed on Sep. 10, 2007, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/144,298; Mailed on Dec. 29, 2008, 7 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/145,122; Mailed on Apr. 11, 2007, 33 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/145,122; Mailed on Sep. 10, 2007, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/189,563; Mailed on May 28, 2009, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/233,814; Mailed on Jun. 17, 2008, 12 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/252,462; Mailed on Feb. 22, 2010, 6 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/266,993; Mailed on Jul. 8, 2009, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/266,993; Mailed on Dec. 30, 2008, 7 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/363,867; Mailed on Sep. 25, 2008, 10 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/368,553; Mailed on May 18, 2010, 4 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/368,553; Mailed on Oct. 7, 2009, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/368,809; Mailed on Dec. 3, 2009, 4 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/368,949; Mailed on Jun. 11, 2010, 6 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/368,971; Mailed on Aug. 24, 2010, 9 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/451,728; Mailed on Jun. 12, 2008, 41 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/451,728; Mailed on Jul. 2, 2009, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/451,728; Mailed on Dec. 28, 2009, 7 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/504,117; Mailed on Mar. 31, 2009, 10 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/599,649; Mailed on Mar. 30, 2009, 10 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/599,649; Mailed on Jun. 23, 2008, 9 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/599,723; Mailed on Jun. 26, 2009, 17 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/599,723; Mailed on Oct. 15, 2010, 16 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/599,882; Mailed on Jul. 6, 2009, 13 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/688,178; Mailed on Jun. 28, 2010, 5 pgs.
- Non-Final Office Action; U.S. Appl. No. 11/840,142; Mailed on Apr. 3, 2009, 13 pgs.
- Non-Final Office Action; U.S. Appl. No. 12/567,521; Mailed on Sep. 3, 2010, 9 pgs.
- Non-Final Office Action; U.S. Appl. No. 12/616,708; Mailed Sep. 16, 2010, 10 pgs.
- Non-Final Office Action; U.S. Appl. No. 12/725,375; Mailed on Oct. 12, 2010, 14 pgs.
- Nozawa, T. et al., Effects of Long Term Renal Sympathetic Denervation on Heart Failure After Myocardial Infarction in Rats, Sep. 22, 2001, Heart Vessels, 2002, 16, Springer-Verlag 2002, pp. 51-56.
- O'Hagan, K.P. et al., Renal denervation decreases blood pressure in DOCA-treated miniature swine with established hypertension, Am J Hypertens., 1990, 3:62-64.
- Onesti, G. et al., Blood pressure regulation in end-stage renal disease and anephric man, Circ Res Suppl., 1975, 36 & 37: 145-152.

(56)

References Cited

OTHER PUBLICATIONS

- Osborn, et al., Effect of renal nerve stimulation on renal blood flow autoregulation and antinatriuresis during reductions in renal perfusion pressure, in Proceedings of the Society for Experimental Biology and Medicine, vol. 168, 77-81, 1981. (Abstract).
- Packer, Douglas L. et al., Clinical Presentation, Investigation, and Management of Pulmonary Vein Stenosis Complication Ablation for Atrial Fibrillation, *Circulation: Journal of the American Heart Association*, Feb. 8, 2005, pp. 546-554.
- Page, I.H. et al., The Effect of Renal Denervation on the Level of Arterial Blood Pressure and Renal Function in Essential Hypertension. *J Clin Invest.* 1935;14:27-30.
- Page, I.H., et al., The Effect of Renal Efficiency of Lowering Arterial Blood Pressure in Cases of Essential Nephritis, *Hospital of the Rockefeller Institute*, Jul. 12, 1934, 7 pgs.
- Palmer, Biff, F., M.D., Managing Hyperkalemia Caused by Inhibitors of the Renin-Angiotensin-Aldosterone System, Aug. 5, 2004, *The New England Journal of Medicine* 2004, vol. 351;6, 2004 Massachusetts Medical Society, pp. 585-592.
- Pappone, Carlo et al., [2005][P2-70] Safety Report of Circumferential Pulmonary Vein Ablation. A 9-Year Single-Center Experience on 6,442 Patients with Atrial Fibrillation, Abstract only. 1 page, May 2005.
- Pappone, Carlo et al., [2004][759] Pulmonary Vein Denervation Benefits Paroxysmal Atrial Fibrillation Patients after Circumferential Ablation, Abstract only. 1 page, Jan. 5, 2004.
- Pappone, Carol and Santinelli, Vincenzo. Multielectrode basket catheter: A new tool for curing atrial fibrillation? *Heart Rhythm*, vol. 3, Issue 4, pp. 385-386. Apr. 2006.
- Peacock, J.M. and R. Orchardson, Action potential conduction block of nerves in vitro by potassium citrate, potassium tartrate and potassium oxalate, May 6, 1998, *Journal of Clinical Periodontology*, Munksgaard 1999, vol. 26, pp. 33-37.
- Petersson, M. et al., Long-term outcome in relation to renal sympathetic activity in patients with chronic heart failure. *Eur Heart J.* 2005;26:906-13.
- Petersson, A. et al., Renal interaction between sympathetic activity and ANP in rats with chronic ischaemic heart failure, Nov. 25, 1988, *Acta Physiol Scand* 1989, 135, pp. 487-492.
- PHCL 762 Pharmacology of the Autonomic Nervous System, Chapter 2 and 6.8 in Mosby, <http://www.kumc.edu/research/medicine/pharmacology/CAI/phc1762.html>, last accessed Aug. 24, 2004, 14 pgs.
- Pitt, B. et al., Effects of Eplerenone, Enalapril, and Eplerenone/Enalapril in Patients With Essential Hypertension and Left Ventricular Hypertrophy: The 4E-Left Ventricular Hypertrophy Study, *Circulation*, 2003, vol. 108, pp. 1831-1838.
- Pliquett, U., Joule heating during solid tissue electroporation, Oct. 22, 2002, *Med. Biol. Eng. Comput.*, 2003, vol. 41, pp. 215-219.
- Podhajsky R.J. et al., The Histologic Effects of Pulsed and Continuous Radiofrequency Lesions at 42 C to Rat Dorsal Root Ganglion and Sciatic Nerve, *SPINE*, vol. 30, No. 9, 2005, Lippincott Williams & Wilkins Inc., pp. 1008-1013.
- Pope, Jill. Fixing a Hole: Treating Injury by Repairing Cells. *The New York Academy of Sciences*. Jul. 6, 2006. 6 pgs.
- Popovic, Jennifer R. and Margaret J. Hall, 1999 National Hospital Discharge Survey, Apr. 24, 2001, *Advance Data*, No. 319, CDC, pp. 1-17 & 20.
- Practice Guidelines Writing Committee and ESH/ESC Hypertension Guidelines Committee, Practice Guidelines for Primary Care Physicians: 2003 ESH/ESC Hypertension Guidelines, Published in *Journal of Hypertension* 2003, vol. 21, No. 10: 1011-1053, European Society of Hypertension 2003, pp. 1779-1786.
- Programmable Infusion System, Pumps and Pump Selection, *Medtronic Pain Therapies*, Medtronic, Inc. Sep. 5, 2001, 2 pgs.
- Pucihar, Gorazd et al., The influence of medium conductivity on electroporation and survival of cells in vitro, May 31, 2001, *Bioelectrochemistry*, vol. 54, 2001, Elsevier Science B.V. 2001, pp. 107-115.
- Pulmonary Concepts in Critical Care Breath Sounds, <http://rnbob.tripod.com/breath.htm>, last accessed Aug. 23, 2004, 5 pages.
- Pulmonary Function Testing, <http://jan.ucc.nau.edu/~daa/lecture/pft.htm>, last accessed Aug. 23, 2004, 8 pages.
- Purerfellner, Helmut and Martinek, Martin. Pulmonary vein stenosis following catheter ablation of atrial fibrillation. *Current Opinion in Cardiology*. 20; pp. 484-490. 2005.
- Purerfellner, Helmut et al., Pulmonary Vein Stenosis by Ostial Irrigated-Tip Ablation: Incidence, Time Course, and Prediction, *Journal of Cardiovascular Electrophysiology*. vol. 14, No. 2, Feb. 2003. pp. 158-164.
- Raji, A. R. M. and R. E. M. Bowden, Effects of High-Peak Pulsed Electromagnetic Field on the Degeneration and Regeneration of the Common Peroneal Nerve in Rats, *The Journal of Bone and Joint Surgery* Aug. 1983, vol. 65-B, No. 4, 1983 British Editorial Society of Bone and Joint Surgery, pp. 478-492.
- Ram, C. Venkata S., M.D., Understanding refractory hypertension, May 15, 2004, *Patient Care* May 2004, vol. 38, pp. 12-16, 7 pages from <http://www.patientcareonline.com/patcare/content/printContentPopup.jsp?id=108324>.
- Ravalia, A. et al., Tachyphylaxis and epidural anaesthesia, *Edgware General Hospital, Correspondence*, p. 529, Jun. 1989.
- Renal Parenchymal Disease, Ch. 26, 5th Edition *Heart Disease, A Textbook of Cardiovascular Medicine* vol. 2, Edited by Eugene Braunwald, WB Saunders Company, pp. 824-825 1997.
- Ribstein, Jean and Michael H. Humphreys, Renal nerves and cation excretion after acute reduction in functioning renal mass in the rat, Sep. 22, 1983, *Am. J. Physiol.*, vol. 246, 1984 the American Physiological Society, pp. F260-F265.
- Richebe, Philippe, M.D. et al., Immediate Early Genes after Pulsed Radiofrequency Treatment: Neurobiology in Need of Clinical Trials, Oct. 13, 2004, *Anesthesiology* Jan. 2005, vol. 102, No. 1, 2004 American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins, Inc., pp. 1-3.
- Rihal, Charanjit S. et al., Incidence and Prognostic Importance of Acute Renal Failure After Percutaneous Coronary Intervention, Mar. 6, 2002, *Circulation* May 14, 2002, vol. 10, 2002 American Heart Association, Inc., pp. 2259-2264.
- Rosen, S.M. et al., Relationship of Vascular Reactivity to Plasma Renin Concentration in Patients with Terminal Renal Failure, *Proc. Dialysis Transplant Forum* 1974, pp. 45-47.
- Roth, Bradley J. and Peter J. Bassar, A Model of the Stimulation of a Nerve Fiber by Electromagnetic Induction, *IEEE Transactions on Biomedical Engineering*, vol. 37, No. 6, Jun. 1990, pp. 588-597.
- Rudin, Asa, M.D. et al., Postoperative Epidural or Intravenous Analgesia after Major Abdominal or Thoraco-Abdominal Surgery, *The Journal of the American Society of Anesthesiologists, Inc., Anesthesiology* 2001, vol. 95, A-970, 1 page.
- Rudnick, Michael R. et al., Contrast-induced nephropathy: How it develops, how to prevent it, *Cleveland Clinic Journal of Medicine* Jan. 2006, vol. 73, No. 1, pp. 75-87.
- Rump, L.C., The Role of Sympathetic Nervous Activity in Chronic Renal Failure, *J Clinical Basic Cardiology* 2001, vol. 4, pp. 179-182.
- Ruohonen, Jarmo et al., Modeling Peripheral Nerve Stimulation Using Magnetic Fields, *Journal of the Peripheral Nervous System*, vol. 2, No. 1, 1997, Woodland Publications 1997, pp. 17-29.
- Saad, Eduardo B. et al., Pulmonary Vein Stenosis After Radiofrequency Ablation of Atrial Fibrillation: Functional Characterization, Evolution, and Influence of the Ablation Strategy, *Circulation*. 108; pp. 3102-3107. 2003.
- Sabbah, Hani N., Animal Models for Heart Failure and Device Development, Henry Ford Health System. 24 slides, Oct. 17, 2005.
- Schauerte, P. et al., Focal atrial fibrillation: experimental evidence for a pathophysiologic role of the autonomic nervous system, *Journal of Cardiovascular Electrophysiology*. 12(5). May 2001. Abstract only. 2 pgs.
- Schauerte, P. et al., Catheter ablation of cardiac autonomic nerves for prevention of vagal atrial fibrillation, *Circulation*. 102(22). Nov. 28, 2000. Abstract only. 2 pgs.
- Schauerte, P. et al., Transvenous parasympathetic nerve stimulation in the inferior vena cava and atrioventricular conduction, *Journal of Cardiovascular Electrophysiology*. 11(1). Jan. 2000. Abstract only. 2 pgs.

(56)

References Cited

OTHER PUBLICATIONS

- Scheiner, Avram, Ph.D., The design, development and implementation of electrodes used for functional electrical stimulation, Thesis paper, Case Western Reserve University, May 1992, 220 pages.
- Scherlag, BJ and Po, S., The intrinsic cardiac nervous system and atrial fibrillation, *Current Opinion in Cardiology*. 21(1):51-54, Jan. 2006. Abstract only. 2 pgs.
- Schlaich, M.P. et al., Relation between cardiac sympathetic activity and hypertensive left ventricular hypertrophy. *Circulation*. 2003;108:560-5.
- Schlaich, M.P. et al., Sympathetic augmentation in hypertension: role of nerve firing, norepinephrine reuptake, and angiotensin neuromodulation, *Hypertension*, 2004, 43:169-175.
- Schmitt, Joseph et al., Intravascular Optical Coherence Tomography—Opening a Window into Coronary Artery Disease, LightLab Imaging, Inc. Business Briefing: *European Cardiology* 2005.
- Schoenbach, Karl H. et al, Intracellular Effect of Ultrashort Electrical Pulses, Dec. 26, 2000, *Bioelectromagnetics*, vol. 22, 2001, Wiley-Liss, Inc. 2001, pp. 440-448.
- Schrier, Robert et al., Cardiac and Renal Effects of Standard Versus Rigorous Blood Pressure Control in Autosomal-Dominant Polycystic Kidney Disease, Mar. 23, 2002, *Journal of the American Society of Nephrology*, American Society of Nephrology 2002, pp. 1733-1739.
- Scremin, Oscar U., M.D., Ph.D. and Daniel P. Holschneider, M.D., 31 & 32.. An Implantable Bolus Infusion Pump for the Neurosciences, FRP, Apr. 2005, 3 pages.
- Sensorcaine—MPF Spinal Injection, informational document, AstraZeneca 2001, 2 pgs.
- Shah, D.C., Haissaguerre, M., Jais, P., Catheter ablation of pulmonary vein foci for atrial fibrillation: pulmonary vein foci ablation for atrial fibrillation, *Thorac Cardiovasc Surg*, 1999, 47 (suppl. 3): 352-356.
- Shannon, J.L. et al., Studies on the innervation of human renal allografts, *J Pathol*. 1998, vol. 186, pp. 109-115.
- Shlipak, M.G. et al., The clinical challenge of cardiorenal syndrome. *Circulation*. 2004;110:1514-7.
- Shupak, Naomi M., Therapeutic Uses of Pulsed Magnetic-Field Exposure: A Review, *Radio Science Bulletin* Dec. 2003, No. 307, pp. 9-32.
- Shu-Qing, Liu et al., Old spinal cord injury treated by pulsed electric stimulation, General Hospital of Beijing Command, Beijing, Dec. 6, 1990, 5 pages (full article in Chinese; abstract on last page).
- Siegel, RJ et al., Clinical demonstration that catheter-delivered ultrasound energy reverses arterial vasoconstriction, *Journal of the American College of Cardiology*. 1992. 20; 732-735. Summary only. 2 pgs.
- Simpson, B. et al., Implantable spinal infusion devices for chronic pain and spasticity: an accelerated systematic review, ASERNIP-S Report No. 42, Adelaide, South Australia, ASERNIP-S, May 2003, 56 pages.
- Sisken, B.F. et al., 229.17 Influence of Non-Thermal Pulsed Radiofrequency Fields (PRF) on Neurite Outgrowth, *Society for Neuroscience*, vol. 21, 1995, 2 pages.
- Skeie, B. et al., Effect of chronic bupivacaine infusion on seizure threshold to bupivacaine, Dec. 28, 1986, *Acta Anaesthesiol Scand* 1987, vol. 31, pp. 423-425.
- Skopec, M., A Primer on Medical Device Interactions with Magnetic Resonance Imaging Systems, Feb. 4, 1997, CDRH Magnetic Resonance Working Group, U.S. Department of Health and Human Services, Food and Drug Administration, Center for Devices and Radiological Health, Updated May 23, 1997, 17 pages, <http://www.fda.gov/cdrh/ode/primerf6.html>, (last accessed Jan. 23, 2006).
- Slappendel, Robert et al., The efficacy of radiofrequency lesioning of the cervical spinal dorsal root ganglion in a double blinded randomized study, Jun. 26, 1997, *Pain* 73, 1997 International Association for the Study of Pain, Elsevier Science B.V., pp. 159-163.
- Sluijter, M.D., Ph.D., Pulsed Radiofrequency, May 17, 2005, *Anesthesiology* Dec. 2005, vol. 103, No. 6, 2005 American Society of Anesthesiologists, Inc. Lippincott Williams & Wilkins, Inc., pp. 1313-1314.
- Sluijter, M.D., Ph.D., Radiofrequency Part 1: The Lumbosacral Region, Chapter 1 Mechanisms of Chronic Pain and part of Chapter 2 Spinal Pain, 2001 FlivoPress SA, Meggen (LU), Switzerland, pp. 1-26.
- Sluijter, M.D., Ph.D., Radiofrequency Part 2: Thoracic and Cervical Region, Headache and Facial Pain, various pages from, FlivoPress SA, Meggen (LU), Switzerland, 13 pages 2002.
- Sluijter, M.D., Ph.D., The Role of Radiofrequency in Failed Back Surgery Patients, *Current Review of Pain* 2000, vol. 4, 2000 by Current Science Inc., pp. 49-53.
- Smithwick, R.H. et al., Hypertension and associated cardiovascular disease: comparison of male and female mortality rates and their influence on selection of therapy, *JAMA*, 1956, 160:1023-1033.
- Smithwick, R.H. et al., Splanchnicectomy for essential hypertension, *Journal Am Med Assn*, 1953;152:1501-1504.
- Smithwick, R.H., Surgical treatment of hypertension, *Am J Med* 1948, 4:744-759.
- Sobotka, Paul A., Treatment Strategies for Fluid Overload, CHF Patients, CHF Solutions. *Transcatheter Cardiovascular Therapeutics* 2005. 20 slides.
- Solis-Herruzo, J.A. et al., Effects of lumbar sympathetic block on kidney function in cirrhotic patients with hepatorenal syndrome, *Journal of Hepatology*, 1987; 5: 167-173.
- Souza, D.R.B. et al., Chronic experimental myocardial infarction produces antinatriuresis by a renal nerve-dependent mechanism, Oct. 14, 2003, *Brazilian Journal of Medical and Biological Research* 2004, vol. 37, pp. 285-293.
- Standl, Thomas, M.D., et al., Patient-controlled epidural analgesia reduces analgesic requirements compared to continuous epidural infusion after major abdominal surgery, Aug. 29, 2002, *Canada Journal of Anesthesia* 2003, vol. 50 (3), pp. 258-264.
- Steffen, W. et al., Catheter-delivered high intensity, low frequency ultrasound induces vasodilation in vivo, *European Heart Journal*. 1994. 15; pp. 369-376.
- Steg, PG. et al., Pulsed ultraviolet laser irradiation produces endothelium-independent relaxation of vascular smooth muscle, *Circulation: Journal of the American Heart Association*. 1989. pp. 189-197.
- Stone, Gregg W., M.D. et al., Fenoldopam Mesylate for the Prevention of Contrast-Induced Nephropathy, *JAMA* Nov. 5, 2003, vol. 290, No. 17, 2003 American Medical Association, pp. 2284-2291.
- Strojek, K. et al., Lowering of microalbuminuria in diabetic patients by a sympathicoplegic agent: novel approach to prevent progression of diabetic nephropathy? *J Am Soc Nephrol*. 2001;12:602-5.
- Summary, Critical Reviews in Biomedical Engineering, vol. 17, Issue 5, 1989, pp. 515-529.
- Sung, Duk Hyun, M.D. et al., Phenol Block of Peripheral Nerve Conduction: Titrating for Optimum Effect, Jun. 27, 2000, *Arch. Phys. Med. Rehabil.* vol. 82, May 2001, pp. 671-676.
- Taka, Tomomi et al., Impaired Flow-Mediated Vasodilation in vivo and Reduced Shear-Induced Platelet Reactivity in vitro in Response to Nitric Oxide in Prothrombotic, Stroke-Prone Spontaneously Hypertensive Rats, *Pathophysiology of Haemostasis and Thrombosis*. Dec. 23, 2002. pp. 184-189.
- Taler, Sandra J. et al., Resistant Hypertension, Comparing Hemodynamic Management to Specialist Care, Mar. 12, 2002, *Hypertension* 2002, vol. 39, 2002 American Heart Association, Inc., pp. 982-988.
- Tamborero, David et al., Incidence of Pulmonary Vein Stenosis in Patients Submitted to Atrial Fibrillation Ablation: A Comparison of the Selective Segmental Ostial Ablation vs. The Circumferential Pulmonary Veins Ablation, *Journal of Interventional Cardiac Electrophysiology*. 14; pp. 41-25. 2005.
- Tay, Victoria KM, et al., Computed tomography fluoroscopy-guided chemical lumbar sympathectomy: Simple, safe and effective, Oct. 31, 2001, *Diagnostic Radiology, Australasian Radiology* 2002, vol. 46, pp. 163-166.
- Terashima, Mitsuyasu et al. Feasibility and Safety of a Novel CryoPlasty™ System. Poster. 1 page, Mar. 15, 2002.

(56)

References Cited

OTHER PUBLICATIONS

- Thatipelli et al., CT Angiography of Renal Artery Anatomy for Evaluating Embolic Protection Devices, *Journal of Vascular and Interventional Radiology*, Jul. 2007, pp. 842-846.
- The Antihypertensive and Lipid-Lowering Treatment to Prevent Heart Attack Trial, ALLHAT Research Group, *JAMA*, 2002, vol. 288, pp. 2981-2997.
- Thomas, John R. and Oakley, E. Howard N. Chapter 15: Nonfreezing Cold Injury Medical Aspects of Harsh Environments, vol. 1. pp. 467-490, 2001.
- Thompson, Gregory W., et al., Bradycardia Induced by Intravascular Versus Direct Stimulation of the Vagus Nerve, Aug. 24, 1997, The Society of Thoracic Surgeons 1998, pp. 637-642.
- Thrasher, Terry N., Unloading arterial baroreceptors causes neurogenic hypertension, Dec. 4, 2001, *Am J. Physiol Regulatory Integrative Comp Physiol*, vol. 282, 2002 the American Physiological Society, pp. R1044-R1053.
- Tokuno, Hajime A. et al., Local anesthetic effects of cocaethylene and isopropylcocaine on rat peripheral nerves, Oct. 7, 2003, *Brain Research* 996, 2004, Elsevier B.V. 2003, pp. 159-167.
- Trapani, Angelo J. et al., Neurohumoral interactions in conscious dehydrated rabbit, *Am. J. Physiol.* 254, 1988, the American Physiological Society 1988, pp. R338-R347.
- Trock, David H. et al., The Effect of Pulsed Electromagnetic Fields in the Treatment of Osteoarthritis of the Knee and Cervical Spine. Report of Randomized, Double Blind, Placebo Controlled Trials, Mar. 22, 1994, *The Journal of Rheumatology* 1994, vol. 21, pp. 1903-1911.
- Troiano, Gregory C. et al., The Reduction in Electroporation Voltages by the Addition of a Surfactant to Planar Lipid Bilayers, May 12, 1998, *Biophysical Journal*, vol. 75, Aug. 1998, the Biophysical Society 1998, pp. 880-888.
- Trumble, Dennis R. and James A. MaGovern, Comparison of Dog and Pig Models for Testing Substernal Cardiac Compression Devices, Nov. 2003, *ASAIO Journal* 2004, pp. 188-192.
- Tsai, E., Intrathecal drug delivery for pain indications, technique, results, Pain Lecture presentation, Jun. 8, 2001, 31 pages.
- Uematsu, Toshihiko, M.D., Ph.D., F.I.C.A. et al., Extrinsic Innervation of the Canine Superior Vena Cava, Pulmonary, Portal and Renal Veins, *Angiology—Journal of Vascular Diseases*, Aug. 1984, pp. 486-493.
- United States Renal Data System, USRDS 2003 Annual Data Report: Atlas of End-Stage Renal Disease in the United States, National Institutes of Health, National Institute of Diabetes and Digestive and Kidney Diseases, 2003, 593 pages.
- Upadhyay, Pramod, Electroporation of the skin to deliver antigen by using a piezo ceramic gas igniter, Jan. 27, 2001, *International Journal of Pharmaceutics*, vol. 217, 2001 Elsevier Science B.V., pp. 249-253.
- Valente, John F. et al., Laparoscopic renal denervation for intractable ADPKD-related pain, Aug. 24, 2000, *Nephrol Dial Transplant* 2001, vol. 16, European Renal Association-European Dialysis and Transplant Association, p. 160.
- Van Antwerp, Bill and Poonam Gulati, Protein Delivery from Mechanical Devices Challenges and Opportunities, Medtronic presentation, 19 pages, Jul. 2003.
- Velazquez, Eric J., An international perspective on heart failure and left ventricular systolic dysfunction complicating myocardial infarction: the VALIANT registry, Aug. 5, 2004, *European Heart Journal* vol. 25, 2004 Elsevier, pp. 1911-1919.
- Velez-Roa, Sonia, M.D. et al., Peripheral Sympathetic Control During Dobutamine Infusion: Effects of Aging and Heart Failure, Jul. 7, 2003, *Journal of the American College of Cardiology*, vol. 42, No. 9, 2003, American College of Cardiology Foundation 2003, pp. 1605-1610.
- Villarreal, Daniel et al., Effects of renal denervation on postprandial sodium excretion in experimental heart failure, Oct. 29, 1993, *Am J Physiol* 266, 1994, pp. R1599-R1604.
- Villarreal, Daniel et al., Neurohumoral modulators and sodium balance in experimental heart failure, Nov. 6, 1992, *Am. J. Physiol.* vol. 264, 1993, pp. H1187-H1193.
- Vonend, O. et al., Moxonidine treatment of hypertensive patients with advanced renal failure. *J Hypertens.* 2003;21:1709-17.
- Wagner, C.D. et al., Very low frequency oscillations in arterial blood pressure after autonomic blockade in conscious dogs, Feb. 5, 1997, *Am J Physiol Regul Integr Comp Physiol* 1997, vol. 272, 1997 the American Physiological Society, pp. 2034-2039.
- Wald, Jan D., Ph.D. et al., *Cardiology Update*: 2003, Sep. 11, 2003, AG Edwards 2003, 120 pages.
- Wang, Xi et al., Alterations of adenylyl cyclase and G proteins in aortocaval shunt-induced heart failure, Jul. 2004, *AM J Physiol Heart Circ Physiol* vol. 287, 2004 the American Physiological Society, pp. H118-H125.
- Weaver, James C., Chapter 1 Electroporation Theory, Concepts and Mechanisms, *Methods in Molecular Biology*, vol. 55, Plant Cell Electroporation and Electrofusion Protocols, Edited by J.A. Nickoloff, Humana Press Inc., pp. 3-28, 1995.
- Weaver, James C., Electroporation: A General Phenomenon for Manipulating Cells and Tissues, Oct. 22, 1992, *Journal of Cellular Biochemistry*, vol. 51, 1993 Wiley-Liss, Inc., pp. 426-435.
- Weiner, Richard L., M.D., Peripheral nerve neurostimulation, *Neurosurg. Clin. N. Am.* vol. 14, 2003, Elsevier, Inc. 2003, pp. 401-408.
- Weisbord, Steven D., M.D. and Paul M. Palevsky, M.D., Radioccontrast-Induced Acute Renal Failure, Jul. 10, 2004, *Journal of Intensive Care Medicine* 2005, vol. 20 (2), 2005 Sage Publications, pp. 63-75.
- Whitelaw, G.P., Kinsey, D., Smithwick, R.H., Factors influencing the choice of treatment in essential hypertension: surgical, medical, or a combination of both, *Am J Surg*, 1964, 107:220-231.
- Wilson, D.H. et al., The Effects of Pulsed Electromagnetic Energy on Peripheral Nerve Regeneration, *Annals New York Academy of Sciences*, Oct. 1974, pp. 575-585.
- Wolinsky, Harvey, M.D. PhD and Swan N. Thung, M.D., Use of a Perforated Balloon Catheter to Deliver Concentrated Heparin Into the Wall of the Normal Canine Artery, Aug. 30, 1989, *JACC* 1990, vol. 15, 1990 by the American College of Cardiology, pp. 475-481.
- Wyss, J. Michael et al., Neuronal control of the kidney: Contribution to hypertension, Apr. 8, 1991, *Can. J. Physiol. Pharmacol.* 1992;70: 759-770.
- Yamaguchi, Jun-ichi, M.D. et al., Prognostic Significance of Serum Creatinine Concentration for In-Hospital Mortality in Patients with Acute Myocardial Infarction Who Underwent Successful Primary Percutaneous Coronary Intervention (from the Heart Institute of Japan Acute Myocardial Infarction [HJAMI] Registry), Feb. 24, 2004, *The American Journal of Cardiology* vol. 93, Jun. 15, 2004, 2004 by Excerpta Medica, Inc., pp. 1526-1528.
- Ye, Richard D., M.D., Ph.D., *Pharmacology of the Peripheral Nervous System*, E-425 MSB, 6 pages, Jan. 2000.
- Ye, S. et al., A limited renal injury may cause a permanent form of neurogenic hypertension. *Am J Hypertens.* 1998;11:723-8.
- Ye, Shaohua et al., Renal Injury Caused by Intrarenal Injection of Pheno Increases Afferent and Efferent Renal Sympathetic Nerve Activity, Mar. 12, 2002, *American Journal of Hypertension*, Aug. 2002, vol. 15, No. 8, 2002 the American Journal of Hypertension, Ltd. Published by Elsevier Science Inc., pp. 717-724.
- Yong-Quan, Dong et al., The therapeutic effect of pulsed electric field on experimental spinal cord injury, Beijing Army General Hospital of People's Liberation Army, Beijing, 5 pages (full article in Chinese; abstract on last page) Mar. 30, 1992.
- Young, James B., M.D., FACC, Management of Chronic Heart Failure: What Do Recent Clinical Trials Teach Us?, *Reviews in Cardiovascular Medicine*, vol. 5, Suppl. 1, 2004, MedReviews, LLC 2004, pp. S3-S9.
- Yu, Wen-Chung et al. Acquired Pulmonary Vein Stenosis after Radiofrequency Catheter Ablation of Paroxysmal Atrial Fibrillation. *Journal of Cardiovascular Electrophysiology*. vol. 12, No. 8. Aug. 2001. pp. 887-892.
- Zanchetti, A. et al., Neural Control of the Kidney—Are There Renal Reflexes?, *Clin. and Exper. Hyper. Theory and Practice*, A6 (1&2), 1984, Marcel Dekker, Inc. 1984, pp. 275-286.
- Zanchetti, A. et al., Practice Guidelines for Primary Care Physicians: 2003 ESH/ESC Hypertension Guidelines, *Journal of Hypertension*, vol. 21, No. 10, 2003, pp. 1779-1786.

(56)

References Cited

OTHER PUBLICATIONS

Zanchetti, A.S., Neural regulation of renin release: Experimental evidence and clinical implications in arterial hypertension, *Circulation*, 1977, 56(5) 691-698.

Zimmermann, Ulrich, Electrical Breakdown, Electroporation and Electrofusion, *Rev. Physiol. Biochem. Pharmacol.*, vol. 105, Springer-Verlag 1986, pp. 175-256.

Zoccali, C. et al., Plasma norepinephrine predicts survival and incident cardiovascular events in patients with end-stage renal disease. *Circulation*. 2002;105:1354-9.

Zucker, Irving H. et al., The origin of sympathetic outflow in heart failure: the roles of angiotensin II and nitric oxide, *Progress in Bio-*

physics & Molecular Biology, vol. 84, 2004, Elsevier Ltd. 2003, pp. 217-232.

Zundert, Jan Van, M.D. Fipp and Alex Cahana, M.D. DAAPM, Pulsed Radiofrequency in Chronic Pain Management: Looking for the Best Use of Electrical Current, *Pain Practice* 2005, vol. 5, Issue 2, 2005 World Institute of Pain, pp. 74-76.

European Search Report for European Application No. 13159256, Date Mailed: Oct. 17, 2013, 6 pages.

Pieper et al., "Design and Implementation of a New Computerized System for Intraoperative Cardiac Mapping." *Journal of Applied Physiology*, 1991, vol. 71, No. 4, pp. 1529-1539.

Remo, Benjamin F. et al., "Safety and Efficacy of Renal Denervation as a Novel Treatment of Ventricular Tachycardia Storm in Patients with Cardiomyopathy." *Heart Rhythm*, 2014, 11(4), 541-6.

U.S. Appl. No. 60/852,787, filed Oct. 18, 2006, 112 pages.















FIGURE 1




















METHODS FOR MONOPOLAR RENAL NEUROMODULATION

REFERENCE TO RELATED APPLICATIONS

The present application is continuation of U.S. patent application Ser. No. 13/958,450, filed Aug. 2, 2013, which is a continuation of U.S. patent application Ser. No. 13/371,285, filed Feb. 10, 2012, now abandoned, which is a divisional of U.S. patent application Ser. No. 11/403,329, filed Apr. 13, 2006, now U.S. Pat. No. 8,131,371, which is a continuation in part application of the following:

(a) U.S. patent application Ser. No. 11/129,765, filed on May. 13, 2005, now U.S. Pat. No. 7,653,438, which claims the benefit of U.S. Provisional Application Nos. 60/616,254, filed on Oct. 5, 2004; and 60/624,793, filed on Nov. 2, 2004.

(b) U.S. patent application Ser. No. 10/408,665, filed on Apr. 8, 2003, now U.S. Pat. No. 7,162,303, which claims the benefit of U.S. Provisional Patent Application Nos. 60/442,970, filed on Jan. 29, 2003; 60/415,575, filed on Oct. 3, 2002; and 60/370,190, filed on Apr. 8, 2002.

(c) U.S. patent application Ser. No. 11/189,563, filed on Jul. 25, 2005, now U.S. Pat. No. 8,145,316.

(d) U.S. patent application Ser. No. 11/266,993, filed on Nov. 4, 2005, now U.S. Pat. No. 7,756,583.

(e) U.S. patent application Ser. No. 11/363,867, filed on Feb. 27, 2006, now U.S. Pat. No. 7,620,451, which claims the benefit of U.S. Provisional Application No. 60/813,589, filed on Dec. 29, 2005.

All of these applications, publications and patents are incorporated herein by reference in their entireties.

INCORPORATION BY REFERENCE

All publications and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

TECHNICAL FIELD

The present invention relates to methods and apparatus for neuromodulation. In some embodiments, the present invention relates to methods and apparatus for achieving monopolar renal neuromodulation.

BACKGROUND

Congestive Heart Failure ("CHF") is a condition that occurs when the heart becomes damaged and reduces blood flow to the organs of the body. If blood flow decreases sufficiently, kidney function becomes altered, which results in fluid retention, abnormal hormone secretions and increased constriction of blood vessels. These results increase the workload of the heart and further decrease the capacity of the heart to pump blood through the kidneys and circulatory system.

It is believed that progressively decreasing perfusion of the kidneys is a principal non-cardiac cause perpetuating the downward spiral of CHF. Moreover, the fluid overload and associated clinical symptoms resulting from these physiologic changes result in additional hospital admissions, poor quality of life and additional costs to the health care system.

In addition to their role in the progression of CHF, the kidneys play a significant role in the progression of Chronic Renal Failure ("CRF"), End-Stage Renal Disease ("ESRD"), hypertension (pathologically high blood pressure) and other

cardio-renal diseases. The functions of the kidneys can be summarized under three broad categories: filtering blood and excreting waste products generated by the body's metabolism; regulating salt, water, electrolyte and acid-base balance; and secreting hormones to maintain vital organ blood flow. Without properly functioning kidneys, a patient will suffer water retention, reduced urine flow and an accumulation of waste toxins in the blood and body. These conditions result from reduced renal function or renal failure (kidney failure) and are believed to increase the workload of the heart. In a CHF patient, renal failure will cause the heart to further deteriorate as fluids are retained and blood toxins accumulate due to the poorly functioning kidneys.

It has been established in animal models that the heart failure condition results in abnormally high sympathetic activation of the kidneys. An increase in renal sympathetic nerve activity leads to decreased removal of water and sodium from the body, as well as increased renin secretion. Increased renin secretion leads to vasoconstriction of blood vessels supplying the kidneys which causes decreased renal blood flow. Reduction of sympathetic renal nerve activity, e.g., via denervation, may reverse these processes.

Applicants have previously described methods and apparatus for treating renal disorders by applying a pulsed electric field to neural fibers that contribute to renal function. See, for example, Applicants' co-pending U.S. patent applications Ser. No. 11/129,765, filed on May 13, 2005, and Ser. No. 11/189,563, filed on Jul. 25, 2005, both of which are incorporated herein by reference in their entireties. A pulsed electric field ("PEF") may initiate renal neuromodulation, e.g., denervation, for example, via irreversible electroporation or via electrofusion. The PEF may be delivered from apparatus positioned intravascularly, extravascularly, intra-to-extravascularly or a combination thereof. Additional methods and apparatus for achieving renal neuromodulation, e.g., via localized drug delivery (such as by a drug pump or infusion catheter) or via use of a stimulation electric field, etc, are described, for example, in co-owned and co-pending U.S. patent application Ser. No. 10/408,665, filed Apr. 8, 2003, and U.S. Pat. No. 6,978,174, both of which are incorporated herein by reference in their entireties.

Electrofusion generally refers to the fusion of neighboring cells induced by exposure to an electric field. Contact between target neighboring cells for the purposes of electrofusion may be achieved in a variety of ways, including, for example, via dielectrophoresis. In tissue, the target cells may already be in contact, thus facilitating electrofusion.

Electroporation and electroporomeabilization generally refer to methods of manipulating the cell membrane or intracellular apparatus. For example, the porosity of a cell membrane may be increased by inducing a sufficient voltage across the cell membrane through, e.g., short, high-voltage pulses. The extent of porosity in the cell membrane (e.g., size and number of pores) and the duration of effect (e.g., temporary or permanent) are a function of multiple variables, such as field strength, pulse width, duty cycle, electric field orientation, cell type or size and/or other parameters.

Cell membrane pores will generally close spontaneously upon termination of relatively lower strength electric fields or relatively shorter pulse widths (herein defined as "reversible electroporation"). However, each cell or cell type has a critical threshold above which pores do not close such that pore formation is no longer reversible; this result is defined as "irreversible electroporation," "irreversible breakdown" or "irreversible damage." At this point, the cell membrane ruptures and/or irreversible chemical imbalances caused by the

high porosity occur. Such high porosity can be the result of a single large hole and/or a plurality of smaller holes.

A potential challenge of using intravascular PEF systems for treating renal disorders is to selectively electroporate target cells without affecting other cells. For example, it may be desirable to irreversibly electroporate renal nerve cells that travel along or in proximity to renal vasculature, but it may not be desirable to damage the smooth muscle cells of which the vasculature is composed. As a result, an overly aggressive course of PEF therapy may persistently injure the renal vasculature, but an overly conservative course of PEF therapy may not achieve the desired renal neuromodulation.

Applicants have previously described methods and apparatus for monitoring tissue impedance or conductivity to determine the effects of pulsed electric field therapy, e.g., to determine an extent of electroporation and/or its degree of irreversibility. See, for example, Applicant's co-pending U.S. patent application Ser. No. 11/233,814, filed Sep. 23, 2005, which is incorporated herein by reference in its entirety. Pulsed electric field electroporation of tissue causes a decrease in tissue impedance and an increase in tissue conductivity. If induced electroporation is reversible, tissue impedance and conductivity should approximate baseline levels upon cessation of the pulsed electric field. However, if electroporation is irreversible, impedance and conductivity changes should persist after terminating the pulsed electric field. Thus, monitoring the impedance or conductivity of target and/or non-target tissue may be utilized to determine the onset of electroporation and to determine the type or extent of electroporation. Furthermore, monitoring data may be used in one or more manual or automatic feedback loops to control the electroporation.

In view of the foregoing, it would be desirable to provide additional methods and apparatus for achieving renal neuromodulation.

BRIEF DESCRIPTION OF THE DRAWINGS

Several embodiments of the present invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters refer to like parts throughout, and in which:

FIG. 1 is a schematic view illustrating human renal anatomy.

FIG. 2 is a schematic isometric detail view showing the location of the renal nerves relative to the renal artery.

FIGS. 3A and 3B are schematic isometric and end views, respectively, illustrating orienting of an electric field for selectively affecting renal nerves.

FIG. 4 is a schematic side view, partially in section, illustrating an example of a monopolar extravascular method and apparatus for renal neuromodulation.

FIG. 5 is a schematic side view, partially in section, illustrating an example of a monopolar intra-to-extravascular method and apparatus for renal neuromodulation.

FIGS. 6A and 6B are schematic side views, partially in section, illustrating examples of monopolar intravascular methods and apparatus for renal neuromodulation.

FIGS. 7A-7D are schematic side views, partially in section, illustrating examples of monopolar intravascular methods and apparatus for renal neuromodulation comprising centering elements.

FIG. 8 is a schematic side view, partially in section, illustrating a method for multi-location monopolar renal neuromodulation.

FIG. 9 is a schematic side view, partially in section, illustrating an example of a monopolar intravascular method and apparatus for renal neuromodulation having one or more electrodes that contact the vessel wall.

FIG. 10 is a schematic side view, partially in section, illustrating another example of a monopolar intravascular method and apparatus for renal neuromodulation having one or more electrodes that contact the vessel wall.

FIG. 11 is a schematic side view, partially in section, of a method for achieving monopolar bilateral renal neuromodulation, illustratively utilizing the apparatus of FIG. 6A.

FIG. 12 is a schematic side view, partially in section, illustrating an alternative method and apparatus for achieving monopolar bilateral renal neuromodulation.

DETAILED DESCRIPTION

A. Overview

Several embodiments of the present invention are methods and apparatus for neuromodulation via a pulsed electric field ("PEF"), a stimulation electric field, localized drug delivery, high frequency ultrasound, thermal techniques, athermal techniques, combinations thereof, and/or other techniques. In some embodiments, neuromodulation is achieved via monopolar (e.g., unipolar) methods and apparatus. Such neuromodulation may, for example, effectuate irreversible electroporation or electrofusion, necrosis and/or induction of apoptosis, alteration of gene expression, action potential blockade or attenuation, changes in cytokine up-regulation and other conditions in target neural fibers.

In some patients, when the monopolar neuromodulatory methods and apparatus of the present invention are applied to renal nerves and/or other neural fibers that contribute to renal neural functions, applicants believe that the neuromodulatory effects induced by the neuromodulation might result in increased urine output, decreased plasma renin levels, decreased tissue (e.g., kidney) and/or urine catecholamines (e.g., norepinephrine), increased urinary sodium excretion, and/or controlled blood pressure. Furthermore, applicants believe that these or other changes might prevent or treat congestive heart failure, hypertension, acute myocardial infarction, end-stage renal disease, contrast nephropathy, other renal system diseases, and/or other renal or cardio-renal anomalies. The methods and apparatus described herein may be used to modulate efferent or afferent nerve signals, as well as combinations of efferent and afferent nerve signals.

Renal neuromodulation preferably is performed in a bilateral fashion such that neural fibers contributing to renal function of both the right and left kidneys are modulated. Bilateral monopolar renal neuromodulation may provide enhanced therapeutic effect in some patients as compared to renal neuromodulation performed unilaterally, i.e. as compared to renal neuromodulation performed on neural tissue innervating a single kidney. In some embodiments, concurrent modulation of neural fibers that contribute to both right and left renal function may be achieved, or in other embodiments modulation of the right and left neural fibers may be sequential. Bilateral renal neuromodulation may be continuous or intermittent, as desired.

When utilizing an electric field, the electric field parameters may be altered and combined in any suitable combination. Such parameters can include, but are not limited to, voltage, field strength, frequency, pulse width, pulse duration, the shape of the pulse, the number of pulses and/or the interval between pulses (e.g., duty cycle), etc. For example, when utilizing a pulsed electric field, suitable field strengths can be up to about 10,000 V/cm and suitable pulse widths can be up

to about 1 second. Suitable shapes of the pulse waveform include, for example, AC waveforms, sinusoidal waves, cosine waves, combinations of sine and cosine waves, DC waveforms, DC-shifted AC waveforms, RF waveforms, square waves, trapezoidal waves, exponentially-decaying waves, or combinations. The field includes at least one pulse, and in many applications the field includes a plurality of pulses. Suitable pulse intervals include, for example, intervals less than about 10 seconds. These parameters are provided as suitable examples and in no way should be considered limiting.

As discussed, the methods and apparatus of the present invention may be used to modulate neural fibers that contribute to renal function and may exploit any suitable neuromodulatory techniques that will achieve the desired neuromodulation. For example, any suitable electrical signal or field parameters, such as any electric field that will achieve the desired neuromodulation (e.g., electroporative effect), may be utilized. In some embodiments, the present invention provides methods and apparatus for achieving bilateral renal neuromodulation. To better understand the structures of devices of the present invention and the methods of using such devices for renal neuromodulation, it is instructive to examine the renal anatomy in humans.

B. Selected Embodiments of Methods for Neuromodulation

With reference now to FIG. 1, the human renal anatomy includes kidneys K that are supplied with oxygenated blood by renal arteries RA, which are connected to the heart by the abdominal aorta AA. Deoxygenated blood flows from the kidneys to the heart via renal veins RV and the inferior vena cava IVC. FIG. 2 illustrates a portion of the renal anatomy in greater detail. More specifically, the renal anatomy also includes renal nerves RN extending longitudinally along the lengthwise dimension L of renal artery RA generally within the adventitia of the artery. The renal artery RA has smooth muscle cells SMC that surround the arterial circumference and spiral around the angular axis θ of the artery. The smooth muscle cells of the renal artery accordingly have a lengthwise or longer dimension extending transverse (i.e., non-parallel) to the lengthwise dimension of the renal artery. The misalignment of the lengthwise dimensions of the renal nerves and the smooth muscle cells is defined as "cellular misalignment."

Referring to FIGS. 3A and 3B, the cellular misalignment of the renal nerves and the smooth muscle cells may be exploited to selectively affect renal nerve cells with reduced effect on smooth muscle cells. More specifically, because larger cells require a lower electric field strength to exceed the cell membrane irreversibility threshold voltage or energy for irreversible electroporation, embodiments of the present invention may be configured to align at least a portion of an electric field with or near the longer dimensions of the cells to be affected. In specific embodiments, the device has a monopolar electrode configured to create an electrical field aligned with or near the lengthwise dimension L of the renal artery RA to affect renal nerves RN. By aligning an electric field so that the field preferentially aligns with the lengthwise aspect of the cell rather than the diametric or radial aspect of the cell, lower field strengths may be used to affect target neural cells, e.g., to necrose or fuse the target cells, to induce apoptosis, to alter gene expression, to attenuate or block action potentials, to change cytokine up-regulation and/or to induce other suitable processes. This is expected to reduce total energy delivered to the system and to mitigate effects on non-target cells in the electric field.

Similarly, the lengthwise or longer dimensions of tissues overlying or underlying the target nerve are orthogonal or otherwise off-axis (e.g., transverse) with respect to the longer

dimensions of the nerve cells. Thus, in addition to aligning a pulsed electric field ("PEF") with the lengthwise or longer dimensions of the target cells, the PEF may propagate along the lateral or shorter dimensions of the non-target cells (i.e., such that the PEF propagates at least partially out of alignment with non-target smooth muscle cells SMC). Therefore, as seen in FIGS. 3A and 3B, applying a PEF with propagation lines Li generally aligned with the longitudinal dimension L of the renal artery RA is expected to preferentially cause electroporation (e.g., irreversible electroporation), electrofusion or other neuromodulation in cells of the target renal nerves RN without unduly affecting the non-target arterial smooth muscle cells SMC. The pulsed electric field may propagate in a single plane along the longitudinal axis of the renal artery, or may propagate in the longitudinal direction along any angular segment θ through a range of 0° - 360° .

A PEF system placed within and/or in proximity to the wall of the renal artery may propagate an electric field having a longitudinal portion that is aligned to run with the longitudinal dimension of the artery in the region of the renal nerves RN and the smooth muscle cells SMC of the vessel wall so that the wall of the artery remains at least substantially intact while the outer nerve cells are destroyed, fused or otherwise affected. Monitoring elements optionally may be utilized to assess an extent of, e.g., electroporation, induced in renal nerves and/or in smooth muscle cells, as well as to adjust PEF parameters to achieve a desired effect.

C. Embodiments of Systems and Methods for Neuromodulation

With reference to FIGS. 4-10, examples of monopolar PEF systems and methods are described. FIG. 4 shows one embodiment of an extravascular, monopolar pulsed electric field apparatus 200 that includes one or more electrodes configured to deliver a monopolar pulsed electric field to renal neural fibers to achieve renal neuromodulation. The apparatus of FIG. 4 is configured for temporary extravascular placement; however, it should be understood that partially or completely implantable extravascular apparatus additionally or alternatively may be utilized. Applicants have previously described extravascular PEF systems, for example, in co-pending U.S. patent application Ser. No. 11/189,563, filed Jul. 25, 2005, which has been incorporated herein by reference in its entirety.

Apparatus 200 of FIG. 4 comprises a laparoscopic or percutaneous PEF system having a probe 210 configured for insertion in proximity to the track of the renal neural supply. For example, the probe 210 can be configured to be placed along the renal artery or vein, the hilum, and/or within Gerota's fascia under CT, radiographic, ultrasonic, or other suitable guidance. The proximal section of the probe 210 generally has an electrical connector to couple the probe to a pulse generator 100, and the distal section has at least one electrode 212.

The pulsed electric field generator 100 is located external to the patient, and the electrode(s) 212 are electrically coupled to the generator via the probe 210 and wires 211. The generator 100, as well as any of the electrode embodiments described herein, may be utilized with any embodiment of the present invention described hereinafter for delivery of a PEF with desired field parameters. It should be understood that electrodes of embodiments described hereinafter may be electronically connected to the generator even if the generator is not explicitly shown or described with each embodiment.

The electrode(s) 212 can be individual electrodes, a common but segmented electrode, or a common and continuous electrode. A common but segmented electrode may be formed by providing a slotted tube fitted onto the probe, or by

electrically connecting a series of individual electrodes. Individual electrodes or groups of electrodes **212** may be configured to provide a monopolar or bipolar signal. The electrodes **212** may be dynamically assignable to facilitate monopolar and/or bipolar energy delivery between/among any of the electrodes on the probe **210** and/or an external ground pad **150**. The ground pad **150**, for example, may be attached externally to the patient's skin (e.g., to the patient's leg, flank, back or side). Additionally or alternatively, the ground pad **150** may be attached externally to the patient adjacent to the targeted kidney to induce desired directionality in the monopolar electrical field.

As seen in FIG. 4, the electrode **212** may comprise a single electrode that is used in conjunction with a separate ground pad **150** located on the exterior of the patient and coupled to the generator **100** for monopolar use. The probe **210** optionally may comprise a conductive material that is insulated in regions other than its distal tip to form a distal tip electrode **212**. Alternatively, the electrode **212** may be delivered through a lumen of the probe **210**. The probe **210** and the electrode **212** may be of the standard needle or trocar-type used clinically for pulsed RF nerve block. Alternatively, the apparatus **200** may comprise a flexible and/or custom-designed probe for the renal application described herein.

In FIG. 4, the percutaneous probe **210** has been advanced through a percutaneous access site P into proximity within renal artery RA. Once properly positioned, a pulsed electric field F_0 may be applied to target neural fibers across the monopolar electrode **212** and the ground pad **150**. The pulsed electric field F_0 shown in FIG. 4 is generally aligned with the longitudinal dimension of the neural fibers along the renal artery RA that control the kidney K to preferentially modulate the neural fibers without unduly affecting the smooth muscle cells of the renal artery RA. The monopolar electric field F_0 , however, can be orientated differently relative to the renal artery RA in other embodiments. After treatment, the apparatus **200** may be removed from the patient to conclude the procedure.

It is expected that applying a monopolar field between the electrode **212** and the ground pad **150** may modulate the function of the target neural fibers in a manner that at least partially denervates the patient's kidney. The neural modulation may be achieved thermally or substantially athermally. Such PEF therapy may alleviate clinical symptoms of CHF, hypertension, renal disease, myocardial infarction, contrast nephropathy and/or other renal or cardio-renal diseases for a period of months (e.g., potentially up to six months or more). This time period may be sufficient to allow the body to heal to potentially reduce the risk of CHF onset after an acute myocardial infarction and mitigate the need for subsequent re-treatment. Alternatively, as symptoms reoccur, or at regularly scheduled intervals, the patient can return to the physician for a repeat therapy.

The effectiveness of the initial therapy, and thus the potential need for repeating the therapy, can be evaluated by monitoring several different physiologic parameters. For example, plasma renin levels, urine catecholamines, or other neurohormones that are indicative of increased sympathetic nervous activity can provide an indication of the extent of denervation. Additionally or alternatively, a nuclear imaging test, such as a test utilizing ¹³¹Iodine metaiodobenzylguanidine ("MIBG"), may be performed to measure a degree of adrenergic innervation. As another option, imaging may be performed with Technetium-99m mercaptoacetylglycine ("Tc-99m MAG3") to evaluate renal function. Alternatively, provocative maneuvers known to increase sympathetic ner-

vous activity, such as head-out water immersion testing, may be conducted to determine the need for repeat therapy.

In some embodiments, the apparatus **200** may comprise a probe having an introducer with an expandable distal segment having one or more electrodes. After insertion in proximity to target neural fibers, the distal segment may be opened or expanded into an expanded configuration. In one embodiment, this expanded configuration would follow a contour of the renal artery and/or vein to treat a number of neural fibers with a single application of PEF therapy. For example, in the expanded configuration, the distal segment may partially or completely encircle the renal artery and/or vein. In another embodiment, the expanded configuration may facilitate mechanical dissection, for example, to expand Gerota's fascia and create a working space for placement of the electrodes and/or for delivery of PEF therapy. The distal segment optionally may be translated independently of the probe or introducer.

When utilized as an electrode, the distal segment may, for example, be extended out of an introducer placed near the treatment area. The conducting distal segment may be advanced out of the sheath until a desired amount of renal neural tissue is in proximity to the distal segment, and then PEF therapy may be delivered via the distal segment electrode. Alternatively, the conducting distal segment may be allowed to reform or expand into a spiral of one or more loops, a random space-occupying shape, or another suitable configuration. Mesh, braid, or conductive gels or liquids could be employed in a similar manner.

FIG. 5 schematically illustrates a monopolar intra-to-extravascular (ITEV) PEF system **300** having electrode(s) that are initially delivered endoluminally in a retracted configuration (not shown) to an intravascular position near target neural fibers for modulating renal function. The distal portions of the electrodes then pierce through/across the vessel wall to an extravascular position prior to delivery of the PEF therapy. Intra-to-extravascular positioning of the electrode(s) may place the electrode(s) in closer proximity to target neural fibers during the PEF therapy compared to fully intravascular positioning of the electrode(s). Applicants have previously described intra-to-extravascular PEF systems, for example, in co-pending U.S. patent application Ser. No. 11/324,188, filed Dec. 29, 2005, which is incorporated herein by reference in its entirety.

The example of the monopolar ITEV PEF system **300** shown in FIG. 5 comprises a catheter **310** having an expandable element **312** with one or more needle-like ITEV electrodes **314** coupled to the expandable element. When multiple needle electrodes **314** are provided, they may be spaced circumferentially and/or longitudinally about/along the expandable element **312**. The system **300** further comprises the previously described ground pad **150**, which may be attached to or otherwise placed against the skin S of the patient along the exterior of the patient (e.g., to the patient's flank, back, thigh or side). The ground pad **150** is also coupled to the PEF generator **100** as a return electrode (see FIG. 4). The ground pad **150** optionally may be positioned substantially directly lateral to the ITEV electrode(s) **314** to direct the PEF therapy along the patient's vasculature (e.g., along renal artery RA).

The expandable element **312** comprises a member or structure configured for intravascular delivery to (and retrieval from) a target location in a low profile configuration and for expansion to an expanded deployed configuration at the target location. The expandable element **312** may comprise, for example, an inflatable balloon, an expandable basket or cage, or some other expandable structure. As seen in FIG. 5, expansion of the expandable element **312** causes the ITEV elec-

trode(s) **314** to pierce the wall of renal artery RA and move from an intravascular location to an extravascular location. With the ITEV electrode(s) **314** positioned extravascularly and coupled to the PEF generator **100**, the ITEV electrode(s) may be energized (e.g., one at a time or all together) as active electrodes in a monopolar PEF therapy with the external ground pad **150** serving as the return electrode. Additionally or alternatively, bipolar PEF therapy may be delivered between any pair of the ITEV electrodes **314** in conjunction with or in lieu of monopolar therapy.

With reference now to FIGS. **6A** and **6B**, in addition to monopolar extravascular and monopolar ITEV PEF systems, another example of the invention is a monopolar intravascular PEF system **400**. Applicants have previously described intravascular PEF systems, for example, in co-pending U.S. patent application Ser. No. 11/129,765, filed May 13, 2005, which has been incorporated herein by reference in its entirety.

The monopolar intravascular PEF system **400** of FIG. **6A** comprises a catheter **410** having a monopolar electrode **412** coupled to the shaft of the catheter. The catheter **410** comprises a guide wire lumen for endoluminally advancing the system **400** to a desired intravascular position over a guide wire **G** (e.g., to a position within a patient's renal artery RA). The electrode **412** may or may not contact the wall of the artery during PEF therapy. The electrode **412** preferably is fabricated from platinum or another material that exhibits relatively high conductivity and radiopacity.

The system **400** further comprises the previously described external ground pad **150**, which may be coupled to the PEF generator **100** (FIG. **4**) and electrically coupled to the skin **S** of the patient along the exterior of the patient (e.g., to the patient's flank, back or thigh). As with previous embodiments, the ground pad **150** optionally may be positioned substantially directly lateral to the monopolar electrode **412** to direct the PEF therapy along the patient's vasculature (e.g., the renal artery RA) and/or through the patient's kidney. Such lateral positioning of the ground pad also may provide a relatively uniform distribution of energy about the circumference of the patient's renal artery RA.

FIG. **6B** illustrates an alternative embodiment of system **400** comprising a plurality of the electrodes **412** coupled to the shaft of the catheter **410**. Providing a plurality of the electrodes may facilitate the monopolar PEF treatment at multiple intravascular locations without necessitating repositioning of the catheter **410**. The electrodes may be selectively energized as monopolar (i.e., active) electrodes in any order or combination as desired. In one example, the electrodes may be individually activated in sequence from proximal to distal. In another example, the electrodes may be individually activated in sequence from distal to proximal. In another example, some electrodes are not activated at all. In yet another example, one or more electrodes are activated in combination with one or more other electrodes. In still another example, the electrodes are activated in a pre-determined sequence or in a random sequence. Additional activation protocols will be apparent to those of skill in the art.

In addition or as an alternative to their use in monopolar treatment, the plurality of the electrodes **412** of FIG. **6B** optionally may be used for a bipolar PEF treatment. Such a bipolar PEF treatment may be delivered across any pair or pairs of the electrodes **412**, as desired. A combination bipolar and monopolar PEF treatment may be more effective than stand-alone bipolar and/or stand-alone monopolar treatment for some patients or for some indications.

Referring to FIGS. **7A-7D**, embodiments of the intravascular monopolar PEF system **400** optionally may comprise one or more centering elements for centering the monopolar

electrode(s) within the patient's vasculature. The centering element(s) may be partially expanded such that they partially center the monopolar electrode(s) within the vessel, or may be fully expanded as in FIGS. **7A-7D**, such that they substantially fully center the electrode(s) within the vessel. The centering elements **420** may, for example, comprise inflatable balloons and/or expandable wire baskets or cages.

The centering element optionally may comprise an impedance-altering element configured to alter impedance within the patient's vasculature to better direct an applied electric field across the vessel wall to target neural fibers. When the centering element is a balloon, it may temporarily block blood flow and thereby alter the impedance within the patient's vessel. Additionally or alternatively, the centering element may comprise the monopolar electrode. In one embodiment, a balloon centering element comprises a conductive exterior and/or is fabricated from a conductive polymer and is used as the monopolar electrode.

In FIG. **7A**, the PEF system **400** comprises an expandable centering element **420** coupled to the catheter **410**. The element **420** is configured for delivery and retrieval from a treatment site in a reduced profile delivery configuration, and for expansion at the treatment site to the deployed configuration of FIG. **7A**. With the centering element in the fully expanded, deployed configuration of FIG. **7A**, the monopolar electrode(s) **412** are substantially centered within the vessel during the PEF therapy.

In the embodiment of FIG. **7A**, the system **400** comprises a unitary monopolar electrode **412** positioned along the shaft of the catheter **410** proximal of the centering element **420**. The centering element is accordingly positioned between the monopolar electrode **412** and the ground pad **150** in this embodiment. In the embodiment of FIG. **7B**, the monopolar electrode **412** is positioned distal of the centering element such that the centering element is not positioned between the monopolar electrode and the ground pad. In the embodiment of FIG. **7C**, the monopolar electrode **412** is positioned in line with the centering element **420** along the shaft of the catheter **410**. In the embodiment of FIG. **7D**, the monopolar electrode **412** is positioned between first and second centering elements **420a** and **420b**, respectively. As will be apparent, additional monopolar and/or bipolar electrodes may be provided with any of the embodiments of the system **400** of FIGS. **7A-7D** at any desired position(s) along the catheter **410**. Furthermore, one or more electrodes may be coupled to the centering element(s) **420** such that the electrodes contact the wall of the patient's vasculature during delivery of the PEF therapy.

As discussed previously, it is expected that the monopolar PEF therapy, whether delivered extravascularly, intravascularly, intra-to-extravascularly or a combination thereof, may effectuate the following: irreversible electroporation or electrofusion; necrosis and/or inducement of apoptosis; alteration of gene expression; action potential blockade or attenuation; changes in cytokine up-regulation; and other conditions in target neural fibers. In some patients, when such neuromodulatory methods and apparatus are applied to renal nerves and/or other neural fibers that contribute to renal neural functions, applicants believe that the neuromodulatory effects induced by the neuromodulation might result in at least partial denervation of the patient's kidney(s). This may result in increased urine output, decreased plasma renin levels, decreased tissue (e.g., kidney) and/or urine catecholamines (e.g., norepinephrine), increased urinary sodium excretion, and/or controlled blood pressure. Furthermore, applicants believe that these or other changes might prevent or treat congestive heart failure, hypertension, myocardial infarction, renal disease, contrast nephropathy, other renal system dis-

eases, and/or other renal or cardio-renal anomalies for a period of months (e.g., potentially up to six months or more).

The methods and apparatus described herein could be used to modulate efferent or afferent nerve signals, as well as combinations of efferent and afferent nerve signals. Neuro-modulation in accordance with the present invention preferably is achieved without completely physically severing, i.e., without fully cutting, the target neural fibers. However, it should be understood that such neuromodulation may functionally sever the neural fibers even though the fibers may not be completely physically severed. Apparatus and methods described herein illustratively are configured for percutaneous use. Such percutaneous use may be endoluminal, laparoscopic, a combination thereof, etc.

The apparatus described herein additionally may be used to quantify the efficacy, extent or cell selectivity of PEF therapy to monitor and/or control the therapy. When a pulsed electric field initiates electroporation, the impedance of the electroporated tissue begins to decrease and the conductivity of the tissue begins to increase. If the electroporation is reversible, the tissue electrical parameters will return or approximate baseline values upon cessation of the PEF. However, if the electroporation is irreversible, the changes in tissue parameters will persist after termination of the PEF. These phenomena may be utilized to monitor both the onset and the effects of PEF therapy. For example, electroporation may be monitored directly using, for example, conductivity measurements or impedance measurements, such as Electrical Impedance Tomography ("EIT") and/or other electrical impedance/conductivity measurements like an electrical impedance or conductivity index. Such electroporation monitoring data optionally may be used in one or more feedback loops to control delivery of PEF therapy.

In order to collect the desired monitoring data, additional monitoring electrodes optionally may be provided in proximity to the monitored tissue. The distance between such monitoring electrodes preferably would be specified prior to therapy delivery and used to determine conductivity from impedance or conductance measurements. For the purposes of the present invention, the imaginary part of impedance may be ignored such that impedance is defined as voltage divided by current, while conductance may be defined as the inverse of impedance (i.e., current divided by voltage), and conductivity may be defined as conductance per unit distance. Applicants have previously described methods and apparatus for monitoring PEF therapy and have provided illustrative PEF waveforms, for example, in co-pending U.S. patent application Ser. No. 11/233,814, filed Sep. 23, 2005, which has been incorporated herein by reference in its entirety.

With reference now to FIG. 8, a method for multi-location, monopolar renal neuromodulation is described. In this embodiment, monopolar renal neuromodulation may be performed at a plurality of treatment sites T positioned along the length of renal artery RA. Such multi-location treatment may be achieved utilizing one or more monopolar electrodes positioned intravascularly, intra-to-extravascularly, extravascularly, etc. In FIG. 8, the multi-location treatment is performed with substantially uniform circumferential energy delivery about the renal artery RA. However, it should be understood that non-uniform circumferential energy delivery alternatively may be utilized. For example, in some embodiments the monopolar electrode(s) may contact the vessel wall and may preferentially deliver energy to target neural fibers located in proximity to the contacted side of the wall.

In one embodiment, the catheter 410 of the PEF system 400 of FIG. 6A is repositioned along the renal artery RA for repeat therapy with electrode 412 at multiple locations within the

renal artery. In another embodiment, the multiple electrodes 412 of the PEF system 400 of FIG. 6B are utilized to achieve renal neuromodulation at multiple treatment sites T without repositioning the catheter 410. Such multi-location treatment may be achieved, for example, by simultaneously activating multiple electrodes 412 along the length of catheter 410, or by sequentially activating a series of electrodes. All or a subset of the monopolar electrodes of the embodiment of FIG. 6B may be activated to achieve desired renal neuromodulation.

FIG. 9 schematically illustrates an embodiment of a monopolar PEF system 500 having a plurality of monopolar electrodes that may be expanded into contact with the vessel wall. The PEF system 500 comprises a catheter 510 having an expandable distal cage or basket 520 formed from a plurality of circumferential struts or members. A plurality of electrodes 524 are formed along the members 522 of the basket 520. Each member of the basket illustratively comprises a monopolar electrode configured to contact a wall of the renal artery RA or another desired blood vessel.

The basket 520 may be fabricated, for example, from a plurality of shape-memory wires or ribbons, such as Nitinol, spring steel or elgiloy wires or ribbons, which form the basket members 522. When the basket members comprise ribbons, the ribbons may be moved such that a surface area contacting the vessel wall is increased. The basket members 522 are coupled to the catheter 510 at the proximal and the distal connections 526a and 526b, respectively. In such a configuration, the basket may be collapsed for delivery within a delivery sheath and may self-expand into contact with the wall of the artery upon removal from the sheath. The proximal and/or the distal connection 526 optionally may be configured to translate along the shaft of the catheter 510 for a specified or unspecified distance in order to facilitate the expansion and collapse of the basket.

The basket 520 alternatively may be formed from a slotted and/or a laser-cut hypotube. In such a configuration, the catheter 510 may, for example, comprise an inner and an outer shaft that are moveable relative to one another. The distal connection 526b of the basket 520 may be coupled to the inner shaft, and the proximal connection 526a of the basket may be coupled to the outer shaft. The basket 520 may be expanded from a collapsed delivery configuration to the deployed configuration of FIG. 9 by approximating the inner and the outer shafts of the catheter 510, thereby approximating the proximal and distal connections 526 of the basket and expanding the basket. Likewise, the basket may be collapsed by separating the inner and outer shafts of the catheter.

As seen in FIG. 9, individual electrodes may be arranged along the basket struts or members 522. In one embodiment, the struts are formed from a conductive material coated with a dielectric material, and the electrodes 524 are formed by removing regions of the dielectric coating. The insulation optionally may be removed only along radially outer surfaces of the members such that the electrodes 524 remain insulated on their radially interior surfaces; it is expected that this will direct the current flow outward into the vessel wall.

Other optional fabrication techniques include affixing the electrodes to the inside surfaces and/or outside surfaces of the basket struts, or embedding the electrodes within the struts. The electrode(s) placed along each strut or member may comprise individual electrodes, a common but segmented electrode, or a common and continuous electrode. Individual electrodes or groups of electrodes may be configured to provide a bipolar signal, or all or a subset of the electrodes may be actuated together in conjunction with an external patient ground for monopolar use.

One advantage of having electrodes **524** contact the vessel wall as shown in the embodiment of FIG. **9** is that it may reduce the need for an insulating element, such as an expandable balloon, to achieve renal denervation or other neuromodulation. However, it should be understood that such an insulating element may be provided and, for example, expanded within the basket. Furthermore, having the electrodes contact the wall may provide improved field geometry, i.e., may provide an electric field more aligned with the longitudinal axis of the vessel. Such contacting electrodes also may facilitate stimulation of the renal nerves before, during or after neuromodulation to better position the catheter **510** before treatment or for monitoring the effectiveness of treatment. Furtherstill, wall contact may facilitate multi-location therapy, as in FIG. **8**.

FIG. **10** shows another PEF system **600** having one or more monopolar electrodes that contact the vessel wall. In this embodiment, the PEF system **600** comprises a catheter **610** with an optional expandable centering element **620** (e.g., an optional expandable balloon). The PEF system **600** further comprises an expandable helical electrode **630** configured for delivery in a reduced profile configuration through a guidewire lumen **612** of the catheter **610**. The helical electrode **630** may, for example, be fabricated from a self-expanding material, such as Nitinol, elgiloy or spring steel.

As seen in FIG. **10**, after positioning the catheter **620** in a target vessel (e.g. renal artery RA), the optional centering element **620** may be expanded, e.g., inflated until it contacts the wall of the vessel to hold the catheter at a desired location within the vessel and/or to insulate or increase the impedance of the interior of the vessel. The helical electrode **630** is pushed through the lumen **612** until the helical electrode extends beyond the catheter shaft; the electrode then expands or otherwise moves into the helical configuration to physically contact the vessel wall. A monopolar pulsed electric field then may be delivered between the helical electrode **630** and external ground pad **150**.

FIG. **11** illustrates a method for bilateral monopolar renal neuromodulation utilizing the apparatus of FIG. **6A**. It should be understood that such bilateral monopolar renal neuromodulation alternatively may be achieved utilizing the extravascular apparatus of FIG. **4** or any other of the foregoing intravascular apparatus, extravascular apparatus, intra-to-extravascular apparatus, or combinations thereof. Bilateral renal neuromodulation may enhance the therapeutic effect in some patients as compared to unilateral renal neuromodulation (i.e., renal neuromodulation performed on neural tissue innervating a single kidney). For example, bilateral renal neuromodulation may further reduce clinical symptoms of CHF, hypertension, myocardial infarction, contrast nephropathy, renal disease and/or other cardio-renal diseases.

As seen in FIG. **11**, the catheter **410** of the monopolar PEF system **400** of FIG. **6A** may be advanced over a guide wire **G** into position within the patient's abdominal aorta **AA** such that the monopolar electrode **412** is substantially in line with the patient's renal arteries **RA**. First and second ground pads **150a** and **150b**, respectively, are electrically coupled to the patient's skin **S** substantially directly lateral to the renal arteries **RA**. Once the catheter is properly positioned for PEF therapy, the guide wire **G** may be retracted from the treatment zone (e.g., may be removed from the patient or may be positioned more proximally within the patient's aorta). A pulsed electric field then may be delivered to the active monopolar electrode **412** from the PEF generator **100**. The pulsed electric field propagates from the monopolar electrode **412** to the ground pads **150a** and **150b** to achieve desired bipolar renal neuromodulation.

Monopolar bilateral renal neuromodulation optionally may be performed sequentially by sequentially advancing a monopolar electrode within, or in proximity to, each renal artery **RA** for PEF therapy. Alternatively, as in the illustrative embodiment FIG. **12**, the monopolar electrodes may be positioned simultaneously within both renal arteries **RA**, but in other embodiments the electrodes can be positioned extravascularly or intra-to-extravascularly with respect to both renal arteries. Monopolar bilateral PEF therapy then may proceed concurrently or sequentially to modulate target neural fibers that contribute to both right and left renal function.

FIG. **12** illustrates one embodiment of a bilateral monopolar PEF system **700** that comprises a catheter **710** having a first distal segment **720a** with a first monopolar electrode **730a** and a second distal segment **720b** with a second monopolar electrode **730b**. As seen in FIG. **12**, the first distal segment **720a** may be advanced within a first renal artery **RA** to position the first monopolar electrode **730a** for monopolar therapy in combination with the first ground pad **150a**. Likewise, the second distal segment **720b** may be advanced within a second renal artery **RA** to position the second monopolar electrode **730b** for monopolar therapy in combination with the second ground pad **150b**. As discussed, the bilateral renal neuromodulation may be performed concurrently or sequentially.

Although preferred illustrative variations of the present invention are described above, it will be apparent to those skilled in the art that various changes and modifications may be made thereto without departing from the invention. For example, although the monopolar bilateral methods and apparatus for renal neuromodulation of FIGS. **11** and **12** illustratively utilize dual ground pads, it should be understood that such monopolar bilateral renal neuromodulation alternatively may be performed with a single ground pad. Furthermore, although the illustrative variations described herein generally deliver monopolar renal neuromodulation from within or in proximity to a patient's renal artery, it should be understood that such neuromodulation additionally or alternatively may be delivered from other locations within or in proximity to the patient's renal vasculature, such as within or in proximity to the patient's renal vein. It is intended in the appended claims to cover all such changes and modifications that fall within the true spirit and scope of the invention.

We claim:

1. A method for treating diagnosed hypertension by renal neuromodulation of a human patient, the method comprising: placing a monopolar electrode within renal vasculature and in contact with a vessel wall of the renal vasculature of the patient, wherein the monopolar electrode is proximate to a post-ganglionic nerve innervating a kidney of the patient; electrically coupling a ground electrode to an exterior of the patient; and delivering an electric field between the monopolar electrode and the ground electrode to reduce neural communication along the post-ganglionic nerve, wherein delivering the electric field results in a therapeutically beneficial reduction in blood pressure of the patient.
2. The method of claim **1** wherein reducing neural communication along the post-ganglionic nerve comprises ablating the nerve.
3. The method of claim **1** wherein reducing neural communication along the post-ganglionic nerve comprises partially ablating the nerve.

15

4. A method for treating a human patient with diagnosed hypertension via renal neuromodulation, the method comprising:

placing a monopolar electrode within a renal artery of the patient, wherein the monopolar electrode is adjacent to a post-ganglionic nerve innervating a kidney of the patient;

coupling a ground electrode to an exterior of the patient; and

delivering an electric field between the monopolar electrode and the ground electrode, wherein the electric field reduces neural communication along the post-ganglionic nerve,

wherein delivering the electric field results in a therapeutically beneficial reduction in blood pressure of the patient.

5. The method of claim 4 wherein placing a monopolar electrode within a renal artery of the patient comprising intravascularly delivering the electrode to the renal artery via a femoral artery and an aorta of the patient.

6. The method of claim 4 wherein reducing neural communication along the post-ganglionic nerve comprises blocking neural traffic to and/or from the kidney.

7. The method of claim 4 wherein reducing neural communication along the post-ganglionic nerve comprises attenuating afferent neural traffic to and/or from the kidney.

8. The method of claim 4 wherein reducing neural communication along the post-ganglionic nerve comprises attenuating efferent neural traffic to and/or from the kidney.

9. The method of claim 4 wherein the monopolar electrode is carried by an expandable basket, and wherein placing a monopolar electrode within a renal artery of the patient comprises delivering the expandable basket to the renal artery in a low-profile configuration and transforming the basket to a deployed configuration to place the electrode in contact with a wall of the renal artery.

10. The method of claim 4, further comprising monitoring a parameter of tissue within the patient before and during delivery of the electric field.

11. The method of claim 10, further comprising modifying delivery of the electric field in response to the monitored parameter.

12. The method of claim 4 wherein reducing neural communication along the post-ganglionic nerve comprises ablating the post-ganglionic nerve.

13. The method of claim 4 wherein reducing neural communication along the post-ganglionic nerve comprises partially ablating the post-ganglionic nerve.

14. The method of claim 4 wherein placing a monopolar electrode within a renal artery of the patient comprises:

16

positioning an expandable member carrying two or more electrodes within the renal artery in a low-profile delivery arrangement; and

transforming the expandable member into a treatment arrangement to place the two or more electrodes in apposition with a wall of the renal artery before delivering the electric field.

15. The method of claim 14 wherein the expandable member comprises a balloon.

16. The method of claim 4 wherein placing a monopolar electrode within a renal artery of the patient comprises placing the electrode in contact with a vessel wall of the renal artery adjacent to the post-ganglionic nerve.

17. The method of claim 4, further comprising removing the monopolar electrode from the patient after delivering the electric field.

18. A method for catheter-based renal neuromodulation, the method comprising:

intravascularly positioning a catheter having a monopolar electrode within a renal artery of a human patient and in vicinity of renal nerves innervating a kidney of the patient; and

reducing neural communication to and from the kidney by ablating the renal nerves of the patient via electrical energy delivered between the monopolar electrode and a ground pad on the skin of the patient,

wherein reducing neural communication to and from the kidney results in improved cardio-renal function of the patient.

19. The method of claim 18 wherein intravascularly positioning a catheter having a monopolar electrode within a renal artery of the patient comprises intravascularly delivering the catheter to the renal artery via a guidewire.

20. The method of claim 18 wherein the catheter comprises a basket with a plurality of struts and monopolar electrodes on each strut, and wherein intravascularly positioning a catheter having a monopolar electrode within a renal artery comprises intravascularly delivering the basket to the renal artery in a delivery arrangement and transforming the basket to a deployed configuration to place the monopolar electrodes carried by the struts in apposition with an inner wall of the renal artery.

21. The method of claim 18 wherein reducing neural communication to and from the kidney by ablating the renal nerves of the patient comprises thermally altering the renal nerves via the electrical energy.

22. The method of claim 18, further comprising removing the catheter from the patient after ablating the renal nerves.

* * * * *

专利名称(译)	单极肾神经调节的方法		
公开(公告)号	US9308043	公开(公告)日	2016-04-12
申请号	US14/548810	申请日	2014-11-20
申请(专利权)人(译)	美敦力公司ARDIAN卢森堡S.A.R.L.		
当前申请(专利权)人(译)	美敦力公司ARDIAN卢森堡S.A.R.L.		
[标]发明人	ZARINS DENISE GIFFORD III HANSON DEEM MARK LEVIN HOWARD R GELFAND MARK ZADNO NICOLAS		
发明人	ZARINS, DENISE GIFFORD, III, HANSON DEEM, MARK LEVIN, HOWARD R. GELFAND, MARK ZADNO, NICOLAS		
IPC分类号	A61B18/14 A61B5/00 A61B5/20 A61N1/36 A61B5/053 A61B18/00		
CPC分类号	A61B18/1492 A61B5/4848 A61B5/0536 A61B5/201 A61B2018/0022 A61B2018/00267 A61B2018/00434 A61B2018/00577 A61B2018/00613 A61B2018/00642 A61N1/3606 A61B18/1482 A61B2017/00154 A61B2018/00214 A61B2018/00261 A61B2018/00279 A61B2018/00404 A61B2018/00511 A61B2018/00875 A61B2018/124 A61B2018/1253 A61B2018/1435 A61B2018/1467 A61B2018/1472 A61N1/0551 A61N1/327 A61N1/36017 A61B18/16		
优先权	60/442970 2003-01-29 US 60/415575 2002-10-03 US 60/370190 2002-04-08 US 60/813589 2005-12-29 US 60/616254 2004-10-05 US 60/624793 2004-11-02 US		
其他公开文献	US20150080884A1		
外部链接	Espacenet USPTO		

摘要(译)

提供用于单极神经调节的方法和装置，例如，通过脉冲电场。这种单极神经调节可以实现不可逆的电穿孔或电融合，坏死和/或细胞凋亡的诱导，基因表达的改变，动作电位衰减或阻断，细胞因子上调的变化和靶神经纤维中的其他条件。在一些实施方案中，将单极神经调节应用于有助于肾功能神经纤维。在一些实施方案中，这种单极神经调节是双侧进行的。

