



(11) **EP 1 600 106 A1**

(12) **EUROPEAN PATENT APPLICATION**  
published in accordance with Art. 158(3) EPC

(43) Date of publication:  
**30.11.2005 Bulletin 2005/48**

(51) Int Cl.<sup>7</sup>: **A61B 8/08**

(21) Application number: **04715452.1**

(86) International application number:  
**PCT/JP2004/002352**

(22) Date of filing: **27.02.2004**

(87) International publication number:  
**WO 2004/075755 (10.09.2004 Gazette 2004/37)**

(84) Designated Contracting States:  
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR**  
**HU IE IT LI LU MC NL PT RO SE SI SK TR**  
Designated Extension States:  
**AL LT LV MK**

(72) Inventors:  
• **NISHIGAKI, Morio**  
(JP)  
• **HAGIWARA, Hisashi**  
(JP)

(30) Priority: **28.02.2003 JP 2003054568**


(74) Representative: **Schorr, Frank Jürgen et al**  
**Diehl Glaeser Hiltl & Partner,**  
**Augustenstrasse 46**  
**80333 München (DE)**

(71) Applicant: **MATSUSHITA ELECTRIC INDUSTRIAL**  
**CO., LTD.**  
**Kadoma-shi, Osaka 571-8501 (JP)**

(54) **ULTRASONOGRAPHIC DISPLAY DEVICE**

(57) There is provided an ultrasonic image displaying system capable of displaying an image of a fetus that is easy for a subject to understand without requiring a complicated operation by an operator. The ultrasonic image displaying system is provided with a display unit

104 for displaying an image of a fetus, a part data recording part 106 for recording part images, and a synthesis unit 103 for adding a part image read from the part data recording part 106 to a region designated by the operator on the image of the fetus displayed on the display unit 104.



1:Right eye 2:Left eye 3:Nose  
4:Mouth center 5:Forehead  
6:Chin tip

**FIG.3 D**

## Description

### Technical Field

**[0001]** The present invention relates to an ultrasonic image displaying system for displaying an image created based on information obtained from the inside of a body by transmitting and receiving ultrasonic waves.

### Background Art

**[0002]** The principle of ultrasonic image displaying systems already has been known publicly. That is, two-dimensional or three-dimensional information of the inside of a body is obtained by transmitting and receiving ultrasonic waves repeatedly to/from the inside of the body by using a pulse generator, and an image created based on the obtained information is displayed.

**[0003]** Ultrasonic image displaying systems are used in a wide range of fields, and in obstetrics it is becoming popular to provide an ultrasonic image of a fetus as a service to clients as shown in the article of "Obstetric Services" in the Yomiuri Shimbun on July 30, 2002, for example.

**[0004]** However, although screen displays of ultrasonic image displaying systems have become easy to see as compared with conventional ones, they are intended for experts, and thus it is still difficult in many cases for a person who is not familiar with these displays to determine what is displayed.

**[0005]** Therefore, in many cases, an operator writes names of regions such as a nose and a mouth on an image as shown in Figure 7, or provides a verbal explanation while viewing a screen of an ultrasonic image displaying system.

**[0006]** The following patent document (JP 8(1996)-206117 A) describes conventional ultrasonic diagnostic equipment that displays a contour image of a fetus.

**[0007]** However, a conventional method in which a verbal explanation is provided or characters are written has a problem that patients do not quite understand what is displayed. Further, conventionally, an operator provides an explanation by drawing a picture based on an image displayed by an ultrasonic image displaying system. However, in such a case, there is a problem that if the operator is not used to drawing a picture or the like, the picture provides an image that is not actually true, or it takes time to draw the picture.

### Disclosure of Invention

**[0008]** It is an object of the present invention to solve the above-mentioned problems and to provide an ultrasonic image displaying system that is less burdensome for an operator and displays an image that is easy for a patient to understand.

**[0009]** In order to achieve the above-mentioned object, an ultrasonic image displaying system according to

the present invention includes: a display unit for displaying an image of a fetus; a part image recording unit for recording part images; and an image synthesis unit for reading a part image corresponding to a region designated by an operator from the part image recording unit, and superimposing the read part image on the image displayed by the display unit.

**[0010]** As described above, since the part images for eyes, a nose, a mouth, and the like prepared in advance are superimposed on the displayed image, it is possible to display easily the part images that aid a subject's understanding only by designating a position of a region.

**[0011]** It is preferable that in the ultrasonic image displaying system according to the present invention, the part image recording unit records as the part images a plurality of types of part images with respect to at least one facial region. It is preferable that the system further includes a selection operation unit for allowing the operator to select any of the plurality of types of part images recorded by the part image recording unit, wherein the part image selected by the selection operation unit is superimposed on the image.

**[0012]** With this configuration, by selecting an appropriate part image from the plurality of types of part images prepared in advance, a variety of descriptive images can be displayed easily.

**[0013]** It is preferable that the ultrasonic image displaying system according to the present invention further includes a correction unit for correcting a turning angle of the part image in the display unit. Therefore, it is possible to correct a display state by turning the part image in accordance with a direction and a tilt of a face of a fetus, whereby more natural descriptive images can be displayed.

**[0014]** It is preferable that the ultrasonic image displaying system according to the present invention having any one of the above-mentioned configurations includes an output unit for outputting the image of the fetus and the part image added to the image in at least one form of printing, analog data output, and digital data output. This allows a subject to take home the image of the fetus to which the part images are added so as to show it to her family and the like and store it.

**[0015]** It is preferable that the ultrasonic image displaying system according to the present invention includes a part image display unit for separating the plurality of part images superimposed by the image synthesis unit from the image of the fetus while preserving a relative positional relationship of the part images, and displaying the separated part images in a region different from a display region for displaying the image of the fetus. With this configuration, since the part images are displayed in a region different from a display region for displaying the image of the fetus, descriptive images that are easy for a subject to understand can be displayed without spoiling an original image (image of the fetus). Further, since the part images are superimposed on the original image initially and then separated from

the original image while a relative positional relationship between the part images is preserved, the part images that are true to the original image can be obtained.

**[0016]** Further, it is also preferable that this configuration includes an output unit for outputting the image of the fetus and the part images displayed by the part image display unit as separate images, wherein the output unit performs output in at least one form of printing, analog data output, and digital data output.

#### Brief Description of Drawings

#### **[0017]**

Figures 1A to 1D are image pictures showing a manner in which descriptive images are added to an image of a fetus displayed on a screen in an ultrasonic image displaying system according to a first embodiment of the present invention.

Figure 2 is an exemplary block diagram of the ultrasonic image displaying system according to the first embodiment of the present invention.

Figures 3A to 3E are image pictures showing a manner in which descriptive images are added to an image of a fetus displayed on a screen in an ultrasonic image displaying system according to a second embodiment of the present invention.

Figure 4 is an exemplary block diagram of the ultrasonic image displaying system according to the second embodiment of the present invention.

Figure 5A and 5B, respectively, are an image picture obtained as a result of adding descriptive images to an image of a fetus displayed on a screen and a view showing the original image and the descriptive images displayed separately in an ultrasonic image displaying system according to a third embodiment of the present invention.

Figure 6 is an exemplary block diagram of the ultrasonic image displaying system according to the third embodiment of the present invention.

Figure 7 is an exemplary image picture used to describe an image of a fetus according to a conventional example of the present invention.

#### Description of the Invention

**[0018]** Hereinafter, embodiments of the present invention will be described with reference to Figures 1 to 6.

(First Embodiment)

**[0019]** Figures 1A to 1D show an example of a manner in which descriptive images are added to an ultrasonic diagnostic image in an ultrasonic image displaying system according to a first embodiment of the present invention.

**[0020]** Figure 1A is an ultrasonic diagnostic image (original image). On this image, an operator designates

a position of a part such as an eye, a nose, and a mouth as shown in Figure 1B using a mouse, a trackball, or the like. For example, when the operator designates positions of eyes, with respect to each of the left eye and the right eye, the operator selects a position (e.g., central position) on the ultrasonic diagnostic image as well as selects a part type (left eye or right eye) corresponding to the selected position. The ultrasonic image displaying system displays a part image prepared in advance in the corresponding portion as shown in Figure 1C based on the designated position information and part type. A plurality of types of part images are prepared with respect to each region, which can be selected by the operator. For example, since the mouth is open in the original image in Figure 1A, a part image for the mouth can be changed to an image of an open mouth as shown in Figure 1D.

**[0021]** Figure 2 shows an exemplary configuration of the ultrasonic image displaying system according to the present embodiment for producing the displays as shown in Figures 1A to 1D.

**[0022]** As shown in Figure 2, the ultrasonic image displaying system of the present embodiment is provided with a probe 100, a transmission/reception unit 101, a wave detection unit 102, a synthesis unit 103, a display unit 104, a control unit 105, a part data recording part 106, and an operating part 107.

**[0023]** The thus configured ultrasonic image displaying system of the present embodiment is operated in the following manner under the control of the control unit 105.

**[0024]** An electrical pulse generated by the transmission/reception unit 101 is converted into an ultrasonic signal by the probe 100 and irradiated to the inside of a body not shown. A signal reflected from the inside of the body is received by the transmission/reception unit 101, detected by the wave detection unit 102, and then input to the synthesis unit 103.

**[0025]** The synthesis unit 103, which has a scan conversion function, creates an image (ultrasonic diagnostic image) of an object inside the body and transmits the created image to the display unit 104, where it is displayed. Further, the synthesis unit 103 also has a function of synthesizing a part image extracted from the part data recording part 106 and the ultrasonic diagnostic image. When the operator designates a position of a part and a part type on the ultrasonic diagnostic image displayed on the display unit 104 by operating the operating part 107, data of a part image recorded in the part data recording part 106 are called with respect to the designated part type, the called part image and the ultrasonic diagnostic image are synthesized by the synthesis unit 103, and the synthesized image is displayed on the display unit 104.

**[0026]** Specifically, the synthesis unit 103 obtains coordinates of the position designated by the operator, and superimposes the data of the part image called from the part data recording part 106 on data of the coordinates

on the ultrasonic diagnostic image. The superimposition of the part image on the ultrasonic diagnostic image may be performed in either of the following manners (1) and (2) or can be performed by another arbitrary image processing method. That is, (1) the data of the part image cover the image data in the corresponding region of the ultrasonic diagnostic image completely, or (2) the data of the part image are superimposed on the image data in the corresponding region of the ultrasonic diagnostic image in a state where the image data are visible to some extent.

#### (Second Embodiment)

**[0027]** Figures 3A to 3E show an example of a manner in which descriptive images are added to an ultrasonic diagnostic image in an ultrasonic image displaying system according to a second embodiment of the present invention.

**[0028]** Figure 3A is an ultrasonic diagnostic image (original image). An operator selects a desirable part image as appropriate from part images prepared in advance with respect to respective regions as shown in Figure 3B, and superimposes the selected part image on the original image. The displays in Figures 3A and 3B may be provided on a divided screen of the ultrasonic image displaying system or on two display screens prepared respectively. Further, there is no need to display all the parts at the same time. For example, it is also possible that only part images for a mouth are displayed initially and then part images for a nose are displayed after a part image for the mouth is superimposed on the ultrasonic diagnostic image. It is preferable that the operation of superimposing the part image on the ultrasonic diagnostic image is performed in a drag-and-drop manner with a mouse or using a trackball, which makes the operation easy.

**[0029]** Figure 3C shows an example of a state where the part images are superimposed on the ultrasonic diagnostic image, in which a face on the original image is tilted slightly. The ultrasonic image displaying system of the present embodiment allows the operator to select each of the part images and modify a position and a turning angle thereof. Alternatively, the position and the turning angle of each of the part images can be corrected by designating positions of a forehead-a nose-a mouth center-a chin tip as well as eyes, respectively, as shown in Figure 3D.

**[0030]** For example, in order to correct the display angles of the part images for the eyes, an angle of a line connecting the positions of the respective eyes designated by the operator with respect to a horizontal line is calculated, and the part images for the eyes are turned by the angle. An angle of the mouth can be obtained by, for example, calculating an angle of a line connecting the positions of the forehead and the chin tip, respectively, designated by the operator with respect to a vertical direction. The line connecting the forehead-the

nose-the mouth center-the chin tip should be a straight line when a fetus is full-faced. Thus, by estimating the height of the nose, it is possible to obtain an angle of the face deviated from the front. For example, the nose is indicated by a kinked line connecting a point between eyebrows, the tip of the nose, and a point under the nose, and this line is turned by the angle of the face deviated from the front with respect to a line connecting the point between the eyebrows and the point under the nose.

**[0031]** Figure 3E shows an example of an image obtained as a result of the correction with respect to the angle and the turning of the part images as described above.

**[0032]** Figure 4 shows an exemplary configuration of the ultrasonic image displaying system of the present embodiment that corrects the part images as described above. In Figure 4, the configuration for transmitting/receiving ultrasonic waves and displaying an ultrasonic diagnostic image is the same as that of the first embodiment (see Figure 2), and thus the corresponding blocks are denoted with the same reference numerals and descriptions thereof will be omitted.

**[0033]** As is apparent from the comparison between Figure 2 and Figure 4, the ultrasonic image displaying system of the present embodiment is provided with a tilt turning calculating part 108.

**[0034]** In the ultrasonic image displaying system of the present embodiment, the part image data are read from the part data recording part 106 and transmitted through the tilt turning calculating part 108 to the display unit 104, where they are displayed as shown in Figure 3B. The respective part images in a state where they are read from the part data recording part 106 and displayed initially are neither tilted nor turned, which means that they are displayed as images seen from the front. When the operator selects a part image via the operating part 107, the selected part image is synthesized with the original image by the synthesis unit 103, and the synthesized image is displayed on the display unit 104. Then, if the operator designates the forehead-the nose-the mouth center-the chin tip, the tilt turning calculating part 108 calculates the tilt and the turning angle of the face, so as to correct the tilt and the turning of each of the part images for the eyes, the nose, the mouth, and the like in accordance with the calculation result, and the corrected image is displayed on the display unit 104.

#### (Third Embodiment)

**[0035]** Figures 5A and 5B show an example of a manner of an image display in an ultrasonic image displaying system according to a third embodiment of the present invention.

**[0036]** A screen 51 shown on the left side of Figure 5A displays a state where part images are superimposed on an ultrasonic diagnostic image (original image) as described in the first and second embodiments.

In the ultrasonic image displaying system of the present embodiment, another display region 52 as shown on the right side of Figure 5A is secured in addition to the screen 51. When an operator gives an instruction of movement to the ultrasonic image displaying system, the part images superimposed on the original image are extracted and moved to the secured display region 52, so that they are displayed side by side with the original image on the screen 51 as shown in Figure 5B. As a result, it is possible to produce a display that is easy for a patient to understand without spoiling the nature of the original image. Further, since the part images are created by being superimposed on the original image initially, the created part images have the correct positional relationship with the original image. When the original image and the part images are printed side by side, it is easy for the patient to provide an explanation to her family.

**[0037]** In the case where the part images are displayed on the different screen as shown in Figures 5A and 5B, it is preferable that a facial contour line is displayed for the sake of understandability. The facial contour line may be drawn by the operator with a pointing device or the like or drawn automatically based on shading of the ultrasonic diagnostic image, for example.

**[0038]** Figure 6 shows an exemplary configuration of the ultrasonic image displaying system of the present embodiment that produces the display as shown in Figures 5A and 5B.

**[0039]** In Figure 6, the configuration for transmitting/receiving ultrasonic waves and displaying an ultrasonic diagnostic image is the same as that of the first embodiment (see Figure 2), and thus the corresponding blocks are denoted with the same reference numerals and descriptions thereof will be omitted.

**[0040]** As is apparent from the comparison between Figure 2 and Figure 6, the ultrasonic image displaying system of the present embodiment is provided with a second display unit 109. When the operator superimposes the part images on the ultrasonic diagnostic image displayed on the first display unit 104 via the operating part 107, and then provides an instruction of completion of the part images to the operating part 107, the synthesis unit 103 transmits only the data of the part images to the second display unit 109 under the control of the control unit 105, while the original image is displayed on the first display unit 104. As a result, the part images are moved to the second display unit 109, and it becomes possible to compare the original ultrasonic diagnostic image and the part images visually.

**[0041]** In the present embodiment, the two displays are used to display the original ultrasonic diagnostic image and the part images, respectively. However, a single display may be divided into display regions, so that the ultrasonic diagnostic image and the part images are displayed side by side. This embodiment also is within the technical scope of the present invention.

**[0042]** In the first to third embodiments, an example

was shown in which images of face parts (eyes, a nose, and a mouth) of a fetus are displayed as descriptive images. However, the part images are not limited thereto, and it is possible to display part images for any body regions such as a facial contour, a body contour, hands, and feet.

**[0043]** Further, the ultrasonic image displaying system according to the first to third embodiments may be provided with a configuration for printing the image obtained as a result of adding the part images to the ultrasonic diagnostic image of a fetus. This allows a patient to take home the ultrasonic diagnostic image to which the part images are added so as to show it to her family and the like. Further, in addition to the configuration for printing, the ultrasonic image displaying system may have a configuration that performs recording on a video tape or the like (analog data output) or digital data output with respect to an optical disk or the like. It is preferable that the ultrasonic image displaying system of the third embodiment outputs the original image and the part images in a form that allows easy comparison therebetween.

**[0044]** As described above, according to the present invention, it is possible to provide the ultrasonic image displaying system that is easy to operate and capable of providing an image that is easy to understand by superimposing the part images on the image of a fetus.

## Claims

1. An ultrasonic image displaying system, comprising:
  - a display unit for displaying an image of a fetus;
  - a part image recording unit for recording part images; and
  - an image synthesis unit for reading a part image corresponding to a region designated by an operator on the image displayed by the display unit from the part image recording unit, and superimposing the read part image on the image displayed by the display unit.
2. The ultrasonic image displaying system according to claim 1,
  - wherein the part image recording unit records as the part images a plurality of types of part images with respect to at least one facial region,
  - the system further comprising a selection operation unit for allowing the operator to select any of the plurality of types of part images recorded by the part image recording unit,
  - wherein the part image selected by the selection operation unit is superimposed on the image.
3. The ultrasonic image displaying system according to claim 1 or 2, further comprising a correction unit for correcting a turning angle of the part image in

the display unit.

4. The ultrasonic image displaying system according to any one of claims 1 to 3, comprising a part image display unit for separating the plurality of part images superimposed by the image synthesis unit from the image of the fetus while preserving a relative positional relationship of the part images, and displaying the separated part images in a region different from a display region for displaying the image of the fetus. 5 10
5. The ultrasonic image displaying system according to any one of claims 1 to 3, comprising an output unit for outputting the image of the fetus and the part image added to the image in at least one form of printing, analog data output, and digital data output. 15
6. The ultrasonic image displaying system according to claim 4, comprising an output unit for outputting as separate images the image of the fetus and the part images displayed by the part image display unit, 20  
wherein the output unit performs output in at least one form of printing, analog data output, and digital data output. 25

30

35

40

45

50

55





FIG.1A



1:Right eye 2:Left eye 3:Nose 4:Mouth

FIG.1B



FIG.1C



FIG.1D




FIG. 2




FIG.3A




FIG.3B





FIG.3C



1:Right eye 2:Left eye 3:Nose  
4:Mouth center 5:Forehead  
6:Chin tip




FIG.3E

FIG.3 D




FIG. 4




FIG.5A




FIG.5B





FIG. 6



3:Nose 4:Mouth

FIG.7

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP2004/002352

| <b>A. CLASSIFICATION OF SUBJECT MATTER</b><br>Int.Cl <sup>7</sup> A61B8/08                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                                                                                                              |                                                                                 |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| According to International Patent Classification (IPC) or to both national classification and IPC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                              |                                                                                 |
| <b>B. FIELDS SEARCHED</b><br>Minimum documentation searched (classification system followed by classification symbols)<br>Int.Cl <sup>7</sup> A61B8/00-8/15                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                                                                                                                                                              |                                                                                 |
| Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched<br>Jitsuyo Shinan Koho 1922-1996 Toroku Jitsuyo Shinan Koho 1994-2004<br>Kokai Jitsuyo Shinan Koho 1971-2004 Jitsuyo Shinan Toroku Koho 1996-2004                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                              |                                                                                 |
| Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)<br>JSTPlus FILE (JOIS), PATENT FILE (PATOLIS), JMEDPlus FILE (JOIS),<br>UTILITY MODEL FILE (PATOLIS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |                                                                                                                                                              |                                                                                 |
| <b>C. DOCUMENTS CONSIDERED TO BE RELEVANT</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                              |                                                                                 |
| Category*                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Citation of document, with indication, where appropriate, of the relevant passages                                                                           | Relevant to claim No.                                                           |
| X<br>Y<br>A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | JP 7-116159 A Toshiba Medical Engineering Kabushiki Kaisha, Toshiba Corp.),<br>09 May, 1995 (09.05.95),<br>Full text; all drawings<br>(Family: none)         | 1, 3, 5<br>4, 6<br>2                                                            |
| Y<br>A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | JP 2000-175910 A (Toshiba Iyo System Engineering Kabushiki Kaisha, Toshiba Corp.),<br>27 June, 2000 (27.06.00),<br>Full text; all drawings<br>(Family: none) | 4, 6<br>1-3, 5                                                                  |
| A                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | JP 2002-374513 A (Aiwa Co., Ltd.),<br>26 December, 2002 (26.12.02),<br>Full text; all drawings<br>(Family: none)                                             | 1-6                                                                             |
| <input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input type="checkbox"/> See patent family annex.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                                                                                                                                                              |                                                                                 |
| * Special categories of cited documents:<br>"A" document defining the general state of the art which is not considered to be of particular relevance<br>"E" earlier document but published on or after the international filing date<br>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)<br>"O" document referring to an oral disclosure, use, exhibition or other means<br>"P" document published prior to the international filing date but later than the priority date claimed<br>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention<br>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone<br>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art<br>"&" document member of the same patent family |                                                                                                                                                              |                                                                                 |
| Date of the actual completion of the international search<br>23 March, 2004 (23.03.04)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                              | Date of mailing of the international search report<br>06 April, 2004 (06.04.04) |
| Name and mailing address of the ISA/<br>Japanese Patent Office                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                                                                                                                                                              | Authorized officer                                                              |
| Facsimile No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                                                                                                                                              | Telephone No.                                                                   |

Form PCT/ISA/210 (second sheet) (July 1998)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP2004/002352

| C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT |                                                                                                                                                                                                                              |                       |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|
| Category*                                             | Citation of document, with indication, where appropriate, of the relevant passages                                                                                                                                           | Relevant to claim No. |
| A                                                     | JP 11-212600 A (Omron Corp.),<br>06 August, 1999 (06.08.99),<br>Full text; all drawings<br>(Family: none)                                                                                                                    | 1-6                   |
| A                                                     | Hiro KATO, "Taiji no Shikakuteki Ninchi ga<br>Ninsanjokufu no Jijunyu ni Oyobosu Eikyo,<br>Korekara no Ninsanjokufu no Kenko Kanri<br>System ni Kansuru Kenkyu (Heisei 9 Nendo<br>Kenkyu Hokoku), 1998 March, pages 69 to 71 | 1-6                   |

Form PCT/ISA/210 (continuation of second sheet) (July 1998)

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/JP2004/002352

**Box I Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)**

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
  
2. ☐ Claims Nos.:  
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
  
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

**Box II Observations where unity of invention is lacking (Continuation of item 3 of first sheet)**

This International Searching Authority found multiple inventions in this international application, as follows:

The technical feature common to all the inventions of the claims is a technical feature disclosed in claims 1.

However, the search has revealed that this technical feature is not novel since it is disclosed in JP 7-116159 A (Toshiba Medical Engineering Kabushiki Kaisha, Toshiba Corp.), 09 May, 1995 (09.05.95). Accordingly, this technical feature cannot be a special technical feature within the meaning of PCT Rule 13.2, second sentence.

Consequently, it is obvious that claims 1-6 do not satisfy the requirement of unity of invention.


1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
  
2. ☒ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
  
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
  
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

**Remark on Protest** ☐ The additional search fees were accompanied by the applicant's protest.  
☐ No protest accompanied the payment of additional search fees.

|               |                                       |         |            |
|---------------|---------------------------------------|---------|------------|
| 专利名称(译)       | 超声显示设备                                |         |            |
| 公开(公告)号       | <a href="#">EP1600106A1</a>           | 公开(公告)日 | 2005-11-30 |
| 申请号           | EP2004715452                          | 申请日     | 2004-02-27 |
| 申请(专利权)人(译)   | 松下电器产业有限公司.                           |         |            |
| 当前申请(专利权)人(译) | 松下电器产业有限公司.                           |         |            |
| [标]发明人        | NISHIGAKI MORIO<br>HAGIWARA HISASHI   |         |            |
| 发明人           | NISHIGAKI, MORIO<br>HAGIWARA, HISASHI |         |            |
| IPC分类号        | A61B8/08 G01S7/52                     |         |            |
| CPC分类号        | A61B8/461 A61B8/0866 G01S7/52074      |         |            |
| 优先权           | 2003054568 2003-02-28 JP              |         |            |
| 外部链接          | <a href="#">Espacenet</a>             |         |            |

#### 摘要(译)

提供了一种超声图像显示系统，其能够显示胎儿的图像，该图像易于受试者理解而无需操作者的复杂操作。超声波图像显示系统具有用于显示胎儿图像的显示单元104，用于记录部分图像的部分数据记录部分106，以及用于将从部分数据记录部分106读取的部分图像添加到的合成单元103。操作者在显示在显示单元104上的胎儿图像上指定的区域。



1:Right eye 2:Left eye 3:Nose  
4:Mouth center 5:Forehead  
6:Chin tip

FIG.3 D