



US006685695B2

(12) **United States Patent**
Ferree

(10) **Patent No.: US 6,685,695 B2**
(45) **Date of Patent: *Feb. 3, 2004**

(54) **METHOD AND APPARATUS FOR
PROVIDING NUTRITION TO
INTERVERTEBRAL DISC TISSUE**

(76) Inventor: **Bret A. Ferree**, 1238 Cliff Laine Dr.,
Cincinnati, OH (US) 45208

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 2 days.

This patent is subject to a terminal dis-
claimer.

(21) Appl. No.: **10/143,237**

(22) Filed: **May 10, 2002**

(65) **Prior Publication Data**

US 2002/0128630 A1 Sep. 12, 2002

Related U.S. Application Data

(63) Continuation-in-part of application No. 09/688,716, filed on
Oct. 16, 2000, now Pat. No. 6,454,804, and a continuation-
in-part of application No. 09/639,309, filed on Aug. 14,
2000, now Pat. No. 6,419,702, which is a continuation-in-
part of application No. 09/638,726, filed on Aug. 14, 2001,
now Pat. No. 6,340,369.

(60) Provisional application No. 60/148,913, filed on Aug. 13,
1999.

(51) **Int. Cl.⁷** **A61F 2/44**

(52) **U.S. Cl.** **604/522**; 623/908

(58) **Field of Search** 623/908, 17.11,
623/919, 923, 16.11; 434/93.7; 604/522

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,340,369 B1 * 1/2002 Ferree 623/17.11

6,402,784 B1 * 6/2002 Wardlaw 623/17.11
6,419,702 B1 * 7/2002 Ferree 623/17.11
6,443,988 B2 * 9/2002 Felt et al. 623/17.12
6,454,804 B1 * 9/2002 Ferree 623/17.11
6,554,830 B1 * 4/2003 Chappius 606/61
6,564,078 B1 * 5/2003 Marino et al. 600/373
6,572,654 B1 * 6/2003 Santilli 623/17.16

OTHER PUBLICATIONS

Lumbar Intervertebral Disc Transfer a Canine Study, Steven
Frick MD, Spine vol. 19 No. 16 pp. 1826-1835, 1994.

Orthopedics Today, Jul. 2000.

"Proceedings 14th Annual Meeting" North American Spine
Society, Oct. 1999.

"Proceedings 13th annual Meeting" North American Spine
Society, Oct. 1998.

North American Spine Society 13 Annual Meeting San
Francisco Hilton and towers Oct. 28-31, 1998; Baron Lon-
ner Md et al. Tissue Engineered Regeneration of the Inter-
vertebral Disc.

* cited by examiner

Primary Examiner—David H. Willse

Assistant Examiner—Suzette J. Jackson

(74) *Attorney, Agent, or Firm*—Gifford, Krass, Groh,
Sprinkle, Anderson & Citkowski, PC

(57) **ABSTRACT**

An intervertebral disc is treated by providing supplemental
nutrition to increase viability and longevity. In the preferred
embodiment, the invention uses one or more porous stents
that function to irrigate the disc space. The stents provide
channels for diffusion of fluids and nutrients from the
vertebral endplates. The stents may extend across the ver-
tebral endplates to facilitate the transfer of nutrients and
oxygen from the vertebral bodies.

10 Claims, No Drawings

METHOD AND APPARATUS FOR PROVIDING NUTRITION TO INTERVERTEBRAL DISC TISSUE

REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. patent application Ser. No. 09/639,309, filed Aug. 14, 2000 now U.S. Pat. No. 6,419,702, which claims priority of U.S. Provisional Patent Application Serial No. 60/148,913, filed Aug. 13, 1999; and is a continuation-in-part of U.S. patent application Ser. No. 09/688,716, filed Oct. 16, 2000 now U.S. Pat. No. 6,454,804, which is a continuation-in-part of U.S. patent application Ser. No. 09/638,726, filed Aug. 14, 2000, now U.S. Pat. No. 6,340,369. The entire content of each application is incorporated herein by reference.

FIELD OF THE INVENTION

This invention relates generally to the treatment of intervertebral discs, and more particularly, to apparatus and methods for providing supplemental nutrition to intervertebral discs.

BACKGROUND OF THE INVENTION

Intervertebral discs provide mobility and a cushion between the vertebrae. At the center of each disc is the nucleus pulposus which, in the adult human, is composed of cells and an insoluble extracellular matrix which is produced by the nucleus itself. The extracellular matrix is composed of collagen, proteoglycans, water, and noncollagenous proteins. The nucleus pulposus is surrounded by the annulus fibrosis, which is composed of cells (fibrocyte-like and chondrocyte-like), collagen fibers, and non-fibrillar extracellular matrix. The components of the annulus are arranged in 15–25 lamellae around the nucleus pulposus.

The cells of the nucleus pulposus have chondrocyte-like features. In an adult human, the cells of the nucleus pulposus obtain nutrients and eliminate waste by diffusion through blood vessels in the endplates of the vertebrae adjacent to the disc. Blood vessels do not course into the nucleus pulposus. The relative vascular isolation of the nucleus pulposus imparts isolation of nucleus pulposus cells from the body's immune system.

To date, the treatment of degenerative disc disease has relied for the most part on eliminating the defective disc or disc function. This may be accomplished by fusing the vertebra on either side of the disc. In terms of replacement, most prior-art techniques use synthetic materials to replace the entire disc or a portion thereof. My pending U.S. patent application Ser. No. 09/415,382 discloses disc replacement methods and apparatus using synthetic materials.

Unfortunately, disc replacement using synthetic materials does not restore normal disc shape, physiology, or mechanical properties. Synthetic disc replacements tend to wear out, resulting in premature failure. The problems associated with the wear of prosthetic hip and knees are well known to those skilled in orthopedic surgery. The future of treating degenerative disc disease therefore lies in treatments which preserve disc function. If disc function could be restored with biologic replacement or augmentation, the risk of premature wearout would be minimized, if not eliminated.

However, some researchers believe the vertebral endplates of vertebrae involved in degenerative disc disease do not allow sufficient diffusion of nutrition to the disc cells. Diseased endplates could thus lead to death of the intradiscal cells. Accordingly, any technique capable of providing or

augmenting the delivery of such nutrition would be welcomed by patients and the medical community.

SUMMARY OF THE INVENTION

This invention is directed to a method of treating an intervertebral disc by providing supplemental nutrition to increase viability and longevity. In the preferred embodiment, the invention uses one or more porous stents that function to irrigate the disc space. The stents provide channels for diffusion of fluids and nutrients from the vertebral endplates. The stents may extend across the vertebral endplates to facilitate the transfer of nutrients and oxygen from the vertebral bodies.

DETAILED DESCRIPTION OF THE INVENTION

The invention resides in a methods and apparatus for providing nutrients to an intervertebral disc situated between the endplates of upper and lower vertebra. According to the method, a passageway is formed into the disc space. The process further includes the steps of placing a cannulated element in the passageway, and providing one or more substances beneficial to the intervertebral disc through the cannulated element. In the preferred embodiment, the cannulated elements take the form of porous stents which extend through the vertebral endplates.

The endplate stents according to the invention may be used to feed the disc cells within the disc naturally, and/or cells transplanted into the disc. In one application, transplanted disc tissue is placed around the disc stents at the time the disc tissue is added to the disc. Alternatively, the cells are grown in culture around the stents. In this way, the stents may support the growth of larger colonies of cells in cell culture. Given that colonies of cells grown in culture can reach a critical size where the cells in the center of the group can become deprived of nutrition, the stents would provide a channel for nutrients to the cells in the center of the colony.

In the embodiments involving the transplantation of biologic material in the form of nucleus pulposus cells or other tissues, live cells or tissues are harvested from a human or animal donor and introduced into the disc being treated. The harvested biologic materials are preferably kept viable until placed into the disc being treated. The harvested biologic materials may be introduced into the disc using any suitable transfer technique, including the formation of a passageway through the annulus fibrosis and the use of a needle and syringe or small cannula. Alternatively the step of transplanting may include percutaneously or laparoscopically injecting the cells or tissues into the disc being treated.

The invention may further include the use of an optional reservoir filled with therapeutic materials to aid the disc cells. For example, a refillable reservoir may be filled with cell-culture nutrients and placed in an accessible location under the skin of the flank. Other applicable therapeutic substances include, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

If a transplanted nucleus pulposus is utilized, it is preferably harvested from a live human, though recently deceased human or animal donors may alternatively be used. Depending upon the extent of the harvest, the recipient may function at least in part as a donor, or the tissues from others, including fetal or embryo sources, may be used, preferably having a familial relationship to minimize or avoid the need for immunosuppressive substances. Guidelines for tissue procurement including surgical technique of removal, num-

ber of hours between death of the donor and tissue procurement, and testing of the donor for infectious disease, are well described in the literature.

Similarly, the guidelines for storage of living tissues are well known to those skilled in the art. The text "Organ Preservation for Transplantation" by Karow and Pego, 1981, describes such methods. Briefly, the tissue storage method must maintain cell viability and preserve sterility. Examples of present storage methods include: refrigeration, refrigeration with tissue culture medium such as: hemolyzed serum, autologous serum, Medium 199 with 5% dextran (McCarey-Kaufman medium), Medium 199 with chondroitin sulfate, Medium 199 supplemented with inorganic salts, short chain fatty acids, and/or ketone bodies, and cryopreservation techniques, among others. Details are provided in U.S. Pat. Nos. 4,695,536 and 4,873,186, the entire contents of which are incorporated herein by reference.

To minimize exposure to the recipient's immune system, the harvested nucleus pulposus is preferably inserted through a small hole in the annulus fibrosis using a bluntpointed needle or cannula forced through the laminae. Upon withdrawal of the needle, after injecting the transplanted nucleus pulposus, the separated fibers of the lamella return to their normal position, thereby sealing the annulus.

The annulus fibrosis is thicker in the anterior and lateral portion of the disc. Thus, the needle would preferably be inserted into the anterior or lateral portion of the disc. Those skilled in the art will realize the needle could be directed into the lateral portion of the disc percutaneously with fluoroscopic guidance and into the anterior portion of the disc laparoscopically.

The host nucleus pulposus may be morselized to allow insertion into the disc through a small cannula or needle. The increased surface area of the nucleus pulposus after morselization may also aid diffusion of nutrients and wastes products to and from transplanted disc cells. Alternatively large sections of the transplanted nucleus pulposus could be added to the disc if the annular defect was sealed after transplantation.

The transplanted nucleus is preferably added to the patient's nucleus pulposus. Alternatively, the patient's nucleus could be removed with standard techniques (enzymatically (chymopapain) or with the aid of a laser, suction device, shaver, or other surgical instrument). If the nucleus is removed the hole in the annulus should be small and sealed to prevent the ingrowth of vascular tissue. Vascular ingrowth could lead to a graft versus host reaction.

Additional therapeutic substances could be added to the transplanted nucleus. For example, resorbable culture medium, tissue growth or differentiation factors (recombinant generated morphogenetic proteins, PDGF, TGF- β , EGF/TGF- α , IGF-I, β FGF), hydrogels, absorbable or nonresorbable synthetic or natural polymers (collagen, fibrin, polyglycolic acid, polylactic acid, polytetrafluoroethylene, etc.), antibiotics, antiinflammatory medication, immunosuppressive medications, etc. could be beneficial.

I claim:

1. A method of providing nutrients to an intervertebral disc situated between the endplates of upper and lower vertebra, comprising the steps of:

forming a passageway into the disc space;

placing a cannulated element in the passageway; and providing one or more substances beneficial to the intervertebral disc through the cannulated element.

2. The method of claim 1, wherein the passageway extends through one of the vertebral endplates.

3. The method of claim 1, wherein the beneficial substance contains a nutrient.

4. The method of claim 1, wherein the beneficial substance contains a therapeutic agent.

5. The method of claim 4, wherein the therapeutic agents include one or more of the following:

culture media, growth factors, differentiation factors, hydrogels, polymers, antibiotics, anti-inflammatory medications, or immunosuppressive medications.

6. The method of claim 1, further including the step of transplanting cells or tissues into the disc.

7. The method of claim 1, wherein the step of transplanting the cells or tissues includes the use a needle and syringe or small cannula through the annulus fibrosis.

8. The method of claim 1, wherein the step of transplanting the cells or tissues includes percutaneously or laparoscopically injecting the cells or tissues into the disc being treated.

9. The method of claim 1, further including the step of providing a reservoir containing the beneficial substance in communication with the cannulated element.

10. The method of claim 1, wherein the cannulated element is a stent.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,685,695 B2
DATED : February 3, 2004
INVENTOR(S) : Bret A. Ferree

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page.

Item [63], **Related U.S. Application Data**, replace "Aug. 14, 2001" with
-- Aug. 14, 2000 --.

Item [56], **References Cited**, U.S. PATENT DOCUMENTS, please insert the following:

-- 2,677,369	05/04/1954	Knowles	128/92
3,366,975	02/06/1968	Pangman	3/36
3,426,364	02/11/1969	Lumb	3/1
3,551,560	12/29/1970	Thiele	424/95
3,593,342	07/20/1971	Niebauer	3/1
3,648,294	03/14/1972	Shahrestani	3/1
3,855,638	12/24/1974	Pilliar	3/1
3,867,728	02/25/1975	Stubstad et al	3/1
3,875,595	04/08/1975	Froning	3/1
3,883,902	05/20/1975	Lynch	3/36
4,229,839	10/28/1980	Schwemmer	1/1.91
4,309,777	01/12/1982	Patil	3/1.91
4,349,921	09/21/1982	Kuntz	3/1
4,663,358	05/05/1987	Hyon et al	521/64
4,707,872	11/24/1987	Hessel	5/451
4,714,469	12/22/1987	Kenna	623/17
4,759,766	07/26/1988	Buettner-Janz et al	623/17
4,772,287	09/20/1988	Ray et al.	623/17
4,801,299	01/31/1989	Brendel et al	633/16.11
4,863,477	09/05/1989	Monson	623/17
4,874,389	10/17/1989	Downey	623/17
4,904,260	02/27/1990	Ray et al	623/17
4,911,718	03/27/1990	Lee et al	623/17
4,917,704	04/17/1990	Frey et al	623/17
4,932,969	06/12/1990	Frey et al	623/17
4,946,378	08/07/1990	Hirayama et al	623/17
5,002,576	03/26/1991	Fuhrman et al	623/17
5,035,716	07/30/1991	Downey	623/17
5,047,055	09/10/1991	Bao et al	623/17
5,071,437	12/10/1991	Steffee	623/17
5,108,438	04/28/1992	Stone	623/17
5,123,926	06/23/1992	Pisharodi	623/17

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,685,695 B2
DATED : February 3, 2004
INVENTOR(S) : Bret A. Ferree

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page (cont'd).

5,171,280	12/15/1992	Baumgartner	623/17
5,171,281	12/15/1992	Parsons et al	623/17
5,192,326	03/09/1993	Bao et al	623/17
5,246,458	09/21/1993	Graham	623/17
5,258,031	11/02/1993	Salib et al	623/17
5,258,043	11/02/1993	Stone	623/66
5,314,477	05/24/1994	Marnay	623/17
5,320,644	06/14/1994	Baumgartner	623/17
5,370,697	12/06/1994	Baumgartner	623/17
5,375,823	12/27/1994	Navas	267/195
5,401,269	03/28/1995	Buettner-Janz et al	623/17
5,425,773	06/20/1995	Boyd et al	623/17
5,458,642	10/17/1995	Beer et al	623/17
5,464,439	11/07/1995	Gendler	623/16.11
5,514,180	05/07/1996	Heggeness et al	623/17.11
5,534,028	07/09/1996	Bao et al	623/17
5,534,030	07/09/1996	Navarro et al	623/17
5,545,229	08/13/1996	Parsons et al	623/17
5,556,431	09/17/1996	Buttner-Janz	623/17
5,609,635	03/11/1997	Michelson	623/17
5,645,596	07/08/1997	Kim et al	623/17
5,645,597	07/08/1997	Krapiva	623/17
5,674,294	10/07/1997	Bainville et al	623/17
5,674,296	10/07/1997	Bryan et al	623/17
5,683,465	11/04/1997	Shinn et al	623/17
5,702,450	12/30/1997	Bisserie	623/17
5,711,960	01/27/1998	Shikinami	424/426
5,716,416	02/10/1998	Lin	623/17
5,800,549	09/01/1998	Bao et al	623/17
5,824,093	10/20/1998	Ray et al	623/17
5,824,094	10/20/1998	Serhan et al	623/17
5,865,845	02/02/1999	Thalgott	623/17
5,865,846	02/02/1999	Bryan et al	623/17
5,888,226	03/30/1999	Rogozinski	623/17
5,893,889	04/13/1999	Harrington	623/17
5,899,941	04/05/1999	Nishijima et al	623/17
5,928,284	07/27/1999	Mehdizadh	623/17
6,187,048	02/13/2001	Milner et al	623/17.12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,685,695 B2
DATED : February 3, 2004
INVENTOR(S) : Bret A. Ferree

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page (cont'd).

6,231,615	05/15/2001	Preissman	623/23.73
6,245,107	06/12/2001	Ferree	623/17.11
6,332,779	12/21/2001	Boyce et al	433/215
6,340,369	01/22/2002	Ferree	623/17.11
4,695,536	09/22/1987	Lindstrom et al.	435/1
4,873,186	10/10/1989	Chen et al.	435/1
6,060,053	05/09/2000	Atala	424/93.7
6,077,987	06/20/2000	Breitbart et al.	623/11.11
6,197,586	03/06/2001	Bhatnager et al.	435/395
6,352,557	03/05/2002	Ferree	623/17.11
6,419,702	07/16/2002	Ferree	623/17.11
6,454,804	09/24/2002	Ferree	623/17.11 --

Column 3,

Line 20, replace "blunttipped" with -- blunt-tipped --.

Signed and Sealed this

Twenty-sixth Day of October, 2004

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D" at the end.

JON W. DUDAS

Director of the United States Patent and Trademark Office

专利名称(译)	用于向椎间盘组织提供营养的方法和设备		
公开(公告)号	US6685695	公开(公告)日	2004-02-03
申请号	US10/143237	申请日	2002-05-10
[标]申请(专利权)人(译)	FERREE BRET 一个		
申请(专利权)人(译)	费里布雷特A.		
当前申请(专利权)人(译)	费里布雷特A.		
[标]发明人	FERREE BRET A		
发明人	FERREE, BRET A.		
IPC分类号	A61F2/30 A61F2/28 A61F2/44 A61F2/46 A61L27/38 A61L27/54 A61L27/36 A61L27/00 A61F2/02 A61F2/00 A61B17/02 A61B17/00		
CPC分类号	A61B17/00 A61F2/2846 A61F2/30742 A61F2/441 A61F2/4455 A61F2/447 A61F2/4611 A61L27/3658 A61L27/3856 A61L27/54 A61B17/7061 A61F2/30744 A61F2/30965 A61F2/442 A61F2/4601 A61F2002/2835 A61F2002/30093 A61F2002/30131 A61F2002/30153 A61F2002/302 A61F2002/30235 A61F2002/30271 A61F2002/30283 A61F2002/30329 A61F2002/30433 A61F2002/30461 A61F2002/3052 A61F2002/30538 A61F2002/30556 A61F2002/30565 A61F2002/30579 A61F2002/30626 A61F2002/30677 A61F2002/30774 A61F2002/30777 A61F2002/30784 A61F2002/30787 A61F2002/30828 A61F2002/30909 A61F2002/30975 A61F2002/4435 A61F2002/444 A61F2002/4445 A61F2002/445 A61F2002/4475 A61F2002/448 A61F2210/0019 A61F2220/0025 A61F2220/0041 A61F2220/0075 A61F2230/0013 A61F2230/0019 A61F2230/0063 A61F2230/0065 A61F2230/0069 A61F2230/0082 A61F2250/0006 A61F2250/0009 A61F2310/00017 A61F2310/00023 A61F2310/00029 A61L2300/406 A61L2300/41 A61L2300/414 A61L2300/416 A61L2400/06 A61L2430/38 Y10S623/908 A61F2002/30092 A61F2002/30261 A61F2002/3028 A61F2002/30593 A61F2002/30624		
其他公开文献	US20020128630A1		
外部链接	Espacenet USPTO		

摘要(译)

通过提供补充营养来治疗椎间盘以增加活力和寿命。在优选实施例中，本发明使用一个或多个多孔支架，其用于冲洗盘空间。支架为来自椎骨终板的流体和营养物的扩散提供通道。支架可以延伸穿过椎骨终板以促进来自椎体的营养物质和氧的转移。

