



US007947039B2

(12) **United States Patent**
Sartor

(10) **Patent No.:** **US 7,947,039 B2**
(45) **Date of Patent:** **May 24, 2011**

(54) **LAPAROSCOPIC APPARATUS FOR
PERFORMING ELECTROSURGICAL
PROCEDURES**

(75) Inventor: **Joe D. Sartor**, Longmont, CO (US)

(73) Assignee: **Covidien AG**, Neuhausen am Rheinfall
(CH)

(*) Notice: Subject to any disclaimer, the term of this
patent is extended or adjusted under 35
U.S.C. 154(b) by 649 days.

3,391,351 A	7/1968	Trent
3,402,326 A	9/1968	Guasco et al.
3,413,480 A	11/1968	Biard et al.
3,436,563 A	4/1969	Regitz
3,439,253 A	4/1969	Piteo
3,439,680 A	4/1969	Thomas, Jr.
3,461,874 A	8/1969	Martinez
3,471,770 A	10/1969	Haire
3,478,744 A	11/1969	Leiter
3,486,115 A	12/1969	Anderson
3,495,584 A	2/1970	Schwalm
3,513,353 A	5/1970	Lansch

(Continued)

(21) Appl. No.: **11/299,468**

(22) Filed: **Dec. 12, 2005**

(65) **Prior Publication Data**

US 2007/0135812 A1 Jun. 14, 2007

(51) **Int. Cl.**
A61B 18/14 (2006.01)

(52) **U.S. Cl.** **606/42; 604/35; 606/45; 606/49**

(58) **Field of Classification Search** **606/34,**
606/37, 38, 41, 42; 604/35
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,787,709 A	1/1931	Wappler
1,813,902 A	7/1931	Bovie
1,841,968 A	1/1932	Lowry
1,863,118 A	6/1932	Liebel
1,945,867 A	2/1934	Rawls
2,827,056 A	3/1958	Degelman
2,849,611 A	8/1958	Adams
2,982,881 A	5/1961	Reich
3,058,470 A	10/1962	Seeliger et al.
3,089,496 A	5/1963	Degelman
3,154,365 A	10/1964	Crimmins
3,163,165 A	12/1964	Islikawa
3,252,052 A	5/1966	Nash

FOREIGN PATENT DOCUMENTS

DE 179607 3/1905
(Continued)

OTHER PUBLICATIONS

International Search Report EP 07008207.8; dated Sep. 5, 2007.


(Continued)

Primary Examiner — Lee S Cohen

(57) **ABSTRACT**

A system and apparatus for irrigating a surgical site during an electrosurgical procedure are disclosed. The system includes a hand piece having an elongated housing connected to a multilumen tube extending proximally from the housing and having an irrigation tube for delivering irrigation fluid, a suction tube for withdrawing irrigation fluid, and electrical wiring, a first controls for adjusting flow of irrigation fluid within the irrigation tube and second controls for adjusting flow of irrigation fluid within the suction tube. A valve cassette is connected to the multilumen tube, which includes an irrigation valve configured to control the flow within the irrigation tube and a suction valve configured to control the flow within the suction tube. A hardware control module controls the irrigation valve and the suction valve based on control signals from the first and second controls.

12 Claims, 5 Drawing Sheets



U.S. PATENT DOCUMENTS					
3,514,689	A	5/1970	Giannamore	4,311,154	A 1/1982 Sterzer et al.
3,515,943	A	6/1970	Warrington	4,314,559	A 2/1982 Allen
3,551,786	A	12/1970	Van Gulik	4,321,926	A 3/1982 Roge
3,562,623	A	2/1971	Farnsworth	4,334,539	A 6/1982 Childs et al.
3,571,644	A	3/1971	Jakoubovitch	4,343,308	A 8/1982 Gross
3,589,363	A	6/1971	Banko	4,372,315	A 2/1983 Shapiro et al.
3,595,221	A	7/1971	Blackett	4,376,263	A 3/1983 Pittroff et al.
3,601,126	A	8/1971	Estes	4,378,801	A 4/1983 Oosten
3,611,053	A	10/1971	Rowell	4,384,582	A 5/1983 Watt
3,641,422	A	2/1972	Farnsworth et al.	4,397,314	A 8/1983 Vaguine
3,642,008	A	2/1972	Bolduc	4,407,272	A 10/1983 Yamaguchi
3,662,151	A	5/1972	Haffey	4,411,266	A 10/1983 Cosman
3,675,655	A	7/1972	Sittner	4,416,276	A 11/1983 Newton et al.
3,683,923	A	8/1972	Anderson	4,416,277	A 11/1983 Newton et al.
3,693,613	A	9/1972	Kelman	4,429,694	A 2/1984 McGreevy
3,697,808	A	10/1972	Lee	4,436,091	A 3/1984 Banko
3,699,967	A	10/1972	Anderson	4,437,464	A 3/1984 Crow
3,720,896	A	3/1973	Bierlein	4,438,766	A 3/1984 Bowers
3,743,918	A	7/1973	Maitre	4,452,546	A 6/1984 Hiltebrandt et al.
3,766,434	A	10/1973	Sherman	4,463,759	A 8/1984 Garito et al.
3,768,482	A	10/1973	Shaw	4,470,414	A 9/1984 Imagawa et al.
3,783,340	A	1/1974	Becker	4,472,661	A 9/1984 Culver
3,784,842	A	1/1974	Kremer	4,474,179	A 10/1984 Koch
3,801,766	A	4/1974	Morrison, Jr.	4,492,231	A 1/1985 Auth
3,801,800	A	4/1974	Newton	4,492,832	A 1/1985 Taylor
3,812,858	A	5/1974	Oringer	4,494,541	A 1/1985 Archibald
3,815,015	A	6/1974	Swin et al.	4,514,619	A 4/1985 Kugelman
3,826,263	A	7/1974	Cage et al.	4,520,818	A 6/1985 Mickiewicz
3,828,768	A	8/1974	Douglas	4,559,496	A 12/1985 Harnden, Jr. et al.
3,848,600	A	11/1974	Patrick, Jr. et al.	4,559,943	A 12/1985 Bowers
3,870,047	A	3/1975	Gonser	4,565,200	A 1/1986 Cosman
3,875,945	A	4/1975	Friedman	4,566,454	A 1/1986 Mehl et al.
3,885,569	A	5/1975	Judson	4,569,345	A 2/1986 Manes
3,897,787	A	8/1975	Ikuno et al.	4,576,177	A 3/1986 Webster, Jr.
3,897,788	A	8/1975	Newton	4,582,057	A 4/1986 Auth et al.
3,898,554	A	8/1975	Knudsen	4,586,120	A 4/1986 Malik et al.
3,901,216	A	8/1975	Felger	4,590,934	A 5/1986 Malis et al.
3,905,373	A	9/1975	Gonser	4,595,248	A 6/1986 Brown
3,913,583	A	10/1975	Bross	4,608,977	A 9/1986 Brown
3,923,063	A	12/1975	Andrews et al.	4,615,330	A 10/1986 Nagasaki et al.
3,933,157	A	1/1976	Bjurwill et al.	4,630,218	A 12/1986 Hurley
3,946,738	A	3/1976	Newton et al.	4,632,109	A 12/1986 Patterson
3,952,748	A	4/1976	Kaliher et al.	4,644,955	A 2/1987 Mioduski
3,963,030	A	6/1976	Newton	4,646,222	A 2/1987 Okado et al.
3,964,487	A	6/1976	Judson	4,651,264	A 3/1987 Shiao-Chung Hu
3,971,365	A	7/1976	Smith	4,651,280	A 3/1987 Chang et al.
3,978,393	A	8/1976	Wisner et al.	4,657,015	A 4/1987 Irnich
3,980,085	A	9/1976	Ikuno	4,658,815	A 4/1987 Farin et al.
4,005,714	A	2/1977	Hilebrandt	4,658,819	A 4/1987 Harris et al.
4,024,467	A	5/1977	Andrews et al.	4,658,820	A 4/1987 Klicek
4,041,952	A	8/1977	Morrison, Jr. et al.	4,662,383	A 5/1987 Sogawa et al.
4,051,855	A	10/1977	Schneiderman	4,691,703	A 9/1987 Auth et al.
4,063,557	A	12/1977	Wuchinich et al.	4,712,559	A 12/1987 Turner
4,074,719	A	2/1978	Semm	4,727,874	A 3/1988 Bowers et al.
4,092,986	A	6/1978	Schneiderman	4,735,204	A 4/1988 Sussman et al.
4,094,320	A	6/1978	Newton et al.	4,739,759	A 4/1988 Rexroth et al.
4,097,773	A	6/1978	Lindmark	4,741,334	A 5/1988 Irnich
4,102,341	A	7/1978	Ikuno et al.	4,754,757	A 7/1988 Feucht
4,114,623	A	9/1978	Meinke et al.	4,767,999	A 8/1988 VerPlanck
4,121,590	A	10/1978	Gonser	4,768,969	A 9/1988 Bauer et al.
4,123,673	A	10/1978	Gonser	4,788,634	A 11/1988 Schlecht et al.
4,126,137	A	11/1978	Archibald	4,805,621	A 2/1989 Heinze et al.
4,145,636	A	3/1979	Doi	4,818,954	A 4/1989 Flachenecker et al.
4,171,700	A	10/1979	Farin	4,827,911	A 5/1989 Broadwin et al.
4,188,927	A	2/1980	Harris	4,827,927	A 5/1989 Newton
4,191,188	A	3/1980	Belt et al.	4,832,024	A 5/1989 Boussignac et al.
4,196,734	A	4/1980	Harris	4,848,335	A 7/1989 Manes
4,200,104	A	4/1980	Harris	4,848,355	A 7/1989 Nakamura et al.
4,200,105	A	4/1980	Gosner	4,860,745	A 8/1989 Farin et al.
4,209,018	A	6/1980	Meinke et al.	4,862,889	A 9/1989 Feucht
4,231,372	A	11/1980	Newton	4,880,719	A 11/1989 Murofushi et al.
4,232,676	A	11/1980	Herczog	4,887,199	A 12/1989 Whittle
4,237,887	A	12/1980	Gonser	4,890,610	A 1/1990 Kirwan et al.
4,237,891	A	12/1980	DuBose et al.	4,903,696	A 2/1990 Stasz et al.
4,281,373	A	7/1981	Mabille	4,907,589	A 3/1990 Cosman
4,287,557	A	9/1981	Brehse	4,922,210	A 5/1990 Flachenecker et al.
4,296,413	A	10/1981	Milkovic	4,931,047	A 6/1990 Broadwin et al.
4,303,073	A	12/1981	Archibald	4,931,717	A 6/1990 Gray et al.
				4,938,761	A 7/1990 Ensslin

US 7,947,039 B2

Page 3

4,942,313	A	7/1990	Kinzel	5,409,000	A	4/1995	Imran
4,959,606	A	9/1990	Forge	5,409,006	A	4/1995	Buchholtz et al.
4,961,047	A	10/1990	Carder	5,409,485	A	4/1995	Suda
4,961,435	A	10/1990	Kitagawa et al.	5,413,573	A	5/1995	Koivukangas
4,966,597	A	10/1990	Cosman	5,414,238	A	5/1995	Steigerwald et al.
RE33,420	E	11/1990	Sussman	5,417,719	A	5/1995	Hull et al.
4,969,885	A	11/1990	Farin	5,422,567	A	6/1995	Matsunaga
4,992,719	A	2/1991	Harvey	5,422,926	A	6/1995	Smith et al.
4,993,430	A	2/1991	Shimoyama et al.	5,423,808	A	6/1995	Edwards et al.
4,995,877	A	2/1991	Ams et al.	5,423,809	A	6/1995	Kliceck
5,015,227	A	5/1991	Broadwin et al.	5,423,810	A	6/1995	Goble et al.
5,019,176	A	5/1991	Brandhorst, Jr.	5,423,811	A	6/1995	Imran et al.
5,024,668	A	6/1991	Peters et al.	5,425,704	A	6/1995	Sakurai et al.
5,029,588	A	7/1991	Yock et al.	5,429,596	A *	7/1995	Arias et al. 604/21
5,044,977	A	9/1991	Vindigni	5,430,434	A	7/1995	Lederer et al.
5,067,953	A	11/1991	Feucht	5,432,459	A	7/1995	Thompson
5,075,839	A	12/1991	Fisher et al.	5,433,739	A	7/1995	Sluijter et al.
5,087,257	A	2/1992	Farin	5,434,398	A	7/1995	Goldberg
5,099,840	A	3/1992	Goble et al.	5,436,566	A	7/1995	Thompson
5,103,804	A	4/1992	Abele et al.	5,438,302	A	8/1995	Goble
5,108,389	A	4/1992	Cosmescu	5,443,463	A	8/1995	Stern et al.
5,108,391	A	4/1992	Flachenecker	5,445,635	A	8/1995	Denen
5,119,284	A	6/1992	Fisher et al.	5,451,224	A	9/1995	Goble et al.
5,122,137	A	6/1992	Lennox	5,452,725	A	9/1995	Martenson
5,133,711	A	7/1992	Hagen	5,454,809	A	10/1995	Janssen
5,151,102	A	9/1992	Kamiyama et al.	5,458,597	A	10/1995	Edwards et al.
5,152,762	A	10/1992	McElhenney	5,462,521	A	10/1995	Brucker et al.
5,157,603	A	10/1992	Scheller et al.	5,472,441	A	12/1995	Edwards et al.
5,160,334	A	11/1992	Billings et al.	5,472,443	A	12/1995	Cordis et al.
5,161,893	A	11/1992	Shigezawa et al.	5,474,464	A	12/1995	Drewnicki
5,162,217	A	11/1992	Hartman	5,478,303	A	12/1995	Foley-Nolan et al.
5,167,658	A	12/1992	Ensslin	5,480,399	A	1/1996	Hebborn
5,167,659	A	12/1992	Ohtomo et al.	5,483,952	A	1/1996	Aranyi
5,190,517	A	3/1993	Zieve et al.	5,490,850	A	2/1996	Ellman et al.
5,196,008	A	3/1993	Kuenecke	5,496,312	A	3/1996	Kliceck
5,196,009	A	3/1993	Kirwan, Jr.	5,496,313	A	3/1996	Gentelia et al.
5,201,900	A	4/1993	Nardella	5,496,314	A	3/1996	Eggers
5,207,691	A	5/1993	Nardella	5,500,012	A	3/1996	Brucker et al.
5,230,623	A	7/1993	Guthrie et al.	5,500,616	A	3/1996	Ochi
5,233,515	A	8/1993	Cosman	5,511,993	A	4/1996	Yamada et al.
5,234,427	A	8/1993	Ohtomo et al.	5,514,129	A	5/1996	Smith
5,249,121	A	9/1993	Baum et al.	5,520,684	A	5/1996	Imran
5,249,585	A	10/1993	Turner et al.	5,531,774	A	7/1996	Schulman et al.
5,254,117	A	10/1993	Rigby et al.	5,534,018	A	7/1996	Wahlstrand et al.
RE34,432	E	11/1993	Bertrand	5,536,267	A	7/1996	Edwards et al.
5,267,994	A	12/1993	Gentelia et al.	5,540,677	A	7/1996	Sinofsky
5,267,997	A	12/1993	Farin	5,540,681	A	7/1996	Strul et al.
5,281,213	A	1/1994	Milder et al.	5,540,682	A	7/1996	Gardner et al.
5,282,840	A	2/1994	Hudrlik	5,540,683	A	7/1996	Ichikawa
5,290,283	A	3/1994	Suda	5,540,684	A	7/1996	Hassler, Jr.
5,295,857	A	3/1994	Toly	5,540,724	A	7/1996	Cox
5,300,068	A	4/1994	Rosar et al.	5,541,376	A	7/1996	Ladtkow et al.
5,300,070	A	4/1994	Gentelia	5,545,161	A	8/1996	Imran
5,304,917	A	4/1994	Somerville	5,556,396	A	9/1996	Cohen et al.
5,318,563	A	6/1994	Malis et al.	5,558,671	A	9/1996	Yates
5,323,778	A	6/1994	Kandarpa et al.	5,562,720	A	10/1996	Stern et al.
5,324,283	A	6/1994	Heckele	5,569,242	A	10/1996	Lax et al.
5,330,518	A	7/1994	Neilson et al.	5,571,147	A	11/1996	Sluijter et al.
5,334,183	A	8/1994	Wuchinich	5,573,533	A	11/1996	Strul
5,334,193	A	8/1994	Nardella	5,584,830	A	12/1996	Ladd et al.
5,341,807	A	8/1994	Nardella	5,588,432	A	12/1996	Crowley
5,342,356	A	8/1994	Ellman	5,594,636	A	1/1997	Schauder
5,342,357	A	8/1994	Nardella	5,596,466	A	1/1997	Ochi
5,342,409	A	8/1994	Mullett	5,599,344	A	2/1997	Paterson
5,346,406	A	9/1994	Hoffman et al.	5,599,345	A	2/1997	Edwards et al.
5,346,491	A	9/1994	Oertli	5,599,348	A	2/1997	Gentelia et al.
5,348,554	A	9/1994	Imran et al.	5,605,150	A	2/1997	Radons et al.
5,370,645	A	12/1994	Kliceck et al.	5,609,560	A	3/1997	Ichikawa et al.
5,370,672	A	12/1994	Fowler et al.	5,613,966	A	3/1997	Makower et al.
5,370,675	A	12/1994	Edwards et al.	5,613,996	A	3/1997	Lindsay
5,372,596	A	12/1994	Kliceck et al.	5,620,481	A	4/1997	Desai et al.
5,383,874	A	1/1995	Jackson	5,625,370	A	4/1997	D'Hont
5,383,876	A	1/1995	Nardella	5,626,575	A	5/1997	Crenner
5,383,917	A	1/1995	Desai et al.	5,628,745	A	5/1997	Bek
5,385,148	A	1/1995	Lesh et al.	5,628,771	A	5/1997	Mizukawa et al.
5,396,062	A	3/1995	Eisentraut et al.	5,643,330	A	7/1997	Holsheimer et al.
5,400,267	A	3/1995	Denen et al.	5,647,869	A	7/1997	Goble et al.
5,403,311	A	4/1995	Abele et al.	5,647,871	A	7/1997	Levine et al.
5,403,312	A	4/1995	Yates et al.	5,651,780	A	7/1997	Jackson et al.

5,658,322 A	8/1997	Fleming	5,954,717 A	9/1999	Behl et al.
5,660,567 A	8/1997	Nierlich et al.	5,954,719 A	9/1999	Chen et al.
5,664,953 A	9/1997	Reylek	5,957,961 A	9/1999	Maguire et al.
5,674,217 A	10/1997	Wahlstrom et al.	5,959,253 A	9/1999	Shinchi
5,678,568 A	10/1997	Uchikubo et al.	5,961,344 A	10/1999	Rosales et al.
5,681,307 A	10/1997	McMahan	5,964,746 A	10/1999	McCary
5,685,840 A	11/1997	Schechter et al.	5,971,980 A	10/1999	Sherman
5,688,267 A	11/1997	Panescu et al.	5,971,981 A	10/1999	Hill et al.
5,690,692 A	11/1997	Fleming	5,976,128 A	11/1999	Schilling et al.
5,693,042 A	12/1997	Bioarski et al.	5,983,141 A	11/1999	Sluijter et al.
5,693,078 A	12/1997	Desai et al.	6,007,532 A	12/1999	Netherly
5,694,304 A	12/1997	Telefus et al.	6,010,499 A	1/2000	Cobb
5,695,494 A	12/1997	Becker	6,013,074 A	1/2000	Taylor
5,696,351 A	12/1997	Benn et al.	6,014,581 A	1/2000	Wayne et al.
5,696,441 A	12/1997	Mak et al.	6,017,338 A	1/2000	Brucker et al.
5,697,925 A	12/1997	Taylor	6,022,346 A	2/2000	Panescu et al.
5,697,927 A	12/1997	Imran et al.	6,022,347 A	2/2000	Lindenmeier et al.
5,702,386 A	12/1997	Stern et al.	6,033,399 A	3/2000	Gines
5,702,429 A	12/1997	King	6,039,731 A	3/2000	Taylor et al.
5,707,369 A	1/1998	Vaitekunas et al.	6,039,732 A	3/2000	Ichikawa et al.
5,712,772 A	1/1998	Telefus et al.	6,041,260 A	3/2000	Stern et al.
5,713,896 A	2/1998	Nardella	6,044,283 A	3/2000	Fein et al.
5,718,246 A	2/1998	Vona	6,053,910 A	4/2000	Fleenor
5,720,742 A	2/1998	Zacharias	6,053,912 A	4/2000	Panescu et al.
5,720,744 A	2/1998	Eggleston et al.	6,055,458 A	4/2000	Cochran et al.
5,722,975 A	3/1998	Edwards et al.	6,056,745 A	5/2000	Panescu et al.
5,729,448 A	3/1998	Haynie et al.	6,056,746 A	5/2000	Goble et al.
5,733,281 A	3/1998	Nardella	6,059,781 A	5/2000	Yamanashi et al.
5,735,846 A	4/1998	Panescu et al.	6,063,075 A	5/2000	Mihori
5,738,683 A	4/1998	Osyka	6,063,078 A	5/2000	Wittkampf
5,743,900 A	4/1998	Hara	6,066,137 A	5/2000	Greep
5,743,903 A	4/1998	Stern et al.	6,068,627 A	5/2000	Orszulak et al.
5,749,869 A	5/1998	Lindenmeier et al.	6,074,089 A	6/2000	Hollander et al.
5,749,871 A	5/1998	Hood et al.	6,074,386 A	6/2000	Goble et al.
5,755,715 A	5/1998	Stern	6,074,388 A	6/2000	Tockweiler et al.
5,766,153 A	6/1998	Eggers et al.	6,080,149 A	6/2000	Huang et al.
5,766,165 A	6/1998	Gentelia et al.	6,088,614 A	7/2000	Swanson
5,769,847 A	6/1998	Panescu	6,093,186 A	7/2000	Goble
5,772,659 A	6/1998	Becker et al.	6,102,497 A	8/2000	Ehr et al.
5,788,688 A	8/1998	Bauer et al.	6,102,907 A	8/2000	Smethers et al.
5,792,138 A	8/1998	Shipp	RE36,871 E	9/2000	Epstein
5,797,802 A	8/1998	Nowak	6,113,591 A	9/2000	Wayne et al.
5,797,902 A	8/1998	Netherly	6,113,592 A	9/2000	Taylor
5,807,253 A	9/1998	Dumoulin et al.	6,113,593 A	9/2000	Tu et al.
5,810,804 A	9/1998	Gough et al.	6,113,596 A	9/2000	Hooven
5,814,092 A	9/1998	King	6,123,701 A	9/2000	Nezhat
5,817,091 A	10/1998	Nardella et al.	6,123,702 A	9/2000	Swanson et al.
5,817,093 A	10/1998	Williamson, IV et al.	6,132,429 A	10/2000	Baker
5,820,568 A	10/1998	Willis	6,142,992 A	11/2000	Cheng et al.
5,827,271 A	10/1998	Bussey et al.	6,155,975 A	12/2000	Urich et al.
5,830,212 A	11/1998	Cartmell	6,162,184 A	12/2000	Swanson et al.
5,836,909 A	11/1998	Cosmesu	6,162,217 A	12/2000	Kannenberg et al.
5,836,943 A	11/1998	Miller, III	6,165,169 A	12/2000	Panescu et al.
5,836,990 A	11/1998	Li	6,171,304 B1	1/2001	Netherly et al.
5,843,019 A	12/1998	Eggers et al.	6,183,468 B1	2/2001	Swanson et al.
5,843,075 A	12/1998	Taylor	6,186,147 B1	2/2001	Cobb
5,846,236 A	12/1998	Lindenmeier et al.	6,188,211 B1	2/2001	Rincon-Mora et al.
5,849,010 A	12/1998	Wurzer et al.	6,193,713 B1	2/2001	Geistert et al.
5,853,409 A	12/1998	Swanson et al.	6,197,023 B1	3/2001	Muntermann
5,860,832 A	1/1999	Wayt et al.	6,203,541 B1	3/2001	Keppel
5,865,788 A	2/1999	Edwards et al.	6,210,403 B1	4/2001	Klicek
5,868,737 A	2/1999	Taylor et al.	6,216,704 B1	4/2001	Ingle et al.
5,868,739 A	2/1999	Lindenmeier et al.	6,222,356 B1	4/2001	Taghizadeh-Kaschani
5,868,740 A	2/1999	LeVeen et al.	6,228,078 B1	5/2001	Eggers et al.
5,871,481 A	2/1999	Kannenberg et al.	6,228,080 B1	5/2001	Gines
5,891,142 A	4/1999	Eggers et al.	6,228,081 B1	5/2001	Goble
5,897,552 A	4/1999	Edwards et al.	6,231,569 B1	5/2001	Bek
5,906,614 A	5/1999	Stern et al.	6,232,556 B1	5/2001	Daugherty et al.
5,908,444 A	6/1999	Azure	6,235,020 B1	5/2001	Cheng et al.
5,913,882 A	6/1999	King	6,235,022 B1	5/2001	Hallock et al.
5,921,982 A	7/1999	Lesh et al.	6,237,604 B1	5/2001	Burnside et al.
5,925,070 A	7/1999	King et al.	6,238,387 B1	5/2001	Miller, III
5,931,836 A	8/1999	Hatta et al.	6,238,388 B1	5/2001	Ellman
5,938,690 A	8/1999	Law et al.	6,241,723 B1	6/2001	Heim et al.
5,944,553 A	8/1999	Yasui et al.	6,241,725 B1	6/2001	Cosman
5,948,007 A	9/1999	Starkenbaum et al.	6,243,654 B1	6/2001	Johnson et al.
5,951,545 A	9/1999	Schilling	6,245,061 B1	6/2001	Panescu et al.
5,951,546 A	9/1999	Lorentzen	6,245,063 B1	6/2001	Uphoff
5,954,686 A	9/1999	Garito et al.	6,245,065 B1	6/2001	Panescu

6,246,912	B1	6/2001	Sluijter et al.	6,611,793	B1	8/2003	Burnside et al.
6,251,106	B1	6/2001	Becker et al.	6,620,157	B1	9/2003	Dabney et al.
6,254,422	B1	7/2001	Feye-Hohmann	6,620,189	B1	9/2003	Machold et al.
6,258,085	B1	7/2001	Eggleston	6,623,423	B2	9/2003	Sakurai et al.
6,261,285	B1	7/2001	Novak	6,626,901	B1	9/2003	Treat et al.
6,261,286	B1	7/2001	Goble et al.	6,629,973	B1	10/2003	Wardell et al.
6,267,760	B1	7/2001	Swanson	6,632,193	B1	10/2003	Davison et al.
6,273,886	B1	8/2001	Edwards	6,635,056	B2	10/2003	Kadhiresan et al.
6,275,786	B1	8/2001	Daners	6,635,057	B2	10/2003	Harano
6,293,941	B1	9/2001	Strul	6,645,198	B1	11/2003	Bommannan et al.
6,293,942	B1	9/2001	Goble et al.	6,648,883	B2	11/2003	Francischelli
6,293,943	B1	9/2001	Panescu et al.	6,651,669	B1	11/2003	Burnside
6,296,636	B1	10/2001	Cheng et al.	6,652,513	B2	11/2003	Panescu et al.
6,306,131	B1	10/2001	Hareyama et al.	6,652,514	B2	11/2003	Ellman
6,306,134	B1	10/2001	Goble et al.	6,653,569	B1	11/2003	Sung
6,309,386	B1	10/2001	Bek	6,656,177	B2	12/2003	Truckai et al.
6,322,558	B1	11/2001	Taylor et al.	6,663,623	B1	12/2003	Oyama et al.
6,325,799	B1	12/2001	Goble	6,663,624	B2	12/2003	Edwards
6,337,998	B1	1/2002	Behl et al.	6,663,627	B2	12/2003	Francischelli et al.
6,338,657	B1	1/2002	Harper et al.	6,666,860	B1	12/2003	Takahashi
6,350,262	B1	2/2002	Ashley	6,672,151	B1	1/2004	Schultz et al.
6,358,245	B1	3/2002	Edwards	6,679,875	B2	1/2004	Honda
6,364,877	B1	4/2002	Goble et al.	6,682,527	B2	1/2004	Strul
6,371,963	B1	4/2002	Nishtala et al.	6,685,700	B2	2/2004	Behl
6,383,183	B1	5/2002	Sekino et al.	6,685,701	B2	2/2004	Orszulak et al.
6,391,024	B1	5/2002	Sun et al.	6,685,703	B2	2/2004	Pearson et al.
6,398,779	B1	6/2002	Buyse et al.	6,689,131	B2	2/2004	McClurken
6,398,781	B1	6/2002	Goble et al.	6,692,489	B1	2/2004	Heim
6,402,741	B1	6/2002	Keppel et al.	6,693,782	B1	2/2004	Lash
6,402,742	B1	6/2002	Blewett et al.	6,695,837	B2	2/2004	Howell
6,402,743	B1	6/2002	Orszulak et al.	6,696,844	B2	2/2004	Wong et al.
6,402,748	B1	6/2002	Schoenman et al.	6,712,813	B2	3/2004	Ellman
6,409,722	B1	6/2002	Hoey et al.	6,730,078	B2	5/2004	Simpson et al.
6,413,256	B1	7/2002	Truckai et al.	6,730,079	B2	5/2004	Lovewell
6,416,509	B1	7/2002	Goble et al.	6,730,080	B2	5/2004	Harano
6,422,896	B2	7/2002	Aoki et al.	6,733,495	B1	5/2004	Bek
6,423,057	B1	7/2002	He et al.	6,733,498	B2	5/2004	Paton
6,426,886	B1	7/2002	Goder	6,740,079	B1	5/2004	Eggers
6,428,537	B1	8/2002	Swanson et al.	6,740,085	B2	5/2004	Hareyama
6,436,096	B1	8/2002	Hareyama	6,743,225	B2	6/2004	Sanchez et al.
6,440,157	B1	8/2002	Shigezawa et al.	6,746,284	B1	6/2004	Spink, Jr.
6,451,015	B1	9/2002	Rittman, III et al.	6,749,624	B2	6/2004	Knowlton
6,454,594	B2	9/2002	Sawayanagi	6,755,825	B2	6/2004	Shoenman et al.
6,458,121	B1	10/2002	Rosenstock	6,758,846	B2	7/2004	Goble et al.
6,458,122	B1	10/2002	Pozzato	6,761,716	B2	7/2004	Kadhiresan et al.
6,464,689	B1	10/2002	Qin	6,783,523	B2	8/2004	Qin
6,464,696	B1	10/2002	Oyama	6,784,405	B2	8/2004	Flugstad et al.
6,468,270	B1	10/2002	Hovda et al.	6,786,905	B2	9/2004	Swanson et al.
6,468,273	B1	10/2002	Leveen et al.	6,790,206	B2	9/2004	Panescu
6,482,201	B1	11/2002	Olsen et al.	6,792,390	B1	9/2004	Burnside et al.
6,488,678	B2	12/2002	Sherman	6,796,980	B2	9/2004	Hall
6,494,880	B1	12/2002	Swanson et al.	6,796,981	B2	9/2004	Wham
6,497,659	B1	12/2002	Rafert	6,809,508	B2	10/2004	Donofrio
6,498,466	B1	12/2002	Edwards	6,818,000	B2	11/2004	Muller et al.
6,506,189	B1	1/2003	Rittman, III et al.	6,824,539	B2	11/2004	Novak
6,508,815	B1	1/2003	Strul	6,830,569	B2	12/2004	Thompson
6,511,476	B2	1/2003	Hareyama	6,837,888	B2	1/2005	Ciarrocca et al.
6,511,478	B1	1/2003	Burnside et al.	6,843,682	B2	1/2005	Matsuda et al.
6,517,538	B1	2/2003	Jacob et al.	6,843,789	B2	1/2005	Goble
6,522,931	B2	2/2003	Manker et al.	6,849,073	B2	2/2005	Hoey
6,524,308	B1	2/2003	Muller et al.	6,855,141	B2	2/2005	Lovewell
6,537,272	B2	3/2003	Christopherson et al.	6,855,142	B2	2/2005	Harano
6,544,260	B1	4/2003	Markel et al.	6,860,881	B2	3/2005	Sturm
6,546,270	B1	4/2003	Gordin et al.	6,864,686	B2	3/2005	Novak
6,547,786	B1	4/2003	Goble	6,875,210	B2	4/2005	Refior
6,557,559	B1	5/2003	Eggers et al.	6,890,331	B2	5/2005	Kristensen
6,558,376	B2	5/2003	Bishop	6,893,435	B2	5/2005	Goble
6,558,377	B2	5/2003	Lee et al.	6,899,538	B2	5/2005	Matoba
6,560,470	B1	5/2003	Pologe	6,923,804	B2	8/2005	Eggers et al.
6,562,037	B2	5/2003	Paton	6,929,641	B2	8/2005	Goble et al.
6,565,559	B2	5/2003	Eggleston	6,936,047	B2	8/2005	Nasab et al.
6,565,562	B1	5/2003	Shah et al.	6,939,344	B2	9/2005	Kreindel
6,573,248	B2	6/2003	Ramasamy et al.	6,939,346	B2	9/2005	Kannenberget al.
6,575,969	B1	6/2003	Rittman, III et al.	6,939,347	B2	9/2005	Thompson
6,578,579	B2	6/2003	Burnside et al.	6,942,660	B2	9/2005	Pantera et al.
6,579,288	B1	6/2003	Swanson et al.	6,948,503	B2	9/2005	Refior et al.
6,582,427	B1	6/2003	Goble et al.	6,958,064	B2	10/2005	Rioux et al.
6,602,243	B2	8/2003	Noda	6,962,587	B2	11/2005	Johnson et al.
6,602,252	B2	8/2003	Mollenauer	6,966,907	B2	11/2005	Goble

US 7,947,039 B2

Page 6

6,974,453 B2	12/2005	Woloszko et al.	7,354,436 B2	4/2008	Rioux et al.
6,974,463 B2	12/2005	Magers et al.	7,357,800 B2	4/2008	Swanson
6,977,495 B2	12/2005	Donofrio	7,364,577 B2	4/2008	Wham et al.
6,984,231 B2	1/2006	Goble	7,364,578 B2	4/2008	Francischelli et al.
6,989,010 B2	1/2006	Francischelli et al.	7,364,972 B2	4/2008	Ono et al.
6,994,704 B2	2/2006	Qin et al.	7,367,972 B2	5/2008	Francischelli et al.
6,994,707 B2	2/2006	Ellman et al.	RE40,388 E	6/2008	Gines
7,001,379 B2	2/2006	Behl et al.	7,396,336 B2	7/2008	Orszulak et al.
7,001,381 B2	2/2006	Harano et al.	7,402,754 B2	7/2008	Kirwan, Jr. et al.
7,004,174 B2	2/2006	Eggers et al.	D574,323 S	8/2008	Waalder
7,008,369 B2	3/2006	Cuppen	7,407,502 B2	8/2008	Strul et al.
7,008,417 B2	3/2006	Eick	7,416,437 B2	8/2008	Sartor et al.
7,008,421 B2	3/2006	Daniel et al.	7,416,549 B2	8/2008	Young et al.
7,025,764 B2	4/2006	Paton et al.	7,422,582 B2	9/2008	Malackowski et al.
7,033,351 B2	4/2006	Howell	7,422,586 B2	9/2008	Morris et al.
7,041,096 B2	5/2006	Malis et al.	7,425,835 B2	9/2008	Eisele
7,044,948 B2	5/2006	Keppel	7,465,302 B2	12/2008	Odell et al.
7,044,949 B2	5/2006	Orszulak et al.	7,470,272 B2	12/2008	Mulier et al.
7,060,063 B2	6/2006	Marion et al.	7,479,140 B2	1/2009	Ellman et al.
7,062,331 B2	6/2006	Zarinetchi et al.	7,491,199 B2	2/2009	Goble
7,063,692 B2	6/2006	Sakurai et al.	7,491,201 B2	2/2009	Shields et al.
7,066,933 B2	6/2006	Hagg	7,513,896 B2	4/2009	Orszulak
7,074,217 B2	7/2006	Strul et al.	7,525,398 B2	4/2009	Nishimura et al.
7,083,618 B2	8/2006	Couture et al.	2001/0014804 A1	8/2001	Goble et al.
7,094,231 B1	8/2006	Ellman et al.	2001/0029315 A1	10/2001	Sakurai et al.
RE39,358 E	10/2006	Goble	2001/0031962 A1	10/2001	Eggleston
7,115,121 B2	10/2006	Novak	2002/0035363 A1	3/2002	Edwards et al.
7,115,124 B1	10/2006	Xiao	2002/0035364 A1	3/2002	Schoenman et al.
7,118,564 B2	10/2006	Ritchie et al.	2002/0052599 A1	5/2002	Goble
7,122,031 B2	10/2006	Edwards et al.	2002/0068932 A1	6/2002	Edwards
7,131,445 B2	11/2006	Amoah	2002/0107517 A1	8/2002	Witt et al.
7,131,860 B2	11/2006	Sartor et al.	2002/0111624 A1	8/2002	Witt et al.
7,137,980 B2	11/2006	Buyse et al.	2002/0120260 A1*	8/2002	Morris et al. 606/41
7,146,210 B2	12/2006	Palti	2002/0151889 A1	10/2002	Swanson et al.
7,147,638 B2	12/2006	Chapman et al.	2002/0193787 A1	12/2002	Qin
7,151,964 B2	12/2006	Desai et al.	2003/0004510 A1	1/2003	Wham et al.
7,153,300 B2	12/2006	Goble	2003/0060818 A1	3/2003	Kannenberg
7,156,844 B2	1/2007	Reschke et al.	2003/0078572 A1	4/2003	Pearson et al.
7,156,846 B2	1/2007	Dycus et al.	2003/0139741 A1	7/2003	Goble et al.
7,160,293 B2	1/2007	Sturm et al.	2003/0153908 A1	8/2003	Goble
7,163,536 B2	1/2007	Godara	2003/0163123 A1	8/2003	Goble
7,169,144 B2	1/2007	Hoey et al.	2003/0163124 A1	8/2003	Goble
7,172,591 B2	2/2007	Harano et al.	2003/0171745 A1	9/2003	Francischelli
7,175,618 B2	2/2007	Dabney et al.	2003/0181898 A1	9/2003	Bowers
7,175,621 B2	2/2007	Heim et al.	2003/0199863 A1	10/2003	Swanson
7,192,427 B2	3/2007	Chapelon et al.	2003/0225401 A1	12/2003	Eggers et al.
7,195,627 B2	3/2007	Amoah et al.	2004/0002745 A1	1/2004	Flemming
7,203,556 B2	4/2007	Daners	2004/0015159 A1	1/2004	Slater et al.
7,211,081 B2	5/2007	Goble	2004/0015163 A1	1/2004	Buyse et al.
7,214,224 B2	5/2007	Goble	2004/0015216 A1	1/2004	DeSisto
7,217,269 B2	5/2007	El-Galley et al.	2004/0019347 A1	1/2004	Sakurai
7,220,260 B2	5/2007	Fleming et al.	2004/0024395 A1	2/2004	Ellman
7,223,264 B2	5/2007	Daniel et al.	2004/0030328 A1	2/2004	Eggers
7,226,447 B2	6/2007	Uchida et al.	2004/0030330 A1*	2/2004	Brassell et al. 606/41
7,229,469 B1	6/2007	Witzel et al.	2004/0044339 A1	3/2004	Beller
7,232,437 B2	6/2007	Berman et al.	2004/0049179 A1	3/2004	Francischelli
7,238,181 B2	7/2007	Daners et al.	2004/0054365 A1	3/2004	Goble
7,238,183 B2	7/2007	Kreindel	2004/0059323 A1	3/2004	Sturm et al.
7,244,255 B2	7/2007	Daners et al.	2004/0068304 A1	4/2004	Paton
7,247,155 B2	7/2007	Hoey et al.	2004/0082946 A1	4/2004	Malis
7,250,048 B2	7/2007	Francischelli et al.	2004/0095100 A1	5/2004	Thompson
7,250,746 B2	7/2007	Oswald et al.	2004/0097912 A1	5/2004	Gonnering
7,255,694 B2	8/2007	Keppel	2004/0097914 A1	5/2004	Pantera
7,258,688 B1	8/2007	Shah et al.	2004/0097915 A1	5/2004	Refior
7,282,048 B2	10/2007	Goble et al.	2004/0116919 A1	6/2004	Heim
7,282,049 B2	10/2007	Orszulak et al.	2004/0133189 A1	7/2004	Sakurai
7,285,117 B2	10/2007	Krueger et al.	2004/0138653 A1	7/2004	Dabney et al.
7,294,127 B2	11/2007	Leung et al.	2004/0138654 A1	7/2004	Goble
7,300,435 B2	11/2007	Wham et al.	2004/0143263 A1	7/2004	Schechter et al.
7,300,437 B2	11/2007	Pozzato	2004/0147918 A1	7/2004	Keppel
7,303,557 B2	12/2007	Wham et al.	2004/0167508 A1	8/2004	Wham et al.
7,305,311 B2	12/2007	Van Zyl	2004/0172016 A1	9/2004	Bek
7,317,954 B2	1/2008	McGreevy	2004/0193148 A1	9/2004	Wham et al.
7,317,955 B2	1/2008	McGreevy	2004/0220561 A1*	11/2004	Kirwan et al. 606/41
7,324,357 B2	1/2008	Miura et al.	2004/0230189 A1	11/2004	Keppel
7,333,859 B2	2/2008	Rinaldi et al.	2004/0243120 A1	12/2004	Orszulak et al.
7,341,586 B2	3/2008	Daniel et al.	2004/0260279 A1	12/2004	Goble
7,344,532 B2	3/2008	Goble et al.	2005/0004564 A1	1/2005	Wham
7,353,068 B2	4/2008	Tanaka et al.	2005/0004569 A1	1/2005	Witt et al.

2005/0004634	A1	1/2005	Ricart et al.	DE	3904558	8/1990
2005/0021020	A1	1/2005	Blaha et al.	DE	3942998	7/1991
2005/0021022	A1	1/2005	Sturm et al.	DE	4339049	A1 5/1995
2005/0101949	A1	5/2005	Harano et al.	DE	19717411	11/1998
2005/0101951	A1	5/2005	Wham	DE	19848540	A1 5/2000
2005/0109111	A1	5/2005	Manlove et al.	EP	246350	11/1987
2005/0113818	A1	5/2005	Sartor	EP	310431	4/1989
2005/0113819	A1	5/2005	Wham	EP	325456	7/1989
2005/0149151	A1	7/2005	Orszulak	EP	336742	10/1989
2005/0182398	A1	8/2005	Paterson	EP	390937	10/1990
2005/0197659	A1	9/2005	Bahney	EP	556705	8/1993
2005/0203504	A1	9/2005	Wham et al.	EP	0569130	A1 11/1993
2006/0025760	A1	2/2006	Podhajsky	EP	608609	8/1994
2006/0079871	A1	4/2006	Plaven et al.	EP	0694291	1/1996
2006/0111711	A1	5/2006	Goble	EP	836868	4/1998
2006/0161148	A1	7/2006	Behnke	EP	878169	11/1998
2006/0178664	A1	8/2006	Keppel	EP	1051948	11/2000
2006/0224152	A1	10/2006	Behnke et al.	EP	1053720	11/2000
2006/0281360	A1	12/2006	Sartor et al.	EP	1151725	11/2001
2006/0291178	A1	12/2006	Shih	EP	1293171	3/2003
2007/0038209	A1	2/2007	Buyse et al.	EP	1472984	11/2004
2007/0093800	A1	4/2007	Wham et al.	EP	1495712	1/2005
2007/0093801	A1	4/2007	Behnke	EP	1500378	1/2005
2007/0135812	A1	6/2007	Sartor	EP	1535581	6/2005
2007/0173802	A1	7/2007	Keppel	EP	1609430	12/2005
2007/0173803	A1	7/2007	Wham et al.	EP	1707144	3/2006
2007/0173804	A1	7/2007	Wham et al.	EP	1645235	4/2006
2007/0173805	A1	7/2007	Weinberg et al.	EP	0880220	B1 6/2006
2007/0173806	A1	7/2007	Orszulak et al.	EP	1707143	10/2006
2007/0173810	A1	7/2007	Orszulak	EP	1744354	1/2007
2007/0173813	A1	7/2007	Odom	EP	1810628	7/2007
2007/0208339	A1	9/2007	Arts et al.	EP	1810630	7/2007
2007/0225698	A1	9/2007	Orszulak et al.	EP	1810633	7/2007
2007/0250052	A1	10/2007	Wham	EP	1854423	11/2007
2007/0265612	A1	11/2007	Behnke et al.	FR	1275415	10/1961
2007/0282320	A1	12/2007	Buyse et al.	FR	1347865	11/1963
2008/0015563	A1	1/2008	Hoey et al.	FR	2313708	12/1976
2008/0015564	A1	1/2008	Wham et al.	FR	2364461	7/1978
2008/0039831	A1	2/2008	Odom et al.	FR	2502935	10/1982
2008/0039836	A1	2/2008	Odom et al.	FR	2517953	6/1983
2008/0082094	A1	4/2008	McPherson et al.	FR	2573301	5/1986
2008/0125767	A1	5/2008	Blaha	GB	607850	9/1948
2008/0177199	A1	7/2008	Podhajsky	GB	702510	1/1954
2008/0248685	A1	10/2008	Sartor et al.	GB	855459	11/1960
2008/0281315	A1	11/2008	Gines	GB	902775	8/1962
2008/0281316	A1	11/2008	Carlton et al.	GB	2164473	3/1986
2008/0287791	A1	11/2008	Orszulak et al.	GB	2214430	9/1989
2008/0287838	A1	11/2008	Orszulak et al.	GB	2358934	A 8/2001
2009/0018536	A1	1/2009	Behnke	SU	166452	1/1965
2009/0024120	A1	1/2009	Sartor	SU	727201	4/1980
2009/0036883	A1	2/2009	Behnke	WO	WO92/06642	4/1992
2009/0069801	A1	3/2009	Jensen et al.	WO	WO93/24066	12/1993
2009/0082765	A1	3/2009	Collins et al.	WO	WO94/24949	11/1994
2009/0157071	A1	6/2009	Wham et al.	WO	WO94/28809	12/1994
2009/0157072	A1	6/2009	Wham et al.	WO	WO95/09577	4/1995
2009/0157073	A1	6/2009	Orszulak	WO	WO95/19148	7/1995
2009/0157075	A1	6/2009	Wham et al.	WO	WO95/25471	9/1995
				WO	WO96/02180	2/1996
				WO	WO96/04860	2/1996
				WO	WO96/08794	3/1996
				WO	WO96/18349	6/1996
				WO	WO96/29946	10/1996
				WO	WO96/39086	12/1996
				WO	WO96/39914	12/1996
				WO	WO97/06739	2/1997
				WO	WO97/06740	2/1997
				WO	WO97/06855	2/1997
				WO	WO97/11648	4/1997
				WO	WO97/17029	5/1997
				WO	WO98/07378	2/1998
				WO	WO98/18395	5/1998
				WO	WO98/27880	7/1998
				WO	WO99/12607	3/1999
				WO	WO02/00129	1/2002
				WO	WO02/11634	2/2002
				WO	WO02/45589	6/2002
				WO	WO02/47565	6/2002
				WO	WO02/053048	7/2002
				WO	WO02/088128	7/2002

FOREIGN PATENT DOCUMENTS

DE	1099658	2/1961
DE	1139927	11/1962
DE	1149832	6/1963
DE	1439302	1/1969
DE	2439587	2/1975
DE	2455174	5/1975
DE	2407559	8/1975
DE	2602517	7/1976
DE	2504280	8/1976
DE	2540968	3/1977
DE	2820908	11/1978
DE	2803275	8/1979
DE	2823291	11/1979
DE	2946728	5/1981
DE	3143421	5/1982
DE	3045996	7/1982
DE	3120102	12/1982
DE	3510586	10/1986
DE	3604823	8/1987
DE	390937	4/1989

WO	WO96/04860	2/1996
WO	WO96/08794	3/1996
WO	WO96/18349	6/1996
WO	WO96/29946	10/1996
WO	WO96/39086	12/1996
WO	WO96/39914	12/1996
WO	WO97/06739	2/1997
WO	WO97/06740	2/1997
WO	WO97/06855	2/1997
WO	WO97/11648	4/1997
WO	WO97/17029	5/1997
WO	WO98/07378	2/1998
WO	WO98/18395	5/1998
WO	WO98/27880	7/1998
WO	WO99/12607	3/1999
WO	WO02/00129	1/2002
WO	WO02/11634	2/2002
WO	WO02/45589	6/2002
WO	WO02/47565	6/2002
WO	WO02/053048	7/2002
WO	WO02/088128	7/2002


WO	WO03/090630	11/2003
WO	WO03/090635	11/2003
WO	WO03/092520	11/2003
WO	WO2004/028385	4/2004
WO	WO2004/098385	4/2004
WO	WO2004/043240	5/2004
WO	WO2004/052182	6/2004
WO	WO2004/103156	12/2004
WO	WO2005/046496	5/2005
WO	WO2005/048809	6/2005
WO	WO2005/050151	6/2005
WO	WO2005/048809 A1	6/2005
WO	WO2005/060365	7/2005
WO	WO2005/060849	7/2005
WO	WO2006/050888	5/2006
WO	WO2006/105121	10/2006

OTHER PUBLICATIONS

International Search Report EP 07010673.7; dated Sep. 24, 2007.
 International Search Report EP 06000708.5 dated Apr. 21, 2006.
 International Search Report—Extended EP 06000708.5 dated Aug. 22, 2006.
 International Search Report EP 05002769.7 dated Jun. 9, 2006.
 International Search Report EP 06006717.0 dated Aug. 7, 2006.
 Ni W et al: "A Signal Processing Method for the Coriolis Mass Flowmeter Based on a Normalized . . ." *Journal of Applied Sciences—Yingyong Kexue Xuebao*, Shanghai CN, vol. 23 No. 2;(Mar. 2005); 160-164.
 Alexander et al., "Magnetic Resonance Image-Directed Stereotactic Neurosurgery: Use of Image Fusion with Computerized Tomography to Enhance Spatial Accuracy" *Journal Neurosurgery*, 83; (1995) pp. 271-276.
 Anderson et al., "A Numerical Study of Rapid Heating for High Temperature Radio Frequency Hyperthermia" *International Journal of Bio-Medical Computing*, 35 (1994) pp. 297-307.
 Astrahan, "A Localized Current Field Hyperthermia System for Use with 192-Iridium Interstitial Implants" *Medical Physics*, 9 (3), May/Jun. 1982.
 Bergdahl et al. "Studies on Coagulation and the Development of an Automatic Computerized Bipolar Coagulator" *J.Neurosurg*, vol. 75, Jul. 1991, pp. 148-151.
 Chicharo et al. "A Sliding Goertzel Algorith" Aug. 1996, pp. 283-297
Signal Processing, Elsevier Science Publishers B.V. Amsterdam, NL vol. 52 No. 3.
 Cosman et al., "Methods of Making Nervous System Lesions" In William RH, Rengachary SS (eds): *Neurosurgery*, New York: McGraw-Hill, vol. 111, (1984), pp. 2490-2499.
 Cosman et al. "Radiofrequency Lesion Generation and Its Effect on Tissue Impedance" *Applied Neurophysiology* 51: (1988) pp. 230-242.
 Cosman et al., "Theoretical Aspects of Radiofrequency Lesions in the Dorsal Root Entry Zone" *Neurosurgery* 15:(1984) pp. 945-950.
 Geddes et al., "The Measurement of Physiologic Events by Electrical Impedance" *Am. J. MI*, Jan. Mar. 1964, pp. 16-27.
 Goldberg et al., "Tissue Ablation with Radiofrequency: Effect of Probe Size, Gauge, Duration, and Temperature on Lesion Volume" *Acad Radio* (1995) vol. 2, No. 5, pp. 399-404.

Medtrex Brochure "The O.R. Pro 300" 1 p. Sep. 1998.
 Ogden Goertzel Alternative to the Fourier Transform: Jun. 1993 pp. 485-487 *Electronics World*; Reed Business Publishing, Sutton, Surrey, BG vol. 99, No. 9. 1687.
 Sugita et al., "Bipolar Coagulator with Automatic Thermocontrol" *J. Neurosurg.*, vol. 41, Dec. 1944, pp. 777-779.
 Valleylab Brochure "Valleylab Electroschield Monitoring System" 2 pp. Nov. 1995.
 Vallfors et al., "Automatically Controlled Bipolar Electrocoagulation—"COA-COMP"" *Neurosurgical Review* 7:2-3 (1984) pp. 187-190.
 Wald et al., "Accidental Burns", *JAMA*, Aug. 16, 1971, vol. 217, No. 7, pp. 916-921.
 Richard Wolf Medical Instruments Corp. Brochure, "Kleppinger Bipolar Forceps & Bipolar Generator" 3 pp. Jan. 1989.
 International Search Report PCT/US03/37110 dated Jul. 25, 2005.
 International Search Report PCT/US03/37310 dated Aug. 13, 2004.
 International Search Report EP 04009964 dated Jul. 13, 2004.
 International Search Report EP 98300964.8 dated Dec. 4, 2000.
 International Search Report EP 04015981.6 dated Sep. 29, 2004.
 International Search Report EP 05014156.3 dated Dec. 28, 2005.
 International Search Report EP 05021944.3 dated Jan. 18, 2006.
 International Search Report EP 05022350.2 dated Jan. 18, 2006.
 International Search Report EP06022028.2 dated Feb. 5, 2007.
 International Search Report EP06025700.3 dated Apr. 12, 2007.
 International Search Report EP07001481.6 dated Apr. 23, 2007.
 International Search Report EP07001485.7 dated May 15, 2007.
 International Search Report EP07001527.6 dated May 9, 2007.
 International Search Report EP07004355.9 dated May 21, 2007.
 Muller et al., "Extended Left Hemicolectomy Using the LigaSure Vessel Sealing System" *Innovations That Work*; Sep. 1999.
 International Search Report EP 06010499.9 dated Jan. 29, 2008.
 International Search Report EP 07001489.9 dated Dec. 20, 2007.
 International Search Report EP 07001491 dated Jun. 6, 2007.
 International Search Report EP 07009322.4 dated Jan. 14, 2008.
 International Search Report EP 07015601.3 dated Jan. 4, 2008.
 International Search Report EP 07015602.1 dated Dec. 20, 2007.
 International Search Report EP 07019174.7 dated Jan. 29, 2008.
 Hadley I C D et al., "Inexpensive Digital Thermometer for Measurements on Semiconductors" *International Journal of Electronics*; Taylor and Francis. Ltd.; London, GB; vol. 70, No. 6 Jun. 1, 1991; pp. 1155-1162.
 International Search Report EP04707738 dated Jul. 4, 2007.
 International Search Report EP08004667.5 dated Jun. 3, 2008.
 International Search Report EP08006733.3 dated Jul. 28, 2008.
 International Search Report EP08012503 dated Sep. 19, 2008.
 International Search Report EP08013605 dated Nov. 17, 2008.
 International Search Report EP08015601.1 dated Dec. 5, 2008.
 International Search Report EP08016540.0 dated Feb. 25, 2009.
 International Search Report EP08155780 dated Jan. 19, 2009.
 International Search Report EP08166208.2 dated Dec. 1, 2008.
 International Search Report PCT/US03/33711 dated Jul. 16, 2004.
 International Search Report PCT/US03/33832 dated Jun. 17, 2004.
 International Search Report PCT/US04/02961 dated Aug. 2, 2005.
 US 6,878,148, 04/2005, Goble et al. (withdrawn)

* cited by examiner

**FIG. 1**




FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B




FIG. 4C




FIG. 5A




FIG. 5B




FIG. 6A




FIG. 6B

LAPAROSCOPIC APPARATUS FOR PERFORMING ELECTROSURGICAL PROCEDURES

BACKGROUND

1. Technical Field

The present disclosure relates generally to an apparatus and method for performing laparoscopic electrosurgical procedures, and more particularly, to an apparatus for controlling suction and irrigation cycles during laparoscopic electrosurgical procedures.

2. Background of Related Art

During electrosurgery, a source or active electrode delivers energy, such as radio frequency (RF) energy, from an electrosurgical generator to a patient and a return electrode or a plurality thereof carry current back to the electrosurgical generator. In monopolar electrosurgery, the source electrode is typically a hand-held instrument placed by the surgeon at the surgical site and the high current density flow at this electrode creates the desired surgical effect of ablating, cutting or coagulating tissue. The patient return electrodes are placed at a remote site from the source electrode and are typically in the form of pads adhesively adhered to the patient.

Bipolar electrosurgery is conventionally practiced using electrosurgical forceps-type device, where the active and return electrodes are housed within opposing forceps' jaws. The return electrode is placed in close proximity to the active (i.e., current supplying) electrode such that an electrical circuit is formed between the two electrodes (e.g., electrosurgical forceps). In this manner, the applied electrical current is limited to the body tissue positioned between the electrodes.

During electrosurgical procedures, byproducts form at the surgical site from coagulated and/or cut flesh (e.g., debris, smoke, etc.). This debris may be removed by irrigating the site, where an irrigation fluid is supplied to the surgical site and then withdrawn through suction. Conventional irrigation mechanisms have been controlled mechanically with the mechanical controls disposed within a handle holding the electrosurgical instrument. Such designs could not achieve a desired level of suction and/or irrigation and moreover, these designs were not compact and ergonomic.

Therefore, there is a need for an electrosurgical apparatus having an irrigation system controlled through electrical means and disposed outside the apparatus' handle.

SUMMARY

The present disclosure provides for a system and apparatus for irrigating a surgical site during an electrosurgical procedure. The system includes a hand piece for controlling an electrosurgical generator and an irrigation system having an irrigation tube for supplying irrigation fluid and a suction tube for withdrawing irrigation fluid and smoke. The hand piece's controls are connected to a hardware module which controls irrigation and suction valves disposed within a valve cassette which adjusts the flow of the irrigation fluid and suction. In addition, the irrigation fluid is used to cool the electrode.

According to one embodiment of the present disclosure, a system for irrigating a surgical site during an electrosurgical procedure is provided. The system includes a hand piece having an elongated housing connected to a multilumen tube extending proximally from the housing and having an irrigation tube for delivering irrigation fluid, a suction tube for withdrawing irrigation fluid, and electrical wiring, the hand piece further includes first controls for adjusting flow of irrigation fluid within the irrigation tube and second controls for adjusting flow of irrigation fluid within the suction tube, the first and second controls transmitting first and second control signals through the electrical wiring; a valve cassette con-

nected to the multilumen tube, the cassette including an irrigation valve configured to control the flow within the irrigation tube and a suction valve configured to control the flow within the suction tube, the irrigation tube further connected to an irrigation fluid source and the suction tube further connected to a vacuum source; and a hardware control module connected to the electrical wiring for receiving the first and second control signals and controlling the irrigation valve through an irrigation servo actuator based on the first control signals and controlling the suction valve through a suction servo actuator based on the second control signals.

According to another embodiment of the present disclosure, an apparatus for controlling irrigation at a surgical site during an electrosurgical procedure is provided. The apparatus includes an elongated housing, a multilumen tube extending proximally from the housing and having an irrigation tube for delivering irrigation fluid including an irrigation check valve, a suction tube for withdrawing irrigation fluid including a suction check valve, and electrical wiring, first and second controls configured for adjusting flow of irrigation fluid within the irrigation tube and for adjusting suction within the suction tube respectively, the first and second controls transmitting first and second control signals, the multilumen tube connected to a valve cassette, the cassette including an irrigation valve configured to control the flow within the irrigation tube and a suction valve configured to control the flow within the suction tube, the irrigation tube further connected to an irrigation fluid source and the suction tube further connected to a vacuum source, and a hardware control module configured to receive the first and second control signals and controlling the irrigation valve through an irrigation servo actuator based on the first control signals and controlling the suction valve through a suction servo actuator based on the second control signals.

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other aspects, features, and advantages of the present disclosure will become more apparent in light of the following detailed description when taken in conjunction with the accompanying drawings in which:

FIG. 1 is a block diagram illustrating in general an electrosurgical system according to an embodiment of the present disclosure;

FIG. 2A is a perspective view of a hand piece in accordance with an embodiment of the present disclosure;

FIG. 2B is a cross-sectional perspective view of a tube extending from the hand piece of FIG. 2A;

FIG. 3 is a block diagram of a valve cassette according to an embodiment of the present disclosure;

FIG. 4A is a perspective view of an active electrode with an irrigation tip according to one embodiment of the present disclosure;

FIG. 4B is a frontal view of the active electrode with the irrigation tip of FIG. 4A;

FIG. 4C is a cross sectional view of the active electrode with the irrigation tip of FIG. 4A;

FIG. 5A is a perspective view of an active electrode with an irrigation tip according to another embodiment of the present disclosure;

FIG. 5B is a cross sectional view of the active electrode with the irrigation tip of FIG. 5A;

FIG. 6A is a perspective view of an irrigation tip according to a further embodiment of the present disclosure; and

FIG. 6B is a cross sectional view of the irrigation tip of FIG. 6A.

DETAILED DESCRIPTION

Embodiments of the present disclosure are described below with reference to the accompanying drawings. In the following description, well-known functions or constructions are not described in detail to avoid obscuring the present disclosure in unnecessary detail.

The foregoing disclosure describes embodiments with reference to a monopolar laparoscopic surgical instrument. However, principles of the present disclosure may be utilized in a bipolar instrument as well as suitable open instruments.

An electrosurgical system and method to be used to perform cautery procedures, hemostasis, and other suitable procedures are provided. The system provides irrigation and/or suction (e.g., a vacuum line), which may be performed contemporaneously with the electrosurgical procedure or after the procedure is complete. In some embodiment, the irrigation fluid may be used to cool the electrosurgical cautery electrode to reduce eschar build-up, modify tissue effect, and/or prevent inadvertent burns from a heated electrode.

Embodiments of the presently disclosed electrosurgical system will now be described in detail with reference to the drawings wherein like reference numerals identify similar or identical elements. As used herein, the term "distal" refers to that portion that is further from the user while the term "proximal" refers to that portion that is closer to the user.

FIG. 1 shows an electrosurgical system including a generator 10, a hand piece 12 (e.g., an electrosurgical pencil) having an active electrode 14 at a distal end thereof which is brought in contact with a patient P to effect a cut and/or coagulation procedure depending upon the selected operating mode. The active electrode 14 is an electrically conducting element that is usually elongated and may be in the form of a thin flat blade with a pointed or rounded distal end. Alternatively, the active electrode 14 may include an elongated narrow cylindrical needle which is solid or hollow with a flat, rounded, pointed or slanted distal end.

Attached to the patient P is a return electrode 16 that returns the electrosurgical current from the patient P to the generator 10. The hand piece 12 is coupled to the generator 10 via a multilumen tube 18 extending from a proximal end of the hand piece 12. In one embodiment, the multilumen tube 18 includes electrical wires for supplying the electrosurgical energy to the active electrode 14 as well as electrical power for the controls of the hand piece 12.

The active electrode 14 may be used laparoscopically, e.g., inserted into a body cavity through a percutaneous incision. To accomplish this, the electrode 14 may be introduced into a body cavity through a suitable trocar (not shown). The trocar may include an elongated tube that penetrates the body cavity with its distal end and the electrode 14 is introduced thereto through its proximal end. In addition, the trocar may include a hemostatic valve disposed at its proximal end to prevent backflow of gases.

The hand piece 12 also includes an irrigation tip that irrigates the surgical site, the details of which will be described below. Other components of the irrigation system, such as irrigation fluid supply and valve mechanisms may be disposed within the generator 10 or within a separate stand-alone device such as a suitable cassette. The irrigation and suction lines are coupled from the irrigation system to the hand piece 12 and thereafter to the irrigation tip and may be included within the multilumen tube 18.

The irrigation system supplies a suitable irrigation fluid such as a saline solution, through the irrigation tip near the active electrode 14. The irrigation fluid is used to cool the active electrode 14 during electrosurgical usage to reduce or

eliminate eschar (e.g., sloughed-off dead tissue caused by a burn or cauterization). In addition, the irrigation fluid may be used to remove any debris caused by the electrosurgical procedure.

The hand piece 12 remains outside the body cavity and outside the trocar and allows the surgeon to control the electrosurgical operations as well as irrigation cycles. Referring to FIG. 2A, the hand piece 12 according to one embodiment of the disclosure is shown and includes a variety of controls within an elongated housing 19. The hand piece 12 includes mode selection controls 20 that allow the surgeon to select the operating mode for the generator 10 (e.g., cut, coagulation, blend). Generally, generators operate in a plurality of modes, e.g., cut, coagulation, or blend, accomplished by using different current waveforms. Using a constant waveform, a generator allows a surgeon to vaporize or cut tissue since a constant waveform produces heat very rapidly. Using an intermittent waveform causes a generator's duty cycle to be reduced to coagulate tissue. A blended current allows for a mixture of the two above waveforms to achieve intermediate results. The hand piece 12 also includes intensity controls 22 that allow the surgeon to modify the power of the energy being supplied to the active electrode 14, which is supported within the housing 19 and extends distally therefrom.

The hand piece 12 also includes controls for adjusting the irrigation system. More specifically, the hand piece 12 may include an irrigation controller 24 which activates and deactivates the flow of the irrigation fluid and an irrigation volume adjuster 26 which adjusts the flow volume of the irrigation fluid. In addition, the hand piece 12 includes a suction control 28 which activates and deactivates vacuum suction apparatus to withdraw the aspirated irrigation fluid. A suction volume adjuster 30 controls a setting level of the vacuum pump which controls the rate at which irrigation fluid is withdrawn.

The mode selection controls 20, intensity controls 22, irrigation volume adjuster 26 and suction volume adjuster 30 are operatively connected to a voltage divider network ("VDN") (e.g., a film-type potentiometer). For the purposes herein, the term "voltage divider network" relates to any suitable form of resistive, capacitive or inductive circuit that determines the output voltage across a voltage source (e.g., one of two impedances) connected in series. A "voltage divider" as used herein relates to a number of resistors connected in series which are provided with taps at certain points to make available a fixed or variable fraction of the applied voltage. An example of a hand piece employing such a voltage divider is discussed in a commonly-owned U.S. patent application Ser. No. 10/718,113 entitled "Electrosurgical Pencil With Improved Controls," which is hereby incorporated by reference in its entirety. It is also envisioned that the irrigation volume adjuster 26 and suction volume adjuster 30 divider networks may be aligned with a single slide (not explicitly shown) wherein moving of the slide in one direction adjusts flow of irrigation fluid and moving the slide in another direction adjusts flow of aspirated irrigation fluid.

The multilumen tube 18 extends proximally from the housing 19 and includes multiple lumens containing conduits for electrical wiring 36, an irrigation tube 32 that supplies the irrigation fluid to a surgical site, and suction tube 34 that withdraws the irrigation fluid by providing a conduit to a suitable vacuum source. The electrical wiring 36 includes wires for transmitting electrosurgical current to the active electrode 14 and control current for transmitting input signals from the controls of the hand piece 12. Using DC voltage to transmit input signals is well known in the art and is described

in commonly owned U.S. Pat. Nos. 3,699,967 and 3,801,800, both of which are hereby incorporated by reference in their entirety.

As shown in FIG. 2B, an irrigation check valve **31** and a suction check valve **33** are disposed within the irrigation tube **32** and the suction tube **34**, respectively, at the proximal end of the hand piece **12**. The suction check valve **33** may be of “duck bill” design or in some embodiment may be a flap. Orientation of the suction check valve **33** allows fluids and vacuum to flow with minimum resistance therethrough but prevents fluid from draining in the opposing direction.

The irrigation check valve **31** may also be of “duck bill” design, as well as, a poppet, a flap, a spring-loaded ball type check valve, or any suitable check valve that may be inserted modularly into the irrigation tube. The irrigation check valve **31** is configured to open under sufficient opening pressure to allow for irrigation fluid to flow therethrough. Opening pressure from about 6 inches to about 48 inches of water column pressure is sufficient to prevent fluid in the irrigation tube **32** from draining through the hand piece **12** when an irrigation valve **42** is closed (see FIG. 3). The pressure is also sufficient to provide minimum resistance to flow pressure when the irrigation valve **42** is open.

With reference to FIG. 3, the multilumen tube **18** couples the hand piece **12** to a valve cassette **40** that includes suitable mechanisms for controlling the in-flow and out-flow of the irrigation fluid at the surgical site. The electrical wiring **36** is coupled to a contact block **38** which provides an electrical interface between the hand piece **12** and the generator **10**. More specifically, the contact block **38** is electrically coupled to a hardware control module **50** that monitors and controls the operation of the generator **10** and the valve cassette **40**. The control module **50** may include electronic circuitry such as a microprocessor, memory, and comparators for performing a variety of functions within the purview of those skilled in the art (e.g., comparing values, receiving control signals, converting analog signals to and from digital signals, issuing control commands to generator **10** and valve cassette **40**, etc.).

The valve cassette **40** includes a suction valve **44** which controls vacuum within the suction tube **34**. Opening the suction valve **44** creates vacuum within the suction tube **34** by providing access to a vacuum pump (not explicitly shown) thereby leading to siphoning off of the aspirated irrigation fluid. Closing the suction valve **44** terminates access to the vacuum pump. Regulating the position of the suction valve **44** allows the surgeon to modulate the amount of suction.

The suction valve **44** may be regulated by a vacuum servo actuator **45** that opens and closes the valves based on control signals from the control module **50**. The control signals originate from the suction control **28** and the suction volume adjuster **30** and are transmitted to the control module **50** along the electrical wiring **36** and through the contact block **38**.

The valve cassette **40** also includes the irrigation valve **42** that adjusts the aperture of the irrigation tube **36**, thereby adjusting the flow of the irrigation fluid to the surgical site. The irrigation valve **42** may be controlled by an irrigation servo actuator **43** receives control signals from the control module **50**. The irrigation fluid may be dispensed from a pressurized bag **46** that may be compressed by a servo regulator **48** (e.g., an air supply pump).

In one embodiment, flow of the irrigation fluid is regulated in the following manner. Initially, the surgeon selects desired pressure for supplying the irrigation fluid. Thereafter, control signals are transmitted from the irrigation controller **24** and the irrigation volume adjuster **26** through the electrical wiring **36** and the contact block **38**. The desired flow/pressure may be achieved by increasing pressure on the pressurized bag **46** and

leaving the irrigation valve **42** open. Alternatively, the pressure on the pressurized bag **46** may remain static and the irrigation valve **42** may be adjusted to achieve the desired flow rate. Those skilled in the art will appreciate that irrigation fluid may be stored in a variety of containers (e.g., a storage tank) and be dispensed using a pump. The pump may be controlled by varying the pump's pressure between zero and maximum setting, e.g., a variable speed pump. The irrigation volume adjuster **26** includes a VDN may delivers a control voltage to the pump varying its output pressure.

FIGS. 4A-C show the active electrode **14** with an irrigation tip **56**. The active electrode **14** is bent into an L-shaped configuration. However, the electrode **14** may be in a variety of suitable shapes and configurations (e.g., spatula, needle, ball-point, solid, hollow, etc.). The active electrode **14** is positioned between an irrigation opening **52** and a suction opening **54** as shown in FIGS. 4A-C. In one embodiment, the irrigation tip **56** is made from an insulative material to prevent accidental shock to the patient.

It is envisioned that during an electrosurgical procedure the irrigation fluid passes through the irrigation opening **52** and into the surgical site to wash away any debris generated during the surgical procedure. The irrigation fluid is then suctioned off through the suction opening **54** to evacuate the debris from the surgical site. In addition, the smoke generated during the procedure is also evacuated. The irrigation tip **56** may have a plurality of irrigation openings **52** and suction openings **54**.

The present invention also contemplates that the irrigation fluid is used to cool the active electrode **14** in order to maintain the tip of the electrode **14** at a temperature below that of eschar formation (e.g., 100° C.). The active electrode **14** may include specific geometry that improves heat transfer from the surface of the active electrode **14** to the irrigation fluid (e.g., grooves chiseled therein). To achieve efficient heat transfer from the active electrode **14**, the irrigation fluid may be passed at a sufficiently slow rate so that the fluid flows along the active electrode **14** via capillary action and into the suction opening **54**. The irrigation and suction openings **52**, **54** extend for the same distance longitudinally to accommodate for irrigation of the active electrode **14**.

It is also envisioned that the suction opening **54** may extend further than the irrigation opening **52**. This arrangement allows the irrigation fluid to flow along a larger segment of the active electrode **14** than an arrangement where the irrigation and suction paths are approximately the same length. As a result, the active electrode **14** transfers more heat to the irrigation fluid. Such additional cooling may be utilized in electrosurgical procedures that have higher energy requirements, since such procedures generate more heat and require more cooling to alleviate eschar formation. In addition, extending the suction opening **54** allows for irrigation fluid to be jetted beyond the active electrode **14** allowing for better irrigation of the surgical site.

FIGS. 5A-B show another embodiment of the active electrode **14** and the irrigation tip **56**, where the active electrode **14** is positioned above the irrigation and suction openings **52**, **54**. This arrangement may be particularly useful where cooling of the electrode **14** is secondary to providing proper irrigation and evacuation of the debris and smoke from the surgical site. As shown in FIG. 5B, the irrigation opening **52** includes a lip **53** to direct the flow of the irrigation fluid downward and into the surgical site, which allows for rapid irrigation of the surgical site.

FIGS. 6A-B show an irrigation adapter **58** without the active electrode **14**. The irrigation adapter **58** includes an irrigation opening **60** and a front suction opening **64**. The

irrigation adapter 58 may include a ball 63 serving a ball valve 65, such as when the suction is on or the irrigation adapter 58 is pressed against a surface (e.g., tissue) the ball 63 retracts to allow for irrigation fluid to pass through the front suction opening 64. In addition, the irrigation adapter 58 also includes one or more side suction opening 62.

FIG. 6B shows a cross sectional view of the irrigation adapter 58 and its connectivity to the irrigation tube 32 and the suction tube 34. The irrigation fluid enters the irrigation adapter 58 through an irrigation passage 66 and flows through an irrigation channel 70 of the irrigation adapter 58. The irrigation fluid is extracted through a suction channel 72 and enters the suction tube 34 through a suction passage 68. The suction passage 72 extends further than the irrigation passage 70 to allow for separated and distinct in and out flow paths.

The irrigation adapter 58 is coupled to the irrigation and suction tubes by a plurality of ridges 74, 76, 78, 80. The ridges 74, 76 are in contact with the top and bottom outside surfaces of the suction passage 68 and the ridges 78, 80 are in contact with the top outside surface of the irrigation passage 70 and the suction passage 80, respectively. In effect, the ridges 78, 80 secure the entire irrigation adapter 58, while the ridges 78, 80 provide additional support to the suction passage 72 that extends beyond the length of the irrigation passage 70.

It is envisioned that the irrigation and suction system of the present disclosure may be utilized as a stand-alone system (e.g., not part of an electrosurgical apparatus). The described embodiments of the present disclosure are intended to be illustrative rather than restrictive, and are not intended to represent every embodiment of the present disclosure. Various modifications and variations can be made without departing from the spirit or scope of the disclosure as set forth in the following claims both literally and in equivalents recognized in law.

What is claimed is:

1. A system for irrigating a surgical site during an electrosurgical procedure, comprising:
 - a hand piece in electrical communication with a generator and having an elongated housing coupled to a multilumen tube extending from the housing, the multilumen tube including an irrigation tube for delivering irrigation fluid, a suction tube for withdrawing irrigation fluid, and electrical wiring that includes wiring configured to transmit electrosurgical energy from the generator to an electrode associated with the hand piece;
 - the hand piece further including first controls for adjusting flow of irrigation fluid within the irrigation tube, second controls for adjusting suction within the suction tube, and third controls for selecting an operating mode of the generator, the first and second controls transmitting first and second control signals through the electrical wiring;
 - a valve cassette coupled to the multilumen tube, the valve cassette including an irrigation valve configured to control the flow within the irrigation tube and a suction valve configured to control the flow within the suction tube;
 - the irrigation tube coupled to an irrigation fluid source and the suction tube coupled to a vacuum source, each of the irrigation tube and suction tube in fluid communication with an irrigation tip having at least one outlet opening defined therein that supplies irrigation fluid and at least one inlet opening defined therein that withdraws irrigation fluid while the electrode is active, wherein the at least one inlet opening is distal relative to the at least one outlet opening with respect to a distal tip of the irrigation tip, the disposition of the at least one inlet opening permitting irrigation fluid to flow along a larger segment

of the electrode thereby maximizing the transfer of heat from the electrode to the irrigation fluid; and

a hardware control module coupled to the electrical wiring for receiving the first and second control signals and operable to control the irrigation valve based on the first control signals and to control the suction valve based on the second control signals,

wherein the hardware control module monitors and controls the operation of the generator and valve cassette.

2. A system of claim 1, wherein the irrigation source is a pressurized bag.

3. A system of claim 2, further comprising a servo regulator for adjusting a pressure within the pressurized bag.

4. A system of claim 1, wherein the irrigation fluid is delivered by a variable speed pump from the irrigation source.

5. A system of claim 1, wherein the electrode is supported within the housing and extends from a distal end therefrom, the electrode being coupled to the generator.

6. An apparatus for controlling irrigation at a surgical site during an electrosurgical procedure, comprising:

a hand piece having an elongated housing, the hand piece in operative communication with a source of electrosurgical energy;

a multilumen tube extending from the housing and having an irrigation tube for delivering irrigation fluid, a suction tube for withdrawing irrigation, and electrical wiring that includes wiring configured to transmit electrosurgical energy from the source of electrosurgical energy to an electrode associated with the hand piece;

first and second controls disposed in the housing configured for adjusting flow of the irrigation fluid within the irrigation tube and for adjusting the suction within the suction tube respectively, the first and second controls transmitting first and second control signals;

a third control disposed in the housing for selecting an operating mode of the source of electrosurgical energy; and

the multilumen tube connected to a valve cassette, the cassette including an irrigation valve configured to control the flow within the irrigation tube and a suction valve configured to control the flow within the suction tube, the irrigation tube further coupled to an irrigation fluid source and the suction tube further coupled to a vacuum source, each of the irrigation tube and suction tube in fluid communication with an irrigation tip having at least one outlet opening defined therein that supplies irrigation fluid and at least one inlet opening defined therein that withdraws irrigation fluid while the electrode is active,

wherein the at least one inlet opening is distal relative to the at least one outlet opening with respect to a distal tip of the irrigation tip, the disposition of the at least one inlet opening permitting irrigation fluid to flow along a larger segment of the electrode thereby maximizing the transfer of heat from the electrode to the irrigation fluid, wherein the apparatus operatively connects to a hardware control module configured to monitor and control the operation of the source of electrosurgical energy and valve cassette.

7. An apparatus of claim 6, wherein the hardware control module is configured to receive the first and second control signals and control the irrigation valve based on the first control signals and control the suction valve based on the second control signals.

8. An apparatus of claim 6, wherein the irrigation source is a pressurized bag.

9

9. An apparatus of claim 6, wherein the electrode is supported within the housing and extends distally therefrom, the electrode being coupled to the source of electrosurgical energy.

10. An apparatus of claim 6, wherein the electrode is disposed between the at least one inlet opening and the at least one outlet opening.

11. An apparatus of claim 6, wherein the irrigation tip includes a ball disposed at the at least one inlet opening to prevent irrigation fluid from flowing therethrough unless the ball is pushed inwards.

12. A system for irrigating a surgical site during an electrosurgical procedure, comprising:

a hand piece in electrical communication with a generator and having an elongated housing coupled to a multilumen tube extending from the housing, the multilumen tube including an irrigation tube coupled to an irrigation fluid source and a suction tube coupled to a vacuum source;

an irrigation tip having at least one outlet opening defined therein that supplies irrigation fluid and at least one inlet opening defined therein that withdraws irrigation fluid

10

while an electrode that is operably associated with the hand piece is active, wherein the at least one inlet opening is distal relative to the at least one outlet opening with respect to a distal tip of the irrigation tip, the disposition of the at least one inlet opening permitting irrigation fluid to flow along a larger segment of the electrode thereby maximizing the transfer of heat from the electrode to the irrigation fluid; and

first controls operably disposed in the handpiece for adjusting the flow of irrigation fluid within the irrigation tube, second controls for adjusting the suction within the suction tube, and third controls operably disposed in the handpiece for selecting an operating mode of the generator, the first and second controls transmitting first and second control signals to a hardware control module configured to receive the first and second control signals and operable to monitor and control the operation of the generator and a valve cassette that is operably coupled to the multilumen tube and the first and second controls and configured to control the flow and suction within the irrigation tube and suction tube.

* * * * *

专利名称(译)	用于执行电外科手术的腹腔镜装置		
公开(公告)号	US7947039	公开(公告)日	2011-05-24
申请号	US11/299468	申请日	2005-12-12
[标]申请(专利权)人(译)	舍伍德服务股份公司		
申请(专利权)人(译)	SHERWOOD SERVICES AG		
当前申请(专利权)人(译)	COVIDIEN AG		
[标]发明人	SARTOR JOE D		
发明人	SARTOR, JOE D.		
IPC分类号	A61B18/14		
CPC分类号	A61B18/1482 A61B2218/007 A61B2218/002		
其他公开文献	US20070135812A1		
外部链接	Espacenet USPTO		

摘要(译)

公开了一种用于在电外科手术期间冲洗手术部位的系统和设备。该系统包括手持件，该手持件具有细长的壳体，该壳体连接到多腔管，该多腔管从壳体向近侧延伸并具有用于输送冲洗流体的冲洗管，用于抽出冲洗流体的抽吸管和电线，用于调节灌溉流量的第一控制器灌溉管内的流体和第二控制器，用于调节吸管内的冲洗流体的流量。阀芯连接到多腔管，其包括配置成控制灌溉管内的流动的冲洗阀和配置成控制吸管内的流动的吸入阀。硬件控制模块基于来自第一和第二控制器的控制信号控制灌溉阀和吸入阀。

