



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C12N 15/12, 15/52, C07K 14/47, C12N 9/00, 5/10, 1/21, A61K 38/17, 39/00, C07K 16/30, 16/32, 16/40, A61K 39/395, 35/12, C07K 19/00, C12N 15/62, 5/00, G01N 33/68, C12Q 1/68, C12N 15/11	A2	(11) International Publication Number: WO 00/60076 (43) International Publication Date: 12 October 2000 (12.10.00)												
(21) International Application Number: PCT/US00/05308 (22) International Filing Date: 15 February 2000 (15.02.00) (30) Priority Data: <table border="0"> <tr> <td>09/285,480</td> <td>2 April 1999 (02.04.99)</td> <td>US</td> </tr> <tr> <td>09/339,338</td> <td>23 June 1999 (23.06.99)</td> <td>US</td> </tr> <tr> <td>09/389,681</td> <td>2 September 1999 (02.09.99)</td> <td>US</td> </tr> <tr> <td>09/433,826</td> <td>3 November 1999 (03.11.99)</td> <td>US</td> </tr> </table> (71) Applicant (for all designated States except US): CORIXA CORPORATION [US/US]; 1124 Columbia Street, Suite 200, Seattle, WA 98104 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): YUQIU, Jiang [CN/US]; 5001 South 232nd Street, Kent, WA 98032 (US). DILLON, Davin, C. [US/US]; 21607 N.E. 24th Street, Redmond, WA 98053 (US). MITCHAM, Jennifer, Lynn [US/US]; 16677 Northeast 88th Street, Redmond, WA 98052 (US). XU, Jiangchun [US/US]; 15805 S.E. 43rd Place, Bellevue, WA 98006 (US). HARLOCKER, Susan, L. [US/US]; 1124 Columbia Street, Suite 200, Seattle, WA 98104 (US).		09/285,480	2 April 1999 (02.04.99)	US	09/339,338	23 June 1999 (23.06.99)	US	09/389,681	2 September 1999 (02.09.99)	US	09/433,826	3 November 1999 (03.11.99)	US	(74) Agents: MAKI, David, J. et al.; Seed Intellectual Property Law Group PLLC, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US). (81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
09/285,480	2 April 1999 (02.04.99)	US												
09/339,338	23 June 1999 (23.06.99)	US												
09/389,681	2 September 1999 (02.09.99)	US												
09/433,826	3 November 1999 (03.11.99)	US												
(54) Title: COMPOSITIONS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER AND METHODS FOR THEIR USE (57) Abstract Compositions and methods for the therapy and diagnosis of cancer, such as breast cancer, are disclosed. Compositions may comprise one or more breast tumor proteins, immunogenic portions thereof, or polynucleotides that encode such portions. Alternatively, a therapeutic composition may comprise an antigen presenting cell that expresses a breast tumor protein, or a T cell that is specific for cells expressing such a protein. Such compositions may be used, for example, for the prevention and treatment of diseases such as breast cancer. Diagnostic methods based on detecting a breast tumor protein, or mRNA encoding such a protein, in a sample are also provided.														

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

COMPOSITIONS FOR THE TREATMENT AND DIAGNOSIS OF BREAST CANCER AND METHODS FOR THEIR USE

TECHNICAL FIELD

The present invention relates generally to compositions and methods for the treatment of breast cancer. The invention is more particularly related to polypeptides comprising at least a portion of a protein that is preferentially expressed in breast tumor tissue and to polynucleotides encoding such polypeptides. Such polypeptides and polynucleotides may be used in vaccines and pharmaceutical compositions for treatment of breast cancer.

BACKGROUND OF THE INVENTION

Breast cancer is a significant health problem for women in the United States and throughout the world. Although advances have been made in detection and treatment of the disease, breast cancer remains the second leading cause of cancer-related deaths in women, affecting more than 180,000 women in the United States each year. For women in North America, the life-time odds of getting breast cancer are one in eight.

No vaccine or other universally successful method for the prevention or treatment of breast cancer is currently available. Management of the disease currently relies on a combination of early diagnosis (through routine breast screening procedures) and aggressive treatment, which may include one or more of a variety of treatments such as surgery, radiotherapy, chemotherapy and hormone therapy. The course of treatment for a particular breast cancer is often selected based on a variety of prognostic parameters, including an analysis of specific tumor markers. *See, e.g.,* Porter-Jordan and Lippman, *Breast Cancer* 8:73-100 (1994). However, the use of established markers often leads to a result that is difficult to interpret, and the high mortality observed in breast cancer patients indicates that improvements are needed in the treatment, diagnosis and prevention of the disease.

Accordingly, there is a need in the art for improved methods for the treatment and diagnosis of breast cancer. The present invention fulfills these needs and further provides other related advantages.

SUMMARY OF THE INVENTION

The present invention provides compounds and methods for the treatment and diagnosis of cancer, such as breast cancer. In one aspect, isolated polypeptides are provided comprising at least a portion of a breast tumor protein or a variant thereof. Certain portions and other variants are immunogenic, such that the ability of the variant to react with protein-specific antisera is not substantially diminished. With certain embodiments, the polypeptide comprises an amino acid sequence encoded by a polynucleotide selected from the group consisting of: (a) nucleotide sequences recited in SEQ ID NO: 1-61, 63-175, 178, 180, 182-313, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468; (b) complements of said nucleotide sequences; and (c) variants of a sequence of (a) or (b). In specific embodiments, the inventive polypeptides comprise at least a portion of a tumor antigen that comprises an amino acid sequence selected from the group consisting of SEQ ID NO: 62, 176, 179, 181 and 469-473.

In related aspects, isolated polynucleotides encoding the above polypeptides, or a portion thereof (such as a portion encoding at least 15 contiguous amino acid residues of a breast tumor protein), are provided. In specific embodiments, such polynucleotides comprise a sequence selected from the group consisting of sequences provided in SEQ ID NO: 1-61, 63-175, 178, 180, 182-313, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 and variants thereof. The present invention further provides expression vectors comprising the above polynucleotides, together with host cells transformed or transfected with such expression vectors. In preferred embodiments, the host cells are selected from the group consisting of *E. coli*, yeast and mammalian cells.

In another aspect, the present invention provides fusion proteins comprising a first and a second inventive polypeptide or, alternatively, an inventive polypeptide and a known breast tumor antigen.

The present invention also provides pharmaceutical compositions comprising at least one of the above polypeptides, or a polynucleotide encoding such a polypeptide, and a physiologically acceptable carrier, together with vaccines. For prophylactic or therapeutic use, comprising at least one such polypeptide or polynucleotide in combination with an immunostimulant. Pharmaceutical compositions and vaccines comprising one or more of the above fusion proteins are also provided.

The present invention further provides pharmaceutical compositions that comprise: (a) an antibody or antigen-binding fragment thereof that specifically binds to a breast tumor protein; and (b) a physiologically acceptable carrier.

Within further aspects, the present invention provides pharmaceutical compositions comprising: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) a pharmaceutically acceptable carrier or excipient. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B cells.

Within related aspects, vaccines are provided that comprise: (a) an antigen presenting cell that expresses a polypeptide as described above and (b) an immunostimulant.

In yet another aspect, methods are provided for inhibiting the development of breast cancer in a patient, comprising administering an effective amount of at least one of the above pharmaceutical compositions and/or vaccines.

The present invention further provides, within other aspects, methods for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a breast tumor protein, wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the protein from the sample.

Within related aspects, methods are provided for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated as described above.

Methods are further provided, within other aspects, for stimulating and/or expanding T cells specific for a breast tumor protein, comprising contacting T cells with one or more of: (i) a polypeptide as described above; (ii) a polynucleotide encoding such a polypeptide; and/or (iii) an antigen presenting cell that expresses such a polypeptide;

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Isolated T cell populations comprising T cells prepared as described above are also provided.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population as described above.

The present invention further provides methods for inhibiting the development of a cancer in a patient, comprising the steps of: (a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with one or more of: (i) a polypeptide comprising at least an immunogenic portion of a breast tumor protein; (ii) a polynucleotide encoding such a polypeptide; and (iii) an antigen-presenting cell that expressed such a polypeptide; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient. Proliferated cells may, but need not, be cloned prior to administration to the patient.

The polypeptides disclosed herein may be usefully employed in the diagnosis and monitoring of breast cancer. In one aspect of the present invention, methods are provided for detecting a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that is capable of binding to one of the above polypeptides; and (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and (c) comparing the amount of polypeptide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in a patient. In preferred embodiments, the binding agent is an antibody, most preferably a monoclonal antibody. The cancer may be breast cancer.

In related aspects, methods are provided for monitoring the progression of a cancer in a patient, comprising: (a) contacting a biological sample obtained from a patient with a binding agent that is capable of binding to one of the above polypeptides; (b) detecting in the sample an amount of a polypeptide that binds to the binding agent; (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and (d) comparing the amounts of polypeptide detected in steps (b) and (c).

Within related aspects, the present invention provides antibodies, preferably monoclonal antibodies, that bind to the inventive polypeptides, as well as diagnostic kits comprising such antibodies, and methods of using such antibodies to inhibit the development of breast cancer.

The present invention further provides, within other aspects, methods for determining the presence or absence of a cancer in a patient, comprising the steps of: (a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a breast tumor protein; (b) detecting in the sample a level of a polynucleotide, preferably mRNA, that hybridizes to the oligonucleotide; and (c) comparing the level of polynucleotide that hybridizes to the oligonucleotide with a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient. Within certain embodiments, the amount of mRNA is detected via polymerase chain reaction using, for example, at least one oligonucleotide primer that hybridizes to a polynucleotide encoding a polypeptide as recited above, or a complement of such a polynucleotide. Within other embodiments, the amount of mRNA is detected using a hybridization technique, employing an oligonucleotide probe that hybridizes to a polynucleotide that encodes a polypeptide as recited above, or a complement of such a polynucleotide.

In related aspects, diagnostic kits comprising the above oligonucleotide probes or primers are provided.

These and other aspects of the present invention will become apparent upon reference to the following detailed description. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

BRIEF DESCRIPTION OF THE DRAWING AND SEQUENCE IDENTIFIERS

Fig. 1 shows the results of a Northern blot of the clone SYN18C6 (SEQ ID NO: 40).

SEQ ID NO: 1 is the determined cDNA sequence of JBT2.

SEQ ID NO: 2 is the determined cDNA sequence of JBT6.

SEQ ID NO: 3 is the determined cDNA sequence of JBT7.

SEQ ID NO: 4 is the determined cDNA sequence of JBT10.
SEQ ID NO: 5 is the determined cDNA sequence of JBT13.
SEQ ID NO: 6 is the determined cDNA sequence of JBT14.
SEQ ID NO: 7 is the determined cDNA sequence of JBT15.
SEQ ID NO: 8 is the determined cDNA sequence of JBT16.
SEQ ID NO: 9 is the determined cDNA sequence of JBT17.
SEQ ID NO: 10 is the determined cDNA sequence of JBT22.
SEQ ID NO: 11 is the determined cDNA sequence of JBT25.
SEQ ID NO: 12 is the determined cDNA sequence of JBT28.
SEQ ID NO: 13 is the determined cDNA sequence of JBT32.
SEQ ID NO: 14 is the determined cDNA sequence of JBT33.
SEQ ID NO: 15 is the determined cDNA sequence of JBT34.
SEQ ID NO: 16 is the determined cDNA sequence of JBT36.
SEQ ID NO: 17 is the determined cDNA sequence of JBT37.
SEQ ID NO: 18 is the determined cDNA sequence of JBT51.
SEQ ID NO: 19 is the determined cDNA sequence of JBTT1.
SEQ ID NO: 20 is the determined cDNA sequence of JBTT7.
SEQ ID NO: 21 is the determined cDNA sequence of JBTT11.
SEQ ID NO: 22 is the determined cDNA sequence of JBTT14.
SEQ ID NO: 23 is the determined cDNA sequence of JBTT18.
SEQ ID NO: 24 is the determined cDNA sequence of JBTT19.
SEQ ID NO: 25 is the determined cDNA sequence of JBTT20.
SEQ ID NO: 26 is the determined cDNA sequence of JBTT21.
SEQ ID NO: 27 is the determined cDNA sequence of JBTT22.
SEQ ID NO: 28 is the determined cDNA sequence of JBTT28.
SEQ ID NO: 29 is the determined cDNA sequence of JBTT29.
SEQ ID NO: 30 is the determined cDNA sequence of JBTT33.
SEQ ID NO: 31 is the determined cDNA sequence of JBTT37.
SEQ ID NO: 32 is the determined cDNA sequence of JBTT38.
SEQ ID NO: 33 is the determined cDNA sequence of JBTT47.
SEQ ID NO: 34 is the determined cDNA sequence of JBTT48.

SEQ ID NO: 35 is the determined cDNA sequence of JBTT50.
SEQ ID NO: 36 is the determined cDNA sequence of JBTT51.
SEQ ID NO: 37 is the determined cDNA sequence of JBTT52.
SEQ ID NO: 38 is the determined cDNA sequence of JBTT54.
SEQ ID NO: 39 is the determined cDNA sequence of SYN17F4.
SEQ ID NO: 40 is the determined cDNA sequence of SYN18C6.
SEQ ID NO: 41 is the determined cDNA sequence of SYN19A2.
SEQ ID NO: 42 is the determined cDNA sequence of SYN19C8.
SEQ ID NO: 43 is the determined cDNA sequence of SYN20A12.
SEQ ID NO: 44 is the determined cDNA sequence of SYN20G6.
SEQ ID NO: 45 is the determined cDNA sequence of SYN20G6-2.
SEQ ID NO: 46 is the determined cDNA sequence of SYN21B9.
SEQ ID NO: 47 is the determined cDNA sequence of SYN21B9-2.
SEQ ID NO: 48 is the determined cDNA sequence of SYN21C10.
SEQ ID NO: 49 is the determined cDNA sequence of SYN21G10.
SEQ ID NO: 50 is the determined cDNA sequence of SYN21G10-2.
SEQ ID NO: 51 is the determined cDNA sequence of SYN21G11.
SEQ ID NO: 52 is the determined cDNA sequence of SYN21G11-2.
SEQ ID NO: 53 is the determined cDNA sequence of SYN21H8.
SEQ ID NO: 54 is the determined cDNA sequence of SYN22A10.
SEQ ID NO: 55 is the determined cDNA sequence of SYN22A10-2.
SEQ ID NO: 56 is the determined cDNA sequence of SYN22A12.
SEQ ID NO: 57 is the determined cDNA sequence of SYN22A2.
SEQ ID NO: 58 is the determined cDNA sequence of SYN22B4.
SEQ ID NO: 59 is the determined cDNA sequence of SYN22C2.
SEQ ID NO: 60 is the determined cDNA sequence of SYN22E10.
SEQ ID NO: 61 is the determined cDNA sequence of SYN22F2.
SEQ ID NO: 62 is a predicted amino acid sequence for SYN18C6.
SEQ ID NO: 63 is the determined cDNA sequence of B723P.
SEQ ID NO: 64 is the determined cDNA sequence for B724P.
SEQ ID NO: 65 is the determined cDNA sequence of B770P.

SEQ ID NO: 66 is the determined cDNA sequence of B716P.

SEQ ID NO: 67 is the determined cDNA sequence of B725P.

SEQ ID NO: 68 is the determined cDNA sequence of B717P.

SEQ ID NO: 69 is the determined cDNA sequence of B771P.

SEQ ID NO: 70 is the determined cDNA sequence of B722P.

SEQ ID NO: 71 is the determined cDNA sequence of B726P.

SEQ ID NO: 72 is the determined cDNA sequence of B727P.

SEQ ID NO: 73 is the determined cDNA sequence of B728P.

SEQ ID NO: 74-87 are the determined cDNA sequences of isolated clones which show homology to known sequences.

SEQ ID NO: 88 is the determined cDNA sequence of 13053.

SEQ ID NO: 89 is the determined cDNA sequence of 13057.

SEQ ID NO: 90 is the determined cDNA sequence of 13059.

SEQ ID NO: 91 is the determined cDNA sequence of 13065.

SEQ ID NO: 92 is the determined cDNA sequence of 13067.

SEQ ID NO: 93 is the determined cDNA sequence of 13068.

SEQ ID NO: 94 is the determined cDNA sequence of 13071.

SEQ ID NO: 95 is the determined cDNA sequence of 13072.

SEQ ID NO: 96 is the determined cDNA sequence of 13073.

SEQ ID NO: 97 is the determined cDNA sequence of 13075.

SEQ ID NO: 98 is the determined cDNA sequence of 13078.

SEQ ID NO: 99 is the determined cDNA sequence of 13079.

SEQ ID NO: 100 is the determined cDNA sequence of 13081.

SEQ ID NO: 101 is the determined cDNA sequence of 13082.

SEQ ID NO: 102 is the determined cDNA sequence of 13092.

SEQ ID NO: 103 is the determined cDNA sequence of 13097.

SEQ ID NO: 104 is the determined cDNA sequence of 13101.

SEQ ID NO: 105 is the determined cDNA sequence of 13102.

SEQ ID NO: 106 is the determined cDNA sequence of 13119.

SEQ ID NO: 107 is the determined cDNA sequence of 13131.

SEQ ID NO: 108 is the determined cDNA sequence of 13133.

SEQ ID NO: 109 is the determined cDNA sequence of 13135.
SEQ ID NO: 110 is the determined cDNA sequence of 13139.
SEQ ID NO: 111 is the determined cDNA sequence of 13140.
SEQ ID NO: 112 is the determined cDNA sequence of 13146.
SEQ ID NO: 113 is the determined cDNA sequence of 13147.
SEQ ID NO: 114 is the determined cDNA sequence of 13148.
SEQ ID NO: 115 is the determined cDNA sequence of 13149.
SEQ ID NO: 116 is the determined cDNA sequence of 13151.
SEQ ID NO: 117 is the determined cDNA sequence of 13051
SEQ ID NO: 118 is the determined cDNA sequence of 13052
SEQ ID NO: 119 is the determined cDNA sequence of 13055
SEQ ID NO: 120 is the determined cDNA sequence of 13058
SEQ ID NO: 121 is the determined cDNA sequence of 13062
SEQ ID NO: 122 is the determined cDNA sequence of 13064
SEQ ID NO: 123 is the determined cDNA sequence of 13080
SEQ ID NO: 124 is the determined cDNA sequence of 13093
SEQ ID NO: 125 is the determined cDNA sequence of 13094
SEQ ID NO: 126 is the determined cDNA sequence of 13095
SEQ ID NO: 127 is the determined cDNA sequence of 13096
SEQ ID NO: 128 is the determined cDNA sequence of 13099
SEQ ID NO: 129 is the determined cDNA sequence of 13100
SEQ ID NO: 130 is the determined cDNA sequence of 13103
SEQ ID NO: 131 is the determined cDNA sequence of 13106
SEQ ID NO: 132 is the determined cDNA sequence of 13107
SEQ ID NO: 133 is the determined cDNA sequence of 13108
SEQ ID NO: 134 is the determined cDNA sequence of 13121
SEQ ID NO: 135 is the determined cDNA sequence of 13126
SEQ ID NO: 136 is the determined cDNA sequence of 13129
SEQ ID NO: 137 is the determined cDNA sequence of 13130
SEQ ID NO: 138 is the determined cDNA sequence of 13134
SEQ ID NO: 139 is the determined cDNA sequence of 13141

SEQ ID NO: 140 is the determined cDNA sequence of 13142
SEQ ID NO: 141 is the determined cDNA sequence of 14376
SEQ ID NO: 142 is the determined cDNA sequence of 14377
SEQ ID NO: 143 is the determined cDNA sequence of 14383
SEQ ID NO: 144 is the determined cDNA sequence of 14384
SEQ ID NO: 145 is the determined cDNA sequence of 14387
SEQ ID NO: 146 is the determined cDNA sequence of 14392
SEQ ID NO: 147 is the determined cDNA sequence of 14394
SEQ ID NO: 148 is the determined cDNA sequence of 14398
SEQ ID NO: 149 is the determined cDNA sequence of 14401
SEQ ID NO: 150 is the determined cDNA sequence of 14402
SEQ ID NO: 151 is the determined cDNA sequence of 14405
SEQ ID NO: 152 is the determined cDNA sequence of 14409
SEQ ID NO: 153 is the determined cDNA sequence of 14412
SEQ ID NO: 154 is the determined cDNA sequence of 14414
SEQ ID NO: 155 is the determined cDNA sequence of 14415
SEQ ID NO: 156 is the determined cDNA sequence of 14416
SEQ ID NO: 157 is the determined cDNA sequence of 14419
SEQ ID NO: 158 is the determined cDNA sequence of 14426
SEQ ID NO: 159 is the determined cDNA sequence of 14427
SEQ ID NO: 160 is the determined cDNA sequence of 14375
SEQ ID NO: 161 is the determined cDNA sequence of 14378
SEQ ID NO: 162 is the determined cDNA sequence of 14379
SEQ ID NO: 163 is the determined cDNA sequence of 14380
SEQ ID NO: 164 is the determined cDNA sequence of 14381
SEQ ID NO: 165 is the determined cDNA sequence of 14382
SEQ ID NO: 166 is the determined cDNA sequence of 14388
SEQ ID NO: 167 is the determined cDNA sequence of 14399
SEQ ID NO: 168 is the determined cDNA sequence of 14406
SEQ ID NO: 169 is the determined cDNA sequence of 14407
SEQ ID NO: 170 is the determined cDNA sequence of 14408

SEQ ID NO: 171 is the determined cDNA sequence of 14417

SEQ ID NO: 172 is the determined cDNA sequence of 14418

SEQ ID NO: 173 is the determined cDNA sequence of 14423

SEQ ID NO: 174 is the determined cDNA sequence of 14424

SEQ ID NO: 175 is the determined cDNA sequence of B726P-20

SEQ ID NO: 176 is the predicted amino acid sequence of B726P-20

SEQ ID NO: 177 is a PCR primer

SEQ ID NO: 178 is the determined cDNA sequence of B726P-74

SEQ ID NO: 179 is the predicted amino acid sequence of B726P-74

SEQ ID NO: 180 is the determined cDNA sequence of B726P-79

SEQ ID NO: 181 is the predicted amino acid sequence of B726P-79

SEQ ID NO: 182 is the determined cDNA sequence of 19439.1, showing homology to the mammaglobin gene

SEQ ID NO: 183 is the determined cDNA sequence of 19407.1, showing homology to the human keratin gene

SEQ ID NO: 184 is the determined cDNA sequence of 19428.1, showing homology to human chromosome 17 clone

SEQ ID NO: 185 is the determined cDNA sequence of B808P (19408), showing no significant homology to any known gene

SEQ ID NO: 186 is the determined cDNA sequence of 19460.1, showing no significant homology to any known gene

SEQ ID NO: 187 is the determined cDNA sequence of 19419.1, showing homology to Ig kappa light chain

SEQ ID NO: 188 is the determined cDNA sequence of 19411.1, showing homology to human alpha-1 collagen

SEQ ID NO: 189 is the determined cDNA sequence of 19420.1, showing homology to mus musculus proteinase-3

SEQ ID NO: 190 is the determined cDNA sequence of 19432.1, showing homology to human high motility group box

SEQ ID NO: 191 is the determined cDNA sequence of 19412.1, showing homology to the human plasminogen activator gene

SEQ ID NO: 192 is the determined cDNA sequence of 19415.1, showing homology to mitogen activated protein kinase

SEQ ID NO: 193 is the determined cDNA sequence of 19409.1, showing homology to the chondroitin sulfate proteoglycan protein

SEQ ID NO: 194 is the determined cDNA sequence of 19406.1, showing no significant homology to any known gene

SEQ ID NO: 195 is the determined cDNA sequence of 19421.1, showing homology to human fibronectin

SEQ ID NO: 196 is the determined cDNA sequence of 19426.1, showing homology to the retinoic acid receptor responder 3

SEQ ID NO: 197 is the determined cDNA sequence of 19425.1, showing homology to MyD88 mRNA

SEQ ID NO: 198 is the determined cDNA sequence of 19424.1, showing homology to peptide transporter (TAP-1) mRNA

SEQ ID NO: 199 is the determined cDNA sequence of 19429.1, showing no significant homology to any known gene

SEQ ID NO: 200 is the determined cDNA sequence of 19435.1, showing homology to human polymorphic epithelial mucin

SEQ ID NO: 201 is the determined cDNA sequence of B813P (19434.1), showing homology to human GATA-3 transcription factor

SEQ ID NO: 202 is the determined cDNA sequence of 19461.1, showing homology to the human AP-2 gene

SEQ ID NO: 203 is the determined cDNA sequence of 19450.1, showing homology to DNA binding regulatory factor

SEQ ID NO: 204 is the determined cDNA sequence of 19451.1, showing homology to Na/H exchange regulatory co-factor

SEQ ID NO: 205 is the determined cDNA sequence of 19462.1, showing no significant homology to any known gene

SEQ ID NO: 206 is the determined cDNA sequence of 19455.1, showing homology to human mRNA for histone HAS.Z

SEQ ID NO: 207 is the determined cDNA sequence of 19459.1, showing

homology to PAC clone 179N16

SEQ ID NO: 208 is the determined cDNA sequence of 19464.1, showing no significant homology to any known gene

SEQ ID NO: 209 is the determined cDNA sequence of 19414.1, showing homology to lipophilin B

SEQ ID NO: 210 is the determined cDNA sequence of 19413.1, showing homology to chromosome 17 clone hRPK.209_J_20

SEQ ID NO: 211 is the determined cDNA sequence of 19416.1, showing no significant homology to any known gene

SEQ ID NO: 212 is the determined cDNA sequence of 19437.1, showing homology to human clone 24976 mRNA

SEQ ID NO: 213 is the determined cDNA sequence of 19449.1, showing homology to mouse DNA for PG-M core protein

SEQ ID NO: 214 is the determined cDNA sequence of 19446.1, showing no significant homology to any known gene

SEQ ID NO: 215 is the determined cDNA sequence of 19452.1, showing no significant homology to any known gene

SEQ ID NO: 216 is the determined cDNA sequence of 19483.1, showing no significant homology to any known gene

SEQ ID NO: 217 is the determined cDNA sequence of 19526.1, showing homology to human lipophilin C

SEQ ID NO: 218 is the determined cDNA sequence of 19484.1, showing homology to the secreted cement gland protein XAG-2

SEQ ID NO: 219 is the determined cDNA sequence of 19470.1, showing no significant homology to any known gene

SEQ ID NO: 220 is the determined cDNA sequence of 19469.1, showing homology to the human HLA-DM gene

SEQ ID NO: 221 is the determined cDNA sequence of 19482.1, showing homology to the human pS2 protein gene

SEQ ID NO: 222 is the determined cDNA sequence of B805P (19468.1), showing no significant homology to any known gene

SEQ ID NO: 223 is the determined cDNA sequence of 19467.1, showing homology to human thrombospondin mRNA

SEQ ID NO: 224 is the determined cDNA sequence of 19498.1, showing homology to the CDC2 gene involved in cell cycle control

SEQ ID NO: 225 is the determined cDNA sequence of 19506.1, showing homology to human cDNA for TREB protein

SEQ ID NO: 226 is the determined cDNA sequence of B806P (19505.1), showing no significant homology to any known gene

SEQ ID NO: 227 is the determined cDNA sequence of 19486.1, showing homology to type I epidermal keratin

SEQ ID NO: 228 is the determined cDNA sequence of 19510.1, showing homology to glucose transporter for glycoprotein

SEQ ID NO: 229 is the determined cDNA sequence of 19512.1, showing homology to the human lysyl hydroxylase gene

SEQ ID NO: 230 is the determined cDNA sequence of 19511.1, showing homology to human palmitoyl-protein thioesterase

SEQ ID NO: 231 is the determined cDNA sequence of 19508.1, showing homology to human alpha enolase

SEQ ID NO: 232 is the determined cDNA sequence of B807P (19509.1), showing no significant homology to any known gene

SEQ ID NO: 233 is the determined cDNA sequence of B809P (19520.1), showing homology to clone 102D24 on chromosome 11q13.31

SEQ ID NO: 234 is the determined cDNA sequence of 19507.1, showing homology to prosome beta-subunit

SEQ ID NO: 235 is the determined cDNA sequence of 19525.1, showing homology to human pro-urokinase precursor

SEQ ID NO: 236 is the determined cDNA sequence of 19513.1, showing no significant homology to any known gene

SEQ ID NO: 237 is the determined cDNA sequence of 19517.1, showing homology to human PAC 128M19 clone

SEQ ID NO: 238 is the determined cDNA sequence of 19564.1, showing

homology to human cytochrome P450-IIB

SEQ ID NO: 239 is the determined cDNA sequence of 19553.1, showing homology to human GABA-A receptor pi subunit

SEQ ID NO: 240 is the determined cDNA sequence of B811P (19575.1), showing no significant homology to any known gene

SEQ ID NO: 241 is the determined cDNA sequence of B810P (19560.1), showing no significant homology to any known gene

SEQ ID NO: 242 is the determined cDNA sequence of 19588.1, showing homology to aortic carboxypeptidase-like protein

SEQ ID NO: 243 is the determined cDNA sequence of 19551.1, showing homology to human BCL-1 gene

SEQ ID NO: 244 is the determined cDNA sequence of 19567.1, showing homology to human proteasome-related mRNA

SEQ ID NO: 245 is the determined cDNA sequence of B803P (19583.1), showing no significant homology to any known gene

SEQ ID NO: 246 is the determined cDNA sequence of B812P (19587.1), showing no significant homology to any known gene

SEQ ID NO: 247 is the determined cDNA sequence of B802P (19392.2), showing homology to human chromosome 17

SEQ ID NO: 248 is the determined cDNA sequence of 19393.2, showing homology to human nicein B2 chain

SEQ ID NO: 249 is the determined cDNA sequence of 19398.2, human MHC class II DQ alpha mRNA

SEQ ID NO: 250 is the determined cDNA sequence of B804P (19399.2), showing homology to human Xp22 BAC GSHB-184P14

SEQ ID NO: 251 is the determined cDNA sequence of 19401.2, showing homology to human ikB kinase-b gene

SEQ ID NO: 252 is the determined cDNA sequence of 20266, showing no significant homology to any known gene

SEQ ID NO: 253 is the determined cDNA sequence of B826P (20270), showing no significant homology to any known gene

SEQ ID NO: 254 is the determined cDNA sequence of 20274, showing no significant homology to any known gene

SEQ ID NO: 255 is the determined cDNA sequence of 20276, showing no significant homology to any known gene

SEQ ID NO: 256 is the determined cDNA sequence of 20277, showing no significant homology to any known gene

SEQ ID NO: 257 is the determined cDNA sequence of B823P (20280), showing no significant homology to any known gene

SEQ ID NO: 258 is the determined cDNA sequence of B821P (20281), showing no significant homology to any known gene

SEQ ID NO: 259 is the determined cDNA sequence of B824P (20294), showing no significant homology to any known gene

SEQ ID NO: 260 is the determined cDNA sequence of 20303, showing no significant homology to any known gene

SEQ ID NO: 261 is the determined cDNA sequence of B820P (20310), showing no significant homology to any known gene

SEQ ID NO: 262 is the determined cDNA sequence of B825P (20336), showing no significant homology to any known gene

SEQ ID NO: 263 is the determined cDNA sequence of B827P (20341), showing no significant homology to any known gene

SEQ ID NO: 264 is the determined cDNA sequence of 20941, showing no significant homology to any known gene

SEQ ID NO: 265 is the determined cDNA sequence of 20954, showing no significant homology to any known gene

SEQ ID NO: 266 is the determined cDNA sequence of 20961, showing no significant homology to any known gene

SEQ ID NO: 267 is the determined cDNA sequence of 20965, showing no significant homology to any known gene

SEQ ID NO: 268 is the determined cDNA sequence of 20975, showing no significant homology to any known gene

SEQ ID NO: 269 is the determined cDNA sequence of 20261, showing

homology to Human p120 catenin

SEQ ID NO: 270 is the determined cDNA sequence of B822P (20262), showing homology to Human membrane glycoprotein 4F2

SEQ ID NO: 271 is the determined cDNA sequence of 20265, showing homology to Human Na, K-ATPase Alpha 1

SEQ ID NO: 272 is the determined cDNA sequence of 20267, showing homology to Human heart HS 90, partial cds

SEQ ID NO: 273 is the determined cDNA sequence of 20268, showing homology to Human mRNA GPI-anchored protein p137

SEQ ID NO: 274 is the determined cDNA sequence of 20271, showing homology to Human cleavage stimulation factor 77 kDa subunit

SEQ ID NO: 275 is the determined cDNA sequence of 20272, showing homology to Human p190-B

SEQ ID NO: 276 is the determined cDNA sequence of 20273, showing homology to Human ribophorin

SEQ ID NO: 277 is the determined cDNA sequence of 20278, showing homology to Human ornithine amino transferase

SEQ ID NO: 278 is the determined cDNA sequence of 20279, showing homology to Human S-adenosylmethionine synthetase

SEQ ID NO: 279 is the determined cDNA sequence of 20293, showing homology to Human x inactivation transcript

SEQ ID NO: 280 is the determined cDNA sequence of 20300, showing homology to Human cytochrome p450

SEQ ID NO: 281 is the determined cDNA sequence of 20305, showing homology to Human elongation factor-1 alpha

SEQ ID NO: 282 is the determined cDNA sequence of 20306, showing homology to Human epithelial ets protein

SEQ ID NO: 283 is the determined cDNA sequence of 20307, showing homology to Human signal transducer mRNA

SEQ ID NO: 284 is the determined cDNA sequence of 20313, showing homology to Human GABA-A receptor pi subunit mRNA

SEQ ID NO: 285 is the determined cDNA sequence of 20317, showing homology to Human tyrosine phosphatase

SEQ ID NO: 286 is the determined cDNA sequence of 20318, showing homology to Human cathepsin B proteinase

SEQ ID NO: 287 is the determined cDNA sequence of 20320, showing homology to Human 2-phosphopyruvate-hydratase-alpha-enolase

SEQ ID NO: 288 is the determined cDNA sequence of 20321, showing homology to Human E-cadherin

SEQ ID NO: 289 is the determined cDNA sequence of 20322, showing homology to Human hsp86

SEQ ID NO: 290 is the determined cDNA sequence of B828P (20326), showing homology to Human x inactivation transcript

SEQ ID NO: 291 is the determined cDNA sequence of 20333, showing homology to Human chromatin regulator, SMARCA5

SEQ ID NO: 292 is the determined cDNA sequence of 20335, showing homology to Human sphingolipid activator protein 1

SEQ ID NO: 293 is the determined cDNA sequence of 20337, showing homology to Human hepatocyte growth factor activator inhibitor type 2

SEQ ID NO: 294 is the determined cDNA sequence of 20338, showing homology to Human cell adhesion molecule CD44

SEQ ID NO: 295 is the determined cDNA sequence of 20340, showing homology to Human nuclear factor (erythroid-derived)-like 1

SEQ ID NO: 296 is the determined cDNA sequence of 20938, showing homology to Human vinculin mRNA

SEQ ID NO: 297 is the determined cDNA sequence of 20939, showing homology to Human elongation factor EF-1-alpha

SEQ ID NO: 298 is the determined cDNA sequence of 20940, showing homology to Human nestin gene

SEQ ID NO: 299 is the determined cDNA sequence of 20942, showing homology to Human pancreatic ribonuclease

SEQ ID NO: 300 is the determined cDNA sequence of 20943, showing

homology to Human transcobalamin I

SEQ ID NO: 301 is the determined cDNA sequence of 20944, showing homology to Human beta-tubulin

SEQ ID NO: 302 is the determined cDNA sequence of 20946, showing homology to Human HS1 protein

SEQ ID NO: 303 is the determined cDNA sequence of 20947, showing homology to Human cathepsin B

SEQ ID NO: 304 is the determined cDNA sequence of 20948, showing homology to Human testis enhanced gene transcript

SEQ ID NO: 305 is the determined cDNA sequence of 20949, showing homology to Human elongation factor EF-1-alpha

SEQ ID NO: 306 is the determined cDNA sequence of 20950, showing homology to Human ADP-ribosylation factor 3

SEQ ID NO: 307 is the determined cDNA sequence of 20951, showing homology to Human IFP53 or WRS for tryptophanyl-tRNA synthetase

SEQ ID NO: 308 is the determined cDNA sequence of 20952, showing homology to Human cyclin-dependent protein kinase

SEQ ID NO: 308 is the determined cDNA sequence of 20957, showing homology to Human alpha-tubulin sioform 1

SEQ ID NO: 309 is the determined cDNA sequence of 20959, showing homology to Human tyrosine phosphatase-61bp deletion

SEQ ID NO: 310 is the determined cDNA sequence of 20966, showing homology to Human tyrosine phosphatase

SEQ ID NO: 311 is the determined cDNA sequence of B830P (20976), showing homology to Human nuclear factor NF 45

SEQ ID NO: 312 is the determined cDNA sequence of B829P (20977), showing homology to Human delta-6 fatty acid desaturase

SEQ ID NO: 313 is the determined cDNA sequence of 20978, showing homology to Human nuclear aconitase

SEQ ID NO: 314 is the determined cDNA sequence of 19465, showing no significant homology to any known gene.

SEQ ID NO: 315 is the determined cDNA sequence of clone 23176.
SEQ ID NO: 316 is the determined cDNA sequence of clone 23140.
SEQ ID NO: 317 is the determined cDNA sequence of clone 23166.
SEQ ID NO: 318 is the determined cDNA sequence of clone 23167.
SEQ ID NO: 319 is the determined cDNA sequence of clone 23177.
SEQ ID NO: 320 is the determined cDNA sequence of clone 23217.
SEQ ID NO: 321 is the determined cDNA sequence of clone 23169.
SEQ ID NO: 322 is the determined cDNA sequence of clone 23160.
SEQ ID NO: 323 is the determined cDNA sequence of clone 23182.
SEQ ID NO: 324 is the determined cDNA sequence of clone 23232.
SEQ ID NO: 325 is the determined cDNA sequence of clone 23203.
SEQ ID NO: 326 is the determined cDNA sequence of clone 23198.
SEQ ID NO: 327 is the determined cDNA sequence of clone 23224.
SEQ ID NO: 328 is the determined cDNA sequence of clone 23142.
SEQ ID NO: 329 is the determined cDNA sequence of clone 23138.
SEQ ID NO: 330 is the determined cDNA sequence of clone 23147.
SEQ ID NO: 331 is the determined cDNA sequence of clone 23148.
SEQ ID NO: 332 is the determined cDNA sequence of clone 23149.
SEQ ID NO: 333 is the determined cDNA sequence of clone 23172.
SEQ ID NO: 334 is the determined cDNA sequence of clone 23158.
SEQ ID NO: 335 is the determined cDNA sequence of clone 23156.
SEQ ID NO: 336 is the determined cDNA sequence of clone 23221.
SEQ ID NO: 337 is the determined cDNA sequence of clone 23223.
SEQ ID NO: 338 is the determined cDNA sequence of clone 23155.
SEQ ID NO: 339 is the determined cDNA sequence of clone 23225.
SEQ ID NO: 340 is the determined cDNA sequence of clone 23226.
SEQ ID NO: 341 is the determined cDNA sequence of clone 23228.
SEQ ID NO: 342 is the determined cDNA sequence of clone 23229.
SEQ ID NO: 343 is the determined cDNA sequence of clone 23231.
SEQ ID NO: 344 is the determined cDNA sequence of clone 23154.
SEQ ID NO: 345 is the determined cDNA sequence of clone 23157.

SEQ ID NO: 346 is the determined cDNA sequence of clone 23153.
SEQ ID NO: 347 is the determined cDNA sequence of clone 23159.
SEQ ID NO: 348 is the determined cDNA sequence of clone 23152.
SEQ ID NO: 349 is the determined cDNA sequence of clone 23161.
SEQ ID NO: 350 is the determined cDNA sequence of clone 23162.
SEQ ID NO: 351 is the determined cDNA sequence of clone 23163.
SEQ ID NO: 352 is the determined cDNA sequence of clone 23164.
SEQ ID NO: 353 is the determined cDNA sequence of clone 23165.
SEQ ID NO: 354 is the determined cDNA sequence of clone 23151.
SEQ ID NO: 355 is the determined cDNA sequence of clone 23150.
SEQ ID NO: 356 is the determined cDNA sequence of clone 23168.
SEQ ID NO: 357 is the determined cDNA sequence of clone 23146.
SEQ ID NO: 358 is the determined cDNA sequence of clone 23170.
SEQ ID NO: 359 is the determined cDNA sequence of clone 23171.
SEQ ID NO: 360 is the determined cDNA sequence of clone 23145.
SEQ ID NO: 361 is the determined cDNA sequence of clone 23174.
SEQ ID NO: 362 is the determined cDNA sequence of clone 23175.
SEQ ID NO: 363 is the determined cDNA sequence of clone 23144.
SEQ ID NO: 364 is the determined cDNA sequence of clone 23178.
SEQ ID NO: 365 is the determined cDNA sequence of clone 23179.
SEQ ID NO: 366 is the determined cDNA sequence of clone 23180.
SEQ ID NO: 367 is the determined cDNA sequence of clone 23181.
SEQ ID NO: 368 is the determined cDNA sequence of clone 23143.
SEQ ID NO: 369 is the determined cDNA sequence of clone 23183.
SEQ ID NO: 370 is the determined cDNA sequence of clone 23184.
SEQ ID NO: 371 is the determined cDNA sequence of clone 23185.
SEQ ID NO: 372 is the determined cDNA sequence of clone 23186.
SEQ ID NO: 373 is the determined cDNA sequence of clone 23187.
SEQ ID NO: 374 is the determined cDNA sequence of clone 23190.
SEQ ID NO: 375 is the determined cDNA sequence of clone 23189.
SEQ ID NO: 376 is the determined cDNA sequence of clone 23202.

SEQ ID NO: 378 is the determined cDNA sequence of clone 23191.
SEQ ID NO: 379 is the determined cDNA sequence of clone 23188.
SEQ ID NO: 380 is the determined cDNA sequence of clone 23194.
SEQ ID NO: 381 is the determined cDNA sequence of clone 23196.
SEQ ID NO: 382 is the determined cDNA sequence of clone 23195.
SEQ ID NO: 383 is the determined cDNA sequence of clone 23193.
SEQ ID NO: 384 is the determined cDNA sequence of clone 23199.
SEQ ID NO: 385 is the determined cDNA sequence of clone 23200.
SEQ ID NO: 386 is the determined cDNA sequence of clone 23192.
SEQ ID NO: 387 is the determined cDNA sequence of clone 23201.
SEQ ID NO: 388 is the determined cDNA sequence of clone 23141.
SEQ ID NO: 389 is the determined cDNA sequence of clone 23139.
SEQ ID NO: 390 is the determined cDNA sequence of clone 23204.
SEQ ID NO: 391 is the determined cDNA sequence of clone 23205.
SEQ ID NO: 392 is the determined cDNA sequence of clone 23206.
SEQ ID NO: 393 is the determined cDNA sequence of clone 23207.
SEQ ID NO: 394 is the determined cDNA sequence of clone 23208.
SEQ ID NO: 395 is the determined cDNA sequence of clone 23209.
SEQ ID NO: 396 is the determined cDNA sequence of clone 23210.
SEQ ID NO: 397 is the determined cDNA sequence of clone 23211.
SEQ ID NO: 398 is the determined cDNA sequence of clone 23212.
SEQ ID NO: 399 is the determined cDNA sequence of clone 23214.
SEQ ID NO: 400 is the determined cDNA sequence of clone 23215.
SEQ ID NO: 401 is the determined cDNA sequence of clone 23216.
SEQ ID NO: 402 is the determined cDNA sequence of clone 23137.
SEQ ID NO: 403 is the determined cDNA sequence of clone 23218.
SEQ ID NO: 404 is the determined cDNA sequence of clone 23220.
SEQ ID NO: 405 is the determined cDNA sequence of clone 19462.
SEQ ID NO: 406 is the determined cDNA sequence of clone 19430.
SEQ ID NO: 407 is the determined cDNA sequence of clone 19407.
SEQ ID NO: 408 is the determined cDNA sequence of clone 19448.

SEQ ID NO: 409 is the determined cDNA sequence of clone 19447.
SEQ ID NO: 410 is the determined cDNA sequence of clone 19426.
SEQ ID NO: 411 is the determined cDNA sequence of clone 19441.
SEQ ID NO: 412 is the determined cDNA sequence of clone 19454.
SEQ ID NO: 413 is the determined cDNA sequence of clone 19463.
SEQ ID NO: 414 is the determined cDNA sequence of clone 19419.
SEQ ID NO: 415 is the determined cDNA sequence of clone 19434.
SEQ ID NO: 416 is the determined extended cDNA sequence of B820P.
SEQ ID NO: 417 is the determined extended cDNA sequence of B821P.
SEQ ID NO: 418 is the determined extended cDNA sequence of B822P.
SEQ ID NO: 419 is the determined extended cDNA sequence of B823P.
SEQ ID NO: 420 is the determined extended cDNA sequence of B824P.
SEQ ID NO: 421 is the determined extended cDNA sequence of B825P.
SEQ ID NO: 422 is the determined extended cDNA sequence of B826P.
SEQ ID NO: 423 is the determined extended cDNA sequence of B827P.
SEQ ID NO: 424 is the determined extended cDNA sequence of B828P.
SEQ ID NO: 425 is the determined extended cDNA sequence of B829P.
SEQ ID NO: 426 is the determined extended cDNA sequence of B830P.
SEQ ID NO: 427 is the determined cDNA sequence of clone 266B4.
SEQ ID NO: 428 is the determined cDNA sequence of clone 22892.
SEQ ID NO: 429 is the determined cDNA sequence of clone 266G3.
SEQ ID NO: 430 is the determined cDNA sequence of clone 22890.
SEQ ID NO: 431 is the determined cDNA sequence of clone 264B4.
SEQ ID NO: 432 is the determined cDNA sequence of clone 22883.
SEQ ID NO: 433 is the determined cDNA sequence of clone 22882.
SEQ ID NO: 434 is the determined cDNA sequence of clone 22880.
SEQ ID NO: 435 is the determined cDNA sequence of clone 263G1.
SEQ ID NO: 436 is the determined cDNA sequence of clone 263G6.
SEQ ID NO: 437 is the determined cDNA sequence of clone 262B2.
SEQ ID NO: 438 is the determined cDNA sequence of clone 262B6.
SEQ ID NO: 439 is the determined cDNA sequence of clone 22869.

SEQ ID NO: 440 is the determined cDNA sequence of clone 21374.
SEQ ID NO: 441 is the determined cDNA sequence of clone 21362.
SEQ ID NO: 442 is the determined cDNA sequence of clone 21349.
SEQ ID NO: 443 is the determined cDNA sequence of clone 21309.
SEQ ID NO: 444 is the determined cDNA sequence of clone 21097.
SEQ ID NO: 445 is the determined cDNA sequence of clone 21096.
SEQ ID NO: 446 is the determined cDNA sequence of clone 21094.
SEQ ID NO: 447 is the determined cDNA sequence of clone 21093.
SEQ ID NO: 448 is the determined cDNA sequence of clone 21091.
SEQ ID NO: 449 is the determined cDNA sequence of clone 21089.
SEQ ID NO: 450 is the determined cDNA sequence of clone 21087.
SEQ ID NO: 451 is the determined cDNA sequence of clone 21085.
SEQ ID NO: 452 is the determined cDNA sequence of clone 21084.
SEQ ID NO: 453 is a first partial cDNA sequence of clone 2BT1-40.
SEQ ID NO: 454 is a second partial cDNA sequence of clone 2BT1-40.
SEQ ID NO: 455 is the determined cDNA sequence of clone 21063.
SEQ ID NO: 456 is the determined cDNA sequence of clone 21062.
SEQ ID NO: 457 is the determined cDNA sequence of clone 21060.
SEQ ID NO: 458 is the determined cDNA sequence of clone 21053.
SEQ ID NO: 459 is the determined cDNA sequence of clone 21050.
SEQ ID NO: 460 is the determined cDNA sequence of clone 21036.
SEQ ID NO: 461 is the determined cDNA sequence of clone 21037.
SEQ ID NO: 462 is the determined cDNA sequence of clone 21048.
SEQ ID NO: 463 is a consensus DNA sequence of B726P (referred to as B726P-spliced_seq_B726P).
SEQ ID NO: 464 is the determined cDNA sequence of a second splice form of B726P (referred to as 27490.seq_B726P).
SEQ ID NO: 465 is the determined cDNA sequence of a third splice form of B726P (referred to as 27068.seq_B726P).
SEQ ID NO: 466 is the determined cDNA sequence of a second splice form of B726P (referred to as 23113.seq_B726P).

SEQ ID NO: 467 is the determined cDNA sequence of a second splice form of B726P (referred to as 23103.seq_B726P).

SEQ ID NO: 468 is the determined cDNA sequence of a second splice form of B726P (referred to as 19310.seq_B726P).

SEQ ID NO: 469 is the predicted amino acid sequence encoded by the upstream ORF of SEQ ID NO: 463.

SEQ ID NO: 470 is the predicted amino acid sequence encoded by SEQ ID NO: 464.

SEQ ID NO: 471 is the predicted amino acid sequence encoded by SEQ ID NO: 465.

SEQ ID NO: 472 is the predicted amino acid sequence encoded by SEQ ID NO: 466.

SEQ ID NO: 473 is the predicted amino acid sequence encoded by SEQ ID NO: 467.

DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy and diagnosis of cancer, such as breast cancer. The compositions described herein may include breast tumor polypeptides, polynucleotides encoding such polypeptides, binding agents such as antibodies, antigen presenting cells (APCs) and/or immune system cells (*e.g.*, T cells). Polypeptides of the present invention generally comprise at least a portion (such as an immunogenic portion) of a breast tumor protein or a variant thereof. A "breast tumor protein" is a protein that is expressed in breast tumor cells at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in a normal tissue, as determined using a representative assay provided herein. Certain breast tumor proteins are tumor proteins that react detectably (within an immunoassay, such as an ELISA or Western blot) with antisera of a patient afflicted with breast cancer. Polynucleotides of the subject invention generally comprise a DNA or RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence. Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of

binding to a polypeptide as described above. Antigen presenting cells include dendritic cells, macrophages, monocytes, fibroblasts and B-cells that express a polypeptide as described above. T cells that may be employed within such compositions are generally T cells that are specific for a polypeptide as described above.

The present invention is based on the discovery of human breast tumor proteins. Sequences of polynucleotides encoding specific tumor proteins are provided in SEQ ID NOS:1-175, 178, 180 and 182-468.

BREAST TUMOR PROTEIN POLYNUCLEOTIDES

Any polynucleotide that encodes a breast tumor protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides and more preferably at least 45 consecutive nucleotides, that encode a portion of a breast tumor protein. More preferably, a polynucleotide encodes an immunogenic portion of a breast tumor protein. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic, cDNA or synthetic) or RNA molecules. RNA molecules include HnRNA molecules, which contain introns and correspond to a DNA molecule in a one-to-one manner, and mRNA molecules, which do not contain introns. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes a breast tumor protein or a portion thereof) or may comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native tumor protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity, more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide

sequence that encodes a native breast tumor protein or a portion thereof. The term “variants” also encompasses homologous genes of xenogenic origin.

Two polynucleotide or polypeptide sequences are said to be “identical” if the sequence of nucleotides or amino acids in the two sequences is the same when aligned for maximum correspondence as described below. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A “comparison window” as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, 40 to about 50, in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned.

Optimal alignment of sequences for comparison may be conducted using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. This program embodies several alignment schemes described in the following references: Dayhoff, M.O. (1978) A model of evolutionary change in proteins – Matrices for detecting distant relationships. In Dayhoff, M.O. (ed.) *Atlas of Protein Sequence and Structure*, National Biomedical Research Foundation, Washington DC Vol. 5, Suppl. 3, pp. 345-358; Hein J. (1990) *Unified Approach to Alignment and Phylogenies* pp. 626-645 *Methods in Enzymology* vol. 183, Academic Press, Inc., San Diego, CA; Higgins, D.G. and Sharp, P.M. (1989) *CABIOS* 5:151-153; Myers, E.W. and Muller W. (1988) *CABIOS* 4:11-17; Robinson, E.D. (1971) *Comb. Theor* 11:105; Santou, N. Nes, M. (1987) *Mol. Biol. Evol.* 4:406-425; Sneath, P.H.A. and Sokal, R.R. (1973) *Numerical Taxonomy – the Principles and Practice of Numerical Taxonomy*, Freeman Press, San Francisco, CA; Wilbur, W.J. and Lipman, D.J. (1983) *Proc. Natl. Acad., Sci. USA* 80:726-730.

Preferably, the “percentage of sequence identity” is determined by comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the comparison window may comprise additions or deletions (i.e. gaps) of 20 percent or less, usually 5 to 15 percent, or 10 to 12 percent, as compared to the reference sequences (which does not comprise additions or deletions) for optimal alignment of the two

sequences. The percentage is calculated by determining the number of positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched positions by the total number of positions in the reference sequence (i.e. the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native breast tumor protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, a polynucleotide may be identified, as described in more detail below, by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in a breast tumor than in normal tissue, as determined using a representative assay provided herein). Such screens may be performed using a Synteni microarray (Palo Alto, CA) according to the manufacturer's instructions (and essentially

as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). Alternatively, polypeptides may be amplified from cDNA prepared from cells expressing the proteins described herein, such as breast tumor cells. Such polynucleotides may be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (e.g., a breast tumor cDNA library) using well known techniques. Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with ^{32}P) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed

using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target sequence at temperatures of about 68°C to 72°C. The amplified region may be sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Another such technique is known as "rapid amplification of cDNA ends" or RACE. This technique involves the use of an internal primer and an external primer, which hybridizes to a polyA region or vector sequence, to identify sequences that are 5' and 3' of a known sequence. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60, 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence. Full length DNA sequences may also be obtained by analysis of genomic fragments.

Certain nucleic acid sequences of cDNA molecules encoding portions of breast tumor proteins are provided in SEQ ID NO: 1-175, 178, 180 and 182-468. The

isolation of these sequences is described in detail below.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding a breast tumor protein, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide, as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo* (*e.g.*, by transfecting antigen-presenting cells, such as dendritic cells, with a cDNA construct encoding a breast tumor polypeptide, and administering the transfected cells to the patient).

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced into cells of tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of a tumor protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory molecules (*see* Gee et al., *In Huber and Carr, Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994)). Alternatively, an antisense molecule may be designed to hybridize with a control region of a gene (*e.g.*, promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

A portion of a coding sequence, or of a complementary sequence, may also be designed as a probe or primer to detect gene expression. Probes may be labeled with a variety of reporter groups, such as radionuclides and enzymes, and are preferably at least 10 nucleotides in length, more preferably at least 20 nucleotides in length and

still more preferably at least 30 nucleotides in length. Primers, as noted above, are preferably 22-30 nucleotides in length.

Any polynucleotide may be further modified to increase stability *in vivo*. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phageinids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (*e.g.*, avian pox virus). The polynucleotides may also be administered as naked plasmid vectors. Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a receptor on a specific target cell, to render the vector target specific. Targeting may also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

BREAST TUMOR POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of a breast tumor protein or a variant thereof, as described herein. As noted above, a "breast tumor protein" is a protein that is expressed by breast tumor cells. Proteins that are breast tumor proteins also react detectably within an immunoassay (such as an ELISA) with antisera from a patient with breast cancer. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of a protein that is

recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of a breast tumor protein or a variant thereof. Certain preferred immunogenic portions include peptides in which an N-terminal leader sequence and/or transmembrane domain have been deleted. Other preferred immunogenic portions may contain a small N- and/or C-terminal deletion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids), relative to the mature protein.

Immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with antigen-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "antigen-specific" if they specifically bind to an antigen (*i.e.*, they react with the protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera and antibodies may be prepared as described herein, and using well known techniques. An immunogenic portion of a native breast tumor protein is a portion that reacts with such antisera and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length polypeptide. Such screens may generally be performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies detected using, for example, ¹²⁵I-labeled Protein A.

As noted above, a composition may comprise a variant of a native breast tumor protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native breast tumor protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide is not substantially

diminished. In other words, the ability of a variant to react with antigen-specific antisera may be enhanced or unchanged, relative to the native protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native protein. Such variants may generally be identified by modifying one of the above polypeptide sequences and evaluating the reactivity of the modified polypeptide with antigen-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been removed from the N- and/or C-terminal of the mature protein.

Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity (determined as described above) to the identified polypeptides.

Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. In a preferred embodiment, variant polypeptides differ from a native sequence by substitution, deletion or addition of five amino acids or fewer. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host cells include prokaryotes, yeast, higher eukaryotic and plant cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Perkin Elmer/Applied BioSystems Division (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises at

least one polypeptide as described herein and an unrelated sequence, such as a known tumor protein. A fusion partner may, for example, assist in providing T helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al.,

Proc. Natl. Acad. Sci. USA 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see, for example, Stoute et al. New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen presenting cells. Other fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986).

LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology 10:795-798, 1992*). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to a breast tumor protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to a breast tumor protein if it reacts at a detectable level (within, for example, an ELISA) with a breast tumor protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a complex is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about 10^3 L/mol. The binding constant may be

determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as breast cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to a breast tumor protein will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological samples (*e.g.*, blood, sera, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. *See, e.g.*, Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (*e.g.*, mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically.

Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane,

Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include ^{90}Y , ^{123}I , ^{125}I , ^{131}I , ^{186}Re , ^{188}Re , ^{211}At , and ^{212}Bi . Preferred drugs include methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, *Pseudomonas* exotoxin, *Shigella* toxin, and pokeweed antiviral protein.

A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and

immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for a breast tumor protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be isolated from bone marrow, peripheral blood, or a fraction of bone marrow or peripheral blood of a patient, using a commercially available cell separation system, such as the ISOLEX™ system, available from Nexell Therapeutics Inc., Irvine, CA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human mammals, cell lines or cultures.

T cells may be stimulated with a breast tumor polypeptide, polynucleotide encoding a breast tumor polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, a breast tumor polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for a breast tumor polypeptide if the T cells kill target cells coated with the polypeptide or expressing a gene encoding the polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased

rate of DNA synthesis (*e.g.*, by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with a breast tumor polypeptide (100 ng/ml - 100 µg/ml, preferably 200 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells. Contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (*e.g.*, TNF or IFN-γ) is indicative of T cell activation (*see* Coligan et al., Current Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998)). T cells that have been activated in response to a breast tumor polypeptide, polynucleotide or polypeptide-expressing APC may be CD4⁺ and/or CD8⁺. Breast tumor protein-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from either a patient or a related, or unrelated, donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4⁺ or CD8⁺ T cells that proliferate in response to a breast tumor polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be accomplished in a variety of ways. For example, the T cells can be re-exposed to a breast tumor polypeptide, or a short peptide corresponding to an immunogenic portion of such a polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize a breast tumor polypeptide. Alternatively, one or more T cells that proliferate in the presence of a breast tumor protein can be expanded in number by cloning. Methods for cloning cells are well known in the art, and include limiting dilution.

PHARMACEUTICAL COMPOSITIONS AND VACCINES

Within certain aspects, polypeptides, polynucleotides, T cells and/or binding agents disclosed herein may be incorporated into pharmaceutical compositions or immunogenic compositions (*i.e.*, vaccines). Pharmaceutical compositions comprise one or more such compounds and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds and an immunostimulant. An immunostimulant

may be any substance that enhances an immune response to an exogenous antigen. Examples of immunostimulants include adjuvants, biodegradable microspheres (*e.g.*, polylactic galactide) and liposomes (into which the compound is incorporated; *see e.g.*, Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound, within the composition or vaccine.

A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Numerous gene delivery techniques are well known in the art, such as those described by Rolland, *Crit. Rev. Therap. Drug Carrier Systems* 15:143-198, 1998, and references cited therein. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface or secretes such an epitope. In a preferred embodiment, the DNA may be introduced using a viral expression system (*e.g.*, vaccinia or other pox virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *Proc. Natl. Acad. Sci. USA* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651; EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *Proc. Natl. Acad. Sci. USA* 91:215-219, 1994; Kass-Eisler et al., *Proc. Natl. Acad. Sci. USA* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993;

and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of immunostimulants may be employed in the vaccines of this invention. For example, an adjuvant may be included. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants

are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (*e.g.*, IFN- γ , TNF- α , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (*e.g.*, IL-4, IL-5, IL-6 and IL-10) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT) (*see* US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153,

or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO 96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule, sponge or gel (composed of polysaccharides, for example) that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example, oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

Certain preferred embodiments of the present invention use dendritic cells

or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (see Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*, with marked cytoplasmic processes (dendrites) visible *in vitro*), their ability to take up, process and present antigens with high efficiency, and their ability to activate naïve T cell responses. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (see Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF α to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF α , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce differentiation, maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc γ receptor and mannose receptor. The mature phenotype is typically characterized by a lower expression of these markers, but a high expression of cell

surface molecules responsible for T cell activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80, CD86 and 4-1BB).

APCs may generally be transfected with a polynucleotide encoding a breast tumor protein (or portion or other variant thereof) such that the breast tumor polypeptide, or an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the breast tumor polypeptide, DNA (naked or within a plasmid vector) or RNA; or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as breast cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. A cancer may be diagnosed using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or

following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous host immune system to react against tumors with the administration of immune response-modifying agents (such as polypeptides and polynucleotides disclosed herein).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T cells as discussed above, T lymphocytes (such as CD8⁺ cytotoxic T lymphocytes and CD4⁺ T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage, monocyte, fibroblast or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example,

antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see, for example, Cheever et al., Immunological Reviews 157:177, 1997*).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into antigen presenting cells taken from a patient and clonally propagated *ex vivo* for transplant back into the same patient. Transfected cells may be reintroduced into the patient using any means known in the art, preferably in sterile form by intravenous, intracavitary, intraperitoneal or intratumor administration.

Routes and frequency of administration of the therapeutic compositions disclosed herein, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally (*e.g.*, by aspiration) or orally. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 μ g to 5 mg per kg of

host. Suitable dose sizes will vary with the size of the patient, but will typically range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (e.g., more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to a breast tumor protein generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more breast tumor proteins and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as breast cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, a breast tumor sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. *See, e.g.,* Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length breast tumor proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of

binding agent ranging from about 10 ng to about 10 μ g, and preferably about 100 ng to about 1 μ g, is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.,* Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody. Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20TM (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.,* incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with breast cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve equilibrium may be readily determined

by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide. An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of the reaction products.

To determine the presence or absence of a cancer, such as breast cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond

to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent. Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 μ g, and more preferably from about 50 ng to about 500 ng. Such tests can typically be performed with a very small amount of biological sample.

Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use breast tumor polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such breast tumor protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with a breast tumor protein in a biological sample. Within certain methods, a biological sample comprising CD4⁺ and/or CD8⁺ T cells isolated from a patient is incubated with a breast tumor polypeptide, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with polypeptide (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of breast tumor polypeptide to serve as a control. For CD4⁺ T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8⁺ T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding a breast tumor protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of a breast tumor cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is specific for (*i.e.*, hybridizes to) a polynucleotide encoding the breast tumor protein. The amplified cDNA is then separated and detected using techniques well known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding a breast tumor protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding a breast tumor protein that is at least 10 nucleotides,

and preferably at least 20 nucleotides, in length. Preferably, oligonucleotide primers and/or probes will hybridize to a polynucleotide encoding a polypeptide disclosed herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence recited in SEQ ID NOS:1-175, 178, 180 and 182-468. Techniques for both PCR based assays and hybridization assays are well known in the art (*see*, for example, Mullis et al., *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample, such as biopsy tissue, and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered positive.

In another embodiment, the disclosed compositions may be used as markers for the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) or polynucleotide evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide or polynucleotide detected increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide or polynucleotide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor.

One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple breast tumor protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to a breast tumor protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively, contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding a breast tumor protein in a biological sample. Such kits generally comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding a breast tumor protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding a breast tumor protein.

The following Examples are offered by way of illustration and not by way of limitation.

EXAMPLES

Example 1

ISOLATION AND CHARACTERIZATION OF BREAST TUMOR POLYPEPTIDES

This Example describes the isolation of breast tumor polypeptides from a breast tumor cDNA library.

A cDNA subtraction library containing cDNA from breast tumor subtracted with normal breast cDNA was constructed as follows. Total RNA was extracted from primary tissues using Trizol reagent (Gibco BRL Life Technologies, Gaithersburg, MD) as described by the manufacturer. The polyA⁺ RNA was purified using an oligo(dT) cellulose column according to standard protocols. First strand cDNA was synthesized using the primer supplied in a Clontech PCR-Select cDNA Subtraction Kit (Clontech, Palo Alto, CA). The driver DNA consisted of cDNAs from two normal breast tissues with the tester cDNA being from three primary breast tumors. Double-stranded cDNA was synthesized for both tester and driver, and digested with a combination of endonucleases (MluI, MscI, PvuII, Sall and StuI) which recognize six base pairs DNA. This modification increased the average cDNA size dramatically compared with cDNAs generated according to the protocol of Clontech (Palo Alto, CA). The digested tester cDNAs were ligated to two different adaptors and the subtraction was performed according to Clontech's protocol. The subtracted cDNAs were subjected to two rounds of PCR amplification, following the manufacturer's protocol. The resulting PCR products were subcloned into the TA cloning vector, pCRII (Invitrogen, San Diego, CA) and transformed into ElectroMax *E. coli* DH10B cells (Gibco BRL Life, Technologies) by electroporation. DNA was isolated from independent clones and sequenced using a Perkin Elmer/Applied Biosystems Division (Foster City, CA) Automated Sequencer Model 373A.

Sixty-three distinct cDNA clones were found in the subtracted breast tumor-specific cDNA library. The determined one strand (5' or 3') cDNA sequences for the clones are provided in SEQ ID NO: 1-61, 72 and 73, respectively. Comparison of these cDNA sequences with known sequences in the gene bank using the EMBL and GenBank databases (Release 97) revealed no significant homologies to the sequences provided in SEQ ID NO: 14, 21, 22, 27, 29, 30, 32, 38, 44, 45, 53, 72 and 73. The sequences of SEQ ID NO: 1, 3, 16, 17, 34, 48, 57, 60 and 61 were found to represent known human genes. The sequences of SEQ ID NO: 2, 4, 23, 39 and 50 were found to show some similarity to previously identified non-human genes. The remaining clones (SEQ ID NO: 5-13, 15, 18-20, 24-26, 28, 31, 33, 35-37, 40-43, 46, 47, 49, 51, 52, 54-56, 58 and 59) were found to show at least some degree of homology to previously identified expressed sequence tags (ESTs).

To determine mRNA expression levels of the isolated cDNA clones, cDNA clones from the breast subtraction described above were randomly picked and colony PCR amplified. Their mRNA expression levels in breast tumor, normal breast and various other normal tissues were determined using microarray technology (Synteni, Palo Alto, CA). Briefly, the PCR amplification products were arrayed onto slides in an array format, with each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed, and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes, the slides scanned and fluorescence intensity was measured. Data was analyzed using Synteni provided GEMTOOLS Software. Of the seventeen cDNA clones examined, those of SEQ ID NO: 40, 46, 59 and 73 were found to be over-expressed in breast tumor and expressed at low levels in all normal tissues tested (breast, PBMC, colon, fetal tissue, salivary gland, bone marrow, lung, pancreas, large intestine, spinal cord, adrenal gland, kidney, pancreas, liver, stomach, skeletal muscle, heart, small intestine, skin, brain and human mammary epithelial cells). The clones of SEQ ID NO: 41 and 48 were found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested, with the exception of bone marrow. The clone of SEQ ID NO: 42 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested except bone marrow and spinal cord. The clone of SEQ ID NO: 43 was

found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of spinal cord, heart and small intestine. The clone of SEQ ID NO: 51 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of large intestine. The clone of SEQ ID NO: 54 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of PBMC, stomach and small intestine. The clone of SEQ ID NO: 56 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of large and small intestine, human mammary epithelia cells and SCID mouse-passaged breast tumor. The clone of SEQ ID NO: 60 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of spinal cord and heart. The clone of SEQ ID NO: 61 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of small intestine. The clone of SEQ ID NO: 72 was found to be over-expressed in breast tumor and expressed at low levels in all other tissues tested with the exception of colon and salivary gland.

The results of a Northern blot analysis of the clone SYN18C6 (SEQ ID NO: 40) are shown in Fig. 1. A predicted protein sequence encoded by SYN18C6 is provided in SEQ ID NO: 62.

Additional cDNA clones that are over-expressed in breast tumor tissue were isolated from breast cDNA subtraction libraries as follows. Breast subtraction libraries were prepared, as described above, by PCR-based subtraction employing pools of breast tumor cDNA as the tester and pools of either normal breast cDNA or cDNA from other normal tissues as the driver. cDNA clones from breast subtraction were randomly picked and colony PCR amplified and their mRNA expression levels in breast tumor, normal breast and various other normal tissues were determined using the microarray technology described above. Twenty-four distinct cDNA clones were found to be over-expressed in breast tumor and expressed at low levels in all normal tissues tested (breast, brain, liver, pancreas, lung, salivary gland, stomach, colon, kidney, bone marrow, skeletal muscle, PBMC, heart, small intestine, adrenal gland, spinal cord, large intestine and skin). The determined partial cDNA sequences for these clones are provided in SEQ ID NO: 63-87. Comparison of the sequences of SEQ ID NO: 74-87

with those in the gene bank as described above, revealed homology to previously identified human genes. No significant homologies were found to the sequences of SEQ ID NO: 63-73.

Three DNA isoforms for the clone B726P (partial sequence provided in SEQ ID NO: 71) were isolated as follows. A radioactive probe was synthesized from B726P by excising B726P DNA from a pT7Blue vector (Novagen) by a BamHI/XbaI restriction digest and using the resulting DNA as the template in a single-stranded PCR in the presence of [α -³²P]dCTP. The sequence of the primer employed for this PCR is provided in SEQ ID NO: 177. The resulting radioactive probe was used to probe a directional cDNA library and a random-primed cDNA library made using RNA isolated from breast tumors. Eighty-five clones were identified, excised, purified and sequenced. Of these 85 clones, three were found to each contain a significant open reading frame. The determined cDNA sequence of the isoform B726P-20 is provided in SEQ ID NO: 175, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 176. The determined cDNA sequence of the isoform B726P-74 is provided in SEQ ID NO: 178, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 179. The determined cDNA sequence of the isoform B726P-79 is provided in SEQ ID NO: 180, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 181.

Efforts to obtain a full-length clone of B726P using standard techniques led to the isolation of five additional clones that represent additional 5' sequence of B726P. These clones appear to be alternative splice forms of the same gene. The determined cDNA sequences of these clones are provided in SEQ ID NO: 464-468, with the predicted amino acid sequences encoded by SEQ ID NO: 464-467 being provided in SEQ ID NO: 470-473, respectively. Using standard computer techniques, a 3,681 bp consensus DNA sequence (SEQ ID NO: 463) was created that contains two large open reading frames. The downstream ORF encodes the predicted amino acid sequence of SEQ ID NO: 181. The predicted amino acid sequence encoded by the upstream ORF is provided in SEQ ID NO: 469.

Further isolation of individual clones that are over-expressed in breast tumor tissue was conducted using cDNA subtraction library techniques described above. In particular, a cDNA subtraction library containing cDNA from breast tumors subtracted with five other normal human tissue cDNAs (brain, liver, PBMC, pancreas and normal breast) was utilized in this screening. From the original subtraction, one hundred seventy seven clones were selected to be further characterized by DNA sequencing and microarray analysis. Microarray analysis demonstrated that the sequences in SEQ ID NO: 182-251 were 2 or more fold over-expressed in human breast tumor tissues over normal human tissues. No significant homologies were found for nineteen of these clones, including, SEQ ID NO: 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245 and 246, with the exception of some previously identified expressed sequence tags (ESTs). The remaining clones share some homology to previously identified genes, specifically SEQ ID NO: 181-184, 187-193, 195-198, 200-204, 206, 207, 209, 210, 212, 213, 217, 218, 220, 221, 223-225, 227-231, 233-235, 237-239, 242-244 and 247-251.

Of the seventy clones showing over-expression in breast tumor tissues, fifteen demonstrated particularly good expression levels in breast tumor over normal human tissues. The following eleven clones did not show any significant homology to any known genes. Clone 19463.1 (SEQ ID NO: 185) was over-expressed in the majority of breast tumors and also in the SCID breast tumors tested (refer to Example 2); additionally, over-expression was found in a majority of normal breast tissues. Clone 19483.1 (SEQ ID NO: 216) was over-expressed in a few breast tumors, with no over-expression in any normal tissues tested. Clone 19470.1 (SEQ ID NO: 219) was found to be slightly over-expressed in some breast tumors. Clone 19468.1 (SEQ ID NO: 222) was found to be slightly over-expressed in the majority of breast tumors tested. Clone 19505.1 (SEQ ID NO: 226) was found to be slightly over-expressed in 50% of breast tumors, as well as in SCID tumor tissues, with some degree of over-expression in found in normal breast. Clone 1509.1 (SEQ ID NO: 232) was found to be over-expressed in very few breast tumors, but with a certain degree of over-expression in metastatic breast tumor tissues, as well as no significant over-expression found in normal tissues. Clone 19513.1 (SEQ ID NO: 236) was shown to be slightly over-expressed in few breast

tumors, with no significant over-expression levels found in normal tissues. Clone 19575.1 (SEQ ID NO: 240) showed low level over-expression in some breast tumors and also in normal breast. Clone 19560.1 (SEQ ID NO: 241) was over-expressed in 50% of breast tumors tested, as well as in some normal breast tissues. Clone 19583.1 (SEQ ID NO: 245) was slightly over-expressed in some breast tumors, with very low levels of over-expression found in normal tissues. Clone 19587.1 (SEQ ID NO: 246) showed low level over-expression in some breast tumors and no significant over-expression in normal tissues.

Clone 19520.1 (SEQ ID NO: 233), showing homology to clone 102D24 on chromosome 11q13.31, was found to be over-expressed in breast tumors and in SCID tumors. Clone 19517.1 (SEQ ID NO: 237), showing homology to human PAC 128M19 clone, was found to be slightly over-expressed in the majority of breast tumors tested. Clone 19392.2 (SEQ ID NO: 247), showing homology to human chromosome 17, was shown to be over-expressed in 50% of breast tumors tested. Clone 19399.2 (SEQ ID NO: 250), showing homology to human Xp22 BAC GSHB-184P14, was shown to be slightly over-expressed in a limited number of breast tumors tested.

In subsequent studies, 64 individual clones were isolated from a subtracted cDNA library containing cDNA from a pool of breast tumors subtracted with cDNA from five normal tissues (brain, liver, PBMC, pancreas and normal breast). The subtracted cDNA library was prepared as described above with the following modification. A combination of five six-base cutters (MluI, MscI, PvuII, SalI and StuI) was used to digest the cDNA instead of RsaI. This resulted in an increase in the average insert size from 300 bp to 600 bp. The 64 isolated clones were colony PCR amplified and their mRNA expression levels in breast tumor tissue, normal breast and various other normal tissues were examined by microarray technology as described above. The determined cDNA sequences of 11 clones which were found to be over-expressed in breast tumor tissue are provided in SEQ ID NO: 405-415. Comparison of these sequences to those in the public database, as outlined above, revealed homologies between the sequences of SEQ ID NO: 408, 411, 413 and 414 and previously isolated ESTs. The sequences of SEQ ID NO: 405-407, 409, 410, 412 and 415 were found to show some homology to previously identified sequences.

In further studies, a subtracted cDNA library was prepared from cDNA from metastatic breast tumors subtracted with a pool of cDNA from five normal tissues (breast, brain, lung, pancreas and PBMC) using the PCR-subtraction protocol of Clontech, described above. The determined cDNA sequences of 90 clones isolated from this library are provided in SEQ ID NO: 315-404. Comparison of these sequences with those in the public database, as described above, revealed no significant homologies to the sequence of SEQ ID NO: 366. The sequences of SEQ ID NO: 320-324, 342, 353, 367, 368, 377, 382, 385, 389, 395, 397 and 400 were found to show some homology to previously isolated ESTs. The remaining sequences were found to show homology to previously identified gene sequences.

In yet further studies, a subtracted cDNA library (referred to as 2BT) was prepared from cDNA from breast tumors subtracted with a pool of cDNA from six normal tissues (liver, brain, stomach, small intestine, kidney and heart) using the PCR-subtraction protocol of Clontech, described above. cDNA clones isolated from this subtraction were subjected to DNA microarray analysis as described above and the resulting data subjected to four modified Gemtools analyses. The first analysis compared 28 breast tumors with 28 non-breast normal tissues. A mean over-expression of at least 2.1 fold was used as a selection cut-off. The second analysis compared 6 metastatic breast tumors with 29 non-breast normal tissues. A mean over-expression of at least 2.5 fold was used as a cut-off. The third and fourth analyses compared 2 early SCID mouse-passaged with 2 late SCID mouse-passaged tumors. A mean over-expression in the early or late passaged tumors of 2.0 fold or greater was used as a cut-off. In addition, a visual analysis was performed on the microarray data for the 2BT clones. The determined cDNA sequences of 13 clones identified in the visual analysis are provided in SEQ ID NO: 427-439. The determined cDNA sequences of 22 clones identified using the modified Gemtools analysis are provided in SEQ ID NO: 440-462, wherein SEQ ID NO: 453 and 454 represent two partial, non-overlapping, sequences of the same clone.

Comparison of the clone sequences of SEQ ID NO: 436 and 437 (referred to as 263G6 and 262B2) with those in the public databases, as described above, revealed no significant homologies to previously identified sequences. The sequences of SEQ ID NO: 427, 429, 431, 435, 438, 441, 443, 444, 445, 446, 450, 453 and 454 (referred to as

266B4, 266G3, 264B4, 263G1, 262B6, 2BT2-34, 2BT1-77, 2BT1-62, 2BT1-60,61, 2BT1-59, 2BT1-52 and 2BT1-40, respectively) showed some homology to previously isolated expressed sequences tags (ESTs). The sequences of SEQ ID NO: 428, 430, 432, 433, 434, 439, 440, 442, 447, 448, 449, 451, 452 and 455-462 (referred to as clones 22892, 22890, 22883, 22882, 22880, 22869, 21374, 21349, 21093, 21091, 21089, 21085, 21084, 21063, 21062, 21060, 21053, 21050, 21036, 21037 and 21048, respectively), showed some homology to gene sequences previously identified in humans.

Example 2

ISOLATION AND CHARACTERIZATION OF BREAST TUMOR POLYPEPTIDES OBTAINED BY PCR-BASED SUBTRACTION USING SCID-PASSAGED TUMOR RNA

Human breast tumor antigens were obtained by PCR-based subtraction using SCID mouse passaged breast tumor RNA as follows. Human breast tumor was implanted in SCID mice and harvested on the first or sixth serial passage, as described in Patent Application Serial No. 08/556,659 filed 11/13/95, U.S. Patent No. _____. Genes found to be differentially expressed between early and late passage SCID tumor may be stage specific and therefore useful in therapeutic and diagnostic applications. Total RNA was prepared from snap frozen SCID passaged human breast tumor from both the first and sixth passage.

PCR-based subtraction was performed essentially as described above. In the first subtraction (referred to as T9), RNA from first passage tumor was subtracted from sixth passage tumor RNA to identify more aggressive, later passage-specific antigens. Of the 64 clones isolated and sequenced from this subtraction, no significant homologies were found to 30 of these clones, hereinafter referred to as: 13053, 13057, 13059, 13065, 13067, 13068, 13071-13073, 13075, 13078, 13079, 13081, 13082, 13092, 13097, 13101, 13102, 13131, 13133, 13119, 13135, 13139, 13140, 13146-13149, and 13151, with the exception of some previously identified expressed sequence tags (ESTs). The determined cDNA sequences for these clones are provided in SEQ ID NO: 88-116,

respectively. The isolated cDNA sequences of SEQ ID NO: 117-140 showed homology to known genes.

In a second PCR-based subtraction, RNA from sixth passage tumor was subtracted from first passage tumor RNA to identify antigens down-regulated over multiple passages. Of the 36 clones isolated and sequenced, no significant homologies were found to nineteen of these clones, hereinafter referred to as: 14376, 14377, 14383, 14384, 14387, 14392, 14394, 14398, 14401, 14402, 14405, 14409, 14412, 14414-14416, 14419, 14426, and 14427, with the exception of some previously identified expressed sequence tags (ESTs). The determined cDNA sequences for these clones are provided in SEQ ID NO: 141-159, respectively. The isolated cDNA sequences of SEQ ID NO: 160-174 were found to show homology to previously known genes.

Further analysis of human breast tumor antigens through PCR-based subtraction using first and sixth passage SCID tumor RNA was performed. Sixty three clones were found to be differentially expressed by a two or more fold margin, as determined by microarray analysis, i.e., higher expression in early passage tumor over late passage tumor, or vice versa.. Seventeen of these clones showed no significant homology to any known genes, although some degree of homology with previously identified expressed sequence tags (ESTs) was found, hereinafter referred to as 20266, 20270, 20274, 20276, 20277, 20280, 20281, 20294, 20303, 20310, 20336, 20341, 20941, 20954, 20961, 20965 and 20975 (SEQ ID NO: 252-268, respectively). The remaining clones were found to share some degree of homology to known genes, which are identified in the Brief Description of the Drawings and Sequence Identifiers section above, hereinafter referred to as 20261, 20262, 20265, 20267, 20268, 20271, 20272, 20273, 20278, 20279, 20293, 20300, 20305, 20306, 20307, 20313, 20317, 20318, 20320, 20321, 20322, 20326, 20333, 20335, 20337, 20338, 20340, 20938, 20939, 20940, 20942, 20943, 20944, 20946, 20947, 20948, 20949, 20950, 20951, 20952, 20957, 20959, 20966, 20976, 20977 and 20978. The determined cDNA sequences for these clones are provided in SEQ ID NO: 269-313, respectively.

The clones 20310, 20281, 20262, 20280, 20303, 20336, 20270, 20341, 20326 and 20977 (also referred to as B820P, B821P, B822P, B823P, B824P, B825P, B826P, B827P, B828P and B829P, respectively) were selected for further analysis based

on the results obtained with microarray analysis. Specifically, microarray data analysis indicated at least two- to three-fold overexpression of these clones in breast tumor RNA compared to normal tissues tested. Subsequent studies led to the determination of the complete insert sequence for the clones B820P, B821P, B822P, B823P, B824P, B825P, B826P, B827P, B828P and B829P. These extended cDNA sequences are provided in SEQ ID NO: 416-426, respectively.

Example 3

SYNTHESIS OF POLYPEPTIDES

Polypeptides may be synthesized on an Perkin Elmer/Applied Biosystems Division 430A peptide synthesizer using Fmoc chemistry with HPTU (O-Benzotriazole-N,N,N',N'-tetramethyluronium hexafluorophosphate) activation. A Gly-Cys-Gly sequence may be attached to the amino terminus of the peptide to provide a method of conjugation, binding to an immobilized surface, or labeling of the peptide. Cleavage of the peptides from the solid support may be carried out using the following cleavage mixture: trifluoroacetic acid:ethanedithiol:thioanisole:water:phenol (40:1:2:2:3). After cleaving for 2 hours, the peptides may be precipitated in cold methyl-t-butyl-ether. The peptide pellets may then be dissolved in water containing 0.1% trifluoroacetic acid (TFA) and lyophilized prior to purification by C18 reverse phase HPLC. A gradient of 0%-60% acetonitrile (containing 0.1% TFA) in water (containing 0.1% TFA) may be used to elute the peptides. Following lyophilization of the pure fractions, the peptides may be characterized using electrospray or other types of mass spectrometry and by amino acid analysis.

From the foregoing, it will be appreciated that, although specific embodiments of the invention have been described herein for the purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention.

Claims

1. An isolated polypeptide comprising at least an immunogenic portion of a breast tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(a) sequences recited in SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468;

(b) sequences that hybridize to a sequence of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 under moderately stringent conditions; and

(c) a complement of a sequence of (a) or (b).

2. An isolated polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 or a complement of any of the foregoing polynucleotide sequences.

3. An isolated polypeptide comprising a sequence recited in any one of SEQ ID NO: 176, 179, 181 and 469-473.

4. An isolated polynucleotide encoding at least 15 contiguous amino acid residues of a breast tumor protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 or a complement of any of the foregoing sequences.

5. An isolated polynucleotide encoding a breast tumor protein, or a variant thereof, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide comprising a sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 or a complement of any of the foregoing sequences.

6. An isolated polynucleotide comprising a sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468.

7. An isolated polynucleotide comprising a sequence that hybridizes to a sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219,

222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 under moderately stringent conditions.

8. An isolated polynucleotide complementary to a polynucleotide according to any one of claims 4-7.

9. An expression vector comprising a polynucleotide according to any one of claims claim 4-7.

10. A host cell transformed or transfected with an expression vector according to claim 9.

11. An expression vector comprising a polynucleotide according claim 8.

12. A host cell transformed or transfected with an expression vector according to claim 11.

13. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.

14. A vaccine comprising a polypeptide according to claim 1, in combination with an immunostimulant.

15. A vaccine according to claim 14, wherein the immunostimulant is an adjuvant.

16. A vaccine according to claim 14, wherein the immunostimulant induces a predominantly Type I response.

17. A pharmaceutical composition comprising a polynucleotide according to claim 4, in combination with a physiologically acceptable carrier.

18. A vaccine comprising a polynucleotide according to claim 4, in combination with an immunostimulant.

19. A vaccine according to claim 18, wherein the immunostimulant is an adjuvant.

20. A vaccine according to claim 18, wherein the immunostimulant induces a predominantly Type I response.

21. An isolated antibody, or antigen-binding fragment thereof, that specifically binds to a breast tumor protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 or a complement of any of the foregoing polynucleotide sequences.

22. A pharmaceutical composition comprising an antibody or fragment thereof according to claim 18, in combination with a physiologically acceptable carrier.

23. A pharmaceutical composition comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with a pharmaceutically acceptable carrier or excipient.

24. A pharmaceutical composition according to claim 23, wherein the antigen presenting cell is a dendritic cell or a macrophage.

25. A vaccine comprising an antigen-presenting cell that expresses a polypeptide according to claim 1, in combination with an immunostimulant.

26. A vaccine according to claim 25, wherein the immunostimulant is an adjuvant.

27. A vaccine according to claim 25, wherein the immunostimulant induces a predominantly Type I response.

28. A vaccine according to claim 25, wherein the antigen-presenting cell is a dendritic cell.

29. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

30. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a polynucleotide according to claim 4, and thereby inhibiting the development of a cancer in the patient.

31. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antibody or antigen-binding fragment thereof according to claim 21, and thereby inhibiting the development

of a cancer in the patient.

32. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of an antigen-presenting cell that expresses a polypeptide according to claim 1, and thereby inhibiting the development of a cancer in the patient.

33. A method according to claim 32, wherein the antigen-presenting cell is a dendritic cell.

34. A method according to any one of claims 29-32, wherein the cancer is breast cancer .

35. A fusion protein comprising at least one polypeptide according to claim 1.

36. A fusion protein according to claim 35, wherein the fusion protein comprises an expression enhancer that increases expression of the fusion protein in a host cell transfected with a polynucleotide encoding the fusion protein.

37. A fusion protein according to claim 35, wherein the fusion protein comprises a T helper epitope that is not present within the polypeptide of claim 1.

38. A fusion protein according to claim 35, wherein the fusion protein comprises an affinity tag.

39. An isolated polynucleotide encoding a fusion protein according to claim 35.

40. A pharmaceutical composition comprising a fusion protein according to claim 32, in combination with a physiologically acceptable carrier.

41. A vaccine comprising a fusion protein according to claim 35, in combination with an immunostimulant.

42. A vaccine according to claim 41, wherein the immunostimulant is an adjuvant.

43. A vaccine according to claim 41, wherein the immunostimulant induces a predominantly Type I response.

44. A pharmaceutical composition comprising a polynucleotide according to claim 40, in combination with a physiologically acceptable carrier.

45. A vaccine comprising a polynucleotide according to claim 40, in combination with an immunostimulant.

46. A vaccine according to claim 45, wherein the immunostimulant is an adjuvant.

47. A vaccine according to claim 45, wherein the immunostimulant induces a predominantly Type I response.

48. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 40 or claim 44.

49. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 41 or claim 45.

50. A method for removing tumor cells from a biological sample, comprising contacting a biological sample with T cells that specifically react with a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOS: 1-175, 178, 180 and 182-468; and

(ii) complements of the foregoing polynucleotides;

wherein the step of contacting is performed under conditions and for a time sufficient to permit the removal of cells expressing the antigen from the sample.

51. A method according to claim 50, wherein the biological sample is blood or a fraction thereof.

52. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient a biological sample treated according to the method of claim 50.

53. A method for stimulating and/or expanding T cells specific for a breast tumor protein, comprising contacting T cells with one or more of:

(i) a polypeptide according to claim 1;

(ii) a polynucleotide encoding such a polypeptide; and/or

(iii) an antigen presenting cell that expresses such a polypeptide;

under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

54. An isolated T cell population, comprising T cells prepared according to the method of claim 53.

55. A method for inhibiting the development of a cancer in a patient, comprising administering to a patient an effective amount of a T cell population according to claim 54.

56. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polynucleotide encoding such a polypeptide; or
- (iii) an antigen-presenting cell that expresses such a polypeptide;

such that T cells proliferate; and

(b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of a cancer in the patient.

57. A method for inhibiting the development of a cancer in a patient, comprising the steps of:

(a) incubating CD4⁺ and/or CD8⁺ T cells isolated from a patient with at least one component selected from the group consisting of:

- (i) a polypeptide according to claim 1;
- (ii) a polynucleotide encoding such a polypeptide; or
- (iii) an antigen-presenting cell that expresses such a polypeptide;

such that T cells proliferate;

(b) cloning at least one proliferated cell; and

(c) administering to the patient an effective amount of the cloned T cells, and thereby inhibiting the development of a cancer in the patient.

58. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with a binding agent that binds to a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOS: 1-175, 178, 180 and 182-468; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent; and

(c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

59. A method according to claim 58, wherein the binding agent is an antibody.

60. A method according to claim 59, wherein the antibody is a monoclonal antibody.

61. A method according to claim 58, wherein the cancer is breast cancer.

62. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 1-175, 178, 180 and 182-468 or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of polypeptide that binds to the binding agent;

(c) repeating steps (a) and (b) using a biological sample obtained from

the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

63. A method according to claim 62, wherein the binding agent is an antibody.

64. A method according to claim 63, wherein the antibody is a monoclonal antibody.

65. A method according to claim 62, wherein the cancer is a breast cancer.

66. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 1-175, 178, 180 and 182-468 or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

67. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

68. A method according to claim 66, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

69. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 1-175, 178, 180 and 182-468 or a complement of any of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

70. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

71. A method according to claim 69, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

72. A diagnostic kit, comprising:

- (a) one or more antibodies according to claim 21; and
- (b) a detection reagent comprising a reporter group.

73. A kit according to claim 72, wherein the antibodies are immobilized on a solid support.

74. A kit according to claim 73, wherein the solid support comprises nitrocellulose, latex or a plastic material.

75. A kit according to claim 72, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.

76. A kit according to claim 72, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.

77. An oligonucleotide comprising 10 to 40 contiguous nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes a breast tumor protein, wherein the tumor protein comprises an amino acid sequence that is encoded by a polynucleotide sequence recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468 or a complement of any of the foregoing polynucleotides.

78. A oligonucleotide according to claim 77, wherein the oligonucleotide comprises 10-40 contiguous nucleotides recited in any one of SEQ ID NOS: 2, 4-15, 18-33, 35-47, 49-56, 58, 59, 63-73, 88-116, 141-159, 175, 178, 180, 185, 186, 194, 199, 205, 208, 211, 214-216, 219, 222, 226, 232, 236, 240, 241, 245, 246, 252-268, 320-324, 342, 353, 366-368, 377, 382, 385, 389, 395, 397, 400, 408, 411, 413, 414, 416, 417, 419-423, 426, 427, 429, 431, 435-438, 441, 443-446, 450, 453, 454 and 463-468.

79. A diagnostic kit, comprising:

- (a) an oligonucleotide according to claim 77; and
- (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

SEQUENCE LISTING

<110> Corixa Corporation
 Yuqui, Jiang
 Dillon, Davin C.
 Mitcham, Jennifer L.
 Xu, Jiangchun
 Harlocker, Susan L.

<120> COMPOSITIONS FOR THE TREATMENT AND
 DIAGNOSIS OF BREAST CANCER AND METHODS FOR THEIR USE

<130> 210121.47001PC

<140> PCT

<141> 2000-02-15

<160> 474

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 281

<212> DNA

<213> Homo sapien

<400> 1

caatgacagt caatctctat cgacagcctg cttcatatth agctattggt cgtattgcct	60
tctgtcctag gaacagtcac atctcaagtt caaatgccac aacctgagaa gcgggtgggt	120
aagataggct ctaactgcaa ccacccctcc atatttccgt acgcaattac aattcagttt	180
ctgtgacatc tctttacacc actggaggaa aaatgagata ttctctgatt tattctacta	240
taacactcta catagagcta tgggtgagtgc taaccacatc g	281

<210> 2

<211> 300

<212> DNA

<213> Homo sapien

<400> 2

gaggtcctgg gctaacctaa tgggtttatta ttggtggaga gaaagatctg gaaatacttg	60
aggttattac atactagatt agcttcta atgtgaaccatt tttcttttaa cagtgataaa	120
ttattatttc cgaagttaac tgttcccttg gtcgtgatac aactcgtatt aacaaacata	180
ctgttgatt ttttccagtt ttgtttggct atgccaccac agtcatcccc aggggtctata	240
catactatgt ctcaactgta ttatttgcca tttttggcat tagaatgctt cgggaaggct	300

<210> 3

<211> 302

<212> DNA

<213> Homo sapien

<400> 3

ggccgaggta attgggttaag tctaaagaga ttattattcc ttgatgtttg ctttgtattg	60
gctacaaatg tgcagaggta atacatatgt gatgtcgtat tctctgtctt tttttttgtc	120

tttaaaaaat aattggcagc aactgtatatt gaataaaaatg atttcttagt atgattgtac	180
agtaatgaat gaaagtggaa catgtttctt ttgtgaaaggg agagaattga ccattttattg	240
ttgtgatgtt taagttataa cttatcgagc acttttagta gtgataactg tttttaaact	300
tg	302

<210> 4
 <211> 293
 <212> DNA
 <213> Homo sapien

<400> 4	
tgtaccaatc ctttggcaca agaatatgta agaactatag ttgtttttat tggtttttgt	60
tcttgagatt gttttcattc tgtttttgac tgtatctctt taggaggctg aggatggcat	120
tattgcttat gatgactgtg gggtgaaact gactattgct tttcaagcca aggatgtgga	180
aggatctact tctcctcaaa tacgagataa ggcaagataa ttctgctcat tcgagagagg	240
gttaagagtt gtcactctta tcataaatcc tgcaggatgg gttcttcaaa ttt	293

<210> 5
 <211> 275
 <212> DNA
 <213> Homo sapien

<400> 5	
cgaggtttgg aatcagactt ctgtgtccag taaaaaactc ctgcactgaa gtcattgtga	60
cttgagtagt tacagactga ttccagtga cttgatctaa tttcttttga tctaataaat	120
gtgtctgctt accttgtctc cttttaattg ataagctcca agtagttgct aattttttga	180
caactttaaa tgagtttcat tcaattcttt tacttaatgt tttaagtata gtaccaataa	240
tttcattaac ctgttctcaa gtggttttagc tacca	275

<210> 6
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 6	
gaggctctggt ttcttgggta tgcttgagc gttgcccagt gtaagatctg tgcaagccat	60
attggatgga agtttacggc caccaaaaaa gacatgtcac ctcaaaaatt ttggggctta	120
acgcgatctg ctctgttgcc cagatccca gacactgaag atgaaataag tccagacaaa	180
gtaatacttt gcttgtaaag agatgtgata gagataaagt tatctaacia attggttata	240
ttctaagatc tgctttggaa attattgcct ctgatacata cctaagtaaa cataacatta	300
a	301

<210> 7
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 7	
gtccagtttg tacacagtga ttctttatgc acgccgaaag ggtttccgta aaaatgacat	60
tatatacaaa tctgtacacc catccaccag agcgattctc cagctcccag agggagttat	120
caacttaaag caggatacct gaggtttcat gtcttttagt gccttatcat aatcccaaat	180
atacatttca ggggtttgtt ttgtttttta agacactttc ctggaatatg tgcactatgg	240
ttaaaattaa aaacaaaagt aataaaataa aatgatcgct ggaaggactg acctccccac	300
c	301

<210> 8
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 8
 ctgtcctcat ctctgcaaag ttcagcttcc ttccccaggt ctctgtgcac tctgtcttgg 60
 atgctctggg gagctcatgg gtggaggagt ctccaccaga gggaggctca ggggactggg 120
 tgggccaggg atgaatattt gagggataaa aattgtgtaa gagccaaaga attggtagta 180
 gggggagaac agagaggagc tgggctatgg gaaatgattt gaataatgga gctgggaata 240
 tggctggata tctggtacta aaaaagggtc tttaagaacc tacttcctaa tctcttcccc 300
 a 301

<210> 9
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 9
 gaggtctgcc taagtagagg acaaagactt cctcctttca aaggagaact gagcccagga 60
 ttggttaagtt taaggcactt aaccttgacc agctctgtag gtctggagca ttctgggtccc 120
 tggccgcttt caccaccagg cctttctcac ttatccacct cacatactgc cccagcatte 180
 ctttggcatt gcgagctgtg acttgacaca ttttaatgac aagattgaag tagctacctt 240
 gcaggataga ttttctgggg tataggggac aaaccaacag tgccatcagg tgtcttaaca 300
 c 301

<210> 10
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 10
 ggcaggtcca acagttcttc cagttctggt cgagctttga atcgctccctt gaagtcttct 60
 tcagtgtgct ccttcactga cagtctgact ccttcaggaa gactgctttg gattatttcc 120
 aagaaaattt ctgcaaactg agcactcaaa ccgctgatct gaaccactcg ctcatgggtg 180
 gtaagcactg agtccaggag cattttgctg ccttggctct gcaactgcaa cacttctatg 240
 gttttggttg gcattgcata actttcctcg actttaatgg agagagattg cagaggttgt 300
 g 301

<210> 11
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 11
 aggtctgtga ctttcaccca ggacccagga cgcagccctc cgtgggcact gccggcgctt 60
 tgtctgcaca ctggagggtc tccattacag aggccagcg cacatcgctg gcccacaaa 120
 cgttcagggg tacagccatg gcagctcctt cctctgccgt gagaaaagtg cttggagtac 180
 ggtttgccac acacgtgact ggacagtgtc caattcaaat ctttcagggc agagtccgag 240
 cagcgcttgg tgacagcctg tcctctcctg ctctccaaag gccctgctcc ctgtcctctc 300
 t 301

<210> 12
 <211> 301
 <212> DNA

<213> Homo sapien

<400> 12

gaggtctggg	attacaggca	cgtgccacca	cacctagcta	atTTTTgagc	atggggctca	60
aaggaactgc	tctctggggc	atgtcagatt	tcggatttgg	ggctgcacac	tgatactctc	120
taagtggtagg	aggaacttca	tcccactgaa	attccttggg	catttggggg	tttgTTTTtc	180
TTTTTTTcct	tcttcaccc	cctcctTTTT	taaaagtcaa	cgagagcctt	cgctgactcc	240
accgaagaag	tgcaccactg	ggagccaccc	cagtgccagg	cgcccgctca	gggacacaca	300
c						301

<210> 13

<211> 256

<212> DNA

<213> Homo sapien

<400> 13

TTTTTTggca	taaaaaacac	aatgatttaa	tttctaaagc	acttatatta	ttatggcatg	60
gtttgggaaa	cagggttatta	tattccacat	aggtaattat	gcagtgcctc	tcattggaaaa	120
aatgcttagg	tattggcctt	ttctctggaa	accatatttt	tcctTTTTta	ataatcaact	180
aaaatgtata	tgttaaaaag	cctcatcttt	tgattttcaa	tatacaaaat	gctttcttta	240
aaagaacaag	attcaa					256

<210> 14

<211> 301

<212> DNA

<213> Homo sapien

<400> 14

ggctccttgat	agaggaagag	gaatatccaa	ggcaaagcca	ccaccacgtc	caacctcctc	60
atcctctacc	tttctgtcc	ccagaggtat	gagatagacc	ccctggcctg	gttcctgcac	120
tgtgctaggc	ccacagtgg	cacttccacc	ttaatggaga	ataggcccca	tggagtggag	180
gtccctcctc	catggcctgc	aacccaatga	ctatgggggt	gacacaagtg	acctctgccc	240
tgtgatggct	caacaccatc	acacgcaact	gtccagacaa	gccccctcaa	cgggctgctg	300
t						301

<210> 15

<211> 259

<212> DNA

<213> Homo sapien

<400> 15

gtcttgaaaag	tatttattgt	ttaataattc	tttctccct	cagccccatc	cggccactct	60
ctctttctgc	ttttctgatc	atcctaaagg	ctgaatacat	cctcctcctg	tgtggaggac	120
acgaagcaat	actaaaatca	atacactcga	tcagggtctt	atcagatacc	acgtcactgt	180
gggtagagtg	ctaattttca	acaaatgtgg	tggtcttagg	gccccacaag	gtagtccttt	240
ctcaaggctg	ctggggccac					259

<210> 16

<211> 301

<212> DNA

<213> Homo sapien

<400> 16

cgagggttggt	cacattttca	aataaataat	actccccgta	agtaataact	gcaaccaatc	60
agtgttatct	agtgtatgc	ctccttgtaa	tgggtagtta	ttaattattt	tcagagcttt	120

ctggaaatac	tgtcctaact	ggctatgttt	aggatctttg	ttatctctga	agacaaagaa	180
agaactagga	ctcttaattt	tggggtgctt	cttgactctt	agttgggaaa	ctgaaaatat	240
ttccaacctt	ttaccacgt	caatggcata	ttctgggaat	caccaccacc	accaccacta	300
c						301

<210> 17
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 17						
gcccgggcag	gtctggggcc	taggggtggct	ctttgcaaag	ctgagggggca	agctaaggaa	60
gccaggcagg	tcaggggccc	tttcggcctt	ctcaagcctc	cacctgagtt	ctcgtcaatg	120
ccagtctccc	tggatatgatt	ggggacatta	tcagagaaac	atctaatagc	gcacatctgg	180
gcacccacac	tctgcttcag	ttgcatccat	cctcccaccc	caaattcaac	tcctgaccca	240
atacaaaaaga	cttttttaac	caggatttct	tcttgccagga	aagctgactt	ggaaacacgg	300
g						301

<210> 18
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 18						
attacaggca	cgtgccacca	cacctagcta	atTTTTgagc	atgggggtca	aaggaactgc	60
tctctggggc	atgtcagatt	tcggatttgg	ggctgcacac	tgatactctc	taagtgggtg	120
aggaacttca	tcccactgaa	attcctttgg	catttggggt	tttgTTTTtc	TTTTTTTcct	180
tcttcatcct	cctcctTTTT	taaaagtcaa	cgagagcctt	cgctgactcc	accgaagaag	240
tgcaccactg	gggaccaccc	agtgccaggc	gcccgtccag	ggacacacac	agtcttctact	300
g						301

<210> 19
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 19						
agaatctctg	cactgtcatc	aggtacaaca	aaagatcaaa	cccctgtccc	gatgttaact	60
ttttaactta	aaagaatgcc	agaaaaccca	gatcaacact	ttccagctac	gagccgtcca	120
caaaggccac	ccaaaggcca	gtcagactcg	tgcagatctt	atTTTTtaat	agtagtaacc	180
acaatacaca	gctctttaa	gctgttcata	ttcttcccc	attaaacacc	tgccccgggc	240
ggccaagggc	gaattctgca	gatatccatc	acactggcgg	ccgctcgagc	atgcatctag	300
a						301

<210> 20
 <211> 290
 <212> DNA
 <213> Homo sapien

<400> 20						
aggTTTTTT	TTTTTTTT	TTTTTTTT	TTTTTccctt	tcaattcatt	taatttcaac	60
aatctgtcaa	aaaacagcca	ataaacaat	actgaattac	attctgctgg	gtTTTTtaaa	120
ggctctaaac	tataaaaaca	tcttgtgtct	cccaccctga	ccaccctgct	actTTTTcat	180
ataccacagg	ccaccataa	acacaaagcc	aggggggtgaa	gctgacatgg	tctatttgga	240
gccagtaaac	aggagggcga	taagtctctga	taagcactta	tggacaatat		290

<210> 21
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 21
 agaaaggtaa ctgccagcca ggcttgcatt gtttagccag aaattgctgc ttggttctag 60
 actctttaa aaaaaaaaaat acccaggggt tgtcatcatt ttcagaggca gagtgcctaaa 120
 tatcacccaa agctcttgtg tctttttttt acccccttat tttattttta tttattaatt 180
 ttttgtgcaa acatcaaagtg tcaactgggtg tcacagaagg ctttttttgac tagccttaaa 240
 ttcctgagtc aaaagattaa tcagattttc aggcagtgtt taatcagggtg ctttgtcctg 300
 t 301

<210> 22
 <211> 301
 <212> DNA
 <213> Homo sapien

<400> 22
 gacgccatgc accctccgggt aaccagcagc cgccgtgtcca tcccccaaga ccggaaaggc 60
 agcagcagcc cccgggagcc cagggctgtc ctgggtgcat ctgggtgcag agggaaattg 120
 atgaccttac acagcaacta gcggccatgc agtccttcac tgacaagttc caggaccttt 180
 gaagttggag ccagcgtccg gagctgcagc caagcgagtt tctccttat cctccttagc 240
 cagggctttt tctcttccgc tgcatttgcc cccttcccaa cgcaattcaa agcagttgtg 300
 a 301

<210> 23
 <211> 381
 <212> DNA
 <213> Homo sapien

<400> 23
 cgagggtccag acagtggacc aagagatacg ctacataaat tgggggtttca caattcttac 60
 attatttgtc tgtcacagaa gagagctgct tatgattttg aaggggtcag ggagggtggg 120
 agttggtaaa gagtagggta tttctataac agatattatt cagtcttatt tcctaagatt 180
 ttgttgaac ttaaggtatc ttgctacagt agacagaatt ggtaatagca acttttaaaa 240
 ttgtcattag ttctgcaata ttagctgaaa tgtagtacag aaaagaatgt acatttagac 300
 atttggttc agttgcttgt agtctgtaaa tttaaaacag ctttaatttg tacagggtac 360
 acatatggac ctcccgggcg g 381

<210> 24
 <211> 214
 <212> DNA
 <213> Homo sapien

<400> 24
 aatgatgtaa aaattaatca acagggctgc cacttgcgaa tccccccaa ggatgctgtg 60
 caaagggctc cattggctct gatgaataat cttgtgactg tacatatcc tgggtgcatg 120
 tccacaaata ctgaggtata gcctgcatgc cactaaaaat aacaaagggt tcaggggtgg 180
 aaacattgtc caccacactg tcatgaccat cttt 214

<210> 25
 <211> 302
 <212> DNA

<213> Homo sapien

<400> 25

gggggcaactg	agaactccct	ctggaattct	tgggggggtgt	tgggggagaga	ctgtgggcct	60
ggagataaaa	cttgtctcct	ctaccaccac	cctgtaccct	agcctgcacc	tgtcctcatc	120
tctgcaaagt	tcagcttccct	tccccagggtc	tctgtgcact	ctgtcttggg	tgtctctggg	180
agctcatggg	tggaggagtc	tccaccagag	ggaggctcag	gggactggtt	gggccaggga	240
tgaatatttg	agggataaaa	attgtgtaag	aagccaaaga	aattggtagt	aggggggaga	300
ac						302

<210> 26

<211> 301

<212> DNA

<213> Homo sapien

<400> 26

ttggagaacg	cgctgacata	ctgctcggcc	acagtcagtg	aagctgctgc	atctccatta	60
tgttgtgtca	gagctgcagc	caggattcga	atagcttcag	ctttagcctt	ggccttcgcc	120
agaactgcac	tggcctctcc	tgtgcctga	tttatctgtg	cagccttttc	tgtctcggag	180
gccaggatct	gggcctgttt	cttcccttct	gccacattga	tggccgactc	tcgggtcccc	240
tcagactcta	gaactgtggc	ccgtttccgc	cgctctgcct	ccacctgcat	ctgcatagac	300
t						301

<210> 27

<211> 301

<212> DNA

<213> Homo sapien

<400> 27

aatcagtc	tcacatctgt	gaaaagagtg	ctagttataa	caaagt	gagat	cacaaatttg	60
accattttat	tagacaccct	ctattagtgt	taacagacaa	agatgaagg	taagttgaaa		120
tcaaattgaa	atcatcttcc	ctctgtacag	attgcaatat	ctgataatac	cctcaacttt		180
cttgggtgcaa	attaattgcc	tgggtactcac	agtcacagtg	taacaggcaa	taatgggtgtg		240
attccagagg	agaggactag	gtggcaggaa	aataaatgag	attagcagta	tttgacttgg		300
a							301

<210> 28

<211> 286

<212> DNA

<213> Homo sapien

<400> 28

tttttttttg	cacaggatgc	acttattcta	ttcattctcc	cccacccttc	ccatatttac	60
atccttagag	gaagagaggg	gtaaggatg	aaagtaactg	aaggaccgca	agacgggtat	120
gtcccttggt	caccaaattg	tcaaaggggc	aaagatcgga	ggagggtcagg	gggtaacgca	180
ggaacagggtg	agggcgtttc	gcccctctct	cctctccctt	tttcaacctc	ttaatcactg	240
gctaactcgc	gacctcatgg	gttaattcgt	aagcttacac	gcgttg		286

<210> 29

<211> 301

<212> DNA

<213> Homo sapien

<400> 29

gtcatgttct	tgtctctcct	tctttacaca	tttgagttgt	gccttctgtt	cttaaagaga	60
------------	------------	------------	------------	------------	------------	----

```

ttttcctttg ttcaaaggat ttattcctac catttcacaa atccgaaaat aattgaggaa      120
acagggttaca tcattccaat tttgccttgg gtttgaagag tctctcatgg tggcacagtc      180
ctccagggta gctatgttgt tgggctcccc tacatcccag aagctcagag actttgtcaa      240
aggtgtgccc tccaccatt gccactgacc ctcgacaacc tggctctgaca gtccaataaa      300
a                                                                    301

```

```

<210> 30
<211> 332
<212> DNA
<213> Homo sapien

```

```

<400> 30
gagcagaatt gatgcctatg gctccaagtc aaatactgct aatctcattt attttcctgc      60
cacctagtcc tctcctctgg aatcacacca ttattgcctg ttaacactgg actgtgagta      120
ccaggcaatt aatttgcacc aagaaagttg agggattat cagatattgc aatctgtaca      180
gagggaagat gatttcaatt tgatttcaac ttaaccttca tctttgtctg ttaacactaa      240
tagagggtgt ctaataaaaat ggtcaaattt gtgatctcat ttgttataac tagcactctt      300
ttcacagatg tgatgactga tttccagcag ac                                332

```

```

<210> 31
<211> 141
<212> DNA
<213> Homo sapien

```

```

<400> 31
aaaggctatc aagtactttg aaggacagga aggaatgaac acacccaggt ggacgtttgg      60
tttcatttgc aggggttcag ggagggttgc aggggttcag ggagggtctt tgtcccacaa      120
ccgggggaag ggagaggga c                                           141

```

```

<210> 32
<211> 201
<212> DNA
<213> Homo sapien

```

```

<400> 32
gagctgatct cacagcacat acagaatgat gctactatgt agaccctcac tcccttggga      60
aatctgtcat ctaccttaaa gagagaaaaa agatggaaca tagggccacc tagtttcatc      120
catccaccta cataaccaac atagatgtga ggtccactgc actgatagcc agactgcctg      180
gggtaaacct tttcaggag g                                           201

```

```

<210> 33
<211> 181
<212> DNA
<213> Homo sapien

```

```

<400> 33
tttcaaaaaca ctcatatgtt gcaaaaaaaca catagaaaaa taaagtttgg tgggggtgct      60
gactaaactt caagtcacag actttttatgt gacagattgg agcagggttt gttatgcatg      120
tagagaacc aaactaatatt attaaacagg atagaaacag gctgtctggg tgaaatggtt      180
c                                                                    181

```

```

<210> 34
<211> 151
<212> DNA
<213> Homo sapien

```


<400> 34
 atgtcctgca cagtatagct tggacctctg ggcctgaacc aggggtgagca tcaaggcccc 60
 cattttctcct caccacgggg tcgcttgtca gctccaagaa ccagtctggc cccactgaga 120
 acttttccagt cgagggcctg atgaatcttg g 151

<210> 35
 <211> 291
 <212> DNA
 <213> Homo sapien

<400> 35
 tcttttagggc aaaatcatgt ttctgtgtac ctagcaatgt gttcccattt tattaagaaa 60
 agctttaaca cgtgtaatct gcagtcctta acagtggcgt aattgtacgt acctgttgtg 120
 tttcagtttg tttttcacct ataatgaatt gtaaaaacaa acatacttgt ggggtctgat 180
 agcaaacata gaaatgatgt atattgtttt ttgttatcta tttattttca tcaatacagt 240
 attttgatgt attgcaaaaa tagataataa tttatataac aggttttctg t 291

<210> 36
 <211> 201
 <212> DNA
 <213> Homo sapien

<400> 36
 ctgatacaat tataataacg gttccctgaa ccttttagag tgcaattaag aacaaaaact 60
 aaattttgtt tacatgaata tggaataaat acaataatca aaatatgact ctccctaaaa 120
 gtgaaacaca caagccaatc cggaactgct gtgcgaaaga taaaatcgag aaaggcaagg 180
 tttcggtagg aggacgcgat g 201

<210> 37
 <211> 121
 <212> DNA
 <213> Homo sapien

<400> 37
 catcacactg gcggccgctc gagcatgcat ctagagggcc caattcgccc tataatgagt 60
 cgtattacaa ttcactggcc gtcgttttac aacgtcgtga ctgggaaaac cctggcggtta 120
 c 121

<210> 38
 <211> 200
 <212> DNA
 <213> Homo sapien

<400> 38
 aaacatgtat tactctatat cccaagtcc tagagcatga cctgcatgtt ggagatgttg 60
 tacagcaatg tatttatcca gacatacata tatgatattt agagacacag tgattctttt 120
 gataacacca cacatagaac attataatta cacacaaatt tatggtaaaa gaattaatat 180
 gctgtctggg gctgctgtta 200

<210> 39
 <211> 760
 <212> DNA
 <213> Homo sapien

<400> 39

gcgtggctcgt	cggccgaggt	cctgggctag	acctaattggt	ttattattgg	tggagagaaa	60
gatctggaaa	tacttgaggt	tattacatac	tagattagct	tctaattgtga	accatTTTTc	120
ttttaacagt	gatcaaatta	ttatttcgaa	gttaatcggt	cccttgggtg	ctgcatacac	180
atcgcattaa	caaacatact	gttgtatTTT	ttcccagttt	tgtttggcta	tgccaccaca	240
gtcatcccca	gggtctatac	atactatggt	tcaactgtat	tatttgccat	ttttggcatt	300
agaatgcttc	gggaaggctt	aaagatgagc	cctgatgagg	gtcaagagga	actggaagaa	360
gttcaagctg	aattaaagaa	gaaagatgaa	gaagtaagcc	atggcactgt	tgatctggac	420
caaaaaggca	ctcaactagg	aataaacact	ctacagaggt	ttctcagtgg	ccccatctgt	480
gtgatatgcg	gggctacaca	aaaatagctt	cttttgcttt	gttctgttct	tatacctgtc	540
tgtgatctga	cttgggggtt	gtgtgaatgt	agtagagaaa	ggaagctgac	agatgaatac	600
tgaacacagg	taatcagttt	ccttaattag	gttgattata	agctcctgaa	aagcaggaac	660
tgtattttat	aattttacct	gtttctccc	tggtgtctag	gatagtaagt	gagcagagca	720
gtaaatactg	tttggtttgt	tcagacctgc	ccgggcggcc			760

<210> 40

<211> 452

<212> DNA

<213> Homo sapien

<400> 40

aatcactaaa	gatattgact	agagaatgct	gtgtgctatt	tcaattacat	ttgtttttct	60
tttattaaca	ggaattttga	ttcttcaagg	aagtggctca	atttcaattt	caggtagacca	120
ggtttatcgt	gacttttctt	tcttgtttac	ttttcgctag	gaaggggagt	tgtaggggca	180
gattcaggta	ttggaatagg	aaaattacgt	ctaaaccatg	gaaatcttgg	aaatggaatt	240
ggtggaagt	ggcgaaatgg	atatgggtaa	gggaacacaa	aaaaccctga	agctaattca	300
tcgctgtcac	tgatacttct	tttttctcgt	tcctgggtct	gagagactgg	gaaaccaaca	360
gccactgcca	agatggctgt	gatcaggagg	agaactttct	tcctctcaaa	cgtttcagtc	420
agttctttct	ctcacctcgg	ccgcgaccac	gc			452

<210> 41

<211> 676

<212> DNA

<213> Homo sapien

<400> 41

aatctttgaa	tgccaagtct	cttctgtact	ttctttttatt	aacatcatag	tctttgcatc	60
aagatacata	gcaatgatag	caggttttctt	tttaaagctt	agtattaata	ttaaatatTT	120
ttccccattt	aaattttaca	ttacttgcca	agaaaaaaaa	aaaattaaaa	ctcaagttac	180
ttgaagcctg	gacacacttc	catgatttagc	cgggctaggt	aaaagttggt	ggctttattc	240
ttcctgctct	ataagcagat	ccaggcccta	gaaagatggg	accagggtat	ataattgttt	300
ttgaaaagt	tgctacaaaa	atggatggcc	tgttataagc	caggatacaa	agttaaggat	360
gggggtaagg	gagggacatt	ttcttccaga	agaaaagaca	gaattttctga	agagtcccag	420
tccataattt	tcccaaatg	gttgaggagg	agggtaaaat	ctcaacatga	gtttcaaagt	480
actgtctctg	tgaggggccc	gtagatgcct	tgctgaggag	ggatggctaa	tttggaccat	540
gccccatccc	cagctaggag	aatggaaatg	gaaactttaa	ttgcccagtg	ggtgtgaaag	600
tgggctgaag	cttggttggt	actgaattct	ctaagagggt	tcttctagaa	acagacaact	660
cagacctgcc	cgggcg					676

<210> 42

<211> 468

<212> DNA

<213> Homo sapien

<400> 42

```

agcgtgggtcg cggcccgaggt ttggccggga gcctgatcac ctgccctgct gagtcccagg      60
ctgagcctca gtctccctcc cttggggcct atgcagaggt ccacaacaca cagatttgag      120
ctcagccctg gtgggcagag aggtagggat ggggctgtgg ggatagttag gcacgcgaat      180
gtaagactcg ggatttagtac acacttggtg attaatggaa atgtttacag atccccaaagc      240
ctggcaaggg aatttcttca actccctgcc cccagccct ccttatcaaa ggacaccatt      300
ttggcaagct ctatgaccaa ggagccaaac atcctacaag acacagttag catactaatt      360
aaaacccct gcaaagccca gcttgaaacc ttcacttagg aacgtaatcg tgtccctat      420
cctacttccc cttcctaatt ccacagacct gcccgggcgg ccgctcga      468

```

```

<210> 43
<211> 408
<212> DNA
<213> Homo sapien

```

```

<400> 43
atcatatcaa aacactatct tcccatctgt ttctcaatgc ctgctacttc ttgtagatat      60
ttcatttcag gagagcagca gttaaacccg tggattttgt agttagggaac ctggggttcaa      120
acctctttcc actaattggc tatgtctctg gacagttttt tttttttttt ttttttttaa      180
accctttctg aactttcact ttctatggct acctcaaaga attgttgtga ggcttgagat      240
aatgcatttg taaaggggtc gccagatagg aagatgctag ttatggattt acaagggtgt      300
taaggctgta agagtctaaa acctacagtg aatcacaaat catttacct cactgacttg      360
gacataagtg aaaactagcc cgaagtctct ttttcaaatt acttacag      408

```

```

<210> 44
<211> 160
<212> DNA
<213> Homo sapien

```

```

<400> 44
tggtcgcggc cgaggtcttg tgtgccctgt ggtccagggg accaagaaca acaagatcca      60
ctctctgtgc tacaatgatt gcaccttctc acgcaacact ccaaccagga ctttcaacta      120
caacttctcc gctttggcaa acaccgtcac tcttgctgga      160

```

```

<210> 45
<211> 231
<212> DNA
<213> Homo sapien

```

```

<400> 45
cgagcgggcg cccgggcagg tctggggagg tgattccatc cagagtcata tctgttgtca      60
ccccaataag tcgatcagca aggctgacag gctgtgagga aaccccggcc ttgtagcctg      120
tcacctctgg ggggatgatg actgcctggc agacgtaggc tgtgatagat ttgggagaaa      180
acctgactca ccttcaggaa tccggaggtc ggtgacattg tcggtgcaca c      231

```

```

<210> 46
<211> 371
<212> DNA
<213> Homo sapien

```

```

<400> 46
cccgggcagg tctgtgtaac atgccaaaggc tttgcacttt ctgcagagca gttttttatt      60
ttccttatca ggtacagggt ttggtttttc ttgactatct ctgatgaatt tttcatgagt      120
ctgtatatgc agaatttttt ccttaaatac tgcttcgtcc catgtctgaa ggcgtaaaat      180
aaagtcattc atcatttttt ctttgtacat gtttatttgt tctttttcaa ttacaccaag      240
cattactagt cagaaggaag cacttgctac ctcttgctct tcctctgcct ctggttttga      300

```

tcattttgat gacattgccc acattactca tgaaggatga caagattgca ctgtgcaatg 360
tcaattgcct t 371

<210> 47
<211> 261
<212> DNA
<213> Homo sapien

<400> 47
gccctgtttt tatacacttc acatttgcag aaatataatg atgccctcat tatcagtgag 60
catgcacgaa tgaaagatgc tctggattac ttgaaagact tcttcagcaa tgtccgagca 120
gcaggattcg atgagattga gcaagatctt actcagagat ttgaagaaaa gctgcaggaa 180
ctagaaaagt tttccaggga tcccagcaat gagaatccta aacttgaaga cctctgcttc 240
atcttacaag aagagtacca c 261

<210> 48
<211> 701
<212> DNA
<213> Homo sapien

<400> 48
cgagcggccc cggggcaggt ccaattagta caagtctcat gatataatca ctgcctgcat 60
acatatgcac agatccagtt agtgagtttg tcaagcttaa tctaattggg taagtctcaa 120
agagattatt attcttgatg tttgctttgt attggctaac aaatgtgcag aggtaataca 180
tatgtgatgt ccgatgtctc tgtctttttt tttgtcttta aaaaataatt ggcagcaact 240
gtatttgaat aaaatgattt cttagtagta ttgtaccgta atgaatgaaa gtggaacatg 300
tttctttttg aaagggagag aattgaccat ttattattgt gatgtttaag ttataactta 360
ttgagcactt ttagtagtga taactgtttt taaacttgcc taataccttt cttgggtatt 420
gtttgtaatg tgacttattt aacccccctt tttgtttgtt taagttgctg ctttaggtta 480
acagcgtggt ttagaagatt taaatttttt tcctgtctgc acaattagtt attcagagca 540
agagggcctg attttataga agccccttga aaagaggtcc agatgagagc agagatacag 600
tgagaaatta tgtgatctgt gtgttgtggg aagagaattt tcaatatgta actacggagc 660
tgtagtgcca ttagaaaactg tgaatttcca aataaatttg a 701

<210> 49
<211> 270
<212> DNA
<213> Homo sapien

<400> 49
agcggccgcc cgggcaggtc tgatattagt agctttgcaa ccctgataga gtaaataaat 60
tttatgggcg ggtgccaaat actgctgtga atctatttgt atagtatcca tgaatgaatt 120
tatggaaata gatattttgt cagctcaatt tatgcagaga ttaaatagaca tcataatact 180
ggatgaaaac ttgcatagaa ttctgattaa atagtgggtc tgtttcacat gtgcagtttg 240
aagtatttaa attaaccact cctttcacag 270

<210> 50
<211> 271
<212> DNA
<213> Homo sapien

<400> 50
atgcatttat ccatatgaac ttgattattc tgaattactg actataaaaa ggctattgtg 60
aaagatatca cactttgaaa cagcaaatga attttcaatt ttacatttaa ttataagacc 120
acaataaaaa gttgaacatg cgcatatcta tgcatttcac agaagattag taaaactgat 180

```

ggcaacttca gaattatttc atgaagggtg caaacagtct ttaccacaat tttcccatgg 240
tcttatcctt caaaataaaa ttccacacac t 271

```

```

<210> 51
<211> 241
<212> DNA
<213> Homo sapien

```

```

<400> 51
tgggtcgcggc cgaggtgtga ggagatgaac tttgtgttaa tgggggggcac tttaaatcga 60
aatggccttat cccacccgcc atgtaagtta ccatgcctgt ctcctccctc ctacacattt 120
ccagctcctg ctgcagttat tcctacagaa gctgccattt accagccctc tgtgattttg 180
aatccacgag cactgcaggc cctccacagc gttactacct agcaggcact cagctcttca 240
t 241

```

```

<210> 52
<211> 271
<212> DNA
<213> Homo sapien

```

```

<400> 52
tccaagactt aaaacttagg aaacacctat gatgccactt taactggaag taatggagac 60
atctgattcc aaattcacat tttaaatgcc tatttgcaat cagcaaagag ccaggatgac 120
tgcattgctg ttgctgtaag ttacgatttg gcttcactag ctcaaatttt ttcactccac 180
caaaagataa ggcacaggcc cgtttgtcca atcaagtttg ctgaaaatac tgcagcctga 240
gtgtagacaa acttcccctg aatttgctag a 271

```

```

<210> 53
<211> 493
<212> DNA
<213> Homo sapien

```

```

<400> 53
ttagcgtggt cgcggtccga ggtctggcct gactagctca ctctgaagag tgtctttcac 60
atggattaac caaaaaatgc attactgcct ttggcacact gtcttgaata ttctttctga 120
caatgagaaa atatgattta atggagtcgt tcaataacct cacaatctcg ctgttccgag 180
cagatagttt tcgtgccaac aggaactggc acatctagca ggttcacggc atgacctttt 240
tgtggactgg ctggcataat tgggaatgggt tttgattttt cttctgctaa taactcttca 300
agcttttgaa gttttcaagc attcctctcc agttgcctgt ggttggttct tgaacaccat 360
ctccaacccc accacctcca gatgcaacct tgtctcgtga tacagacctg cccgggcggc 420
cctcaagggc gaattctgca gatatccatc aactggcgcg ccgctcgagc atgcatctag 480
agggcccaat tcg 493

```

```

<210> 54
<211> 321
<212> DNA
<213> Homo sapien

```

```

<400> 54
cgtggtcgcg gccgaggtct gtttgcttgt tgggtgtgagt ttttcttctg gagactttgt 60
actgaatgac aataaaactct gtgattttgt taggaagtaa aactgggac tatttagcca 120
ctggtaagct tctgaggtga aggattcagg gacatctcgt ggaacaaaca ctccccactg 180
gactttctct ctggagatac ctttttgaat atacaatggc cttggctcac taggttttaa 240
tacaaacaag tctgaaaccc actgaagact gagagattgc agcaatattc tctgaattag 300
gatcggttgc cataactcta a 321

```

<210> 55
 <211> 281
 <212> DNA
 <213> Homo sapien

<400> 55
 ttgcaaataa aactgtggat gtataataag aaaacacaag gggtttattct taacactaaa 60
 attaacatgc cacacgaaga ctgcattaca gctctctgtt tctgtaatgc agaaaaatct 120
 gaacagccca ccttggttac agctagcaaa gatgggttact tcaaagtatg gatattaaca 180
 gatgactctg acatatacaa aaaagctgtt ggctggacct gtgactttgt tggtagttat 240
 cacaagtatc aagcaactaa ctgttggttc tccgaagatg g 281

<210> 56
 <211> 612
 <212> DNA
 <213> Homo sapien

<400> 56
 gcgtgggtcgc ggccgaggtc ctgtccgggg gcactgagaa ctccctctgg aattcttggg 60
 ggggtgttggg gagagactgt gggcctggag ataaaacttg tctcctctac caccaccctg 120
 taccctagcc tgcacctgtc ctcatctctg caaagttcag ctcccttccc caggctctctg 180
 tgccactctg tcttggtatg tctggggagc tcatgggtgg aggagtctcc accagaggga 240
 ggctcagggg actggttggg ccagggatga atatttgagg gataaaaatt gtgtaagagc 300
 caaagaattg gtagtagggg gagaacagag aggagctggg ctatgggaaa tgatttgaat 360
 aatggagctg ggaatatggc tggatatctg gtactaaaaa aggggtcttta agaacctact 420
 tcctaactct tcccccaatc caaaccatag ctgtctgtcc agtgctctct tccctgctcc 480
 agctctgccc caggctcctc ctagactctg tccctgggct agggcagggg aggagggaga 540
 gcagggttgg gggagaggct gaggagagtg tgacatgtgg ggagaggacc agacctgccc 600
 gggcggccgt cg 612

<210> 57
 <211> 363
 <212> DNA
 <213> Homo sapien

<400> 57
 gtcgcggccg aggtcctgag cgtcacccta gttctgcccc tttttagctg tgtagacttg 60
 gacaagacat ttgacttccc tttctccttg tctataaaat gtggacagtg gacgtctgtc 120
 acccaagaga gttgtgggag acaagatcac agctatgagc acctcgcacg gtgtccagga 180
 tgcacagcac aatccatgat gcgttttctc cccttacgca ctttgaaacc catgctagaa 240
 aagtgaatac atctgactgt gtcacctcc aacctccagc gtggatgtcc ctgtctgggc 300
 cctttttctg tttttttattc tatgttcagc accactggca ccaaatacat ttttaattcac 360
 cga 363

<210> 58
 <211> 750
 <212> DNA
 <213> Homo sapien

<400> 58
 cgtgggtcgc gccgaggtct aattccacct gactggcaga acctgcgccc ctgcgctaac 60
 ctgcgcctt ctcccaactc gcgtgcctca cagaacctcag gtgctgcaca gccccgagat 120
 gtggcccttc ttcaggaaag agcaaataag ttgggtccaag tacttgatgc ttaaggaata 180
 cacaaaggtg cccatcaagc gctcagaaat gctgagagat atcatccgtg aatacactga 240

tgtttatcca	gaaatcattg	aacgtgcatg	ctttgtccta	gagaagaaat	ttgggattca	300
actgaaagaa	attgacaaaag	aagaacacct	gtatattctc	atcagtaccc	ccgagtccct	360
ggctggcata	ctgggaacga	ccaaagacac	acccaagctc	ggctcttct	tggtgattct	420
gggtgtcatc	ttcatgaatg	gcaaccgtgc	cagtgaggct	gtcttttggg	aggcactacg	480
caagatggga	ctgcgtcctg	gggtgagaca	tccccctcct	tggagatcta	aggaaacttc	540
tcacctatga	gtttgtaaaag	cagaaatacc	tggactacag	acgagtgcc	aacagcaacc	600
ccccggagta	tgagttcctc	tggggcctcc	gtccctacca	tgagactagc	aagatgaaaa	660
tgctgagatt	cattgcagag	gttcagaaaa	gagaccctcg	tgactggact	gcacagttca	720
tggaggctgc	agatgaggac	ctgcccgggc				750

<210> 59
 <211> 505
 <212> DNA
 <213> Homo sapien

<400> 59						
tggccgcccc	ggcaggtcca	gtctacaagc	agagcactct	catggggagc	accagatgag	60
ttccagccgc	agttctttta	taagctttaa	gtgcctcatg	aagacgcgag	gatctcttcc	120
aagtgaaccc	tggtcacatc	agggcacatt	cagcagcaga	agtctgtttc	cagtatagtc	180
cttgggtatgg	ctaaattcca	ctgtcccttt	ctcagcagtc	aataatccat	gataaattct	240
gtacaacact	gtagtcaata	acagcagcac	cagacagcat	attaattctt	ttaccataaa	300
tttgtgtgta	attataatgt	tctatgtgtg	gtgttatcaa	aagaatcact	gtgtctctaa	360
atatcatata	tgtatgtctg	gataaatata	ttgctgtaca	acatctccaa	catgcaggtc	420
atgctctaag	acttggggat	atagagtaat	acatgtttcg	tggacctcgg	ccgcgaccac	480
gctaagggcg	aattctgcag	atatac				505

<210> 60
 <211> 520
 <212> DNA
 <213> Homo sapien

<400> 60						
cgtgggtcgcg	gccgaggtcc	tcaggacaag	gaaacaggta	tcagcatgat	ggtagcagaa	60
accttatcac	caaggtgcag	gagctgactt	cttccaaaga	gttgtgggtc	cgggcagcgg	120
tcattgcctg	cccttgctgg	agggctgatt	ttagtgttgc	ttattatggt	ggccctgagg	180
atgcttcgaa	gtgaaaataa	gaggctgcag	gatcagcggc	aacagatgct	ctcccgtttg	240
cactacagct	ttcacggaca	ccattccaaa	aaggggcagg	ttgcaaagtt	agacttggaa	300
tgcattggtgc	cggtcagtg	gcacgagaac	tgctgtctga	cctgtgataa	aatgagacaa	360
gcagacctca	gcaacgataa	gatcctctcg	cttggttact	ggggcatgta	cagtgggcac	420
gggaagctgg	aattcgtatg	acggagtctt	atctgaacta	cacttactga	acagcttgaa	480
ggacctgccc	gggcggccgc	tcgaaaaggg	cgaattctgc			520

<210> 61
 <211> 447
 <212> DNA
 <213> Homo sapien

<400> 61						
agagaggtgt	ttttattctt	tggggacaaa	gccgggttct	gtgggtgtag	gattctccag	60
gttctccagg	ctgtagggcc	cagaggctta	atcagaattt	tcagacaaaa	ctggaacctt	120
tcttttttcc	cgttggttta	tttgtagtcc	ttggggcaaac	caatgtcttt	gttcgaaaga	180
gggaaaaataa	tccaaacgtt	tttcttttaa	cttttttttt	aggttcaggg	gcacatgtgt	240
aggcttgcta	tataggtaaa	ttgcatgtca	ccagggtttg	ttgtacagat	tatttcatca	300
tccagataaa	aagcatagta	ccagataggt	agttttttga	tcctcaccct	ccttccatgc	360
tccgacctca	ggtagggccc	agtgtctgac	ctgcccggcg	gcccgcctga	aagggccaat	420

tctgcagata tccatcacac tggccgg

447

<210> 62

<211> 83

<212> PRT

<213> Homo sapien

<400> 62

Lys	Lys	Val	Leu	Leu	Leu	Ile	Thr	Ala	Ile	Leu	Ala	Val	Ala	Val	Gly
1				5					10					15	
Phe	Pro	Val	Ser	Gln	Asp	Gln	Glu	Arg	Glu	Lys	Arg	Ser	Ile	Ser	Asp
			20					25					30		
Ser	Asp	Glu	Leu	Ala	Ser	Gly	Phe	Phe	Val	Phe	Pro	Tyr	Pro	Tyr	Pro
		35					40					45			
Phe	Arg	Pro	Leu	Pro	Pro	Ile	Pro	Phe	Pro	Arg	Phe	Pro	Trp	Phe	Arg
	50					55					60				
Arg	Asn	Phe	Pro	Ile	Pro	Ile	Pro	Ser	Ala	Pro	Thr	Thr	Pro	Leu	Pro
65					70					75				80	
Ser	Glu	Lys													

<210> 63

<211> 683

<212> DNA

<213> Homo sapien

<400> 63

acaaagattg	gtagctttta	tattttttta	aaaatgctat	actaagagaa	aaaacaaaag	60
accacaacaa	tattccaaat	tataggttga	gagaatgtga	ctatgaagaa	agtattctaa	120
ccaactaaaa	aaaatattga	aaccactttt	gattgaagca	aatgaataa	tgctagattt	180
aaaaacagtg	tgaaatcaca	ctttggtctg	taaacatatt	tagctttgct	tttcattcag	240
atgtatacat	aaacttattt	aaaatgtcat	ttaagtgaac	cattccaagg	cataataaaa	300
aaagwggtag	caaatgaaaa	ttaaagcatt	tatttttggt	gttcttcaat	aatgatrcga	360
gaaactgaat	tccatccagt	agaagcatct	ccttttgggt	aatctgaaca	agtrccaacc	420
cagatagcaa	catccactaa	tccagcacca	attccttcac	aaagtccttc	cacagaagaa	480
gtgcgatgaa	tattaattgt	tgaattcatt	tcagggcttc	cttggtccaa	ataaattata	540
gcttcaatgg	gaagaggtcc	tgaacattca	gctccattga	atgtgaaata	ccaacgctga	600
cagcatgcat	ttctgcattt	tagccgaagt	gagccactga	acaaaactct	tagagcacta	660
tttgaacgca	tctttgtaaa	tgt				683

<210> 64

<211> 749

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(749)

<223> n = A,T,C or G

<400> 64

ctgttcattt	gtccgccagc	tcttggtactg	gatgtgtgaa	aggcatcaca	tttccatttt	60
cctccgtgta	aatgttttat	gtgttcgcct	actgatccca	ttcggttgett	ctattgtaaa	120
tatttgtcat	ttgtatttat	tatctctgtg	ttttccccct	aaggcataaa	atggtttact	180
gtgttcattt	gaaccatttt	actgatctct	gttgatatatt	tttcatgcca	ctgctttgtt	240

ttctcctcag	aagtcgggta	gatagcattt	ctatcccatc	cctcacgtta	ttggaagcat	300
gcaacagtat	ttattgctca	gggtcttctg	cttaaaactg	aggaaggtcc	acattcctgc	360
aagcattgat	tgagacattt	gcacaatcta	aaatgtaagc	aaagtaagtc	attaaaaata	420
cacctctac	ttgggcttta	tactgcatac	aaatttactc	atgagccttc	ctttgaggaa	480
ggatgtggat	ctccaaataa	agatttagtg	tttattttga	gctctgcatc	ttancaagat	540
gatctgaaca	cctctccttt	gtatcaataa	atagccctgt	tattctgaag	tgagaggacc	600
aagtatagta	aaatgctgac	atctaaaact	aaataaatag	aaaacaccag	gccagaacta	660
tagtcatact	cacacaaagg	gagaaattta	aactcgaacc	aagcaaaagg	cttcacggaa	720
atagcatgga	aaaacaatgc	ttccagtgg				749

<210> 65

<211> 612

<212> DNA

<213> Homo sapien

<400> 65

acagcagcag	tagatggctg	caacaacctt	cctcctaccc	cagcccagaa	aatattttctg	60
ccccacccca	ggatccggga	ccaaaataaa	gagcaagcag	gcccccttca	ctgaggtgct	120
gggtagggct	cagtgcacac	ttactgtgct	ttgagaaaga	ggaaggggat	ttgtttggca	180
ctttaaaaaat	agaggagtaa	gcaggactgg	agaggccaga	gaagatacca	aaattggcag	240
ggagagacca	tttggcgcca	gtcccctagg	agatgggagg	agggagatag	gtatgagggg	300
aggcgctaag	aagagtagga	ggggtccact	ccaagtggca	gggtgctgaa	atgggctagg	360
accaacagga	cactgactct	aggtttatga	cctgtccata	cccgttccac	agcagctggg	420
tgggagaaat	caccattttg	tgactttctaa	taaaataatg	ggtctaggca	acagttttca	480
atggatgcta	aaacgattag	gtgaaaagtt	gatggagaat	tttaattcag	gggaattagg	540
ctgataccat	ctgaaaccat	ttggcatcat	taaaaatgtg	acaacctggg	ggctgccagg	600
gaggaagggg	ag					612

<210> 66

<211> 703

<212> DNA

<213> Homo sapien

<400> 66

tagcgtgggtc	gcggccgagg	tacattgatg	ggctggagag	caggggttggc	agcctgttct	60
gcacagaacc	aagaattaca	gaaaaaagtc	caggagctgg	agaggcacia	catctccttg	120
gtagctcagc	tccgccagct	gcagacgcta	attgctcaaa	cttccaacaa	agctgcccgag	180
accagcaact	gtgttttgat	tcttcttttt	tccttggttc	tcatcatcct	gcccgacttc	240
agtccatttc	agagtgcacc	agaagctggg	tctgaggatt	accagcctca	cggagtgact	300
tccagaaata	tcctgaccca	caaggacgta	acagaaaatc	tggagaccca	agtggtagag	360
tccagactga	gggagccacc	tggagccaag	gatgcaaata	gctcaacaag	gacactgctt	420
gagaagatgg	gaggggaagc	aagacccagt	gggcgcaccc	ggtccgtgct	gcatgcagat	480
gagatgtgag	ctggaacaga	ccttcctggc	ccacttcctg	atcacaagga	atcctgggct	540
tccttatggc	tttgcttccc	actgggattc	ctacttaggt	gtctgccctc	aggggtccaa	600
atcacttcag	gacaccccaa	gagatgtcct	ttagtctctg	cctgaggcct	agtctgcatt	660
tgtttgcata	tatgagaggg	tacctgcccc	ggcgccgct	cga		703

<210> 67

<211> 1022

<212> DNA

<213> Homo sapien

<400> 67

cttgagaaag	caggattgtt	ttaagttcca	agatttaaca	aacttactgt	tcagcatcat	60
attcaagcct	aaaaggaaga	taggattttc	aagatatatt	tccaacttct	ttaacatggc	120

```

accatggatg aactgtttct cagcactgtg ctgcttcact tgggaattaag gatgaattgg      180
gaggagacag tatgacatag gtgggttagt tgggtgggtga ggggaaccag ttctaatagt      240
cctcaactcc actccagctg ttctgttcc acacgggtcca ctgagctggc ccagtcctct      300
tcaactcagt tgtcaccaaa ggcagcttca aggcctcaatg gcaagagacc acctataacc      360
tcttcacctt ctgctgcctc tttctgctgc cactgactgc catggccatc tgctatagcc      420
gcattgtcct cagtgtgtcc aggccccaga caaggaaggg gagccatggg gagactccaa      480
ttcccaggcc ttaatcctta accctagacc tgttgccctc agcatcattt atttatctac      540
ctacctataa gctatctacc agtcattaaa ccatgggtgag attctaacca tgtctagcac      600
ctgatgctag agataatatt gttgaatccc ttcaattata aacagctgag ttagctggac      660
aaggactagg gaggcaatca gtattattta ttcttgaaca ccatcaagtc tagacttggg      720
ggcttcatat ttctatcata atccctgggg gtaagaaatc atatagcccc aggttgggaa      780
ggggaaaacg gtttgcaaca ttctcctcct tgtaggaggc gagctctgtc tcaactagcta      840
tgccccctca tcaattcacc ctatactcag atcagaagct gagtgtctga attacagtat      900
atthttctaaa ttcttagccc ctgctgggtga atthgcccct ccccgctcct ttgacaattg      960
tccccgtgtt cgtctccggg ccctgagact ggccctgctt atcttgctga ccttcactct     1020
ct                                                                                   1022

```

<210> 68

<211> 449

<212> DNA

<213> Homo sapien

<400> 68

```

ccagatccat ttctagtggt ctggatttct ttttattttc ttttcaactt gaaagaaact      60
ggacattagg ccactatgtg ttgttactgc cactagtgtt caagtgcctc ttgttttccc     120
agagatttcc tgggtctgcc agaggcccag acaggctcac tcaagctctt taactgaaaa     180
gcaacaagcc actccaggac aaggttcaaa atgggttaca cagcctctac ctgtcgcccc     240
agggagaaaag gggtagtgat acaagtctca tagccagaga tgggtttcca ctcttcttag     300
atattcccaa aaagaggctg agacaggagg ttattttcaa ttttattttg gaattaaata     360
cttttttccc tttattactg ttgtagtccc tcaattggat atacctctgt ttccacgata     420
gaaataaggg aggtctagag cttctattc                                                                                   449

```

<210> 69

<211> 387

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(387)

<223> n = A,T,C or G

<400> 69

```

gcccttagcg tgggtcgcg cncgangtct ggagcntatg tgatncctat ggtncncagg      60
cnnatactgc tantctcatt tattctcctg cnacctantc ctctnctctg gaatcacacc     120
attattgcct gttaacactg gactgtgagt accangcaat taatttgcac caanaaagtt     180
gaggttatta tcanatattg caatctgtac agaggggaaga tgatttcaat ttgatttcaa     240
cttaaccttc atctttgtct gttaacacta atagaggggtg tctaataaaa tggcaaattt     300
gngatctcat tnggtataac tacactcttt ttcacagatg tgatgactga atttccanca     360
acctgcccgg gcggncgntc naagggc                                                                                   387

```

<210> 70

<211> 836

<212> DNA

<213> Homo sapien

<400> 70

tattccattt	acaaaataaa	ttcagccctg	cacttttctt	agatgccttg	atttccagaa	60
tggagcttag	tgctactgaa	taccctggcc	acagagccac	ctcaggatat	tcttttctcc	120
accctagttt	atattttat	agatatctgt	ttacaaagtc	tgtagttaa	cctgatgctg	180
accatctgaa	atgtactttt	tttctgaatg	ctgtttcaat	ctaaaatagc	agcttttgag	240
aaaacaatga	tgtaaatcc	ttatgataaa	aggatgattc	tatatattct	ttaatgatat	300
taaatatgcc	gaagccaagc	acacagtcct	tctaaagtgt	gtgtatgttt	gtgtgaatgt	360
gaatgatact	gatcttatat	ctgttaaaa	ttgttttaaa	aagctgtggc	atcccattgt	420
tcatatttgc	caagtcttct	gtaaagatgt	ctaggacgaa	atattttatg	tgctaatagca	480
tgtatttcta	aaccagattt	gtttaccact	caaaaataac	ttgttttctt	catccaaaaa	540
agtttatttc	ttccacgtac	ttaaattttc	tgtgtgggta	taatatagct	ttctaatttt	600
tttctttcac	aaaggcaggt	tcaaaattct	gttgaaaagaa	aaatgctttc	tgaaactgag	660
gtataacacc	agagcttgct	gtttaaagga	ttatatgatg	tacatcagtt	ctataaatgt	720
gctcagcagt	ttaacatgtg	aatcctgttt	taaagtgttc	agatttcaac	tgtgtaagcc	780
attgatataa	cgctgtaatt	aaaaatgttt	atatgaaaaa	aaaaaaaaaa	aaaaaa	836

<210> 71

<211> 618

<212> DNA

<213> Homo sapien

<400> 71

gttgacgtga	gctcaagtgt	tgggtgtatc	agctcaaaac	accatgtgat	gccaatcatc	60
tccacaggag	caatttggtt	accttttttt	tctgatgctt	tactaacttc	atctttttaga	120
tttaaatcat	tagtagatcc	tagaggagcc	agtttcagaa	aatatagatt	ctagttcagc	180
accacccgta	gttggtgcatt	gaaataatta	tcattatgat	tatgtatcag	agcttctggt	240
tttctcattc	tttattcatt	tattcaacaa	ccacgtgaca	aacactggaa	ttacaggatg	300
aagatgagat	aatccgctcc	ttggcagtg	tatactatta	tataacctga	aaaaacaaac	360
aggtaatttt	cacacaaagt	aatagatatc	atgacacatt	taaaataggg	cactactgga	420
acacacagat	aggacatcca	ggttttgggt	caatattgta	gactttttgg	tggtatgagat	480
atgcaggttg	atrccagaag	gacaacaaaa	acatatgtca	gatagaaggg	aggagcaaat	540
gccaaagagct	ggagctgagg	aagatcactg	tgaaattcta	tgtagtctag	ttggctggat	600
gctagagcaa	agaggtgg					618

<210> 72

<211> 806

<212> DNA

<213> Homo sapien

<400> 72

tctacgatgg	ccatttgctc	attgtctttc	ctctgtgtgt	agtgagtgac	cctggcagtg	60
tttgcttgct	cagagtggcc	cctcagaaca	acagggctgg	ccttggaana	accccaaaac	120
aggactgtgg	tgacaactct	ggtcaggtgt	gatttgacat	gagggccgga	ggcggttgct	180
gacggcagga	ctggagaggg	tgctgccccg	gcactggcag	cgaggctcgt	gtgtccccc	240
ggcagatctg	ggcactttcc	caaccaggt	ttatgccgtc	tccaggaag	cctcggtgcc	300
agagtgggtg	gcagatctga	ccatccccac	agaccagaaa	caaggaattt	ctgggattac	360
ccagtccccc	ttcaaccacg	ttgatgtaac	caacctcatt	tttacaana	cagaatctat	420
tctactcagg	ctatgggccc	cgtccctcact	cagttatttg	gagtgttgct	gtccgcatgc	480
tccgggcccc	acgtggctcc	tgtgctctag	atcatggtga	ctcccccgcc	ctgtggttgg	540
aatcgatgcc	acggattgca	ggccaaattt	cagatcgtgt	ttccaaacac	ccttgctgtg	600
ccctttaatg	ggattgaaag	cacttttaac	acatggagaa	atataatttt	aatttgtgat	660
gcttttctac	aaggtccact	atctctgagt	ttaatgtgtt	tccaacactt	aaggagactc	720
taatgaaagc	tgatgaattt	tcttttctgt	ccaaacaagt	aaaataaaaa	taaaagtcta	780
tttagatgtt	gaaaaaaaaa	aaaaaa				806

20

<210> 73
<211> 301
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(301)
<223> n = A,T,C or G

<400> 73
actctggttaa gcttggttgtt gtccaagtga agctccctca gatgaggcgt gttggccana 60
gagccattgt caacagcaga gatgctgttg aaactcaatc ccaacttagc caaattattc 120
agtcctttca ggctagctgc atcaactctg ctgattttgt tgccatcaag atgtaattcc 180
gtaaggggaag gaggaagacc ttgaggaatg ctggygatat tggycatcagc aatgcggatg 240
tasgaagagc ttcttcmttc cctggaaagc cccattttca atyccttgag ctcttcakcg 300
g 301

<210> 74
<211> 401
<212> DNA
<213> Homo sapien

<400> 74
agtttacatg atccctgtaa cagccatggt ctcaaactca gatgcttcct ccactctgcca 60
agtgtgttct ggatacacag cactatcggt cttctggggg cactctcagc ttaggctgtg 120
ggccacacaga gcaactcatc ggctgggcta tgggtgggtg ggctctactc aagaagcaaa 180
gcagttacca gcacattcaa acagtgtatt gaacatcttt taaatatcaa agtgagaaac 240
aagaaggcaa cataataatg ttatcagaaa gatgttagga agtaaggaca gctgtgtaaa 300
gcttgaggct gaaaagtagc ttgccagctt catttctttg gtttcttggg tagtgggccc 360
ccggaacagc aagatgtgag gttctggttc atggatcata t 401

<210> 75
<211> 612
<212> DNA
<213> Homo sapien

<400> 75
ttattttttca atttttattt tggttttctt acaaagggtg acattttcca taacagggtg 60
aagagtgttg aaaaaaaaaa tcaaattttt ggggagcgag ggaaggagt aatgaaactg 120
tattgcacaa tgctctgatc aatccttctt tttctctttt gccacaatt taagcaagta 180
gatgtgcaga agaaatggaa ggattcagct ttcagttaaa aaagaagaag aagaaatggc 240
aaagagaaaag ttttttcaaa tttctttctt ttttaattta gattgagttc atttatttga 300
aacagactgg gccaatgtcc acaaagaatt cctggtcagc accaccgatg tccaaagggtg 360
caatatcaag gaagggcagg cgtgatggct tatttggttt gtattcaatg attgtctttc 420
cccattcatt tgtcttttta gagcagccat ctacaagaac agtgtaagtg aacctgctgt 480
tgccctcagc aacaagttca acatcattag agccctgtag aatgacagcc tttttcagg 540
tgccagtctc ctcatccatg tatgcaatgc tgttcttgca gtggtagggt atgttctgag 600
aggcatagtt gg 612

<210> 76
<211> 844
<212> DNA
<213> Homo sapien

<400> 76

ggcttttcgag	cggccgcccc	ggcaggtctg	atggtttctcg	taaaaacccc	gctagaaact	60
gcagagacct	gaaattctgc	catcctgaac	tcaagagtgg	agaatactgg	gttgacccta	120
accaaggatg	caaattggat	gctatcaagg	tattctgtaa	tatggaaact	ggggaaacat	180
gcataagtgc	caatcctttg	aatgttccac	ggaaacactg	gtggacagat	tctagtgtcg	240
agaagaaaca	cgtttggttt	ggagagtcca	tggatgggtg	ttttcagttt	agctacggca	300
atcctgaact	tcctgaagat	gtccttgatg	tgcagcykgc	attccttcga	cttctctcca	360
gccgagcttc	ccagaacatc	acatatcact	gcaaaaatag	cattgcatac	atggatcagg	420
ccagtggaaa	tgtaaagaag	gccctgaagc	tgatggggtc	aaatgaaggt	gaattcaagg	480
ctgaaggaaa	tagcaaattc	acctacacag	ttctggagga	tggttgcacg	aaacacactg	540
gggaatggag	caaaacagtc	tttgaatatc	gaacacgcaa	tgctgttcct	tgacattgca	600
ccaccaatgt	ccagaggtgc	aatgtcaagg	aacggcaggc	gagatggctt	atttgttttg	660
tattcaatga	ttgtcttgcc	ccattcattt	gtcttttttg	agcagccatc	gactaggaca	720
agtaggtga	acctgtctgt	gccctcagca	acaagttcca	catcgttgga	accctgcaga	780
agcacagcct	tgttcaarct	gcccgtctcc	tcattccagat	acctcggccg	cgaccacgct	840
aatc						844

<210> 77

<211> 314

<212> DNA

<213> Homo sapien

<400> 77

ccagtcctcc	acttggcctg	atgagagtgg	ggagtggcaa	gggacgtttc	tcctgcaata	60
gacacttaga	tttctctctt	gtgggaagaa	accacctgtc	catccactga	ctcttctaca	120
ttgatgtgga	aattgctgct	gctaccacca	cctcctgaag	aggcttcctt	gatgccaatg	180
ccagccatcc	tggcatcctg	gccctcgagc	aggctgcggt	aagtagcgat	ctcctgctcc	240
agccgtgtct	ttatgtcaag	cagcatcttg	tactcctggg	tctgagcctc	catctcgcat	300
cggagctcac	tcag					314

<210> 78

<211> 548

<212> DNA

<213> Homo sapien

<400> 78

accaagagcc	aagtgttaca	caggatattt	taaaaataaa	atgttttttg	aatcctcacc	60
tcccatgcta	tcttctaaga	taactacaaa	tattcttcaa	agatttaact	gagttctgcc	120
aaggacctcc	caggactcta	tccagaatga	ttattgtaaa	gctttacaaa	ttccaccttg	180
gccctagcga	taattaggaa	atcacaggca	aacctcctct	ctcgagagacc	aatgaccagg	240
ccaatcagtc	tgcacattgg	ttttgttaga	tactttgtgg	agaaaaacaa	aggctcgtga	300
tagtgcagct	ctgtgcctac	agagagcctc	ccttttgggt	ctgaaattgc	tgatgtgaca	360
gagacaaagc	tgctatgggt	ctaaaacctt	caataaagta	actaatgaca	ctcaagggtcc	420
tgggactctg	agacagacgg	tggtaaaacc	cacagctgcg	attcacattt	ccaattttatt	480
ttgagctctt	tctgaagctg	ttgcttccta	cctgagaatt	cccattttaga	gagctgcaca	540
gcacagtc						548

<210> 79

<211> 646

<212> DNA

<213> Homo sapien

<400> 79

accccgctcac	tatgtgaata	aaggcagcta	gaaaatggac	tcaattctgc	aagccttcat	60
-------------	------------	------------	------------	------------	------------	----

ggcaacagcc	catattaaga	cttctagaac	aagttaaaaa	aaatcttcca	tttccatcca	120
tgcatgggaa	aagggcttta	gtatagttta	ggatggatgt	gtgtataata	ataaaatgat	180
aagatatgca	tagtggggga	ataaagcctc	agagtccttc	cagtatgggg	aatccattgt	240
atcttagaac	cgagggattt	gttttagattg	ttgatctact	aatttttttc	ttcacttata	300
tttgaatttt	caatgatagg	acttattgga	aattggggat	aattctgttg	tggtattaaa	360
taatattcat	tttttaaaaa	ctcatcttgg	tattgagtta	gtgcattgac	ttccaatgaa	420
ttgacataag	cccatatttc	attttaacca	gaaacaaaaa	ctagaaaatg	ttactcccta	480
aataggcaac	aatgtatttt	ataagcactg	cagagattta	gtaaaaaaca	tgtatagtta	540
ctttagaaac	aacttctgac	acttgagggg	tacccaatgg	tctccttccc	attctttata	600
tgaggtaaat	gcaaaccagg	gagccaccga	ataaacagcc	ctgagt		646

<210> 80

<211> 276

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(276)

<223> n = A,T,C or G

<400> 80

gtctgaatga	gcttcnctgc	gagatgganc	ancataaccc	agaantccaa	aancntanng	60
aacgnnaaaa	cccgnrngaa	caagnaaacn	gcaactnacg	gccgcctgnt	gnagggcgag	120
gacgcccacc	tctcctcctc	ccagttctcc	tctggatcgc	agncatccan	agatgtgacc	180
tcttccagcc	gccaaatccg	caccaaggtc	atggatgtgc	acgatggcaa	ggtgggtgtc	240
cacccacgaa	caggtccttc	gcaccaagaa	ctgagg			276

<210> 81

<211> 647

<212> DNA

<213> Homo sapien

<400> 81

gtcctgcctt	tcatcttttc	tttaaaaaaa	ataaatgttt	acaaaacatt	tcctcagat	60
tttaaaattc	atggaagtaa	taaacagtaa	taaaatatgg	atactatgaa	aactgacaca	120
cagaaaaaca	taaccataaa	atattgttcc	aggatacaga	tattaattaa	gagtgacttc	180
gtttagcaaca	cgtagacatt	catacatatc	cggtggaaga	ctggtttctg	agatgcgatt	240
gccatccaaa	cgcaaagtct	tgatcttggg	gtaggrtaat	ggccccagga	tcttgcagaa	300
gctctttatg	tcaaacttct	caagttgatt	gacctccagg	taatagtttt	caaggttttc	360
attgacagtt	ggtatgtttt	taagcttggt	ataggacaga	tccagctcaa	ccagggatga	420
cacattgaaa	gaatttccag	gtattccact	atcagccagt	tcgttgtag	ataaacgcag	480
atactgcaat	gcattaaaaa	gcttgaaata	ctcatcaggg	atgttgctga	tcttattggt	540
gtctaagtag	agagttagaa	gagagacagg	gagaccagaa	ggcagtctgg	ctatctgatt	600
gaagctcaag	tcaaggtatt	cgagtgattt	aagaccttta	aaagcag		647

<210> 82

<211> 878

<212> DNA

<213> Homo sapien

<400> 82

ccttcttttc	ccactcaatt	cttctgccc	tggtattaat	taagatatct	tcagcttgta	60
gtcagacaca	atcagaatya	cagaaaaatc	ctgcctaagg	caaagaaata	taagacaaga	120
ctatgatatc	aatgaatgtg	ggttaagtaa	tagatttcca	gctaaattgg	tctaaaaaag	180

aatattaagt	gtggacagac	ctattttcaaa	ggagcttaat	tgatctcact	tgtttttagtt	240
ctgatccagg	gagatcaccc	ctctaattat	ttctgaactt	ggtaataaaa	agttttataag	300
atTTTTatga	agcagccact	gtatgatatt	ttaagcaa	atgttattta	aaatattgat	360
ccttcccttg	gaccaccttc	atgttagttg	ggtattataa	ataagagata	caaccatgaa	420
tatattatgt	ttatacaaaa	tcaatctgaa	cacaattcat	aaagatttct	ctttttatacc	480
ttcctcactg	gccccctcca	cctgcccata	gtcaccaa	tctgttttaa	atcaatgacc	540
taagatcaac	aatgaagtat	tttataaatg	tattttatgct	gctagactgt	gggtcaaagt	600
tttccatttt	caaattattt	agaattctta	tgagttttaa	atTTgtaaat	ttctaaatcc	660
aatcatgtaa	aatgaaactg	ttgctccatt	ggagtagtct	cccacctaaa	tatcaagatg	720
gctatatgct	aaaaagagaa	aatatgggtca	agtctaaa	ggctaattgt	cctatgatgc	780
tattatcata	gactaatgac	atttatcttc	aaaacaccaa	attgtcttta	gaaaaattaa	840
tgtgattaca	ggtagagaac	ctcgccgcg	accacgct			878

<210> 83

<211> 645

<212> DNA

<213> Homo sapien

<400> 83

acaaacattt	tacaaaaaag	aacattacca	atatcagtgg	cagtaagggc	aagctgaaga	60
ataaatagac	tgagtttccg	ggcaatgtct	gtcctcaaag	acatccaaac	tgcggttcagg	120
cagctgaaac	aggcttcttt	cccagtgaca	agcatatgtg	gtcagtaata	caaacgatgg	180
taaatgaggc	tactacatag	gcccagttaa	caaactcctc	ttctcctcgg	gtaggccatg	240
atacaagtgg	aactcatcaa	ataattttaa	cccaaggcga	taacaacgct	atttcccatc	300
taaactcatt	taagccttca	caatgtcgca	atggattcag	ttacttgcaa	acgatcccgg	360
gttgtcatac	agatacttgt	ttttacacat	aacgctgtgc	catcccttcc	ttcactgccc	420
cagtcagggt	tcctgttgtt	ggaccgaaa	gggatacatt	ttagaaatgc	ttccttcaag	480
acagaagtga	gaaagaaagg	agaccctgag	gccaggatct	attaaacctg	gtgtgtgcgc	540
aaaagggagg	gggaaggcag	gaatttgaaa	ggataaacgt	ctccttttgcg	ccgaggaatc	600
aggaagcgtg	actcacttgg	gtctgggacg	ataccgaaat	ccggt		645

<210> 84

<211> 301

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(301)

<223> n = A,T,C or G

<400> 84

tctgatgtca	atcacaaactt	gaaggatgcc	aatgatgtac	caatccaatg	tgaaatctct	60
cctcttatct	cctatgctgg	agaaggatta	gaaggttatg	tggcagataa	agaattccat	120
gcacctctaa	tcatcgatga	gaatggagtt	catgggctgg	tgaaaaatgg	tatttgaacc	180
agataccaag	ttttgtttgc	cacgatagga	atagctttta	tttttgatag	accaactgtg	240
aacctacaag	acgtcttggg	caactgaagn	ttaaatatcc	acanggggtt	atTTtgcttg	300
g						301

<210> 85

<211> 296

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature
 <222> (1)...(296)
 <223> n = A,T,C or G

<400> 85
 agcgtgggtc gcggcncgan gtagagaacc gactgaaacg tttgagatga agaaagtctt 60
 cctcctgata acagccatct tggcagtggtc tgttggtttc ccagtctctc aagaccagga 120
 acgagaaaaa agaagtatca gtgacagcga tgaattagct tcagggtttt ttgtgttccc 180
 ttacccatat ccatttcgcc cacttcacc aattccattt ccaagatttc catggtttan 240
 acgtaatttt cctattccaa tacctgaatc tgcccctaca actccccttc ctagcg 296

<210> 86
 <211> 806
 <212> DNA
 <213> Homo sapien

<400> 86
 tctacgatgg ccatttgctc attgtctttc ctctgtgtgt agtgagtgc cctggcagtg 60
 tttgctgctc cagagtggcc cctcagaaca acagggctgg ccttggaata accccaaaac 120
 aggactgtgg tgacaactct ggtcaggtgt gatttgacat gagggccgga ggcggttgct 180
 gacggcagga ctggagagggc tgcgtgcccg gcaatggcag cgaggctcgt gtgtcccca 240
 ggcagatctg ggcactttcc caaccaggt ttatgccgtc tccagggaag cctcggtgcc 300
 agagtgggtg gcagatctga ccatccccc agaccagaaa caaggaattt ctgggattac 360
 ccagtccccc ttcaaccagc ttgatgtaac cacctcattt ttacaaata cagaatctat 420
 tctactcagg ctatgggcct cgtcctcact cagttattgc gagtgttgct gtccgcagtc 480
 tccgggcccc acgtggctcc tgtgctctag atcatggtga ctccccgcc ctgtggttgg 540
 aatcgatgcc acggattgca ggccaaattt cagatcgtgt ttccaaacac ccttgctgtg 600
 ccctttaatg ggattgaaag cacttttacc acatggagaa atatatattt aatttgtgat 660
 gcttttctac aagggtccact atttctgagt ttaatgtgtt tccaacactt aaggagactc 720
 taatgaaagc tgatgaattt tcttttctgt ccaacaagt aaaataaaaa taaaagtcta 780
 tttgatgtt gaaaaaaaaa aaaaaa 806

<210> 87
 <211> 620
 <212> DNA
 <213> Homo sapien

<400> 87
 tttttgcata agatctgaaa tgtctgagag taatagtttc tgttgaattt tttttgttc 60
 atttttctgc acagtcatt ctgtttttat tactatctag gcttgaaata tatagtttga 120
 aattatgaca tccttcctct ttgttatttt cctcatgatt gctttggcta ttcaaagttt 180
 attttagttt catgtaaatt tttgaattgt attttccatt attgtgaaaa tagtaccact 240
 gcaattttta taggaagttt attgaatcta tagattactt tggataatat ggcacttcaa 300
 taatattcat gttttcaatt catagacaaa atattttaaa atttatttgt atcttttcta 360
 atttttcctt tttttattgt aaagatttac ctcttggtt aatattttcc tcagaaattt 420
 attatttaag gtatagtc aaagattttt ttctctatt ttgtcagata gtttaagtgt 480
 atgaaacat agatatactt gtatgttaat tttatatttt gctaatttac tgagtgtatt 540
 tattagttaa gagaggtttt aatgtactgt ttatggtttt ttaaatataa gattacttat 600
 tttttaaaaa aaaaaaaaaa 620

<210> 88
 <211> 308
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(308)
 <223> n = A,T,C or G

<400> 88
 tagctgtgnt cagcaggccg aggttttttt tttttttgag atggagtctc gccctgtcac 60
 ccaggctgga gtgcagtggc ctgatctcag ctcaactgcaa gctccacctc ctggattcac 120
 gctattctcc tgcctcagcc tcccaagtag ctgggactac aggcgcccgc caccacgccc 180
 agctaattnt ttgnattttt agtacnagat gcgggtttcat cgtgttagcc agcatgggct 240
 cgatctcctg acctcgtgaa ctgcccgcct cggcctccca aagacctgcc cgggcngggc 300
 gctcgaaa 308

<210> 89
 <211> 492
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(492)
 <223> n = A,T,C or G

<400> 89
 agcggccgcc cgggcaggtc tgtaagtaa catacatatc accttaataa aaatcaagat 60
 gaaatgtttt agaaactatt ttatcaaaag tggctctgat acaaagactt gtacatgatt 120
 gttcacagca gcactattaa tgccaaaaag tagacaaaac ctaaatgtcc attaaactgat 180
 aagcaaaatg tggatatatcc atacaatgga atattatgta gccacaaca tggcatggag 240
 tactacaaca tggatgagcc tcaaaaacgt tatgctaaat gaaaaaagtc agatatagga 300
 aaccacatgt catatgatcc catttatatg aaatagccag aaaaggcaag tcatagaaac 360
 aagatagatc ggaaaatggg ttggaggact acaaatggca ccagggatct ttgaagttga 420
 tggaaatggt ctaaaatcag actgtggntg tggttgaaca agtctgtaaa tttacaaaa 480
 tgcgttaata ca 492

<210> 90
 <211> 390
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(390)
 <223> n = A,T,C or G

<400> 90
 tcgagcggcc gcccgggcag gtacaagctt tttttttttt tttttttttt ttttctaaca 60
 gttctctgtt ttattgcaat acagcaaaagt ctgggttaata ttaagngata tcaacataaa 120
 gtattgggtga ggagtctttt gtgacatttt ttaccatccc accttaataa tttctgtgca 180
 aaanaatcca catcattgtt tgggtancana ggatctctta aaaagttccc taanacactg 240
 agggcataaa accaaacaaa ataaaataag gagtgatagg ctaaagcagt atcttccctt 300
 ccatccacat ttgncaagca ttatattcta accaaaaaat gatcacacca ggccatgcaa 360
 aactgtccaa tattaccgag aaaaaaccct 390

<210> 91
 <211> 192

<212> DNA

<213> Homo sapien

<400> 91

agcgtgggtcg	cggccgaggt	ctgtcaatta	atgctagtcc	tcaggattta	aaaaataatc	60
ttaactcaaa	gtccaatgca	aaaacattaa	gttggaatt	actcttgatc	ttgaattact	120
tccgttacga	aagtccttca	catttttcaa	actaagctac	tatatttaag	gcctgcccgg	180
gcggccgctc	ga					192

<210> 92

<211> 570

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(570)

<223> n = A,T,C or G

<400> 92

agcgtgggtcg	cggccgaggt	ctgacaacta	acaaagaagc	aaaaactggc	atcttggaca	60
tcttagtatt	acacttgcaa	gcaattagaa	cacaaggagg	gccaaggaaa	aagttagct	120
ttgaatcact	tccaaatcta	ctgattttga	ggttccgcag	tagttctaac	aaaacttttc	180
agacaatggt	aactttcgat	taagaaagaa	aaaaacccca	aacatcttca	ggaattccat	240
gccaggttca	gtctcttcca	gtgagcccg	ttgctaaaag	tccacgtgca	ccattaatta	300
gctgggctgg	cagcaccatg	taaaaagaag	cctattcacc	accaaccaca	cagactagac	360
atgtaaagta	ggatcaagta	atggatgaca	accatggctg	tggaatatgg	tcaatgagag	420
tcagaaaagt	acaggcacca	gtacaagcag	cagataacag	aattgacggg	ccaaaggata	480
aaaataggct	tattttaata	ggatgctaca	gaacacatnc	acttctaatt	ggaagctgct	540
ttacactggg	tggcattgna	ccatatgcat				570

<210> 93

<211> 446

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(446)

<223> n = A,T,C or G

<400> 93

tcgagcggcc	gcccgggcag	gtccagggtt	ttatttagtt	gtgtaatctt	ggacaagtta	60
cctaactttt	ttgagtctga	atatatttaa	tctgcaaaat	gagaatcatg	ataatacgtc	120
ataggcttaa	ttaggaggat	taaatgaaat	aatttatagg	tggtgccatg	gttacatata	180
agtattagta	gttaattctt	ttcctttggt	tacttttata	gtatagggtg	gatgaagggt	240
ccagtatagg	caaaaatact	acttgggggt	aaagtagagt	gtgatacttt	atttgaaatg	300
ttccctgaat	ctgatcttta	ctttttgnta	ctgctgcact	acccaaatcc	aaattttcat	360
cccaacattc	ttggatttgt	gggacagcng	tagcagcttt	tccaatataa	tctatactac	420
atcttttctt	actttggtgc	tttttg				446

<210> 94

<211> 409

<212> DNA

<213> Homo sapien

```

<400> 94
cgagcggccg cccgggcagg tccatcagct cttctgctta gaatacgagg cagacagtgg      60
agaggtcaca tcagttatcg tctatcaggg tgatgacca agaaagggtga gtgagaagggt      120
gtcggcacac acgcctctgg atccacccat gcgagaagcc ctcaagttgc gtatccagga      180
ggagattgca aagcgccaga gccaacactg accatggtga aggcgttctc tccaggctgg      240
attcactgca ctcggaagaa ttctgcccag ggaatttagt gtgggggtac caggaccagt      300
ttgtcttgat cttgagaccc ccagagctgc tgcattccata ggggtgtgca ggactacacc      360
tggcctgcct tgcagtcatt ctttcttata tgttgacca tttgcccac      409

```

```

<210> 95
<211> 490
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(490)
<223> n = A,T,C or G

```

```

<400> 95
tcgagcggcc gcccgggcagg gtcctacttg tttgcagctt ccacacactg cacctaccta      60
ctacctctct tccatgctta actgggttta gaaagggtgag ctatgcgtag aagaactact      120
tgggatatct aagtgtctgta tttgaacgat aagcctatag ataacagtct gaagctgcaa      180
gggagacttt gttagtacac tactataaac aggtaaaacta cctgtttgta cttgatatag      240
tgcataatgaa atgactgatt taatacaaaa ctacagaaca tgcaaaattt tttctgagat      300
gttaagtatt acttcagtgg agaacaaaac ttacttaacc tttcgctaata gcatgtagta      360
ccagaaagca aacatgggtt tagcttcctt tactcaaaat atgaacatta agtgggttg      420
aattttgtct gccaaagtgg tcagaaaata cattataaat aacctaagtt aaaaaaaga      480
aactgngaac                                     490

```

```

<210> 96
<211> 223
<212> DNA
<213> Homo sapien

```

```

<400> 96
agcgtggctg cggccgaggt ctggaagccc accctaggac ttgaatggca ccttgctcctt      60
tctctgccag taatgcaatc caacacaata tgctacaggg aaaacagaat ttccacgggtg      120
ccgcccctct gtacaaggga aacagcacgc aaagcaaaag gccacagagg gtcacctgag      180
aatccagtac aactaagcga ggacctgccc gggcggccgc tcg                                     223

```

```

<210> 97
<211> 527
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(527)
<223> n = A,T,C or G

```

```

<400> 97
tcgagcggcc gcccgggcagg gtctgtgcag gagacactga agtgggtagt gtccataatc      60
tttttagcct gttgctgaaa ttccagttgt actccttcaa accaaaatgc ttacaggatc      120

```

```

atgggaaagc ctcggttgca gaaatcaaga caggcaagtg ggaagataac tcggccttga      180
ggttaaacag atctgggttc aaagcatagt ttcactctct gtcttgtgaa gtgtcctggg      240
tgaagtcatt tcctctcttg aatttcagag aggatgaaaa tataaaaagt ataataacta      300
tcttcataat ctttgtgagg attaaagaag acgaagtgtg tgaaaagcta agcacagagc      360
aggcattcta caataagtag ttattatttt tgggaaccatc ccgnccctag cccagccca      420
attaccttct cttagnctct tcatatcgaa ngccgtaatc ttgaccttct cttgcnactg      480
gattgggtgct ggttgatgcc caaacttccc gagatgctgt ctgggaa                      527

```

```

<210> 98
<211> 514
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(514)
<223> n = A,T,C or G

```

```

<400> 98
tcgagcggcc gcccgggcag gtctggctcc catggccctt ggggtggcct gactctgtca      60
ctattcctaa aaccttctag gacatctgct ccaggaagaa ctttcaacac caaaattcat      120
ctcaatttta cagatgggaa aagtgattct gagaccagac cagggtcagg ccaaggcat      180
ccagcatcag tggctgggct gagactgggc ccaggaacc ctgtctgctc ctctttttcc      240
cagagctgtg agttctctag ccaaggctgc actcttgagg gagagccagg aagcatagct      300
gaggccatga caacctcact cttcacctga aaatttaacc cgtggcagag gatccaggca      360
catataggct tcggagccaa acaggacctc ggccgcgacc acgctaagcc gaattccagc      420
aacttgccgg ccgttactag tggatcccg gcttnggtac caagcttggc gtaatcatgg      480
gcatagctgg ttcttggggt gaaaatggta tccg                      514

```

```

<210> 99
<211> 530
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(530)
<223> n = A,T,C or G

```

```

<400> 99
tcgagcggcc gcccgggcag gtctgaagaa acaggataaa atttggcagc cagtaatttt      60
gacaggggaag ttacagcttg catgacttta aatatgtaaa tttgaaaata ctgaatttcg      120
agtaatcatt gtgctttgtg ttgatctgaa aaatataaca ctggctgtcg aagaagcatg      180
ttcaaaaata ttttaattcac ttcaaaatgt catacaaatt atgggtgggt ctatgcaccc      240
ctaaagcttc aagtcattta gtcaggttac atactaaagt aatatattaa ttcttccagt      300
acagtgggtg ttcatacat tgacatttgc ataccctaga ataatttaag aaagacatgt      360
gtaatatcca caatgttcag aaaagcaagc aaaagggtcaa ggaacctgct ttggttcttc      420
tgagatggg ctcatatcag cttcataaac attcattcta caaaatagta agctaaccat      480
ttgaacccca atttccagat taagcatatt ttctcataaa tnatgaagcc                      530

```

```

<210> 100
<211> 529
<212> DNA
<213> Homo sapien

```

<400> 100

agcgtggtcg	cggccgaggt	ccaggcacgg	tggcttatgt	gtgtaatccc	agcacttggg	60
gaggctgagg	gaggtggatc	acttgagtcc	aggagtttga	gaccagtctg	ggcaacatgg	120
cgaaacttca	tcactaccaa	agaagaaaaa	aattagccag	gtgtggtggg	gtatgcctgt	180
agtcccagat	actctggtgg	ctgaggtgag	aggatagctt	gagcccagga	aattgaggct	240
gcagtgaact	atgattgcac	tactgtgctc	cagcttgggc	aacagagtga	gatcttgtct	300
ccaaaagtcc	ttgaaggatt	ttaggaagtt	gttaaaagtc	ttgaaacgat	gtttgggggc	360
atgttagggg	tcttgaatgt	ttaattcctc	taataactgc	ttattcaaga	gaagcatttc	420
tgactgggtg	cggggcagtg	gcttcatgcc	ccataatccc	agtactttgg	gaggctgaag	480
caggaacatt	gcttgagccc	aggacttcaa	gaacagcctg	ggtaacata		529

<210> 101

<211> 277

<212> DNA

<213> Homo sapien

<400> 101

tcgagcggcc	gcccgggcag	gtcgcaggaa	gaggatggaa	actgaggagt	ccaggaagaa	60
gagggaaacga	gatcttgagc	tggaaatggg	agatgattat	atcttgatc	ttcagaagta	120
ctgggatttta	atgaatttgt	ctgaaaaaca	tgataagata	ccagaaatct	gggaaggcca	180
taatatagct	gattatattg	atccagccat	catgaagaaa	ttggaagaat	tagaaaaaga	240
agaagagctg	agaacagacc	tcggccgcga	ccacgct			277

<210> 102

<211> 490

<212> DNA

<213> Homo sapien

<400> 102

gcgtgggtcgc	ggccgaggtc	tgacggcttt	gctgtcccag	agccgcctaa	acgcaagaaa	60
agtcgatggg	acagttagag	gggatgtgct	aaagcgtgaa	atcagttgtc	cttaattttt	120
agaaagattt	tggttaactag	gtgtctcagg	gctgggttgg	ggtccaaagt	gtaaggaccc	180
cctgccctta	gtggagagct	ggagcttggg	gacattaccc	cttcattcaga	aggaattttc	240
ggatgttttc	ttgggaagct	gttttgggtc	ttggaagcag	tgagagctgg	gaagcttctt	300
ttggctctag	gtgagttgtc	atgtgggtaa	gttgaggtta	tcttgggata	aagggctctt	360
tagggcacaa	aactcactct	aggtttatat	tgtatgtagc	ttatattttt	tactaagggtg	420
tcaccttata	agcatctata	aattgacttc	tttttcttag	ttgtatgacc	tgccccgggc	480
ggccgctcga						490

<210> 103

<211> 490

<212> DNA

<213> Homo sapien

<400> 103

gagcggccgc	ccgggcaggt	ccaaaccagc	ttgctcataa	gtcattaacc	aatccatta	60
taggtaattt	gttcagttca	atgtttacaa	ttcttatgga	aaaaattagc	aacacacaca	120
tttaaaacgt	gtgcatttac	ctttgcgtga	gtgcttaaaa	tacatatttc	tatttcaaga	180
tgacatttaa	aaattattct	aatatatcag	cagcaaaaat	ataatttgca	attacaaaaa	240
actaaactag	aatccttaag	ttattctcat	gtttacagtt	gtgattcttt	aataaatact	300
attatgcagc	tctattgttt	aagctttctg	gatttggttt	aaacacatgc	atatatattg	360
tcaattgtgg	gaagctttac	aagttatatt	ccatgcactt	tttggacaga	gttctaacag	420
agccagccag	tccacaaaac	aggcaagaca	aaagttgaat	taactggggc	aaaataggac	480
tcttatgcaa						490

<210> 104
 <211> 489
 <212> DNA
 <213> Homo sapien

<400> 104
 cggtggctcgcg gccgaggtcc aggctgggtct cgaactcctg accttgatgat ctgcccgcct 60
 cggcctccca aagtgttggg attacaggca tgagccactg cgcccgaccg agttgaacat 120
 ttaatgtcag actaggccag agtttctcaa tctttttatt ctcaattccc aaaggagccg 180
 ttggagattt tccccctcaat ctctctcctt catgaaattt cataccacaa atatagtatg 240
 ttttatttat gtactgtgac cttttgaagg atcacaaaacc aatataatag tttttctttt 300
 taaccgcgtca aggaccaagt ttttgccctt gttggaaatg cataaactgg actgatgaat 360
 tggatatagat ggctttttatc atgaggatca gaaaaacttg aaattccttg gctacgacac 420
 tccatattta tcaccgtata gggaggacct tggatatgggg aagtagaaac acttctacac 480
 tttacagca 489

<210> 105
 <211> 479
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(479)
 <223> n = A,T,C or G

<400> 105
 gcgtggctcgc ggccgaggtc tgactggctt cagccccaga agttgagctg gccttttagac 60
 aaaataattg cacctccctc tgctgcttat tcccttcctt ttttcatttg agtgtgaaca 120
 gttagataaa atctgtggct gntcttcca ccttgctcta gtttccattg ctgtgagcag 180
 gccctcctat gccccgcatt tagctacaat gctgtggact cacttgattc tttttctccg 240
 agctttgtct agaaatatgt gaaggtgagg ttaagtgtct ctctgtgtag atccacttag 300
 ccctgtctgc tgtctcgatg ggcgttgctt cgtctctcct ctcttccatc ctttccattt 360
 gcttctcacc accttctggc ttcttttctt aatgcaataa aggcagtttc taacaaagaa 420
 agaatgtggg ctttgaggatt agacagacct ggnttttaaat tctgcttctg gctctccaa 479

<210> 106
 <211> 511
 <212> DNA
 <213> Homo sapien

<400> 106
 tcgcggccga ggtccaaaac gtggattcca atgacctgcc ttgagcccgc ggttgccagg 60
 agttggacct gcagtagtat gggaaagctca cggcctaaat accgactgcc ctctgacccc 120
 accgtccagc gattctagaa catttctagt aggaaagaca tagcaaggga ttttcatgat 180
 tgggaaatac tgggagacaa gctgaagatt tgtaaagggc tatgcttctg tcatctttta 240
 ggtatttaag gctactcctt tagctagcta ctttgagctg tttaaagtga ctatctccct 300
 acacagagtt acacaatgag catctctgaa agagaatatt accctggatt tccaaagatg 360
 tactctaaca ggatgaccag gcaaaaagggtg acccggggga ggagtctgtt ataactctcg 420
 gaccacatg ttctcaaggc acttcagaac tttgggaaat cttttgtac cggatcctca 480
 gaaagcattt atggaaatac acatccttta g 511

<210> 107
 <211> 451
 <212> DNA

<213> Homo sapien

<400> 107

```

ggccgcccgg gcaggtccag aatatcaa at caaaagggtca caaatgttca ctctctctct 60
caccctctta catattggat cttcaattgc aatagggagt gtaagatggg catttttagag 120
acgtagtgtc atcagcagaa gcaaaccat cttatacaaa tgggttttgg ggataggaaa 180
aggctgctaa aaattcacaa gtcaccattc ccagaaagca atgaatagcc gtagaagacc 240
aaggaagatc aacaagtttc caaagtgtta aagccagaga tttggccctt ccaaaatacc 300
accaggacgc ctggaccctg gggctctccg catgtcacca ctgactgcca ggatgctgct 360
gcacctccct tccttgagac acaacagaga gacagtgaag tcacccaaga ctgggatcat 420
cagaggctcc tcatgcttgc tacagagaag c 451

```

<210> 108

<211> 461

<212> DNA

<213> Homo sapien

<400> 108

```

ccgcccgggc aggtcctgaa aacattcaga ctaatcaaaa tgggtactact gtaacttctt 60
ataatacata atataaaagt ttttgaaaaga tatagacaca attaacccct aaacaacaca 120
ctatctgatt ctcaaaagca atggctattt aacaagatgt aaaaggacaa taacatatca 180
aagaactttc acacaccta agatagcatt tagcagcaag ttagtcagac aaaacaaaca 240
caaataatttt cacatttcct atgtttgttt ttaactttac ttcataaagc cactgataat 300
tgagggtttct ttcaagtata agattttctaa aattaaaaaac tgtttttgac atatttttat 360
aaagaaataa aaagcaaaac gcaatccaac tattttatatg agtccctctt ctccaacagc 420
tttagatggg tttctgagta cttttttaca cagaatatatt t 461

```

<210> 109

<211> 441

<212> DNA

<213> Homo sapien

<400> 109

```

ggccgcccgg gcaggtctga ttataagaga aagaaatcca gtgacacgag ggcaggcagg 60
ccccgctctg ctctgatcga gaaaagcttc ctgatgtcag ggagatggaa ctgccaccat 120
cagaaccatg gcactttggg tgaagggtgtg tcagcgacca agggggcagg aaatgggcag 180
tgactaaggg ggcaggaaac aggcaggcac atggcaagggt tctcccagcc catcagccca 240
gtgatggcct cgattttgaa gctgcactac tgtctgaaaa gcacaattac tggtgactct 300
taacaaactt cagcactactg ggggaaggaga ctgtcaagta actgaattgg aaagatgaaa 360
aagaaccatc tctaaaagt gatgcttgtc agaagaataa cctcctttgt gcaagtcttg 420
caacatcttc attcaaccac a 441

```

<210> 110

<211> 451

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(451)

<223> n = A,T,C or G

<400> 110

```

ggtcgcggcc gaggtctggg gaaggggtga gaatccctgg gccttgccca gtcctgagct 60
ctgggtgtct gcagggaagc acagtgggtga gttagtgtta aagaaagcat ccagagaggt 120

```

```

aagaggggct tgggtagcac cctttgcctc tgtcacttcc gcaaaaactt cttgttgagg      180
aggaagatga gaaggttgac attgactttg gccttggtga agagtttcat gacagccaca      240
ccctcatact ggagctgcan gagatcctga tagtgaagct tgaaatcgct ccattgtccac      300
acccaggaac ttggcattta cttcaaactt tcctgcctca tctcccggcg tgatgtcaaa      360
natgacgttt cttgaagtga gaggcgggaa agatcttcaa tttccaccaa agacaccctt      420
tttccaggaa gcttgagcaa caagtgtaat g                                     451

```

```

<210> 111
<211> 407
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(407)
<223> n = A,T,C or G

```

```

<400> 111
ggccgacgtt cgacctgact tctttngagc agntgncact acccgtcttg aggaatgccg      60
actgcagaca gtggcccgang gcaaagagtg tgcgtcatcg atganattgg naagatggag      120
ctcttcagtc agnttttcat tcaagctgnt cgtcagacgc tgtctacccc agggactata      180
atcctnggca caatcccagt tcctanagga aagccactgn ctcttgtaga agaaatcana      240
cacanaaaagg atgtgaacng tgtttaatgt caccaaggga aaacatgaaa ccaccttctg      300
ccagatatcg ggacgttgcg tgcagatcaa gcacgnaagt gaagacgcgt gcattccttg      360
ccttccgtga acgantgccc agntcaagaa gancctgatg gaaccct                                     407

```

```

<210> 112
<211> 401
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(401)
<223> n = A,T,C or G

```

```

<400> 112
tcgcggccga ggtcggccga ggtctgacat ctgttgtctg tgataaccac ttctgtattg      60
cgtcttaacc acttctgtat tgtgtggttt taactgccta aggcggcaat gggcagtggg      120
cccttttccc ttaggatggg tatcaattca acaatattta taaggcattt actgtgtgct      180
aagcatttgg aagaccagg ctacaaaata agacatagtt cctgccctcc aggccagcag      240
agggaggcac aaatacccag gaatctctga tgggtgtgaa gtgcggtcgt gggccacaga      300
aaatgaccgt catggagacc ctgctaaagg tcggaccctg agcccaaagg ggtattcaga      360
agnggagatg attttggccc cactcataga tgggtggcaa a                                     401

```

```

<210> 113
<211> 451
<212> DNA
<213> Homo sapien

```

```

<400> 113
gtcgcggccg aggtccatat taaaaagtcc atcataaaca aagactcctc ctcatgggtat      60
gaatatgctc catatgccca taatgggtga taacggactt agaaattcca atgagtctta      120
gggttgaaat ttccaatgac ctgagcaagg cagctcccta tagcttctgg ataacatttt      180
acaccagag ttcaggctta aacagaccta tcaacacaat tattttcgga ttgtctgtct      240

```



```

agaaaacggc aatgctcaaa ggaatataaa taaggggtggg gggacatatg cttccagcct      300
ggccttttctc catgtggttaa aaaacaatgg aatggctgtg ttaatttttt tttaatcttt      360
tctgaccttt actatgtttg gtaatggaaa taagtcaggg aaaacaaaat gaacaggtct      420
catcacttaa ttaatactgg gttttcttct t                                     451

```

```

<210> 114
<211> 441
<212> DNA
<213> Homo sapien

```

```

<400> 114
ggccgcccgg gcaggtccat cctgtcagag atgggagaag tcacagacgg aatgatggat      60
acaaagatgg ttcactttct tacacactat gctgacaaga ttgaatctgt tcatttttca      120
gaccagttct ctggtccaaa aattatgcaa gaggaagggtc agccttttaa gctacctgac      180
actaagagga cactgttggt tacattttaa gtgcctgggt caggtaacac ttacccaaag      240
gatatggagg cactgctacc cctgatgaac atgggtgattt attctattga taaagccaaa      300
aagttccgac tcaacagaga aggcaaacaa aaagcagata agaaccgtgc ccgagtagaa      360
gagaacttct tgaaacttga cacatgtgca aagacaggaa gcagcacagt ctcggcggga      420
ggaagaaaaa aagaacagag a                                     441

```

```

<210> 115
<211> 431
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(431)
<223> n = A,T,C or G

```

```

<400> 115
gccgcccggg caggtccatt ggcggtgaca aaaggaaaag aagcaaagag actcagtcca      60
taatgctgat tagttagaag aaagggctag gattgagaaa gtaccaggaa cttttaatta      120
tttaaaagag aatgctgact gttaatgttt taaatcttac tgttcaaagt tactaatatg      180
aatttttacc ctttgtgcat gaatattcta aacaactaga agacctccac aatttagcag      240
ttatgaaagt taaacttttt attataaaaa ttctaaacct tactgtctct ttaccaggaa      300
catgacacac tatttancat cagttgcata cctcgccaat agtataattc aactgtcttg      360
cccgaacaat catctccatc tggaagacgt aagcctttag aaacacattt ttctattaat      420
ttctctagaa c                                     431

```

```

<210> 116
<211> 421
<212> DNA
<213> Homo sapien

```

```

<400> 116
gtcgcgggcg aggtccagaa atgaagaaga agtttgcaga tgtatttgca aagaagacga      60
aggcagagtg gtgtcaaata tttgacggca cagatgcctg tgtgactccg gttctgactt      120
ttgaggaggt tgttcacatc gatcacaaca aggaaccggg gtcggtttat caccagtgag      180
gagcaggacg tgagcccccg ccctgcacct ctgctgttaa acaccccagc catcccttct      240
ttcaaaaggg atcctttcat aggagaacac actgaggaga tacttgaaga atttggattc      300
agcccgcgaa gagattttatc aagcttaact cagataaaat cattgaaagt aataaggtaa      360
aagctaagtc tctaacttcc aggccacagg ctcaagtgaa tttcgaatac tgcatttaca      420
g                                     421

```

<210> 117
 <211> 489
 <212> DNA
 <213> Homo sapien

<400> 117
 agcgtgggtcg cggccgaggt aaggctgcga ggttgtgggtg tctgggaaac tccgaggaca 60
 gagggctaaa tccatgaagt ttgtggatgg cctgatgatc cacagcggag accctgttaa 120
 ctactacgtt gacactgctg tgcgccacgt gttgctcaga caggggtgtgc tgggcatcaa 180
 ggtgaagatc atgctgccct gggacccaac tggttaagatt ggccctaaga agccccctgcc 240
 tgaccacgtg agcattgtgg aaccctaaaga tgagatactg cccaccaccc ccatctcaga 300
 acagaaggggt ggggaagccag agccgcctgc catgccccag ccagtcccca cagcataaca 360
 ggggtctcctt ggcagacctg cccggggcggc cgctcgaaag cccgaattcc agcacactgg 420
 cggccgttac tagtggatcc cagctcggta ccaagcttgg cgtaatcatg gtcatactgt 480
 gtttctctgt 489

<210> 118
 <211> 489
 <212> DNA
 <213> Homo sapien

<400> 118
 tcgagcggcc gcccgggcag gtattgaata cagcaaaatt ctatatacaa agtgacctgg 60
 acctgctgct tcaaaacatg atccttttctt actaatatct tgatagtcgg tccatagagc 120
 attagaaagc aattgactct taaataaaca gaaaagtgcc taatgcacat taaatgaatg 180
 gcctaactac tggaacttta gtagttctat aagggtgatta acataggtag gatccagttc 240
 ctatgacagg ctgctgaaga acagatatga gcatcaagag gccattttgt gcactgccac 300
 cgtgatgcc a cgtgtttct ggatcataat gttcccatta tctgattcta gacacaccac 360
 aggaatatca gtggggtcag aggttagctt agctgcttgc tgggctagaa cagatatcac 420
 tccagcatgc tcatctgaca gggccccgcg gcaaccacaga ttaagtcctt gtgaatctgt 480
 gcacagggga 489

<210> 119
 <211> 181
 <212> DNA
 <213> Homo sapien

<400> 119
 taggttccag agacttttgg cccaggagga atatttactt ttagctcttg acatcattac 60
 aaaaaggaat atttcccaaa cctcttcaga ccgagaatac atgggtaaaa ttattaaata 120
 gttgtataat aaaaataatt ttttccttaa aaaaaaaaaa aacctcggcc gcgaccacgc 180
 t 181

<210> 120
 <211> 489
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(489)
 <223> n = A,T,C or G

<400> 120
 gcgtgggtcgc ggccgaggtc catttaaaac aaagaaaaat actaaagcca ctagtaaaca 60

tctgatgtgc	aaaatacaac	atcctctagt	tggctttatg	ccattattac	ataagctcca	120
aatagctcat	cttaaattaa	aaagaaaaag	tggctgtccc	atctctgctg	cataaatcag	180
attttttttt	aaaggtttag	agtactttaa	ggaagggaag	ttcaaaaactg	ccagtgaaat	240
tcacagagaa	tacaaattta	gcaattttaat	ttcccaaagc	tctttgaaga	agcaagagag	300
tctctcttct	taatgcagtg	ttctcccaag	aggaactgta	attttgcttg	gtacttatgc	360
tgggagatat	gcaaaatgtg	tttttcaatg	tttgctagaa	tataatgggt	cctcttcagt	420
gnctggttca	tcttggaact	catgggttaa	gaaggacttc	ttggagccga	actgcccggg	480
cggggcnnnt						489

```
<210> 121
<211> 531
<212> DNA
<213> Homo sapien
```

<400> 121							
cgagcggccg	cccgggcagg	tggccagcgc	tgggtcccga	gacgccgaga	tggagggaaat		60
at ttgatgat	gcgtcacctg	gaaagcaaaa	ggaaatccaa	gaaccagatc	ctacctatga		120
agaaaaaatg	caaactgacc	gggcaaatag	attcgagtat	ttattaaagc	agacagaact		180
ttttgcacat	ttcattcaac	ctgctgctca	gaagactcca	acttcacctt	tgaagatgaa		240
accagggcgc	ccacgaataa	aaaaagatga	gaagcagaac	ttactatccg	ttggcgatta		300
ccgacaccgt	agaacagagc	aagaggagga	tgaagagcta	ttaacagaaa	gctccaaagc		360
aaccaatgtt	tgcactcgat	ttgaagactc	tccatcgtat	gtaaaatggg	gtaaactgag		420
agattatcag	gtcccagagga	ttaaactggc	tcatttcttt	gtatgagaat	ggcatcaatg		480
qtatccttgc	aqatqaaatg	ggcctagqaa	agactcttca	acaattttctc	t		531

```
<210> 122
<211> 174
<212> DNA
<213> Homo sapien
```

<400>	122						
tcgagcggcc	gcccgggcag	gtctgccaac	agcagaggcg	gggcctccgg	catcttcaaa		60
gcacctctga	gcaggctcca	gccctctggc	tgcgggaggg	gtctggggtc	tcctctgagc		120
tcggcagcaa	aqcaqatqtt	atttctctcc	cgcgacctcg	qccgcgacca	cqct		174

```
<210> 123
<211> 531
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(531)
<223> n = A,T,C or G
```

<400> 123						
agcgtgggtcg	cggccgaggt	cctcaaccaa	gaggggttgat	ggcctccagt	caagaaactg	60
tggctcatgc	cagcagagct	ctctcctcgt	ccagcaggcg	ccatgcaagg	gcaggctaaa	120
agacctccag	tgcataca	tccatctagc	anagagaaaa	ggggcactga	agcagctatg	180
tctgccaggg	gctaggggct	cccttgcala	cagcaatgct	acaataaagg	acacagaaat	240
gggggaggtg	ggggaagccc	tattttttata	acaaagtcaa	acagatctgt	gccgttcatt	300
ccccagaca	cacaagtaga	aaaaaaccaa	tgcttggtgt	ttctgccaa	atggaatatt	360
cctccttcct	aanttcaca	catggccgtt	tgcaatgctc	gacagcattg	cactgggctg	420
cttgctctcg	tgggtctggc	accagtagct	tgggccccat	atacacttct	cagttcccac	480
anggccttatg	gccnangggc	angctccaat	tttcaagcac	cacgaaggaa	g	531

<210> 124
 <211> 416
 <212> DNA
 <213> Homo sapien

<400> 124
 tcgagcggcc gcccgggcag gtccatctat actttctaga gcagtaaato tcataaattc 60
 acttaccaag cccaggaata atgactttta aagccttgaa tatcaactaa gacaaattat 120
 gccaatcttg atttctcaca tataacttaga ttacacaaag ataaagcttt agatgtgatc 180
 attgtttaat gtagacttat ctttaaagtt tttaattaaa aactacagaa gggagtaaac 240
 agcaagccaa atgattttaac caaatgattt aagagtaaaa ctactcaga aagcattata 300
 cgtaactaaa tatacatgag catgattata tacatacatg aaactgcaat tttatggcat 360
 tctaagtaac tcatttaagt acatttttgg catttaaaca aagatcaaat caagct 416

<210> 125
 <211> 199
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(199)
 <223> n = A,T,C or G

<400> 125
 agcgtggtcg cggccgaggt gctttttttt tttttttttt tttttttttt gctattctaa 60
 aggggaaggc ccttttttat taaacttgta cattttactt tccttctttc anaatgctaa 120
 taaaaaactt ttgtttatac ttaaaaaaac cataaatcan acaaacaaaa gaaacgattc 180
 caacatcact tctgngatg 199

<210> 126
 <211> 490
 <212> DNA
 <213> Homo sapien

<400> 126
 cgtgggtcgc gccgaggtcc agttgctcta agtggattgg atatggttgg agtggcacag 60
 actggatctg ggaaaacatt gtcttatttg ctctctgcca ttgtccacat caatcatcag 120
 ccattcctag agagaggcga tgggcctatt tgtttggtgc tggcaccaac tcgggaactg 180
 gcccaacagg tgcagcaagt agctgctgaa tattgtagag catgtcgctt gaagtctact 240
 tgtatctacg gtggtgctcc taagggacca caaatacgtg atttggagag aggtgtggaa 300
 atctgtattg caacacctgg aagactgatt gacttttttag agtgtggaaa aaccaatctg 360
 agaagaacaa cctaccttgt ccttgatgaa gcagatagaa tgcttgatat gggctttgaa 420
 ccccaaataa ggaagattgt ggatcaaata agacctgata ggcaaactct aatgtggagt 480
 gcgacttggc 490

<210> 127
 <211> 490
 <212> DNA
 <213> Homo sapien

<400> 127
 cgtgggtcgc gccgaggtcg gccgaggtct ggagatctga gaacgggcag actgcctcct 60
 caagtgggtc cctgaccctt gacccccgag cagcctaact gggagggcacc ccccgagcagg 120

```

ggcacactga cacctcacac ggcagggtat tccaacagac ctgaagctga gggctcctgtc 180
tgttagaagg aaaactaaca agcagaaaagg acagccacat caaaaaccca tctgtacatc 240
accatcatca aagaccaaaa gtaaataaaa ccacaaagat gggaaaaaaa cagaacagaa 300
aaactggaaa ctctaaaaag cagagcacct ctctcttcc aaaggaacgc agttcctcac 360
cagcaatgga acaaagctgg atggagaatg actttgacga gctgagaaaa gaacgcttca 420
gacgatcaaa ttactctgag ctacgggagg acattcaaac caaaggcaaa gaagttgaaa 480
actttgaaaa 490

```

```

<210> 128
<211> 469
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(469)
<223> n = A,T,C or G

```

```

<400> 128
cgtggtcgcg gccgaggtgc tttttttttt tttttttttt tttttttttt tgctgattta 60
tttttctnt ttattgttac atacaatgta taaacacata aaacanaaaa cagtagggat 120
cctctaggat ctctagggan acagtaaagt anaaagaggt ctcanaaaaca tttttttaa 180
gtacaagaca ttcagnctc ggcccaaagg cgtaaaaggt ttanagccag canatagctg 240
nactaaaggc tccgtctntn tccccanagc caggacaacc ccagggagct ntccattagc 300
agccagtcca cgcaggcagg atgctgcgga aaaagctcta tgctganaac attccccttg 360
atggaaaagaa gggcaacaca aaaggggtaa ctaanagctc ctctctctcg tgagggcgac 420
aactgaggaa cagaaaagga gtgtcccatg tcacttttga cccctccc 469

```

```

<210> 129
<211> 419
<212> DNA
<213> Homo sapien

```

```

<400> 129
gcgtggtcgc ggccgaggtc tgattttcat ttaaattatt cagagctata gcatttgcct 60
ccatgctcaa atccacacca ttggggctta agccgctcat gccaacatta gcaaatgaca 120
tgcagtttaa tccagagatc actgcttctg ggctgatgca tgccaacaca ctggcgtgat 180
ccacgttatg tgcatttttc ttcactttag tgggagaatc aatttttact ccaaggcttc 240
ttagttgctt aagagttgca ttaaggacac aatctttgtc caccagtctt gaatgatgtg 300
tttttttctt tgtatggtaa acgttttggg ttctggtgca ttcattgactg ataattactg 360
ctttggtaga cggctgctca agtttccttg gaggaactat ttaatagggt ggttacttg 419

```

```

<210> 130
<211> 354
<212> DNA
<213> Homo sapien

```

```

<400> 130
agcgtggtcg cggccgaggt ccatctgagg agataaccac atcactaaca aagtgggagt 60
gaccccgag agcacgctgt ggaattccat agttgggtct atccctgggt agtttccaca 120
tgatgatggt cttatctcga gaggcggaga ggatcatgtc cgggaactgc ggggtagtag 180
cgatctgggt taccagccg ttgtggccct tgagggtgcc acgaagggtc atctgctcag 240
tcatggcggc ggcgagagcg tgtgtcgtg cagcgacgag gatggcactg gatggcttag 300
agaaactagc accacaacct ctctgccgc acctgcccg ggcggccgct cgaa 354

```

<210> 131
 <211> 474
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(474)
 <223> n = A,T,C or G

<400> 131
 cgagcggccg cccgggcagg tctggcagca gcttcctctg gaataattga cagctttgtg 60
 ctgcctgact aaaatttgaa atgacaaccg ctgaatgtaa aatgatgtac ctacaatgag 120
 agagatttag gaatactatc tgtcaatcca tagatgtaga aacaaaacaa actacagaat 180
 gaaaacaaac ttatttttaa ccaaagaaac aaatgtatcc aaaatatagt ccatgatata 240
 tttgattact agtataacca cagttgaaaa cttaaaaaaaa aaaattgaca ttttttgtaa 300
 tgggtactaa tggatttata aaaggtttct gtttccaaag atgttattgg ggtccacata 360
 ttccttgaag acttcagcat cccaaagccc gacatcagag atactttcct ttagccattg 420
 nttcccgtaa cttgcccact ccatgggtgat gtgacaggct tcccttcatt agca 474

<210> 132
 <211> 474
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(474)
 <223> n = A,T,C or G

<400> 132
 ggccgaggtg ggggaattcat gtggaggtca gagtggaagc aggtgtgaga ggggtccagca 60
 gaaggaaaca tggctgccaa agtgtttgag tccattggca agtttggcct ggccttagct 120
 gttgcaggag gcgtggtgaa ctctgcctta tataatgtgg atgctgggca cagagctgtc 180
 atctttgacc gattccgtgg agtgcaggac attgtggtag gggaaaggac tcatTTTTctc 240
 atcccgtggg tacagaaacc aattatcttt gactgccgtt ctcgaccacg taatgtgcc 300
 gtcactactg gtagcaaaga ttacagaat gtcaacatca cactgcgcac cctcttccgg 360
 cctgtcgcca gccagcttcc tcgcatcttc accagcatcg ganaggacta tgatgaaccg 420
 tgtgctgccg tccatcacaa ctgagatcct caagtcagtg gtggctcgct ttga 474

<210> 133
 <211> 387
 <212> DNA
 <213> Homo sapien

<400> 133
 tgctcgagcg gccgccagtg tgatggatat ctgcagaatt cggcttagcg tggctcgcggc 60
 cgaggtctgc gggcccccta gcctgccctg cttccaagcg acggccatcc cagtagggga 120
 ctttcccaca ctgtgccttt acgatcagcg tgacagagta gaagctggag tgcctcacca 180
 cacggcccgg aaacagcggg aagtaactgg aaagagcttt aggacagctt agatgccgag 240
 tgggcgaatg ccagaccaat gatacccaga gctacctgcc gccaaacttg tgagatgtgt 300
 gtttgactgt gagagagtgt gtgtttgtgt gtgtgttttg ccatgaactg tggccccagt 360
 gtatagtgtt tcagtggggg agaactg 387

<210> 134

<211> 401
 <212> DNA
 <213> Homo sapien

<400> 134
 ggccgcccgg gcaggtctga tgaagaacac ggggtgtgac cttgccaatg acgccaatgc 60
 tgagcggctc aagagtgttg tgggcaactt gcatcggctg ggagtcacca acaccattat 120
 cagccactat gatgggcgcc agttcccca ggtggtgggg ggctttgacc gagtactgct 180
 ggatgctccc tgcagtggca ctgggggtcat ctccaaggat ccagccgtga agactaacia 240
 ggatgagaag gacatcctgc gcttgtgctc acctccagaa ggaagttgct cctgagtgtc 300
 attgactctt gtcaatgcga cttcaagac aggaggctac ctggtttact gcacctgttc 360
 tatcacagtg agacctctgc catggcagaa caggggaagc t 401

<210> 135
 <211> 451
 <212> DNA
 <213> Homo sapien

<400> 135
 ggtcgcggcc gaggtctgtt cctgagaaca gcctgcattg gaatctacag agaggacaac 60
 taatgtgagt gaggaagtga ctgtatgtgg actgtggaga aagtaagtca cgtgggccct 120
 tgaggacctg gactgggtta ggaacagtgt tactttcaga ggtgaggtgt cgagaagga 180
 aagtgaatgt ggtctggagt gtgtccttgg ccttggtctc acaggggtgt ctttcctctg 240
 gggccgtcag ggagctcatc ccttgtgttc tgccagggtg gggtagcggg gtttgacact 300
 gaggagggta acctgctggc tggagcggca gaacagtggc cttgatttgt cttttggaag 360
 attttaaaaa ccaaaaagca taaacattct ggctcctcac aatgctttct ctgaagaaat 420
 acttaacgga aggacttctc cattcaccat t 451

<210> 136
 <211> 411
 <212> DNA
 <213> Homo sapien

<400> 136
 ggccgcccgg gcaggtctga atcacgtaga atttgaagat caagatgatg aagccagagt 60
 tcagtatgag ggttttccgac ctgggatgta tgtccgcgtt gagattgaaa atgttccctg 120
 tgaatttgtg cagaactttg acccccttta cccattatc ctgggtgggt tgggcaacag 180
 tgagggaaat gttggacatg tgcaggtggg tccctttgct gcgtatttgg tgctgaggc 240
 tctgtggatt tccctccat caatcatctt acctctcat cccctcaga tgcgtctgaa 300
 gaaacatctc tgggtataaga aaatcctcaa gtcccaagat ccaatcatat tttctgtagg 360
 gtggaggaag tttcagacca tctgtctcta ttatatccga agaccacaat g 411

<210> 137
 <211> 211
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(211)
 <223> n = A,T,C or G

<400> 137
 cgccgcccgg ggcaggtcgg ttggtgcggc ctccattgtt cgtgttttaa ggcgccatga 60
 ggggtgacag aggccgtggg cgtggtgggc gctttggttc cagaggaggc ccaggaggag 120

```

ggttcaggcc ctttgcacca catatcccat ttgacttcta tttgtgtgaa atggcctttc 180
cccggntcaa gccagcacct cgatgaaact t 211

```

```

<210> 138
<211> 471
<212> DNA
<213> Homo sapien

```

```

<400> 138
gccgcccggg cagggtctggg ctggcgactg gcattccaggc cgtaactgca aatctatgct 60
aggcgggggtc tcccttctgt gtgttcaagt gttctcgact tggattctta actattttta 120
aaaatgcact gagtttgggt taaaaaccaa ccacaaaat ggatttcaac acagctctaa 180
agccaagggc gtggccggct ctcccaacac agcgactcct ggaggccagg tgcccatggg 240
cctacatccc ctctcagcac tgaacagtga gttgattttt ctttttacia taaaaaaagc 300
tgagtaatat tgcattaggag taccaagaaa ctgcctcatt ggaaacaaaa actatttaca 360
ttaaataaaa agcctggccg caggctgcgt ctgccacatt tacagcacgg tgcgatgcac 420
acggtgacca aaccacggag gcaagcttct ggcactcaca ccacgacctg c 471

```

```

<210> 139
<211> 481
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(481)
<223> n = A,T,C or G

```

```

<400> 139
gtcgcggccg aggtctgttc tttagctcag atttaaact gctgtctctt ctttatttgc 60
agaatgaatt ccagttcct gagcagttca agaccctatg gaacgggcag aagttgggtca 120
ccacagtgcac agaaattgct ggataagcga agtgccactg ggttctttgc cctcccttca 180
caccatggga taaatctgta tcaagacggt tcttttctag atttcctcta cttttttgct 240
cttaaaactg cttctctgct ctgagaagca cagctacctg ctttactga aatataacct 300
aggctgaaat ttgggggtggg atagcaggtc agttgatctt ctgcaggaag gtgcagcttt 360
tccatatcag ctcaaccacg ccgncagtc attcttaagg aactgccgac taggactgat 420
gatgcatttt agcttttgag cttttggggg gtattctacc aaccaacagt ccatttggaa 480
a 481

```

```

<210> 140
<211> 421
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(421)
<223> n = A,T,C or G

```

```

<400> 140
gtcgcggccg aggtttccca ttttaagaaaa atagatcttg agattctgat ttttttccaa 60
acagtcacct gctttcatgt acagcttttt ctttacctta cccaaaattc tggccttgaa 120
gcagttttcc tctatggctt tgcccttctg attttctcag aggtctcagc ctttaatatata 180
accccaaatg aaagaaccaa ggggaggggt gggatggcac ttttttttgt tggctctgtt 240
ttgttttgtt ttttggttgg ttgggttccg ttatttttta agattagcca ttctctgctg 300

```



```

ctatttcctt acataatgtc aatttttaac cataattttg acatgattga gatgtacttg      360
aggctttttt gntttaattg agaaaagact ttgcaatttt ttttttagga tgagcctctc      420
c                                          421

```

<210> 141

<211> 242

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(242)

<223> n = A,T,C or G

<400> 141

```

cgantngccc gcccgggcan gtctgtctaa nttntcang gaccacgaac agaaactcgt      60
gcttcaccga anaacaatat cttaaaccatc gaanaattta aatattatga aaaaaaacat      120
tgcaaaatat aaaataaata nnaaaaggaa aggaaacttt gaaccttatg taccgagcaa      180
atccaggtct agcaaacagt gctagtccta nattacttga tntacaacaa cacatgaata      240
ca                                          242

```

<210> 142

<211> 551

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(551)

<223> n = A,T,C or G

<400> 142

```

agcgtgggtcg cggcncgang tccacagggc anatattctt ttagtgtctg gaattaaaat      60
gtttgaggtt tangtttgcc attgtctttc caaaaggcca aataattcan atgtaaccac      120
accaagtgca aacctgtgct ttctatttca cgtactgttg tccatacagt tctaaataca      180
tgtgcagggg attgtagcta atgcattaca cagtcgttca gtcttctctg cagacacact      240
aagtgatcat accaacgtgt tatacactca actagaanat aataagcttt aatctgaggg      300
caagtacagt cctgacaaaa gggcaagttt gcataataga tcttcgatca attctctctc      360
caaggggccc gcaactaggc tattattcat aaaacacaac tgaanagggg attggtttta      420
ctggtaaatc atgtgntgct aaatcatttt ctgaacagtg ggggtctaat cantcattga      480
tttagtggca gccacctgcc cggcggccgn tcgaagccca attctgcaga tatccatcac      540
actggcggcc g                                          551

```

<210> 143

<211> 515

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(515)

<223> n = A,T,C or G

<400> 143

```

cgagngggccc gcccgggcag gtatcttcac aaactcaaca aaggcactac atgagacttc      60

```

```

acattccccct agtccaatag ctgacaaaatt tttgcaacgt tctgcaatgc gaattaactc      120
ttcatcaagt ggccgtaatc catttgcaca cactactagt tcaaccagtc tagggcatgt      180
cattcccaca cggccaagca catctttgct tactgatctc ccaaagtaca gatgggtggc      240
aggtatttca tagcgaaaga aggggtcaaa ttcttcttca tataanaaaa aatacatcac      300
taagttcact ttgggtgaat gtctgatgaa agcatcccag ctactcttct gaatagtatg      360
gaagtgtgtc tgtccaggat tctcactgac tacatcaatg cgcaaagtgt ctaatcgaac      420
atgtttttca gaagacaatg caagtaacaa ctcactactc aataagtggt aagttcaggg      480
ctagttctct taagccgnga cactgatcag cacac                                     515

```

<210> 144

<211> 247

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (247)

<223> n = A,T,C or G

<400> 144

```

tgcattctct ntggatgcan acctgcccgt tggtagggac tntgctcaca cggaacatgg      60
acggttacac ctgtgccgtg ggtgacgtcc accagcttct ggatcatctc ggcgnggggtg      120
tttggaagg gcagactatc cacctccatg cncacgatgc ccganacgcc actccggact      180
ntgtgctgca ccaanatgcc cagcattnta tcttcaagca naggcattat cagggtcctt      240
ggcacac                                     247

```

<210> 145

<211> 309

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (309)

<223> n = A,T,C or G

<400> 145

```

cgtgggtcgc ggcccgangt ctgctgtaac aaaacacccat agtctgggca gctcatagac      60
aatggaattt tatttctcac gcttctggag gctggattcc aagatcaagg ttccaggaga      120
ctcagtgtct ggcaaggctc cggtttctgc ctcanagatg gtgccatctg gctgtgtcct      180
cacaagtagg aaggtgcaag aagctcccct caggctctgt ctgtaagaca ctgatcccat      240
tcatganggg gaaacgtaat gacctaata gcccacagag accccacttc taacaccatc      300
accttgggg                                     309

```

<210> 146

<211> 486

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1) ... (486)

<223> n = A,T,C or G

<400> 146

```

agcgtgggtc gcggcncgac gtcctgtcca tatttcacag cccgagaact aatacaagat      60
gctgacatca tattttgtcc ctacaactat cttctanatg cacaaataag ggaaagtatg      120
gatttaaatc tgaaagaaca gggtgtcatt ttanatgaag ctcataacat cgaggactgt      180
gctcgggaat cagcaagtta cagtgtaca gaagttcagc ttcggtttgc tcgggatgaa      240
ctanatagta tggtaacaa taatataagg aaganagatc atgaacccct acgagctgtg      300
tgctgtagcc tcattaattg gntagaagca aacgctgaat atcttgnana angagantat      360
gaatcagctt gtaaaatatg gagtggaaat gaaatgctct taactttaca caaaatgggt      420
atcaccactg ctacttttcc cattttgcng gtaagatatn ttttctacct gngaaacgta      480
ttaag

```

<210> 147

<211> 430

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(430)

<223> n = A,T,C or G

<400> 147

```

gccgcccggg cangttcgac attacntnga gttccatgat gtacaattct ttcacgaaaa      60
acaatgaatg caagaatttg aggatctect tactcctccc ttttacagat ggtctctcaa      120
tcccttcttc ttctcttcca tcttcattct cttctgaacg cgctgccggg taccacggct      180
ttctttgtct ttatcgtgag atgaaggatg tgcttctgtt tcttctacca taactgaaga      240
aatttcgctg caagtctctt gactggctgt ttctccgact tcgcctttnt gtcaaacgng      300
agtcttttta cctcatgccc ctcagcttca cagcatcttc atctggatgt tnatttctca      360
aagggctcac tgaggaaact tctgattcan atgtcgaana gcactgtgaa gttttctctt      420
cattttgctg

```

<210> 148

<211> 483

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(483)

<223> n = A,T,C or G

<400> 148

```

cccgggcagg tctgtgttgn ttncaaccg gtgtcctccc cagcgtccag aananggaaa      60
tgtggagcgg gtgatgatga cccctcgctg tctgtccacc tctgcacag cttcgtatgt      120
gggtctggtc tgggaccacc cgtacagggt gtgcacgttg tagtgctcca cgggggagct      180
gtccggcagg atctgctgac tctccatgca cagagtcttg ctgctcaggc ccttgtccct      240
agattccaaa tatggcatat aggggtgggt tatttagcat ttcattgctg cagccctga      300
cagatccatc cacaaaattt gatggctcat tcatatcaat ccacaatcca tcaaacttca      360
agctcttctc tggntctcga nggtttgcat agaactcttc tatctctttc ttccaccacg      420
canacctcgg ncgcgaccac gctaagccga attctgcana tatccatcac actggcgggc      480
gct

```

<210> 149

<211> 439

<212> DNA

<213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(439)
 <223> n = A,T,C or G

<400> 149
 ctttcacgaa nacaatgaat gcaagaattt gaggatctcc ttactcctcc cttttacaga 60
 tgggtctctca atcccttctt cttcctcttc atcttcatct tcttctgaac gcgctgccgg 120
 gtaccacggc tttctttgtc tttatcgtga gatgaagggtg atgcttctgt ttcttctacc 180
 ataactgaag aaatttcgct gcaagtctct tgactggctg tttctccgac ttcgcctttt 240
 tgcaaacgtg agtcttttta cctcatgccc ctcagcttcc acagcatctt catctggatg 300
 ttcatttctc aaagggctca ctgaggaaac ttctgactca catgtcgaag aagcactgng 360
 agtttctctt catttgctgc aaanttgtct tttgctgggt gngctctcag accacccatt 420
 tggctgcatg ggggctgac 439

<210> 150
 <211> 578
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(578)
 <223> n = A,T,C or G

<400> 150
 ggcnegcccc ggcangtcca ctccactttt gagctctgag ggaatacctt caggagggac 60
 agggtcaggg agtcctggca gctccgcagc agagattcac attcattcag agacttggtg 120
 tccagtgcaa tgccattgat cgcaacgata ctgtctccca cagcaagga ccttctttta 180
 gcggcagggc ttccaggcag cacagcggca gcatacactc cattctccag actgatgcca 240
 ctgtctttct gtccactgan gttgatgtgc agcggcgtga ccaccttccc acccagggac 300
 ttcttccgcc gcacgaccat gttgatgggc cccctnccca ttgaggagcg ccttgatggc 360
 ctgcttcttg nccttgggtga tgaagtccac atcgggtgatt ctcacagcca gtcattgacc 420
 cttaagcggc catcagcaat gcttcctttg gccactttag ngacaaatat gccacagtcc 480
 ccgggaaaca agggtcattc acaccttctg gcatacaaaa cacctcggcc gggancacta 540
 agccgaattc tgcagatata catcacactg gngggccg 578

<210> 151
 <211> 503
 <212> DNA
 <213> Homo sapien

<220>
 <221> misc_feature
 <222> (1)...(503)
 <223> n = A,T,C or G

<400> 151
 cgagcggccc gcccgggcag gtctgggaga tcagcgactg ctgccacgtg cccagaaatg 60
 gctcgtcctt tcaactacagc ggaatgcaat gaggggtgggt gagaagatga tgggtcgggt 120
 atttcattcc ttttcttttt acaacttcac tttcagagac ttcagcgttc catgtctgct 180
 gtgctgtgga acccagagtg ctcttgacct gatggctgag aatcccttgg accctggaag 240
 cacctactcc atgatggccc ggtatagtgc aggtcaata taatcttccc ggtatcttga 300
 gttgataact cgttgccgtt tcttttcttg cttaacctct ttctctgtga aaatctcatt 360

```

gaagcgcatg tctgaagcta ctgacagtct anatttgact ctcttgggaa gctcttcac 420
cagtgtgtat acatcatctc tcttaaccac aagttggagc catncttaaa cttcacctgg 480
tacatttggg tagggtggga ggc 503

```

<210> 152

<211> 553

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(553)

<223> n = A,T,C or G

<400> 152

```

agcgtggtcg cggccccgagg tccactgagc tccgccttcc ccgggctccc tgaggaagca 60
gagtcctgac ttccaggaag gacaggacac agaggcaaga actcagcctg tgaggctctg 120
ggtggctcct gaggccagag gacgccttcc gcgatccatg gctcagcatc gtccttctgg 180
cttcccagcc ccggggccgaa cggtcggggtt aataagcaga gcagttattc ggctcctggc 240
aggagctccc ccgttagttt ccacgttgtg agcacattca tacttaagac tgncttctct 300
tgtgttttaa gcgctctgtc ctgtagtaaa ctgaaatgtt aacagaaatg cagacctgcc 360
cgggcggccg ctcgaaagcc gaattctgca gatatccatc aactggcgg ccgctcgagc 420
atgcatctag anggccaat tcgcctata gtgagtcgna ttacaattca ctgggccgcg 480
ntttacaacg tcgtgactgg gaaaaccctg cggtagccac ttaatcgctt tgcagnacat 540
cccccttctg cca 553

```

<210> 153

<211> 454

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(454)

<223> n = A,T,C or G

<400> 153

```

tcgagcggct cgcccgggca ggtccaccta gcatggctcc tctaaacacg caactcagcg 60
aggggacccc cttcacctct ggcaagagag ctgggtagat cagaaacttg gtgacacctg 120
gctagcacag agcaggctca cttgtcttgg tccactacc cagattcctg cagacattgc 180
aaaccaaagt aaggttgntg aatgaccctt gtccccagcc acttgttttg gtatcatctg 240
ctctgcagtg gaatgcctgt gtgtttgagt tcaactctgca tctgtatatt tgagtataga 300
aaccgantca agtgatctgt gcatncagac aactggggc acctgancac agaacaaatc 360
accttaacga tctggaatga aactgnganc antgcccgcc tgggtgggtc tgganaaact 420
gccgncttct tgttggaact tggccgcacc acct 454

```

<210> 154

<211> 596

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(596)

<223> n = A,T,C or G

```

<400> 154
agcgtgggtcg cggcccgang gcggcctcct gantganggg aagggacgtg ggggcggcca      60
cggcaggatt aacctccatt tcagctaatac atgggagaga ttaaagtctc tcctgattat      120
aactgggttta naggtacagt tccccctaaa aagattattg tggatgatga tgacagtaag      180
atatggtcgc tctatgacgc gggcccccca agtatcaggt gtccctctcat attcctgccc      240
cctgtcagtg gaactgcaga tgtctttttc cggcagattt tggctctgac tggatggggg      300
taccgggtta tcgctttgca gtatccagtt tattgggacc atctcgagtt cttgtgatgg      360
attcacaaaa cttttanacc atttacaatt ggataaagtt catctttttg gcgcttcttt      420
gggangcttt ttggcccana aatttgctga atacactcac aaatctccta gaagccattc      480
cctaactctc tgcaattcct tcagngacac ctctatcttc aaccaacttg gactggaaac      540
agctttgggt gatgcctgca tttatgctca aaaaatagtt cttggaaatt ttcac      596

```

<210> 155

<211> 343

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(343)

<223> n = A,T,C or G

```

<400> 155
ctcganttgg cncgcccggg cangtctgcc tggtttttga ccgngcgagc tatttagnct      60
ctggctctgt ttccggagct caaggnaaaa atcttgaana actcgagcag cttctgtgga      120
tagccttggg tacacatact gccgagcata gccaatgtac tttctcaata gctgggtggg      180
aatgggatct attgtttctc caggaaccac ctttagtctt tctgataatg gcttctcaga      240
aactacttca agtacggaag tatttgaatc ttgactatnc atacgagcta ctgtggcact      300
gctaattgggn tctctgctnt ccagctctta ttgcaatcac atg      343

```

<210> 156

<211> 556

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(556)

<223> n = A,T,C or G

```

<400> 156
tcgagcggcc cgcccgggca ggtctggcac cacncagatc gattaactgg ctcatctgat      60
ctcgtggccc ccacctgga actgacttag cacaaaagga cacctcaatt cttatgatt      120
tcatctccga cccaaccaat caacaccctt gactcactgg ccttccccct cccaccaa      180
taccttaaaa aactctgac cccgaatgct caggagatc gatttgagta ctaataagac      240
tccagtctcc tgcacaagca gctctgtgta ctcttctct attgcaattc ctgtcttgat      300
aaatcggctc tgtgtaggcg gcggaagaag tgaacctgtt gggcgggttac cacctctgtc      360
gtgtgtgaca gttgntttga atctctaatt gctcagtaca gatccacatg caggttaagt      420
aagaagcttt tgaagaaaat ggaaagtctt aagtgatggc ttccaagaaa tcaaacctac      480
attaattagg gaacaacgga ctttacgtat cacaaatgaa gagactgacn aagtaaatca      540
acttggcctt ttctta      556

```

<210> 157

<211> 333

<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(333)
<223> n = A,T,C or G

<400> 157
 ggtccacaaa aatatatnaa ataagctgga tatataaaan caaacactta acatngncan 60
 cattccttca gttattcaaa ctactgata nctaacnggg agnagttggn attctggaag 120
 acttcctaag ctaaaagtat atttacatat ttacaacaca ngtaaataata acngaagaac 180
 tacttcaaat aangnngaaa ttccagaatt ctanagattt atagctatag ntnacaanta 240
 tcaccaattg gtttgcaatc aanngnccag cactacttat gannaangtt taactannaa 300
 accaaaaggg gagaaaacct ggnagggaaa nat 333

<210> 158
<211> 629
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(629)
<223> n = A,T,C or G

<400> 158
 tcgagcggcc gcccgggcag gtctggtaca tttgtgagag gtccggcact ctgtttctcat 60
 ccagtaagtg gtcgagccct ttctgcagaa ttgctgttaa atgtttctct aatagctgtt 120
 tctccacaca agcaatcagt ggttttctgtg tgctgtggtc caagtaagtg attactctgt 180
 ctccctcttc ttctaagcgt ttacttacat ggtaagata ttctggaacc tctctttcct 240
 gcattaacct ttggccttcg gcagcatata agcaattagt ctcttccaaa aatttcagtt 300
 caaatgaatc ttataacacc tgcaggtcag acagcatgcc caggagggt cgcgaacagg 360
 ctccgggtcca cggcctcgcc gtcctctctg cgctcgatca gcagtaggat tccatcaatg 420
 gttttactct gaaccatttt atcactaata atatgggttc taaacagttc taatcccata 480
 tcccagatgg agggcagcgt ggagttctgc agcacatagg tgcgggtccaa gaacaggaag 540
 atgcttctga tcatgaatca ttgntctggc aatggtcctg ccagcacgtg gtaatctttc 600
 ttttaaaaat aaacccttat ctaaactgc 629

<210> 159
<211> 629
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(629)
<223> n = A,T,C or G

<400> 159
 tcgagcggcc gcccgggcag gttctagagg ganaatctgg ctgatttgagg aataaaatat 60
 aatcgaatat tcaacaccat gaagataaat cttatttttg aaatctactg accttaatac 120
 cccaagcttg ccttgaatac tttgattgga attggaatat atcaaaaaag gttagttatt 180
 ttgttgtagt taggatacta aaaggatatt agttacccaa gagatccaat ttgtttttct 240
 gatgaatagt gttcagtaaa atgaagcagt cttagagtg actaataatt tcaagtgat 300

48

```

ttttcgtcta ttcttaatat tttttaatta tttattttta agagttttat accttgagca 360
gatacaatga tccgcttttag tgagaggaca atttctgatt gattgttttc tcttcaggcc 420
atctcacctc ttcattctct tgttacattt gaagcagttg atataatggg tttatacttt 480
aaaagataga catggtgcca tgaagtttgg ggaagttggg tgaattatcc cattctagtt 540
acagangagc tttccttaaa tgccctttac ttctangttt ggtcaagaag tcattttctg 600
agtaaaagtt attttcatat atgttgggg 629

```

<210> 160

<211> 519

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(519)

<223> n = A,T,C or G

<400> 160

```

tcgagcggcg cgcccgggca ggtctgctgg gattaatgcc aagttnttca gccataaggt 60
agcgaatct agcagaatcc agattacatc cacttccaat cagcggtgt ttgggtaatc 120
cacttagttt ccagataaca tacgtaagaa tgtccactgg gttggaaacc acaattatga 180
tgcaatcagg actgtacttg acgatctgag gaataatgaa tttgaagaca ttaacatttc 240
tctgcaccag attgagccga ctctcccctt cttgctgacg gactcctgca gttaccacta 300
caatcttana attgggcggg tcacagaata atctttatct gccacaattt taggtgctga 360
agaaaataagc tcccatgctg cagatccatc atttctnctt taagcttacc ttccaaaaca 420
tccacaagan caangttcat cagccagaga ctttcccaga atgctgatag nacacgccat 480
accaacttgt ccaacancca ctacagcgat cttattgggt 519

```

<210> 161

<211> 446

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(446)

<223> n = A,T,C or G

<400> 161

```

cgagngggccc gcccgggcag gtccagtaag cntttnacga tgatgggaaa ggttatgcaa 60
ggteccagcg gtacaacgag ctgtttctac atcatttgta ttctgcatgg tacgtacaat 120
agcagacacc atctgaggag aacgcatgat agcgtgtctg gaagcttcct ttttagaaag 180
ctgatggacc ataactgcag cttattaac caccacctgg tcctcgatcat ttagcagttt 240
tgtcagttca gggattgcac gtgtggcang ttctgcatca tcttgatagt taatcaagtt 300
tacaactggc atgtttcagc atctgcgatg ggctcagcaa acgctggaca ttantgggat 360
gagcagcatc aaactgtgta natgggatct gcatgccctc atctaattgtc tcagggaaca 420
tagcagctcg tacctctgta gctcga 446

```

<210> 162

<211> 354

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(354)

<223> n = A,T,C or G

<400> 162

agcgtngtcg	cggcccgang	tcctgggaag	cctttnttgc	tgagcctcac	agcctctgtc	60
aggcggctgc	ggatccagcg	gtccaccagg	ctctcatggc	ctccgggctg	ggaggngggg	120
gagggcacia	aacccttccc	aaggccacga	anggcaaact	tggtggcatt	ccanagcttg	180
ttgcanaagt	ggcggnaacc	cagtatccgg	ttcacatcca	ggntgatgtc	acgaccctgg	240
gacatgtang	cacataatcc	aaaccggaga	gcatcggtgc	cacattcacg	aatccccgct	300
gggaagtcag	ctttctgccc	ttctttggcc	ttctccacct	cgctgggata	cagg	354

<210> 163

<211> 258

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(258)

<223> n = A,T,C or G

<400> 163

tttttcncca	agtctctctg	ccgngggatc	tngactgcaa	tttaagacac	ttctaattag	60
ttatacccag	gccctgcaaa	attgctgggt	ttatataata	tattcttgct	gcacgaagat	120
ttattattct	gttggtgat	tctattttta	ttntatttat	tctggccaaa	aaagaacctt	180
ctccgctcgt	caagagangc	caatntgtct	tgaaggacaa	gagaaagatg	ctaacacaca	240
ctttcttctt	cttgagga					258

<210> 164

<211> 282

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(282)

<223> n = A,T,C or G

<400> 164

ggaacatatt	actttttaaat	tacttgggtc	aatgaaacat	ttaataaaaa	catttgcttc	60
tctatataat	acgtatgtat	aaaataagcc	ttttcanaaa	ctctggttct	cataatcctc	120
tataaatcan	atgatctgac	ttctaagagg	aacaaattac	agnaaggggt	atacattnat	180
gaatactggg	agtactagag	ganngacgct	aaaccactct	actaccactt	gcggaactct	240
cacagggtaa	atgacaaagc	caatgactga	ctctaaaaac	aa		282

<210> 165

<211> 462

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(462)

<223> n = A,T,C or G

<400> 165

gccccgggcan	gtcctgtaat	cccagctact	cangangetg	agtcctgana	atcgcttgaa	60
tccgggaggt	agaggccgca	gcgagcaaag	attaagccac	tgcactccag	tctgggtgac	120
agagtggaaa	tctgtctgtt	gtcctctctg	cattgggtctg	aaatgggttt	gtagaacatg	180
ccacagaagg	accagcanca	gcaacaaatg	gatttgtgga	angcgtagct	ccaaatggag	240
cangcacact	tgatgaagca	cgctgtgtct	gtgcagangc	aaccactggc	actgttccaa	300
aaacattgct	gctagcatta	cttgtggaag	tatacgcatc	actggagggtg	gctgcanaac	360
tgaaaacgct	gtctagttct	gccanagctg	catacttgnc	tgaanatgca	cttgactgac	420
tgggaactga	accacanaac	caacaggacc	tttacctgtg	ga		462

<210> 166

<211> 365

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(365)

<223> n = A,T,C or G

<400> 166

cgtgggtcgc	ggcncgangt	ctgaaaccaa	tccagaacta	aacatcagca	cacaaaaaat	60
accaggatag	atggaatcaa	aagactctga	agccaaaagg	aggctaggga	gagcaactga	120
acttagcaag	ctgaggactt	cagtgtccat	catccgatcc	tgcctgttaa	caacagggtct	180
atatgataga	gatattccat	ctgagctgga	ggccattatc	cttagcaaac	taacacagaa	240
cagaaaacca	aatacatgtt	ctcattttaga	agtaggagct	aaatgatgag	aactcaagga	300
cacaaagaaa	ggaacaacag	acactggggc	ctacttgagg	gtggaggggtg	ggaggagggg	360
gaaga						365

<210> 167

<211> 364

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(364)

<223> n = A,T,C or G

<400> 167

agcgtgggtcg	cggcgcgang	tccagcccta	gcttgccctgt	gactccgcct	tcactgggtg	60
ctctctctaa	aagttgctga	ctctttactg	tatctcccaa	ttccactcc	attgggttcca	120
taaggggagg	ggtgtctcac	tcaacatggt	gttcctggta	ccaagaactg	gctgacgaag	180
ctgggtgccg	tggctcatgc	ctgtaatccc	agcacttttg	ggaggccaag	aagggcggat	240
cacctgaggt	ctggagtcca	agatcagcct	gaccaacatg	atgaaaccaa	gtctccacta	300
aaaatataaa	acaattagcc	aggcatggtg	gtgggtgcct	gnaatcccag	ctactggggg	360
ngct						364

<210> 168

<211> 447

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(447)

<223> n = A,T,C or G

<400> 168

cccgggcagg	tcaaaaccca	aaacctttca	ttttagccca	aaccagctca	tgattaggta	60
tacaaggata	acagaaccag	ttgtcaggac	gagcatttga	caagtaaaag	caattcttgc	120
aaagctgcag	ttcatccagc	tcatggcatg	tgtctttata	tagcatcctc	gcaatgtcag	180
cttgcctact	gtctgctcca	tagaaaatca	cggatttgtg	gagaagcaat	tgggcatcag	240
ctttgaactc	ttcataactt	cggattttcc	cttcattcac	tttctcttga	atgggtgggaa	300
cgtccacaga	cctcggccgc	gaccacgcta	agcccgaatt	ctgcagatat	ccatcacact	360
ggcggccggt	cgagcatggc	atctagaagg	cccaattcgc	ctatagngag	tcgnattacc	420
aattcactgg	ccgtcgnntt	acaacgc				447

<210> 169

<211> 524

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(524)

<223> n = A,T,C or G

<400> 169

cgantngcgc	gccccgggcag	gtctgagcag	cctttctggn	tgctggacta	ttgggattgg	60
gttcatccaa	cagagactgt	atggatgtta	gaatggaaga	cacatcatag	gttggactcc	120
aacggttctg	aagtatgtcc	agacatatac	taccatctgc	atagactaag	aacaaagaag	180
taggtacatt	aaacgtaaca	agaccactaa	ggttttaaca	ttatagacaa	aacanaaata	240
gtcaaganta	ctttgctttt	gaagtttaaa	gattcctatg	ttgcttccca	gttaactgcc	300
taaaaagata	agncataacc	accactagtg	aaataatcan	gatgatcaga	gaatgtcana	360
tgtgatcagt	ataaaaactgg	angatattna	gtgtcatcct	ttggaaaagg	ctgccctatn	420
atccaggaaa	tcanaaacat	tnttgaacag	ggnccctagc	tatccacaga	catgtgggaa	480
attcattccc	caaantngtag	gctggatccc	ctatctgaaa	taac		524

<210> 170

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(332)

<223> n = A,T,C or G

<400> 170

tcgancggcn	cgccccgggca	ggtgacaaac	ctgttattga	agatgttggg	tctgatgagg	60
aanaanatca	gaagggatgg	tgacaagaan	aanaanaaga	agattaagga	aaagtacatc	120
gatcaagaag	agctcaacaa	aacaaagccc	atctggacca	gaaatcccga	cgatattact	180
aatgangagt	acggagaatt	ctataanagc	ttgaccaatg	actgggaaga	tcacttggca	240
gtgaagcatt	tttcagttga	nggacagttg	gaattcagag	cccttctatn	tgtcccacga	300
cgtgctcctt	ttgatctggt	tganancaga	aa			332

<210> 171

<211> 334

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(334)

<223> n = A,T,C or G

<400> 171

cgagnggcnc	gcccgggcag	gtctgttgat	agcgacttaa	cagaaaagtc	tagacaaaca	60
taagcataaa	aaattacagt	ctttctaccc	ttgggaatgg	ggagaaaaag	gaatctctac	120
cccaagacca	gaaataataa	gtcctgtttc	tggctcctgaa	catccagaat	tatggaggct	180
ttggcctgac	accacattan	aatttggtct	ggaaatcaaa	ctttaganac	angagatcgt	240
aagccatttt	atactatcga	cctaaattcc	agtctaacgg	ttcctttaca	aagttgcgga	300
aagccctctt	atatgctagc	tgtaggaaat	atag			334

<210> 172

<211> 439

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(439)

<223> n = A,T,C or G

<400> 172

agcgtggctcg	cgccccgang	tctgcctata	aaactagact	tctgacgctg	ggctccagct	60
tcattctcac	aggctcatcat	cctcatccgg	gagagcagtt	gtctgagcaa	cctctaagtc	120
gtgctcatac	tgtgctgccca	aagctgggtc	catgacaact	tctggtgggg	cgagagcagg	180
catggcaaca	aattccaagt	tagggtctcc	aatgagcttc	ctagcaagcc	agaggaaggg	240
cttttcaaag	ttgtagttac	ttttggcaga	aatgtcgtag	tactgaagat	tcttctttcg	300
gtggaagaca	atggatttcg	ccttcacttt	ctgccttaat	atccactttg	gtgccacaca	360
acacaatggg	gatgntttca	cacacttngn	accanatctc	tatgccagnt	aggccatttt	420
ggaagnactt	cganggtac					439

<210> 173

<211> 599

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (1)...(599)

<223> n = A,T,C or G

<400> 173

cgatnggccg	cccgggcagg	tcctgtaaaa	naggaaattc	agacatcgta	cgactcgtaa	60
ttgaatgtgg	agctgactgc	aatattttgt	caaagcacca	gaatagtgcc	ctgcactttg	120
cgaagcagtc	taacaatgtg	cttggtgtag	acttgctgaa	gaaccattta	gagacacttt	180
caagagtagc	agaagagaca	ataaaggatt	actttgaagc	tcgccttgct	ctgctagaac	240
cagtttttcc	aatcgcatgt	catcgactct	gtgagggtcc	agatttttca	acagattttca	300
attaccaacc	cccacagaac	ataccagaag	gctctggcat	cctgctgttt	atcttccatg	360
caaacttttt	gggtaaagaa	gttattgtct	ggctctgtgg	accgtgtagt	gtacaagctg	420
tagttctgaa	tgataaattt	cagcttctct	tttttctggg	tctcgctctg	ttgtccaggc	480
tggagtgcag	tggcgcggat	tacagctcac	tggagtcttg	acttcccagg	cacaagcaat	540

cctcccacct cagcctccta actacctggg actaaaaatg caccgccacc acattccgg 599

<210> 174
 <211> 458
 <212> DNA
 <213> Homo sapien

 <220>
 <221> misc_feature
 <222> (1)...(458)
 <223> n = A,T,C or G

<400> 174
 tcgatttggc cgccccgggca ggtccatgcn gnttntgccc attcccatgg ngccccgacaa 60
 ncccatcccc gaggccgaca tccccatgtt catgttcattg cccaccatgc cctggctcat 120
 ccctgcgctg ttccccagag gggccattcc catgggtgcc gtcattacac cgggcatgtt 180
 cataggcatg ggtcccccca ggagagggtt agnttgaggc cggacaggaa gcatgtttga 240
 tggagaactg aggttcacag nctccaaaac tttgagtcac cacattcata ggctgctgca 300
 tattctgtct gctgaatcca ttgtatncag tgatggcctg ctggggnttt ggaaggctng 360
 cataccaggt agtaagntcg tctaggctga tgtttacacc tggggtcaga ccaagtanga 420
 gggcaagggt ttgctgactg attttctgga cccatatac 458

<210> 175
 <211> 1206
 <212> DNA
 <213> Homo sapien

<400> 175
 ggcacgagga agttttgtgt actgaaaaag aaactgtcag aagcaaaaga aataaaatca 60
 cagttagaga accaaaaagt taaatgggaa caagagctct gcagtgtgag gtttctcaca 120
 ctcatgaaaa tgaaaattat ctcttacatg aaaattgcat gttgaaaaag gaaattgccca 180
 tgctaaaact ggaaatagcc aactgaaac accaatacca ggaaaaggaa aataaatact 240
 ttgaggacat taagatttta aaagaaaaga atgctgaact tcagatgacc ctaaaactga 300
 aagaggatc attactaaa agggcatctc aatatagtgg gcagcttaaa gttctgatag 360
 ctgagaacac aatgctcact tctaaattga agggaaaaca agacaaagaa atactagagg 420
 cagaaattga atcacaccat cctagactgg cttctgctgt acaagaccat gatcaaattg 480
 tgacatcaag aaaaagtcaa gaacctgctt tccacattgc aggagatgct tgtttgcaaa 540
 gaaaaatgaa tgttgatgtg agtagtacga tatataacaa tgagggtgct catcaaccac 600
 tttctgaagc tcaaaggaaa tccaaaagcc taaaaattaa tctcaattat gccggagatg 660
 ctctaagaga aaatacattg gtttcagaac atgcacaaag agaccaacgt gaaacacagt 720
 gtcaaatgaa ggaagctgaa cacatgtatc aaaacgaaca agataatgtg aacaaacaca 780
 ctgaacagca ggagtctcta gatcagaaat tatttcaact acaaagcaaa aatatgtggc 840
 ttcaacagca attagtctcat gcacataaga aagctgacaa caaaagcaag ataacaattg 900
 atattcattt tcttgagagg aaaatgcaac atcatctctt aaaagagaaa aatgaggaga 960
 tatttaatta caataacat ttaaaaaacc gtatatatca atatgaaaaa gagaaagcag 1020
 aaacagaagt tatataatag tataacactg ccaaggagcg gattatctca tcttcctcct 1080
 gtaattccag tgtttgtcac gtggtgttg aataaatgaa taaagaatga gaaaaccaga 1140
 agctctgata cataatcata atgataatta tttcaatgca caactacggg tgggtgctgct 1200
 cgtgcc 1206

<210> 176
 <211> 317
 <212> PRT
 <213> Homo sapien

54

<400> 176
 Met Gly Thr Arg Ala Leu Gln Cys Glu Val Ser His Thr His Glu Asn
 1 5 10 15
 Glu Asn Tyr Leu Leu His Glu Asn Cys Met Leu Lys Lys Glu Ile Ala
 20 25 30
 Met Leu Lys Leu Glu Ile Ala Thr Leu Lys His Gln Tyr Gln Glu Lys
 35 40 45
 Glu Asn Lys Tyr Phe Glu Asp Ile Lys Ile Leu Lys Glu Lys Asn Ala
 50 55 60
 Glu Leu Gln Met Thr Leu Lys Leu Lys Glu Glu Ser Leu Thr Lys Arg
 65 70 75 80
 Ala Ser Gln Tyr Ser Gly Gln Leu Lys Val Leu Ile Ala Glu Asn Thr
 85 90 95
 Met Leu Thr Ser Lys Leu Lys Glu Lys Gln Asp Lys Glu Ile Leu Glu
 100 105 110
 Ala Glu Ile Glu Ser His His Pro Arg Leu Ala Ser Ala Val Gln Asp
 115 120 125
 His Asp Gln Ile Val Thr Ser Arg Lys Ser Gln Glu Pro Ala Phe His
 130 135 140
 Ile Ala Gly Asp Ala Cys Leu Gln Arg Lys Met Asn Val Asp Val Ser
 145 150 155 160
 Ser Thr Ile Tyr Asn Asn Glu Val Leu His Gln Pro Leu Ser Glu Ala
 165 170 175
 Gln Arg Lys Ser Lys Ser Leu Lys Ile Asn Leu Asn Tyr Ala Gly Asp
 180 185 190
 Ala Leu Arg Glu Asn Thr Leu Val Ser Glu His Ala Gln Arg Asp Gln
 195 200 205
 Arg Glu Thr Gln Cys Gln Met Lys Glu Ala Glu His Met Tyr Gln Asn
 210 215 220
 Glu Gln Asp Asn Val Asn Lys His Thr Glu Gln Gln Glu Ser Leu Asp
 225 230 235 240
 Gln Lys Leu Phe Gln Leu Gln Ser Lys Asn Met Trp Leu Gln Gln Gln
 245 250 255
 Leu Val His Ala His Lys Lys Ala Asp Asn Lys Ser Lys Ile Thr Ile
 260 265 270
 Asp Ile His Phe Leu Glu Arg Lys Met Gln His His Leu Leu Lys Glu
 275 280 285
 Lys Asn Glu Glu Ile Phe Asn Tyr Asn Asn His Leu Lys Asn Arg Ile
 290 295 300
 Tyr Gln Tyr Glu Lys Glu Lys Ala Glu Thr Glu Val Ile
 305 310 315

<210> 177
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Made in the Lab

<400> 177
 ccaatcatct ccacaggagc

20

<210> 178
 <211> 1665

<212> DNA

<213> Homo sapien

<400> 178

```

gcaaactttc aagcagagcc tcccgagaag ccatctgcct tcgagcctgc cattgaaatg      60
caaaagtctg ttccaaataa agccttggaag ttgaagaatg aacaaacatt gagagcagat      120
cagatgttcc cttcagaatc aaaacaaaag aaggttgaag aaaattcttg ggattctgag      180
agtctccgtg agactgtttc acagaaggat gtgtgtgtac ccaaggctac acatcaaaaa      240
gaaatggata aaataagtgg aaaattagaa gattcaacta gcctatcaaa aatcttggat      300
acagttcatt cttgtgaaag agcaagggaa cttcaaaaag atcactgtga acaacgtaca      360
ggaaaaatgg aacaaatgaa aaagaagttt tgtgtactga aaaagaaact gtcagaagca      420
aaagaaataa aatcacagtt agagaaccaa aaagttaaag gggaacaaga gctctgcagt      480
gtgaggtttc tcacactcat gaaaatgaaa attatctctt acatgaaaat tgcattgtga      540
aaaaggaaat tgccatgcta aaactggaaa tagccacact gaaacaccaa taccaggaaa      600
aggaaataaa atactttgag gacattaaga ttttaaaaga aaagaatgct gaacttcaga      660
tgaccctaaa actgaaagag gaatcattaa ctaaaagggc atctcaatat agtgggcagc      720
ttaaagttct gatagctgag aacacaatgc tcacttctaa attgaaggaa aaacaagaca      780
aagaaatact agaggcagaa attgaatcac accatcctag actggcttct gctgtacaag      840
accatgatca aattgtgaca tcaagaaaaa gtcaagaacc tgctttccac attgcaggag      900
atgcttggtt gcaaagaaaa atgaatgttg atgtgagtag tacgatatat aacaatgagg      960
tgctccatca accactttct gaagctcaaa ggaaatccaa aagcctaaaa ataatctca     1020
attatgccgg agatgctcta agagaaaata cattgggttc agaacatgca caaagagacc     1080
aacgtgaaac acagtgtcaa atgaaggaag ctgaacacat gtatcaaaac gaacaagata     1140
atgtgaacaa acacactgaa cagcaggagt ctctagatca gaaattatct caactacaaa     1200
gcaaaaatat gtggcttcaa cagcaattag ttcatgcaca taagaaagct gacaacaaaa     1260
gcaagataac aattgatatt cattttcttg agaggaaaat gcaacatcat ctctaaaag     1320
agaaaaatga ggagatattt aattacaata accattttaa aaaccgtata tatcaatatg     1380
aaaaagagaa agcagaaaca gaaaactcat gagagacaag cagtaagaaa ctctttttgg     1440
agaaacaaca gaccagatct ttactcaca ctcatgctag gaggccagtc ctagcattac     1500
cttatgttga aaatcttacc aatagtctgt gtcaacagaa tacttatttt agaagaaaaa     1560
ttcatgattt cttcctgaag cctgggcgac agagcgagac tctgtctcaa aaaaaaaaaa     1620
aaaaaaaaagaa agaaagaaat gcctgtgctt acttcgcttc ccagg                      1665

```

<210> 179

<211> 179

<212> PRT

<213> Homo sapien

<400> 179

```

Ala Asn Phe Gln Ala Glu Pro Pro Glu Lys Pro Ser Ala Phe Glu Pro
 1           5           10          15
Ala Ile Glu Met Gln Lys Ser Val Pro Asn Lys Ala Leu Glu Lys
 20          25          30
Asn Glu Gln Thr Leu Arg Ala Asp Gln Met Phe Pro Ser Glu Ser Lys
 35          40          45
Gln Lys Lys Val Glu Glu Asn Ser Trp Asp Ser Glu Ser Leu Arg Glu
 50          55          60
Thr Val Ser Gln Lys Asp Val Cys Val Pro Lys Ala Thr His Gln Lys
 65          70          75          80
Glu Met Asp Lys Ile Ser Gly Lys Leu Glu Asp Ser Thr Ser Leu Ser
 85          90          95
Lys Ile Leu Asp Thr Val His Ser Cys Glu Arg Ala Arg Glu Leu Gln
100         105         110
Lys Asp His Cys Glu Gln Arg Thr Gly Lys Met Glu Gln Met Lys Lys
115         120         125

```

56

Lys Phe Cys Val Leu Lys Lys Lys Leu Ser Glu Ala Lys Glu Ile Lys
 130 135 140
 Ser Gln Leu Glu Asn Gln Lys Val Lys Trp Glu Gln Glu Leu Cys Ser
 145 150 155 160
 Val Arg Phe Leu Thr Leu Met Lys Met Lys Ile Ile Ser Tyr Met Lys
 165 170 175
 Ile Ala Cys

<210> 180
 <211> 1681
 <212> DNA
 <213> Homo sapien

<400> 180
 gatacagtca ttcttgtgaa agagcaaggg aacttcaaaa agatcactgt gaacaacgta 60
 caggaaaaat ggaacaaatg aaaaagaagt tttgtgtact gaaaaagaaa ctgtcagaag 120
 caaaagaaat aaaatcacag ttagagaacc aaaaagttaa atgggaacaa gagctctgca 180
 gtgtgagatt gacttttaac caagaagaag agaagagaag aaatgccgat atattaaatg 240
 aaaaaattag ggaagaatta ggaagaatcg aagagcagca taggaaagag ttagaagtga 300
 aacaacaact tgaacaggct ctcaagaatac aagatataga attgaagagt gtagaaagta 360
 atttgaatca ggtttctcac actcatgaaa atgaaaatta tctcttacat gaaaattgca 420
 tgttgaaaaa ggaaattgcc atgctaaaac tggaaatagc cactactgaaa caccaataacc 480
 agggaaaagga aaataaatac tttgaggaca ttaagatttt aaaagaaaag aatgctgaac 540
 ttcagatgac cctaaaactg aaagaggaat cattaactaa aagggcatct caatatagtg 600
 ggcagcttaa agttctgata gctgagaaca caatgctcac ttctaaattg aaggaaaaaac 660
 aagacaaaga aatactagag gcagaaattg aatcacacca tcctagactg gcttctgctg 720
 tacaagacca tgatcaaatt gtgacatcaa gaaaaagtca agaacctgct ttccacattg 780
 caggagatgc ttgtttgcaa agaaaaatga atgttgatgt gagtagtacg atatataaca 840
 atgaggtgct ccatacaacca ctttctgaag ctcaaaggaa atccaaaagc ctaaaaatta 900
 atctcaatta tgccggagat gctctaagag aaaatacatt ggtttcagaa catgcacaaa 960
 gagaccaacg tgaaacacag tgtcaaatga aggaagctga acacatgtat caaacgaac 1020
 aagataatgt gaacaaacac actgaacagc aggagtctct agatcagaaa ttatttcaac 1080
 taaaaagcaa aaatatgtgg cttcaacagc aattagttca tgcacataag aaagctgaca 1140
 acaaaaagcaa gataacaatt gatattcatt ttcttgagag gaaaaatgcaa catcatctcc 1200
 taaaagagaa aatgaggag atatttaatt acaataacca tttaaaaaac cgtatatatc 1260
 aatatgaaaa agagaaaagca gaaacagaaa actcatgaga gacaagcagt aagaaacttc 1320
 ttttgagaaa acaacagacc agatctttac tcacaactca tgctaggagg ccagtcctag 1380
 cattacctta tgttgaaaaa tcttaccat agtctgtgtc aacagaatac ttattttaga 1440
 agaaaaattc atgatttctt cctgaagcct acagacataa aataacagtg tgaagaatta 1500
 cttgttcacg aattgcataa aagctgcccc ggatttccat ctaccctgga tgatgccgga 1560
 gacatcattc aatccaacca gaatctcgct ctgtcactca ggctggagtg cagtgggcgc 1620
 aatctcggct cactgcaact ctgcctccca gggtcacgcc attctctggc acagcctccc 1680
 g 1681

<210> 181
 <211> 432
 <212> PRT
 <213> Homo sapien

<400> 181
 Asp Thr Val His Ser Cys Glu Arg Ala Arg Glu Leu Gln Lys Asp His
 1 5 10 15
 Cys Glu Gln Arg Thr Gly Lys Met Glu Gln Met Lys Lys Lys Phe Cys
 20 25 30


```

Val Leu Lys Lys Lys Leu Ser Glu Ala Lys Glu Ile Lys Ser Gln Leu
    35              40              45
Glu Asn Gln Lys Val Lys Trp Glu Gln Glu Leu Cys Ser Val Arg Leu
    50              55              60
Thr Leu Asn Gln Glu Glu Glu Lys Arg Arg Asn Ala Asp Ile Leu Asn
    65              70              75              80
Glu Lys Ile Arg Glu Glu Leu Gly Arg Ile Glu Glu Gln His Arg Lys
    85              90              95
Glu Leu Glu Val Lys Gln Gln Leu Glu Gln Ala Leu Arg Ile Gln Asp
    100             105             110
Ile Glu Leu Lys Ser Val Glu Ser Asn Leu Asn Gln Val Ser His Thr
    115             120             125
His Glu Asn Glu Asn Tyr Leu Leu His Glu Asn Cys Met Leu Lys Lys
    130             135             140
Glu Ile Ala Met Leu Lys Leu Glu Ile Ala Thr Leu Lys His Gln Tyr
    145             150             155             160
Gln Glu Lys Glu Asn Lys Tyr Phe Glu Asp Ile Lys Ile Leu Lys Glu
    165             170             175
Lys Asn Ala Glu Leu Gln Met Thr Leu Lys Leu Lys Glu Glu Ser Leu
    180             185             190
Thr Lys Arg Ala Ser Gln Tyr Ser Gly Gln Leu Lys Val Leu Ile Ala
    195             200             205
Glu Asn Thr Met Leu Thr Ser Lys Leu Lys Glu Lys Gln Asp Lys Glu
    210             215             220
Ile Leu Glu Ala Glu Ile Glu Ser His His Pro Arg Leu Ala Ser Ala
    225             230             235             240
Val Gln Asp His Asp Gln Ile Val Thr Ser Arg Lys Ser Gln Glu Pro
    245             250             255
Ala Phe His Ile Ala Gly Asp Ala Cys Leu Gln Arg Lys Met Asn Val
    260             265             270
Asp Val Ser Ser Thr Ile Tyr Asn Asn Glu Val Leu His Gln Pro Leu
    275             280             285
Ser Glu Ala Gln Arg Lys Ser Lys Ser Leu Lys Ile Asn Leu Asn Tyr
    290             295             300
Ala Gly Asp Ala Leu Arg Glu Asn Thr Leu Val Ser Glu His Ala Gln
    305             310             315             320
Arg Asp Gln Arg Glu Thr Gln Cys Gln Met Lys Glu Ala Glu His Met
    325             330             335
Tyr Gln Asn Glu Gln Asp Asn Val Asn Lys His Thr Glu Gln Gln Glu
    340             345             350
Ser Leu Asp Gln Lys Leu Phe Gln Leu Gln Ser Lys Asn Met Trp Leu
    355             360             365
Gln Gln Gln Leu Val His Ala His Lys Lys Ala Asp Asn Lys Ser Lys
    370             375             380
Ile Thr Ile Asp Ile His Phe Leu Glu Arg Lys Met Gln His His Leu
    385             390             395             400
Leu Lys Glu Lys Asn Glu Glu Ile Phe Asn Tyr Asn Asn His Leu Lys
    405             410             415
Asn Arg Ile Tyr Gln Tyr Glu Lys Glu Lys Ala Glu Thr Glu Asn Ser
    420             425             430

```

<210> 182

<211> 511

<212> DNA

<213> Homo sapiens

<400> 182

```
gaagtttcat gaggttttagc ttttctgggc tggggagtg agagaaagaa gttgcagggc 60
ttacaggaaa tcccagagcc tgaggttttc tcccagattt gagaactcta gattctgcat 120
cattatcttt gagtctatat tctcttgggc tgtaagaaga tgaggaatgt aataggtctg 180
ccccaaagcct ttcatgcctt ctgtaccaag cttgtttcct tgtgcatcct tcccaggctc 240
tggttgcccc ttattggaga atgtgatttc caagacaatc aatccacaag tgtctaagac 300
tgaatacaaa gaacttcttc aagagttcat agacgacaat gccactacaa atgccataga 360
tgaattgaag gaatgttttc ttaaccaaac ggatgaaact ctgagcaatg ttgaggtggt 420
tatgcaatta atatatgaca gcagtccttg tgatttattt taactttctg caagaccttt 480
ggctcacaga actgcagggt atggtgagaa a 511
```

<210> 183

<211> 260

<212> DNA

<213> Homo sapiens

<400> 183

```
cacctcgcg ttcagctcct ctgtcttggt gaagaacat tcctcgcat ccttgcggtt 60
cttctctgcc atcttctcat actggtcacg catctcggtc agaatgcggc tcagggtccac 120
gccagggtgca gcgtccatct ccacattgac atctccaccc acctggcctc tcagggcatt 180
catctcctcc tcgtgggttc tcttcaggta ggccagctcc tccttcaggc tctcaatctg 240
catctccagg tcagctctgg 260
```

<210> 184

<211> 461

<212> DNA

<213> Homo sapiens

<400> 184

```
gtctgatggg agaccaaaga atttgcaagt ggatggtttg gtatcactgt aaataaaaag 60
agggcctttt ctagctgtat gactgttact tgaccttctt tgaaaagcat tcccaaatg 120
ctctatttta gatagattaa cattaaccaa cataattttt tttagatcga gtcagcataa 180
atcttctaagt cagcctctag tcgtggttca tctctttcac ctgcatttta tttgggtgtt 240
gtctgaagaa aggaaaagg aaagcaaata cgaattgtac tatttgtacc aaatcttttg 300
gattcattgg caaataattt cagtgtggtg tattattaaa tagaaaaaaa aaattttgtt 360
tcctaggttg aaggctaat tgataccgtt tgacttatga tgaccattta tgcactttca 420
aatgaatttg ctttcaaaaat aaatgaagag cagacctcgg c 461
```

<210> 185

<211> 531

<212> DNA

<213> Homo sapiens

<400> 185

```
tctgatttta tttccttctc aaaaaaagtt atttacagaa ggtatatatc aacaatctga 60
caggcagtga acttgacatg attagctggc atgatttttt cttttttttc ccccaaacat 120
tgtttttgtg gccttgaatt ttaagacaaa tattctacac ggcatattgc acaggatgga 180
tggcaaaaaa aagtttaaaa acaaaaaccc ttaacggaac tgctttaaaa aggagacgt 240
cctagtgcct gtcattgtat attaaacata catacacaca atctttttgc ttattataat 300
acagacttaa atgtacaaag atgtttttcca cttttttcaa tttttaaaca caacagctat 360
aaacctgaac acatatgcta tcatcatgcc ataagactaa aacaattata tttagcgaca 420
agtagaaagg attaaatagt caaatacaag aatgaaaaac gcagtacata gtgtcgcgaa 480
ctcaaatcgg catttagata gatccagtgg ttttaacggc acgtttttgc t 540
```

<210> 186
<211> 441
<212> DNA
<213> Homo sapiens

<400> 186
cattcctttc ctgcggttgg ggtttctctg tgtcagcgag cctcgggtaca ctgatttccg 60
atcaaaagaa tcatcatctt taccttgact tttcagggaa ttactgaact ttcttctcag 120
aagatagggc acagccattg ccttggcctc acttgaaggg tctgcatttg ggtcctctgg 180
tctcttgcca agtttcccaa ccaactcgagg gagaaatatac gggaggtttg acttcctccg 240
gggctttccc gagggcttca ccgtgagccc tgcggccctc agggctgcaa tcctggattc 300
aatgtctgaa acctcgctct ctgcctgctg gacttctgag gccgtcactg ccactctgtc 360
ctccagctct gacagctcct catctgtggt cctgttgtac tggacggggg cccaggggtc 420
ctgggggctt ttttctgtgc t 441

<210> 187
<211> 371
<212> DNA
<213> Homo sapiens

<400> 187
aaaagtgaat gagtaactat tatattgttg gcaataataa gttgcaaaat catcaggctg 60
caggctgctg atggtgagag tgaactctgt cccagatcca ctgccgctga accttgatgg 120
gaccccagat tctaaactag acgccttatg gatcaggagc tttggggctt tccctggttt 180
ctgttgatac caggccaacc aactactaac actctgactg gcccggaag tgatggtgac 240
tctgtctcct acagttgcag acaggggtgga aggagactgg gtcatctgga tgtcacattt 300
ggcacctggg agccagagca gcaggagccc caggagctga gcggggaccc tcatgtccat 360
gctgagtcct g 371

<210> 188
<211> 226
<212> DNA
<213> Homo sapiens

<400> 188
ggtatataaa ttgagatgcc cccccaggcc agcaaatgtt cctttttgtt caaagtctat 60
ttttattcct tgatattttt cttttttttt tttttgtgga tggggacttg tgaatttttc 120
taaagggtgct atttaacatg ggaggagagc gtgtgcggct ccagcccagc ccgctgctca 180
ctttccaccc tctctccacc tgcctctggc ttctcaggac ctgccc 226

<210> 189
<211> 391
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(391)
<223> n=A,T,C or G

<400> 189
tgggtgaagt ttattctggt ttcacatcta ggttggtggg ganagtgata gacaaagttc 60
tggaattctg gcatcgctcg cgcattgctg taatcctact tgggaggttg anacaggaga 120
cctcggccgc naccacgcta agggcgaatt ctgcanatat ccatcacact ggcggccgct 180
cgagcatgca tctanagggc ccaattcncc ctatagttag ncgtattaca attcactggc 240

60

```

cgtcgtttta caacgtcgtg actgggaaaa ccttggcggt acccaactta atcgcccttg 300
agcacatccc cctttcncca gctggcttaa tancgaagag gcccgcaccg atcgcccttc 360
ccaacanttg cgcagcctga atggcgaatg g                                     391

```

<210> 190

<211> 501

<212> DNA

<213> Homo sapiens

<400> 190

```

catcttggcc tttttgagct gtttcgcgtt cttctcatcc cggtcactgt caccctcatt 60
actggaggag ctggcagagg cgttgctgtc aaactcctct gccacatctt cctcctcttc 120
acctgggttg aatgactcat cggtttcttc tcctgagtca tcgctgctgt cattggcatt 180
ctcctcccgg atcttgccct cctccttcat cctctccaag taggcatcat gctggtcctc 240
atcagagtca gcatattcat cgtagcttgg gttcatgccc tctttcaatc ctcggttttt 300
gatgttgagc tttttcgcgt tgacaaaatc aaacagtttc ccgtactcct ccctctcaat 360
gctgctgaag gtatactgag tgccctgctt ggtctcaatt tcaaagtcaa aggaacgagt 420
agtagtggtg ccacgagcaa agttgacaaa ggagatctca tcgaagcgga tgtgcacagg 480
tggtctgtgg acgtagatga a                                     501

```

<210> 191

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (49)

<223> n=A,T,C or G

<400> 191

```

ggaaaaactg tgaaaaatat atctgaattt attaagtaca gtataaaaana gggttgtggc 60
aacagaaagt aaaaactaac atggattgct ataaatatgc tgaagcctag ttgttcaaatt 120
gatacaattc tctcatgcta ctctaaagt tataaagaaa aaggatttac actttacaca 180
ctgtacacaa aaggaatacc ttctgagagc cagggagtggt ggaaagggga aggagacttg 240
a                                     241

```

<210> 192

<211> 271

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(271)

<223> n=A,T,C or G

<400> 192

```

tggtcntgga ttcacanata aantanatcg actaaaactg gcagaaattg tgaagcaggt 60
gatagaagan caaaccacgt cccacgaatc ccaataatga cagcttcaga ctttgctttt 120
ttaacaattt gaaaaattat tctttaatgt ataaagtaat tttatgtaaa ttaataaatc 180
ataatttcat ttccacattg attaaagctg ctgtatagat ttagggngca ggacttaata 240
atagnggaaa tgaaattatg atttattaat c                                     271

```

<210> 193

<211> 351
 <212> DNA
 <213> Homo sapiens

<400> 193
 agtcgaggcg ctgatcccta aaatggcgaa catgtgtttt catcatttca gccaaagtcc 60
 taacttcctg tgcctttcct atcacctcga gaagtaatta tcagttgggt tggatttttg 120
 gaccaccgtt cagtcatttt ggggtgccgt gtccecaaaa cattttaaat gaaagtattg 180
 gcattcaaaa agacagcaga caaaatgaaa gaaaatgaga gcagaaagta agcatttcca 240
 gcctatctaa tttctttagt tttctatttg cctccagtgc agtccatttc ctaatgtata 300
 ccagcctact gtactattta aaatgctcaa tttcagcacc gatggacctg c 360

<210> 194
 <211> 311
 <212> DNA
 <213> Homo sapiens

<400> 194
 ctgagacaca gaggccact gcgaggggga cagtggcggt gggactgacc tgctgacagt 60
 caccctccct ctgctgggat gaggtccagg agccaactaa aacaatggca gaggagacat 120
 ctctgggtgtt cccaccacc tagatgaaaa tccacagcac agacctctac cgtgtttctc 180
 ttccatccct aaaccacttc cttaaaatgt ttggatttgc aaagccaatt tggggcctgt 240
 ggagcctggg gttggatagg gccatggctg gtccccacc atacctcccc tccacatcac 300
 tgacacagac c 311

<210> 195
 <211> 381
 <212> DNA
 <213> Homo sapiens

<400> 195
 tgtcagagtg gcactggtag aagttccagg aaccctgaac tgtaagggtt cttcatcagt 60
 gccaacagga tgacatgaaa tgatgtactc agaagtgtcc tggaatgggg cccatgagat 120
 ggttgtctga gagagagctt cttgtcctgt ctttttcctt ccaatcaggg gctcgctctt 180
 ctgattattc ttcagggcaa tgacataaat tgtatattcg gttcccgggt ccaggccagt 240
 aatagtagcc tctgtgacac cagggcgggg ccgagggacc acttctctgg gaggagaccc 300
 aggcttctca tacttgatga ttagccgggt aatcctggca cgtggcgggt gccatgatac 360
 cagcagggaa ttgggtgtgg t 381

<210> 196
 <211> 401
 <212> DNA
 <213> Homo sapiens

<400> 196
 cacaaacaag aggagcacca gacctcctct tggcttcgag atggcttcgc cacaccaaga 60
 gccccaaact ggagacctga ttgagatttt ccgccttggc tatgagcact gggccctgta 120
 tataggagat ggctacgtga tccatctggc tcctccaagt gagtaccccg gggtggctc 180
 ctccagtgtc ttctcagtcc tgagcaacag tgacagagtg aaacgggagc gcctggaaga 240
 tgtgggtggga ggctgttgct atcgggtcaa caacagcttg gaccatgagt accaaccacg 300
 gcccggtggg gtgatcacca gttctgcgaa ggagatgggt ggtcagaaga tgaagtacag 360
 tattgtgagc aggaactgtg agcactttgt caccagacc t 401

<210> 197
 <211> 471

<212> DNA

<213> Homo sapiens

<400> 197

```
ctgtaatgat gtgagcaggg agccttcctc cctgggccac ctgcagagag ctttcccacc 60
aactttgtac cttgattgcc ttacaaagtt atttgtttac aaacagcgac catataaaag 120
cctcctgccc caaagcttgt gggcacatgg gcacatacag actcacatac agacacacac 180
atatatgtac agacatgtac tctcacacac acaggcacca gcatacacac gtttttctag 240
gtacagctcc caggaacagc taggtgggaa agtcccatca ctgaggggagc ctaaccatgt 300
ccctgaacaa aaattgggca ctcattctatt ctttttctct tgtgtcccta ctcattgaaa 360
ccaaactctg gaaaggaccc aatgtaccag tatttatacc tctagtgaag cacagagaga 420
ggaagagagc tgcttaaact cacacaacaa tgaactgcag acacagacct g 480
```

<210> 198

<211> 201

<212> DNA

<213> Homo sapiens

<400> 198

```
ggctccattga ggctctgtcg gccatgcccc cagttcgaag ctttgccaac gaggagggcg 60
aagcccagaa gtttagggaa aagctgcaag aaataaagac actcaaccag aaggaggctg 120
tggcctatgc agtcaactcc tggaccacta gtatttcagg tatgctgctg aaagtgggaa 180
tcctctacat tggtagggcag a 201
```

<210> 199

<211> 551

<212> DNA

<213> Homo sapiens

<400> 199

```
tctggcacag atcttcaccc acacggcggc ccacgtgctg atcatcttcc ggggtctcacc 60
gggcctggaa cacaccatct tccccatgag cccgggtgccc agtctggtga cttccatctt 120
ggcccttggc cttatgtccc agttatgacc cctgacttca actctggctc ttaccctgta 180
actccagtc atctctgaca tttttaacac ccggccttgt gaccgtggac atagctcctg 240
acctcgattc ccatcttgag ccagtggtta gtccatgaga tcatgacctg actcctggtc 300
tccaaccttg tgatcctaatt tctgggacct caatcctagc ctctgaactt gggaccctgg 360
agtccttgac cttagtcctg accgctaccc ttgattctga cctttgatcc tgtaacttag 420
gggtggcccc tgaccttatt actgtcattt agtctcttga ccttgccact tcaatcctgg 480
ctttatgacc tcctactctc aattttaact ttaaccaaatt gaccaaattt gtgacactaa 540
atgaccacaa t 551
```

<210> 200

<211> 211

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(211)

<223> n=A,T,C or G

<400> 200

```
cagctcancg ggcgacatgc ccctacaagt tggcanaagn ggctgccact gctgggtttg 60
tgtaagagag gctgctgnca ccattacctg cagaaacctt ctcatagggg ctacgatcgg 120
tactgctagg gggcacatag cgcccatggg tgtggtaggt ggggnactcn ntataggat 180
```

ggtaggtatc ccgggctgga aanatgnnca g

211

<210> 201

<211> 111

<212> DNA

<213> Homo sapiens

<400> 201

ccagtgaaaag gaaacaaaac tggcagtttg tccatttgaa taccagacct agttttcttct 60
taattttccac actattttctc ccatatttctt taaactttctt ggcattccacc t 120

<210> 202

<211> 331

<212> DNA

<213> Homo sapiens

<400> 202

tgaaaaatata gaataaccagg tgggtcccaaa tgtttgaagt tctttgaaca gaaagagaga 60
ggagagagag agagaggaaa attccctaac ccttggttta aagacaatat tcattttattg 120
ctcaaatgat gcttttaagg gaggacagt gaataaaaata aacttttttt ttctccctac 180
aatacataga agggttatca aaccactcaa gtttcaaaat ctttccaggg tccaatatca 240
ctttttttct ttcggttcaa tgaaaagcta aatgtaataa tactaattat agataaaaatt 300
ttattttact ttttaaaaat ttgtccagac c 331

<210> 203

<211> 491

<212> DNA

<213> Homo sapiens

<400> 203

agtcacccag tctacttagt acctgggtgc tgcctctgac cttttcagct tgataccctg 60
ggcttttagtg taaccaataa atctgtagtg accttacctg tattccctgt gctatccctg 120
gggaaggtag gaatgggcta agtatgatga atgtataggt tagggatctt ttggttttta 180
atcacagaaa acctaatcca aactggctta aaataaaaag gattttattgg ttcagtgaac 240
tagaaagtcc ataggttagt ctggctccag gtgaagactt gacccagtag ttcagtatgt 300
ctctaaatac cggactgact tttttctcac tgttgcatct tctgtaggac catttaagtc 360
tggggccactt aatggctgcc agcattccta agattacact tttccccatt tatgtccaat 420
cagaaaaaga aggcattctt gtaccagaaa tctcagcaaa agccctaata ttcacactga 480
ttaggacctg c 491

<210> 204

<211> 361

<212> DNA

<213> Homo sapiens

<400> 204

tcccttctct ccccatgtga taaatgggtc cagggtgat caaagaactc tgactgcaga 60
actgccgctc tcagtggaca gggcatctgt tatcctgaga cctgtggcag acacgtcttg 120
ttttcatttg atttttgta agagtgcagt attgcagagt ctagaggaat ttttgtttcc 180
ttgattaaca tgattttctt ggttggtaca tccagggcag ggcagtggcc tcagccttaa 240
acttttggtc ctactccac cctcagcgaa ctgggcagca cggggagggt ttggctaccc 300
ctgcccattc ctgagccagg taccaccatt gtaaggaaac actttcagaa attcagacct 360
c 361

<210> 205

<211> 471
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (2)
<223> n=A,T,C or G
<221> misc_feature
<222> (3)
<223> n=A,T,C or G

<400> 205
cnngtacagt tcttcctgga tggccgacac agatcctggg gaaaggcaat cctggcactg 60
ctctgaaacc agagctcctc ctccctcccc gggcagggtg gagctgagaa gggctgctct 120
agcgttggga ctccacctcc atacacctga tattttgata gggcagggtc ctgctatggg 180
ccactgttct gggcagtata gtatgcttga cagcatcctt ggcactctatc caccagatcc 240
cagagcaccg gctactagct gtgacaacat cctccaaaca ttgcaaaatt tcccctggga 300
ggcaagattg cctcagatgg gagaatcacg ctctagggaa atctgctggg atgagaaccc 360
caactcccca ctccactgag cctccagatg gcgagcaggc tgcagctcca gcacagacac 420
gaagctccct ccagccactg acgggtccatg gctgggggta cccaggacct c 480

<210> 206
<211> 261
<212> DNA
<213> Homo sapiens

<400> 206
tagagtattt agagtcctga gataacaagg aatccaggca tccttttagac agtcttctgt 60
tgtcctttct tcccaatcag agatttgtgg atgtgtggaa tgacaccacc accagcaatt 120
gtagccttga tgagagaatc caattcttca tctccacgaa tagcaagttg caagtgacga 180
ggggtaatac gctttacctt taagtctttt gatgcatttc ctgccagttc aagtacctct 240
gcggtgaggt actccaggat g 261

<210> 207
<211> 361
<212> DNA
<213> Homo sapiens

<400> 207
gctctccggg agcttgaaga agaaactggc tacaaagggg acattgccga atgttctcca 60
gcggtctgta tggacccagg cttgtcaaac tgtactatac acatcgtgac agtcaccatt 120
aacggagatg atgccgaaaa cgcaaggccg aagccaaagc caggggatgg agagtttgtg 180
gaagtcattt ctttacccaa gaatgacctg ctgcagagac ttgatgctct ggtagctgaa 240
gaacatctca cagtggacgc cagggctctat tcctacgctc tagcactgaa acatgcaaatt 300
gcaaagccat ttgaagtgcc cttcttgaaa ttttaagccc aaatatgaca ctggacctgc 360
c 361

<210> 208
<211> 381
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

<222> (1)...(381)
<223> n=A,T,C or G

<400> 208
agaggagatn tttgccatgc ctgaatnctt tcctatncca ccttancact taacatatta 60
cttagtctgc tttgntaaaa gcaagtatta ccttnaactt gnetcttact ctttgccctt 120
tagctaacta ataaaagnttg atntaggcat tattatataa ttctgagtc tcatgggtat 180
ctctcatgtt tgatgtatnt tncaaaactaa gatctatgat agtttttttt ccanagttcc 240
attaaatcat ttatttcctt tacttttctca cctctgtnga aacatttaga aactggattt 300
gggaacccan ttttggaata ccagattcat agtcatgaaa atggaaactt ncatattctg 360
tttttgaaaa gatgtggacc t 381

<210> 209
<211> 231
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (83)
<223> n=A,T,C or G

<400> 209
gtggagagca agtgatttat taaagcaaga cggtgaaacc ttacattct gcagtgaaga 60
tcaggggtgtc attgaaagac agnggaaacc aggatgaaag tttttacatg tcacacacta 120
catttcttca atattttcac caggacttcc gcaatgaggc ttctgtttctg aagggacatc 180
tgatccgtgc atctcttcac tcctaacttg gctgcaacag cttccacctg c 240

<210> 210
<211> 371
<212> DNA
<213> Homo sapiens

<400> 210
tccatcctgg ttttgcagag atcaggttgt tgacagttcc tggttgaccc acagctaccc 60
atgtcagtta tctccactaa catatccaag aatctttgta ggacaatttc tccacctgca 120
agggttttta ggtagaactc ttcttttaag gcaattagcc cattgcaaaa aggttttact 180
gtcttaaagc tgtctttctg agatctaatt ccaaggactt ctccacagct aagtggatg 240
cctcacacca ttaggtgatg ctttggacag aacagagtat tttcatcttg tgtttaaagc 300
aatccttggt cttcgggtcc tcaccacttt ctatgccagt ctcccattta tgtccctagt 360
aatgcctatg c 371

<210> 211
<211> 471
<212> DNA
<213> Homo sapiens

<400> 211
tttattttta aagaaaaaaa ttaaaataga gccacaaat gcaattaaga aaaaaaagt 60
attgagacac aaggggacct acatgttctg gtctaagaag catgcaagta ttacaaagca 120
ttccagatac agtatgacag aggaacagtg aacaagcatt ggaacgatgc tctttctttc 180
agaaacggga agtctaacag ttatgttttc acaatggtag tgattaaacc atctttatct 240
ttaaggaatt ttataggaag aatttttagc ccatcattaa aggaaaaata ataatacctt 300
tttagccctg cctatctcca gtcttggaat aataacagaa gcatagcacc tttcagtatc 360
taaaatataa acaagaatag taagtccatc ccagcttcta gagatgaggt agtcatgct 420

aagaaatggtt gggtcatttt tcctatgaaa gttcaaaggc caaatggtca c 480

<210> 212

<211> 401

<212> DNA

<213> Homo sapiens

<400> 212

```

tggcctgtct ccttcacata gtccatatca ccacaaatca cacaacaaaa gggagaggat 60
atatttttggg ttcaaaaaaa gtaaaaagat aatgtagctg cttttctttg gttattttgg 120
gccccaaata tttcctcatc tttttgttgt tgtcatggat ggtggtgaca tggacttggt 180
tatagaggac aggtcagctc tctggctcgg tgatctacat tctgaagttg tctgaaaatg 240
tcttcatgat taaattcagc ctaaacgttt tgccgggaac actgcagaga caatgctgtg 300
agtttccaac ctcagcccat ctgcgggcag agaagggtcta gtttgccat caccattatg 360
atatcaggac tggttacttg gttaaggagg ggtctacctc g 401

```

<210> 213

<211> 461

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(461)

<223> n=A,T,C or G

<400> 213

```

tgtgaagcat acataaataa atgaagtaag ccatactgat ttaatttatt ggatgttatt 60
ttccctaaga cctgaaaatg aacatagtat gctagtatt tttcagtgtt agccttttac 120
tttccctaca caatttggaa tcatataata taggtacttt gtccctgatt aaataatgtg 180
acggatagaa tgcatacaagt gtttattatg aaaagagtgg aaaagtatat agcttttanc 240
aaaagggtgtt tgcccattct aagaaatgag cgaatatata gaaatagtgn gggcatttct 300
tctgtttagg tggagtgtat gtgttgacat ttctcccat ctcttccac tctgttttnt 360
cccattatt tgaataaagt gactgctgaa nangactttg aatccttatc cacttaattt 420
aatgtttaaa gaaaaaccta taatggaaag tgagactcct t 461

```

<210> 214

<211> 181

<212> DNA

<213> Homo sapiens

<400> 214

```

cctgagcttc tactcctttc ccttaagatt cctccaaagc accagctcca taaaatcctt 60
cagctcccca gaccacacc aagaaccca catgttaatt ggatcagcca aatctacaag 120
cagataagtc ctaaggagaa tgccgaagcg tttttcttct tctcaagcc tagcatgaga 180
c 181

```

<210> 215

<211> 581

<212> DNA

<213> Homo sapiens

<400> 215

```

ctgctttaag aatgggtttc caccttttcc ccctaattct taccaatcag acacatttta 60
ttatttaaat ctgcacctct ctctatttta ttgcccagg gcacgatgtg acatatctgc 120

```

```

agtcccagca cagtgggaca aaaagaatTT agacccccaaa agtgtcctcg gcatggatct 180
tgaacagaac cagtatctgt catggaactg aacattcatt gatgggtctcc atgtattcat 240
ttattcactt gttcattcaa gtattttattg aataacctgcc tcaagctaga gagaaaagag 300
agtgcgcttt ggaaatTTat tccagTTTTc agcctacagc agattatcag ctcggtgact 360
tttctttctg ccaccattta ggtgatgggTg tttgattcag agatggctga atttctattc 420
ttagcttatt gtgactgttt cagatctagt ttgggaacag attagaggcc attgtcctct 480
gtcctgatca ggtggcctgg ctgtttcttt ggatccctct gtcccagagc caccagaaac 540
cctgactctt gagaatcaag aaaacaccca gaaaggacct c 581

```

<210> 216

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(281)

<223> n=A,T,C or G

<400> 216

```

ccgatgtcct gcttctgtgg accaggggct cctctgnngg tggcctcaac cacggctgag 60
atccctagaa gtccaggagc tgtggggaag agaagcactt agggccagcc agccgggcac 120
ccccacttgc gccccgacct acgctcacgc accagacctg ccnnggcggt cgctcnaaag 180
ggcgaattct gcagatatcc atcacactgg cggacgctcg agcatgcatt tagaggggcc 240
aattcacctt atantgagtc gtattacaat tctctggccg t 281

```

<210> 217

<211> 356

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(356)

<223> n=A,T,C or G

<400> 217

```

atagcagggt tcaacaattg tcttgtagtt tgnagtaaaa agacataaga aagagaaggt 60
gtgggtttgca gcaatccgta gttggtttct caccataccc tgcagttctg tgagccaaag 120
gtcttgcaga aagttaaaat aaatcacaaa gactgctgtc atatattaat tgcataaaca 180
cctcaacatt gctcagagtt tcatccgttt gggttaagaaa acattccttc aattcatcta 240
tggcatttgt agtggcattg tcgtctatga actcttgaag aagttctttg tattcagttc 300
tagacacttg tggattgatt gncttggaaa tcacattctc caataagggg cctcgg 360

```

<210> 218

<211> 321

<212> DNA

<213> Homo sapiens

<400> 218

```

ttgtccatcg ggagaaaggt gtttgtcagt tgtttcataa accagattga ggaggacaaa 60
ctgctctgcc aatttctgga tttctttatt ttcagcaaac actttcttta aagcttgact 120
gtgtgggcac tcatccaagt gatgaataat catcaagggt ttgttgcttg tcttggattt 180
atatagagct tcttcatatg tctgagttca gatgagttgg tcacccaac ctctggagag 240
ggtctggggc agtttgggtc gagagtcctt tgtgtccttt ttgggtccag gtttgactgt 300

```

ggtatctctg gacctgcctg g 321

<210> 219
<211> 271
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (41)
<223> n=A,T,C or G

<400> 219
ccggttaggt ccacgcgggg gcagtggagg cacaggctca nggtggccgg gctacctggc 60
accctatggc ttacaaagta gaggtagggc agtttccttc cacctgaggg gagcactctg 120
actcctaaca gtcttccttg ccctgccatc atctgggggtg gctggctgtc aagaaaggcc 180
gggcatgctt tctaaacaca gccacaggag gcttgtaggg catcttccag gtggggaaac 240
agtcttagat aagtaagggt acttgtctaa g 271

<210> 220
<211> 351
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(351)
<223> n=A,T,C or G

<400> 220
gtcctacgac gaggaccagc ttttcttctt cnaacttttcc canaacactc gggtagcctcg 60
cctgcccga tttgctgact gggctcagga acagggagat gtccttgcca ttttatttga 120
caaagagttc tgcgagtggg tgatccagca aatagggcca aaacttgatg ggaaaatccc 180
gggtgtccaga gggtttctta tcgctgaagt gttcacgctg aagcccctgg agtttggcaa 240
gcccaacact ttggtctgtt ttgtcagtaa tctcttccca cccatgctga cagtgaactg 300
gtagcatcat tccgtccctg tggaaggatt tgggcctact tttgtctcag a 360

<210> 221
<211> 371
<212> DNA
<213> Homo sapiens

<400> 221
gtctgcagaa gcgtgtctga ggtgtccggg ggaggtggca gccgagctct gggactaatc 60
accgtgctgg ggacggcacc gcgtcaggat gcaggcagat ccctgcagaa gtgtctaaaa 120
ttcacactcc tcttctggag ggacgtcgat ggtattagga tagaagcacc aggggacccc 180
acgaacgggtg tcgtcgaaac agcagccctt atttgcacac tgggagggcg tgacaccagg 240
aaaaccacaa ttctgtcttt cacggggggc cactgtacac gtctctgtct gggcctcggc 300
caggggtgccg agggccagca tggacaccag gaccagggcg cagatcacct tgttctccat 360
ggtggacctc g 371

<210> 222
<211> 471
<212> DNA
<213> Homo sapiens

<400> 222

```

gtccatgttc catcattaat gttccaacat caccagggac acaaagctgc aaaaatgaga 60
agggaaataa ggtagagaa aggatccggg caatcttaag gactgaggaa gacatgttcc 120
ccaacccttg aactcacaaa ccctgaagct caaggattgc atccttcctc caaatctcac 180
tcaacataat aagtgcagaa caacatgcc aagcactgta tgaagcacta gggacaaaga 240
caaggtcaaa atccttgtaa ccaaatttaa tggattgtta atgcagtgtt aacacaggac 300
agtaacagaa cacccaagaa ccaaacagaa gagggtaggg ataagcataa atgaagtaac 360
atgaaataaa cttccaaatg gaaaacttgt ccataccccc agggcaagtc aactacagtc 420
tcccaaagga cataaattcc acttagggca cactagacag aaaacaatat t 480

```

<210> 223

<211> 411

<212> DNA

<213> Homo sapiens

<400> 223

```

agttgctcta caatgacaca caaatcccgt taaataaatt ataaacaagg gtcaattcaa 60
atgtgaagta atgttttagt aaggagagat tagaagacaa caggcatagc aaatgacata 120
agctaccgat taactaatcg gaacatgtaa aacagttaca aaaataaacg aactctcctc 180
ttgtcctaca atgaaagccc tcatgtgcag tagagatgca gtttcatcaa agaacaaaca 240
tccttgcaaa tgggtgtgac gcggttccag atgtggattt ggcaaacct catttaagta 300
aaaggtttagc agagcaaagt gcggtgcttt agctgctgct tgtgccgctg tggcgctggg 360
gaggctcctg cctgagcttc cttccccagc tttgctgcct gagaggaacc a 420

```

<210> 224

<211> 321

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (31)

<223> n=A,T,C or G

<400> 224

```

ggtctgaagt ttgataacaa agaaatatat ntaagacaaa aatagacaag agttaacaat 60
aaaaacacaa ctatctgttg acataacata tggaaacttt ttgtcagaaa gctacatctt 120
cttaatctga ttgtccaaat cattaataaata tggatgattc agtgccattt tgccagaaat 180
tcgtttgggt ggatcataga ttaacatttt cgagagcaaa tccaagccat tttcatccaa 240
gtttttgaca tgggatgcta ggcttctctg tttccatttg ggaaatgtat tcttatagtc 300
ctgtaaagat tccacttctg g

```

<210> 225

<211> 251

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (34)

<223> n=A,T,C or G

<400> 225

```

atgtctgggg aaagagttca ttggcaaaaag tgnctccca agaatggttt acaccaagca 60

```

```

gagaggacat gtcactgaat ggggaaaggg aacccccgta tccacagtca ctgtaagcat 120
ccagtaggca ggaagatggc ttggggcagt ggctggatga aagcagattt gagataccca 180
gctccggaac gaggtcatct tctacaggtt cttccttcac tgagacaatg aattcagggt 240
gatcattctc t                                     251

```

```

<210> 226
<211> 331
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> unsure
<222> (1)...(331)
<223> n=A,T,C or G

```

```

<400> 226
gttaggtccc agggcccccg ccaagnnggt accnnnnntna ccaactcctga cccaaaaaatc 60
aggcatggca ttaaaacggt gcaaattcct ttactgttat cccccccacc accaggacca 120
tgtaggggtgc agtctttact ccctaaccgg ttccccgaaa aaggtgctac ctcttttcca 180
gacagatgag agagggcagg acttcagggt ggatccacca ctgggctctc cctccccag 240
cctggagcac gggaggggag gtgacggctg gtgactgatg gatgggtagt gggctgagaa 300
gaggggacta ggaagggtta ttccaggctc a                                     331

```

```

<210> 227
<211> 391
<212> DNA
<213> Homo sapiens

```

```

<400> 227
aggtctgccc ttgaagtata ggaaggaatc atagttggag gacttctgca tcatattgttg 60
gctgaagcta gaagtgcac cccctcctga tttctgcagc aagatgaact gccttatccc 120
cagcccgcag gaatgttcat atctgagcaa tcaatgggca ctgtgttcaa ccacgccatt 180
ttcaagattg gtccttaaa ccaccacaa ggcaccagct ctgggagaag ctgcaggagg 240
aagagaacaa agccctcgct gtgatcagga tgggtgtctc ataccttttc tctggggtca 300
ttccagggtat gagacagagt tgaacctgcg catgagcgtg gaggccgaca tcaacggcct 360
gcgcaggggtg ctggatgagc tgaccctgga c                                     391

```

```

<210> 228
<211> 391
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (35)
<223> n=A,T,C or G

```

```

<400> 228
gttgctcata gccacctcct gggatagaag ctttntagtt catagtctga ttagtggtgc 60
cttaggacat aggtccagcc ctacagatta gctgggtgaa gaaggcaagt gtctcgacag 120
ggcttagtct ccacctcag gcatggaacc attcagggtg aagcctggga tgtgggcaca 180
ggagactcag gctgatataa aaataacaaa atcagtaata aaaaaattat aaaacctgtt 240
gcttgtctga atagatttga gcaacagtct tgcttttgtt aaaatcctgg agccgttaag 300
tcctgaatat tcttctggac atcattgctg gctggagaaa ggagccccag gcccggtctg 360
gctgacatct gtcaggtttg gaagtctcat c                                     391

```

<210> 229
<211> 341
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (202)
<223> n=A,T,C or G

<400> 229
gtccatggct tctcaccag acagtctttc tgggcaactt ggggaagccc ctgttctgct 60
caagtctcac cccatggaag aggtggggga agggggcctt ggtttttcag gaagacgggt 120
tggagagcac gagtcactac aaagcagtaa aagtgaatgg tgtctccagg ggctgggtcc 180
agaacaccgc ggagagcccc anccataaag gtgtgttccg cctctggcct gcaggaatct 240
ctttgaatct ctttgattgg tggtccaag agcaatggga agtcaacagc caggaggctg 300
gactgggttc cctgggaccc cgagggtcca gaggctgctg g 341

<210> 230
<211> 511
<212> DNA
<213> Homo sapiens

<400> 230
gtccaagcca aggaaaccat tccettacag gagacctccc tgtacacaca ggaccgcctg 60
gggctaaaagg aaatggacaa tgcaggacag ctagtgtttc tggctacaga aggggaccat 120
cttcagttgt ctgaagaatg gttttatgcc cacatcatac cattccttgg atgaaacccg 180
tatagttcac aatagagctc agggagcccc taactcttcc aaaccacatg ggagacagtt 240
tccttcatgc ccaagcctga gctcagatcc agcttgcaac taatccttct atcatctaac 300
atgccctact tggaaagatc taagatctga atcttaccct ttgccatctt ctgttaccat 360
atggtgttga atgcaagttt aattaccatg gagattgttt taaaaacttt tgatgtggtc 420
aagttcagtt ttagaaaagg gagtctgttc cagatcagtg ccagaactgt gcccaggccc 480
aaaggagaca actaactaaa gtagtgagat a 511

<210> 231
<211> 311
<212> DNA
<213> Homo sapiens

<400> 231
ggtccaagta agctgtgggc aggcaagccc ttcggtcacc tgttggctac acagaccct 60
cccctcgtgt cagctcaggc agctcgaggc ccccgaccaa cacttgcagg ggtccctgct 120
agttagcgcc ccaccgccgt ggagttcgta ccgcttcctt agaacttcta cagaagccaa 180
gctccctgga gccctgttgg cagctctagc tttgcagtcg tgtaattggc ccaagtcatt 240
gtttttctcg cctcactttc caccaagtgt ctagagtcac gtgagcctcg tgatcatctcc 300
ggggtggacc t 311

<210> 232
<211> 351
<212> DNA
<213> Homo sapiens

<400> 232
tcgtttagct aataatccct tccttgatga tacactccaa cttcttggtt ttctttattt 60

```

ctaaaaagcg gttctgtaac tctcaatcca gagatgttaa aaatgtttct aggcacggta 120
ttagtaaatc aagtaaattt catgtcctct taaaggacaa acttccagag atttgaatat 180
aaatTTTTat atgtgttatt gattgtcgtg taacaaatgg cccccacaaa ttagtagctt 240
aaaatagcat ttatgatgtc actgttttct ttgccttttc attaatgttc tgtacagacc 300
tatgtaaaca acttttgtat atgcatatag gatagctttt ttgagggtat a 360

```

```

<210> 233
<211> 511
<212> DNA
<213> Homo sapiens

```

```

<400> 233
aggctctggat gtaaggatgg atgctctcta tacatgctgg gttggggatg ctgggactgc 60
acagccaccc ccagtatgcc gctccaggac tctgggacta gggcgccaaa gtgtgcaa 120
gaaaatacag gatacccagg gaactttgaa ttccagattg tgaaaagaaa acaaattctt 180
agactccaca atcaccaagc taaaggaaaa agtcaagctg ggaactgctt agggcaaagc 240
tgctcccat tctattcaca gtcaccccc tgaggctcac ctgcatagct gattgcttcc 300
tttccctat cgcttctgta aaaatgcaga ctactgagc cagactaaat tgtgtgttca 360
gtggaaggct gatcaagaac tcaaaagaat gcaacctttt gtctcttacc tactacaacc 420
aggaagcccc cacttaaggg ttgtcccacc ttactggact gaaccaaggt acatcttaca 480
cctactgatt gatgtctcat gtccccctaa g 511

```

```

<210> 234
<211> 221
<212> DNA
<213> Homo sapiens

```

```

<400> 234
caggtccagc gaaggggctt cataggctac accaagcatg tccacataac cgaggaagct 60
ctctccatca gcatagctc cgatgaccat ggtgttccac aaaggggttca tcttcgagcg 120
ccggctgtac atggccctgg tcagccatga atgaatagct ctaggactat agctgtgtcc 180
atctcccaga agctcctcat caatcaccat ctggccgaga c 221

```

```

<210> 235
<211> 381
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (33)
<223> n=A,T,C or G

```

```

<400> 235
ggccaagaa agggacatct atgtgaaagt ganactgaga cagtgtggtt cacaggctcat 60
gctgcagaat aatacattcc caggcactgt cacgtggggg acccaagagg cccaggagt 120
gacctataac ctctccagaa agaccactct gtgtggcatc acagtccaca cagttaaagg 180
aaatatTTtag acttaacaat cagacaccag ctcttactca cacttacact cacagcccac 240
acacaagtgt gcaaacatac acacacatat atatttcttg atacattcat ggaatatcag 300
agccctgccc tgaagtcggt agtgtctctg ctccccaaac cgctgtctcc acattggcta 360
agctccctca agagacctca g 381

```

```

<210> 236
<211> 441
<212> DNA

```


<213> Homo sapiens

<400> 236

```
aggctcctgtt gcccctttct tttgccaac ttcgccattt ggggaattgga atattttacc 60
aacacctgta ctgcattgaa tattggaagc aaataacttg gctttgatct tataggctca 120
cagatggagg aacgtacctt gaagttcaga tgagatttcg gacttttgag ttgatgctga 180
aacagcttga gatTTTTTggg gactactgag agatgataat tgtattgtgc aatatgagaa 240
ggacatgaga tttgggtgggc ataggtgtga aatgacattg tttggatgtg tttaccctcc 300
aaatctcttg ttgaatgtga tcttaaactg tgggtgggtggg cctagtggaa ggtgttgaat 360
catgggggtg gactcttcat aatttgctta gctccatccc cttggtgatg agcaagtcct 420
tgctctgttg tgcacatga g                                     441
```

<210> 237

<211> 281

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(281)

<223> n=A,T,C or G

<400> 237

```
tcctaaaaaa ttagctgacc ttgttaaaaa tgttggcggtg agcagtatat tattacctat 60
ctttttttat tgtgtgtgtg nggtgtgtgn ttaaactaat tggctgaaat atctgcctgt 120
ttccctcttt acatttttct tgtttctttc cttattttatc tttgtccatc ttgagatcta 180
ctgtaaagtg aatnttttaa tgaaaacann nccaagtnt actctcactg ggntggggac 240
atcagatgta attgagaggc caacaggtaa gtcttcatgt c                                     281
```

<210> 238

<211> 141

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(141)

<223> n=A,T,C or G

<400> 238

```
gtctgcctcc tcctactgtt tccctctatn aaaaagcctc cttggcgag gttccctgag 60
ctgtgggatt ctgcactggt gcttnggatt cctgatatg ttccttcaaa tccactgaga 120
attaaataaa catcgctaaa g                                     141
```

<210> 239

<211> 501

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(501)

<223> n=A,T,C or G

<400> 239

```

aacaatctaa acaaatccct cggttctann atacaatgga ttcccatat tggaaggact 60
ctgangcttt attccccac tatgcntatc ttatcatttt attattatac acacatccat 120
cctaaactat actaaagccc ttttcccatg catggatgga aatggaagat ttttttttaa 180
cttggttctag aagtcttaat atgggctgtt gccatgaagg cttgcagaat tgagtccatt 240
ttctagctgc ctttattcac atagtgatgg ggtactaaaa gtactgggtt gactcagaga 300
gtcgtgtgca ttctgtcatt gctgctactc taacactgag caacactctc ccagtggcag 360
atccccctgta tcattccaag aggagcattc atccctttgc tctaatagatc aggaatgatg 420
cttattagaa aacaaactgc ttgacccagg aacaagtggc ttagcttaag naaacttggc 480
tttgctcana tccctgatcc t                                     501

```

<210> 240

<211> 451

<212> DNA

<213> Homo sapiens

<400> 240

```

tgtcctgaaa ggccattact aatagaaaca cagcctttcc aatcctctgg aacatattct 60
gtctgggttt ttaatgtctg tggaaaaaaa cttaacaagt ctctgtctca gtttaagagaa 120
atctattggg ctgaagggtt ctgaacctct ttctgggtct cagcagaagt aactgaagta 180
gatcaggaag gggctgcctc aggaaaattc ctatgccta ggaattcagt gagaccctgg 240
gaaggaccag catgctaata agtgtcagt aatccacagt ctttacttcc tgcctcataa 300
agggccagg ctccccagta ccaagtcctt tcctcatgaa gttgtgttgc ctcaggctgt 360
ttagggacca ttgcctgtct tggtcacatg agtctgtctc cttactttag tccctgggca 420
atccttgctt aatgcttttg ttgactcaac g                                     451

```

<210> 241

<211> 411

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(411)

<223> n=A,T,C or G

<400> 241

```

aatctccagt gtgatggtat cgggggttaga gcttcaatct ccagtgtgat ggtactgcag 60
cnagagcttc aatctccagt gngatggtat taggggttaga tcttcaatct ccagtgtgat 120
ggtatcaggg ttagagcttc agcctccagt gtgatggtat cagggttaga gcttcagcct 180
ccagtgtgat ggtatcgggg ttagatcttc aatccccagt ggtggtggtt agagcttcaa 240
tctccagtgt gatggtattg ggggttagagc ttcaatctcc agtctgatgg tgtttcggga 300
tggggctttt aagatgtaat tagggtttaa gatcataagg gacctggtct gatggggatt 360
agtncgcttn tatgaagaga cacangaggg cttgctctat ctctgactct c 420

```

<210> 242

<211> 351

<212> DNA

<213> Homo sapiens

<400> 242

```

ttcccccttca caacagtaga gacctacaca gtgaactttg gggacttctg agatcagcgt 60
cctaccaaga cccagccca actcaagcta cagcagcagc acttcccaag cctgctgacc 120
acagtcacat caccatcag cacatggaag gcccctggta tggacactga aaggaagggc 180
tggtcctgcc cctttgaggg ggtgcaaaca tgactgggac ctaagagcca gaggtgtgt 240
agaggctcct gctccacctg ccagtctcgt aagaaatggg gttgctgcag tggtggagta 300

```

ggggcagagg gagggagcca aggtcactcc aataaaacaa gctcatggca c 360

<210> 243

<211> 241

<212> DNA

<213> Homo sapiens

<400> 243

gtctgtgctt tatcaggaaa agcacaagaa tatgtttttc tacctaaaac cctcttctac 60
tttaaaaatg gtttgctgaa tttttctatg tttttaaaat gtttttatgc ttttttttaa 120
acacgtaaaag gatggaacct aatcctctcc cgagacgcct cctttgtgtt aatgcctatt 180
cttacaacag agaaacaagt acattaatat aaaaacgagt tgattattgg ggtataaaat 240
a 241

<210> 244

<211> 301

<212> DNA

<213> Homo sapiens

<400> 244

ggtccagagc aatagcgtct gtggtgaagc gcctgcactc ctcgaggagac atgcctggct 60
tatatgctgc atccacataa ccatagataa aggtgctgcc ggagccacca atggcaaaag 120
gctgtcgagt cagcattcct cccaggggtc catatacctg acctccttca cgttgggtccc 180
agccagctac catgagatgt gcagacaagt cctctcgata tttatagctg atatttctca 240
ccacatttgc agcagccaaa acaagtggag gttcctccag ttctatccca tggagctcca 300
g 301

<210> 245

<211> 391

<212> DNA

<213> Homo sapiens

<400> 245

ctgacactgc tgatgtgggc cgggggggcgc cgaggcacaa ctggtggccg gaccattgag 60
gcacctggag ggtaggcagc ttgtggtgca gacaccacag agagagaaaa gttggatgga 120
gtggtgggaa taatcagggc ggcacactgt gcctagaagc ttccagggcc accaagagaa 180
tggggaaggga aactacaaca ttcacaacag aaataggagt caattcactt agacccagaa 240
ctccagaaaag ggggagtgtg ggaatctaca atttcaaagc cagctcgtgt ctacctagag 300
ccccaaactg cataagcacc aggattgtac accttagtcc ctcaagatag tttcaagtga 360
gcgtgcaatt cactcttaca gaggagggcc t 391

<210> 246

<211> 291

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(291)

<223> n=A,T,C or G

<400> 246

tcctccacag gggaagcagg aagttnagcc agcttcaggc tggaacgtgc ccagggcaca 60
gagctggcaa ggtgcaaagn cntctgcaga atattcacca ggttgacaca gacctccaca 120
ttcagacata ttccaagctt ctgggggtctt cagggcccca gaatttcctg gtcttgggca 180

tggtncacaa gtcatttgtc ctctctcatt ttggaagggt ccatttggac ataaaaatgca 240
agcggttctcg tgctncatna taatagggtcc cagcctgcac tgacacattt g 300

<210> 247
<211> 471
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(471)
<223> n=A,T,C or G

<400> 247
cactgagtga atgagtatat aatttatgaa aacagaaaag tgctttggaa aaaaaaaaaag 60
acaacaggag tacatacagn gaacacaaaa gagtgtacca ggaggagcan accctgaaca 120
gttanaacta tggaaatcgc tatgctttgt gttgtcacag gagttaaaat aggaataccc 180
tgcatacaat aaatatattat tggataaata actaagcctg ataccctttt caatgcgtta 240
tacanactnt atcatcacac cactaatcta agttctcana agttaaacat tacaagactt 300
cagaacaaca taggcgtntt tggctccatt taacanaana aggaccatag tgatcattta 360
atctctatga gctctgtctta tcttctggaa aaggggccta acaccatttc cttttgcaaa 420
aaggtagctg ccttgcttcc agttctacca tctntagca acccatcttt n 480

<210> 248
<211> 551
<212> DNA
<213> Homo sapiens

<400> 248
ccatgggatac aggaatgggg tcaggtcagt tgacctgagc ataccatta aacatgttca 60
aatgtcccca tcccacccac tcacatgaca tggctcccga gccctgagat ctgtatccca 120
agaacctcag ttgagaaata tttatggcag ctctactgtt gctcaagagc ctgggtattg 180
tagcagcctg ggggcaggtt gtccctaagt ttctccaagt tcttcacatc agccagaatc 240
ccatctatgc ttgtctccag caaatggagg tggccctctt gctgacgtgc cctctcttcc 300
agctctgaca tcatgggccc cagttggctg ttgatctggg tcttggctcg ggaaagcttc 360
tgctccagta agaccagccc ctcttcatct aactgagag gctgggtccat cagatgcagg 420
aggcgttcta atgtgttgag tgtgtcttgg attgtaaccc cagcgttctt ggctctggtta 480
tcaaccttct gggcttctgt aatcaccatc tgtactgcat ccatattcgt gtcgaactcc 540
agctccttcc t 551

<210> 249
<211> 181
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(181)
<223> n=A,T,C or G

<400> 249
atntccagag ggaccgtaag actggtacaa gtttacacca taagaggcga cgtgggtcagc 60
cacaatgtct tcacctccac agggggtcat cacgnggtc agggcaaggg cccccagcat 120
cagagctttg tttaggatca tctcttccc aaggcagcct tagcagttgc tgacctgccc 180
g 181

<210> 250
<211> 551
<212> DNA
<213> Homo sapiens

<400> 250
tctgtagcta ggatgagctg gctctcaagc aaaagtttgt cttcctgggt ccatttgtgg 60
ttatcacttg ttattgaatg tacatcacia attaaagtct gcattgttgg acgtaagaga 120
atgtgccgac tttggtaacc aggagatttc atgttactgg actgcctgta gtcacgtatt 180
tctgctatga cacatccgca atgaaaaata ttaacctgag atttttctag gagatcaacc 240
aaaataggag gtaattcttc tgcacccaaa tattcaagca actctccttc ttcatagggc 300
agtcgaatgg tctcgggaatc tgatccgttt tttcccttga gcacagaga atatccctca 360
tttcctgggt atagattgac cactaaacat gacaaagtct cttgcataac aagcttctct 420
aacaagttca catttcttct taatttctta acttcagggt ctttttcaca ttcttcaata 480
tacaagtcac aaagtttttg aaatacagat tttcttccac ttgataggta tttcctttta 540
ggaggtctct g 551

<210> 251
<211> 441
<212> DNA
<213> Homo sapiens

<400> 251
tgtctgctct cccatcctgg ttactatgag tcgctcttgg cagaaaggac cacagatgga 60
gagcttggca ctgctccaa ctttgccgaa aagaggacaa ccaccaaagt agtaggtaaa 120
aacacaattt tagcagcagt gaaataaaaa gaggaagtga ggatggggcc aggccgcaac 180
tataattaaa ctgtctgttt aggagaagct gaatccagaa gaaacacaag ctgtaaagtg 240
agagaggaca gggagcaggg cttttggaga gcaggagagg acaggctgtc accaagcgct 300
gctcggactc tgccctgaaa gatttgaatt ggacactgtc cagtcacgtg tgtggcaaac 360
cgtactccaa gcacttttct cacggcagag gaaggagctg ccatggctgt acccctgaac 420
gtttgtgggg ccagcgatgt g 441

<210> 252
<211> 406
<212> DNA
<213> Homo sapiens

<400> 252
tttttttttg aacaagtaaa aatttcttta tttgctgaca ataagataac ctacagggaa 60
aacctgatga aatctattaa aaagttacta aaactaataa aagaatttag gaagggtata 120
gaatgtaaga ccaagacaca aaaatcaatt acatttctat ataatagcaa tgaacagata 180
ctgaaatttt aaaaactaaa tcattttaca aaagtatcac aatatgaaac actccgggat 240
aaattggata aaagatgtgc aagactgtac aaaagctaca aaacatttat gaaggaaatt 300
ggaagataga aacaagatag aaaatgaaaa tattgtcaag agtttcagat agaaaatgaa 360
aaacaagcta agacaagtat tggagaagta tagaagatag aaaaat 406

<210> 253
<211> 544
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (224)

<223> n=A,T,C or G

<400> 253

```
gaaggagttc agtagcaaag tcacacctgt ccaattccct gagctttgct cactcagcta 60
atgggatggc aaaggtggtg gtgctttcat cttcaggcag aagcctctgc ccatccccct 120
caagggtctg aggccagtt ctcatgctgc ccttggtggtg gcatctgtta acagaggaga 180
acgtctgggt ggccgagca gctttgctct gagtgacct aaanctaag cttggtgcta 240
gaaacatcat cattattaaa cttcagaaaa gcagcagcca tgttcagtca ggctcatgct 300
gcctcactgc ttaagtgcct gcaggagccg cctgccaaag tccccctcct acacctggca 360
cactgggggtc tgcacaaggc tttgtcaacc aaagacagct tccccctttt gattgcctgt 420
agactttgga gccaaagaaac actctgtgtg actctacaca cacttcaggt ggtttgtgct 480
tcaaagtcac tgatgcaact tgaaaggaaa cagtttaatg gtggaaatga actaccattt 540
ataa 544
```

<210> 254

<211> 339

<212> DNA

<213> Homo sapiens

<400> 254

```
tggcattcag ggcagtgtct tctgcatctc ctaggaacct cgggagcggc agctccggcg 60
cctggtagcg agaggcgggt tccggagatc ccggcctcac ttcgtcccac tgtggttagg 120
ggtgagtctt gcaaattgta agtgatttgc tcaagggtgc catttcgcag gaattggagc 180
ccaggccagt tctctgagcc tatcattagg gctaaaggag tgcgtgatca gaatgggtgc 240
tggacggttc tacttgctct gcctgctgct ggggtccctg ggctctatgt gcatcctctt 300
cactatctac tggatgcagt actggcgtgg tggctttgct 339
```

<210> 255

<211> 405

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(405)

<223> n=A,T,C or G

<400> 255

```
gagggtttttt nttttttttt tttttttttt caattaaana tttgatttat tcaagtatgt 60
gaaaacattn tacaatggaa actttnttta aatgctgcat gtncgtgtgt atggaccacn 120
cacatacagc catgctgttt caaaaaactt gaaatgccat tgatagtta aaaactntac 180
ncccgatgga aaatcgagga aaacaattta atgtttcatn tgaatccana ggngcatcaa 240
attaaatgac agctccactt ggcaaataat agctgttact tgatggatc caaaaaaaaa 300
tggttggggga tggataaatt caaaaatgct tccccaaagg ngggnggttt ttaaaaaagt 360
tcaggncaca acccttgcan aaaacactga tgcccaacac antga 405
```

<210> 256

<211> 209

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (6)

<223> n=A,T,C or G

<400> 256
gggcangtct ggtcctctcc ccacatgtca cactctcctc agcctctccc ccaaccctgc 60
tctccctcct cccctgccct agcccaggga cagagtctag gaggagcctg gggcagagct 120
ggaggcagga agagagcact ggacagacag ctatggtttg gattggggaa gaggttagga 180
agtaggttct taaagaccct tttttagta 209

<210> 257
<211> 343
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(343)
<223> n=A,T,C or G

<400> 257
tctggacacc ataatccctt ttaagtggct ggatggtcac acctctccca ttgacaagct 60
gggttaagtc aataggttga ctaggatcaa cagacccaa atcaataaga tactgcagtc 120
tattgagact caaaggctta tactggcgct tgaaactatg tccttcgtta aaccctgatt 180
ttgggattcg gatgtaaaat ggagctctggc ctccctcaaa gcccaagcgg ggccgggttc 240
ctctttgect ttctccttta tggcctctgc cacattttct acctcttctc cgacctcttg 300
gtcttntctc nggtttcttg gagccgggat tcggctttaa gtn 343

<210> 258
<211> 519
<212> DNA
<213> Homo sapiens

<400> 258
gcggtctctg acttctagaa gactaaggct ggtctgtgtt tgcttggttg cccacctttg 60
gctgataccc agagaacctg ggcacttgct gcctgatgcc caccctgcc agtcattcct 120
ccattcaccg agcgggaggt gggatgtgag acagcccaca ttggaaaatc cagaaaaccg 180
ggaacagggg tttgcccttc acaattctac tcccagatc ctctcccctg gacacaggag 240
accacagggg caggacccta agatctgggg aaaggaggct ctgagaacct tgaggtagcc 300
ttagatcctt ttctaccac tttcctatgg aggattccaa gtcaccactt ctctcaccgg 360
cttctaccag ggtccaggac taaggcgttt tctccatagc ctcaacattt tgggaatctt 420
cccttaatac cccttgctcc tcttgggtgc ctggaagatg gactggcaga gacctctttg 480
ttgcgttttg tgctttgatg ccaggaatgc cgcctagtt 519

<210> 259
<211> 371
<212> DNA
<213> Homo sapiens

<400> 259
attgtcaact atatacacag tagtgaggaa taaaatgcac aaaaaacaat ggatagaata 60
tgaaaatgtc ttctaaatat gaccagtcta gcatagaacc ttcttctctt ccttctcagg 120
tcttccagct ccatgtcatc taaccactt aacaaacgtg gacgtatcgc ttcagaggc 180
cgtcttaaca actccatttc caaaagtcac ctccagaaga catgtatttt ctatgatttc 240
ttttaaacia atgagaattt acaagatgtg taactttcta actctatttt atcatacgtc 300
ggcaacctct ttccatctag aagggttaga tgtgacaaat gttttctatt aaaagggttg 360
ggtggagttg a 371

<210> 260
<211> 430
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(430)
<223> n=A,T,C or G

<400> 260
ttggattttt tgacttgcca tttcagtttt tttacttttt tttttttttt ttttganaaa 60
tactatattt attgtcaaag agtgggtacat aggtgagtgt tcactctccc tctcatgccg 120
gtatactctg cttcgctgtt tcagtaaaag ttttccgtag ttctgaacgt cccttgacca 180
caccataana caagcgcaag tcaactcanaa ttgccactgg aaaactggct caactatcat 240
ttgaggaaaag actganaaaag cctatcccaa agtaatggac atgcaccaac atcgcggtac 300
ctacatgttc ccgtttttct gccaatctac ctgtgtttcc aagataaatt accacccagg 360
gagtcacttc ctgctatgtg aacaaaaacc cggtttcttt ctggaggtgc ttgactactc 420
tctcngnagc 430

<210> 261
<211> 365
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (178)
<223> n=A,T,C or G

<400> 261
tcctgacgat agccatggct gtaccactta actatgattc tattccaact gttcagaatc 60
atatcacaaa atgacttgta cacagtagtt tacaacgact cccaagagag gaaaaaaaaa 120
aaaaaagacg cctcaaaatt cactcaactt ttgagacagc aatgggcaata ggcagcanag 180
aagctatgct gcaactgagg gcacatatca ttgaagatgt cacaggagtt taagagacag 240
gctggaaaaa atctcatact aagcaaacag tagtatctca taccaagcaa aaccaagtag 300
tatctgctca gcctgccgct aacagatctc acaatcacca actgtgcttt aggactgtca 360
ccaaa 365

<210> 262
<211> 500
<212> DNA
<213> Homo sapiens

<400> 262
cctagatgtc atttgggacc cttcacaaacc attttgaagc cctgtttgag tccctgggat 60
atgtgagctg tttctatgca taatggatat tgggggttaa caacagtccc ctgcttggct 120
tctattctga atccttttct ttcacatagg ggtgcctgaa gggaggctga tgcataatgg 180
acaatggcac ccagtgtaaa gcagctacaa ttaggagtggt atgtgttctg tagcatccta 240
tttaaataag cctattttat cctttggccc gtcaactctg ttatctgctg cttgtactgg 300
tgctgtact tttctgactc tcattgacca tattccacga ccatggttgt catccattac 360
ttgatcctac tttacatgtc tagtctgtgt ggttgggtgt gaataggctt ctttttacat 420
ggtgtgcca gccagctaa ttaatggtgc acgtggactt ttagcaagcg ggctcactgg 480
aagagactga acctggcatg 500

<210> 263
<211> 413
<212> DNA
<213> Homo sapiens

<400> 263
ctcagagagg ttgaaagatt tgcctacgaa agggacagtg atgaagctaa gctctagatc 60
caggatgtct gacttcaa at tgaaactccc aaagtaatga gtttggaagg gtgggggtgtg 120
gcctttccag gatgggggtc ttttctgctc ccagcggata gtgaaacccc tgtctgcacc 180
tggttgggcg tgttgctttc ccaaagggtt tttttttagg tccgtcgtg tcttgtggat 240
taggcattat tatctttact ttgtctccaa ataacctgga gaatggagag agtagtgacc 300
agctcagggc cacagtgcga tgaggaccat cttctcacct ctctaaatgc aggaagaaac 360
gcagagtaac gtggaagtgg tccacaccta ccgccagcac attgtgaatg aca 420

<210> 264
<211> 524
<212> DNA
<213> Homo sapiens

<400> 264
tccaatgggg ccctgagagc tgtgacagga actcacactc tggcactggc agcaaaacac 60
cattccaccc cactcatcgt ctgtgcacct atgttcaaac tttctccaca gttccccaat 120
gaagaagact catttcataa gtttgtggct cctgaagaag tcctgccatt cacagaaggg 180
gacattcttg agaaggctcag cgtgcattgc cctgtgtttg actacgttcc ccagagctc 240
attaccctct ttatctccaa cattgggtggg aatgcacctt cctacatcta ccgcctgatg 300
agtgaactct accatcctga tgatcatgtt ttatgaccga ccacacgtgt cctaagcaga 360
ttgcttaggc agatacagaa tgaagaggag acttgagtgt tgctgctgaa gcacatcctt 420
gcaatgtggg agtgcacagg agtccaccta aaaaaaaaaa tccttgatac tgttgctgc 480
cttttttagtc accccgtaac aagggcacac atccaggact gtgt 524

<210> 265
<211> 344
<212> DNA
<213> Homo sapiens

<400> 265
tcctttcttc tacttcagga gatgattcaa agttacttgt ggacatttct ttaagttctg 60
aagacaaatg agacaggatt tggcctgagg gttcttcaga cttctctacc acctccatta 120
actcttcac ttggcttgac gtaggcaatg cactattttg ctcttttgtt tctggagatg 180
accagcacc acttctttct cttggcgggg ttctaagtgt gtctttgaat accagtgaag 240
actcaggcct atcctgtact ggaaaggac taaatttgtc tttctgtcta ggaggtgatg 300
cagtagcatc ctctgaggg ggtaaggcca tttctctttt ttga 344

<210> 266
<211> 210
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (78)
<223> n=A,T,C or G

<400> 266
ccacaatgtc cataacttga gcaggctttg gcatcccacc acccccttca gaccaataca 60

```
cactatgttg gaggaacnac tttaaaatgt aaaatgagaa atgggcactg aacactccat 120
cctcactccc aacagcccac ccacacacct cttcaactgc tatccaaaca tggaggagct 180
cttgtggaag agaggctcaa caccaaataa 210
```

```
<210> 267
<211> 238
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc_feature
<222> (1)...(238)
```

```
<400> 267
tcggnccctcc caccctctna ctgaaattct ntgaaattct cccctttggg atgaggatgg 60
caaccccagg catgtaccct cccaacctgg gacccgacct aataccctaa catcctgctg 120
acagtggctg ttctcgctgg gcaggcgctc caaagcacat cgagccagat tcaggcagag 180
tggaactggc cctcagcca tcagtggagg tggcctggga ggctctacct tgaacggg 240
```

```
<210> 268
<211> 461
<212> DNA
<213> Homo sapiens
```

```
<220>
<221> misc_feature
<222> (459)
<223> n=A,T,C or G
```

```
<400> 268
tcctcaagga catgcccctt gatagaaact cagttcctgt ctccagttcc ctcttgacc 60
tgatccccc aatgcagggc ctgggactat atccagttcc ttattttcag agggccatgc 120
acaagatgca cagcaaataa gtgctgaata aagaccagc tactgctagc ttacctgct 180
ccaaacattc accaagtcct cagcaaagag ggccatccat tcacctcttc taaaaacaca 240
ctgagctccc cagtctatac cccaagatat gcttggctcc caactatccc tcctctctca 300
tctccaagcc agtttccctt ttctaagtat actgatatta ccaaagacac tgacaatctt 360
cttttcttac ctctcccag tgactaggtt tgcagcagga gctctataag tcctagtata 420
cagcagaagc tccataaatg tgtgctgacc taacattang c 461
```

```
<210> 269
<211> 434
<212> DNA
<213> Homo sapiens
```

```
<400> 269
ctgtgttggg gagcaccgat tccactcaa tatggcggtg cttacagtct tcattaggtt 60
cccgtccca accagaatga ggaatgatca cttcatctgt caaggcatgc agtgcattgt 120
ccacaatctc cattttgatt gagtcattgg atgaaagatt ccacaggggt ccggtataa 180
cttcagtaag gtccatatca cgagcctttc gaagcaatcg cacaagggca ggcacaccat 240
cacagttttt tatggcaatc ttgttatcct ggtcacgtcc aaaagagata ttcttgagag 300
ctccacaggc tccaagggtg acttcctttt tgggatgggc taacaatccc accagtactg 360
ggatgccctt gagcttccgc acgtcagttc tcaccttgtc attgcggtag cataagtgtt 420
gcagggtatgc aaga 434
```

```
<210> 270
```

<211> 156
<212> DNA
<213> Homo sapiens

<400> 270
ctgcaccagc gattaccagt ggcattcaaa tactgtgtga ctaaggattt tgtatgctcc 60
ccagtagaac cagaatcaga caggtatgag ctagtcaaca gcaagtcttt gttggattcg 120
agtaggctca ggatctgctg aaggtcggag gagtta 156

<210> 271
<211> 533
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(533)
<223> n=A,T,C or G

<400> 271
ccactgtcac ggtctgtctg acacttactg ccaaacgcat ggcaaggaaa aactgcttag 60
tgaagaactt agaagctgtg gagaccttg ggtccacgtn caccatctgc tctgataaaa 120
ctggaactct gactcanaac cggatgacag tggcccacat gtggtttgac aatcaaattcc 180
atgaagctga tacgacagag aatcagagtg gtgtctcttt tgacaagact tcagctacct 240
ggcttgctct gtccagaatt gcaggctcttt gtaacagggc agtggttcag gctaaccagg 300
aaaacctacc tattcttaag cgggcagttg caggagatgc ctctgagtc gcaactctta 360
agtgcataga gctgtgctgt ggntnctgta aggagatgag agaaagatac nccaaaatcg 420
tcgagatacc cttcaactcc accaacaagt accagttgtc tattcataag aaccccaaca 480
catcggagcc ccaacacctg ttggtgatga agggcgcccc agaaaggatc cta 540

<210> 272
<211> 630
<212> DNA
<213> Homo sapiens

<400> 272
tggatatttt ctttttcttt tggatgtttt ataactttttt ttcttttttc ttctctattc 60
ttttcttcgc cttcccgtac ttctgtcttc cagttttcca cttcaaactt ctatcttctc 120
caaattgttt catcctacca ctcccatta atctttccat ttctgtctgc gtttagtaaa 180
tgcgttaact aggtctttaa tgacgcaatt ctccctgcgt catggatttc aaggctcttt 240
aatcaccttc ggtttaatct ctttttaaaa gatcgcttc aaattatttt aatcacctac 300
aacttttaaa ctaaacttta agctgtttta gtcaccttc ttttaattct aaagcattgc 360
ccttctattg gtattaattc ggggtctctg agtcctttct ctcaattttc ttttaaatac 420
attttttact ccatgaagaa gcttcacttc aacctccgtc atgttttaga aaccttttat 480
cttttccttc ctcatgctac tcttctaagt cttcatattt tctcttaaaa tcttaagcta 540
ttaaattac gttaaaaact taacgctaag caatatctta gtaacctatt gactatattt 600
tttaagtagt tgtattaatc tctatctttc 630

<210> 273
<211> 400
<212> DNA
<213> Homo sapiens

<400> 273
tctggtttgc cctccagttc attctgaatc tagacttgct cagcctaate aagttcctgt 60

```

acaaccagaa gcgacacagg ttcctttggt atcatccaca agtgaggggt acacagcatc 120
tcaacccttg taccagcctt ctcattgctac agagcaacga ccacagaagg aaccaattga 180
tcagattcag gcaacaatct ctttaaatac agaccagact acagcatcat catcccttcc 240
tgctgcgtct cagcctcaag tatttcaggc tgggacaagc aaacctttac atagcagtgg 300
aatcaatgta aatgcagctc cattccaatc catgcaaagc gtgttcaata tgaatgcccc 360
agttcctcct gttaatgaac cagaaacttt aaaacagcaa 400

```

```

<210> 274
<211> 351
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (2)
<223> n=A,T,C or G

```

```

<400> 274
tntgagtatg tcccagagaa ggtgaagaaa gcggaaaaga aattagaaga gaatccatat 60
gaccttgatg cttggagcat tctcattcga gaggcacaga atcaacctat agacaaagca 120
cggaagactt atgaacgcct tgttgcccag ttccccagtt ctggcagatt ctggaaactg 180
tacattgaag cagagggttac tattttattt tattttttct tatatcagta ttgcagcatt 240
cactgtagtg atagaaaaca agttaggaac atagccaatt aggacaagga ggattttaa 300
gtgtcttacc tttattttgt aaaataggta taaaggagta attaaaatga a 360

```

```

<210> 275
<211> 381
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(381)
<223> n=A,T,C or G

```

```

<400> 275
gcnnggtcgc nnncgaggtc tgagaagccc ataccactat ttgttgagaa atgtgtggaa 60
tttattgaag atacagggtt atgtaccgaa ggactctacc gtgtcagcgg gaataaaact 120
gaccaagaca atattcaaaa gcagtttgat caagatcata atatcaatct agtgtcaatg 180
gaagtaacag taaatgctgt agctggagcc cttaaagctt tctttgcaga tctgccagat 240
cctttaattc catattctct tcatccagaa ctattggaag cagcaaaaat cccggataaa 300
acagaacgtc ttcatgcctt gaaagaaatt gttaagaaat ttcatcctgt aaactatgat 360
gtattcagat acgtgataac a 381

```

```

<210> 276
<211> 390
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (5)
<223> n=A,T,C or G

```

```

<400> 276

```

```
gctcngactc cggcgggacc tgctcggagg aatggcgccg cggggttcaa gcactgtctt 60
cctgttggcc ctgacaatca tagccagcac ctgggctctg acgcccactc actacctcac 120
caagcatgac gtggagagac taaaagcctc gctggatcgc cttttcacia atttggaatc 180
tgctttctac tccatcgtgg gactcagcag ccttggtgct cagggtgccag atgcaaagaa 240
agcatgtacc tacatcagat ctaaccttga tcccagcaat gtggattccc tcttctacgc 300
tgcccaggcc agccaggccc tctcaggatg tgagatctct atttcaaata agaccaaaga 360
tctgcttctg gcagacctcg gccgcgacca 390
```

<210> 277

<211> 378

<212> DNA

<213> Homo sapiens

<400> 277

```
tgggaacttc tggggtagga cgttgtctgc tatctccagt tccacagacc caaccagtta 60
cgatggtttt ggaccattta tgccgggatt cgacatcatt ccctataatg atctgcccgc 120
actggagcgt gctcttcagg atccaaatgt ggctgcgttc atggtagaac caattcaggg 180
tgaagcaggc gttgttgttc cggatccagg ttacctaatg ggagtgcgag agctctgcac 240
caggcaccag gttctcttta ttgctgatga aatacagaca ggattggcca gaactggtag 300
atggctggct gttgattatg aaaatgtcag acctgatata gtcctccttg gaaaggccct 360
ttctgggggc ttataccc 378
```

<210> 278

<211> 366

<212> DNA

<213> Homo sapiens

<400> 278

```
ggagggcaca ttctttttca cctcagagtc ggtcggggaa ggccaccagc ataagatttg 60
tgaccaaacc agtgatgctg tccttgatgc ccaccttcag caggatcctg atgccaaagt 120
agcttgtaga actgttgcta aaactggaat gatccttctt gctggggaaa ttacatccag 180
agctgctgtt gactaccaga aagtgggtcg tgaagctgtt aaacacattg gatatgatga 240
ttcttccaaa ggttttgact acaagacttg taacgtgctg gtagccttg agcaacagtc 300
accagatatt gctcaagggtg ttcattctga cagaaatgaa gaagacattg gtgctggaga 360
ccaggg 366
```

<210> 279

<211> 435

<212> DNA

<213> Homo sapiens

<400> 279

```
cctaagaact gagacttggt acacaaggcc aacgacctaa gattagccca gggttgtagc 60
tggaagacct acaacccaag gatggaaggc ccctgtcaca aagcctacct agatggatag 120
aggacccaag cgaaaaagat atctcaagac taacggccgg aatctggagg cccatgaccc 180
agaacccaag aaggatagaa gcttgaagac ctggggaaat cccaagatga gaaccctaaa 240
ccctacctct tttctattgt ttacacttct tactcttaga tatttccagt tctcctgttt 300
atctttaagc ctgattcttt tgagatgtac tttttgatgt tgccgggttac ctttagattg 360
acaagtatta tgccctggcca gtcttgagcc agctttaaat cacagctttt acctatttgt 420
taggctatag tgttt 435
```

<210> 280

<211> 435

<212> DNA

<213> Homo sapiens

<400> 280

```
tctggatgag ctgctaactg agcacaggat gacctgggac ccagcccagc ccccccgaga 60
cctgactgag gccttcctgg caaagaagga gaaggccaag gggagccctg agagcagctt 120
caatgatgag aacctgcgca tagtggtggg taacctgttc cttgccggga tggtgaccac 180
ctcgaccacg ctggcctggg gcctcctgct catgataccta cacctggatg tgcagcgtga 240
gcccagacct gtccgggcg ggcctcgaaa ttccagcaca ctggcggccg ttactagtgg 300
atccgagctc ggtaccaagc ttggcgtaat catggtcata gctgtttcct gtgtgaaatt 360
gttatccgct cacaattcca cacaacatac gagccggaag cataaagtgt aaagcctggg 420
gtgcctaagt agtga 435
```

<210> 281

<211> 440

<212> DNA

<213> Homo sapiens

<400> 281

```
catctgatct ataaatgcgg tggcatcgac aaaagaacca ttgaaaaatt tgagaaggag 60
gctgttgaga tgggaaaggg ctccctcaag tatgcctggg tcttggataa actgaaagct 120
gagcgtgaac gtggtatcac cattgatata tccttgtgga aatttgagac cagcaagtac 180
tatgtgacta tcattgatgc cccaggacac agagacttta tcaaaaacat gattacaggg 240
acatctcagg ctgactgtgc tgtcctgatt gttgctgctg gtgttggtga atttgaagct 300
ggtatctcca agaatgggca gacccgagag catgcccttc tggcttacac actgggtgtg 360
aaacaactaa ttgtcgggtg taacaaaatg gattccactg agccccctac agccagaaga 420
gatatgagga aattgttaag 440
```

<210> 282

<211> 502

<212> DNA

<213> Homo sapiens

<400> 282

```
tctgtggcgc aggagcccc tccccgggca gctctgacgt ctccaccgca gggactgggtg 60
cttctcggag ctcccactcc tcagactccg gtggaagtga cgtggacctg gatcccactg 120
atggcaagct cttccccagc gatggttttc gtgactgcaa gaagggggat cccaagcacg 180
ggaagcggaa acgaggccgg ccccgaaagc tgagcaaaga gtactgggac tgtctcgagg 240
gcaagaagag caagcacgcy cccagaggca cccacctgtg ggagttcatc cgggacatcc 300
tcattccacc ggagctcaac gagggcctca tgaagtggga gaatcggcat gaaggcgtct 360
tcaagttcct gcgctccgag gctgtggccc aactatgggg ccaaaaagaaa aagaacagca 420
acatgacctc cgagaagctg agccggggcca tgagggtacta ctacaaacgg gagatcctgg 480
aacgggtgga tggccggcga ct 502
```

<210> 283

<211> 433

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(433)

<223> n=A,T,C or G

<400> 283

```
ccatattaga ttactggaac atctaagcat cagtgtgtga ccatgcgaac aaaagacttc 60
ggggagtgtc tattttttaa aaggtttatg tgtgtcgagg cagttgtaaa agatttactg 120
```

```

cagaatcaan cccactttta ggcttangac caggttctaa ctatctaaaa atattgactg 180
ataacaaaaa gtgttctaaa tgtggctatt ctgatccata nttgnttttt aaagaaaaaa 240
antgtntata cagaaagagt ntaaaagttc tgtgaattna atgcaaatta gncnccantc 300
ttgacttccc aaanacttga ttnatacctt tnactcctnt cnnttcctgn ncttcnttaa 360
nntcaatnat tnggnagtnn anggcctncn gnanaacacc nttncncgnt ccncgcaatc 420
cancgcctt nan 433

```

<210> 284

<211> 479

<212> DNA

<213> Homo sapiens

<400> 284

```

tctggaagga tcagggatct gagcaaagcc aagtttactt aagctaagcc acttgttcct 60
gggtcaagca gtttgttttc taataagcat cattcctgat cattagagca aagggatgaa 120
tgctcctctt ggaatgatac aggggatctg ccaactgggag agtggtgctc agtggttagag 180
tagcagcaat gacagaatga cagcgactct ctgagtcaac ccagtacttt tagtaccctg 240
tcactatgtg aataaaaggca gctagaaaaat ggactcaatt ctgcaagcct tcatggcaac 300
agcccatatt aagactttcta gaacaagtta aaaaaaaatc ttccatttcc atccatgcat 360
gggaaaaggg ctttagtata gtttaggatg gatgtgtgta taataataaa atgataagat 420
atgcatagtg ggggaataaa gcctcagagt ccttccagta tggggaatcc attgtatct 480

```

<210> 285

<211> 435

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(435)

<223> n=A,T,C or G

<400> 285

```

tttttttttt tttttttttt tcaatanaaa tgccataatt tattccattg tataaaaaag 60
tcaccccttat gtaacaaaat gtnttcttan aanaanaaat atattatttc aggtcataaa 120
taatcagcaa acatacaact gttggcaact aaaaaaaaac ccaacactgg tattttccat 180
cagngctgaa aacaaacctg cttaaanata tatttacagg gatagtncag tinctaaaaa 240
caaaaattga ggtatttttg ttcttctagg agtagacaat gacatttttg gangggcaga 300
cccctnnccc aaaaaataaa ataagggnat nttcttcant atngaanann gggggcgccc 360
cggggaaaaa naaaccttgg gnngggggtt tggcccaagc ccttgaaaaa aaantttntt 420
tcccaaaaaa aacng 435

```

<210> 286

<211> 301

<212> DNA

<213> Homo sapiens

<400> 286

```

cctggtttct ggtggcctct atgaatccca tgtagggtgc agaccgtact ccacccctcc 60
ctgtgagcac caggtcaacg gctcccgcc cccatgcacg ggggaggag atacccccaa 120
gtgtagcaag atctgtgagc ctggctacag cccgacctac aaacaggaca agcactacgg 180
atacaattcc tacagcgtct ccaatagcga gaaggacatc atggccgaga tctacaaaaa 240
cggccccctg gagggagctt tctctgtgta ttcggacttc ctgctctaca agtcaggagt 300
g 301

```

<210> 287
<211> 432
<212> DNA
<213> Homo sapiens

<400> 287
tccagcttgt tgccagcatg agaaccgcca ttgatgacat tgaacgccgg gactggcagg 60
atgacttcag agttgccagc caagtcagcg atgtggcggg acagggggac ccccttctca 120
acggcaccag ctttgcagac ggcaaggagc acccccagaa tggcgttcgc accaaactta 180
gatttatatt ctgttccatc catctcgatc atcagtttgt caatcttctc ttgttctgtg 240
acgttcagtt tcttgctaac cagggcaggc gcaatagttt tattgatgtg ctcaacagcc 300
tttgagacac ctttcccat atagcgagtc ttatcattgt cccggagctc tagggcctca 360
tagataccag ttgaagcacc actgggcaca gcagctctga agagaccttt tgaggtgaag 420
agatcaacct ca 432

<210> 288
<211> 326
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (254)
<223> n=A,T,C or G

<400> 288
tctggctcaa gtcaaagtcc tggctcctct ctcgcctcc ttcttcatca tagtaataaa 60
cgttgtcccg ggtgtcatcc tctgggggca gtaagggtc tttgaccacc gctctcctcc 120
gaagaaacag caagagcagc agaatcagaa ttagcaaagc aagaattcct ccaagaatcc 180
ccagaatggc aggaatttgc aatcctgctt cgacaggctg tgcttctcta cagacgccgg 240
cggccccctt acantcacac acgctgacct ctaagggtgg cacttggtct ttattctggt 300
tatccatgag cttgagattg attttg 326

<210> 289
<211> 451
<212> DNA
<213> Homo sapiens

<400> 289
gtcccgggtg ggctgtgccg ttggctcctgt gcggtcactt agccaagatg cctgaggaaa 60
cccagaccca agaccaaccg atggaggagg aggaggttga gacgttcgcc tttcaggcag 120
aaattgcccc gttgatgtca ttgatcatca atactttcta ctgaacaaa gagatcttct 180
tgagagagct catttcaa atcatcagatg cattggacaa aatccggtat gaaagcttga 240
cagatcccag taaattagac tctgggaaag agctgcatat taaccttata ccgaacaaac 300
aagatcgaac tctcactatt gtggatactg gaattggaat gaccaaggct gacttgatca 360
ataaccttgg tactatcgcc aagtctggga ccaaagcgtt catggaagct ttgcaggctg 420
gtgcagatat ctctatgatt ggacctcggc c 451

<210> 290
<211> 494
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

<222> (421)

<223> n=A,T,C or G

<400> 290

```
tttttttttt tcaaaacagt atatttttatt ttacaatagc aaccaactcc ccagtttgtt 60
tcaattgtga catctagatg gcttaagatt actttctggg ggtcacccat gctgaacaat 120
atTTTTcaat cttccaaaca gcaaagactc aaaagagatt ctgcatttca catcagttca 180
caagttcaag agtcttccat ttatcttagc ttttggaata aattatcttt gaggtagaag 240
gacaatgacg aagccactta attccttgtg tctgcataaa agcagattta ttcatacaca 300
cttcatttat gtgaataaag cagatgatga taaaatgttc tcttattctt gtttaatcag 360
tagtggtagt gatgccagaa acttgtaaag gcacttcaaa ccaattgtgg ctcaagtgtg 420
ngtggttccc caaggctggg accaatgaga ctgggggttg ggaattagtt ggtcatcatc 480
cctcctgctg ccca 494
```

<210> 291

<211> 535

<212> DNA

<213> Homo sapiens

<400> 291

```
tcgcgtgctt aacatgaaaa caaactttgt gctgtttggg tcattgtatg cattgatgga 60
gtcttgtctc tcatcatggg gtgtctgacc atccaacctg cagtactcat aatttctcca 120
catgcaataa tcttccaaaa tgtccaatac ccttgtcatt tgactgaaga ttagtactcg 180
tgaaccttgt tcttttaact tagggagcag cttgtctaaa accaccattt tgccactgtt 240
ggttactaga tgcatactcg ttgtataagg tggaccaggg tctgctccat caaagagata 300
tggatgatta caacattttc tcaactgcat taggatgttc aataacctca ttttgtccat 360
cttgccctgct gagttgagta tatctatata cttcattaat atccgagtat accattccct 420
ttgcattttg ctgaggccca catagatttt tacttccttc tttggaggca aactcttttc 480
aacatcagcc ttaattcgac gaaggaggaa tggacgcaaa accatatgaa gcctc 540
```

<210> 292

<211> 376

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(376)

<223> n=A,T,C or G

<400> 292

```
tacnagcccg tgetgatcga gatcctgggtg gaggtgatgg atccttcctt cgtgtgcttg 60
aaaattggag cctgcccctc ggcccataag cccttgttgg gaactgagaa gtgtatatgg 120
ggccaagct actggtgccg gaacacagag acagcagccc agtgcaatgc tgctgagcat 180
tgcaaacgcc atgtgtggaa ctaggaggag gaatattcca tcttggcaga aaccacagca 240
ttggtttttt tctacttgtg tgtctggggg aatgaacgca cagatctgtt tgactttgtt 300
ataaaaaatag ggctccccca cctcccccat ttttgtgtcc tttattgnag cattgctgtc 360
tgcaagggag ccccta 376
```

<210> 293

<211> 320

<212> DNA

<213> Homo sapiens

<400> 293

```

tcggctgctt cctggctctgg cgggggatggg tttgctttgg aaatcctcta ggaggctcct 60
cctcgcatgg cctgcagtct ggcagcagcc ccgagttgtt tcctcgctga tcgatttctt 120
tcctccaggt agagttttct ttgcttatgt tgaattccat tgctctttt ctcatcacag 180
aagtgatgtt ggaatcgttt cttttgtttg tctgatttat ggttttttta agtataaaca 240
aaagtttttt attagcattc tgaaagaagg aaagtaaaat gtacaagttt aataaaaagg 300
ggccttcccc tttagaatag                                     320

```

<210> 294

<211> 359

<212> DNA

<213> Homo sapiens

<400> 294

```

ctgtcataaa ctggctctgga gtttctgacg actccttggt caccaaatagc accatttcct 60
gagacttgct ggcctctcgg ttgagtcacac ttggctttct gtcctccaca gctccattgc 120
cactgttgat cactagcttt ttcttctgcc cacaccttct tcgactgttg actgcaatgc 180
aaactgcaag aatcaaagcc aaggccaaga gggatgccaa gatgatcagc cattctggaa 240
tttgggggtg ctttatagga ccagaggttg tgtttgctcc accttcttga ctcccatgtg 300
agtgtccatc tgattcagat ccattgagtgg tatgggaccc cccactgggg tggaatgtg 360

```

<210> 295

<211> 584

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (558)

<223> n=A,T,C or G

<400> 295

```

cctgagttgg gctgactgcc agagacagac ccctctgggt ctcggtgaac cagccaggca 60
tttacctcag tggttggcac ctggaacctg tccagggccc tcacctgact gaggagccgc 120
cgggcagtga agtaattgtc caggtctatg ctcttggggg ggataccata gccatccaag 180
gtattcctca ggttgaggaa ctgggtctga gtataggcag aactggggccc caggatgatc 240
tcccggagtg ggggaagctg tgaggtcagg taagtatcca cgccaccgc taccccaatc 300
aaactcagca gaatggtgaa ctggagaagt ccttccggtt agtatttctt cagagaaagc 360
attgctgaag gaccagaatg tttatgcttt ttggttttta aaatcttcca aaagacaaat 420
caaggccact gctctgccgc tccagccagc aggttaccct cctcagtgtc aaaccccgta 480
ccccaccctg gcagaacaca agggatgagc tccctgacgg cccagagga aagcacacc 540
tgtggagcca aggccaanga cacactccag accacattca cttt                                     584

```

<210> 296

<211> 287

<212> DNA

<213> Homo sapiens

<400> 296

```

ccttatcatt cattcttagc tcttaattgt tcattttgag ctgaaatgct gcatttttaat 60
tttaacaaaa acatgtctcc taccctgggt tttgtagcct tcctccacat cctttctaaa 120
caagatttta aagacatgta ggtgtttgtt catctgtaac tctaaaagat cctttttaaa 180
ttcagtccta agaaagagga gtgcttgctc cctaagagtg tttaatggca aggcagccct 240
gtctgaagga cacttcctgc ctaagggaga gtggtatttg cagacta                                     287

```

<210> 297

<211> 457
<212> DNA
<213> Homo sapiens

<400> 297
ccaattgaaa caaacagttc tgagaccgtt cttccaccac tgattaagag tgggggtggca 60
ggtattaggg ataatatcca ttttagccttc tgagctttct gggcagactt ggtgaccttg 120
ccagctccag cagccttctt gtccactgct ttgatgacac ccaccgcaac tgtctgtctc 180
atatcacgaa cagcaaagcg acccaaaggt ggatagtctg agaagctctc aacacacatg 240
ggcttgccag gaaccatata aacaatggca gcatcaccag acttcaagaa tttagggcca 300
tcttccagct ttttaccaga acggcgatca atcttttcct tcagctcagc aaacttgcat 360
gcaatgtgag ccgtgtggca atccaatata ggggcatagc cggcgcttat ttggcctgga 420
tggttcagga taatcacctg agcagtgaag ccagacc 457

<210> 298
<211> 469
<212> DNA
<213> Homo sapiens

<400> 298
tctttgactt tccttgtcta cctcctctgg agatctcaaa ttctccaggt tccatgctcc 60
cagagatctc aatgattcct gattctcctc ttccaggagt ctgaatgtct cttgggtcac 120
ttccacagac tccagtgggt cttgaatttc cttttctaga ggattcattg ccccttgatt 180
tatttcttct ggagtccaca gtggtgcttg agtttctgga gatttcagtg tttccagggt 240
ctcttgctcc gcagacttca gtgattctag gatctctgtt tctaaagatt ttactgcctc 300
tatgtctctt tctttgagt actttaagaa ctcttgattc tcattttcaa gaggtctagc 360
tatctcctgg tcaagagact tcagtgggtc tagatccact ttttctgggg gtcttaatgt 420
catctgatcc tgttccccta gagacctccg tcgctgttga gtctctttt 469

<210> 299
<211> 165
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(165)
<223> n=A,T,C or G

<400> 299
tctgtggaga ggatgaggtt gagggaggtg gggatatntcg ctgctctgac cttaggtaga 60
gtcctccaca gaagcatcaa antggactgg cacatatgga ctcccttcac aggccacaat 120
gatgtgtctc tccttcgggc tggncggga tgcacagttg gggta 165

<210> 300
<211> 506
<212> DNA
<213> Homo sapiens

<400> 300
tctgaggaaa gtttgggctt attagtattt gctccagcga acctccaagt tttctccatt 60
gcggaacaac taactaccag ctccctgggt cagtgggttcg cctccactca gaagttccca 120
gtaggttctg tcattattgt tggcacatag gccctgaata cagggtgatat agggcccca 180
tgagcgtcc tcattgtga aaccaaatat agtatcatc attttctggg ctttctccat 240
cacactgagg aagacagaac catttagcac agtgacattg gtgaaatatg tttcattgat 300

```

tctcacagag taattgacgg agatatatga ttgtgagtcg ggaggtgtca cagttatagg 360
ctcatcagcg gagatgttga agttacctga agcagagacg caagaagagt ctttgttaat 420
atccaagaag gtctttccca tcagggcagg taagacctgg gctgcagcgt ttggattgct 480
gaatgctcct tgagaaattt ccgtga                                     506

```

```

<210> 301
<211> 304
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(304)
<223> n=A,T,C or G

```

```

<400> 301
tcctaaggca gagcccccat cacctcaggc ttctcagttc ccttagccgt cttactcaac 60
tgcccccttc ctctccctca gaatttgtgt ttgctgcctc tatcttgttt tttgtttttt 120
cttctggggg ggggtctagaa cagtgcctgg cacatagtag gcgctcaata aatacttggt 180
tggtgaatgt ctctctcttc tttccactct gggaaacctc ngnttctgcc attctgggtg 240
accctgtatt tntttctggt gccattcca tttgnccagn taatacttcc tcttaaaaaat 300
ctcc                                     304

```

```

<210> 302
<211> 492
<212> DNA
<213> Homo sapiens

```

```

<400> 302
ttttcagtaa gcaacttttc catgctctta atgtattcct ttttagtagg aatccggaag 60
tattagattg aatggaaaag cacttgccat ctctgtctag gggtcacaaa ttgaaatggc 120
tcctgtatca catacggagg tcttgtgtat ctgtggcaac agggagtttc cttattcact 180
ctttatttgc tgctgtttaa gttgccaaac tcccctccca ataaaaattc acttacacct 240
cctgcctttg tagttctggt attcacttta ctatgtgata gaagtagcat gttgctgcca 300
gaatacaagc attgcttttg gcaaattaaa gtgcatgtca tttcttaata cactagaaag 360
gggaaataaaa ttaaagtaca caagtccaag tctaaaactt tagtactttt ccatgcagat 420
ttgtgcacat gtgagagggt gtccagtttg tctagtgatt gttattttaga gagttggacc 480
actattgtgt gt                                     492

```

```

<210> 303
<211> 470
<212> DNA
<213> Homo sapiens

```

```

<400> 303
tctggggcag caggtactcc ctacggcact agtctacagg gggaaggacg ctctgtgctg 60
gcagcggtgg ctacatggc ctgtctgcac tgtaaccaca ggctgggatg tagccaggac 120
ttggtctcct tggaagacag gtctgatgtt tggccaatcc agtccttcag accctgcctg 180
aaacttgtat cttacgtgaa cttaaagaat aaaatgcatt tctacccoga tctcgcccc 240
aggactggca cgacaggccc acggcagatt agatcttttc ccagtactga tcggtgcgtg 300
gaattccagc caccacttct gattcgattc cacagtgatc ctgtcctctg agtattttaa 360
agaagccatt gtcacccag tcagtgttcc aggagttggc aaccagccag tagggtgtgc 420
cattctccac tcccagccc aggatgcgga tggcatggac ctcggccgcg 470

```

```

<210> 304

```

<211> 79
<212> DNA
<213> Homo sapiens

<400> 304
tgtccattg ttaactcagc ctcaaattct aactgtcagg ccctacaaag aaaatggaga 60
gcctcttctg gtggatgcg 79

<210> 305
<211> 476
<212> DNA
<213> Homo sapiens

<400> 305
tcactgagcc accctacagc cagaagagat atgaggaaat tgtaaggaa gtcagcactt 60
acattaagaa aattggctac aaccccgaca cagtagcatt tgtgccaatt tctgggttga 120
atggtgacaa catgctggag ccaagtgtta acgtaagtgg ctttcaagac cattgttaaa 180
aagctctggg aatggcgatt tcatgtttac acaaattggc atgcttgtgt ttcagatgcc 240
ttggttcaag ggatggaaaag taccaccgtaa ggatggcaat gccagtggaa ccacgctgct 300
tgaggctctg gactgcatcc taccaccaac tcgtccaact gacaagccct tgcgcctgcc 360
tctccaggat gtctacaaaa ttggtggttaa gttggctgta aacaaagttg aatttgagtt 420
gatagagtac tgtctgcctt cataggtatt tagtatgctg taaatatttt taggta 480

<210> 306
<211> 404
<212> DNA
<213> Homo sapiens

<400> 306
tctgtctcgg agctcagggc gcagccagca cacacaggag cccacaggac agccacgtct 60
tcacagaaac tacagaagtc aggaccagc cgaggacctc aggaacaagt gccccctgca 120
gacagagaga cgcagtagca acagcttctg aacaactaca taataatgcg gggagaatcc 180
tgaagaccac tgcattccac aagcactgac aaccacttca ggattttatt tcttccactc 240
taacccccag atccatttat gagaagttag tgaggatggc aggggcatgg aggggtgaagg 300
gacagcaagg atggtctgag ggcctggaaa caatagaaaa tcttcgtcct ttagcatatc 360
ctggactaga aaacaagagt tggagaagag ggggggtgat acta 404

<210> 307
<211> 260
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)... (260)
<223> n=A,T,C or G

<400> 307
tcttgcttan acatctgtga gggcctcaag ggctgctgcc tcgactttct ccctagctaa 60
gtccacccgt ccagggacac agccaggga ctgctctgtg ctgacttcca ctgcagccaa 120
gggtcaaaat gaagcatctg cggaggccag gactccttgg catcggacac agtcagggga 180
aaagccaccc tgactctgca ggacagaggg tctagggcca tttggcagga gaacactggg 240
gtgccaaggg aagcnancat 260

<210> 308

<211> 449
<212> DNA
<213> Homo sapiens

<400> 308
tctgtgctcc cgactcctcc atctcaggta ccaccgactg cactgggcgg ggccctctgg 60
ggggaaaggc tccacggggc agggatacat ctcgaggcca gtcacctctt ggaggcagcc 120
caatcaggtc aaagattttg cccaactggg cggcttcaga gtttccacag aagagaggct 180
ttcgacgaaa catctctgca aagatacagc caacactcca catgtccaca ggtgttgcac 240
atgtggactg cagaagaact tcgggagctc ggtaccagag tgtaacaacc ttgatcgttt 300
cggctggcaa gcctgggtggg ggtgccttgt ccagatatgt ccttaggtcc tgggtctacat 360
gctcaaacac caggggttacc ttgatctccc ggtcagttcg ggatgtggca cagacgtcca 420
tcagccggac aacattggga tgctcaaaa 449

<210> 309
<211> 411
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (384)
<223> n=A,T,C or G

<400> 309
ctgtggaaac ctgggggtgcc gggtaaatgg agaactccag cttggatttc ttgccataat 60
caactgagag acgttccatg agcagggagg tgaacccaga accagttccc ccaccaaagc 120
tgtggaaaac caagaagccc tgaagaccgg tgactggtc agccagcttg cgaattcggg 180
ccaacacaag gtcaatgatc tccttgccaa tgggtgtagtg ccctcgggca tagttattgg 240
cagcatcttc cttgcctgtg atgagctgct caggggtggaa gagctggcgg taggtgccag 300
tgcgaaacttc atcaatgact gtgggttcca agtctacaaa cacagcccgg ggcacgtgct 360
tgccagcgcc cgtctcactt gaanaagggt gtttgaagga agtcatctcc t 420

<210> 310
<211> 320
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (250)
<223> n=A,T,C or G

<400> 310
tcctcgtcca gcttgactcg attagtcctc ataaggtaag caaggcagat ggtggctgac 60
cgggaaatgc ctgcctggca gtggacaaac acccttctc cagcattctt gatggagtct 120
atgaagtcaa tggcctcggt gaaccaggag ctgatgtctg ccttgtgggt gtcctccaca 180
gggatgctct tgtactggtg gtgacctca aaatggttgg gacaattggc tgagacgttg 240
atcaaggcan ttatgccccaa ggcacccagc atgtccttgc ggggaagcgtg atacgcactg 300
cccaggtaca gaaagggcag 320

<210> 311
<211> 539
<212> DNA
<213> Homo sapiens

<400> 311

```

tctggcccat gaagctgaag ttgggagaga tgatgcttcg cctctgcttc acaaactcaa 60
aggcctcgtc cagcttgact cgattagtc tcataaggta agcaaggcag atgggtggctg 120
accgggaaat gcctgcctgg cagtggacaa acacccttc tccagcattc ttgatggagt 180
ctatgaagtc aatggcctcg ttgaaccagg agctgatgtc tgccttgagg ttgtcctcca 240
cagggatgct cttgtactgg tagtgaccct caaaatgggt gggacaattg gctgagacgt 300
tgatcaaggc agttatgccc aaggcatcca gcatgtcctt gcgggaagcg tgatacgcac 360
tgcccaggta cagaaagggc aggatttcca ccgggccacc ctgaaatcca gaaatatcca 420
acattcatca agcttgctca aagccaaggc cagtgcccat acccacaaaa actttctgct 480
ggaaaagtca atttcagata ccgagtgaac tcagttctgt tgctggagga taaataaat 540

```

<210> 312

<211> 475

<212> DNA

<213> Homo sapiens

<400> 312

```

tcaaggatct tcctaaagcc accatgtgag aggattcggg cgagagtctg agctgtatgg 60
cagaccatgt cctgctgttc tagggatcatg actgtgtgta ctctaaagtt gccactctca 120
caggggtcag tgataccac tgaacctggc aggaacagtc ctgcagccag aatctgcaag 180
cagcgctgt atgcaacgtt tagggccaaa ggctgtctgg tggggttgtt catcacagca 240
taatggccta gtaggatcaag gatccagggt gtgaggggct caaagccagg aaaacgaatc 300
ctcaagtcct tcagtagtct gatgagaact ttaactgtgg actgagaagc attttcctcg 360
aaccagcggg catgtcggat ggctgctaag gcactctgca atactttgat atccaaatgg 420
agttctggat ccagttttcg aagattgggt ggcactgttg taatgagat cttca 480

```

<210> 313

<211> 456

<212> DNA

<213> Homo sapiens

<400> 313

```

tccacttaaa gggatgctct gccaaactgg ggaatcatcg ccacttccag caccacgcca 60
agcctaacat cttccacaag gatcccgatg tgaacatgct gcacgtgttt gttctgggag 120
aatggcagcc catcgagtac ggcaagaaga agctgaaata cctgccctac aatcaccagc 180
acgaataact cttcctgatt gggccgcccgc tgctcatccc catgtatttc cagtaccaga 240
tcatcatgac catgatcgtc cataagaact gggatggacat ggcctgggac gtcagctact 300
acatccgggt cttcatcacc tacatccctt tctacggcat cctgggagcc ctccctttcc 360
tcaacttcat caggttcctg gagagccact ggtttgtgtg ggtcacacag atgaatcaca 420
tcgtcatgga gattgaccag gaggacctcg gcccgc 456

```

<210> 314

<211> 477

<212> DNA

<213> Homo sapiens

<400> 314

```

tgcgtgggct tctggaagcc tggatctgga atcattcacc agattattct ggaaaactat 60
gcgtaccctg gtgttcttct gattggcact gactcccaca ccccaatgg tggcgccctt 120
gggggcatct gcattggagt tgggggtgac gatgctgtgg atgtcatggc tgggatcccc 180
tgggagctga agtgcccca ggtgattggc gtgaagctga cgggctctct ctccgggttg 240
tcctcaccca aagatgtgat cctgaagggt gcaggcatcc tcacgggtgaa aggtggcaca 300
gggtgcaatc tggaaatcca cgggcctggg gtagactcca tctcctgcac tggcatggcg 360
acaatctgca acatgggtgc agaaattggg gccaccactt ccgtgttccc ttacaaccac 420

```

aggatgaaga agtatctgag caagaccggc cgggaagaca ttgccaatct agctgat 477

<210> 315
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 315
 cagggtactgg atgtcaggtc tgcgaaactt cttanatttt gacctcagtc cataaaccac 60
 actatcacct cggccatcat atgtgtctac tgtggggaca actggagtga aaacttcggg 120
 tgetgcaggc ccgtgggaaa atcagtgacc agttcatcag attcatcaga atggtgagac 180
 tcatcagact ggtgagaatc atcagtgatc tctacatcat cagagtcgtt cgagtcaatg 240
 g 241

<210> 316
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 316
 nttntgtgat agtgtgggtt atggactgag gncaaaatnt aagaagtttc gcagacctga 60
 catccaancc tgcccngcgc gncgctcgaa agnncgaatt ctgcagatat ccatcacact 120
 ggcggccgct cgagcatgca tctagagggc ccaattcgcc ctatantgag tnatattaca 180
 attcactggc cgtcnnttta caacgtcgtg actgggaaaa ccttggcgtt acccaactta 240
 a 241

<210> 317
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 317
 aggtaccctg ctcanagacc tggngcctg ggttgtctcc ttgtccatcc actgggtccat 60
 tctgtctgac atttttttgt tctctttttg gaggttccac tttgggtttg ggctttgaaa 120
 ttatagggct acaantacct cggccgaaac cacnctaagg gcgaattctg cagatatcca 180
 tcacactggc ggnccgctga gcatgcatct agagggccca attcgcccta tagtgagtcg 240
 t 241

<210> 318
 <211> 241

<212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 318
 cgngnacaan ntacattgat gganggtntg nggntctgan tntttantta cantggagca 60
 ttaatatattt cttnaacgtn cctcaccttc ctgaantaaa nactctgggt tgtagcgctc 120
 tgtgctnana accacntnaa ctttacatcc ctcttttgga ttaatccact gcgcggccac 180
 ctctgccgcg accacgctaa gggcnaattc tgcagatata catcacactg gcggccgctc 240
 n 241

<210> 319
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 319
 caggtagtga tcgggtgcgtg gaantccagc caccantntt gattcgattc cacagtgate 60
 ctgtcctctg agtatatttaa agaagccatt gtcaccccag tcagtgttcc aggagtggc 120
 aaccagccag taggggtgtgc cattctccac tccccagccc aggatgcgga tggcatggcc 180
 acccatcatt tctccggtga cgtgttggtg cctcggccgc gaccacgcta agggcggaatt 240
 c 241

<210> 320
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 320
 ggcaggtagc aacagagctt agtaatntct aaaaagaaaa aatgatcttt ttccgacttc 60
 taaacaagtg actatactag cataaatcat tctagtaaaa cagctaaggc atagacattc 120
 taataatttg ggaaaaccta tgattacaag tgaaaactca gaaatgcaaa gatgttggtt 180
 ttttgtttct cagtctgctt tagcttttaa ctctnnnaan cncatgcaca cttgnaactc 240
 t 241

<210> 321
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>

<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 321
angtaccaac agagcttagt aattntntaaa aagaaaaaat gatctttttc cgactttctaa 60
acaagtgact atactagcat aaatcattct agtaaaacag ctaagggtata gacatttctaa 120
taatttgagg aaacctatga ttacaagtga aaactcagaa atgcaaagat gttgggtttt 180
tgttttctcag tctgcttttag cttttaactc tggaagcgca tgcacacntg aactctgctc 240
a 241

<210> 322
<211> 241
<212> DNA
<213> Homo sapiens

<400> 322
ggtaccaaca gagcttagta atttctaaaa agaaaaaatg atctttttcc gactttctaaa 60
caagtgacta tactagcata aatcattctt ctagtaaaac agctaaggta tagacattct 120
aataatttgg gaaaacctat gattacaagt aaaaactcag aaatgcaaag atgttggttt 180
tttggtttctc agtctgcttt agcttttaac tctggaagcg catgcacact gaactctgct 240
c 241

<210> 323
<211> 241
<212> DNA
<213> Homo sapiens

<400> 323
cgagggtactg tcgtatcctc agccttggtc tatttcttta ttttagcttt acagagatta 60
ggtctcaagt tatgagaatc tccatggctt tcaggggcta aacttttctg ccattctttt 120
gctcttaccg ggctcagaag gacatgtcag gtgggatacg tgtttctctt tcagagctga 180
agaaaggggc tgagctgcgg aatcagtaga gaaagccttg gtctcagtga ctcttgggt 240
t 241

<210> 324
<211> 241
<212> DNA
<213> Homo sapiens

<400> 324
aggtactgtc gtatcctcag ccttggttcta tttctttatt ttagctttac agagattagg 60
tctcaagtta tgagaatctc catggctttc aggggctaaa cttttctgcc attcttttgc 120
tcttaccggg ctcaagaagg catgtcaggt gggatacgtg tttctctttc agagctgaag 180
aaaggggtctg agctgcggaa tcagtagaga aagccttggt ctcaagtga ccttggcttt 240
c 241

<210> 325
<211> 241
<212> DNA
<213> Homo sapiens

<400> 325
ggcaggtaca tttgttttgc ccagccatca ctcttttttg tgaggagcct aaatacatc 60
ttcctggggc ccagagtccc cattcaaggc agtcaagtta agacactaac ttggcccttt 120

cctgatggaa atatttcctc catagcagaa gttgtgttct gacaagactg agagagttac 180
atgttgggaa aaaaaaagaa gcattaactt agtagaactg aaccaggagc attaagttct 240
g 241

<210> 326

<211> 241

<212> DNA

<213> Homo sapiens

<400> 326

gcaggtagac ttgttttgcc cagccatcac tcttttttgt gaggagccta aatacattct 60
tcctgggggc cagagtcccc attcaaggca gtcaagttaa gacactaact tggccctttc 120
ctgatggaaa tatttcctcc atagcagaag ttgtgttctg acaagactga gagagttaca 180
tggtgggaaa aaaaagaagc attaaacttag tagaactgat ccaggagcat taagttctga 240
a 241

<210> 327

<211> 241

<212> DNA

<213> Homo sapiens

<400> 327

ggtaccagac caagtgaatg cgacagggaa ttatttcctg tggtgataat tcatgaagta 60
gaacagtata atcaaaatca attgtatcat cattagtttt ccaactgcctc acactagtga 120
gctgtgccaa gtagtagtgt gacacctgtg ttgtcatttc ccacatcacg taagagcttc 180
caaggaaagc caaatcccag atgagtctca gagagggatc aatatgtcca tgattatcag 240
g 241

<210> 328

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 328

ggtacnagac caaatgaang ccacagggaa ttatttcctg tggtgataat tcatgaagta 60
gaacantata atcaaaatca attgtatcat cattagtttt ccaactgcctc acactagtga 120
gctgtgccaa gtagtagtgt gacacctgtg ttgtcatttc ccacatcacg taagagcttc 180
caaggaaagc caaatcccag atgagtctca gagagggatc aatatgtcca tnatcatcan 240
g 241

<210> 329

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

100

<400> 329
ttcagggtcga gttgggtgca gatttgtggt gcnttctgag cegtctgtcc tgcgccaaaa 60
ngcttcaaag tattattaaa aacatatgga tcccatgaa gccctactac accaaagt 120
accaggagat ttggatagga atggggctga tgggcttcac cgtttataaa atccgggctg 180
ctgataagaa gtaaggcttt gaaagcttca gcgcctgctn ctggtcanna ctaaccatan 240
n 241

<210> 330
<211> 241
<212> DNA
<213> Homo sapiens

<400> 330
ttttgtgcag atttgtggtg cgttctgagc cgtctgtcct gcgccaaagat gcttcaaagt 60
attattaaaa acatatggat ccccatgaag ccctactaca ccaaagt 120
tgataggaa tggggctgat gggcttcac gtttataaaa tccgggctgc tgataaaaga 180
agtaaggctt tgaaagcttc agcgctgct cctggctac actaaccaga ttacttgga 240
g 241

<210> 331
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 331
nttttaggna ctttgggctc cagacttcac tggctctagg nattgaaacc atcacctggn 60
ntgcattcct catgactgag gttaacttaa aacaaaaatg gtaggaaagc tttcctatnc 120
ttcnggtaag anacaaatnt nctttaaaaa aangtggaag gcatgacnta cgtgagaact 180
gcacaaactg gccactgaca aaaatgaccc ccatttgtgt gacttcattg agacacatta 240
c 241

<210> 332
<211> 241
<212> DNA
<213> Homo sapiens

<400> 332
tgtgaggaga gggaacatgc tgagaaactg atgaagctgc agaaccaacg aggtggccga 60
atcttccttc aggatatcaa gaaaccagac tgtgatgact gggagagcgg gctgaatgca 120
atggagtgtg cattacattt ggaaaaaat gtgaatcagt cactactgga actgcacaaa 180
ctggccactg acaaaaatga ccccatcttg tgtgacttca ttgagacaca ttacctgaat 240
g 241

<210> 333
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature

$\langle 222 \rangle \quad (1) \dots (241)$

<223> n = A, T, C or G

<400> 333

cagggtacaag	ctttttttttt	ttttttttttt	ttttttttttt	ttgnaaatatc	tntttattgn	60
aaatatctta	tcctaaattc	catatagcca	attaattntt	acanaatntt	ttgttaattt	120
ttgngngtat	aaatttttaca	aaaataaagg	gtatgtttgt	tgcacacaac	ttacaaaataa	180
taataaaactn	tttattgnaa	atattnttta	ttgnaaatat	tctttatcct	aaattccata	240
t						241

<210> 334

<211> 241

<212> DNA

<213> Homo sapiens

<220>

```
<221> misc_feature
```

 $\langle 222 \rangle \quad (1) \dots (241)$

<223> n = A, T, C or G

<400> 334

tacctgctgn	aggggntgaa	gncntctctg	ctgccccagg	catctgcanc	ccctgctgct	60
ggttctgccc	ctgctgcagc	agaggagaag	aaagatgaga	agaaggagga	gtctgaagag	120
tcagatgatg	acatgggatt	tggccttttt	gattaaannc	ctgctccctt	gcaaataaag	180
cctttttaca	caaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aagcttgtag	ctgcccnngc	240
g						241

<210> 335

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

$$\langle 222 \rangle \quad (1) \dots (241)$$

<223> n = A, T, C or G

<400> 335

ctatgtgctg	ggatgaclat	ggagacccaa	atgtctcana	atgtatgtcc	cagaaacctg	60
tggctgcttc	aaccattgac	agttttgctg	ctgctggctt	ctgcagacag	tcaagctgca	120
gctcccccaa	aggctgtgct	gaaacttgag	cccccgagg	tcaacgtgct	ccaggaggac	180
tctgtgactc	tgacatgcc	gggggctcgc	agccctgaga	gcgactccat	tcagtgggtc	240
c						241

<210> 336

<211> 241

<212> DNA

<213> Homo sapiens

<400> 336

taccaaccta	tgcagccaag	caacctcagc	agttcccatc	aaggccacct	ccaccacaac	60
cgaaagtatc	atctcagggg	aacttaattc	ctgcccgctc	tgtctctgca	cctcctttat	120
atagttccct	cacttgattt	ttttaacctt	ctttttgcaa	atgtcttcag	ggaactgagc	180
tataactttt	ttttttcttg	atgttttctt	gaaaagcctt	tctgttgcaa	ctatgaatga	240
a						241

102

<210> 337
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 337
ggtactgtat gtagctgcac tacaacagat tcttaccgtc tccacanagg tcatanattg 60
taaataggtna atactgactt tttttttatt cccttgactc aagacagcta acttcatttt 120
cagaactggt ttaaaccctt gtgtgctggt ttataaaata atgtgtgtaa tccttggtgc 180
tttcttgata ccagactggt tcccgtggtt ggtagaata tattttgntt tgatgcttat 240
a 241

<210> 338
<211> 241
<212> DNA
<213> Homo sapiens

<400> 338
aggtacaggt gtgcgctgag ccgagtttac acggaaagga taaagcccat ttagttttctt 60
ctcaaatagga gttttccact ttcttttgaa gtagacagca ttcaccagga tcatcctggt 120
atccccatct acagaacctt caggtaacaa gtttgggatt ttgcctttgg tttaggtctt 180
gacccaggaa ttaattcttt ttctagcttc ttctgcacat tctaggaagt ctactgcctg 240
g 241

<210> 339
<211> 241
<212> DNA
<213> Homo sapiens

<400> 339
taccgacggc tcctggaggg agagagtga gggacacggg aagaatcaaa gtcgagcatg 60
aaagtgtctg caactccaaa gatcaaggcc ataaccagg agaccatcaa cggaagatta 120
gttctttgtc aagtgaatga aatccaaaag cacgcatgag accaatgaaa gtttccgcct 180
gttgtaaaat ctattttccc ccaaggaaa gtccttgaca gacaccagtg agtgagttct 240
a 241

<210> 340
<211> 241
<212> DNA
<213> Homo sapiens

<400> 340
gtagccctca cacacacatg cccgtaacag gatttatcac aagacacgcc tgcattgtaga 60
ccagacacag ggcgtatgga aagcacgtcc tcaagactgt agtattccag atgagctgca 120
gatgcttacc taccacggcc gtctccacca gaaaaccatc gccaaactct gcgacagct 180
tgtgacttac aaacctgtt taaaagctgc ttacatggac ttctgtcctt taaaagcttc 240
c 241

<210> 341

<211> 241
<212> DNA
<213> Homo sapiens

<400> 341
gtaccgccta ctttcgtctc atgtctccga acttcttgct gatggccgtt ccaacgttgc 60
tgaaagctgc agttgccttt tgccctgcgt gactcagggg ttcattgtgt ttcttgtagg 120
cagtggtagt ctgcatgtca tgccagcttt tgctgaagtt ctgttttaat tcattcatca 180
ggttcatgcc gagttttgtt ttatctcaac tagatgcctt tctttcgctg acaaaacttg 240
t 241

<210> 342
<211> 241
<212> DNA
<213> Homo sapiens

<400> 342
gtacattggg gctataaata taaatgctac ttatgaagca tgaaattaag cttctttttt 60
cttcaagttt tttctcttgt ctagcaatct gttaggcttc tgaaccaaga ccaaatgttt 120
acgttcctct gctgcatacc aacgttactc caaacaataa aaatctatca tttctgctct 180
gtgctgagga atggaaaatg aaacccccac cccctgaccc ctaggactat acagtggaaa 240
c 241

<210> 343
<211> 241
<212> DNA
<213> Homo sapiens

<400> 343
gtacatgtgg tagcagtaat ttttttgaag caactgcact gacattcatt tgagttttct 60
ctcattatca gattctgttc caaacaagta ttctgtagat ccaaatggat taccagtgtg 120
ctacagactt cttattatag aacagcattc tattctacat caaaaatagt ttgtgtaagt 180
tagttttggg taccatctaa aatattttta aatgttcttt acataaaaat ttatgttgtg 240
t 241

<210> 344
<211> 241
<212> DNA
<213> Homo sapiens

<400> 344
ggtacaaaat tggtggaatt tagctaatag aaaaacatag taaatattta caaaaacgtt 60
gataacatta ctcaagtcac acacatataa caatgtagac aggtcttaac aaagtttaca 120
aattgaaatt atggagattt cccaaaatga atctaatagc tcattgctga gcatggttat 180
caatataaca tttaagatct tggatcaaat gttgtccccg agtcttctgc aatccagtc 240
t 241

<210> 345
<211> 241
<212> DNA
<213> Homo sapiens

<400> 345
ggtacgaagc tgagcgcacg ggggttgccc cagcgtggag cctggacctc aaacttcacg 60
gaaaatgctc tctctctttg acaggcttcc agctgtctcc taatttcttg gatgaactct 120

```

ccccggcgat ttaactgac ctgaaaagtg gtgagaggac tgaggaagac aaccagggtca 180
gcgttagatc ggctctgag ggtggtgccc ttgcctgagg agccaccctt taccaccttg 240
g                                                    241

```

<210> 346

<211> 241

<212> DNA

<213> Homo sapiens

<400> 346

```

caggtaccac tgagcctgag atgggggatga gggcagagag aggggagccc cctcttccac 60
tcagttgttc ctactcagac tgttgcactc taaacctagg gaggttgaag aatgagacct 120
ttaggtttta acacgaatcc tgacaccacc atctataggg tcccaacttg gttattgtag 180
gcaaccttcc ctctctcctt ggtgaagaac atcccaagcc agaaagaagt taactacagt 240
g                                                    241

```

<210> 347

<211> 241

<212> DNA

<213> Homo sapiens

<400> 347

```

aggtacatct aaaggcatga agcactcaat tgggcaatta acattagtgt ttgttctctg 60
atggtatctc tgagaataact ggttgtagga ctggccagta gtgccttcgg gactgggttc 120
acccccaggt ctgcggcagt tgtcacagcg ccagccccgc tggcctccaa agcatgtgca 180
ggagcaaattg gcaccgagat attccttctg ccaactgttct cctacgtggt atgtcttccc 240
a                                                    241

```

<210> 348

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 348

```

angtacttgg caagattnga tgctcttgng ctcantgaca tcattcataa cttgttngtg 60
tgancagagg aggagnncat catcntgtcc tcattcgtca gnnnctctc ctctctgaat 120
ctcaaacaag ttgataatgg agaaaaattt gaattctcag gattgaggct ggactgggtc 180
cgcctacang catacactag cgtggctaag gccctctctg accctgcatg anaacctga 240
c                                                    241

```

<210> 349

<211> 241

<212> DNA

<213> Homo sapiens

<400> 349

```

gcaggtacca tttgtctgac ctctgtaaaa aatgtgatcc tacagaagtg gagctggata 60
atcagatagt tactgctacc cagagcaata tctgtgatga agacagtgct acagagacct 120
gctacactta tgacagaaac aagtgtctaca cagctgtggt cccactcgta tatgggtggtg 180
agaccaaaaat ggtggaaaca gccttaaccc cagatgcctg ctatcctgac taatttaagt 240

```


c 241

<210> 350
<211> 241
<212> DNA
<213> Homo sapiens

<400> 350
agggtactgtg gatattttaa atatcacagt aacaagatca tgcttggtcc tacagtattg 60
cgggccagac acttaagtga aagcagaagt gtttgggtga ctttcctact taaaattttg 120
gtcatatcat ttcaaaacat ttgcatcttg gttggctgca tatgctttcc tattgatccc 180
aaaccaaata ttagaatcac ttcatTTAAA atactgagcg gtattgaata cttcgaagca 240
g 241

<210> 351
<211> 241
<212> DNA
<213> Homo sapiens

<400> 351
tacagaaatc atttggagcc gttttgagac agaagtagag gctctgtcaa gtcaatactg 60
cattgcagct tgggccactg aagaagccac gcctgagata caaaagatgc actacacttg 120
acccgcttta tgttcgcttc ctctccctt ctctctcatc aactttatta ggTtaaaaca 180
ccacatacag gctttctcca aatgactccc tatgtctggg gtttggttag aattttatgc 240
c 241

<210> 352
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 352
gtaccctgtn gagctgcacc aagattannt ggggccatca tgactgcanc cacnacgang 60
acgcaggcgt gnagtgcacg gtctgacccg gaaacccttt cacttctctg ctcccgaggt 120
gtcctcnggc tcatatgtgg gaaggcanan gatctctgan gagttncctg gggacaactg 180
ancagcctct ggagaggggc cattaataaa gctcaacatc attggcaaaa aaaaaaaaaa 240
a 241

<210> 353
<211> 241
<212> DNA
<213> Homo sapiens

<400> 353
agggtaccagt gcattaatTT gggcaaggaa agtgtcataa tttgatactg tatctgtttt 60
ccttcaaagt atagagcttt tggggaagga aagtattgaa ctgggggttg gtctggccta 120
ctgggctgac attaaactaca attatgggaa atgcaaaaagt tgtttgata tggtagtgtg 180
tggttctctt ttggaatttt tttcaggtga ttttaataata atttaaaaact actataaaaa 240
c 241

<210> 354
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 354
ngcagggtccg ggcagggtacc aagattcatt ctcatcaaaa actagaaaca gaagggcaaa 60
ttccagtttc cttctgggat tgaatacttt caagtaaggt cttcgacaaa caatcagggg 120
gccaatatga ccactgtaga ggtccttaac ttgatccaca gttgaataat aagcccatgg 180
aatacaagca gaatcctctg ttccagctcc agatctttct gggattttcc atacgtaagt 240
g 241

<210> 355
<211> 241
<212> DNA
<213> Homo sapiens

<400> 355
ggtacccacc ctaaatttga actcttatca agaggctgat gaatctgacc atcaaataag 60
ataggatgga cttttttttg agttcattgt ataaacaaat tttctgattt ggacttaatt 120
cccaaaggat taggtctact cctgctcatt cactctttca aagctctgtc cactctaact 180
tttctccagt gtcataagata gggaattgct cactgcgtgc ctatcttttc ttcacttacc 240
t 241

<210> 356
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 356
aggtactgta attgagcatc cggaatntgg agaagtaatt tagctacagg gtgaccaacg 60
caagaacata tgccagttcc tcgtagagat tggactggct aaggacgacg agctgaaggt 120
tcatgggttt taagtgtctg tggctcactg aagcttaagt gaggatttcc ttgcaatgag 180
tagaatttcc cttctctccc ttgtcacagg tttaaaaacc tcacagcttg tataatgtaa 240
c 241

<210> 357
<211> 241
<212> DNA
<213> Homo sapiens

<400> 357
ttttgtacca ccgatatgat caaggaaaat tctgcccatt tttatggctg aagttctaaa 60
aacctaattc aaagttcttc catgatccta cactgcctcc aagatgggtc aggctggcat 120
aaggcctgag cggcgggtgag atccgcgggt gccagcagct tgctgctctt cagctgggtat 180

107

gaagcccctc ggccacccga gtctccagga cctgcccggg cgccgctcga aagggcgaat 240
t 241

<210> 358
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 358
aggtacgggg agtgggggtg aagcntgttc tctacatagg caacacagcc gcctaantca 60
caaagtcagt ggtcggccgc ttcgaccaac atgtggtgag cattccacgg gcgcatgaag 120
tctgggtgct gtgctcgagt ctctgaatat tttgatagga agcgacaaga aaattcaaac 180
tgctctttgc tgactactgg aaagtgaaaa gatgctcaag ttaccattc aaagaaacca 240
t 241

<210> 359
<211> 241
<212> DNA
<213> Homo sapiens

<400> 359
gaggtacaca aaaggaatac cttctgagag ccagggagtg aggaaagggg aaggagactt 60
gacgtcaagg gtgcttttga ggaacatgac gggccagcca gcctgcccna actttgagggc 120
cctgctgggc tcttgtgact ataaatatac tgtctatttc taatgcaatc cgtctttcct 180
gaaagatctt gttatctttt actattgaga catgctttca tttttgtggc cctgtttcca 240
a 241

<210> 360
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 360
ngtactctat actaattctg cctttttata cttaattcta aatttctccc ctctaattta 60
caacaaattt tgtgattttt ataagaatct atgcctcccc aattctcaga ttcttctctt 120
ttctccttta tttctttgct taaattcagt ataagctttc ttggtatttt aggcttcag 180
cacattctta ttcctaaaca ccagcagttc ttcagagacc taaaatccag tataggaata 240
a 241

<210> 361
<211> 241
<212> DNA
<213> Homo sapiens

<400> 361

108

```

aggtactctc cgtgccccga cactgaacat tatccagcca gatctgccc gtgccagctc 60
ccactttgta cttttcttac tatcctgtct agaatcatgt cttatgattt taacagatat 120
agaaccactc ctagaaaatg ttctttcact ttctcgtttc ctttttaatc tatcatcctg 180
actactgaac ttaaaatctt tttcttcctt tttttgtttc tcttttcttt tatcctgttc 240
a                                                                 241

```

<210> 362

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 362

```

aggtactttt atacctngct tangtcagtg acagattttac caatgacaac acaatttttaa 60
aattccaaca catatattac ttgttcctat gaagggcaaa aagtcaatat attttaaatt 120
ttaaaaaacag aatggatata atgacctttt tacacatcag tgatatttaa aagacttaaa 180
gagacaatac tatggttgag acactggctt cctattccag ccctaattaa agaaaaaata 240
g                                                                 241

```

<210> 363

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 363

```

ttangtacta aaaacaaaat cctaattctg ttttaaagag ctgggagatg ttaatcatat 60
gctcagtttt tccacgttat aatttcctaa atgcaaactt ttcaatcagg gcagttcaaa 120
ttcattacat cacagtaaat aacagtagcc aactttgatt ttatgcttat aggaaaaaaaa 180
atcctgtaga tataaaaaaca gcaaattttg acaaataaaa ctcaaaccat tcatccctaa 240
a                                                                 241

```

<210> 364

<211> 241

<212> DNA

<213> Homo sapiens

<400> 364

```

ggtacaagca gttagtccctg aaggcccctg ataagaatgt catcttctcc ccactgagca 60
tctccaccgc cttggccttc ctgtctctgg gggcccataa taccaccctg acagagattc 120
tcaaaggcct caagttcaac ctcacggaga cttctgaggc agaaattcac cagagcttcc 180
agcacctcct gcgcaccctc aatcagtcca gcgatgagct gcagctgagt atgggaaatg 240
c                                                                 241

```

<210> 365

<211> 241

<212> DNA

<213> Homo sapiens

<400> 365

```
cgagggtactg agattacagg catgagccac cagccccggc caaaaacatt taaaaaatga 60
ctgtccctgc tcaaatactg cagtaggaaa tgtaatttga catatatcac ttccagaaaa 120
aaacttttaa tctttctata aaatgaattt gatacatcat cagcatgaag tgaagttaaa 180
atctcttaca aagtaaattc aggtatatca acaatgagat ccaaaagtat cggttcaaga 240
t                                                                 241
```

<210> 366

<211> 241

<212> DNA

<213> Homo sapiens

<400> 366

```
ggcaggtaca catcaaacac ttcattgcct aaatgcaggg acatgcttcc atctgaccac 60
ttgactatcc gagcattgct ttctttaatt tcatttcctt cttcatctcg gcgtatcctc 120
catcttatag tattttctac ctttaatttt aacctgggtc taccttcttc atccagcatt 180
tcttcatctt caaattcatc ttcataatac tgggctctac acttgagaaa gttgggcagt 240
t                                                                 241
```

<210> 367

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 367

```
gcaggtacaa ataattcctg ttgtnacatt tagtggacgc gattatctgt atacctcaaa 60
ttttaattta agaaagtatc acttaaagag catctcattt tctatagatt gaggcctaat 120
tactgaaaag tgactcaacc aaaaagcaca taacctttta aaggagctac acctaccgca 180
gaaagtcaga tgccctgtaa ataactttgg tctttcaaaa tagtggcaat gcttaagata 240
c                                                                 241
```

<210> 368

<211> 241

<212> DNA

<213> Homo sapiens

<400> 368

```
tttgtacatt gttaatagtg accctcggag gaaatggatt tctcttctat taaaaactct 60
atggtatata agcattacat aataatgcta cttaaccacc ttttgtctca agaattatca 120
ccaaagtttt ctggaaataa gtccacataa gaattaaata tttaaaaggt gaaatgttcc 180
ttatttttaac tttagcaaga tcttttcttt ttcattaaga aacactttaa taatttttaa 240
g                                                                 241
```

<210> 369

<211> 241

<212> DNA

<213> Homo sapiens

<400> 369
gcagggtactt tattcttatt tcttataccta tattctgtgt tacagaaaaa ctactaccat 60
aaacaaaaca ccaaccagcc acagcagttg tgtcaagcat gacaattggt ctagtcttca 120
cattttatta gtaagtctat caagtaagag atgaagggtc tagaaaacta gacacaaagc 180
aaccagggtc caaatcacca aggtagatct gtgcttagct aaagggaaac acccgaagat 240
t 241

<210> 370
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 370
ngttcacagt gcccctccgg cctcgccatg aggtctcttc tgtegtctcc ggtcctggtg 60
gtggttctgt cgatcgtctt ggaaggccca gcccagccc aggggacccc agacgtctcc 120
agtgccttgg ataagctgaa ggagtttggg aacacactgg aggacaaggc tcgggaactc 180
atcagccgca tcaaacagag tgaactttct gccaaagatgc gggagtgggt ttcagaagac 240
a 241

<210> 371
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 371
ggcagggtcat cttgagcctt gcacatgata ctcagattcc tcacccttgc ttaggagtaa 60
aacaatatac ttacaggggt gataataatc tccatagtta ttgaaagtgg cttgaaaaag 120
gcaagattga cttttatgac attggataaa atctacaaat cagccctcga gttattcaat 180
gataactgac aaactaaatt atttccttag aaaggaagat gaaaggnagt ggagtgtggt 240
t 241

<210> 372
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 372
aggtagagca aagcgaccct tggtnnata gatcagacgg aaattctctc ccgtcttgnc 60
aatgctgatg acatccatga atccagcagg gtagggtata tcagttcgga ccttgccatc 120
gattttaatg aaccgctgca tgcaaatctt ctttacttca tctcctgtca gggcataact 180

111

aagtctgttc ctcaggaaaa tgatgagggg gagacactct ctcaacttgt ggggaccggt 240
g 241

<210> 373
<211> 241
<212> DNA
<213> Homo sapiens

<400> 373
tactgaaaca gaaaaaatgt attcccacaa aagctgttac acagcggttt cccgtcccca 60
gaagcagtag aaaatcttag cattccaatg gaaggcatgt atttgtaaaa tattctaaaa 120
tcagctctat agtttccttg tctcttttga taagggatca gacagagggt gtgtcccccct 180
tcagcagcta cccttcttga caaactgggtc tocaataata cctttcagaa acttacaaga 240
c 241

<210> 374
<211> 241
<212> DNA
<213> Homo sapiens

<400> 374
caggactactaa aacttacaat aaatatcaga gaagccgtta gtttttacag catcgtctgc 60
ttaaaagcta agttgaccag gtgcataatt tcccatcagt ctgtccttgt agtaggcagg 120
gcaatttctg ttttcatgat cgggaatactc aaatatatcc aaacatcttt ttaaaacttt 180
gatttatagc tccctagaaag ttatgttttt taatagtcac tctactctaa tcaggcctag 240
c 241

<210> 375
<211> 241
<212> DNA
<213> Homo sapiens

<400> 375
aggtacaaaag gaccagtatc cctacctgaa gtctgtgtgt gagatggcag agaacggtgt 60
gaagaccatc acctccgtgg ccctgaccag tgctctgccc atcatccaga agctagagcc 120
gcaaattgca gttgccaata cctatgcctg taaggggcta gacaggattg aggagagact 180
gcctattctg aatcagccat caactcagat tgttgccaat gccaaaggcg ctgtgactgg 240
g 241

<210> 376
<211> 241
<212> DNA
<213> Homo sapiens

<400> 376
ggtacatttt actttccttc tttcagaatg ctaataaaaa acttttgttt atacttaaaa 60
aaaccataaa tcagacaaac aaaagaaacg attccaacat cacttctgtg atgagaaaaa 120
aggcaatgga attcaacata agcaaagaaa actctacctg gaggaagaa atcgatcagc 180
gaagaaacaa ctgggggctg ctgccagact gcaggccatg cgaggaggag cctcctagag 240
g 241

<210> 377
<211> 241
<212> DNA
<213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 377
 tcctttctgt ccaggtgatt cacagactag acctttctta tcctcctcct agagttttga 60
 cttgggactc tagtgtaag atgatgagcc cgtgcatcag gtccttctgc accttggtgg 120
 aagtctccca gggtaggttt cctatttgaa acagtggaa catgtttcca gtgataaagt 180
 ttaatgacct catccttttt tttttttttc tcactcgcca tttgtgtgtc ttanatgggt 240
 t 241

<210> 378
 <211> 241
 <212> DNA
 <213> Homo sapiens

<400> 378
 aggtcagcga tcaggtcctt tatgggcagc tgctgggcag cccacaagc ccagggccag 60
 ggcactatct ccgctgcgac tccactcagc ccctcttggc gggcctcacc ccagcccca 120
 agtcctatga gaacctctgg ttccaggcca gcccttggg gaccctggta accccagccc 180
 caagccagga ggacgactgt gtctttgggc cactgctcaa cttccccctc ctgcagggga 240
 t 241

<210> 379
 <211> 241
 <212> DNA
 <213> Homo sapiens

<400> 379
 tacggagcaa tcgaagaggc atatccacac ttgggggtggc tataagggtg gaaaatgctg 60
 aagatgactg ctttctactga ggtcaaggat tgtaatatg ccagctttgt aaagccatta 120
 aagcagaagt ttcttcagt atcttctctc taagaaacac catcacctcc atgtgcctta 180
 cagaggcccc ctgcgttctg ctgcattgct tttgcgcaat cccttgatga tgaagatggg 240
 c 241

<210> 380
 <211> 241
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <222> (1)...(241)
 <223> n = A,T,C or G

<400> 380
 acgtacacgc agaccgacat gggnnnttca ggcntnagat caaactcaaa acctgnaatg 60
 atatccactc tctttttctt aagctcagg aaatattcca agtagaagtc canaaagtca 120
 tcggctaana tgcttcngaa tttgaattca tgcacatagg ccttgaaaaa actgtcaaac 180
 tgannctgat caccaccaa gtgggcctn tatgacacaa agcagaaacc tttctcntan 240
 g 241

<210> 381

113

<211> 241
<212> DNA
<213> Homo sapiens

<400> 381
aggtacaact taatggatta gcttttgggt ttaactgaat atatgaagaa attgggtctg 60
tctaaagaga gggatatttca tatggctttt agttcacttg tttgtatttc atcttgattt 120
ttttcttttg aaaataaagc attctatttg gttcagattt ctcagatttg aaaaaggctc 180
tatctcagat gtagtaaatt atttcctttc agtttgtgaa agcaggattt gactctgaaa 240
g 241

<210> 382
<211> 241
<212> DNA
<213> Homo sapiens

<400> 382
gtactgctat aatcaatacg tctgatagac aggtttatcc actatattga ccctacctct 60
aaaaggattg tcataattta tatgctttat gtttacacct atgatacagt tgccttggaa 120
cacaaaattt ttcattgtaa ttaaaaaaag aagagttgtg cagacagaag aaatcaaadc 180
taagaaaadc acaggagtag ataaatactc tagaattcat atacccttgg aagatgggtt 240
t 241

<210> 383
<211> 241
<212> DNA
<213> Homo sapiens

<400> 383
ggcaggtaca aagtcttctc tttgcttttt ataattttaa agcaaataac acattttaact 60
gtatttaagt ctgtgcaaat aatccttcag aagaaatadc caagattctg tttgcagagg 120
tcattttgtc tctcaaagat gattaaatga gttctgtctc agataaagtg ctctgtcca 180
gcagaactca aaaggccttc aagctgttca gtaagtgtag ttcagataag actccgtcat 240
a 241

<210> 384
<211> 241
<212> DNA
<213> Homo sapiens

<400> 384
ggtacacaaa atacacttgc aagcttgctt acagagacct gttaaacaaa gaacagacag 60
attctataaa atcagttata tcaacatata aaggagtgtg attttcagtt tgttttttta 120
agtaaataatg accaaactga ctaaataaga aggcaaaaca aaaaattatg cttccttgac 180
aaggcctttg gagtaaacia aatgctttta ggctcctggt gaatgggggt gcaaggatga 240
a 241

<210> 385
<211> 241
<212> DNA
<213> Homo sapiens

<400> 385
ggcaggtcta caatggctct gtcccttctg tggaatcggt acaccaagag gtctcagtc 60
tggtccctga cccacagtg agctgtttag atgaccttc acatcttctt gatcaactgg 120

114

aagacactcc aatcctcagt gaagactctc tggagccctt caactctctg gcaccaggta 180
ggtttggagg ctatgtccct ttaacttatc catgcagagt agccaaactt tacctgaaag 240
a 241

<210> 386

<211> 241

<212> DNA

<213> Homo sapiens

<400> 386

aggtaccttt ttcctctcca aaggaacagt ttctaaagtt ttctgggggg aaaaaaact 60
tacatcaaatt ttaaaccata tggtaaactg catattagtt gtgttacacc aaaaaattgc 120
ctcagctgat ctacacaagt ttcaaagtca ttaatgcttg atataaattt actcaacatt 180
aaattatctt aaattattaa ttaaaaaaaaa aactttctaa gggaaaaata aacaaatgta 240
g 241

<210> 387

<211> 241

<212> DNA

<213> Homo sapiens

<400> 387

acccactgg ccgctgtgga gtatctccac tctcccctcg tgagggccgc tcccaccgac 60
cagtcgaact ttcgtaaagt gagttaatgt gtttccactc cccctttccc ctttctggcc 120
ttttgggtcca gaatttcctg gccttcgggc atatcctggg agtcctcgac ttccagyaaa 180
gccaattgct ccccgatcac ctttaagacc cggaggacct attggacctg gaaatcctcg 240
t 241

<210> 388

<211> 241

<212> DNA

<213> Homo sapiens

<400> 388

tttgtactct tgtccacagc agagacattg agtataccat tggcatcaat gtcaaaagt 60
acttcaatct gaggaacacc tcggggtgca ggaggtatgc ctgtgagttc aaacttgcca 120
agcaggttgt tatcctttgt catggcacgc tcgccttcat aaacctgaat aagtacacca 180
ggctggttgt cagaataggt agtgaaggct tgtgtctgct tggtaggaat ggtggtatta 240
c 241

<210> 389

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 389

tacctntggt agtgagcacc ttgtcttntg tgcttatntc ttnaagataa atacatggaa 60
ggatgtgaaa atcggaacac caactatgtg tctcactgca tctaagttaa gcagccacag 120
ctgtgagagt tttcaaagca gaaagatgct gatgtgacct ctggaattca gacatactga 180
gctatgggtc agaagtgttt tacttaaaaa gcaaacaatc cccaggaaat actgaatagg 240

a 241

<210> 390
<211> 241
<212> DNA
<213> Homo sapiens

<400> 390
gcaggtacat ccacatgttc ctccaaatga cgtttggggt cctgcttgcc aacattcttt 60
attgccagct gttcaggtgt catcttatct tcttcttcta cagccttatt gtaattcttg 120
gctaattcca acatctcttt taccactgat tcattgcgtt tacaatgttc actgtagtcc 180
tgaagtgtca aaccttccat ccaactcttc ttatgcaa ttagcaacat cttctgttcc 240
a 241

<210> 391
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 391
cnngcacaan ctntgtttt tnntnttttt tttttttttn tctttatttn tttttantnt 60
taaaaaaaa nnntannnaa annnggggtt aaatnctntn nncagancat taaaactgaa 120
ggggaaaaaa aaacccaaaa cgagcttntt anttnacttg ggnttggggn gntgctgatn 180
tnaagaagca anntttanan cnngcnnnat ganngagnn tcannttgaa atttnnacc 240
t 241

<210> 392
<211> 241
<212> DNA
<213> Homo sapiens

<400> 392
gaggtactaa atggtatcct tagattaaaa ttttgtgctt gataacagct gttttttcta 60
cattagaaat aagatgccac acaaggaact acattccaga tttaaagaaa tgaaaggata 120
ccattagtgt gtataacaga ttattgttca tacttgtaaa gcattcttatg tcattgagaa 180
tataaagaac agtgccttag aagacagtga aaggtaagct ctagcttaat gtctatgatt 240
t 241

<210> 393
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 393
ggcaggtaca taagcataat cagttatgga cagcttcttg tataaattgc tattcancaa 60

116

tacataaaact gcctnaaaga tttatgctta caggtagaca ttcaatttac caataaaaaca 120
gcatgttctg aaaatatggg cacattttta aacatattaa gacagttctg ttaaccataa 180
tagtcccaca gtatgactga gtaataagaa tctacttcaa aagnaaaaaa aaaattaatc 240
a 241

<210> 394

<211> 241

<212> DNA

<213> Homo sapiens

<400> 394

aggtacagca gcagtagatg gctgcaacaa ctttcctcct accccagccc agaaaatatt 60
tctgccccac cccaggatcc gggacccaaa taaagagcaa gcaggcccc ttcactgagg 120
tgctgggtag ggctcagtgc cacattactg tgctttgaga aagaggaagg ggatttggtt 180
ggcactttta aatatagagga gtaagcagga ctggagaggc cagagaagat accaaaattg 240
g 241

<210> 395

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 395

nggcnggnnc caanatatga aatntnanta tnatacatga tnaaaagctt tatntatttt 60
agtgagtaat taagttttaca ctgtgaataa ggattaattc ccagatgacc atctacagtt 120
actaccacat agaggggtata cacggatgga tcgattacaa gaatataaaa cttatttttc 180
ttcctgtatc cacattttct tgcaatgtga atttgcaggc cctctcaaga agtggagtct 240
a 241

<210> 396

<211> 241

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 396

gaggtacacc ttgaatgaca atgctnggag cccccctgtg gtcacgacg cctccactgc 60
cattgatgca ccatccaacc tgcgtttcct ggccaccaca cccaattcct tgctgggtatc 120
atggcagccg ccacgtgccg ggattaccgg ctacatcatc aagtatgaga agcctgggtc 180
tctctccaga gaagtgttcc ctcggtcccg ccctgggtgtc acagaggcta ctattactgg 240
c 241

<210> 397

<211> 241

<212> DNA

<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 397
ggcaggtacc agcaggggga tgtgtttctg ggggaattgtg gctctggaag cttcacgggt 60
tcccagaatg tggaaaatat atctgtgcan gatagaaatc ctgcccagag gctgtttctg 120
tctcatttga gctctccttc atgtggcaga gctgactgtg gcggtttagg agcctacatt 180
ttagaaaagc ttacctcaaa gttctgcatt gagcctgagc actggaaagg agataaaata 240
a 241

<210> 398
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 398
gangtgacca ngacatcacc tnacacntgg aaagcganga nttgaatggt gcntacaang 60
ccntaccnt tgcccannac ctgaacgcgc cttntgattg ggacagccgt ggggaaggaca 120
gttatgaaac nantcanctg gatgaccana gtgntgaaac cnacanncac angcnntcna 180
cattatataa ncggaaagct aatgatgaga gcaatgatca ttccgatgtn attgatagtc 240
a 241

<210> 399
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 399
cagagtgaga tgggagtggg agggccaatc tgatacagaa ggggggtgaag ggtagggccc 60
ctgagcagcc cacccttac cctgacgaag gcaatcctcc tctggaatgt ctcttccttc 120
ttcagtctgg gttctgcctc agccacgaac tgggaaggag tgaggaacat cccaacggca 180
atgagagtat ccagtgact ccaaacagga angaatcagt gttcanaaag tcagggccct 240
t 241

<210> 400
<211> 241
<212> DNA
<213> Homo sapiens

<400> 400
ggtagctctg ctcttttagc tagagtgtat gtgaaaataa agaaatacat cattgtattc 60
acaaccatgt gtcttcattt ataacttttt gtttaaaaaa tttttagttc aagtttagtt 120

118

cattgatatt atcctctgaa tgcagttaag gctgggcaga aattctactc atgtgacatc 180
tgccacaggt ctattttgaa gcttttcttc taatgggcaa tgtttgtcct taccaggatt 240
t 241

<210> 401
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 401
nncaggtact ttgtagagca gagagaggct ttggttcctc ctttcttcaa tcacgtggag 60
atgtgtcatc acctgggatt tcctctgggc cgccttttct gggccaacag ccaacacatg 120
ctggtaatga cggatgggat gtaagcgatc tttgttctca gcacggacat aacgccgtaa 180
ggcctggaga atgcgatgag gccgtggcgg gtcagactgc aaggcagcca ggtagtcttc 240
c 241

<210> 402
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 402
ggcaggtcca aaaaaaacct aaaaanngtt tcaggaatgt agagaaatat ccaacttaaa 60
tagcgaaaaa gtgcaccata attactgctg cactgcagtc atttctgcaa ttcccatgtt 120
tcttaaataa ctatcttgtc agataacaca caatataaag agcaattatg aaaaacagac 180
atttacatat acttctaaag tcttattggg aatatcctgt ttggccattg ggataaccaa 240
t 241

<210> 403
<211> 241
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 403
aggtgttaac taccgctcc gagacgggat tgatgacgag tcctatgang ccattttcaa 60
gccggtcatg tccaaagtaa tggagatgtt ccagcctagt gcggtggtct tacagtgtgg 120
ctcagactcc ctatctgggg atcggttagg ttgcttcaat ctaactatca aaggacacgc 180
caagtgtgtg gaatttgtca agagctttaa cctgcctatg ctgatgctgg gaggcggtgg 240
t 241

<210> 404
 <211> 241
 <212> DNA
 <213> Homo sapiens

<400> 404
 cagggtactgc aaccataaaa atactgtttc ctcatatttc accttcctta atttgaggatt 60
 ttctgtcttc ttttcacggc attcaaagta ggaataaact ttgcttgtgt tgggtggata 120
 ttgtttatag tgagtaacct tgtaggagtc ggtggccagg aggatgttga actcggcttc 180
 tgccgcagga ttcattctcg gccggaggac aaggggcccg cgcgcgcga gctccctgac 240
 c 241

<210> 405
 <211> 266
 <212> DNA
 <213> Homo sapiens

<400> 405
 ttctgggctg gggagtggag agaaagaagt tgcagggctt acaggaaatc ccagagcctg 60
 aggttttctc ccagatttga gaactctaga ttctgcatca ttatctttga gtctatattc 120
 tcttgggctg taagaagatg aggaatgtaa taggtctgcc ccaagccttt catgccttct 180
 gtaccaagct tgtttccttg tgcattcctc ccaggctctg gctgcccctt attggagaat 240
 gtgatttcca agacaatcaa tccaca 266

<210> 406
 <211> 231
 <212> DNA
 <213> Homo sapiens

<400> 406
 ttggtgaaga accattcctc ggcatccttg cggttcttct ctgccatctt ctcatactgg 60
 tcacgcattc cgttcagaat gcggctcagg tccacgccag gtgcagcgtc catctccaca 120
 ttgacattc caccacctg gcctctcagg gcattcatct cctcctcgtg gttcttcttc 180
 aggtaggcca gtcctcctt caggctctca atctgcatct ccaggtcagc t 231

<210> 407
 <211> 266
 <212> DNA
 <213> Homo sapiens

<400> 407
 cagcatcatt gtttataatc agaaactctg gtccttctgt ctggtggcac ttagagtctt 60
 ttgtgccata atgcagcagt atggagggag gattttatgg agaaatgggg atagtcttca 120
 tgaccacaaa taaataaagg aaaactaagc tgcattgttg gttttgaaaa gggtattata 180
 cttcttaaca attctttttt tcagggactt ttctagctgt atgactgtta cttgaccttc 240
 tttgaaaagc attcccaaaa tgctct 266

<210> 408
 <211> 261
 <212> DNA
 <213> Homo sapiens

<400> 408
 ctgtgtcagc gagcctcggg aactgattt ccgatcaaaa gaatcatcat ctttaccttg 60
 acttttcagg gaattactga actttcttct cagaagatag ggcacagcca ttgccttggc 120

120

ctcacttgaa ggggtetgcat ttgggtcctc tgggtctcttg ccaagtttcc cagccactcg 180
agggagtaat atctggaggg caaagaagag acttatgtta ttgttgaacc tccagccaca 240
gggaggagca tgggcatggg t 261

<210> 409
<211> 266
<212> DNA
<213> Homo sapiens

<400> 409
gctgacagta atacactgcc acatcttcag cctgcaggct gctgatgggtg agagtgaaat 60
ctgtcccaga cccgctgcca ctgaatcggg cagggatccc ggattcccgg gtagatgccc 120
agtaaattgag cagtttagga ggctgtcctg gtttctgctg gtaccaagct aagtagttct 180
tattgtttga gctgtctaaa acactctggc tgggtcttgca gttgatgggtg gccctctcgc 240
ccagagacac agccagggag tgtgga 266

<210> 410
<211> 181
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 410
caaaaggtnc tttttgntca aaancnattt ttattccttg atatttttct tttttttttt 60
tttgnggatg gggacttggt aatttttcta aagggggnnnn ttnannnngg aagaaaaccn 120
ngntccggtt ccagccaaac cngtngctna ctttccacct tntttccacc tccctcnggt 180
t 181

<210> 411
<211> 261
<212> DNA
<213> Homo sapiens

<400> 411
gcccctgcag tacttggccg atgtggacac ctctgatgag gaaagcatcc ggggtcacgt 60
gatggcctcc caccattcca agcggagagg cggggcgtct tctgagagtc aggggtctagg 120
tgctggagtg cgcacggagg ccgatgtaga ggaggaggcc ctgaggagga agctggagga 180
gctggccagc aacgtcagt accaggagac ctctgccgag gaggaggaag ccaaggacga 240
aaaggcagag cccaacaggg a 261

<210> 412
<211> 171
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(241)
<223> n = A,T,C or G

<400> 412

121

```

ntttnttctt tacaattcag tcttcaacaa cttgagagct ttcttcatgt tgncaagcaa 60
cagagctgta tctgcaggnt cgtaagcata nagacngttt gaatatcttc cagngataatc 120
ggctctaact gncagagatg ggtcaacaaa cataatcctg gggacatact g 171

```

<210> 413

<211> 266

<212> DNA

<213> Homo sapiens

<400> 413

```

ttaggaccaa agatagcatc aactgtatct gaaggaactg tagtttgcgc attttatgac 60
atttttataa agtactgtaa ttctttcatt gaggggctat gtgatggaga cagactaact 120
cattttgtta ttgcatctaa aattatcttg ggtctctgtt caaatgagtt tggagaatgc 180
ttgacttggt ggtctgtgta aatgtgtata tatatatacc tgaatacagg aacatcggag 240
acctattcac tcccacacac tctgct 266

```

<210> 414

<211> 266

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 414

```

tttgccataa ttgagtgaag agtggcagat ggcattaact ctgctccgct tcaagctggc 60
tccatgacca ctcaaggcct cccancctg ttcgtcaagt tgctctcaag tccaagcaat 120
ggaatccatg tgtttgcaaa aaaagtgtgc tanttttaag gnttttcgta taagaatnaa 180
tganacaatt ttcctaccaa aggangaaca aaaggataaa tataatacaa aatatatgta 240
tatggttggt tgacaaatta tataac 266

```

<210> 415

<211> 266

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(241)

<223> n = A,T,C or G

<400> 415

```

cctccatcca gtctattaat tggtgccggg aagctanagt aagtagttcg ccagttaata 60
gtttgcgcaa cgttgttgcc attgctacag gcacgtggt gtnacgctcg tcgattggta 120
tggtttcatt cagctccggt tcccaacgat caaggcgagt tacatgatcc cccatgttgt 180
gcaaaaaagc ggtagctcc ttcggtcttc cgatcggtgt canaagtaag ttggccgcag 240
tggtatcact catggttatg gcagca 266

```

<210> 416

<211> 878

<212> DNA

<213> Homo sapiens

<400> 416

```

cctgacgata gccatggctg taccacttaa ctatgattct attccaactg ttcagaatca 60
tatcacaaaa tgacttgtag acagtagttt acaacgactc ccaagagagg aaaaaaaaaa 120
aaaaagacgc ctcaaaattc actcaacttt tgagacagca atggcaatag gcagcagaga 180
agctatgctg caactgaggg cacatatcat tgaagatgtc acaggagttt aagagacagg 240
ctggaaaaaaa tctcatacta agcaaacagt agtatctcat accaagcaaa accaagtagt 300
atctgctcag cctgccgcta acagatctca caatcaccaa ctgtgcttta ggactgtcac 360
caaagtcaga ttcgggtgcta accagggtggc atctatgata aacgtcgccc ctcttattta 420
acaaagggtc ctgaaggagg tgttctccaa gcaacaagga gactgcttca gtacaagact 480
ttgcaccttg aattcaattg catcaagtgt ggatagcaaa ataagtatct taccattgaa 540
atatgtgttc agcctaagat tttaccacc agcagaacaa aagtgagggg gagagggatg 600
ggccagttag gggatggggg agaaaaaaaa atcacaggat taccaccaa gccttgtttt 660
aaaagggtc ccttcactat tcaggaaggg aagtggaagg agaaattaac caattcctgc 720
cacagcagcc ctttttggtt gcttcacaaa tagatacttt atggagtggc acagccaacc 780
ctatctgtga cctgccctgc ggataaacac agccaagcag gtttaattag atcaaagaca 840
caaagggtcta ttcctctcct tcataacaac gcagacct 878

```

<210> 417

<211> 514

<212> DNA

<213> Homo sapiens

<400> 417

```

ttctgacttc tagaagacta aggtcgtgtc gtgtttgctt gtttgccac ctttggttga 60
taccagaga acctggycac ttgtgcctg atgcccacc ctgccagtca ttcctccatt 120
caccagcgg gaggtgggat gtgagacagc ccacattgga aaatccagaa aaccgggaac 180
agggatttgc ccttcacaat tctactccc agatcctctc ccctggacac aggagacca 240
cagggcagga ccctaagatc tggggaaagg aggtcctgag aaccttgagg tacccttaga 300
tccttttcta cccactttcc tatggaggat tccaagtcac cacttctctc accggcttct 360
accaggttcc aggactaagg cgttttctcc atagcctcaa cattttggga atcttccctt 420
aatcacccctt gctcctcctg ggtgcctgga agatggactg gcagagacct ctttggtgctg 480
ttttgtgctt tgatgccagg aatgccgcct agtt 514

```

<210> 418

<211> 352

<212> DNA

<213> Homo sapiens

<400> 418

```

ctgcaccagc gattaccagt ggcattcaaa tactgtgtga ctaaggattt tgtatgctcc 60
ccagtagaac cagaatcaga caggtatgag ctagtcaaca gcaagtcttt gttggattcg 120
agtaggctca ggatctgctg aaggtcggag gagttagtcc ccgcaatcaa gagcctgtct 180
tcctgaagcc cttggtgata ttttgccact cagccaagaa tgaggatgca tccttcagat 240
tctctatgtc ccgaacctgg aacctatcca cgccagcttg cagccaaaac tccagagcat 300
ccttcacctt ggtggaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aa 352

```

<210> 419

<211> 344

<212> DNA

<213> Homo sapiens

<400> 419

```

ctggacacca taatcccttt taagtggctg gatggtcaca cctctcccat tgacaagctg 60
ggttaagtca ataggttgac taggatcaac acgaccctaa tcaataagat actgcagtct 120
attgagactc aaaggcttat actggcgtct gaaactatgt ccttcgttaa acccgatttt 180

```

123

```

tgggattcgg atgtaaaatg gagtctggcc tccctcaaag cccaagcggg gccgggttcc 240
tctttgcctt tctcctttat ggccctctgcc acattttcta cctcttctcc gacctcttgg 300
tcttctctcc ggtttcttgg agccgggatt cggctttaag ttgg 344

```

<210> 420

<211> 935

<212> DNA

<213> Homo sapiens

<400> 420

```

cgaaagtcaa cgtaagggg ctcaggtgaa ccatgatgat gaccttctgt tgactttgaa 60
atattggctc ttgtgggtga caaaagccag acaagctgtg gctgtgggtcc gattttaaga 120
cgaggttctc aaagatccaa aggagggaaa gggatttga aacactgtgt atcatctgag 180
acacacgtgt cctcatgac ttaaattgct actttaaagc cacctaatac tgcccttcat 240
tgtggtcaga agagatttct acaaaagcac tcagaattct ggaggcagtt gtgattttgc 300
catgtggcag ttggtttgtg gagttgggca ggtgtgaaag ggtaaaactc cacttctgaa 360
tgctgcttct gccccttggg acccagcaca ttgttagacc atcttcttga ctgaaaattc 420
tctcctgatg ctgagccctg caccaccacc ttccttttcc taactatgaa ttgatggcaa 480
agtccactca aaacaaccag ttaagtgtc acgagagagt agtcaagcac ctccagaaag 540
aaaccgggtt tttgttcaca tagcaggaag tgactccctg ggtggtaatt tatcttgaa 600
acacaggtag attggcagaa aaacgggaac atgtaggtag cgcgatgttg gtgcatgtcc 660
attactttgg gataggcttt ctcagtcttt cctcaaata tagttgagcc agttttccag 720
tggcaattct gagtgacttg cgcttgtctt atgggtgtgg caagggacgt tcagaaactac 780
ggaaaaactt tactgaaaca gcgaagcaga gtataccggc atgagaggga agatgaacac 840
tcacctatgt accactcttt gacaataaat atagtatttc tcaaaaaaaaa aaaaaaaaaa 900
agtaaaaaaa ctgaaatcgc aagtcaaaaa atcca 935

```

<210> 421

<211> 745

<212> DNA

<213> Homo sapiens

<400> 421

```

ggcttcgagc ggccgcccgg gcaggtccta gatgtcattt gggacccttc acaaccattt 60
tgaagccctg tttgagctcc tgggatatgt gagctgtttc tatgcataat ggatattcgg 120
ggtaacaac agtcccctgc ttggcttcta ttctgaatcc ttttctttca ccatggggtg 180
cctgaagggg ggctgatgca tatgggtacaa tggcaccag tgtaaagcag ctacaattag 240
gagtggatgt gttctgtagc atcctattta aataagccta ttttatcctt tggcccgtca 300
actctgttat ctgctgcttg tactggtgcc tgtacttttc tgactctcat tgaccatatt 360
ccacgaccat ggttgtcatc cattacttga tctacttta catgtctagt ctgtgtgggt 420
gggtggtgaat aggtctcttt ttacatgggt ctgccagccc agctaattaa tgggtgcacgt 480
ggacttttag caagcgggct cactggaaga gactgaacct ggcatggaat tcctgaagat 540
gtttgggggt ttttcttttc ttaatcgaaa gttaacattg tctgaaaagt tttgttagaa 600
ctactgcgga acctcaaaat cagtagattt ggaagtgatt caaagctaaa ctttttccct 660
ggccctcctt gtgttcta at tgcttgcaag tgtaatacta ggatgtccaa gatgccagtt 720
tttgcttctt tgtagttgt cagac 745

```

<210> 422

<211> 764

<212> DNA

<213> Homo sapiens

<400> 422

```

gagttcagta gcaaagtcac acctgtccaa ttccttgagc tttgtcact cagctaattg 60
gatggcaaaag gtgggtgggtc tttcatcttc aggcagaagc ctctgcccac cccctcaag 120

```

```

ggctgcaggc ccagttctca tgctgccctt ggggtgggcat ctgttaacag aggagaacgt 180
ctgggtggcg gcagcagctt tgctctgagt gcctacaaag ctaatgcttg gtgctagaaa 240
catcatcatt attaaacttc agaaaagcag cagccatgtt cagtcaggct catgctgcct 300
cactgcttaa gtgcctgcag gagccgcctg ccaagctccc ctccctacac ctggcacact 360
ggggtctgca caaggctttg tcaaccaaag acagcttccc ccttttgatt gcctgtagac 420
tttggagcca agaaacactc tgtgtgactc tacacacact tcagggtggtt tgtgcttcaa 480
agtcattgat gcaacttgaa aggaaacagt ttaatgggtg aaatgaacta ccatttataa 540
cttctgtttt tttattgaga aaatgattca cgaattccaa atcagattgc caggaagaaa 600
taggacgtga cggtagtggg ccctgtgatt ctcccagccc ttgcagtccg ctagggtgaga 660
ggaaaagctc tttacttccg cccctggcag ggacttctgg gttatgggag aaaccagaga 720
tgggaatgag gaaaatatga actacagcag aagcccctgg gcag 764

```

<210> 423

<211> 1041

<212> DNA

<213> Homo sapiens

<400> 423

```

ctcagagagg ttgaaagatt tgccctacgaa agggacagtg atgaagctaa gctctagatc 60
caggatgtct gacttcaaat tgaaactccc aaagtaatga gtttggaagg gtgggtgtg 120
gcctttccag gatgggggtc ttttctgtc ccagcggata gtgaaacccc tgtctgcacc 180
tggttgggcg tggtgcttcc ccaaagggtt ttttttagg tccgtcgctg tcttgtggat 240
taggcattat tatctttact ttgtctccaa ataacctgga gaatggagag agtagtgacc 300
agctcagggc cacagtgcga tgaggaccat cttctcacct ctctaaatgc aggaagaaac 360
gcagagtaac gtggaagtgg tccacaccta ccgccagcac attgtgaatg acatgaaccc 420
cggcaacctg cacctgttca tcaatgccta caacaggat tgggatgtag ttcagccaca 480
tcattgctat ttatgaggtg tcttctgtag atccgaaatg tgggacagat gagagggaga 540
gtataaaatg agcggaaag gcaggctctg agtttgagca aatagattaa taggacaggt 600
gtccccagga aggacacctg gcctgtaagc tgggtccctg cattcagctc gccttgcagg 660
gatctgaaca aacactccag accactgggg gtgcagacgt gagagggacg cagtcgcaca 720
ctcagagggg tgagagtaaa tatgtgtgcc cgctgtgtac cttcacgaaa ggccaaatgt 780
aagaagagct aagtgtgaga gcagcaaagc actcctggag gccggggata atccaggcag 840
gcttctggga gtttgtcatt ccaaggataa ggaggacctg aacatggcct ttgcctaagg 900
cgtggccctc tcaaccagca ctagggtgctt atctggagct cagctagggg aggagacagc 960
tcagggccat tgggtgtcagc cagagactct gtaatcttcc agggagctcg ctcaacctgc 1020
tgagctcgct ctgccacgca c 1041

```

<210> 424

<211> 1288

<212> DNA

<213> Homo sapiens

<400> 424

```

ctaagaactg agacttgtga cacaaggcca acgacctaa attagcccag ggttgtagct 60
ggaagaccta caaccaagg atggaaggcc cctgtcacaa agcctaccta gatggataga 120
ggacccaagc gaaaaaggta tctcaagact aacggccgga atctggaggc ccatgacca 180
gaacccaagg aggatagaag cttgaagacc tggggaaatc ccaagatgag aaccctaaac 240
cctacctctt ttctattgtt tacacttctt actcttagat atttccagtt ctctgttta 300
tctttaagcc tgattctttt gagatgtact ttttgatgtt gccgggtacc tttagattga 360
cagtattatg cctggggccag tcttgagcca gctttaaatc acagctttta cctatttgtt 420
aggctatagt gttttgtaaa cttctgtttc tattcacatc ttctccactt gagagagaca 480
ccaaaatcca gtcagtatct aatctggctt ttgttaactt cctcaggag cagacattca 540
tatagggtgat actgtatttc agtcttttct ttgacccca gaagccctag actgagaaga 600
taaaatggtc aggttgttgg ggaaaaaaa gtgccaggct ctctagagaa aaatgtgaag 660
agatgtcca ggccaatgag aagaattaga caagaaatac acagatgtgc cagacttctg 720

```

125

```

agaagcacct gccagcaaca gcttccttct ttgagcttag tccatccctc atgaaaaaatg 780
actgaccact gctgggcagc aggagggatg atgaccaact aattcccaaa cccagtcctc 840
attggtacca gccttgggga accacctaca cttgagccac aattggtttt gaagtgcatt 900
tacaagtttc tggcatcact accactactg attaaacaag aataagagaa cattttatca 960
tcctctgctt tattcacata aatgaagtgt tgatgaataa atctgctttt atgcagacac 1020
aaggaattaa gtggcttcgt cattgtcctt ctacctcaaa gataatttat tccaaaagct 1080
aagataaatg gaagactcct gaacttgtga actgatgtga aatgcagaat ctcttttgag 1140
tctttgctgt ttggaagatt gaaaaatatt gttcagcatg ggtgaccacc agaaagtaat 1200
cttaagccat ctagatgtca caattgaaac aaactgggga gttggttgct attgtaaaat 1260
aaaatatact gttttgaaaa aaaaaaac                                     1288

```

<210> 425

<211> 446

<212> DNA

<213> Homo sapiens

<400> 425

```

ccacttaaag ggtgcctctg ccaactgggtg gaatcatcgc cacttccagc accacgccaa 60
gcctaacatc ttccacaagg atcccgatgt gaacatgctg cacgtgtttg ttctgggcca 120
atggcagccc atcgagtacg gcaagaagaa gctgaaatac ctgccctaca atcaccagca 180
cgaatacttc ttcttgattg ggccgccgct gctcatcccc atgtatttcc agtaccagat 240
catcatgacc atgatcgtcc ataagaactg ggtggacctg gcctgggccc tcagctacta 300
catccggttc ttcatcacct acatcccttt ctacggcatc ctgggagccc tccttttccct 360
caacttcatc aggttcctgg agagccactg gtttgtgtgg gtcacacaga tgaatcacat 420
cgtcatggag attgaccagg aggacc                                     446

```

<210> 426

<211> 874

<212> DNA

<213> Homo sapiens

<400> 426

```

tttttttttt tttttttttt ttttttcaat taaagatttg atttattcaa gtatgtgaaa 60
acattctaca atggaaactt ttattaaatg ctgcatgtac tgtgctatgg accacgcaca 120
tacagccatg ctgtttcaga agacttgaaa tgccattgat agtttaaaaa ctctacaccc 180
gatggagaat cgaggaagac aatttaaatgt ttcatctgaa tccagagggt catcaaatta 240
aatgacagct ccacttgcca aataatagct gttacttgat ggtatccaag aagaaatggg 300
tggtgatgga taaattcaga aatgcttccc caaagggtggg tggtttttaa aaagttttca 360
ggtcacaacc cttgcagaaa aactgatgc ccaacacact gattcgcggt ccaggaaaca 420
cgggtcttcc aagttccaag gggctggggg tccccaacga tcaagttcct gtgctgtaat 480
caagaggggtc ctttgactg gatagggagc acttgggagc tgtacaccat cagtcataat 540
ggatggcagt gtaaaagatg atccaaatga cctgagatgc tcctgaggag tgggtgcacca 600
gaccaggag tgccactgta gggctgcttc tttgcttttag tcatcacaca cacacacagc 660
tccagagcag caatggcctt tcctgtaaca ggaaaaaagc ctctgctat tcccaagaac 720
cctcgtaatg gcaaaactcc ccaaatagaca cccaggacca cagcaatgat ctgtcggaac 780
cagtagatca catctaaaaa ttcatcctta tcctcccagg ccgcgtcgct ccgcagcacc 840
ttactccaga cggagacttt gagggccccc ttgg                                     874

```

<210> 427

<211> 638

<212> DNA

<213> Homo sapiens

<400> 427

```

acttghtaatt agcactttggt gaaagctgga aggaagataa ataacactaa actatgctat 60
ttgattttttc ttcttgaaag agtaagggtt accgtgttaca ttttcaagtt aattcatgta 120
aaaaatgata gtgattttga tgtaatttat ctcttgtttg aatctgtcat tcaaaggcca 180
ataatttaag ttgctatcag ctgatattag tagctttgca accctgatag agtaaataaa 240
ttttatgggc ggggtgcccc tactgctgtg aatctatttg tatagtatcc atgaatgaat 300
ttatggaaat agatatttgt gcagctcaat ttatgcagag attaaatgac atcataatac 360
tggatgaaaa cttgcataga attctgatta aatagtgggt ctgtttcaca tgtgcagttt 420
gaagtattta aataaccact cctttcacag tttattttct tctcaagcgt tttcaagatc 480
tagcatgtgg attttaaaaag atttgccctc attaacaaga ataacattta aaggagattg 540
tttcaaaaata tttttgcaaa ttgagataag gacagaaaga ttgagaaaca ttgtatatatt 600
tgcaaaaaaca agatgtttgt agctgtttca gagagagt 638

```

<210> 428

<211> 535

<212> DNA

<213> Homo sapiens

<400> 428

```

acaagatgat tcttcctcct caatttgaca gatcaaagaa gtatcccttg ctaattcaag 60
tgtatggttg tccctgcagt cagagtgtaa ggtctgtatt tgctgttaat tggatatctt 120
atcttgcaag taaggaaggg atggtcattg ccttggtgga tggctgagga acagctttcc 180
aagggtgacaa actcctctat gcagtgtatc gaaagctggg tgtttatgaa gttgaagacc 240
agattacagc tgtcagaaaa ttcatagaaa tgggtttcat tgatgaaaaa agaatagcca 300
tatggggctg gtcctatgga ggatacgttt catcactggc ccttgcattc ggaactggtc 360
ttttcaaatg tggatatgca gtggctccag tctccagctg ggaatattac gcgtctgtct 420
acacagagag attcatgggt ctcccaacaa aggatgataa tcttgagcac tataagaatt 480
caactgtgat ggcaagagca gaatatttca gaaatgtaga ctatcttctc atcca 535

```

<210> 429

<211> 675

<212> DNA

<213> Homo sapiens

<400> 429

```

actattttca accctgagca ttaacactgc ataccaaggg ggggtgggtc aagaagctgg 60
ttagatcgaa gcacaagcac aagccactga tattctctat gtgatcaggt ttttcaaaaa 120
aaatacatag ttttcaataa ataatgctta attttacaac ttgatacag caatgtcata 180
caccgtttca acacactaca ctctgcatgc tagatagtct acgagaagac gaaactttgc 240
catgcatttt ctttcccccc tagtgctatc aaacacttca tcctccagcg cactgcctca 300
ggtagcttta ctttctctct gtttcacagc aataggccgt gcgctggcat gcaactctca 360
aaaaagggtc cccccacaaa ccactcagac ttctacacaa aagggttttt cagcttttct 420
gtcctcaaac ctggagtggc taagaaagta agtttcatgt ggccttggaa aatacacact 480
tgtaaacagt gtcatgctga aaactgctct aaaacatcag gtggttctgt cctggtggcc 540
gtcacgaagc attatggat gccataacca ctaggagtc caaaccggaa aaaataggcc 600
tccgttttaa aacagtcaat tcaaaaaagg tgtcacagaa caaatgcaaa agactcttaa 660
accacaaca tatgt 675

```

<210> 430

<211> 434

<212> DNA

<213> Homo sapiens

<400> 430

```

acctctgcc gaagtccagc gagaggacct cacagtagag cacaggccac tccgggagtg 60
catcagaaga ttcactctca tggaggaaga aggcttcaaa cgtgaatggg taggagaagt 120

```

```

gagccacctt gtccattgcc agggacttgg tgggtgcaggt ctgtgttact cctgagagct 180
gctggaatgc tgggcttgac cagtgcagcag ttggcaattc tacaaagaag tggacgtaga 240
gattgtcata ctcatagcct tgggctgaaa cgacctctcc atttaciaaag agccggaggg 300
cacctgggac agtcattctca aagtcgggtgc ctacgaggct gctgagatac tccttgtgcc 360
ggccataaag atccttgaac actcgccgtt cccgctctctc ctctccggc tgtgcgtggg 420
gggaaacatt gtcg                                     434

```

<210> 431

<211> 581

<212> DNA

<213> Homo sapiens

<400> 431

```

acacaagcct ccagcccgac ccagcggcct aatgaaactc tggcaacctc tcctgggcgt 60
ggccacgagt atccagctcc aagcccaagt gaggcgggga gtcaacttcc ccatgattgc 120
caagtgacca agaccagaag caggagcagat taggctagtt ctgcggcaag gtgaactgga 180
gacctgtct ctgccctcct tccttggcct gtcccacaga catcccgttg ttttaacccac 240
tgcttttgca aggacctgct ctgtccactc caaatcaaag gatacttgca tccttcttac 300
acagactccc atctctctgc tcatagtggc cccaggctgc ccgagaaaaa gaaacttggg 360
tcagtagaag gctcattagt gtgaaggagt gagaggccag gccttctgtg gacataatgc 420
ttctatgctt gtttcctaaa cacttgggtcc acacacaata cctgggcagg aagagagaac 480
caagcaccac tggatggctc tggagccagg ggacttctat gcacatacaa ccaacatcac 540
cccactctgc tcatctgtgc ctccaccctg aacagcagag t                                     581

```

<210> 432

<211> 532

<212> DNA

<213> Homo sapiens

<400> 432

```

actccaactc aagttttacaa gttacacctt tgccacagcc ttggctaaat cttgaactag 60
tgcagaattc agctgtggta gagtgtgat cttagcatgc ttcgatgtgg catacttggt 120
cttgacagtc atgtgctttg taagtccttg atttaccatg actacattct tagccagggtg 180
ctgcataact ggaagaagag attcttcagt atatgcagg taatgttgta gagttgggtgt 240
ccattcacca ttatccagaa ttttcagtgct taagcaaaaa gtcctgtctg caatttgaga 300
aggaggaaaag tgcaccatgt catagtccaa catagttagt tccatcaggt atttggccaa 360
agtatgttgc tcgacatcaa cctctccaat cttagatgct ctccgaagga agtgcaaagg 420
tagaggccga cccagaccaa agtttaaagc tcttagaatc ttcatttcca tctgtctgat 480
ttggtgctta gtataagtggt tgtcagtcac aaaagcaaag tcaccaattt ct 532

```

<210> 433

<211> 531

<212> DNA

<213> Homo sapiens

<400> 433

```

acttggtttt acagctcctt tgaaaactct gtgtttggaa tatctctaaa aacatagaaa 60
acactacagt ggttttagaaa ttactaattt tacttctaag tcattcataa accttgtcta 120
tgaaaatgact tcttaaatat ttagttgata gactgctaca ggtaataggg accttagcaag 180
ctctttttata tgctaaagga gcatctatca gattaagtta gaacatttgc tgtcagccac 240
atattgagat gacactaggt gcaatagcag ggatagattt tgttgggtgag tagtctcatg 300
ccttgagatc tgtgggtggc ttcaaaatgg tggccagcca gatcaaggat gtagtatctc 360
atagttccca ggtgatattt ttcttattag aaaaatatta taactcattt gttgtttgac 420
acttatagat tgaaatttcc taattttattc taaattttaa gtggttcttt ggttccagtg 480
ctttatgttg ttgttgtttt tggatgggtg tacatattat atgttctaga a 531

```

<210> 434
 <211> 530
 <212> DNA
 <213> Homo sapiens

<400> 434
 acaagagaaa acccctaaaa aaaggatggc tttagatgac aagctctacc agagagactt 60
 agaagttagc ctagctttat cagtgaagga acttccaaca gtcaccacta atgtgcagaa 120
 ctctcaagat aaaagcattg aaaaacatgg cagtagtaaa atagaaacaa tgaataagtc 180
 tcctcatatc tctaattgca gtgtagccag tgattattta gatttggata agattactgt 240
 ggaagatgat gttggtggtg ttcaagggaa aagaaaagca gcatctaaag ctgcagcaca 300
 gcagaggaag attcttctgg aaggcagtga tggatgatgt gctaatagaca ctgaaccaga 360
 ctttgcacct ggtgaagatt ctgaggatga ttctgatttt tgtgagagtg aggataatga 420
 cgaagacttc tctatgagaa aaagtaaagt taaagaaatt aaaaagaaag aagtgaaggt 480
 aaaatcccca gtagaaaaga aagagaagaa atctaaatcc aaatgtaatg 530

<210> 435
 <211> 677
 <212> DNA
 <213> Homo sapiens

<400> 435
 accttatgat ctaattaata gatattagaa acagtagaaa gacaagttac acgtcaatgc 60
 ccaatgacta gagtcaacat taaagagttg taatttaagt aatccaaact gacatctaata 120
 tccaaaatca tttataaaat gtatttggct ttggaatcca caggacttca aacaagcaaa 180
 gtttctactgc agatagtcac aaagatgcag atacactgaa atacttaaga gccttattaa 240
 tgatttttgt tattttggat cttctgtttt tttcttatta tgggtccgaag cctccttaata 300
 accaatttat cagacagaag catgtcatct tgttgttcaa gataatccag taaattttca 360
 gtccattcaa gtgccgcttt atggctaata cgcttctctg gattcagttc tgtttttcta 420
 ctcttactgg aaggcttttg ctccagcagcc ttggtctggt cctcagcact ttcactgtca 480
 gtcagcacct gacagcttga gtcactgtct cgagagtcga accactgatc aatattctca 540
 atgtcaacat gttcacattc ttctgtgttc tgtaaaactg ttgctaaatt agctgctaaa 600
 atggctcctt catcaatgtt catacctgaa ttctcttcat tgccagggaa aagttttttc 660
 catgctttgg ttatggt 677

<210> 436
 <211> 573
 <212> DNA
 <213> Homo sapiens

<400> 436
 acctcttagg gtgggagaaa tggatgaagag ttgttcctac aacttgctaa cctagtggac 60
 agggtagtag attagcatca tccggataga tgtgaagagg acggctgttt ggataataat 120
 taaggataaa atttggccag ttgacagatt ctgtttccag cagtttttac agcaacagtg 180
 gagtgcctca gtattgtgtt cctgtaaatt taattttgat ccgcaatcat ttggtatata 240
 atgctgtttg aagttttgtc ctattggaaa agtcttgtgt tgcaggggtg cagttaagat 300
 ctttgtgatg aggaatggga tgggctaatt ttttgccgtt ttcttggaat tgggggcatg 360
 gcaaatacag tagggtagtt tagttcttta cacagaacat gataaactac acctgttgat 420
 gtcaccgtct gtcaatgaat attatagaag gtatgaaggt gtaattacca taataacaaa 480
 acaccctgtc tttagggtgt acctttcgtc ctttgacctc ctcagcctcc attcccatct 540
 tcgctcagac tgcaagtatg tttgtattaa tgt 573

<210> 437
 <211> 645

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(645)

<223> n = A,T,C or G

<400> 437

```

acaattggta tccatatctt gttgaaattg taatgggaaa acaatatatt tcaatctcta 60
tgtagatagt ggggtttttgt tttcataata tattctttta gtttactgta tgagttttgc 120
aggactgcat aatagatcac cacaatcata acatcttagg accacagaca tttatgagat 180
catggcttct gtgggttaga agtatgctca tgtcttaact gggtcctctg ctgagtctta 240
tctggctgca atcaagggtg cagctgggct gaattttcat ttggaatctt gactgggaaa 300
gagtctgctt ccaagggtcat gaagtttgct ggcaaaatgt atgtttttat gacagtatga 360
ctgaaatccc aagctatctc ctgactttta gctgggtaat ctgaggccct aaatgttgcc 420
tacagttcct agaggctggt cacagttctt agccatgtgg atttccctcaa catggctgct 480
tgcttcatca agtcagcaag aatagcctgt catatcagtg tatatcaggc tcactcagga 540
taatttccct actgatgagc caaacactaa ctgatttttag agcttaacta catctgcaaa 600
attcngttca ccagaggcaa gtcattattca ggaaggaga agtgt 645

```

<210> 438

<211> 485

<212> DNA

<213> Homo sapiens

<400> 438

```

acagaattga gagacaagat tgcttgtaat ggagatgctt ctagctctca gataatacat 60
atctctgatg aaaatgaagg aaaagaaatg tgtgttctgc gaatgactcg agctagacgt 120
tcccaggtag aacagcagca gctcatcact gttgaaaagg ctttggcaat tctttctcag 180
cctacaccct cacttggtgt ggatcatgag cgattaaaaa atcttttgaa gactgttggt 240
aaaaaaagtc aaaactacaa catatttcag ttggaaaatt tgtatgcagt aatcagccaa 300
tgtattttatc ggcatcgcaa ggaccatgat aaaacatcac ttattcagaa aatggagcaa 360
gaggtagaaa acttcagttg ttccagatga tgatgtcatg gtatcgagta ttctttatat 420
tcagttccta ttttaagtcat ttttgtcatg tccgcctaata tgatgtagta tgaaaccctg 480
catct 485

```

<210> 439

<211> 533

<212> DNA

<213> Homo sapiens

<400> 439

```

acagcagttt cctcatccct gcagctgtgt ttgaacaggt catttaccat actgtcctcc 60
aggttcaaca gtatggctcc aaatgatgaa atttcattct gattttctgg ctgaagacta 120
ttctgtttgt gtatgtccac cacagttact ttatcccttc atctgtggat gggcagaatg 180
aaacatatat ggaaatgttc tgtgcaataa aaacagcagt ggtaacacag atgtaggctc 240
tgagtgtctc actggagact gaagtccaca gatatgcaac aaagcctttg tctccctgat 300
gtttttgcct cctgctggtc atgtgctttc acacatcaag agaggacatt taacatttga 360
gccacagtgt catttgctgt tgtctgatgg ttggttggca gagaatttga actggagatg 420
aactttatta tccaggacgc tgagagtata acatgcatga cagagctttt agagcactgt 480
gatgtaacat gtcaagcaga aatagggagc atgtttacag ccattctatg aaa 533

```

<210> 440

<211> 341

130

<212> DNA

<213> Homo sapiens

<400> 440

```
catggggtag ggggggtcggg gattcattga attgtggttg gcaggagcaa gccctgctca 60
cactctcaca ctgcaccca gaattgtcaa agatacagat tgtaaaaatc tacgatccct 120
cagtctcact cacaaaaaat aaaatctcat gtccccaacg aaccagagt cagacgacag 180
ctggagcatt ggcagggaca gtcagaaaagg agacaagtga aaacggtcag atggacacag 240
gcggaggaga aaagacagag ggagagagac catcggaac aatcagaggg gccgagacga 300
tcagaaaagg gtcagcccga gacaggctga gccagagttt c 341
```

<210> 441

<211> 572

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(572)

<223> n = A,T,C or G

<400> 441

```
aagtttgagg ataatttatt atgcagcaag agataatata caggacttct canagcactt 60
aatatgttaa tataaatctc caaaaaaaaa gatatacaat gaaacattcc tcttagttat 120
ctggccaagg anactttntt tttttganaa tattcttcaa aaagctgatc taatgatatg 180
gctctggtcc tacaattcca tgtaacttct aaccttgatt ttatctcatg agcaaatacat 240
ttatccttcc agaacctcaa cttttccctt ttacaaagta gaaataaacc atctgccttt 300
acataaatca ttaatacagc cctggatggg cagattctga gctatttttg gctggggggt 360
gggaaatagc ctgtggagggt cctaaaaaga tctacggggc tcgagatggg tctctgcaag 420
gtagcagggt ggctcagggc ccatttcagt ctttggtccc caggccattt ccacaaaatg 480
gtgagaaata gtgtcttctt ttagcttgct cataactcaa agatgggggg catggacctg 540
ggcctttcta ggctagggca tgaacctcct cc 572
```

<210> 442

<211> 379

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(379)

<223> n = A,T,C or G

<400> 442

```
tcccagctgc actgcttaca cgtcttcctt cgtnttcacc taccocgagg ctgactcctt 60
ccccagntgt gcagctgccc accgcaaggg cagcagcagc aatgagcctt cctctgactc 120
gctcagctca cccacgtgc tggccctgtg agggggcagg gaaggggagg cagccggcac 180
ccacaagtgc cactgcccga gctggtgcat tacagagagg agaaacacat cttccctaga 240
gggttcctgt agacctaggg aggaccttat ctgtgcgtga aacacaccag gctgtggggc 300
tcaaggactt gaaagcatcc atgtgtggac tcaagtcctt acctcttccg gagatgtagc 360
aaaacgcatg gagtgtgta 379
```

<210> 443

<211> 511

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(511)

<223> n = A,T,C or G

<400> 443

```

acatgcccc aaaggctcgc ttcattgcta cgattctcta cttaaatacca cattcacagc 60
tattgcctca gacctctcgg aggaggggcc aggggttagc tggctttgaa tagcatgtag 120
agcacaggca gtgtggccac aaatgtcaca caggtgacca ggggtgctata gatgggtgttc 180
ctgttgactt gggcttctag tctctgctcc gtgtctgaca gtgccaagat catgctcccc 240
tgctccagca agaagctggg catagccccg tctgctgggt ccaccaggcc tgggtgtgct 300
gcgacttta caagctgaac caccacagcc atttggttac aagtcttttc taggccatca 360
agctgctctc gtaagccttc tagacatgaa tggacttgcc tggaatgact aagctgctct 420
ttcaaggcag ctgaaaggac atcnacatct ctgtctctgg tcgggggact acctgcctgt 480
gaccagagat cctgccctgg cccagcagca t                                     511

```

<210> 444

<211> 612

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(612)

<223> n = A,T,C or G

<400> 444

```

acaggaagaa ttctacagtt aatctatcac agtgttccag caaagcatat gttgaaaact 60
acagttttca atctaaccatc taaattttta aaagtagcat ttcagcaaca aacaagctca 120
gagaggctca tggcaaaagt gaaataacag aactattgct cagatgtctg caaagtcaag 180
ctgctgccct cagctccgcc cacttgaagg cttaggcaga cacgtaagggt ggcgggtggct 240
ccttggcagc accattcaca gtggcatcat catacggagg tagcagcacc gtagtgatcat 300
tgctggtaac ataaaccagg acatcagagg agttcctacc attgatgtat cggtagcagt 360
tccaaacaca gctaatacaag taacccttaa aagtcaagat aatgctaata aacagaagaa 420
taataaggac caaacaggta ggattcactg acatgacatc atctctgtag ggaaaattag 480
gaggcagttg ccgtatgtat tcctgaatgg agtttgata aataagcaca gtgattgcaa 540
ccaacanctt cagggcacaag tcaaagatct ggtaacagaa gaatgggatg atccaggctg 600
cgcgttgctt gt                                     612

```

<210> 445

<211> 708

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(708)

<223> n = A,T,C or G

<400> 445

```

accatcctgt tccaacagag ccattgccta ttcctaaatt gaatctgact ggggtgtgccc 60
ctcctcggaa cacaacagta gaccttaata gtggaaacat cgatgtgcct cccaacatga 120
caagctgggc cagctttcat aatggtgtgg ctgctggcct gaagatagct cctgcctccc 180

```

```

agatcgactc agcttggatt gtttacaata agcccaagca tgctgagttg gccaatgagt 240
atgctggctt tctcatggct ctggggttga atgggcacct taccaagctg gcgactctca 300
atatccatga ctacttgacc aagggccatg aaatgacaag cattggactg ctacttggtg 360
tttctgctgc aaaactaggc accatggata tgtctattac tcggcttggt agcattcgca 420
ttcctgctct cttaccccca acgtccacag agttggatgt tcctcacaat gtccaagtgg 480
ctgcagtggg tggcattggc cttgtatatc aaggacagc tcacagacat actgcagaag 540
tcctgttggc tgagatagga cggcctcctg gtcctgaaat ggaatactgc actgacagag 600
agtcatactc cttagctgct ggcttggccc tgggcatggg ctncctgggg catggcagca 660
atttgatagg tatgtntgat ctcaatgtgc ctgagcagct ctatcagt 708

```

<210> 446

<211> 612

<212> DNA

<213> Homo sapiens

<400> 446

```

acaagcaacg cgcagcctgg atcatcccat tcttctgtta ccagatcttt gactttgccc 60
tgaacatggt gggtgcaatc actgtgctta tttatccaaa ctccattcag gaatacatac 120
ggcaactgcc tcctaatttt cctacagag atgatgtcat gtcagtgaat cctacctgtt 180
tggtccttat tattcttctg tttattagca ttatcttgac ttttaagggg tacttgatta 240
gctgtgtttg gaactgctac cgatacatca atggtaggaa ctctctgat gtcctgggtt 300
atggtaccag caatgacact acggtgctgc taccctcgta tgatgatgcc actgtgaatg 360
gtgctgccaa ggagccaccg ccaccttacg tgtctgccta agccttcaag tgggaggagc 420
tgagggcagc agcttgactt tgcagacatc tgagcaatag ttctgttatt tcacttttgc 480
catgagcctc tctgagcttg tttgttgctg aaatgctact ttttaaaatt tagatgttag 540
attgaaaact gtagttttca acatatgctt tgctggaaca ctgtgataga ttaactgtag 600
aattcttcct gt 612

```

<210> 447

<211> 642

<212> DNA

<213> Homo sapiens

<400> 447

```

actgaaagaa ttaaagtcag aagtcttccc aaaacaaaaa gaactgcccc cagagaaaat 60
cctttctgat acttttcatt gctaaaataa aacaggcggg aaatgtggaa aagaaattca 120
acaaaataat gtagcaccag aagaacaagt cctagatgat tcaagttcaa aaggtaagct 180
ccagcaatgt ggaagaggta aagaccaatg tagacaagct gacgaggaat atcttctttt 240
ttgggttttct ggaagtagag ttcaggaaaa gcatgaagcc agtaagccag ctgtgatatg 300
tagaaaaact tcatttgaaa tgtcatcagg ttatggggat aagccctcca taagatagtt 360
gggtctgaga tgtagttttc agagatgaga atgaatgtgc cccaaacaca ggcaaaaagg 420
tagaacgcac taagctgacc agattcatta aacttgctgt gttttgtttt ggagaagtgc 480
attcgctgt taattttatc caacatatac tcttgaatta cggcatgaat aattatcgcc 540
actagcatgt agaagaaaac agtagccaaa tctttgatgc catagtaata aaggacact 600
gattcagtag cttgttcttc tgttgctggg agggtagacat tg 642

```

<210> 448

<211> 394

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(394)

<223> n = A,T,C or G

<400> 448

```
accagaagac cttagaaaaa ggaggaaagg aggagaggca gataatttgg atgaattcct 60
caaagngttt gaaaatccag aggttcctag agaggaccag caacagcagc atcagcagcg 120
tgatgttatc gatgagccca ttattgaaga gccaaagccgc ctccaggagt cagtgatgga 180
ggccagcaga acaaacatag atgagtcagc tatgcctcca ccaccacctc agggagttaa 240
gcgaaaagct ggacaaattg acccagagcc tgtgatgcct cctcagcagg tagagcagat 300
ggaaatacca cctgtagagc tccccccaga agaacctcca aatatctgtc agctaatacc 360
agagttagaa cttctgccag aaaaagagaa ggag                                     394
```

<210> 449

<211> 494

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(494)

<223> n = A,T,C or G

<400> 449

```
acaaaaaaca caaggaatac aaccaatag aaaatagtcc tgggaatgtg gtcagaagca 60
aaggcntgag tgtctttctc aaccgtgcaa aagccgtgtt cttcccggga aaccaggaaa 120
aggatccgct actcaaaaac caagaattta aaggagtttc ttaaatttcg accttgtttc 180
tgaagctcac ttttcagtgc cattgatgtg agatgtgctg gagtggctat taaccttttt 240
ttcctaaaga ttattgttaa atagatattg tggtttgggg aagttgaatt ttttataggt 300
taaagtgtcat tttagagatg gggagaggga ttatactgca ggcagcttca gccatgttgt 360
gaaactgata aaagcaactt agcaaggctt cttttcatta ttttttatgt ttcacttata 420
aagtcttagg taactagtag gatagaaaca ctgtgtcccg agagtaagga gagaagctac 480
tattgattag agcc                                     494
```

<210> 450

<211> 547

<212> DNA

<213> Homo sapiens

<400> 450

```
actttgggct ccagacttca ctgtccttag gcattgaaac catcacctgg tttgcattct 60
tcatgactga ggttaactta aaacaaaaat ggtaggaaag ctttcctatg cttcgggtaa 120
gagacaaatt tgcttttcta gaattggtgg ctgagaaagg cagacagggc ctgattaaag 180
aagacatttg tcaccactag ccaccaagtt aagttgtgga acccaaaggt gacggccatg 240
gaaacgtaga tcatcagctc tgctaagtag ttaggggaag aaacatattc aaaccagtct 300
ccaaatggga tcctgtggtt acagtgaatg gccactcctg ctttattttt cctgagattg 360
ccgagaataa catggcactt atactgatgg gcagatgacc agatgaacat catcatccca 420
agaatatgga accaccgtgc ttgcatcaat agatttttcc ctgttatgta ggcattcctg 480
ccatccattg gcacttggtt cagcacagtt aggccaacaa ggacataata gacaagtcca 540
aaacagt                                     547
```

<210> 451

<211> 384

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(384)

<223> n = A,T,C or G

<400> 451

```
actacttntt ggttaaaang ccactggtag agtcatctga ntgtaaacaa tgtccctgca 60
ctgctggaaa aatccactgg ctccaagaa aagaaaatgg tctgaagcct ctgttgtggc 120
tctcacaact catctttccc taagtcacat agctccacat cactgaggtc aatgtcatcc 180
tccacgggaa gctcgccatc cctgccgtcc caaggctctc tctcaacgat ggtagggaaa 240
gccccgcctc ctacaggtgc cgtggagcca cgcccaaaaag agagctccct gagaaactcg 300
ttgatgcctt gctcactgaa ggagcctttt agcagagcaa atttcatctt gcgtgcattg 360
atggcggcca tggcggggta ccca 384
```

<210> 452

<211> 381

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(381)

<223> n = A,T,C or G

<400> 452

```
actctaaagt tgccactctc acaggggtca gtgataccca ctgaacctgg caggaacagt 60
cctgcagcca gaatctgcaa gcagcgctcg tatgcaacgt ttagggccaa aggctgtctg 120
gtggggttgt tcatcacagc ataattggcct agtaggtcaa ggatccaggg tgtgaggggc 180
tcaaagccag gaaaacgaat cctcaagtcc ttcagtagtc tgatgagaac tttaactgtg 240
gactgagaag cattttcctc gaaccagcgg gcatgtcgga tggctgctaa ngcactctgc 300
aatactttga tatccaaatg gagttctgga tccagttttc naagattggg tggcactgtt 360
gtaatganaa tottactgt a 381
```

<210> 453

<211> 455

<212> DNA

<213> Homo sapiens

<400> 453

```
actgtgctaa acagcctata gccaaagtttt aaagagttac aggaacaact gctacacatt 60
caaagaacag gcattcactg cagcctcctg atttgacctg atgggagggg caggagaatg 120
agtcactctg ccaccacttt tcttgccctg gatttgtaga ggatttgttt tgctctaatt 180
tgtttttccct atatctgccc tactaaggta cacagtctgg gcactttgaa aatgttaaag 240
tttttaacgt ttgactgaca gaagcagcac ttaaaggctt catgaatcta ttttccaaaa 300
aaagtatgct ttcagtaaaa cattttacca ttttatctaa ctatgcactg acattttttgt 360
tcttcctgaa aaggggattt atgctaacac tgtattttta atgtaaaaat atacgtgtag 420
agatatttta acttcctgag tgacttatac ctcaa 455
```

<210> 454

<211> 383

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 454

```
acagagcanc tttacaagtt gtcacatttc tttataaatt tttttaaagc tacagtttaa 60
tacaaaatga attgcggttt tattacatta ataacctttc acctcagggg tttatgaaga 120
ggaaaggggt ttatgcaaaa gaaagtgcga caattcctaa tcattttaga cacttttagga 180
gggggtgaag ttgtatgata aagcagatat ttttaattatt tgttatcttt ttgtattgca 240
agaaatttct tgctagtga tcaagaaaac atccagattg acagtctaaa atggctactg 300
gtatttttagt taattcaaaa atgaaacttt tcagtgattc actttactaa cattctattt 360
gagaaggcctt attggtaaag ttt                                     383
```

<210> 455

<211> 383

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(383)

<223> n = A,T,C or G

<400> 455

```
actcctttan gacaaggaaa cagggtatcag catgatggta gcagaaacct tatcaccaag 60
gtgcaggagc tgacttcttc caaagagttg tggttccggg cagcggcat tgccgtgccc 120
attgctggag ggctgatttt agtgttgctt attatgttgg ccctgaggat gcttcgaagt 180
gaaaataaga ggctgcagga tcagcggcaa cagatgctct cccgtttgca ctacagcttt 240
cacggacacc attccaaaaa ggggcagggt gcaaagttag acttggaatg catggtgccc 300
gtcagtgggc acgagaactg ctgtctgacc tgtgataaaa tgagacaagc agacctcagc 360
aacgataaga tcctctcgct tgt                                     383
```

<210> 456

<211> 543

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(543)

<223> n = A,T,C or G

<400> 456

```
acaaacattt tacaaaaaag aacattacca atatcagtgg cagtaagggc aagctgaaga 60
atangtagac tgagtttccg ggcaatgtct gtccctcaaag acatccaaac tgcgttcagg 120
cagctgaaac aggcttcttt cccagtgcga agcatatgtg gtcagtaata caaacgatgg 180
taaatgaggg tactacatag gccagttta caaactcctc ttctcctcgg gtaggccatg 240
atacaagtgg aactcatcaa ataattttaa cccaaggcga taacaacact atttcccatc 300
taaaactcatt taagccttca caatgtcgca atggattcag ttacttgcaa acgatcccgg 360
gttgtcatat agatacttgt tttttacaca taacgctgtg ccaccccttc cttcactgcc 420
ccagtccagg ttccctgttg tggaccgaaa ggggatacat tttagaaatg cttccctcaa 480
gacagaagtg agaaagaaa gagaccctga ggccaggatc tattaacact ggtgtgtgcg 540
caa                                     543
```

<210> 457

<211> 544

<212> DNA

<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(544)
<223> n = A,T,C or G

<400> 457
actggtgcca atattgncat ggtgagctcc tctctaattgt cttccagggc accaatatct 60
gcccattgtca cattagggac agtgacaaag ccttcccttt tggcagaggg ttggactgag 120
gatagagcaa caatgaaatc attcagttca atgcacagtc cttgcatctg ctccctctgag 180
aggggatctt ggtctcttag caaccccagc agcctttgta attcatcctg tgtttcagaa 240
gtgggctcag ttcccagcct ttccctcctgg actccttttag atggcaaate ttccatttca 300
ggatttttct tctgctgttc ctgtagcttc attaagactc tattgactgc acacattgct 360
gcctctcggc acagtgccat gagatcagca ccaacaaagc ctggagttag gtgtgctaag 420
tgacagaaat caaaagcttg aggaagcctc agttttctgc acaatgtttg aagtattctt 480
tccctggatg cttcatctgg gatacctagg catattttctc ggtcgaacct tcccgcacgt 540
ctca 544

<210> 458
<211> 382
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(382)
<223> n = A,T,C or G

<400> 458
acctntaggc tcaacggcag aancttcacc acaaaagcga aatgggcaca ccacagggag 60
aaaactggtt gtccctggatg ttgaaaagt tggtcgttgt catggtgtgt tacttcatcc 120
tatctatcat taactccatg gcacaaagtt atgccaaacg aatccagcag cggttgaact 180
cagaggagaa aactaaataa gtagagaaag ttttaaaactg cagaaattgg agtggatggg 240
ttctgcctta aattgggagg actccaagcc gggaaggaaa attccctttt ccaacctgta 300
tcaattttta caactttttt cctgaaagca gtttagtcca tactttgcac tgacatactt 360
tttccttctg tgctaaggta ag 382

<210> 459
<211> 168
<212> DNA
<213> Homo sapiens

<400> 459
ctcgtactct agccaggcac gaaaccatga agtagcctga tccttcttag ccatecctggc 60
cgccttagcg gtagtaactt tgtgttatga atcacatgaa agcatggaat cttatgaact 120
taatcccttc attaacagga gaaatgcaaa taccttcata tcccctca 168

<210> 460
<211> 190
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(190)

137

<223> n = A,T,C or G

<400> 460

```
acantgcta ccagggagcc gagagctgac tatcccagcc tcggctaatag tattctacgc 60
catggatgga gcttcacacg atttcctcct gcggcagcgg cgaaggctct ctactgctac 120
acctggcgct accagtggcc cgtctgcctc aggaactcct ccgagtgagg gaggaggggg 180
ctcctttccc                                     190
```

<210> 461

<211> 495

<212> DNA

<213> Homo sapiens

<400> 461

```
acagacaggc ttctctgcta tcctccaggc agtgtaatag tcaaggaaaa gggcaacagt 60
attggatcat tccttagaca ctaatcagct ggggaaagag ttcataggca aaagtgtcct 120
ccaagaatg gtttacacca agcagagagg acatgtcact gaatggggaa agggaacccc 180
cgtatccaca gtcactgtaa gcatccagta ggcaggaaga tggctttggg cagtggctgg 240
atgaaagcag atttgagata cccagctccg gaacgagggtc atcttctaca ggttcttcct 300
tactgagac aatgaattca gggatgatcat tctctgaggg gctgagaggt gcttcctcga 360
ttttactac cacattagct tggctctctg tctcagaggg tatctctaag actaggggct 420
tggatatat gtggtcaaaa cgaattagtt cattaatggc ttccagcttg gctgatgacg 480
tccccactga cagag                                     495
```

<210> 462

<211> 493

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<222> (1)...(493)

<223> n = A,T,C or G

<400> 462

```
acactgaaac ataaatccgc aagtcaccac acatacaaca cccggcagga aaaaaacaaa 60
aacagggngt ttacatgatc cctgtaacag ccatgggtctc aaactcagat gcttcctcca 120
tctgccaaagt gtgttttgga tacagagcac atcgtggctt ctgggggtcac actcagctta 180
ggctgtgggt ccacagagca ctcactctggc tgggctatgg tgggtgtggc tctactcaag 240
aagcaaagca gttaccagca cattcaaaca gtgtattgaa catcttttaa atatcaaagt 300
gagaaacaag aaggcaacat aataatgtta tcagaaagat gtaggaagt aaggacagct 360
gtgtaaagct tgaggctgaa aagtagcttg ccagcttcat ttctttgggt tcttgggtag 420
tgggcgcccg aacagcaaga tgtgaggttc tggttcatgg atcatataat ggacccatcc 480
ctgactctgc tga                                     493
```

<210> 463

<211> 3681

<212> DNA

<213> Homo sapiens

<400> 463

```
tccgagctga ttacagacac caaggaagat gctgtaaaga gtcagcagcc acagccctgg 60
ctagctggcc ctgtgggcat ttattagtaa agttttaatg acaaaagctt tgagtcaaca 120
caccctgagg taattaacct ggatcatcccc accctggaga gccatcctgc ccatgggtga 180
tcaaagaagg aacatctgca ggaacacctg atgaggctgc acccttggcg gaaagaacac 240
```

```

ctgacacagc tgaaagcttg gtggaaaaaa cacctgatga ggctgcaccc ttggtggaaa 300
gaacacctga cagggtgtaa agcttggtgg aaaaaacacc tgatgaggct gcatccttgg 360
tggagggaac atctgacaaa attcaatggt tggagaaagc gacatctgga aagttcgaac 420
agtcagcaga agaaacacct agggaaatta cgagtcctgc aaaagaaaca tctgagaaat 480
ttacgtggcc agcaaaagga agacctagga agatcgcatg ggagaaaaaa gaagacacac 540
ctagggaaat tatgagtcct gcaaaagaaa catctgagaa atttacgtgg gcagcaaaag 600
gaagacctag gaagatcgca tgggagaaaa aagaaacacc tgtaaagact ggatgcgtgg 660
caagagtaac atctaataaa actaaagttt tggaaaaagg aagatctaag atgattgcat 720
gtcctacaaa agaatcatct acaaaagcaa gtgccaatga tcagaggttc ccatcagaat 780
ccaaacaaga ggaagatgaa gaatatctt gtgattctcg gagtctctt gagagttctg 840
caaagattca agtgtgtata cctgagtcct tatatcaaaa agtaatggag ataaatagag 900
aagtagaaga gcctcctaag aagccatctg ccttcaagcc tgccattgaa atgcaaaact 960
ctgttccaaa taaagccttt gaattgaaga atgaacaaac attgagagca gatccgatgt 1020
tcccaccaga atccaaacaa aaggactatg aagaaaattc ttgggattct gagagtctct 1080
gtgagactgt ttcacagaag gatgtgtgtt tacccaaggc tacacatcaa aaagaaatag 1140
ataaaataaa tggaaaatta gaagagtctc ctaataaaga tggctctctg aaggctacct 1200
gcggaatgaa agtttctatt ccaactaaag ccttagaatt gaaggacatg caaactttca 1260
aagcagagcc tccggggaag ccactctgct tcgagcctgc cactgaaatg caaaagtctg 1320
tcccaaataa agccttgga ttgaaaaatg acaaaacatt gagagcagat gagatactcc 1380
catcagaatc caaacaagg gactatgaag aaagtctctg ggattctgag agtctctgtg 1440
agactgtttc acagaaggat gtgtgtttac ccaaggctrc rcataaaaaa gaaatagata 1500
aaataaatgg aaaattagaa gggctctcct ttaaagatgg tcttctgaag gctaactcgc 1560
gaatgaaagt ttctattcca actaaagcct tagaattgat ggacatgcaa actttcaaag 1620
cagagcctcc cgagaagcca tctgcctctg agcctgcat tgaaatgcaa aagctctgtc 1680
caaataaagc cttggaattg aagaatgaac aaacattgag agcagatgag atactcccat 1740
cagaatccaa acaaaaggac tatgaagaaa gttcttgga ttctgagagt ctctgtgaga 1800
ctgtttcaca gaaggatgtg tgtttacca aggctrcrca tcaaaaagaa atagataaaa 1860
taaattgaaa attagaagag tctcctgata atgatggttt tctgaaggct ccctgcagaa 1920
tgaaagtttc tattccaact aaagccttag aattgatgga catgcaaact ttcaaagcag 1980
agcctcccga gaagccatct gccttcgagc ctgccattga aatgcaaaag tctgttccaa 2040
ataaagcctt ggaattgaag aatgaacaaa cattgagagc agatcagatg ttcccttcag 2100
aatcaaaaca aaagaasgtt gaagaaaatt cttgggattc tgagagctct cgtgagactg 2160
tttcacagaa ggatgtgtgt gtacccaagg ctacacatca aaaagaaatg gataaaataa 2220
gtggaaaatt agaagattca actagcctat caaaaatctt ggatacagtt cattcttgtg 2280
aaagagcaag ggaacttcaa aaagatcact gtgaacaacg tacaggaaaa atggaacaaa 2340
tgaaaaagaa gttttgtgta ctgaaaaaga aactgtcaga agcaaaagaa ataaaatcac 2400
agttagagaa ccaaaaagtt aaatgggaac aagagctctg cagtgtgagg tttctcacac 2460
tcatgaaaat gaaaattatc tcttacatga aaattgcatg ttgaaaaagg aaattgccat 2520
gctaaaactg gaaatagcca cactgaaaca ccaataccag gaaaaggaaa ataaatactt 2580
tgaggacatt aagattttta aagaaaagaa tgctgaactt cagatgacce taaaactgaa 2640
agaggaatca ttaactaaaa gggcatctca atatagtggg cagcttaaag ttctgatagc 2700
tgagaacaca atgctcactt ctaaattgaa ggaaaaacaa gacaaaagaa tactagaggc 2760
agaaattgaa tcacaccatc ctagactggc ttctgtgtga caagaccatg atcaaattgt 2820
gacatcaaga aaaagtcaag aacctgcttt ccacattgca ggagatgctt gtttgcaaaag 2880
aaaaatgaat gttgatgtga gtagtacgat atataacaat gaggtgctcc atcaaccact 2940
ttctgaagct caaaggaaat ccaaaagcct aaaaattaat ctcaattatg cmggagatgc 3000
tctaagagaa aatacattgg tttcagaaca tgcacaaaga gaccaacgtg aaacacagtg 3060
tcaaattgaag gaagctgaac acatgtatca aaacgaacaa gataatgtga acaaacacac 3120
tgaacagcag gagtctctag atcagaaatt atttcaacta caaagcaaaa atatgtggct 3180
tcaacagcaa ttagtctcatg cacataagaa agctgacaac aaaagcaaga taacaattga 3240
tattcatttt cttgagagga aaatgcaaca tcatctccta aaagagaaaa atgaggagat 3300
atttaattac aataaccatt taaaaaccg tatatatcaa tatgaaaaag agaaagcaga 3360
aacagaaaac tcatgagaga caagcagtaa gaaacttctt ttggagaaac aacagaccag 3420
atctttactc acaactcatg ctaggaggcc agtcctagca tcaccttatg ttgaaaatct 3480
taccaatagt ctgtgtcaac agaatactta ttttagaaga aaaattcatg atttcttctc 3540

```

```
gaagcctaca gacataaaat aacagtgtga agaattactt gttcacgaat tgcataaagc 3600
tgcacaggat tcccatctac cctgatgatg cagcagacat cattcaatcc aaccagaatc 3660
tcgctctgtc actcaggctg g                                     3681
```

<210> 464

<211> 1424

<212> DNA

<213> Homo sapiens

<400> 464

```
tccgagctga ttacagacac caaggaagat gctgtaaaga gtcagcagcc acagccctgg 60
ctagctggcc ctgtgggcat ttattagtaa agttttaatg acaaaagctt tgagtcaaca 120
caccctgggg taattaacct ggtcatcccc accctggaga gccatcctgc ccatgggtga 180
tcaaagaagg aacatctgca ggaacacctg atgaggctgc acccttggcg gaaagaacac 240
ctgacacagc tgaaagcttg gtggaaaaaa cacctgatga ggctgcaccc ttggtggaaa 300
gaacacctga cagggtgaa agcttgggtg aaaaaacacc tgatgaggct gcatccttgg 360
tggaggggaa atctgacaaa attcaatgtt tggagaaaagc gacatctgga aagttcgaac 420
agtcagcaga agaaacacct agggaaatta cgagtcctgc aaaagaaaaca tctgagaaat 480
ttacgtggcc agcaaaagga agacctagga agatcgcatg ggagaaaaaa gaagacacac 540
ctaggggaaat tatgagtccc gcaaaagaaa catctgagaa atttacgtgg gcagcaaaag 600
gaagacctag gaagatcgca tgggagaaaa aagaaaacacc tgtaaagact ggatgcgtgg 660
caagagtaac atctaataaa actaaagtgt tggaaaaagg aagatctaag atgattgcat 720
gtcctacaaa agaatcatct acaaaagcaa gtgccaatga tcagagggtc ccatcagaat 780
ccaaacaaga ggaagatgaa gaatattctt gtgattctcg gagtctcttt gagagtcttg 840
caaagattca agtgtgtata cctgagtcta tatatcaaaa agtaatggag ataaatagag 900
aagtagaaga gcctcctaag aagccatctg ccttcaagcc tgccattgaa atgcaaaact 960
ctgttccaaa taaagccttt gaattgaaga atgaacaaac attgagagca gatccgatgt 1020
tcccaccaga atccaaacaa aaggactatg aagaaaattc ttgggattct gagagtctct 1080
gtgagactgt ttcacagaag gatgtgtgtt tacccaaggc tacacatcaa aaagaaatag 1140
ataaaataaa tggaaaatta gaaggtaaga accgtttttt atttaaaaat cagttgaccg 1200
aatatttctc taaactgatg aggagggata tcctctagta gctgaagaaa attacctcct 1260
aatgcaaac catggaaaaa aagagaagtg caatggctcg aagttgtatg tctcatcagg 1320
tgttggcaac agactatatt gagagtgtcg aaaaggagct gaattattag tttgaattca 1380
agatattgca agacctgaga gaaaaaaaaa aaaaaaaaaa aaaa                                     1424
```

<210> 465

<211> 674

<212> DNA

<213> Homo sapiens

<400> 465

```
attccgagct gattacagac accaaggaag atgctgtaaa gagtcagcag ccacagccct 60
ggctagctgg ccctgtgggc atttattagt aaagttttaa tgacaaaagc tttgagtcaa 120
cacacccttg ggtaattaac ctggatcatc ccaccctgga gagccatcct gcccatgggt 180
gatcaaagaa ggaacatctg caggaacacc tgatgaggct gcacccttgg cggaaagaac 240
acctgacaca gctgaaagct tgggtggaaaa aacacctgat gaggctgcac ccttgggtgga 300
aagaacacct gacacggctg aaagcttgggt ggaaaaaaca cctgatgagg ctgcatcctt 360
gggtggagggg acatctgaca aaattcaatg tttggagaaa gcgacatctg gaaagttcga 420
acagtcagca gaagaaacac ctaggggaaat tacgagtcct gcaaaagaaa catctgagaa 480
atttacgtgg ccagcaaaag gaagacctag gaagatcgca tgggagaaaa aagatgactc 540
agttaaggca aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 600
aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 660
aaaaaaaaaa aaaa                                     674
```

<210> 466

<211> 1729
 <212> DNA
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (11)
 <223> n=A,T,C or G
 <221> unsure
 <222> (1128)
 <223> n=A,T,C or G

<400> 466
 gaaagttcga ncagtcagca gaagaaacac ctagggaaat tacgagtcct gcaaaagaaa 60
 catctgagaa atttacgtgg ccagcaaaag gaagacctag gaagatcgca tgggagaaaa 120
 aagaagacac acctagggaa attatgagtc ccgcaaaaga aacatctgag aaatttacgt 180
 gggcagcaaa aggaagacct aggaagatcg catgggagaa aaaagaaaca cctgtaaaga 240
 ctggatgctg ggcaagagta acatctaata aaactaaagt tttggaaaaa ggaagatcta 300
 agatgattgc atgtcctaca aaagaatcat ctacaaaagc aagtgccaat gatcagaggt 360
 tcccatcaga atccaaacaa gaggaagatg aagaatattc ttgtgattct cggagtctct 420
 ttgagagtgc tgcaaaagatt caagtgtgta tacctgagtc tatatatcaa aaagtaatgg 480
 agataaatag agaagtagaa gagcctccta agaagccatc tgccttcaag cctgccattg 540
 aaatgcaaaa ctctgttcca aataaagcct ttgaattgaa gaatgaacaa acattgagag 600
 cagatccgat gttcccacca gaatccaaac aaaaggacta tgaagaaaat tcttgggatt 660
 ctgagagtct ctgtgagact gtttcacaga aggatgtgtg tttaccaag gctacacatc 720
 aaaaagaaat agataaaata aatggaaaat tagaagagtc tcctaataaa gatggtcttc 780
 tgaaggctac ctgcggaatg aaagtttcta ttccaactaa agccttagaa ttgaaggaca 840
 tgcaaaacttt caaagcagag cctccgggga agccatctgc cttcgagcct gccactgaaa 900
 tgcaaaagtc tgtcccaaat aaagccttgg aattgaaaaa tgaacaaaca ttgagagcag 960
 atgagatact cccatcagaa tccaaacaaa aggactatga agaaaattct tgggatactg 1020
 agagtctctg tgagactggt tcacagaagg atgtgtgttt acccaaggct gcgcatcaaa 1080
 aagaaataga taaaataaat ggaaaattag aagggtctcc tggtaaanat ggtcttctga 1140
 aggctaactg cggaatgaaa gtttctattc caactaaagc cttagaattg atggacatgc 1200
 aaactttcaa agcagagcct cccgagaagc catctgcctt cgagcctgcc attgaaatgc 1260
 aaaagtctgt tccaaataaa gccttggaaat tgaagaatga acaaacattg agagcagatg 1320
 agatactccc atcagaatcc aaacaaaagg actatgaaga aagttcttgg gattctgaga 1380
 gtctctgtga gactgtttca cagaaggatg tgtgtttacc caaggctgcg catcaaaaag 1440
 aaatagataa aataaatgga aaattagaag gtaagaaccg ttttttattt aaaaatcatt 1500
 tgaccaaata tttctctaaa ttgatgagga aggatatcct ctagtagctg aagaaaatta 1560
 cctcctaaat gcaaaccatg gaaaaaaaga gaagtgcaat ggtcataagc tatgtgtctc 1620
 atcaggcatt ggcaacagac tatattgtga gtgctgaaga ggagctgaat tactagttta 1680
 aattcaagat attccaagac gtgaggaaaa tgagaaaaaa aaaaaaaaaa 1729

<210> 467
 <211> 1337
 <212> DNA
 <213> Homo sapiens

<400> 467
 aaaaagaaat agataaaata aatggaaaat tagaagggtc tcctgttaaa gatggtcttc 60
 tgaaggctaa ctgcggaatg aaagtttcta ttccaactaa agccttagaa ttgatggaca 120
 tgcaaaacttt caaagcagag cctcccagaga agccatctgc cttcgagcct gccattgaaa 180
 tgcaaaagtc tgttccaaat aaagccttgg aattgaagaa tgaacaaaca ttgagagcag 240
 atgagatact cccatcagaa tccaaacaaa aggactatga agaaagttct tgggattctg 300
 agagtctctg tgagactggt tcacagaagg atgtgtgttt acccaaggct gcgcatcaaa 360

```

aagaaataga taaaataaat ggaaaattag aagagtctcc tgataatgat ggttttctga 420
aggctccctg cagaatgaaa gtttctattc caactaaagc cttagaattg atggacatgc 480
aaactttcaa agcagagcct cccgagaagc catctgcctt cgagcctgcc attgaaatgc 540
aaaagtctgt tccaaataaa gccttggaat tgaagaatga acaaacattg agagcagatc 600
agatgttccc ttcagaatca aaacaaaaga aggttgaaga aaattcttgg gattctgaga 660
gtctccgtga gactgtttca cagaaggatg tgtgtgtacc caaggctaca catcaaaaag 720
aatggataa aataagtggg aaattagaag attcaactag cctatcaaaa atcttggata 780
cagttcattc ttgtgaaaga gcaagggaac ttcaaaaaga tcaactgtga caacgtacag 840
gaaaaatgga acaaatgaaa aagaagtttt gtgtactgaa aaagaaactg tcagaagcaa 900
aagaaataaa atcacagtta gagaaccaa aagttaaag ggaacaagag ctctgcagt 960
tgagattgac tttaaaccaa gaagaagaga agagaagaaa tgccgatata ttaaataaaa 1020
aaattaggga agaattagga agaatcgaag agcagcatag gaaagagtta gaagtgaac 1080
aacaacttga acaggctctc agaatacaag atatagaatt gaagagtgtg gaaagtaatt 1140
tgaatcaggt ttctcacact catgaaaatg aaaattatct cttacatgaa aattgcatgt 1200
tgaaaaagga aattgccatg ctaaaactgg aaatagccac actgaaacac caataccagg 1260
aaaaggaaaa taaatacttt gaggacatta agattttaaa agaaaagaat gctgaacttc 1320
agatgacccc tcgtgcc                                     1337

```

<210> 468

<211> 2307

<212> DNA

<213> Homo sapiens

<400> 468

```

attgagagca gatgagatac tcccatcaga atccaaacaa aaggactatg aagaaagtgc 60
ttgggattct gagagtctct gtgagactgt ttcacagaag gatgtgtgtt taccgaaggc 120
tacacatcaa aaagaaatag ataaaaataa tggaaaatta gaagggtctc ctgttaaaga 180
tggtcttctg aaggctaact gcggaatgaa agtttctatt ccaactaaag ccttagaatt 240
gatggacatg caaactttca aagcagagcc tcccgagaag ccatctgcct tcgagcctgc 300
cattgaaatg caaaagtctg ttccaaataa agccttggaa ttgaagaatg acaaacatt 360
gagagcagat gagatactcc catcagaatc caaacaaaag gactatgaag aaagtctctg 420
ggattctgag agtctctgtg agactgtttc acagaaggat gtgtgtttac ccaaggctac 480
acatcaaaaa gaaatagata aaataaatgg aaaattagaa gagtctctctg ataattgatg 540
ttttctgaag tctccctgca gaatgaaagt ttctattcca actaaagcct tagaattgat 600
ggacatgcaa actttcaaag cagagcctcc cgagaagcca tctgccttcg agcctgccat 660
tgaaatgcaa aagtctgttc caaataaagc cttggaattg aagaatgaac aaacattgag 720
agcagatcag atgttccctt cagaatcaaa acaaaagaac gttgaagaaa attcttggga 780
ttctgagagt ctccgtgaga ctgtttcaca gaaggatgtg tgtgtaccca aggctacaca 840
tcaaaaagaa atggataaaa taagtggaaa attagaagat tcaactagcc tatcaaaaat 900
cttgatata gttcattctt gtgaaagagc aagggaactt caaaaagatc actgtgaaca 960
acgtacagga aaaatggaac aaatgaaaaa gaagttttgt gtactgaaa agaaactgtc 1020
agaagcaaaa gaaataaaaat cacagttaga gaacaaaaaa gttaaattggg aacaagagct 1080
ctgcagtgtg aggtttctca cactcatgaa aatgaaaatt atctcttaca tgaaaattgc 1140
atgttgaaaa aggaaattgc catgctaaaa ctggaaatag ccacactgaa acaccaatac 1200
caggaaaagg aaaataaata ctttgaggac attaagattt taaaagaaaa gaatgctgaa 1260
cttcagatga ccctaaaact gaaagaggaa tcattaacta aaagggcatc tcaatatagt 1320
gggcagctta aagttctgat agctgagaac acaatgctca cttctaaatt gaaggaaaaa 1380
caagacaaaag aaataactaga ggcagaaatt gaatcacacc atcctagact ggcttctgct 1440
gtacaagacc atgatcaaat tgtgacatca agaaaaagtc aagaacctgc tttccacatt 1500
gcaggagatg cttgtttgca aagaaaaatg aatgttgatg tgagtagtac gatataaac 1560
aatgaggtgc tccatcaacc actttctgaa gctcaaagga aatccaaaag cctaaaaatt 1620
aatctcaatt atgcaggaga tgctctaaga gaaaatacat tggtttcaga acatgcacaa 1680
agagaccaac gtgaaacaca gtgtcaaatg aagggaagctg aacacatgta tcaaacgaa 1740
caagataatg tgaacaaaca cactgaacag caggagtctc tagatcagaa attatttcaa 1800
ctacaaagca aaaatatgtg gcttcaacag caattagttc atgcacataa gaaagctgac 1860

```

```

aacaaaagca agataacaat tgatattcat tttcttgaga ggaaaatgca acatcatctc 1920
ctaaaagaga aaaatgagga gatattttaat tacaataacc atttaaaaaa ccgtatatat 1980
caatatgaaa aagagaaagc agaaacagaa aactcatgag agacaagcag taagaaactt 2040
cttttgagga aacaacagac cagatcttta ctcacaactc atgctaggag gccagtccta 2100
gcatcacctt atgttgaaaa tcttaccaat agtctgtgtc aacagaatac ttattttaga 2160
agaaaaattc atgatttctt cctgaagcct acagacataa aataacagtg tgaagaatta 2220
cttgttcacg aattgcataa agctgcacag gattcccatc tacctgatg atgcagcaga 2280
catcattcaa tccaaccaga atctcgc                                     2307

```

<210> 469

<211> 650

<212> PRT

<213> Homo sapiens

<220>

<221> unsure

<222> (310)

<223> Xaa = Any Amino Acid<221> unsure

<222> (429)

<223> Xaa = Any Amino Acid<221> unsure

<222> (522)

<223> Xaa = Any Amino Acid

<400> 469

```

Met Ser Pro Ala Lys Glu Thr Ser Glu Lys Phe Thr Trp Ala Ala Lys
          5              10              15

```

```

Gly Arg Pro Arg Lys Ile Ala Trp Glu Lys Lys Glu Thr Pro Val Lys
          20              25              30

```

```

Thr Gly Cys Val Ala Arg Val Thr Ser Asn Lys Thr Lys Val Leu Glu
          35              40              45

```

```

Lys Gly Arg Ser Lys Met Ile Ala Cys Pro Thr Lys Glu Ser Ser Thr
          50              55              60

```

```

Lys Ala Ser Ala Asn Asp Gln Arg Phe Pro Ser Glu Ser Lys Gln Glu
          65              70              75              80

```

```

Glu Asp Glu Glu Tyr Ser Cys Asp Ser Arg Ser Leu Phe Glu Ser Ser
          85              90              95

```

```

Ala Lys Ile Gln Val Cys Ile Pro Glu Ser Ile Tyr Gln Lys Val Met
          100              105              110

```

```

Glu Ile Asn Arg Glu Val Glu Glu Pro Pro Lys Lys Pro Ser Ala Phe
          115              120              125

```

```

Lys Pro Ala Ile Glu Met Gln Asn Ser Val Pro Asn Lys Ala Phe Glu
          130              135              140

```

```

Leu Lys Asn Glu Gln Thr Leu Arg Ala Asp Pro Met Phe Pro Pro Glu
          145              150              155              160

```

```

Ser Lys Gln Lys Asp Tyr Glu Glu Asn Ser Trp Asp Ser Glu Ser Leu

```

143

	165		170		175
Cys Glu Thr Val Ser Gln Lys Asp Val Cys Leu Pro Lys Ala Thr His					
	180		185		190
Gln Lys Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Glu Ser Pro Asn					
	195		200		205
Lys Asp Gly Leu Leu Lys Ala Thr Cys Gly Met Lys Val Ser Ile Pro					
	210		215		220
Thr Lys Ala Leu Glu Leu Lys Asp Met Gln Thr Phe Lys Ala Glu Pro					
	225		230		240
Pro Gly Lys Pro Ser Ala Phe Glu Pro Ala Thr Glu Met Gln Lys Ser					
		245		250	255
Val Pro Asn Lys Ala Leu Glu Leu Lys Asn Glu Gln Thr Leu Arg Ala					
	260		265		270
Asp Glu Ile Leu Pro Ser Glu Ser Lys Gln Lys Asp Tyr Glu Glu Ser					
	275		280		285
Ser Trp Asp Ser Glu Ser Leu Cys Glu Thr Val Ser Gln Lys Asp Val					
	290		295		300
Cys Leu Pro Lys Ala Xaa His Gln Lys Glu Ile Asp Lys Ile Asn Gly					
	305		310		315
Lys Leu Glu Gly Ser Pro Val Lys Asp Gly Leu Leu Lys Ala Asn Cys					
		325		330	335
Gly Met Lys Val Ser Ile Pro Thr Lys Ala Leu Glu Leu Met Asp Met					
	340		345		350
Gln Thr Phe Lys Ala Glu Pro Pro Glu Lys Pro Ser Ala Phe Glu Pro					
	355		360		365
Ala Ile Glu Met Gln Lys Ser Val Pro Asn Lys Ala Leu Glu Leu Lys					
	370		375		380
Asn Glu Gln Thr Leu Arg Ala Asp Glu Ile Leu Pro Ser Glu Ser Lys					
	385		390		395
Gln Lys Asp Tyr Glu Glu Ser Ser Trp Asp Ser Glu Ser Leu Cys Glu					
	405		410		415
Thr Val Ser Gln Lys Asp Val Cys Leu Pro Lys Ala Xaa His Gln Lys					
	420		425		430
Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Glu Ser Pro Asp Asn Asp					
	435		440		445
Gly Phe Leu Lys Ala Pro Cys Arg Met Lys Val Ser Ile Pro Thr Lys					
	450		455		460

144

Ala Leu Glu Leu Met Asp Met Gln Thr Phe Lys Ala Glu Pro Pro Glu
 465 470 475 480
 Lys Pro Ser Ala Phe Glu Pro Ala Ile Glu Met Gln Lys Ser Val Pro
 485 490 495
 Asn Lys Ala Leu Glu Leu Lys Asn Glu Gln Thr Leu Arg Ala Asp Gln
 500 505 510
 Met Phe Pro Ser Glu Ser Lys Gln Lys Xaa Val Glu Glu Asn Ser Trp
 515 520 525
 Asp Ser Glu Ser Leu Arg Glu Thr Val Ser Gln Lys Asp Val Cys Val
 530 535 540
 Pro Lys Ala Thr His Gln Lys Glu Met Asp Lys Ile Ser Gly Lys Leu
 545 550 555 560
 Glu Asp Ser Thr Ser Leu Ser Lys Ile Leu Asp Thr Val His Ser Cys
 565 570 575
 Glu Arg Ala Arg Glu Leu Gln Lys Asp His Cys Glu Gln Arg Thr Gly
 580 585 590
 Lys Met Glu Gln Met Lys Lys Lys Phe Cys Val Leu Lys Lys Lys Leu
 595 600 605
 Ser Glu Ala Lys Glu Ile Lys Ser Gln Leu Glu Asn Gln Lys Val Lys
 610 615 620
 Trp Glu Gln Glu Leu Cys Ser Val Arg Phe Leu Thr Leu Met Lys Met
 625 630 635 640
 Lys Ile Ile Ser Tyr Met Lys Ile Ala Cys
 645 650

<210> 470

<211> 228

<212> PRT

<213> Homo sapiens

<400> 470

Met Ser Pro Ala Lys Glu Thr Ser Glu Lys Phe Thr Trp Ala Ala Lys
 5 10 15
 Gly Arg Pro Arg Lys Ile Ala Trp Glu Lys Lys Glu Thr Pro Val Lys
 20 25 30
 Thr Gly Cys Val Ala Arg Val Thr Ser Asn Lys Thr Lys Val Leu Glu
 35 40 45
 Lys Gly Arg Ser Lys Met Ile Ala Cys Pro Thr Lys Glu Ser Ser Thr
 50 55 60

145

Lys Ala Ser Ala Asn Asp Gln Arg Phe Pro Ser Glu Ser Lys Gln Glu
 65 70 75 80
 Glu Asp Glu Glu Tyr Ser Cys Asp Ser Arg Ser Leu Phe Glu Ser Ser
 85 90 95
 Ala Lys Ile Gln Val Cys Ile Pro Glu Ser Ile Tyr Gln Lys Val Met
 100 105 110
 Glu Ile Asn Arg Glu Val Glu Glu Pro Pro Lys Lys Pro Ser Ala Phe
 115 120 125
 Lys Pro Ala Ile Glu Met Gln Asn Ser Val Pro Asn Lys Ala Phe Glu
 130 135 140
 Leu Lys Asn Glu Gln Thr Leu Arg Ala Asp Pro Met Phe Pro Pro Glu
 145 150 155 160
 Ser Lys Gln Lys Asp Tyr Glu Glu Asn Ser Trp Asp Ser Glu Ser Leu
 165 170 175
 Cys Glu Thr Val Ser Gln Lys Asp Val Cys Leu Pro Lys Ala Thr His
 180 185 190
 Gln Lys Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Gly Lys Asn Arg
 195 200 205
 Phe Leu Phe Lys Asn Gln Leu Thr Glu Tyr Phe Ser Lys Leu Met Arg
 210 215 220
 Arg Asp Ile Leu
 225

<210> 471
 <211> 154
 <212> PRT
 <213> Homo sapiens

<220>
 <221> unsure
 <222> (148)
 <223> Xaa = Any Amino Acid

<400> 471
 Met Arg Leu His Pro Trp Arg Lys Glu His Leu Thr Gln Leu Lys Ala
 5 10 15
 Trp Trp Lys Lys His Leu Met Arg Leu His Pro Trp Trp Lys Glu His
 20 25 30
 Leu Thr Arg Leu Lys Ala Trp Trp Lys Lys His Leu Met Arg Leu His
 35 40 45

146

Pro Trp Trp Arg Glu His Leu Thr Lys Phe Asn Val Trp Arg Lys Arg
 50 55 60
 His Leu Glu Ser Ser Asn Ser Gln Gln Lys Lys His Leu Gly Lys Leu
 65 70 75 80
 Arg Val Leu Gln Lys Lys His Leu Arg Asn Leu Arg Gly Gln Gln Lys
 85 90 95
 Glu Asp Leu Gly Arg Ser His Gly Arg Lys Lys Met Thr Gln Leu Arg
 100 105 110
 Gln Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 115 120 125
 Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys Lys
 130 135 140
 Lys Lys Lys Xaa Lys Lys Lys Lys Lys
 145 150

<210> 472
 <211> 467
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> unsure
 <222> (329)
 <223> Xaa = Any Amino Acid

<400> 472
 Met Ser Pro Ala Lys Glu Thr Ser Glu Lys Phe Thr Trp Ala Ala Lys
 5 10 15
 Gly Arg Pro Arg Lys Ile Ala Trp Glu Lys Lys Glu Thr Pro Val Lys
 20 25 30
 Thr Gly Cys Val Ala Arg Val Thr Ser Asn Lys Thr Lys Val Leu Glu
 35 40 45
 Lys Gly Arg Ser Lys Met Ile Ala Cys Pro Thr Lys Glu Ser Ser Thr
 50 55 60
 Lys Ala Ser Ala Asn Asp Gln Arg Phe Pro Ser Glu Ser Lys Gln Glu
 65 70 75 80
 Glu Asp Glu Glu Tyr Ser Cys Asp Ser Arg Ser Leu Phe Glu Ser Ser
 85 90 95
 Ala Lys Ile Gln Val Cys Ile Pro Glu Ser Ile Tyr Gln Lys Val Met
 100 105 110
 Glu Ile Asn Arg Glu Val Glu Glu Pro Pro Lys Lys Pro Ser Ala Phe

147

115	120	125
Lys Pro Ala Ile Glu Met Gln Asn Ser Val Pro Asn Lys Ala Phe Glu		
130	135	140
Leu Lys Asn Glu Gln Thr Leu Arg Ala Asp Pro Met Phe Pro Pro Glu		
145	150	155
Ser Lys Gln Lys Asp Tyr Glu Glu Asn Ser Trp Asp Ser Glu Ser Leu		
	165	170
		175
Cys Glu Thr Val Ser Gln Lys Asp Val Cys Leu Pro Lys Ala Thr His		
	180	185
		190
Gln Lys Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Glu Ser Pro Asn		
	195	200
		205
Lys Asp Gly Leu Leu Lys Ala Thr Cys Gly Met Lys Val Ser Ile Pro		
	210	215
		220
Thr Lys Ala Leu Glu Leu Lys Asp Met Gln Thr Phe Lys Ala Glu Pro		
	225	230
		235
Pro Gly Lys Pro Ser Ala Phe Glu Pro Ala Thr Glu Met Gln Lys Ser		
	245	250
		255
Val Pro Asn Lys Ala Leu Glu Leu Lys Asn Glu Gln Thr Leu Arg Ala		
	260	265
		270
Asp Glu Ile Leu Pro Ser Glu Ser Lys Gln Lys Asp Tyr Glu Glu Asn		
	275	280
		285
Ser Trp Asp Thr Glu Ser Leu Cys Glu Thr Val Ser Gln Lys Asp Val		
	290	295
		300
Cys Leu Pro Lys Ala Ala His Gln Lys Glu Ile Asp Lys Ile Asn Gly		
	305	310
		315
Lys Leu Glu Gly Ser Pro Gly Lys Xaa Gly Leu Leu Lys Ala Asn Cys		
	325	330
		335
Gly Met Lys Val Ser Ile Pro Thr Lys Ala Leu Glu Leu Met Asp Met		
	340	345
		350
Gln Thr Phe Lys Ala Glu Pro Pro Glu Lys Pro Ser Ala Phe Glu Pro		
	355	360
		365
Ala Ile Glu Met Gln Lys Ser Val Pro Asn Lys Ala Leu Glu Leu Lys		
	370	375
		380
Asn Glu Gln Thr Leu Arg Ala Asp Glu Ile Leu Pro Ser Glu Ser Lys		
	385	390
		395
Gln Lys Asp Tyr Glu Glu Ser Ser Trp Asp Ser Glu Ser Leu Cys Glu		
	405	410
		415

148

Thr Val Ser Gln Lys Asp Val Cys Leu Pro Lys Ala Ala His Gln Lys
 420 425 430

Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Gly Lys Asn Arg Phe Leu
 435 440 445

Phe Lys Asn His Leu Thr Lys Tyr Phe Ser Lys Leu Met Arg Lys Asp
 450 455 460

Ile Leu
 465

<210> 473

<211> 445

<212> PRT

<213> Homo sapiens

<400> 473

Lys Glu Ile Asp Lys Ile Asn Gly Lys Leu Glu Gly Ser Pro Val Lys
 5 10 15

Asp Gly Leu Leu Lys Ala Asn Cys Gly Met Lys Val Ser Ile Pro Thr
 20 25 30

Lys Ala Leu Glu Leu Met Asp Met Gln Thr Phe Lys Ala Glu Pro Pro
 35 40 45

Glu Lys Pro Ser Ala Phe Glu Pro Ala Ile Glu Met Gln Lys Ser Val
 50 55 60

Pro Asn Lys Ala Leu Glu Leu Lys Asn Glu Gln Thr Leu Arg Ala Asp
 65 70 75 80

Glu Ile Leu Pro Ser Glu Ser Lys Gln Lys Asp Tyr Glu Glu Ser Ser
 85 90 95

Trp Asp Ser Glu Ser Leu Cys Glu Thr Val Ser Gln Lys Asp Val Cys
 100 105 110

Leu Pro Lys Ala Ala His Gln Lys Glu Ile Asp Lys Ile Asn Gly Lys
 115 120 125

Leu Glu Glu Ser Pro Asp Asn Asp Gly Phe Leu Lys Ala Pro Cys Arg
 130 135 140

Met Lys Val Ser Ile Pro Thr Lys Ala Leu Glu Leu Met Asp Met Gln
 145 150 155 160

Thr Phe Lys Ala Glu Pro Pro Glu Lys Pro Ser Ala Phe Glu Pro Ala
 165 170 175

Ile Glu Met Gln Lys Ser Val Pro Asn Lys Ala Leu Glu Leu Lys Asn
 180 185 190

149

Glu Gln Thr Leu Arg Ala Asp Gln Met Phe Pro Ser Glu Ser Lys Gln
 195 200 205
 Lys Lys Val Glu Glu Asn Ser Trp Asp Ser Glu Ser Leu Arg Glu Thr
 210 215 220
 Val Ser Gln Lys Asp Val Cys Val Pro Lys Ala Thr His Gln Lys Glu
 225 230 235 240
 Met Asp Lys Ile Ser Gly Lys Leu Glu Asp Ser Thr Ser Leu Ser Lys
 245 250 255
 Ile Leu Asp Thr Val His Ser Cys Glu Arg Ala Arg Glu Leu Gln Lys
 260 265 270
 Asp His Cys Glu Gln Arg Thr Gly Lys Met Glu Gln Met Lys Lys Lys
 275 280 285
 Phe Cys Val Leu Lys Lys Lys Leu Ser Glu Ala Lys Glu Ile Lys Ser
 290 295 300
 Gln Leu Glu Asn Gln Lys Val Lys Trp Glu Gln Glu Leu Cys Ser Val
 305 310 315 320
 Arg Leu Thr Leu Asn Gln Glu Glu Glu Lys Arg Arg Asn Ala Asp Ile
 325 330 335
 Leu Asn Glu Lys Ile Arg Glu Glu Leu Gly Arg Ile Glu Glu Gln His
 340 345 350
 Arg Lys Glu Leu Glu Val Lys Gln Gln Leu Glu Gln Ala Leu Arg Ile
 355 360 365
 Gln Asp Ile Glu Leu Lys Ser Val Glu Ser Asn Leu Asn Gln Val Ser
 370 375 380
 His Thr His Glu Asn Glu Asn Tyr Leu Leu His Glu Asn Cys Met Leu
 385 390 395 400
 Lys Lys Glu Ile Ala Met Leu Lys Leu Glu Ile Ala Thr Leu Lys His
 405 410 415
 Gln Tyr Gln Glu Lys Glu Asn Lys Tyr Phe Glu Asp Ile Lys Ile Leu
 420 425 430
 Lys Glu Lys Asn Ala Glu Leu Gln Met Thr Pro Arg Ala
 435 440 445

<210> 474

<211> 221

<212> DNA

<213> Homo sapiens

<220>

150

<221> misc_feature
<222> (1)...(221)
<223> n = A,T,C or G

<400> 474
ggtccattcc tttcctcgcg tnggggtttc tctgtgtcag cgagcctcgg tacactgatt 60
tccgatcaaa agaatcatca tctttacctt gacttttcag ggaattactg aactttcttc 120
tcagaagata gggcacagcc attgccttgg cctcacttga agggctctgca tttgggtcct 180
ctggtctctt gccaaagttc ccagccactc gagggagaaa t 221

专利名称(译)	用于治疗 and 诊断乳腺癌的组合物及其使用方法		
公开(公告)号	EP1183348A2	公开(公告)日	2002-03-06
申请号	EP2000919352	申请日	2000-02-15
[标]申请(专利权)人(译)	科里克萨有限公司		
申请(专利权)人(译)	Corixa公司CORPORATION		
当前申请(专利权)人(译)	Corixa公司CORPORATION		
[标]发明人	YUQIU JIANG DILLON DAVIN C MITCHAM JENNIFER LYNN XU JIANGCHUN HARLOCKER SUSAN L		
发明人	YUQIU, JIANG DILLON, DAVIN, C. MITCHAM, JENNIFER, LYNN XU, JIANGCHUN HARLOCKER, SUSAN, L.		
IPC分类号	G01N33/53 A61K35/12 A61K35/14 A61K35/76 A61K38/00 A61K39/00 A61K39/39 A61K39/395 A61K48/00 A61P35/00 C07K14/47 C07K14/82 C07K16/32 C07K19/00 C12N1/15 C12N1/19 C12N1/21 C12N5/10 C12N9/00 C12N15/09 C12N15/12 C12Q1/68 G01N33/566 G01N33/577 C12N15/52 A61K38/17 C07K16/30 C07K16/40 C12N15/62 C12N5/00 G01N33/68 C12N15/11		
CPC分类号	C07K14/47 A61K35/12 A61K38/00 A61K39/00 C07K2319/00 C12N9/00 C12Q1/6886 C12Q2600/158		
优先权	09/285480 1999-04-02 US 09/389681 1999-09-02 US 09/433826 1999-11-03 US 09/339338 1999-06-23 US		
其他公开文献	EP1183348B1		
外部链接	Espacenet		

摘要(译)

公开了用于治疗 and 诊断癌症 (例如乳腺癌) 的组合物和方法。组合物可包含一种或多种乳腺肿瘤蛋白, 其免疫原性部分或编码这些部分的多核苷酸。或者, 治疗组合物可包含表达乳腺肿瘤蛋白的抗原呈递细胞, 或对表达这种蛋白的细胞特异的T细胞。此类组合物可用于例如预防和治疗诸如乳腺癌的疾病。还提供了基于在样品中检测乳腺肿瘤蛋白或编码这种蛋白的mRNA的诊断方法。