



(12) **EUROPEAN PATENT APPLICATION**
published in accordance with Art. 153(4) EPC

(43) Date of publication:
31.07.2019 Bulletin 2019/31

(51) Int Cl.:
G01N 33/53 (2006.01) G01N 33/543 (2006.01)

(21) Application number: **17767719.2**

(86) International application number:
PCT/KR2017/004927

(22) Date of filing: **12.05.2017**

(87) International publication number:
WO 2018/052176 (22.03.2018 Gazette 2018/12)

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR
Designated Extension States:
BA ME
Designated Validation States:
MA MD

• **Park, Sung Sik**
Daejeon 35389 (KR)

(72) Inventor: **PARK, Sung Sik**
Daejeon 35389 (KR)

(74) Representative: **Morabito, Sara et al**
Cantaluppi & Partners S.r.l.
Piazzetta Cappellato Pedrocchi, 18
35122 Padova (IT)


(30) Priority: **19.09.2016 KR 20160118983**

(71) Applicants:
• **Biobank Inc.**
Okcheon-gun, Chungcheongbuk-do 29046 (KR)

(54) **MULTI-UNIT FOR PERFORMING BIOCHEMICAL TEST AND IMMUNE RESPONSE TEST, AND TEST METHOD USING SAME**

(57) The present invention pertains to a multi-unit for performing a biochemical test and immunological response test and a test method using the same. The present invention includes an upper strip 10 composed of a plurality of first strip wells 12 including an indicator for the biochemical test; a lower strip 20 composed of a plurality of second strip wells including DNA fragments or antibodies for the immunological response test; and plasma which reacts with the indicator, DNA fragments, or antibodies, and the strip enclosure 30 composed of a plurality of third strip wells 32 in which the upper strip 10 and the lower strip 20 are sequentially inserted and coupled. The bottom surface of the first strip well and the bottom surface of the second strip well are spaced apart from each other by a predetermined distance. Using the multi-unit for conducting the biochemical test and the immuno serological test according to the present invention and the test method thereof, there is the effect of enabling tests including biochemical test, immuno serological test, special chemical test, and genetic test with a single device simultaneously or individually, except the morphological test for counting the number of blood cells.

【FIG. 1】



Description**BACKGROUND OF THE INVENTION****Field of the Invention**

[0001] The present invention relates to a multi-unit for conducting a biochemical test and an immunological response test simultaneously and, more particularly, to a multi-unit which performs tests including biochemical test, immuno serological test, special chemical test, and genetic test with a single device simultaneously or individually, excluding the morphological test for counting the number of blood cells.

Background of the Related Art

[0002] Blood not only plays an important role in supplying oxygen, nutrients, hormones and nutritious substances to cells of all organs in the body, but also functions as a defense against infection and transports toxins and waste materials and thus, the changes that occur in the blood will change the blood components. Therefore, in order to accurately diagnose, treat and prognose diseases, various components of blood must be examined.

[0003] In order to test blood in this manner, special chemistry tests are carried out along with morphological, biochemical, and immunological serologic tests of the collected blood.

[0004] Here, the morphological examination of the blood uses hemocytes, hematocrit (hemocyte volume), red blood cells, white blood cells, platelet counts, blood cell counts to measure the cell percentage of white blood cells, and the blood smear test (the blood is applied on a slide with a thin layer, and the shape and number of the blood cells are observed with a microscope). The bleeding time, the coagulation time, and the capillary resistance are examined to diagnose and prognose the hemorrhagic tendency, blood disease, and infectious disease. At this time, the measurement is performed using an electrochemical method and a staining method.

[0005] In addition, in a biochemical method, an immunological method, and a special chemical method, blood cells in blood are firstly removed by centrifugation or the like, and the test is performed for an upper layer fluid (serum or plasma).

[0006] Generally, a biochemical method is a method in which serum (or plasma) is reacted with each indicator, and then the absorbance of a specific wavelength is measured and converted into a concentration. In accordance with the type of indicators used, the method is classified into a dry type and a wet type.

[0007] Wet type is the method mostly selected. Here, the indicator is in liquid form, causing it to react with plasma (serum). The dry type measures the absorbance by coating a thin film with the indicator for easy measurement and then reacting with the serum (plasma).

[Table 1]

Biochemical Test Items	
Liver function related tests (SGOT, SGPT, ALP, r-GTP, Total protein, Albumin, Total bilirubin)	Acute/ chronic hepatitis, liver disease, cirrhosis, alcoholic disorder, fatty liver, jaundice, nutritional status
Kidney function related tests (BUN, creatinine, uric acid)	Kidney failure, urticaria, gout disease
Lipid related tests (Total cholesterol, triglyceride)	Kidney failure, urticaria, gout disease Arteriosclerosis, fatty liver
Heart related tests(LDH, CPK)	Myocardial infarction, multiple myositis
Pancreas and blood glucose related tests (Amylase, glucose)	Acute/chronic Pancreatitis, diabetes

[0008] In addition, the immuno-serological test is an antigen and antibody test for various bacteria and viruses, and diagnoses B, C hepatitis, AIDS, syphilis and the like. In addition to diagnosis of rheumatic diseases, functions of immune cells are tested by isolating immune cells from blood. Further, by conducting specific immunoglobulin measurements in the blood for various other causes of allergies, the cause of allergy can be identified.

[0009] In most cases of immuno-serological test, a method of measuring the amount of the antibody (antigen) by labeling a marker to an antibody (antigen) to be examined by using an antigen-antibody immune response is generally adopted.

[0010] The method can be classified into Radioimmunoassay (RIA) for detecting signals using radioactive isotopes according to the type of the marker, enzyme-linked immunosorbent assay (ELISA) using signal amplification by enzyme,

or EIA: Enzyme Immunoassay, Fluorescence Antibody (FA) detection using fluorescence, and Chemiluminescence Immunoassay using CLIA (Chemiluminescence Immunoassay). In addition, various classification is available according to the use of label substances or the type of substrates.

[0011] The special chemistry test is a test for the diagnosis of myocardial infarction, hyperthyroidism and hypothyroidism, various metabolites of congenital or acquired metabolic diseases, and this test includes a cancer marker test. Although the test may not directly diagnose cancer, but it can be used as an auxiliary means for diagnosis of cancer, and most of the tests are currently conducted in a form similar to immunoassay.

[0012] In recent years, a number of techniques for performing a large number of sample tests simultaneously with blood tests have been performed. Examples of such methods include DNA chips and lab-on-a-chip methods. These methods are mainly for conducting immuno serological test and genetic test simultaneously.

[0013] In the same fashion as the above, there is a desperate need to develop devices and kits for conducting tests including biochemical test, immuno serological test, special chemical test, and genetic test with a single device simultaneously or individually, in addition to the morphological test for counting the number of blood cells.

[Cited References]

[0014]

(Cited reference 1) Korean Registered Patent No.10-0748181

(Cited reference 2) Korean Registered Patent No.10-1608598

SUMMARY OF THE INVENTION

[0015] Therefore, the present invention has been made to solve the above-mentioned problems. It is an object of the present invention to provide an automatic water quality analysis system which is capable of simultaneously testing biochemical tests and toxicity tests on water quality and a test method using the same.

[0016] In order to solve the above-mentioned problem, the multi-unit for performing the biochemical test and immunological response test is provided.

[0017] The multi-unit include:

an upper strip 10 composed of a plurality of first strip wells 12;
a lower strip 20 composed of a plurality of second strip wells 22; and
a strip enclosure 30 composed of a plurality of third strip wells 32 in which the upper strip 10 and the lower strip (20) are sequentially inserted and coupled,
wherein a lower surface of a bottom of the upper strip (10) is coupled to an upper surface of a bottom of the lower strip (20) with a space therebetween.

[0018] In addition, in the multi-unit for conducting the biochemical test and the immunological response test, it is included:

a closed bottom surface 14 of each of the first strip well (12) of the upper strip 10 includes a plurality of reagent spaces (14b) which are opened downward.

[0019] In addition, in the multi-unit for conducting the biochemical test and the immunological response test according to the present invention it is included:

a bottom surface 24 of each of the second strip well 22 of the lower strip 20 is in a mesh structure composed of a plurality of through holes and line portions.

[0020] In addition, in the multi-unit for conducting the biochemical test and the immunological response test according to the present invention, it is included:

a predetermined size of a groove is formed on the mesh structure and each of the line portions.

[0021] In addition, in the multi-unit for conducting the biochemical test and the immunological response test according to the present invention,

an indicator for conducting biochemical test is provided in the upper strip 10,

a DNA fragment or antibody for immunological test is provided in the lower strip 20,

the indicator or plasma which reacts with the DNA fragment or antibody is provided in the strip case 30.

[0022] In addition, in the multi-unit for conducting the biochemical test and the immunological response test according to the present invention, it is included:

the indicator for conducting biochemical test is dispensed into each of a plurality of reagent spaces 14b provided in the upper strip 10, followed by drying and fixing,

the DNA fragments or antibody for conducting the immunological test are provided in the line portion of the mesh structure or the groove provided in the lower strip 20 by being spotted.

[0023] In addition, in the multi-unit for conducting the biochemical test and the immunological response test according to the present invention, it is included:

multi-unit is capable of conducting the biochemical test and immunological test separately or simultaneously.

[0024] A testing method using a multi-unit for conducting a biochemical test and an immunological test, including:

preparing a multi-unit for conducting a biochemical test and an immunological test, the multi-unit including an upper strip 10 composed of a plurality of first strip wells 12 wherein a closed bottom surface 14 of each of the first strip well 12 of the upper strip 10 includes a plurality of reagent spaces 14b which are opened downward; a lower strip 20 composed of a plurality of second strip wells 22 wherein a bottom surface 24 of each of the second strip well 22 of the lower strip 20 is in a mesh structure composed of a plurality of through holes and line portions; and a strip case 30 composed of a plurality of third strip wells 32 in which plasma is contained;

dispensing an indicator into a plurality of reagent spaces 14b of the upper strip 10, drying, and fixing the same; coupling the upper strip 10 with the strip enclosure 30 containing plasma at reacting at temperature of 30-40°C for 5-20 minutes; and

moving the upper strip 10 of which reaction is completed to an absorbance measuring unit to measure absorbance and converting concentration.

[0025] The testing method using a multi-unit for conducting a biochemical test and an immunological test includes:

spotting and fixing DNA fragments or antibody on an upper surface of a plurality of line portions or groove 24C on the line portion of the lower strip 20; coupling the lower strip (20) with the strip enclosure 30 containing plasma and reacting with the plasma; and

moving the lower strip 20 of which reaction is completed to an absorbance measuring unit and measuring by a spectrophotometer.

[0026] Using the multi-unit for conducting the biochemical test and the immuno serological test according to the present invention and the test method thereof, there is the effect of enabling tests including biochemical test, immuno serological test, special chemical test, and genetic test with a single device simultaneously or individually, except the morphological test for counting the number of blood cells.

BRIEF DESCRIPTION OF THE DRAWINGS

[0027] Further objects and advantages of the invention can be more fully understood from the following detailed description taken in conjunction with the accompanying drawings in which:

FIG. 1 is an exploded perspective view schematically showing an overall structure and an internal structure of a multi-unit that performs a biochemical test and an immunological reaction test according to an embodiment of the present invention,

FIG. 2 is an enlarged perspective view of portions A and B of FIG. 1,

FIG. 3 is an enlarged view of the state of FIG. 1 and the state in which the inspection reagent or the like is disposed.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

[0028] The preferred embodiments of the invention will be hereinafter described in more detail with reference to the accompanying drawings.

[0029] Embodiments of the present invention will be described in more detail hereinafter with reference to the accompanying drawings. The present invention may, however, be embodied in many different forms and should not be construed as limited to the embodiments set forth herein. Rather, these embodiments are provided so that this disclosure will be thorough and complete, and will fully convey the scope of the invention to those skilled in the art. In the drawings, the shapes and sizes of respective elements may be exaggerated for clarity.

[0030] Hereinafter, preferred embodiments of a multi-unit for conducting a biochemical test and an immunological reaction test according to the present invention will be described in detail with reference to the accompanying drawings.

[0031] FIG. 1 is an exploded perspective view schematically showing an overall structure and an internal structure of a multi-unit that performs a biochemical test and an immunological reaction test according to an embodiment of the present invention; FIG. 2 is an enlarged perspective view of portions A and B of FIG.1; FIG. 3 is an enlarged view of the

state of FIG. 1 and the state in which the inspection reagent or the like is disposed.

[0032] As illustrated in FIGS. 1 to 3, a multi-unit 1 for simultaneously performing a biochemical test and an immunological reaction test according to the present invention includes an upper strip 10 composed of a plurality of first strip wells 12; a lower strip 20 composed of a plurality of second strip wells 22; and a plurality of third strip wells 32 in which the upper strip and the lower strip are sequentially coupled to each other in an upward direction.

[0033] The upper strip 10 is composed of a plurality of first strip wells 12 and has a closed bottom surface 14 of each first strip well 12 forming the upper strip 10, and a plurality of reagent spaces 14b opened in a downward direction at the closed bottom surface 14 of the first strip well 12.

[0034] The upper strip 10 is for performing a biochemical test. The dry reagent is dispensed into each of the plurality of reagent spaces 14b, and then dried and fixed.

[0035] The lower strip 20 is composed of a plurality of second strip wells 22 and the bottom surface 24 of each second strip well 22 forming the lower strip 20 is in a mesh structure having a lattice pattern composed of a plurality of through holes 24a and the line portions 24b. Each of the line portions has a predetermined width. In addition, a groove 24c having a predetermined size may be formed in each line portion.

[0036] The lower strip 20 is for performing an immunological test, and DNA fragments or antibodies (or antigens) are spotted and fixed in the grooves formed in a plurality of line portions or line portions of the mesh structure, respectively.

[0037] The upper surface of the bottom of the mesh structure of the aforementioned lower strip is positioned at a predetermined distance from the bottom surface of the upper strip so that each test can be carried out simultaneously or individually in the upper strip and the lower strip.

[0038] The strip enclosure 30 is provided with a plurality of third strip wells 32 having an appropriate depth. In each of the third strip wells 32, an upper layer solution (blood serum or blood plasma) from which blood cells in the blood are removed is contained at a predetermined depth, and the first strip well of the upper strip and the second strip well of the lower strip are sequentially coupled in the upward direction.

[0039] Hereinafter, a method of performing the test using the multi-unit 1 that simultaneously performs the biochemical test and the immunological response test according to the present invention will be described as follows.

[0040] The multi-unit for conducting a biochemical test and an immunological reaction test is prepared. The multi-unit includes an upper strip 10 composed of a plurality of first strip wells 12 wherein a closed bottom surface 14 of each of the first strip well 12 of the upper strip 10 includes a plurality of reagent spaces 14b which are opened downward; a lower strip 20 composed of a plurality of second strip wells 22 wherein a bottom surface 24 of each of the second strip well 22 of the lower strip 20 is in a mesh structure composed of a plurality of through holes and line portions; and a strip enclosure 30 composed of a plurality of third strip wells 32 in which plasma is contained.

[0041] Next, for the biochemical test, a dry indicator corresponding to a test item to be measured is dispensed into each of a plurality of reagent spaces 14b of a plurality of first strip wells 12 of the upper strip 10, followed by drying and fixing.

[0042] Next, the upper strip 10 is inserted and coupled into the strip enclosure 30 carrying the plasma and reacted at a temperature of 30 to 40°C., preferably 37°C., for 5 to 20 minutes, preferably 10 minutes.

[0043] After completion of the reaction, the upper strip 10 is moved to the absorbance measurement unit, and the absorbance is measured and converted into a concentration to perform a biochemical test.

[0044] Further, for the purpose of immunity test, in the upper surface or the groove 24c of each of the line portions 24b in a mesh structure of the bottom surface 24 of the plurality of second strip wells 22 of the lower strip 20, each of the DNA fragments or antibodies (antigens) is spotted and fixed.

[0045] Next, the lower strip 20 is inserted and coupled to the strip enclosure 30 carrying the plasma so that the upper surface of each line portion 24b of the mesh structure of the second strip well 22 of the lower strip, the DNA fragment or the antibody (antigen) contained in the groove 24c is reacted with the plasma.

[0046] After the reaction of the lower strip 20 is completed, the absorbance is measured using a spectrophotometer to perform an immunological response test.

[0047] The immunological reaction test is generally performed by using an antigen-antibody immune response. Generally, an antibody (antigen) to be tested is labeled with a marker, and the amount of the antibody is measured. Here, a spectrophotometer is used according to labeled substances.

[0048] At this time, a fluorescent reader is used when the labeled substance is fluorescent, and a CLIA reader is used when the labeled substance is CLIA. Here, in order to carry out the genetic testing, a separate hybridization process of detecting a labeled DNA or RNA fragment, which is arranged in a complementary manner to detect DNA or RNA having a specific sequence, should be conducted ahead of the measurement.

[0049] Here, the biochemical test and the immunological response test can be performed individually or simultaneously. At this time, the first strip wells 12 of the upper strip and the second strip wells 22 of the lower strip are inserted and coupled to the strip enclosure 30 so as to sequentially correspond to the third strip well 32. The bottom surface of the first strip well and the bottom surface of the second strip well are spaced apart from each other by a predetermined distance.

[0050] This allows the plasma passing through the through holes of the mesh structure of the second strip well 22 to

react with each reagent contained in the plurality of reagent spaces 14b of the first strip well 12. At the same time, the DNA fragment or antibody (antigen) provided on the upper surface or groove 24c of each line portion 24b of the mesh structure of the second strip well 22 is reacted with the plasma and is not affected by the first strip well.

[0051] While the present invention have been described in connection with the exemplary embodiments illustrated in the drawings, it will be appreciated that they are merely an illustrative embodiments and various equivalent modifications and variations of the embodiments can be made by a person having an ordinary skill in the art without departing from the spirit and scope of the present invention. Therefore, the appended claims also include such modifications and variations falling within the true technical scope of the present invention.

Claims

1. A multi-unit for conducting a biochemical test and an immunological response test, the multi-unit comprising:

an upper strip (10) composed of a plurality of first strip wells (12);
a lower strip (20) composed of a plurality of second strip wells (22); and
a strip enclosure (30) composed of a plurality of third strip wells (32) in which the upper strip (10) and the lower strip (20) are sequentially inserted and coupled,
wherein a lower surface of a bottom of the upper strip (10) is coupled to an upper surface of a bottom of the lower strip (20) with a space therebetween.

2. The multi-unit according to claim 1, wherein a closed bottom surface (14) of each of the first strip well (12) of the upper strip (10) includes a plurality of reagent spaces (14b) which are opened downward.

3. The multi-unit according to claim 1, a bottom surface (24) of each of the second strip well (22) of the lower strip (20) is in a mesh structure composed of a plurality of through holes and line portions.

4. The multi-unit according to claim 3, wherein a predetermined size of a groove is formed on the mesh structure and each of the line portions.

5. The multi-unit according to claim 1, wherein an indicator for conducting biochemical test is provided in the upper strip (10), and a DNA fragment or antibody for immunological test is provided in the lower strip (20), wherein the indicator or plasma which reacts with the DNA fragment or antibody is provided in the strip case (30).

6. The multi-unit according to claim 5, wherein the indicator for conducting biochemical test is dispensed into each of a plurality of reagent spaces (14b) provided in the upper strip(10), followed by drying and fixing, and wherein the DNA fragments or antibody for conducting the immunological test are provided in the line portion of the mesh structure or the groove provided in the lower strip (20) by being spotted.

7. The multi-unit according to any of claims 1 to 6, wherein the multi-unit is capable of conducting the biochemical test and immunological test separately or simultaneously.

8. A testing method using a multi-unit for conducting a biochemical test and an immunological test, the method comprising:


preparing a multi-unit for conducting a biochemical test and an immunological test, the multi-unit including an upper strip (10) composed of a plurality of first strip wells (12) wherein a closed bottom surface (14) of each of the first strip well (12) of the upper strip (10) includes a plurality of reagent spaces (14b) which are opened downward; a lower strip (20) composed of a plurality of second strip wells (22) wherein a bottom surface (24) of each of the second strip well (22) of the lower strip (20) is in a mesh structure composed of a plurality of through holes and line portions; and a strip case (30) composed of a plurality of third strip wells (32) in which plasma is contained;
dispensing an indicator into a plurality of reagent spaces (14b) of the upper strip (10), drying, and fixing the same;
coupling the upper strip (10) with the strip enclosure (30) containing plasma at reacting at temperature of 30-40°C for 5-20 minutes; and
moving the upper strip (10) of which reaction is completed to an absorbance measuring unit to measure absorbance and converting concentration.

9. The multi-unit according to claim 8, wherein the multi-unit further conducts an immunological test comprising:


spotting and fixing DNA fragments or antibody on an upper surface of a plurality of line portions or groove (24C) on the line portion of the lower strip (20);

coupling the lower strip (20) with the strip enclosure (30) containing plasma and reacting with the plasma; and moving the lower strip (20) of which reaction is completed to an absorbance measuring unit and measuring by a spectrophotometer.


【FIG.1】



【FIG.2】



【FIG. 3】



INTERNATIONAL SEARCH REPORT

International application No.

PCT/KR2017/004927

A. CLASSIFICATION OF SUBJECT MATTER

G01N 33/53(2006.01)i, G01N 33/543(2006.01)i

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

G01N 33/53; C12Q 1/48; B01L 3/00; G01N 33/543; B01J 19/00

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Korean Utility models and applications for Utility models: IPC as above

Japanese Utility models and applications for Utility models: IPC as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

eKOMPASS (KIPO internal) & Keywords: strip-well, biochemical examination, immune examination, multi unit, housing

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 98-14782 A1 (SAFETY ASSOCIATES, INC.) 09 April 1998 See figures 12 and 12a; pages 48-49.	1-9
A	US 2004-0208800 A1 (BARTH, Phillip W. et al.) 21 October 2004 See claim 1; figures 7-8.	1-9
A	US 5035866 A (WANNLUND, Jon C.) 30 July 1991 See claim 1; figures 2-5.	1-9
A	WO 93-09872 A1 (SEED CAPITAL INVESTMENTS (SCI) B.V. et al.) 27 May 1993 See the entire document.	1-9
A	US 9354230 B2 (GLEZER, Eli N. et al.) 31 May 2016 See the entire document.	1-9

☐ Further documents are listed in the continuation of Box C.☒ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

29 SEPTEMBER 2017 (29.09.2017)

Date of mailing of the international search report

29 SEPTEMBER 2017 (29.09.2017)

Name and mailing address of the ISA/KR

Korean Intellectual Property Office
Government Complex-Daejeon, 189 Seonsa-ro, Daejeon 302-701,
Republic of Korea

Facsimile No. +82-42-481-8578

Authorized officer

Telephone No.

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.

PCT/KR2017/004927

Patent document cited in search report	Publication date	Patent family member	Publication date
WO 98-14782 A1	09/04/1998	AU 1191999 A1	10/05/1999
		AU 4650597 A	24/04/1998
		AU 759265 B2	10/04/2003
		CA 2267226 A1	09/04/1998
		CA 2305613 A1	29/04/1999
		EP 0934522 A1	11/08/1999
		EP 0934522 A4	05/01/2005
		EP 1024900 A1	09/08/2000
		EP 1024900 A4	15/02/2006
		JP 2001-501733 A	06/02/2001
		JP 2001-520394 A	30/10/2001
		US 2003-0064423 A1	03/04/2003
		US 2003-0148354 A1	07/08/2003
		US 2004-0197235 A1	07/10/2004
		US 5958714 A	28/09/1999
US 2004-0208800 A1	21/10/2004	US 6489132 B1	03/12/2002
		US 6852289 B2	08/02/2005
		WO 99-20396 A1	29/04/1999
		EP 1288666 A2	05/03/2003
		EP 1288666 A3	11/02/2004
		US 2003-0040011 A1	27/02/2003
		US 6682702 B2	27/01/2004
US 5035866 A	30/07/1991	EP 0329120 A2	23/08/1989
		EP 0329120 A3	02/10/1991
		EP 0329120 B1	10/01/1996
		US 4985631 A	15/01/1991
		US 5159197 A	27/10/1992
		US 5772967 A	30/06/1998
WO 93-09872 A1	27/05/1993	EP 0329120 A2	23/08/1989
		EP 0329120 A3	02/10/1991
		EP 0329120 B1	10/01/1996
		US 4985631 A	15/01/1991
		US 5159197 A	27/10/1992
		US 5772967 A	30/06/1998
		AU 3267793 A	15/06/1993
		AU 6429496 A	28/11/1996
US 9354230 B2	31/05/2016	AU 717975 B2	06/04/2000
		CA 2123801 A1	27/05/1993
		EP 0613400 A1	07/09/1994
		EP 0613400 B1	16/04/1997
		RU 2108156 C1	10/04/1998
		US 2001-0021513 A1	13/09/2001
		AU 2002-324947 B2	15/11/2007
		AU 2002-333526 B2	17/01/2008
US 2002-341621 A1	24/03/2003	CA 2459893 A1	20/03/2003
		CA 2459893 C	21/01/2014
		CA 2460114 A1	20/03/2003
		CA 2460114 C	06/11/2012
		CA 2714094 A1	20/03/2003
		CA 2714094 C	19/05/2015

INTERNATIONAL SEARCH REPORT
Information on patent family members

International application No.

PCT/KR2017/004927

Patent document cited in search report	Publication date	Patent family member	Publication date
		CA 2783186 A1	20/03/2003
		CA 2783186 C	23/08/2016
		CA 2932756 A1	20/03/2003
		EP 1436598 A1	14/07/2004
		EP 1436598 B1	27/11/2013
		EP 1436620 A2	14/07/2004
		EP 1436620 A4	24/10/2007
		EP 1436620 B1	23/04/2014
		EP 1451348 A2	01/09/2004
		EP 1451348 A4	06/08/2008
		EP 1451348 B1	12/08/2015
		EP 2405019 A1	11/01/2012
		JP 2005-521032 A	14/07/2005
		JP 2005-522671 A	28/07/2005
		JP 2009-142283 A	02/07/2009
		JP 2010-181410 A	19/08/2010
		JP 2012-100679 A	31/05/2012
		JP 2015-156865 A	03/09/2015
		JP 4729254 B2	20/07/2011
		JP 4768224 B2	07/09/2011
		JP 5415326 B2	12/02/2014
		JP 5791535 B2	07/10/2015
		US 2003-0113713 A1	19/06/2003
		US 2003-0175803 A1	18/09/2003
		US 2003-0207290 A1	06/11/2003
		US 2005-0136048 A1	23/06/2005
		US 2005-0136497 A1	23/06/2005
		US 2009-0170121 A1	02/07/2009
		US 2011-0105354 A1	05/05/2011
		US 2014-0336070 A1	13/11/2014
		US 2016-0245799 A1	25/08/2016
		US 6919173 B2	19/07/2005
		US 7063946 B2	20/06/2006
		US 7288410 B2	30/10/2007
		US 7491540 B2	17/02/2009
		US 7858321 B2	28/12/2010
		US 8785201 B2	22/07/2014
		WO 03-022028 A2	20/03/2003
		WO 03-023360 A2	20/03/2003
		WO 03-023360 A3	10/07/2003
		WO 03-023380 A1	20/03/2003
		WO 2003-022028 A3	24/06/2004

Form PCT/ISA/210 (patent family annex) (January 2015)

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- KR 100748181 [0014]
- KR 101608598 [0014]

专利名称(译)	用于进行生化测试和免疫应答测试的多单元，以及使用该单元的测试方法		
公开(公告)号	EP3517955A4	公开(公告)日	2020-06-03
申请号	EP2017767719	申请日	2017-05-12
[标]申请(专利权)人(译)	朴成SIK		
申请(专利权)人(译)	生物有限公司 PARK, SUNG SIK		
当前申请(专利权)人(译)	生物有限公司 PARK, SUNG SIK		
[标]发明人	PARK SUNG SIK		
发明人	PARK, SUNG SIK		
IPC分类号	G01N33/53 G01N33/543		
CPC分类号	G01N33/54366 G01N33/5302		
优先权	1020160118983 2016-09-19 KR		
其他公开文献	EP3517955A1		
外部链接	Espacenet		

摘要(译)

本发明涉及用于进行生化测试和免疫应答测试的多单元以及使用该多单元的测试方法。本发明包括由多个第一条带孔12组成的上部条带10，第一条带孔12包括用于生化测试的指示剂。下部条带20，其由多个第二条带孔组成，所述第二条带孔包括用于免疫应答测试的DNA片段或抗体；与指示剂，DNA片段或抗体起反应的血浆，和由多个第三条带孔32组成的条带盒30，其中上条带10和下条带20依次插入并耦合。第一带状阱的底表面和第二带状阱的底表面彼此隔开预定距离。使用根据本发明的用于进行生化测试和免疫血清学测试的多单元及其测试方法，具有能够进行包括生化测试，免疫血清学测试，特殊化学测试和基因测试在内的测试的效果。除了用于计数血细胞数量的形态学测试外，可以同时或单独使用单个设备。