



US 20090075307A1

(19) **United States**(12) **Patent Application Publication****Fischer et al.**(10) **Pub. No.: US 2009/0075307 A1**(43) **Pub. Date: Mar. 19, 2009**(54) **METHODS FOR IDENTIFYING PATIENTS WITH AN INCREASED LIKELIHOOD OF HAVING OVARIAN CANCER AND COMPOSITIONS THEREFOR**(75) Inventors: **Timothy J. Fischer**, Raleigh, NC (US); **Douglas P. Malinowski**, Hillsborough, NC (US); **Qin He**, Raleigh, NC (US); **Clark M. Whitehead**, Raleigh, NC (US); **Robert L. Cheek**, Mebane, NC (US); **John W. Groelke**, Raleigh, NC (US)

Correspondence Address:

ALSTON & BIRD LLP**BANK OF AMERICA PLAZA, 101 SOUTH TRYON STREET, SUITE 4000 CHARLOTTE, NC 28280-4000 (US)**(73) Assignee: **TriPath Imaging, Inc.**, Burlington, NC (US)(21) Appl. No.: **12/261,330**(22) Filed: **Oct. 30, 2008****Related U.S. Application Data**

(63) Continuation of application No. 11/699,229, filed on Jan. 29, 2007.

(60) Provisional application No. 60/762,760, filed on Jan. 27, 2006.

Publication Classification(51) **Int. Cl.****G01N 33/53** (2006.01)**C12Q 1/02** (2006.01)**G01N 33/68** (2006.01)**G01N 33/536** (2006.01)(52) **U.S. Cl. 435/7.92; 435/29; 436/86; 436/536**

(57)

ABSTRACT

Screening methods for identifying patients with an increased likelihood of having ovarian cancer are provided. The screening methods involve the detection of expression of a plurality of biomarkers in a body sample, wherein overexpression of the biomarkers is indicative of an increased likelihood of having ovarian cancer. The screening methods may further comprise a two-step analysis. Biomarkers of interest include genes and proteins that are, for example, involved in defects in DNA replication/cell cycle control, cell growth and proliferation, escape from apoptosis, angiogenesis or lymphogenesis, or the mechanisms of cancer cell motility and invasion. In some aspects of the invention, expression of a biomarker is detected at the protein level using a biomarker-specific antibody or at the nucleic acid level using nucleic acid hybridization techniques. Methods for detecting ovarian cancer in patients are further disclosed herein. Kits for practicing the methods of the invention are further provided.

	Screen	Reflex
Sensitivity	95%	90%
Specificity	80%	91%




FIG. 1





FIG. 2

A



B





FIG. 3

A



B




FIG. 4




FIG. 5





FIG. 6

A



B




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11

A



B




FIG. 12




FIG. 13





FIG. 14



METHODS FOR IDENTIFYING PATIENTS WITH AN INCREASED LIKELIHOOD OF HAVING OVARIAN CANCER AND COMPOSITIONS THEREFOR

CROSS REFERENCE TO RELATED APPLICATIONS

[0001] This application is a continuation of U.S. application Ser. No. 11/699,229, filed Jan. 29, 2007, which claims the benefit of U.S. Provisional Application Ser. No. 60/762,760, filed on Jan. 27, 2006, both of which are incorporated herein by reference in their entirety.

REFERENCE TO A SEQUENCE LISTING SUBMITTED AS A TEXT FILE VIA EFS-WEB

[0002] The official copy of the sequence listing is submitted concurrently with the specification as a text file via EFS-Web, in compliance with the American Standard Code for Information Interchange (ASCII), with a file name of 364718SequenceListing.txt, a creation date of Oct. 29, 2008, and a size of 284 KB. The sequence listing filed via EFS-Web is part of the specification and is hereby incorporated in its entirety by reference herein.

FIELD OF THE INVENTION

[0003] The present invention relates to methods and compositions for identifying women having an increased likelihood of having ovarian cancer.

BACKGROUND OF THE INVENTION

[0004] Ovarian cancer represents a heterogeneous group of diseases that affect women on a global basis. There are several forms of ovarian cancer which include epithelial cancer, germ-line cancer of the ovaries and ovarian stromal cancer. Epithelial ovarian cancer represents the most common form of the disease. Approximately 5-10% of epithelial ovarian cancer represents a hereditary form of the disease and three common patterns are recognized: ovarian cancer alone; ovarian and breast cancer linked to BRAC1 and BRCA2 genetic linkage on chromosomes 17q21 and 13q12 respectively; and ovarian and colon cancer. The most important risk factor for ovarian cancer is a first degree relative with the disease (e.g., a mother, sister or daughter with ovarian cancer). See, for example, Patridge et al. (1999) *CA-A Cancer Journal for Clinicians* 49:297-320. In 2005, there were an estimated 22,000 new cases of ovarian cancer diagnoses and 16,000 deaths from ovarian cancer. See generally *American Cancer Society* website at www.cancer.org; *National Cancer Institute* website at www.cancer.gov. Ovarian cancer is a disease that primarily affects post-menopausal women with the median age for diagnosis at 63 years of age. However, the disease can affect women at all age groups. National Cancer Institute *Surveillance, Epidemiology, and End Results (SEER) Program* at www.seer.cancer.gov.

[0005] The classification of ovarian cancer stage is based upon the extent of localization versus spread of the disease beyond the ovaries. Stage 1 ovarian cancer is confined to one or both of the ovaries. Stage 2 disease involves a tumor in one or both ovaries with pelvic extension. In Stage 3 ovarian cancer, a tumor is present in or both ovaries with microscopically confirmed peritoneal metastasis outside the pelvis and/or regional lymph node metastasis. Stage 4 ovarian cancer is characterized by distant metastasis beyond the peritoneal

cavity. Ovarian cancer is generally diagnosed in an advance stage of the disease due to the lack of specific clinical symptoms that would indicate the presence of small tumors. For women under the age of 50, less than 40% of ovarian cancers are detected when tumors are localized to one or both ovaries and when disease prognosis is best. For women over the age of 50, that number drops to less than 15%. Approximately 68% of women of all age groups afflicted with ovarian cancer are not diagnosed until distant metastasis is present. See generally National Cancer Institute *Surveillance, Epidemiology, and End Results (SEER) Program* at www.seer.cancer.gov.

[0006] Ovarian cancer spreads via local shedding from the ovarian epithelium into the peritoneal cavity followed by implantation on the peritoneum and local invasion of the bowel and bladder. The presence of lymph node involvement in ovarian cancer is evident in all stages of diagnosed ovarian cancer. The percentage of positive lymph nodes increases significantly with progression of the disease (i.e., Stage 1, 24%; Stage 2, 50%, Stage 3, 74%; Stage 4, 73%). Id. The survival of patients with ovarian cancer is a function of the stage at which the disease is diagnosed, with the 5-year survival decreasing with advanced disease. More than 90% of women diagnosed with ovarian cancer in Stage 1 survive for at least 5 years following diagnosis. The 5-year survival rate drops to less than 30% when the disease is not diagnosed until Stage 4 (i.e., distant metastasis). Id.

[0007] Epithelial ovarian cancer is the most common form of the disease. There are four recognized major histological classes of epithelial ovarian cancer and include serous, endometrioid, clear cell, and mucinous subtypes. The pathogenesis of ovarian cancer is poorly understood but is believed to arise from ovarian surface epithelium. See Bell (2005) *Mod Pathol.* 18 (Suppl 2):S19-32. Life factors that provide the greatest reduction in risk of ovarian cancer include multiparity, use of oral contraceptives, and breast feeding, all of which prevent ovulation. Because ovulation results in epithelial damage, followed by repair and possible inflammatory responses, repetition of this process throughout a woman's reproductive life without interruption appears to lead to cell damage and to increase the risk of ovarian cancer. See, for example, Ness et al. (1999) *J. Natl. Cancer Inst.* 91:1459-1467. However, there is no recognized, stepwise progression of ovarian cancer through defined precursor lesions, such as those recognized for both cervical carcinoma and colon cancer. Hence, considerable research has been directed at understanding the molecular basis for ovarian cancer and to understand the basic differences between the various histological subtypes of ovarian cancer. These studies have utilized gene expression analysis to provide this understanding and have identified a series of potential biomarkers for evaluation in diagnostic applications. See for example Ono et al. (2000) *Cancer Res.* 60:5007-11; Welsh et al. (2001) *Proc. Natl. Acad. Sci. USA* 98:1176-1181; Donninger et al. (2004) *Oncogene* 23:8065-8077; and Lee et al. (2004) *Int. J. Oncol.* 24(4): 847-851.

[0008] Ovarian cancer is often detected with the presentation of overt clinical symptoms, most notably the presentation of abdominal pain, an adnexal mass, abdominal bloating, and urinary urgency. As such, the detection of ovarian cancer is often detected at an advanced stage, where the prognosis and clinical outcome is poor. Detection of ovarian cancer at an early stage (i.e., Stage 1) results in approximately 90% cure rate using standard surgery and chemotherapy; hence there is

a clinical need to detect ovarian cancer at an early stage where treatment will be most effective. Unfortunately, current screening methods to detect early stage ovarian cancer are insufficient. The current practice for ovarian cancer screening employs the use of CA125 and transvaginal ultrasound (sonography). Rising serum levels of CA125 are associated with ovarian cancer and subsequent utilization of transvaginal ultrasound helps detect the presence of ovarian cancer. Confirmation of ovarian disease is based upon invasive procedures such as laprotomy. However, the use of CA125 is ineffective for general population screening due to issues of limited sensitivity, limited specificity, and a poor positive predictive value of <3%. Bast (2003) *J Clin Oncol.* 21(10 Suppl):200-205. As a result, there is no consensus on the recommendations for generally screening for ovarian cancer in the asymptomatic patient population. See National Cancer Institute Web Site at www.cancer.gov. For high risk patients, the generally accepted procedures for the detection of ovarian cancer include the use of pelvic examinations, the use of CA125 serum testing, and transvaginal ultrasound (sonography). Patridge et al. (1999) *CA-A Cancer Journal for Clinicians* 49:297-320.

[0009] CA125 is a well characterized tumor marker normally expressed on the surface of epithelial cells and is often detected in the serum of normal patients at 35 U/mL. Elevated serum levels of CA125 (>35 U/mL) are often detected in approximately 85% of ovarian cancer patients; the remaining 15% of ovarian cancer patients have normal serum levels of CA125. Furthermore, CA125 is elevated in only 50% of stage 1 ovarian cancer patients, thereby limiting its clinical utility in the early detection of ovarian cancer. However, elevated serum levels of CA125 are used for the monitoring of disease recurrence following therapeutic intervention and this represents the currently approved use for CA125 by the FDA. In addition, elevated serum levels of CA125 are predictive of future detectable ovarian cancer.

[0010] The low prevalence rates of ovarian cancer in the general population create significant challenges for the development of a screening test that would promote early detection of the disease. Screening methods for diseases with low prevalence rates such as ovarian cancer often result in a high ratio of false positives to true positives that limits the clinical utility of such screening programs. Given the significant risks associated with surgical exploration for possible ovarian cancer, a clinically useful screening test should refer to surgery no more than 10 women for every woman who actually has ovarian cancer (i.e., a positive predictive value (PPV) of at least 10%). Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066. PPV is highly dependent upon the prevalence rates for a particular disease or condition and will shift dramatically as a result of differences in disease prevalence. Therefore, with low-prevalence diseases, such as ovarian cancer, screening diagnostic tests with a relatively low PPV still have significant clinical utility. Potential ovarian cancer screening programs must be adjusted for the low prevalence of ovarian cancer and assessed for biomarker performance and clinical need. See, for example, Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066; Bast et al. (2005) *Int. J. Gynecol. Cancer* 15:274-281; and Rosen et al. (2005) *Gyn. Oncol.* 99:267-277. Despite efforts to identify a biomarker or panel of biomarkers for the detection, particularly early detection, of ovarian cancer, no adequate screening or diagnostic test that satisfies

clinical needs currently exists. Currently available methods, such as detection of CA125, exhibit unacceptably high false-positive rates.

[0011] The current recommendations from the National Cancer Institute state that "there is insufficient evidence to establish that screening for ovarian cancer with serum markers such as CA125, transvaginal ultrasound or pelvic examinations would result in a decrease in mortality from ovarian cancer" (*NCI Summary of Evidence (Level 4, 5)*; dated February 2005). In light of the serious risk of false-positives with currently available screening techniques, the NCI has not supported institution of general screening procedures for ovarian cancer. As such, no standardized screening test exists for ovarian cancer, despite the fact that early diagnosis significantly improves 5-year survival rates.

[0012] Therefore, a significant need exists in the art for reliable methods and compositions that are capable of specifically identifying women that have ovarian cancer. In particular, screening methods for identifying patients with an increased likelihood of having ovarian cancer are needed. Women identified as having an increased likelihood of having ovarian cancer could be selected for more aggressive diagnostic methods to definitively determine if they presently have the disease. Moreover, such screening methods could be performed in the general female patient population on a routine basis to facilitate the detection of ovarian cancer in the early stages of the disease when prognosis and disease outcome are best.

BRIEF SUMMARY OF THE INVENTION

[0013] Screening methods for identifying patients with an increased likelihood of having ovarian cancer are provided. The methods of the invention generally comprise detecting in a patient body sample expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer. Overexpression of the biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. The methods of the invention may comprise, for example, a "two-step" analysis, wherein a first assay step is performed to detect the expression of a first biomarker or panel of biomarkers. If the first biomarker or panel of biomarkers is overexpressed, a second assay step is performed to detect the expression of a second biomarker or panel of biomarkers. Overexpression of the first and second biomarkers or panels of biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. The first assay step may be designed to enrich the patient population under review by eliminating a large percentage of women that are "true negatives." The second assay step is typically intended to rule out those patients in the enriched population that do not presently have ovarian cancer by eliminating additional true negative patients from the enriched population. These assay steps may be performed as a single test encompassing both assay steps or as two distinct tests, wherein each test comprises one of the assay steps. A single biomarker or panel of biomarkers may be used in each analysis step to achieve the desired values for sensitivity, specificity, negative predictive value (NPV), and positive predictive value (PPV). Algorithms may be developed to combine particular biomarkers in the different assay steps to achieve the desired sensitivity, specificity, NPV, and PPV.

[0014] In other aspects of the invention, a screening method for identifying patients with an increased likelihood of having ovarian cancer comprises performing a "single-step" or "one-step" assay in which the overexpression of a plurality of

biomarkers that are selectively overexpressed in ovarian cancer is assessed in a patient body sample. Overexpression of these biomarkers is indicative of an increased likelihood of the patient having ovarian cancer. In contrast to the two-step screening method described above, the single-step screening assay does not require performing a first assay step to detect overexpression of a particular biomarker(s) followed by a second assay step to assess if a second biomarker(s) is also overexpressed in order to identify a patient with an increased likelihood of having ovarian cancer.

[0015] A patient that is identified by the screening methods of the invention as having an increased likelihood of having ovarian cancer may be subjected to further diagnostic tests to definitively determine if the patient has ovarian cancer. Patients that are classified as having an increased likelihood of having ovarian cancer in accordance with the methods disclosed herein, but that are determined not to currently have the disease, are generally monitored on a regular basis for the development of ovarian cancer. Moreover, the present methods may be used to screen the general female patient population for ovarian cancer on a routine basis. Thus, the screening methods of the invention may permit the diagnosis of ovarian cancer at earlier stages of the disease when prognosis is significantly better. Kits for practicing the screening methods of the invention are also provided.

[0016] Biomarker expression can be assessed at the protein or nucleic acid level. In some embodiments, biomarker expression is detected at the protein level using biomarker-specific antibodies. Expression of the biomarkers of the invention can also be detected by nucleic acid-based techniques, including, for example, hybridization and RT-PCR. Biomarker expression can be assessed in a variety of body samples, including but not limited to blood (e.g., whole blood, blood serum, blood having platelets removed, etc.), lymph, ascitic fluids, urine, gynecological fluids (e.g., ovarian, fallopian, and uterine secretion, menses, etc.), biopsies, and fluids obtained during laparoscopy.

[0017] Methods for diagnosing ovarian cancer in a patient are also encompassed by the present invention. The diagnostic methods generally comprise detecting in a body sample the expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer. Overexpression of the plurality of biomarkers is indicative of the presence of ovarian cancer. Kits for practicing the diagnostic methods of the invention are also provided.

[0018] Methods for assessing the efficacy of a particular therapy for ovarian cancer in a patient are also disclosed herein. The invention is further directed to a method for monitoring the regression or progression of ovarian cancer in a patient.

BRIEF DESCRIPTION OF THE DRAWINGS

[0019] FIG. 1 provides a schematic representation of an exemplary "two-step" screening test for identifying patients with an increased likelihood of having ovarian cancer. The 8 million female patients screened in this example represent the high-risk, asymptomatic U.S. patient population, as defined herein below. In the first assay step, a significant number of true negatives are eliminated from further testing, thereby leaving an enriched population for further analysis in the second assay step. The second assay step further rules out additional patients that are true negatives in order to identify

those women with the highest risk of having ovarian cancer. Additional details regarding the two-step screening method are provided in the text.

[0020] FIG. 2 provides the Receiver Operating Characteristic (ROC) plots for HE4 obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0021] FIG. 3 provides the ROC plots for inhibin A (INH) obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0022] FIG. 4 provides the ROC plot for prolactin obtained with all patient samples. Additional experimental details are provided in Example 2.

[0023] FIG. 5 provides the ROC plot for PLAU-R obtained with all patient samples. Additional experimental details are provided in Example 2.

[0024] FIG. 6 provides the ROC plots for glycodelin (GLY) obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0025] FIG. 7 provides the ROC plot for SLPI obtained with all patient samples. Additional experimental details are provided in Example 2.

[0026] FIG. 8 provides the ROC plot for CTHRC1 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0027] FIG. 9 provides the ROC plot for PAI-1 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0028] FIG. 10 provides the ROC plot for KLK-10 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0029] FIG. 11 provides the ROC plots for CA125 obtained with samples from patients over the age of 55 (A) and with all patient samples. Additional experimental details are provided in Example 2.

[0030] FIG. 12 provides the ROC plot for KLK-6 obtained with all patient samples. Additional experimental details are provided in Example 2.

[0031] FIG. 13 provides the ROC plot for Muc-1 (MU) obtained with all patient samples. Additional experimental details are provided in Example 2.

[0032] FIG. 14 provides the ROC plot for MMP-7 (MM) obtained with all patient samples. Additional experimental details are provided in Example 2.

DETAILED DESCRIPTION OF THE INVENTION

[0033] The present invention provides screening methods and compositions for identifying patients with ovarian cancer. The screening methods generally comprise detecting the expression of a plurality of biomarkers in a body sample, particularly a blood sample, more particularly a serum sample, from the patient. Overexpression of the biomarkers used in the practice of the invention is indicative of an increased likelihood of the presence of ovarian cancer. In particular screening methods of the invention, a two-step analysis is used to identify patients having an increased likelihood of having ovarian cancer. The first assay step is performed to detect the expression of a first biomarker or panel of biomarkers in a patient body sample. If the first biomarker or panel of biomarkers is determined to be overexpressed in the sample, a second assay step is performed to detect the expression of a second biomarker or panel of biomarkers. Overex-

pression of the first and second biomarkers or panels of biomarkers is indicative of an increased likelihood that the patient has ovarian cancer. In certain embodiments, antibodies are used to detect biomarker protein expression. In other aspects of the invention, when the expression of a panel of biomarkers is detected, overexpression of only a subset of the biomarkers analyzed may be sufficient to be indicative of an increased likelihood of the patient having ovarian cancer.

[0034] Although the invention is not limited to a particular mechanism, the first assay step is generally designed to enrich the true-positive patient population (i.e., on a percentage basis) by eliminating a large number of true negatives from further testing. The first assay step may employ a higher sensitivity and negative predictive value (NPV) in order to achieve the desired enrichment of the true-positive patient population. The second assay step is typically intended to rule out those patients in the enriched population that do not presently have ovarian cancer, that is, to eliminate additional true negatives from the enriched population. The second assay step may employ a higher specificity and positive predictive value (PPV), while maintaining a reasonable sensitivity, to further eliminate true negatives from the enriched population of true-positive patients. A schematic representation of the two-step screening test and the results that can be obtained with this method is provided in FIG. 1.

[0035] One of skill in the art will recognize that these assay steps may be performed as a single screening test encompassing both assay steps or as two distinct tests, wherein each test encompasses one of the assay steps. A single biomarker or panel of biomarkers may be used in each assay step to achieve the desired values for sensitivity, specificity, NPV, and PPV. Algorithms may be developed to select particular biomarkers or combinations of biomarkers to achieve the desired sensitivity, specificity, NPV, and PPV for each assay step and the combined screening test comprising both assay steps.

[0036] In addition to the two-step analysis described herein above, a screening method for identifying patients with an increased likelihood of having ovarian cancer comprises performing a “single-step” or “one-step” screening method or assay in which the expression of a plurality of biomarkers that are selectively overexpressed in ovarian cancer is assessed in a patient body sample. Overexpression of at least one biomarker(s) is indicative of an increased likelihood of the patient having ovarian cancer. In particular aspects of the invention, the single or one-step screening method comprises detecting expression of a plurality of biomarkers, including, for example, HE4, CA125, glycodefin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin, in a body sample, wherein overexpression of at least one, particularly two, more particularly three, of the biomarkers is indicative of an increased likelihood of having ovarian cancer. In particular embodiments of the single-step screening method of the invention, expression of glycodefin, HE4, and CA125 is assessed and overexpression of at least one, two, or three of the biomarkers is indicative of an increased likelihood of having ovarian cancer. See, for example, Table 54 and Experimental Example 4. One of skill in the art will appreciate that in contrast to the two-step screening method described above, the single-step screening assay does not require performing a first assay step to detect overexpression of a particular biomarker or panel of biomarkers followed by a second assay step to assess if a second biomarker or panel of biomarkers is also overexpressed in order to identify a patient with an increased

likelihood of having ovarian cancer. As such, a first assay step to enrich the population for “true-positive” patients and a second assay step to rule out those patients from the enriched population that do not actually have ovarian cancer (“false positives”) is not required in the single-step screening method described herein.

[0037] The level of expression of a particular biomarker that is sufficient to constitute “overexpression” will vary depending on the specific biomarker used. In particular embodiments of the invention, a “threshold level” of expression is established for a particular biomarker, wherein expression levels above this value are deemed overexpression. A variety of statistical and mathematical methods for establishing the threshold level of expression are known in the art. A threshold expression level for a particular biomarker may be selected, for example, based on data from Receiver Operating Characteristic (ROC) plots, as described in Examples 2 and 3, or on compilations of data from normal patient samples (i.e., a normal patient population). For example, the threshold expression level may be established at the mean expression level plus two times the standard deviation, based on analysis of samples from normal patients not afflicted with ovarian cancer. One of skill in the art will appreciate that these threshold expression levels can be varied, for example, by moving along the ROC plot for a particular biomarker, to obtain different values for sensitivity, specificity, positive predictive value (PPV), and negative predictive value (NPV), thereby affecting overall assay performance.

[0038] A patient that is identified as having an increased likelihood of having ovarian cancer in accordance with the disclosed methods may be subjected to further diagnostic testing to definitively determine if the patient has ovarian cancer. “Further diagnostic testing” includes but is not limited to pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and biopsy. Such diagnostic methods are well known in the art. Moreover, patients classified as having an increased likelihood of having ovarian cancer that are determined by further diagnostic testing not to currently have ovarian cancer may be closely monitored on a regular basis for the development of ovarian cancer. Monitoring of such patients may include but is not limited to periodic pelvic examination, transvaginal ultrasound, CT scan, and MRI. A physician of ordinary skill in the art will appreciate appropriate techniques for monitoring patients for the development of ovarian cancer. By identifying and monitoring patients having an increased likelihood of having ovarian cancer, the screening methods of the invention may permit the detection of ovarian cancer at an earlier stage of the disease, particularly Stage 1 or Stage 2, when prognosis and disease outcome are greatly improved.

[0039] In particular embodiments, antibodies are used to detect biomarker expression at the protein level. In other aspects of the invention, biomarker expression is detected at the nucleic acid level. Kits for practicing the screening methods of the invention, including the two-step screening method, are further provided.

[0040] By “ovarian cancer” is intended those conditions classified by post-exploratory laparotomy as premalignant pathology, malignant pathology, and cancer (FIGO Stages 1-4). Staging and classification of ovarian cancer are described in detail above. “Early-stage ovarian cancer” refers to those disease states classified as Stage 1 or Stage 2 carcinoma. Early detection of ovarian cancer significantly increases 5-year survival rates. The term “screening method”

refers to strategies to identify patients that have an increased likelihood of having ovarian cancer so that such patients can be selected for more aggressive diagnostic methods to definitively determine if the patients have ovarian cancer. The “screening methods” or “diagnostic screening methods” of the invention are generally not intended to definitively diagnose a patient as having or not having ovarian cancer. Rather, such methods are intended to identify women having an increased likelihood of having ovarian cancer so that these women may be definitively diagnosed using other methods (e.g., pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and biopsy of tissue samples). Regimens may also be instituted for monitoring patients identified as having an increased likelihood of having ovarian cancer by the present methods but that are determined not to currently have the disease.

[0041] The screening methods of the invention may be performed on a case-by-case basis or as a periodic routine screening test for the general female population. In some embodiments, the screening methods for identifying patients with an increased likelihood of having ovarian cancer may be viewed as comparable to Pap smears for the identification of patients having an increased likelihood of having cervical cancer. As used herein, “identifying patients with an increased likelihood of having ovarian cancer” is intended methods for detecting those females that are more likely to have ovarian cancer. An “increased likelihood of having ovarian cancer” is intended to mean that patients who are determined in accordance with the present methods to exhibit overexpression of particular biomarkers are more likely to have ovarian cancer than those patients who do not.

[0042] “Diagnosing ovarian cancer” is intended to include, for example, diagnosing or detecting the presence of ovarian cancer, monitoring the progression of the disease, and identifying or detecting cells or samples that are indicative of ovarian cancer. The terms diagnosing, detecting, and identifying ovarian cancer are used interchangeably herein. Definitive diagnosis of ovarian cancer will generally comprise performing a biopsy on a tissue sample from the patient.

[0043] The methods of the present invention permit superior assessment of the likelihood of having ovarian cancer when compared with proposed screening methods currently known in the art (e.g., measurement of CA125 levels). As used herein, “specificity” refers to the level at which a method of the invention can accurately identify samples that have been confirmed as nonmalignant by exploratory laparotomy (i.e., true negatives). That is, specificity is the proportion of disease negatives that are test-negative. In a clinical study, specificity is calculated by dividing the number of true negatives by the sum of true negatives and false positives. By “sensitivity” is intended the level at which a method of the invention can accurately identify samples that have been laparotomy-confirmed as positive for ovarian cancer (i.e., true positives). Thus, sensitivity is the proportion of disease positives that are test-positive. Sensitivity is calculated in a clinical study by dividing the number of true positives by the sum of true positives and false negatives. The sensitivity of the disclosed methods for the detection of ovarian cancer is at least about 70%, particularly at least about 80%, more particularly at least about 90, 91, 92, 93, 94, 95, 96, 97, 98, 99% or more. Furthermore, the specificity of the present methods is at least about 70%, particularly at least about 80%, most particularly at least about 90, 91, 92, 93, 94, 95, 96, 97, 98, 99% or more.

[0044] The term “positive predictive value” or “PPV” refers to the percentage of patients with a positive test result in the methods of the invention who actually have ovarian cancer. PPV is calculated in a clinical study by dividing the number of true positives by the sum of true positives and false positives. PPV is highly dependent upon the prevalence rates for a particular disease or condition and will shift dramatically as a result of differences in disease prevalence. Therefore, with low-prevalence diseases, such as ovarian cancer, screening tests with a relatively low PPV still have significant clinical utility. In contrast, a disease with high prevalence rates would require a higher PPV to be clinically useful. See, for example, Skates et al. (2004) *J. Clin. Oncol.* 22:4059-4066; Bast et al. (2005) *Int. J. Gynecol. Cancer* 15:274-281; Rosen et al. (2005) *Gyn. Oncol.* 99:267-277; and Pepe (2004) *The Statistical Evaluation of Medical Tests for Classification and Prediction* (Oxford University Press), all of which are herein incorporated by reference in their entirety. The PPV for the present methods of identifying patients with an increased likelihood of having ovarian cancer is generally at least about 7, 8, 9, 10, 15, 20, 25, 30% or more. In some embodiments, the PPV of a method of the invention is at least about 10%. A PPV of at least about 10% for a diagnostic screening method is considered in the art to be of clinical utility. See Skates et al., supra. The “negative predictive value” or “NPV” of a test is the percentage of patients with a negative test result who actually do not have ovarian cancer. NPV is calculated in a clinical study by dividing the number of true negatives by the sum of true negatives and false negatives. The NPV for the present methods of identifying patients with an increased likelihood of having ovarian cancer is generally at least about 80%, particularly at least about 90%, more particularly at least about 91, 92, 93, 94, 95, 96, 97, 98, 99, 99.1, 99.2, 99.3, 99.4, 99.5, 99.6, 99.7, 99.8, 99.9% or more. In some embodiments, the NPV of a method of the invention for is at least about 99%. One of skill in the art will appreciate that the PPV and NPV values for the methods of the invention are based on a prevalence-adjusted population and are reflective of the prevalence rates of ovarian cancer within the U.S. female population.

[0045] A “biomarker” is any gene or protein whose level of expression in a tissue or cell is altered compared to that of a normal or healthy cell or tissue. Biomarkers of the invention are selective for ovarian cancer. By “selectively overexpressed in ovarian cancer” is intended that the biomarker of interest is overexpressed in ovarian cancer but is not overexpressed in conditions classified as nonmalignant, benign, and other conditions that are not considered to be clinical disease. Thus, detection of the biomarkers of the invention permits the differentiation of samples indicative of an increased likelihood of having ovarian cancer or the presence of ovarian cancer from normal samples (i.e., samples from patients that are ovarian-cancer free) and samples that are indicative of nonmalignant and benign proliferation. Biomarkers of the invention may be referred to herein interchangeably as “ovarian cancer biomarkers,” “markers,” or “ovarian cancer markers.”

[0046] The biomarkers of the invention include genes and proteins. Such biomarkers include DNA comprising the entire or partial sequence of the nucleic acid sequence encoding the biomarker, or the complement of such a sequence. The biomarker nucleic acids also include RNA comprising the entire or partial sequence of any of the nucleic acid sequences of interest. A biomarker protein is a protein encoded by or

corresponding to a DNA biomarker of the invention. A biomarker protein comprises the entire or partial amino acid sequence of any of the biomarker proteins or polypeptides. Fragments and variants of biomarker genes and proteins are also encompassed by the present invention. By "fragment" is intended a portion of the polynucleotide or a portion of the amino acid sequence and hence protein encoded thereby. Polynucleotides that are fragments of a biomarker nucleotide sequence generally comprise at least 10, 15, 20, 50, 75, 100, 150, 200, 250, 300, 350, 400, 450, 500, 550, 600, 650, 700, 800, 900, 1,000, 1,100, 1,200, 1,300, or 1,400 contiguous nucleotides, or up to the number of nucleotides present in a full-length biomarker polynucleotide disclosed herein. A fragment of a biomarker polynucleotide will generally encode at least 15, 25, 30, 50, 100, 150, 200, or 250 contiguous amino acids, or up to the total number of amino acids present in a full-length biomarker protein of the invention. "Variant" is intended to mean substantially similar sequences. Generally, variants of a particular biomarker of the invention will have at least about 40%, 45%, 50%, 55%, 60%, 65%, 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99% or more sequence identity to that biomarker as determined by sequence alignment programs.

[0047] The biomarkers of the invention include any gene or protein that is selectively overexpressed in ovarian cancer, as defined herein above, and may comprise known biomarkers as well as those presently unknown in the art. In particular embodiments, biomarkers are secreted proteins or proteins that are predicted to encode membranous proteins with transmembrane segments and extracellular domains. Biomarkers of interest include HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, and SLPI, alpha-1 anti-trypsin (AAT), Imp-2, FLJ10546, FLJ23499, MGC13057, SPON1, S100A1, SLC39A4, TACSTD2, MBG2, HETKL27 (MAL2), Cox-1, protein kinase C- α , cadherin-6, ADPRT, matriptase, folate receptor, claudin 4, mesothelin, aquaporin 5, cofilin 1, gelsolin, clusterin, alpha tetranectin, vitronectin, pregnancy-associated plasma protein-A (PAPP-A), and follistatin. Biomarkers of particular interest include but are not limited to HE4, CA125, Glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin (AAT). Biomarkers of more particular interest include HE4, glycodelin, MMP-7, SLPI, PLAU-R, Muc-1, inhibin A, and PAI-1.

[0048] HE4 is a protein that was first observed in human epididymis tissue, and the name "HE4" is an abbreviation of "Human Epididymis Protein 4". Subsequent studies have shown that HE4 protein is also present in the female reproductive tract and other epithelial tissues. The HE4 gene resides on human chromosome 20q12-13.1, and the 20q12 chromosome region has been found to be frequently amplified in ovarian carcinomas. Studies have shown that HE4 is expressed by ovarian carcinoma cells. The protein is N-glycosylated and is secreted extracellularly. See, for example, Drapin et al. (2005) *Cancer Research* 65(6): 2162-9; Hellstrom et al. (2003) *Cancer Research* 63: 3695-3700; and Bingle et al. (2002) *Oncogene* 21: 2768-2773.

[0049] CA-125 is a high molecular weight, cell surface glycoprotein detected in the serum of a large proportion of patients with ovarian epithelial cancer (OEC). However, while the percentage is high (75-90%) in advanced stages of this disease, it is only elevated in 50% of the patients with

Stage 1 disease. Use of CA-125 as a marker for OEC is problematic because the molecule is also expressed in a number of normal and pathological conditions including menstruation, pregnancy, endometriosis, inflammatory diseases and other types of cancer. Improved sensitivity and specificity for OEC has been reported among post menopausal women. See, for example, Bast et al. (1998) *Int'l J. Biological Markers* 13:170-187; and Moss et al. (2005) *J. Clin. Pathol.* 58:308-312.

[0050] Glycodelin is a member of the lipocalin superfamily with several distinctive actions in cell recognition and differentiation principally in the reproductive axis. Previously, this glycoprotein has been named progesterone-associated endometrial protein (PAEP) and placental protein 14 (PP-14). The name change was in part initiated because glycodelin is not synthesized by the endometrium or placenta. Glycodelin has been purified from amniotic fluid as 28 kDa molecule in SDS gels and reported to be synthesized by the normal ovary and by malignant ovarian tumors. Its presence has been reported in serum. See generally Seppala et al. (2002) *Endocrine Reviews* 23:401-430; Pala et al. (1997) *J. Chromatography B* 704:25-34; Meerit Kamarainen et al. (1996) *Amer. J Pathology* 148:1435-1443.

[0051] Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP's are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. The enzyme encoded by the MMP-7 (matrilysin) gene degrades proteoglycans, fibronectin, elastin and casein and differs from most MMP family members in that it lacks a conserved C-terminal protein domain. The enzyme is involved in wound healing, and studies in mice suggest that it regulates the activity of defensins in intestinal mucosa. The MMP-7 gene is part of a cluster of MMP genes which localize to chromosome 11q22.3. MMP-7 is expressed in epithelial cells of normal and diseased tissue. It is known to be expressed in tumors of the breast, colon, and prostate, among others. It is abundant in ovarian carcinoma cells, but not detectable by IHC in normal ovarian epithelial tissue.

[0052] Muc-1 (mucin1, EMA, PEM, episialin) is a large cell surface mucin glycoprotein expressed by most glandular and ductal epithelial cells and some hematopoietic cell lineages. Functionally, Muc-1 is believed to be involved with cell protection and lubrication, and may play a role in cell adhesion, and/or cell signaling. The Muc-1 gene contains seven exons and produces several different alternatively spliced variants. The major expressed form of Muc-1 uses all seven exons and is a type 1 transmembrane protein with a large extracellular tandem repeat domain. The tandem repeat domain is highly O-glycosylated and alterations in glycosylation have been shown in epithelial cancer cells. Muc-1 has been found to be elevated in many types of cancer, most notably with advanced breast cancer. Standing alone as a serum-based marker, it would have little specificity, but could be utilized as a prognostic aid, in conjunction with other, more specific markers.

[0053] PAI-1 (i.e., plasminogen activator inhibitor type 1) is a serine or cysteine proteinase inhibitor. The PAI-1 mRNA is 2876 bp in length, and the encoded protein is 402 amino acids long. The calculated molecular weight is 42,769 Da, whereas the affinity-purified protein is reported to be approxi-

mately 50,000 Da, as determined by SDS gel electrophoresis. PAI-1 plays a role in inhibiting extracellular matrix degradation by PLAU and is a putative unregulated c-Myc target gene. PAI-1 also plays a key role in controlling coagulation and tissue remodeling. PAI-1 limits the production of plasmin and serves to keep fibrinolysis in check. Some physiological functions involving the inhibition of plasmin by PAI-1 include ovulation, cell migration, and epithelial cell differentiation. High PAI-1 levels in cancer indicates poor prognosis for survival of many human cancers, including breast and lung cancers. Pappot et al. (Nov. 29, 2005) *Lung Cancer* [Epub ahead of print]; Chazaud et al. (2002) *American Journal of Pathology* 160:237-246.

[0054] Collagen triple helix repeat containing 1 (CTHRC1) was identified in a screen for differentially expressed sequences in balloon-injured versus normal arteries. In studies by Pyagay et al., CTHRC1 expression was not detectable in normal arteries. However, on injury it was transiently expressed by fibroblasts of the remodeling adventitia and by smooth muscle cells of the neointima. It was also found in the matrix of calcifying human atherosclerotic plaques. CTHRC1 is a secreted 28-kDa protein that is glycosylated and highly conserved from lower chordates to mammals. A short collagen motif with 12 Gly-X-Y repeats appears to be responsible for trimerization of the protein and this renders the molecule susceptible to cleavage by collagenase. Cthrc1 mRNA expression levels are increased in response to transforming growth factor-beta and bone morphogenetic protein-4. Cell migration assays performed with CTHRC1-overexpressing fibroblasts and smooth muscle cells demonstrate that increased CTHRC1 levels are associated with enhanced migratory ability. Furthermore, CTHRC1 overexpression caused a dramatic reduction in collagen type I mRNA and protein levels. The data of Pyagay et al. indicate that the novel molecule CTHRC1 is transiently expressed in the arterial wall in response to injury where it may contribute to vascular remodeling by limiting collagen matrix deposition and promoting cell migration. Pyagay et al. (2005) *Circ. Res.* 96(2): 261-8.

[0055] Inhibins are protein hormones that belong to the transforming growth factor β superfamily and are heterodimers consisting of α and β subunits joined by disulfide bonds. The 2 forms of inhibins (i.e., A and B) differ in the type of β subunit (i.e., β A or β B) linked to the α subunit. In women of reproductive age, inhibins are known to be secreted by granulosa cells of the ovary and circulate in blood. Inhibins vary in concentration through the menstrual cycle and during pregnancy, and impact pituitary FSH production, gametogenesis and gestational events. In post menopausal women inhibins fall to very low levels. Recent publications indicate that inhibins are diagnostic markers for ovarian cancer. See for example Robertson et al. (2002) *Mol. Cell Endocrinol.* 191:97-103; El-Shalakany et al. (2004) *J. Obstet. Gynaecol. Res.* 30: 155-161.

[0056] Plasminogen activator urokinase-receptor (PLAU-R or UPAR) is a cell surface glycoprotein with a molecular weight of approximately 60 kDa that is attached by its carboxy-terminal end to the cell membrane by GPI linkage. PLAU-R serves as a specific receptor for the serine protease urokinase plasminogen activator (uPA) that is involved in basement membrane/extracellular matrix remodeling in both normal and pathological processes. Soluble PLAU-R, released from the cell surface, has been reported to be at elevated concentrations in serum in several types of

human cancer including colorectal, breast and ovarian cancer. See for example Sier et al. (1998) *Cancer Res.* 58:1843-1849; and Begum et al. (2004) *Anticancer Research* 24:1981-1986.

[0057] Prolactin is a 198-amino acid, 23 kDa protein hormone secreted in significant quantities by the anterior pituitary gland. In concert with estrogen, prolactin plays an important role in the initiation of mammary gland growth and in lactation. In addition, prolactin is thought to have a significant role in cell growth and immune function. A recent report using a commercially available ELISA kit reported that prolactin levels in serum were significantly elevated in ovarian cancer. See generally Mor et al. (2005) *Proc. Natl Acad. Sci.* 102: 7677-7682.

[0058] Kallikreins are a subgroup of serine proteases having diverse physiological functions. They are clustered as a group on chromosome 19q13. Growing evidence suggests that many kallikreins are implicated in carcinogenesis and some have potential as novel cancer and other disease biomarkers.

[0059] KLK-6 is one of the fifteen kallikrein subfamily members located in a cluster on chromosome 19. The encoded enzyme is regulated by steroid hormones. In tissue culture, the enzyme has been found to generate amyloidogenic fragments from the amyloid precursor protein, suggesting a potential for involvement in Alzheimer's disease. KLK-6 has been verified as a secreted protein, and found to be elevated in ovarian cancer patients. Thus, it has been hypothesized to have value as a serological marker for this disease.

[0060] The human kallikrein 10 gene (KLK10, also known as normal epithelial cell specific 1 gene (NES-1)) is a member of the kallikrein gene family. The gene product is a secreted serine protease whose concentration in various biological fluids is known to be altered in some disease states. In particular, KLK10 is expressed in epithelial cells of the ovary and this expression has been reported to be elevated in serum of patients with ovarian cancer. Thus, KLK10 may serve as a serum biomarker for ovarian cancer. See for example Liu-Ying et al. (2003) *Cancer Res.* 63:807-811; Yousef and Diamandis (2003) *Thromb Haemost.* 90:7-16.

[0061] Secretory Leukocyte Protease Inhibitor (SLPI) is a protein that was first isolated in human parotid gland secretions. Subsequent studies have shown that the SLPI protein is also present in saliva and numerous mucosal surfaces such as those of the lung, nasal passages, cervix, and seminal vesicles.

[0062] SLPI is believed to act as a defense against chronic lung ailments because it is a potent inhibitor of neutrophil elastase, whose presence is heightened in chronic inflammatory lung diseases and which can destroy many of the components of lung tissue. SLPI also inhibits the release of histamine from mast cells, so it is also active in the allergic response. Protection of fetal membranes and cervical tissue is also thought to be a function of SLPI.

[0063] The gene which encodes the SLPI protein has been found to be up-regulated in ovarian cancer, and a significant difference has been found between the elevated levels of SLPI in the serum of patients with malignant ovarian cancer as opposed to the levels found in patients with benign ovarian cysts or normal patients. The SLPI protein has a mass of 12 kDa, is non-glycosylated, hydrophobic, and cationic. See generally Hollander et al. (2003) *Cancer Cell International* 3:14; Helmig et al. (1995) *Eur. J. Obstet. Gynecol. Reprod.*

Biol. 59(1):95-101; Hough et al. (2001) *Cancer Research* 61: 3869-3876; and Tsukishiro et al. (2005) *Gynecologic Oncology* 96: 516-519.

[0064] Alpha-1 anti-trypsin (AAT) is an acute phase protein synthesized by the liver and the principal serum inhibitor of proteolytic enzymes such as trypsin, chymotrypsin, plasmin and thrombin. In an inflammatory reaction the serum concentration of AAT may be elevated as much as 3-4 fold. The molecule exists as a number of genetic variants with a monomer molecular weight of 40-50 kDa. The mean normal serum concentration (mg/ml) has been reported to be 2.21 ± 0.35 and 2.14 ± 0.37 . Interest in AAT as an ovarian cancer biomarker resulted from an in-house 2D gel electrophoresis/mass spec. study that indicated that AAT was elevated in the serum of ovarian cancer patients. See for example Song et al. (1994) *J. Affect. Disorders* 30:283-288; Ledue et al. (1993) *Clin. Chim. Acta.* 223: 73-28.

[0065] Although the above biomarkers have been discussed in detail, any biomarker whose overexpression is selective for ovarian cancer can be used to practice the invention, including biomarkers known in the art and those not yet identified. Such biomarkers include genes and proteins that are, for example, involved in defects in DNA replication/cell cycle control, cell growth and proliferation, escape from apoptosis, angiogenesis or lymphogenesis, or the mechanisms of cancer cell motility and invasion.

[0066] Of particular interest are biomarkers that are selectively overexpressed in early-stage ovarian cancer. By "selectively overexpressed in early-stage ovarian cancer" is intended that the biomarker of interest is overexpressed in stage 1 or stage 2 ovarian cancer states but is not overexpressed in normal samples or in conditions classified as non-malignant, benign, and other conditions that are not considered to be clinical disease. One of skill in the art will appreciate that early-stage ovarian cancer biomarkers include those genes and proteins specific for ovarian cancer that are initially overexpressed in stage 1 or stage 2 and whose overexpression persists throughout the advanced stages of the disease, as well as biomarkers that are only overexpressed in stage 1 or stage 2 ovarian cancer. Detection of expression of biomarkers that are selectively overexpressed in early-stage ovarian cancer may permit the earlier detection and diagnosis of ovarian cancer and, accordingly, improve patient prognosis.

[0067] The methods of the invention comprise detecting the expression of a plurality of biomarkers. As used herein, a "plurality" of biomarkers refers to 2, 3, 4, 5, 6, 7, 8, 9, 10 or more biomarkers. In particular, when the two-step screening method of the invention is used to identify patients having an increased likelihood of having ovarian cancer, a plurality of biomarkers may refer to the detection of at least one biomarker during the first assay step and at least one additional biomarker during the second assay step. One of skill in the art will also recognize that a panel of biomarkers can be used to identify patients with an increased likelihood of having ovarian cancer in accordance with the present methods. A panel of biomarkers may comprise any number or combination of biomarkers of interest. In some embodiments, a panel comprising a plurality of biomarkers selected from the group consisting of HE4, CA125, Glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin, PLAU-R, prolactin, KLK-10, KLK-6, and SLPI, alpha-1 anti-trypsin (AAT). In other embodiments, a panel of biomarkers selected from the subset

of biomarkers comprising CA125, HE4, glycodelin, MMP-7, SLPI, PLAU-R, Muc-1, inhibin A, and PAI-1 is provided.

[0068] Any female patient or patient population may be assessed using the screening and diagnostic methods of the invention. For example, the methods disclosed herein may be performed on the general female patient population, as well as on the narrower population of post-menopausal women. The term "post-menopausal" is understood by those of skill in the art. In particular embodiments, post-menopausal generally refers to, for example, women over the age of 55. In particular embodiments, the screening methods are performed routinely (e.g., annually, every two years, etc.) on the general female population. Regular screening of patients may begin, for example, at the onset of menses, at age 30, or at the beginning of menopause. Screening of the high-risk patient population, as defined herein below, will typically be performed on a routine basis independent of patient age. Patients who are both asymptomatic and symptomatic (i.e., displaying characteristic symptoms of ovarian cancer, such as pelvic or abdominal pain or swelling) can be assessed for an increased likelihood of having ovarian using the screening and diagnostic methods of the invention. Women that are at a low-risk of developing ovarian and those that are considered high-risk based on clinical and family history risk factors may also be assessed using the present methods. Patients considered "high-risk" based on such clinical and family history risk factors include but are not limited to patients living with breast cancer, colon cancer, or breast/ovarian syndrome, women with a first-degree relative with ovarian cancer (e.g., mother, daughter, or sister), patients positive for at least one breast cancer gene (BRCA 1 or 2), and women suffering from HNPCC (i.e., Hereditary non-polyposis colorectal cancer).

[0069] In one aspect of the invention, the target population for the screening and diagnostic methods is the group of asymptomatic patients classified as high-risk on the basis of, for example, the above-referenced clinical and familial risk factors. This high-risk, asymptomatic population represents more than 8 million women in the U.S. It is recognized that the methods, compositions, and kits of the invention will be of particular utility to patients having an enhanced risk of developing ovarian cancers and to their physicians. Patients recognized in the art as having an increased risk of developing ovarian cancers include, for example, patients having a familial history of ovarian cancer and patients of advancing age (i.e., typically women over 55 years of age).

[0070] A number of clinical conditions or characteristics not directly related to ovarian cancer may exist in the patient populations tested in accordance with the methods of the invention, thereby interfering with the results of the screening and diagnostic methods disclosed herein. Such clinical conditions and characteristics are referred to herein as "interfering substances and pathologies" and include but are not limited to pregnancy (first trimester), breast cancer, chronic hepatitis, colon cancer, oral contraceptive therapy, coronary artery disease, deep vein thrombosis, diabetes, endometriosis, hormone replacement therapy, menstruation, multiple myeloma, ovarian cysts/polycystic disease, polymyalgia, polymyositis, rectal cancer, rheumatoid arthritis, systemic lupus erythematosus (SLE), and warfarin treatment. Additional exemplary interfering pathologies include uterine conditions (e.g., myomas, adenomyosis, and endometrial cancer), ovarian conditions (e.g., benign growths such as functional cysts, theca-lutein cysts, pregnancy luteoma, sclerocystic ovaries, serous cystadenoma, mucinous cystad-

enoma, cystic teratoma, fibroma, thecoma, and Brenner tumor; neoplasms; and malignant conditions such as cystadenocarcinoma and adenocarcinoma), fallopian tube conditions (e.g., tubo-ovarian abscess, hydrosalpinx, parovarian cyst, ectopic pregnancy, and cancer of the fallopian tubes), bowel conditions (e.g., distention with gas and/or feces, diverticulitis, ileitis, appendicitis, and colon cancer), and other miscellaneous conditions (e.g., distended bladder, pelvic kidney, urachal cyst, abdominal wall hematoma, abdominal wall abscess, and retroperitoneal neoplasms, such as lymphoma, sarcoma, and teratoma). In particular embodiments, the biomarkers, threshold expression levels, and mathematical models used in the screening and diagnostic methods described herein will be selected so as to minimize the effects of interfering substances and pathologies on the performance (i.e., the specificity, sensitivity, PPV, and NPV) of the claimed methods.

[0071] By “body sample” is intended any sampling of cells, tissues, or bodily fluids from a patient in which expression of a biomarker can be detected. Examples of such body samples include but are not limited to blood (e.g., whole blood, blood serum, blood having platelets removed, etc.), lymph, ascitic fluids, urine, gynecological fluids (e.g., ovarian, fallopian, and uterine secretion, menses, etc.), biopsies, and fluids obtained during laparoscopy. Body samples may be obtained from a patient by a variety of techniques including, for example, by venipuncture, by scraping or swabbing an area, or by using a needle to aspirate bodily fluids or tissues. Methods for collecting various body samples are well known in the art. In particular embodiments, the body sample comprises blood or serum. The present inventors have recognized that the methods for the collection and storage of blood samples, more particularly serum samples, affect the performance of the methods disclosed herein. Several studies indicate that body sample, particularly serum sample, collection and storage methods are critical to achieve acceptable assay performance. See, for example, Diamandis (2004) *J. Natl. Cancer Institute* 95:353-356 and Thavasu et al. (1992) *J. Immunol. Meth.* 153:115-124, which is herein incorporated reference in its entirety. An exemplary method for serum collection and storage is provided in Example 1.

[0072] Any methods available in the art for the detection biomarker expression can be used to practice the invention. The expression of a biomarker of the invention can be detected on a nucleic acid level or a protein level. In order to determine overexpression, the body sample to be examined may be compared with a corresponding body sample that originates from a healthy person. That is, the “normal” level of expression is the level of expression of the biomarker in a body sample from a patient that is not afflicted with ovarian cancer. Such a sample can be present in standardized form. In some embodiments, determination of biomarker overexpression requires no comparison between the body sample and a corresponding body sample that originates from a normal person.

[0073] Any biomarker or combination of biomarkers of the invention, as well as any known ovarian cancer biomarkers, may be used in the methods, compositions, and kits of the present invention. In general, it is preferable to use biomarkers for which the difference between the level of expression of the biomarker in a body sample from a patient afflicted with ovarian cancer and the level of expression of the same biomarker in a “normal” body sample (i.e., from an ovarian cancer free patient) is as great as possible. Although this difference

can be as small as the limit of detection of the method for assessing expression of the biomarker, it is preferred that the difference be at least greater than the standard error of the assessment method, and optimally a difference of at least 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25-fold or greater than the level of expression of the same biomarker in a normal body sample. The “normal” level of expression of a biomarker of the invention may be determined by assessing expression of the biomarker in a body sample obtained from a non-ovarian cancer afflicted patient. Alternatively, and particularly as further information becomes available as a result of the routine performance of the methods described herein, average values for biomarker expression levels may be used.

[0074] As described above, in some aspects of the invention, a threshold level of expression of a particular biomarker, above which the biomarker is considered to be overexpressed in a patient sample, may be established. Methods for selecting the threshold value include but are not limited to analysis of the ROC plot for the biomarker or analysis of the biomarker expression level for a normal patient population. Exemplary threshold or “cutoff” values include (1) the mean expression level plus two times the standard deviation, as determined from a population of normal patient samples and (2) expression levels selected from the ROC curve that represent the highest value of sensitivity plus specificity. The threshold level of expression for a particular biomarker may be determined relative to the expression level in a normal patient population. Persons of skill in the art will appreciate that other methods for selecting appropriate threshold expression values can be used to practice the invention.

[0075] Methods for detecting biomarkers of the invention comprise any methods that determine the quantity or the presence of the biomarkers either at the nucleic acid or protein level. Such methods are well known in the art and include but are not limited to western blots, northern blots, southern blots, ELISA, immunoprecipitation, immunofluorescence, flow cytometry, immunocytochemistry, multiplex bead-based immunoassays, nucleic acid hybridization techniques, nucleic acid reverse transcription methods, and nucleic acid amplification methods. In particular embodiments, overexpression of a biomarker is detected on a protein level using, for example, antibodies that are directed against specific biomarker proteins. These antibodies can be used in various methods such as Western blot, ELISA, multiplex bead-based immunoassay, immunoprecipitation, or immunocytochemistry techniques. The multiplex bead-based assays used to practice the present invention include but are not limited to the Luminex technology described in U.S. Pat. Nos. 6,599,331, 6,592,822, and 6,268,222, all of which are herein incorporated by reference in their entirety. In particular embodiments, the Luminex LabMAP® system is utilized, as described in International Publication No. WO 2005/016126, which is herein incorporated by reference in its entirety.

[0076] In some embodiments of the invention, antibodies specific for biomarker proteins are utilized to detect the expression of a plurality of biomarker proteins in a body sample in order to identify patients with an increased likelihood of having ovarian cancer. The method comprises obtaining a body sample from a patient, particularly a serum sample, contacting the body sample with antibodies directed to a plurality of biomarkers that are selectively overexpressed in ovarian cancer, and detecting antibody binding to determine if the biomarkers are overexpressed in the patient sample. In the screening methods of the invention, overexpression of the

biomarkers is indicative of an increased likelihood of having ovarian cancer. Patients classified by the present screening methods as having an increased likelihood of having ovarian cancer are subjected to further diagnostic testing to detect the presence of ovarian cancer. Female patients identified by the present screening methods for ovarian cancer that are determined to not be currently suffering from ovarian cancer are regularly monitored in order to potentially detect ovarian cancer at an earlier stage.

[0077] As described above, in particular aspects of the invention, the screening methods for identifying patients with an increased likelihood of having ovarian cancer may comprise a two-step analysis. That is, the method comprises performing a first assay step comprising detecting the expression of a first biomarker or a first panel of biomarkers in a body sample and determining if the first biomarker or panel of biomarkers is overexpressed. If a positive result is obtained in the first assay step (i.e., the first biomarker or panel of biomarkers is overexpressed in the body sample), the method further comprises performing a second assay step comprising detecting the expression of a second biomarker or a second panel of biomarkers and determining if the second biomarker or panel of biomarkers is overexpressed. Overexpression of both the first and second biomarkers or panels of biomarkers (i.e., a positive result in both assay steps) is indicative of an increased likelihood of having ovarian cancer. In particular embodiments, detection of expression of the biomarkers in the first and second assay steps is performed at the protein level and comprises contacting the body sample, more particularly a serum sample, with antibodies specific for the particular biomarkers of interest and detecting antibody binding. In certain methods, biomarker protein expression is detected using an ELISA or multiplex bead-based immunoassay format.

[0078] In the “two-step” screening methods of the invention, the biomarker or panel of biomarkers used in the first step may be employed to maximize sensitivity and NPV. That is, the first screening step may be designed to maximize the number of true negatives classified as negative by the methods of the invention, thereby eliminating a significant percentage of true negatives from further analysis. Therefore, the patient population classified as positive by the first assay step will be enriched in true positive patients. The second screening step in the two-step methods may be designed to maximize PPV and specificity, while maintaining a reasonable sensitivity, in order to identify women with the highest likelihood of having ovarian cancer. Specificity, sensitivity, PPV, and NPV values may be determined for each individual assay step in the method, as described above. When a two-step screening method is used, combined sensitivity, specificity, PPV, and NPV values may be determined for the method as a whole. In particular embodiments, the two-step method for identifying patients having an increased likelihood of having ovarian cancer will have a combined sensitivity of at least 90%, a combined specificity of at least 98%, a combined PPV of at least 10%, and a combined NPV of at least 99.9%. One of skill in the art will further appreciate that while two-step screening methods have been described in detail, similar screening methods comprising 3, 4, 5, or more assay steps are also encompassed by the present invention. Such follow-on assay steps may rule out other diseases, such as cardiovascular conditions, from the presence of ovarian cancer.

[0079] In some embodiments of the invention, algorithms or mathematical models may be applied to develop “test

rules” for determining when a patient sample is “positive” (i.e., indicative of an increased likelihood of having ovarian cancer). For example, when expression of HE4, CA125, PLAU-R, glycodeclin, Muc-1, and PAI-1 is detected, the screening test is considered positive if (1) any three of HE4, CA125, glycodeclin, PAI-1, and PLAU-R are positive (i.e., overexpressed) or if (2) HE4 and CA125 are both overexpressed; otherwise, the test is considered negative. In a further example, the test is considered positive if (1) any three of HE4, CA125, glycodeclin, MMP-7, and PLAU-R are positive (i.e., overexpressed) or if (2) HE4 is overexpressed and also any one of CA125, glycodeclin, MMP-7, or PLAU-R is positive; otherwise, the test is deemed negative. One of skill in the art will appreciate that a variety of such test rules can be developed and applied in the present methods for identifying patients with an increased likelihood of having ovarian cancer such as logistical regression. Other mathematical models that can be applied are described in Zhou et al. (2002) *Statistical Methods in Diagnostic Medicine* (Wiley, New York), which is herein incorporated by reference in its entirety.

[0080] In other aspects of the invention, methods for diagnosing ovarian cancer in a patient comprise obtaining a body sample from a patient, contacting the body sample with antibodies directed to a plurality of biomarkers that are selectively overexpressed in ovarian cancer, and detecting antibody binding to determine if the biomarkers are overexpressed in the patient sample. In the diagnostic methods of the invention, overexpression of the biomarkers is indicative of the presence of ovarian cancer.

[0081] In still other embodiments of the invention, methods for assessing the efficacy of a therapy for treating ovarian cancer in a patient are provided. Such methods typically comprise comparing the level of expression of a plurality of biomarkers of the invention in a first patient body sample procured prior to the initiation of therapy with that from a second sample obtained following administration of at least a portion of the therapy. A significantly lower level of expression of the biomarkers in the second patient sample relative to that of the first sample obtained prior to the initiation of the therapy is a positive indication of the efficacy of the therapy for treating ovarian cancer in the patient, whereas a significantly higher level of expression of the biomarkers in the second sample is a negative indication of the efficacy of the therapy. As used herein, a “positive indication of the efficacy of the therapy” means that the therapy is producing beneficial results in the treatment of ovarian cancer (e.g., tumor regression, etc.). A “negative indication of the efficacy of the therapy” is intended to mean that the therapy is not having beneficial effects with respect to treatment of ovarian cancer. A negative indication of the efficacy of the particular treatment may be related to, for example, the dosage. At higher dosages, the therapy may be efficacious.

[0082] One of skill in the art will recognize that in these methods the term “therapy” includes any therapy for treating ovarian cancer, including but not limited to chemotherapy, radiation therapy, surgical removal of tumor tissue, gene therapy, and biologic therapy. The methods of the invention may be used to evaluate a patient before, during, and after therapy to evaluate, for example, a reduction in tumor burden.

[0083] The invention additionally provides a monitoring method for assessing the regression or progression of ovarian cancer in a patient comprising detecting in a first patient sample at a first time point the level of expression of a plurality of biomarkers of the invention, repeating this analysis

with a second patient sample obtained at a later time point, and comparing the level of expression of the biomarkers at the two time points. A significantly higher level of expression of the biomarkers in the patient body sample at the later time point indicates that the ovarian cancer has progressed, whereas a significantly lower level of expression is an indication that the ovarian cancer has regressed. As used herein, "regression of ovarian cancer" is intended to mean that the condition of the patient with respect to ovarian cancer has improved, as characterized by, for example, decreased tumor size. "Progression of ovarian cancer" means that the condition of the patient with respect to ovarian cancer has worsened, as characterized by, for example, increased tumor size, metastasis, etc. The meanings of the terms "regression" and "progression" with respect to disease states will be understood by those of skill in the art.

[0084] In certain aspects of the invention, biomarker expression is detected at the protein level using antibodies. The terms "antibody" and "antibodies" broadly encompass naturally occurring forms of antibodies and recombinant antibodies such as single-chain antibodies, chimeric and humanized antibodies and multi-specific antibodies as well as fragments and derivatives of all of the foregoing, which fragments and derivatives have at least an antigenic binding site. Antibody derivatives may comprise a protein or chemical moiety conjugated to the antibody.

[0085] "Antibodies" and "immunoglobulins" (Igs) are glycoproteins having the same structural characteristics. While antibodies exhibit binding specificity to an antigen, immunoglobulins include both antibodies and other antibody-like molecules that lack antigen specificity. Polypeptides of the latter kind are, for example, produced at low levels by the lymph system and at increased levels by myelomas.

[0086] The term "antibody" is used in the broadest sense and covers fully assembled antibodies, antibody fragments that can bind antigen (e.g., Fab', F(ab')₂, Fv, single chain antibodies, diabodies), and recombinant peptides comprising the foregoing.

[0087] The term "monoclonal antibody" as used herein refers to an antibody obtained from a population of substantially homogeneous antibodies, i.e., the individual antibodies comprising the population are identical except for possible naturally-occurring mutations that may be present in minor amounts.

[0088] "Antibody fragments" comprise a portion of an intact antibody, preferably the antigen-binding or variable region of the intact antibody. Examples of antibody fragments include Fab, Fab', F(ab')₂, and Fv fragments; diabodies; linear antibodies (Zapata et al. (1995) *Protein Eng.* 8(10):1057-1062); single-chain antibody molecules; and multispecific antibodies formed from antibody fragments. Papain digestion of antibodies produces two identical antigen-binding fragments, called "Fab" fragments, each with a single antigen-binding site, and a residual "Fc" fragment, whose name reflects its ability to crystallize readily. Pepsin treatment yields an F(ab')₂ fragment that has two antigen-combining sites and is still capable of cross-linking antigen.

[0089] "Fv" is the minimum antibody fragment that contains a complete antigen recognition and binding site. In a two-chain Fv species, this region consists of a dimer of one heavy- and one light-chain variable domain in tight, non-covalent association. In a single-chain Fv species, one heavy- and one light-chain variable domain can be covalently linked by flexible peptide linker such that the light and heavy chains

can associate in a "dimeric" structure analogous to that in a two-chain Fv species. It is in this configuration that the three CDRs of each variable domain interact to define an antigen-binding site on the surface of the V_H-V_L dimer. Collectively, the six CDRs confer antigen-binding specificity to the antibody. However, even a single variable domain (or half of an Fv comprising only three CDRs specific for an antigen) has the ability to recognize and bind antigen, although at a lower affinity than the entire binding site.

[0090] The Fab fragment also contains the constant domain of the light chain and the first constant domain (C_{H1}) of the heavy chain. Fab fragments differ from Fab' fragments by the addition of a few residues at the carboxy terminus of the heavy-chain C_{H1} domain including one or more cysteines from the antibody hinge region. Fab'-SH is the designation herein for Fab' in which the cysteine residue(s) of the constant domains bear a free thiol group. F(ab')₂ antibody fragments originally were produced as pairs of Fab' fragments that have hinge cysteines between them.

[0091] Polyclonal antibodies can be prepared by immunizing a suitable subject (e.g., rabbit, goat, mouse, or other mammal) with a biomarker protein immunogen. The antibody titer in the immunized subject can be monitored over time by standard techniques, such as with an enzyme linked immunosorbent assay (ELISA) using immobilized biomarker protein. At an appropriate time after immunization, e.g., when the antibody titers are highest, antibody-producing cells can be obtained from the subject and used to prepare monoclonal antibodies by standard techniques, such as the hybridoma technique originally described by Kohler and Milstein (1975) *Nature* 256:495-497, the human B cell hybridoma technique (Kozbor et al. (1983) *Immunol. Today* 4:72), the EBV-hybridoma technique (Cole et al. (1985) in *Monoclonal Antibodies and Cancer Therapy*, ed. Reisfeld and Sell (Alan R. Liss, Inc., New York, N.Y.), pp. 77-96) or trioma techniques. The technology for producing hybridomas is well known (see generally Coligan et al., eds. (1994) *Current Protocols in Immunology* (John Wiley & Sons, Inc., New York, N.Y.); Galfre et al. (1977) *Nature* 266:550-552; Kenneth (1980) in *Monoclonal Antibodies: A New Dimension In Biological Analyses* (Plenum Publishing Corp., NY); and Lerner (1981) *Yale J. Biol. Med.*, 54:387-402).

[0092] Alternative to preparing monoclonal antibody-secreting hybridomas, a monoclonal antibody can be identified and isolated by screening a recombinant combinatorial immunoglobulin library (e.g., an antibody phage display library) with a biomarker protein to thereby isolate immunoglobulin library members that bind the biomarker protein. Kits for generating and screening phage display libraries are commercially available (e.g., the Pharmacia *Recombinant Phage Antibody System*, Catalog No. 27-9400-01; and the Stratagene SurfZAP Φ Phage Display Kit, Catalog No. 240612). Additionally, examples of methods and reagents particularly amenable for use in generating and screening antibody display library can be found in, for example, U.S. Pat. No. 5,223,409; PCT Publication Nos. WO 92/18619; WO 91/17271; WO 92/20791; WO 92/15679; 93/01288; WO 92/01047; 92/09690; and 90/02809; Fuchs et al. (1991) *Bio/Technology* 9:1370-1372; Hay et al. (1992) *Hum. Antibod. Hybridomas* 3:81-85; Huse et al. (1989) *Science* 246:1275-1281; Griffiths et al. (1993) *EMBO J.* 12:725-734.

[0093] The compositions of the invention further comprise monoclonal antibodies and variants and fragments thereof that specifically bind to biomarker proteins of interest. The

monoclonal antibodies may be labeled with a detectable substance as described below to facilitate biomarker protein detection in the sample. Such antibodies find use in practicing the methods of the invention. Monoclonal antibodies having the binding characteristics of the antibodies disclosed herein are also encompassed by the present invention. Compositions further comprise antigen-binding variants and fragments of the monoclonal antibodies, hybridoma cell lines producing these antibodies, and isolated nucleic acid molecules encoding the amino acid sequences of these monoclonal antibodies.

[0094] Antibodies having the binding characteristics of a monoclonal antibody of the invention are also provided. "Binding characteristics" or "binding specificity" when used in reference to an antibody means that the antibody recognizes the same or similar antigenic epitope as a comparison antibody. Examples of such antibodies include, for example, an antibody that competes with a monoclonal antibody of the invention in a competitive binding assay. One of skill in the art could determine whether an antibody competitively interferes with another antibody using standard methods.

[0095] By "epitope" is intended the part of an antigenic molecule to which an antibody is produced and to which the antibody will bind. Epitopes can comprise linear amino acid residues (i.e., residues within the epitope are arranged sequentially one after another in a linear fashion), nonlinear amino acid residues (referred to herein as "nonlinear epitopes"; these epitopes are not arranged sequentially), or both linear and nonlinear amino acid residues. Typically epitopes are short amino acid sequences, e.g. about five amino acids in length. Systematic techniques for identifying epitopes are known in the art and are described, for example, in U.S. Pat. No. 4,708,871. Briefly, a set of overlapping oligopeptides derived from the antigen may be synthesized and bound to a solid phase array of pins, with a unique oligopeptide on each pin. The array of pins may comprise a 96-well microtiter plate, permitting one to assay all 96 oligopeptides simultaneously, e.g., for binding to a biomarker-specific monoclonal antibody. Alternatively, phage display peptide library kits (New England BioLabs) are currently commercially available for epitope mapping. Using these methods, the binding affinity for every possible subset of consecutive amino acids may be determined in order to identify the epitope that a given antibody binds. Epitopes may also be identified by inference when epitope length peptide sequences are used to immunize animals from which antibodies are obtained. Epitopes may also be defined by carbohydrate side chains present as either N-linked or O-linked oligosaccharides present on glycoproteins.

[0096] Antigen-binding fragments and variants of the monoclonal antibodies disclosed herein are further provided. Such variants will retain the desired binding properties of the parent antibody. Methods for making antibody fragments and variants are generally available in the art. For example, amino acid sequence variants of a monoclonal antibody described herein, can be prepared by mutations in the cloned DNA sequence encoding the antibody of interest. Methods for mutagenesis and nucleotide sequence alterations are well known in the art. See, for example, Walker and Gaastra, eds. (1983) *Techniques in Molecular Biology* (MacMillan Publishing Company, New York); Kunkel (1985) *Proc. Natl. Acad. Sci. USA* 82:488-492; Kunkel et al. (1987) *Methods Enzymol.* 154:367-382; Sambrook et al. (1989) *Molecular Cloning: A Laboratory Manual* (Cold Spring Harbor, N.Y.); U.S. Pat. No. 4,873,192; and the references cited therein;

herein incorporated by reference. Guidance as to appropriate amino acid substitutions that do not affect biological activity of the polypeptide of interest may be found in the model of Dayhoff et al. (1978) in *Atlas of Protein Sequence and Structure* (Natl. Biomed. Res. Found., Washington, D.C.), herein incorporated by reference. Conservative substitutions, such as exchanging one amino acid with another having similar properties, may be preferred. Examples of conservative substitutions include, but are not limited to, Gly $\leftrightarrow$ Val, Ile $\leftrightarrow$ Leu, Asp $\leftrightarrow$ Glu, Lys $\leftrightarrow$ Arg, Asn $\leftrightarrow$ Gln, and Phe $\leftrightarrow$ Trp $\leftrightarrow$ Tyr.

[0097] In constructing variants of the antibody polypeptide of interest, modifications are made such that variants continue to possess the desired activity, i.e., similar binding affinity to the biomarker. Obviously, any mutations made in the DNA encoding the variant polypeptide must not place the sequence out of reading frame and preferably will not create complementary regions that could produce secondary mRNA structure. See EP Patent Application Publication No. 75,444.

[0098] Preferably, variants of a reference biomarker antibody have amino acid sequences that have at least 70% or 75% sequence identity, preferably at least 80% or 85% sequence identity, more preferably at least 90%, 91%, 92%, 93%, 94% or 95% sequence identity to the amino acid sequence for the reference antibody molecule, or to a shorter portion of the reference antibody molecule. More preferably, the molecules share at least 96%, 97%, 98% or 99% sequence identity. For purposes of the present invention, percent sequence identity is determined using the Smith-Waterman homology search algorithm using an affine gap search with a gap open penalty of 12 and a gap extension penalty of 2, BLOSUM matrix of 62. The Smith-Waterman homology search algorithm is taught in Smith and Waterman (1981) *Adv. Appl. Math.* 2:482-489. A variant may, for example, differ from the reference antibody by as few as 1 to 15 amino acid residues, as few as 1 to 10 amino acid residues, such as 6-10, as few as 5, as few as 4, 3, 2, or even 1 amino acid residue.

[0099] With respect to optimal alignment of two amino acid sequences, the contiguous segment of the variant amino acid sequence may have additional amino acid residues or deleted amino acid residues with respect to the reference amino acid sequence. The contiguous segment used for comparison to the reference amino acid sequence will include at least 20 contiguous amino acid residues, and may be 30, 40, 50, or more amino acid residues. Corrections for sequence identity associated with conservative residue substitutions or gaps can be made (see Smith-Waterman homology search algorithm).

[0100] One of skill in the art will recognize that optimization of reagents and conditions, for example, antibody titer and parameters for detection of antigen-antibody binding, is needed to maximize the signal to noise ratio for a particular antibody. Antibody concentrations that maximize specific binding to the biomarkers of the invention and minimize non-specific binding (or "background") will be determined. In particular embodiments, appropriate antibody titers are determined by initially testing various antibody dilutions on patient serum samples. The design of assays to optimize antibody titer and detection conditions is standard and well within the routine capabilities of those of ordinary skill in the art. Some antibodies require additional optimization to reduce background and/or to increase specificity and sensitivity.

[0101] Furthermore, one of skill in the art will recognize that the concentration of a particular antibody used to practice the methods of the invention will vary depending on such factors as time for binding, level of specificity of the antibody for the biomarker protein, and method of body sample preparation. Moreover, when multiple antibodies are used in a single sample, the required concentration may be affected by the order in which the antibodies are applied to the sample, i.e., simultaneously as a cocktail or sequentially as individual antibody reagents. Furthermore, the detection chemistry used to visualize antibody binding to a biomarker of interest must also be optimized to produce the desired signal to noise ratio.

[0102] Detection of antibody binding can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, and radioactive materials. Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, β -galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include ^{125}I , ^{131}I , ^{35}S , or ^3H .

[0103] The antibodies used to practice the invention are selected to have high specificity for the biomarker proteins of interest. Methods for making antibodies and for selecting appropriate antibodies are known in the art. See, for example, Celis, ed. (in press) *Cell Biology & Laboratory Handbook*, 3rd edition (Academic Press, New York), which is herein incorporated in its entirety by reference. In some embodiments, commercial antibodies directed to specific biomarker proteins may be used to practice the invention. The antibodies of the invention may be selected on the basis of desirable staining of cytological, rather than histological, samples. That is, in particular embodiments the antibodies are selected with the end sample type (i.e., serum samples) in mind and for binding specificity.

[0104] In other embodiments, the expression of a biomarker of interest is detected at the nucleic acid level. Nucleic acid-based techniques for assessing expression are well known in the art and include, for example, determining the level of biomarker mRNA in a body sample. Many expression detection methods use isolated RNA. Any RNA isolation technique that does not select against the isolation of mRNA can be utilized for the purification of RNA from serum samples (see, e.g., Ausubel et al., ed., (1987-1999) *Current Protocols in Molecular Biology* (John Wiley & Sons, New York). Additionally, large numbers of blood, serum, or tissue samples can readily be processed using techniques well known to those of skill in the art, such as, for example, the single-step RNA isolation process of Chomczynski (1989, U.S. Pat. No. 4,843,155).

[0105] The term "probe" refers to any molecule that is capable of selectively binding to a specifically intended target biomolecule, for example, a nucleotide transcript or a protein encoded by or corresponding to a biomarker. Probes can be synthesized by one of skill in the art, or derived from appropriate biological preparations. Probes may be specifically designed to be labeled. Examples of molecules that can be

utilized as probes include, but are not limited to, RNA, DNA, proteins, antibodies, and organic molecules.

[0106] Isolated mRNA can be used in hybridization or amplification assays that include, but are not limited to, Southern or Northern analyses, polymerase chain reaction analyses and probe arrays. One method for the detection of mRNA levels involves contacting the isolated mRNA with a nucleic acid molecule (probe) that can hybridize to the mRNA encoded by the gene being detected. The nucleic acid probe can be, for example, a full-length cDNA, or a portion thereof, such as an oligonucleotide of at least 7, 15, 30, 50, 100, 250 or 500 nucleotides in length and sufficient to specifically hybridize under stringent conditions to an mRNA or genomic DNA encoding a biomarker of the present invention. Hybridization of an mRNA with the probe indicates that the biomarker in question is being expressed.

[0107] In one embodiment, the mRNA is immobilized on a solid surface and contacted with a probe, for example by running the isolated mRNA on an agarose gel and transferring the mRNA from the gel to a membrane, such as nitrocellulose. In an alternative embodiment, the probe(s) are immobilized on a solid surface and the mRNA is contacted with the probe(s), for example, in an Affymetrix gene chip array. A skilled artisan can readily adapt known mRNA detection methods for use in detecting the level of mRNA encoded by the biomarkers of the present invention.

[0108] An alternative method for determining the level of biomarker mRNA in a sample involves the process of nucleic acid amplification, e.g., by RT-PCR (the experimental embodiment set forth in Mullis, 1987, U.S. Pat. No. 4,683, 202), ligase chain reaction (Barany (1991) *Proc. Natl. Acad. Sci. USA* 88:189-193), self sustained sequence replication (Guatelli et al. (1990) *Proc. Natl. Acad. Sci. USA* 87:1874-1878), transcriptional amplification system (Kwoh et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:1173-1177), Q-Beta Replicase (Lizardi et al. (1988) *Bio/Technology* 6:1197), rolling circle replication (Lizardi et al., U.S. Pat. No. 5,854,033) or any other nucleic acid amplification method, followed by the detection of the amplified molecules using techniques well known to those of skill in the art. These detection schemes are especially useful for the detection of nucleic acid molecules if such molecules are present in very low numbers. In particular aspects of the invention, biomarker expression is assessed by quantitative fluorogenic RT-PCR (i.e., the Taq-Man® System). Such methods typically utilize pairs of oligonucleotide primers that are specific for the biomarker of interest. Methods for designing oligonucleotide primers specific for a known sequence are well known in the art.

[0109] Biomarker expression levels of RNA may be monitored using a membrane blot (such as used in hybridization analysis such as Northern, Southern, dot, and the like), or microwells, sample tubes, gels, beads or fibers (or any solid support comprising bound nucleic acids). See U.S. Pat. Nos. 5,770,722, 5,874,219, 5,744,305, 5,677,195 and 5,445,934, which are incorporated herein by reference. The detection of biomarker expression may also comprise using nucleic acid probes in solution.

[0110] In one embodiment of the invention, microarrays are used to detect biomarker expression. Microarrays are particularly well suited for this purpose because of the reproducibility between different experiments. DNA microarrays provide one method for the simultaneous measurement of the expression levels of large numbers of genes. Each array consists of a reproducible pattern of capture probes attached to a

solid support. Labeled RNA or DNA is hybridized to complementary probes on the array and then detected by laser scanning. Hybridization intensities for each probe on the array are determined and converted to a quantitative value representing relative gene expression levels. See, U.S. Pat. Nos. 6,040,138, 5,800,992 and 6,020,135, 6,033,860, and 6,344,316, which are incorporated herein by reference. High-density oligonucleotide arrays are particularly useful for determining the gene expression profile for a large number of RNA's in a sample.

[0111] Techniques for the synthesis of these arrays using mechanical synthesis methods are described in, e.g., U.S. Pat. No. 5,384,261, incorporated herein by reference in its entirety for all purposes. Although a planar array surface is preferred, the array may be fabricated on a surface of virtually any shape or even a multiplicity of surfaces. Arrays may be peptides or nucleic acids on beads, gels, polymeric surfaces, fibers such as fiber optics, glass or any other appropriate substrate, see U.S. Pat. Nos. 5,770,358, 5,789,162, 5,708,153, 6,040,193 and 5,800,992, each of which is hereby incorporated in its entirety for all purposes. Arrays may be packaged in such a manner as to allow for diagnostics or other manipulation of an all-inclusive device. See, for example, U.S. Pat. Nos. 5,856,174 and 5,922,591 herein incorporated by reference.

[0112] In one approach, total mRNA isolated from the sample is converted to labeled cRNA and then hybridized to an oligonucleotide array. Each sample is hybridized to a separate array. Relative transcript levels may be calculated by reference to appropriate controls present on the array and in the sample.

[0113] Kits for practicing the screening and diagnostic methods of the invention are further provided. By "kit" is intended any manufacture (e.g., a package or a container) comprising at least one reagent, e.g., an antibody, a nucleic acid probe, etc. for specifically detecting the expression of a biomarker of the invention. The kit may be promoted, distributed, or sold as a unit for performing the methods of the present invention. Additionally, the kits may contain a package insert describing the kit and methods for its use.

[0114] In particular embodiments, kits for use in screening methods for identifying patients with an increased likelihood of having ovarian cancer comprise a plurality of antibodies directed to biomarker proteins of interest, particularly wherein the biomarkers are selected from the group consisting of HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin. Chemicals for the detection of antibody binding to the biomarker may also be included in the kit. Other reagents for detecting expression of biomarkers using antibodies in an ELISA or multiplex bead-based immunoassay format may be further included in a kit of the invention. In other embodiments, kits for use in the screening methods disclosed herein comprise nucleic acid probes for the detection of expression of a plurality of biomarkers of interest in a body sample, particularly wherein the biomarkers are selected from the group consisting of HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin.

[0115] In certain aspects of the invention, kits for performing the two-step screening method for identifying patients having an increased likelihood of having ovarian cancer are provided. Kits may be designed to perform the two-step screening method as two separate tests. Such kits include

reagents for performing a single assay step (i.e., the first or second assay step). In other embodiments, the kits comprise reagents so that the two-step method may be performed as a single test (i.e., include reagents for both the first and second assay steps). Further kits encompassed by the invention find use in practicing the single-step screening method described herein above. The kits may further comprise descriptions of algorithms or mathematical models to be applied with the one-step or two-step screening methods, as well as automated platforms that implement the algorithms/mathematical models with little or no human intervention. The kits may be further provided such that each step in the two-step method is performed in an automated, semi-automated, or manual fashion.

[0116] Kits for diagnosing ovarian cancer are also provided. Such kits may include antibodies or nucleic acid probes that are specific for detection of a plurality of biomarkers that are selectively overexpressed in ovarian cancer, more particularly HE4, CA125, glycodelin, MMP-7, Muc-1, PAI-1, CTHRC1, inhibin A, PLAU-R, prolactin, KLK-10, KLK-6, SLPI, and alpha-1 anti-trypsin.

[0117] One of skill in the art will further appreciate that any or all steps in the screening and diagnostic methods of the invention could be implemented by personnel or, alternatively, performed in an automated fashion. That is, the methods can be performed in an automated, semi-automated, or manual fashion. Furthermore, the methods disclosed herein can also be combined with other methods known or later developed to permit a more accurate identification of patients having an increased likelihood of having ovarian cancer or a more reliable diagnosis of ovarian cancer.

[0118] The article "a" and "an" are used herein to refer to one or more than one (i.e., to at least one) of the grammatical object of the article. By way of example, "an element" means one or more element.

[0119] Throughout the specification the word "comprising," or variations such as "comprises" or "comprising," will be understood to imply the inclusion of a stated element, integer or step, or group of elements, integers or steps, but not the exclusion of any other element, integer or step, or group of elements, integers or steps.

[0120] The following examples are offered by way of illustration and not by way of limitation:

EXPERIMENTAL

Example 1

Exemplary Method for Collection of Blood, Processing of Blood into Serum, Serum Storage Conditions, and Serum Shipping Conditions

Blood Collection

[0121] A sufficient quantity of blood was drawn by venipuncture into a Becton Dickinson Vacutainer red-topped collection tubes containing no additive (catalog number 366430). The lot number of the blood collection tube was recorded. Whole blood was not refrigerated or frozen. Processing of the whole blood to serum began immediately after collection of the blood.

Serum Preparation Procedure

[0122] Blood collection tubes were placed upright in a rack and stored at room temperature. The blood was allowed to clot for a minimum of 60 minutes and a maximum of 90

minutes from time of collection. Blood was thoroughly clotted before centrifugation. The time required for complete clotting for each sample was recorded.

[0123] After blood was thoroughly clotted, the samples were centrifuged at 1300×g for 10 minutes using either a swing-head or fixed-angle centrifuge rotor. Tubes were carefully removed from the centrifuge to avoid disturbing the red blood cells on the bottom.

[0124] The stopper was removed from each tube without disturbing the cell pellet. The serum from each donor was combined into a labeled tube using a disposable transfer pipette without disturbing the cell layer or allowing any cells into the pipette. If cells were disturbed during transfer, the samples were re-centrifuged as described above.

[0125] Serum samples from each donor were mixed by gently inverting the tube five times. One mL aliquots were placed in labeled tubes and frozen at -20° C. to -80° C. Serum was not stored at room temperature for more than two hours or at 2-8° C. for more than eight hours prior to freezing.

Example 2

Ovarian Biomarker Selection Study—Individual Biomarker Analysis

[0126] The purpose of the biomarker selection study was to evaluate the initial clinical utility of a set of fourteen candidate ovarian cancer biomarkers. The premise of the study was to be able to identify and quantitate the amount of each biomarker in a patient's serum. Biomarker protein expression in serum samples was detected using commercial or novel biomarker-specific antibodies in an ELISA format. Fourteen target biomarkers were analyzed, as described below in Table 1:

TABLE 1

Candidate markers	
HE4	CA125
SLPI	Glycodelin
KLK6	MMP7
KLK10	PLAU-R
CTHRC1	Inhibin

TABLE 1-continued

Candidate markers	
PAI-1	Prolactin
MUC1	Alpha-1 anti-trypsin

Target Population and Demographics of the Study

[0127] In evaluations of this type, it is essential that the samples tested are representative of the target clinical population and that normal controls are demographically matched. A total of 900 patient serum samples were analyzed in this study. 200 of the samples were from ovarian cancer patients in various stages of the disease (i.e., the 200 samples were evenly split among Stage 1, 2, 3 ovarian cancer samples). A total of 500 normal sera were used in the study. 104 of the normal serum samples were from post-menopausal women (set as women over the age of 55 for the present study) to establish the baseline levels of each biomarker and to calculate the appropriate threshold cut-off values. The remaining 396 normal serum samples were evenly split between premenopausal women under the age of 55 and post-menopausal women over the age of 55. This distribution permitted the investigation of any age or hormone-related patient distributions. The remaining 200 samples in the study were collected from donors with various conditions/diseases, as described herein above (i.e., "interfering conditions" or "interfering pathologies"). The inclusion of these samples allowed for the analysis of any interfering pathologies that may affect individual biomarker performance. Summaries of the patient populations analyzed and study demographics are provided in Tables 2-4.

TABLE 2

Demographics of sample cases in the study				
Characteristics	Ovarian Cancer	Study Normals	Interfering Pathologies	Threshold Normals
Total number of samples	200	396	200	104
Age at diagnosis (years)				
Mean (std)	55.5 (11.5)	55.3 (9.7)	57.0 (18.3)	63.0 (6.9)
Range	19-81	40-84	20-97	41-80
Age group distribution				
<=55	100 (50%)	201 (50.8%)	92 (46%)	2 (1.9%)
>55	100 (50%)	195 (49.2%)	108 (54%)	102 (98.1%)
Race, n				
African-American	10 (5%)	3 (1%)	12 (6%)	0
Caucasian	183 (92%)	389 (99%)	185 (92.5%)	98 (100%)
Other	6 (3%)	1 (<1%)	3 (1.5%)	0
Missing	1	3	0	6

TABLE 3

Clinical Characteristics of Ovarian Cancer Patients in Study			
	Frequency	Percent	
Ovarian Cancer Stage, n	200		
1	67	33.5%	
2	66	33%	

TABLE 3-continued

Clinical Characteristics of Ovarian Cancer Patients in Study		
	Frequency	Percent
3	67	33.5%
Histological Classification, n	197	
Clear Cell	10	5%
Endometrioid	39	19%
Serous	23	12%
Mucinous	36	18%
Adenocarcinoma	49	25%
Papillary	25	13%
Unclassified	13	7%
Stromal Sarcoma	2	1%

TABLE 4

Distribution of Interfering Substances/Pathologies			
	Category	Number	Percent
Hormonal	1st trimester pregnancy	10	5.0
	Contraceptive Pills	5	2.5
	Hormone Replacement Therapy	9	4.5
	Menstruation	9	4.5
Cancer	Breast Cancer	27	13.5
	Colon Cancer	15	7.5
	Rectal Cancer	2	1.0
	Multiple Myeloma	1	0.5
Vascular	Coronary Artery Disease	9	4.5
	Deep Vein Thrombosis	1	0.5
	Warfarin Treatment	15	7.5
Metabolic	Diabetes	10	5.0
	Chronic Hepatitis	10	5.0
Gyn	Endometriosis	25	12.5
	Ovarian cysts/polycystic	10	5.0
Inflammatory	Polymyalgia	10	5.0
	Polymyositis	3	1.5
	Rheumatoid Arthritis	27	13.5
	SLE	2	1.0

General Description of Automation and Validation Analysis for the Study

[0128] All 900 sera samples were processed in duplicate for each of the 14 markers. An automated assay system with barcode tracking was utilized in generating the marker selection data. The assays run in this marker selection study were all completed using a Tecan Evo automated robotic liquid handler. The use of this platform allowed all 900 samples to be processed for each marker in a single experimental run (one run per day). The precision of the automated platform was verified before any study samples were processed.

[0129] All of the ELISA assays were processed for this study using a buffered solution as the diluent for the standard curve. This was done to standardize, as much as possible, the protocols for each of the assays.

[0130] The normal sera used in this study were obtained from community blood collection centers compliant with local IRB customs. While these sera can be considered 'normal' it must be noted that these donors were not screened by a medical professional to confirm their disease free or normal status

Detection of Expression of HE4 in Serum Samples (A Representative Example)

Materials and Methods

[0131] A. Coating of Assay Plates:

[0132] ELISA 96-well plates were coated with 100 μ l/well of the primary antibody, anti-HE4 monoclonal 90.1 #6, at 2

μ g/ml in PBS, then the plates were incubated at 4° C. overnight. The next day, the plates were washed once with PBS, then 250 μ l/well of PBS-3% BSA was added to all wells, and the plates were incubated for 2 hours at 30° C. The plates were then emptied and dried in a vacuum oven for 2 hours at room temperature. Then they were heat-sealed inside a mylar foil bag along with a desiccant pack and stored at 4° C. until used in an assay.

[0133] B. Assay Methods

[0134] The foil bags containing the assay plates were warmed to room temperature immediately prior to use in the assay. The serum samples were diluted 1:4 into PBS-1% bovine Serum-0.05% Tween 20-1 mg/ml mouse IgG. The HE4 antigen protein was diluted to 100 ng/ml, then serially diluted two-fold into PBS-1% Bovine Serum-0.05% Tween 20-1 mg/ml Mouse IgG, then all the individual standard curve samples were further diluted 1:4 into the buffer so that they would be diluted the same as the serum samples.

[0135] The diluted sera samples and standard curve samples were added to the anti-HE4 coated assay plates in 100 μ l/well volumes. Then the plates were incubated for 2 hours at 30° C. The plates were next washed 5 $\times$ with 250 μ l/well of PBS-0.05% Tween 20. The secondary antibody, anti-HE4 monoclonal 71.1#1.13-HRP, was diluted 1:16,000 into PBS-1% bovine IgG-0.05% Tween 20-1 mg/ml mouse IgG. The secondary antibody solution was then added to the aspirated plates in 100 μ l/well volumes. The plates were incubated for 1 hour at 30° C.

[0136] The plates were washed 5 $\times$ with 250 μ l/well of PBS-0.05% Tween 20. The developing solution, TMB(3,3', 5,5'-Tetramethylbenzidine) was warmed to room temperature prior to use, and then the TMB was added to the aspirated plates in 100 μ l/well volumes.

[0137] The plates were incubated for 10 minutes at room temperature and then the Stop solution, 2N H₂SO₄, was added to the plates (containing the TMB) in 100 μ l/well volumes.

[0138] The plates were incubated for 10 minutes at room temperature, and then they were read on the Molecular Devices SpectraMax plate reader at 450 nm, with a reference wavelength of 650 nm, using SoftMax Pro software.

[0139] The data was saved as SoftMax Pro files, and also exported as Text files for use with MS Excel.

[0140] Controls: Serum used as the High Control: Uniglobe # 72372

[0141] Serum used as the Low Control: Uniglobe # 72404

[0142] Buffer Control used was PBS-1% Bovine Serum-0.05% Tween 20-1 mg/ml Mouse IgG

[0143] The CV's for the controls across all 25 plates are summarized in Table 5.

TABLE 5

The CV's for the Controls Across All 25 Plates Standards point-per-point CV % across all 25 plates			
ng/ml	Mean OD	SD	CV %
100	2.614	0.145	5.6
50	1.681	0.101	6.0
25	0.931	0.075	8.1
12.5	0.510	0.043	8.4
6.25	0.263	0.027	10.4

TABLE 5-continued

The CV's for the Controls Across All 25 Plates Standards point-per-point CV % across all 25 plates			
ng/ml	Mean OD	SD	CV %
3.13	0.139	0.014	10.0
1.56	0.076	0.008	10.5
0.78	0.044	0.012	27.6

Results (Standard Curves)

[0144] A standard curve for HE4 was prepared by diluting the HE4 protein in PBS/1% bovine serum/0.05% Tween 20-1 mg/mL of mouse IgG. Preparation of such standard curves is well known in the art. Standard curves and the levels or concentrations of the biomarkers in all serum samples were produced for the remaining biomarkers, essentially as described above for HE4, with variations that could be appreciated and implemented by one of skill in the art. Standard curve ranges and curve fit equations for the biomarkers analyzed (i.e., HE4, glycodelin, SLPI, PLAU-R, MUC-1, PAI-1, MMP-7, inhibin, CA125, CTHRC1, KLK-6, KLK-10, alpha-1 anti-trypsin, and prolactin) are presented below:

HE4

- [0145] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions
- [0146] Curve fit=third order polynomial, $y=-1E-07x^3-0.0001x^2+0.0402x+0.0157$; $R^2=0.9999$
- [0147] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Glycodelin

- [0148] Standard Curve experimental range=3 ng/ml to 100 ng/ml, in serial two-fold dilutions
- [0149] Curve fit=quadratic, $y=-0.0003x^2+0.0478x+0.0952$, $R^2=0.9851$
- [0150] The serum samples were run in the assay undiluted, so no dilution factor was used in the data analysis.

SLPI

- [0151] Standard Curve experimental range 2.38 ng/ml to 305 ng/ml, in serial two-fold dilutions
- [0152] Curve fit=third order polynomial, $y=7E-08x^3-7E-05x^2+0.0237x-0.039$; $R^2=0.9997$
- [0153] The serum samples were diluted 1:6.1 in an early step of the automated sample preparation technique. Then those diluted serum samples were further diluted 1:6.6 in another automated step in order to achieve a total dilution of 1:40. Those 1:40 diluted samples were then run in the assay.
- [0154] The standard curve samples were prepared at the concentrations stated above (experimental range), then

those standard curve samples were all further diluted 1:6.1, and those 1:6.1 diluted samples were then run in the assay.

- [0155] Since there was a discrepancy between the dilution of the serum samples (1:40) as compared to the dilution of the standard curve samples (1:6.1), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "6.6" to correct for the discrepancy (1:40=1:6.1×1:6.6).
- uPar (PLAU-R)

- [0156] Standard Curve experimental range=62.5 pg/ml to 4000 pg/ml, in serial two-fold dilutions
- [0157] Curve fit=linear, $y=0.0006x+0.0522$; $R^2=0.9977$
- [0158] The serum samples were diluted 1:6 in an early step of the automated sample preparation technique. Then those diluted serum samples were further diluted 1:3 in another automated step in order to achieve a total dilution of 1:18. Those 1:18 diluted samples were then run in the assay.
- [0159] The standard curve samples were prepared at the concentrations stated above (experimental range), then those standard curve samples were all further diluted 1:3, and those 1:3 diluted samples were then run in the assay.
- [0160] Since there was a discrepancy between the dilution of the serum samples (1:18) as compared to the dilution of the standard curve samples (1:3), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "6" to correct for the discrepancy (1:18=1:3×1:6).

MUC-1

- [0161] Standard Curve experimental range=0.3 U/ml to 600 U/ml, in serial three-fold dilutions
- [0162] Curve fit=third order polynomial, $y=3E-07x^3-0.0001x^2+0.0236x+0.0371$; $R^2=1.0$
- [0163] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

PAI-1

- [0164] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions
- [0165] Curve fit=linear, $y=0.0139x+0.0151$; $R^2=0.9996$
- [0166] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

MMP-7

- [0167] Standard Curve experimental range=0.16 ng/ml to 20 ng/ml, in serial two-fold dilutions
- [0168] Curve fit=third order polynomial, $y=0.0001x^3-0.0046x^2+0.1578x+0.0936$; $R^2=0.9999$
- [0169] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Inhibin

- [0170] Standard Curve experimental range=10 pg/ml to 1000 pg/ml, in serial two-fold dilutions
 [0171] Curve fit=linear, $y=0.0007x+0.0136$; $R^2=0.9997$
 [0172] The standard curve samples and the serum samples were then both diluted 1:3 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

CA125

- [0173] Standard Curve experimental range=15 U/ml to 400 U/ml, in serial two-fold dilutions
 [0174] Curve fit=linear, $y=0.0021x+0.0892$; $R^2=0.9986$
 [0175] The serum samples were run in the assay undiluted, so no dilution factor was used in the data analysis.

CTHRC1

- [0176] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions
 [0177] Curve fit=linear, $y=0.0261x+0.042$; $R^2=0.9991$
 [0178] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

KLK-6

- [0179] Standard Curve experimental range=0.78 ng/ml to 100 ng/ml, in serial two-fold dilutions
 [0180] Curve fit=third order polynomial, $y=-4E-07x^3+0.0001x^2+0.0133x+0.0662$; $R^2=1.0$
 [0181] The standard curve samples and the serum samples were then both diluted 1:2 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

KLK-10

- [0182] Standard Curve experimental range=1 ng/ml to 80 ng/ml, in serial two-fold dilutions
 [0183] Curve fit=linear, $y=0.0758x-0.0312$; $R^2=0.9976$
 [0184] The standard curve samples and the serum samples were then both diluted 1:4 to run in the assay;

since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Alpha 1 Anti-Trypsin

- [0185] Standard Curve experimental range=3.3 ng/ml to 90 ng/ml, in serial two-fold dilutions
 [0186] Curve fit=quadratic, $y=-0.0002x^2+0.0412x+0.0592$; $R^2=0.9997$
 [0187] The serum samples were diluted 1:250,000, and then those diluted samples were run in the assay. The standard curve samples were serially diluted as stated above (experimental range), and then those samples were run in the assay.
 [0188] Since there was a discrepancy between the dilution of the serum samples (1:250,000) as compared to the dilution of the standard curve samples (undiluted beyond the serial dilutions), all the serum sample concentration values obtained from the standard curve were multiplied by a dilution factor of "250,000" to correct for the discrepancy.

Prolactin

- [0189] Standard Curve experimental range=2 ng/ml to 240 ng/ml, in serial two-fold dilutions
 [0190] Curve fit=linear, $y=0.0049x+0.0363$; $R^2=0.9917$
 [0191] The standard curve samples and the serum samples were then both diluted 1:5 to run in the assay; since both the serum samples and the standard curve samples were diluted in the same manner there was no need to use a dilution factor during data analysis to determine the concentrations of the unknown serum samples.

Results—Individual Marker Performance

[0192] Among the 500 normal cases used in the present study, 104 normal cases were used as control group to select the threshold cutoff point. Table 6 provides the mean, standard deviation, range, mean+2*std, mean+3*std based on these 104 threshold normal cases for each marker. Table 7 and Table 8 provide the mean standard deviation, range, mean+2*std in all normal study cases (396 cases) and with normal study cases from patients over the age of 55 (195 or less). The mean and standard deviations were very similar between the normal threshold control cases and normal study cases for patients over the age of 55 for each biomarker except for markers HE4 and Inhibin. See Tables 6 and 8.

TABLE 6

Mean and STD of Each Biomarker in 104 Normal Control Cases								
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std	Mean + 3 * std	Best Cutoff
HE4	104	1.7	0.91	0.5	6.6	3.5	4.4	2.2
CA125	104	6.9	6.42	0.6	42.6	19.7	26.1	20
GLY	104	1.8	2.75	0.0	18.6	7.4	10.1	5
MMP	104	3.4	1.05	1.9	7.0	5.5	6.5	4
Muc1	104	12.5	10.71	0.1	51.8	33.9	44.6	12
PAI	104	74.8	24.92	16.4	143.2	124.7		95

TABLE 6-continued

Mean and STD of Each Biomarker in 104 Normal Control Cases								
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std	Mean + 3 * std	Best Cutoff
CTRHC1	104	3.2	1.16	1.2	6.2	5.5		4
INH	104	0.6	2.80	0.0	26.9	6.2	9.0	2
Plau-R	104	1945.4	534.03	1056.00	4248.0	3013.4	3547.5	2399.9
PROLAC	104	10.2	10.94	3.1	102.2	32.0	43.0	11
KLK10	104	0.8	0.51	0.3	2.3	1.8		0.9
KLK6	104	2.2	2.39	0.3	16.3	7.0	9.4	5
SLPI	104	65.7	14.38	40.2	134.5	94.5	108.9	65

TABLE 7

Mean and STD of Each Biomarker in 396 Normal Study Cases						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
HE4	396	1.6	2.1	0.2	36.4	5.8*
CA125	396	10.4	14.2	1.7	212.4	38.7*
GLY	396	5.0	10.2	0.0	98.4	25.3*
MMP	396	3.0	1.1	0.8	10.4	5.1
Muc1	396	8.3	8.2	0.0	52.1	24.7
PAI	396	73.2	28.0	18.8	145.7	129.2
CTRHC1	396	2.9	1.2	0.4	8.7	5.2
INH	360	11.3	28.1	0.0	265.4	67.5*
PLAUR	396	2086.0	782.0	822.0	6384.00	3650
PROLAC	396	11.6	9.5	2.0	138.0	30.7
KLK10	396	0.9	0.4	0.2	2.5	1.7
KLK6	396	1.7	1.7	0.1	18.0	5.1
SLPI	396	59.6	18.0	31.3	305.0	95.6

*The values in normal cases were very different from the values in normal control cases, which means these markers might be sensitive due to age effect.

TABLE 8

Mean and STD of Each Biomarker in Normal Study Cases (Patients Over the Age of 55)						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
HE4	195	2.0	2.8	0.2	36.4	7.6*
CA125	194	10.6	5.6	2.3	35.7	21.9
GLY	195	1.7	2.3	0.0	24.8	6.3
MMP	195	3.2	1.2	0.8	10.4	5.6
Muc1	195	8.9	8.4	0.0	36.6	25.7
PAI	195	75.6	27.9	19.1	145.7	131.3
CTRHC1	195	3.2	1.1	1.2	7.1	5.4
INH	177	5.2	26.6	0.0	265.4	58.5**
PLAUR	195	2209.5	752.1	1122.0	5100.0	3713.7

TABLE 8-continued

Mean and STD of Each Biomarker in Normal Study Cases (Patients Over the Age of 55)						
Variable	N	Mean	Std Dev	Min	Max	Mean + 2 * std
PROLAC	195	10.8	11.1	2.0	138.0	32.9
KLK10	195	0.9	0.4	0.2	2.4	1.7
KLK6	195	1.8	2.0	0.1	18.0	5.7
SLPI	195	60.3	14.2	31.3	126.9	88.6

*The standard deviation was larger in the normal study cases than in the normal control cases for patients over the age of 55.

**The mean and standard deviation were larger in the normal study cases than in the normal control cases for patients over the age of 55.

[0193] For each individual marker, the ROC curve was obtained. The ROC curve only consists of the 396 normal cases and the 200 ovarian cancer cases. The 104 normal cases as control and 200 interfering substance/pathology cases were not included in this analysis. The ROC curves for HE4, inhibin A, prolactin, PLAU-R, glycodein, SLPI, CTRHC1, PAI-1, KLK-10, CA125, KLK-6, MUC-1, and MMP-7 are presented in FIGS. 2-14, respectively.

[0194] Also, the percentage of positive and negative samples were determined for each marker by age group, by cancer stage, and by interfering substance/pathology category. These determinations were based on two kinds of cutoff points: (1) mean+2*std, and (2) the best cutoff from the ROC curve. The best cutoff points were selected from the ROC curve with the highest value of sensitivity plus specificity. The best cutoff point was listed in Table 6. Summaries of the positive results for each biomarker by age group, cancer stage, and interfering substance/pathology category are presented in tables 9 to 47.

Biomarker: HE4

[0195]

TABLE 9

Summary by Age Group for HE4									
Group		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	57	63.33	98	90.74	41	45.56	81	75.00
	Negative	33	36.67	10	9.26	49	54.44	27	25.00
Total		90	100.00	108	100.00	90	100.00	108	100.00

TABLE 9-continued

Summary by Age Group for HE4									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
NORMAL	Positive	15	7.46	39	20.00	3	1.49	13	6.67
	Negative	186	92.54	156	80.00	198	98.51	182	93.33
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	81	81.00	91	91.00	58	58.00	75	75.00
	Negative	19	19.00	9	9.00	42	42.00	25	25.00
	Total	100	100.00	100	100.00	100	100.00	100	100.00

TABLE 10

Summary by Interfering Substance/Pathology Category for HE4					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	38	84.44	27	60.00
	Negative	7	15.56	18	40.00
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	20	100.00	20	100.00
	Negative	0	0.00	0	0.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	23	69.70	16	48.48
	Negative	10	30.30	17	51.52
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	17	48.57	12	34.29
	Negative	18	51.43	23	65.71
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	22	88.00	19	76.00
	Negative	3	12.00	6	24.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	37	88.10	29	69.05
	Negative	5	11.90	13	30.95
Total		42	100.00	42	100.00

TABLE 11

Summary by Cancer Stage for HE4					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	57	85.07	42	62.69
	Negative	10	14.93	25	37.31
2	Total	67	100.00	67	100.00
	Positive	53	80.30	41	62.12
	Negative	13	19.70	25	37.88
3	Total	66	100.00	66	100.00
	Positive	62	92.54	50	74.63
	Negative	5	7.46	17	25.37

Biomarker Muc-1

[0196]

TABLE 12

Summary by Age Group for Muc-1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	38	42.22	53	49.07	4	4.44	9	8.33
	Negative	52	57.78	55	50.93	86	95.56	99	91.67
Total		90	100.00	108	100.00	90	100.00	108	100.00

TABLE 12-continued

		Summary by Age Group for Muc-1							
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
NORMAL	Positive	49	24.38	58	29.74	2	1.00	4	2.05
	Negative	152	75.62	137	70.26	199	99.00	191	97.95
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	56	56.00	52	52.00	4	4.00	12	12.00
	Negative	44	44.00	48	48.00	96	96.00	88	88.00
	Total	100	100.00	100	100.00	100	100.00	100	100.00

TABLE 13

		Summary by Interfering Substance/Pathology Category for Muc-1			
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	20	44.44	3	6.67
	Negative	25	55.56	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	8	40.00	1	5.00
	Negative	12	60.00	19	95.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	14	42.42	1	3.03
	Negative	19	57.58	32	96.97
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	17	48.57	1	2.86
	Negative	18	51.43	34	97.14
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	11	44.00	2	8.00
	Negative	14	56.00	23	92.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	22	52.38	5	11.90
	Negative	20	47.62	37	88.10
Total		42	100.00	42	100.00

TABLE 14

		Summary by Cancer Stage for Muc-1			
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	44	65.67	6	8.96
	Negative	23	34.33	61	91.04
2	Total	67	100.00	67	100.00
	Positive	27	40.91	3	4.55
	Negative	39	59.09	63	95.45
3	Total	66	100.00	66	100.00
	Positive	37	55.22	7	10.45
	Negative	30	44.78	60	89.55
Total		67	100.00	67	100.00

Biomarker: KLK-6

[0197]

TABLE 15

		Summary by Age Group for KLK-6							
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	5	5.56	8	7.41	4	4.44	4	3.70
	Negative	85	94.44	100	92.59	86	95.56	104	96.30
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	6	2.99	11	5.64	2	1.00	5	2.56
	Negative	195	97.01	184	94.36	199	99.00	190	97.44
Total		201	100.00	195	100.00	201	100.00	195	100.00

TABLE 15-continued

Summary by Age Group for KLK-6									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
OvCA	Positive	10	10.00	13	13.00	4	4.00	6	6.00
	Negative	90	90.00	87	87.00	96	96.00	94	94.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 16

Summary by Interfering Substance/Pathology Category for KLK-6					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	5	11.11	4	8.89
	Negative	40	88.89	41	91.11
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	0	0.00	0	0.00
	Negative	20	100.00	20	100.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	0	0.00	0	0.00
	Negative	33	100.00	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	3	8.57	2	5.71
	Negative	32	91.43	33	94.29
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	3	12.00	1	4.00
	Negative	22	88.00	24	96.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	2	4.76	1	2.38
	Negative	40	95.24	41	97.62
	Total	42	100.00	42	100.00

TABLE 17

Summary by Cancer Stage Group for KLK-6					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	10	14.93	4	5.97
	Negative	57	85.07	63	94.03
2	Total	67	100.00	67	100.00
	Positive	7	10.61	3	4.55
	Negative	59	89.39	63	95.45
3	Total	66	100.00	66	100.00
	Positive	6	8.96	3	4.48
	Negative	61	91.04	64	95.52
Total		67	100.00	67	100.00

Biomarker: KLK-10

[0198]

TABLE 18

Summary by Age Group for KLK-10									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	56	62.22	51	47.22	7	7.78	6	5.56
	Negative	34	37.78	57	52.78	83	92.22	102	94.44
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	92	45.77	89	45.64	4	1.99	2	1.03
	Negative	109	54.23	106	54.36	197	98.01	193	98.97
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	63	63.00	53	53.00	9	9.00	7	7.00
	Negative	37	37.00	47	47.00	91	91.00	93	93.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 19

Summary by Interfering Substance/Pathology Group for KLK-10					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	28	62.22	3	6.67
	Negative	17	37.78	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	10	50.00	0	0.00
	Negative	10	50.00	20	100.00
	Total	20	100.00	20	100.00
Hormonal Fluctuation	Positive	14	42.42	0	0.00
	Negative	19	57.58	33	100.00
	Total	33	100.00	33	100.00
	Positive	23	65.71	3	8.57
Gynecologic Disorder	Negative	12	34.29	32	91.43
	Total	35	100.00	35	100.00
	Positive	11	44.00	1	4.00
	Negative	14	56.00	24	96.00
Vascular Disorder	Total	25	100.00	25	100.00
	Positive	11	44.00	1	4.00
	Negative	14	56.00	24	96.00
	Total	25	100.00	25	100.00

TABLE 20

Summary by Cancer Stage Group for KLK-10					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	37	55.22	8	11.94
	Negative	30	44.78	59	88.06
2	Total	67	100.00	67	100.00
	Positive	37	56.06	3	4.55
	Negative	29	43.94	63	95.45
	Total	66	100.00	66	100.00
3	Positive	42	62.69	5	7.46
	Negative	25	37.31	62	92.54
	Total	67	100.00	67	100.00
	Total	67	100.00	67	100.00

Biomarker: PAI-1

[0199]

TABLE 21

Summary by Age Group for PAI-1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	52	57.78	67	62.04	12	13.33	10	9.26
	Negative	38	42.22	41	37.96	78	86.67	98	90.74
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	43	21.39	52	26.67	5	2.49	10	5.13
	Negative	158	78.61	143	73.33	196	97.51	185	94.87
	Total	201	100.00	195	100.00	201	100.00	195	100.00
OvCA	Positive	71	71.00	62	62.00	19	19.00	11	11.00
	Negative	29	29.00	38	38.00	81	81.00	89	89.00
	Total	100	100.00	100	100.00	100	100.00	100	100.00
	Total	100	100.00	100	100.00	100	100.00	100	100.00

TABLE 19-continued

Summary by Interfering Substance/Pathology Group for KLK-10					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	23	54.76	6	14.29
	Negative	19	45.24	36	85.71
	Total	42	100.00	42	100.00
	Total	42	100.00	42	100.00

TABLE 22

Summary by Interfering Substance/Pathology Group for PAI-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	17	37.78	4	8.89
	Negative	28	62.22	41	91.11
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	16	80.00	4	20.00
	Negative	4	20.00	16	80.00
	Total	20	100.00	20	100.00

TABLE 22-continued

Summary by Interfering Substance/Pathology Group for PAI-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Hormonal Fluctuation	Positive	24	72.73	5	15.15
	Negative	9	27.27	28	84.85
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	17	48.57	2	5.71
	Negative	18	51.43	33	94.29
	Total	35	100.00	35	100.00

TABLE 23

Summary by Cancer Stage Group for PAI-1					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	54	80.60	15	22.39
	Negative	13	19.40	52	77.61
2	Total	67	100.00	67	100.00
	Positive	33	50.00	4	6.06
	Negative	33	50.00	62	93.94
3	Total	66	100.00	66	100.00
	Positive	46	68.66	11	16.42
	Negative	21	31.34	56	83.58
Total		67	100.00	67	100.0

Biomarker: CTHRC1
[0200]

TABLE 24

Summary by Age Group for CTHRC1									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	12	13.33	35	32.41	6	6.67	11	10.19
	Negative	78	86.67	73	67.59	84	93.33	97	89.81
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	20	9.95	40	20.51	4	1.99	4	2.05
	Negative	181	90.05	155	79.49	197	98.01	191	97.95
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	24	24.00	35	35.00	10	10.00	15	15.00
	Negative	76	76.00	65	65.00	90	90.00	85	85.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 22-continued

Summary by Interfering Substance/Pathology Group for PAI-1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Vascular Disorder	Positive	17	68.00	1	4.00
	Negative	8	32.00	24	96.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	30	71.43	6	14.29
	Negative	12	28.57	36	85.71
	Total	42	100.00	42	100.00

TABLE 25

Summary by Interfering Substance/Pathology Group for CTHRC1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	13	28.89	7	15.56
	Negative	32	71.11	38	84.44
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	2	10.00	0	0.00
	Negative	18	90.00	20	100.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	1	3.03	1	3.03
	Negative	32	96.97	32	96.97
Total		33	100.00	33	100.00

TABLE 25-continued

Summary by Interfering Substance/Pathology Group for CTHRC1					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Gynecologic Disorder	Positive	2	5.71	0	0.00
	Negative	33	94.29	35	100.00
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	11	44.00	5	20.00
	Negative	14	56.00	20	80.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	18	42.86	4	9.52
	Negative	24	57.14	38	90.48
Total		42	100.00	42	100.00

TABLE 26

Summary by Cancer Stage Group for CTHRC1					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	16	23.88	7	10.45
	Negative	51	76.12	60	89.55
2	Total	67	100.00	67	100.00
	Positive	19	28.79	8	12.12
	Negative	47	71.21	58	87.88
3	Total	66	100.00	66	100.00
	Positive	24	35.82	10	14.93
	Negative	43	64.18	57	85.07
Total		67	100.00	67	100.00

Biomarker: SLPI

[0201]

TABLE 27

Summary by Age Group for SLPI									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	27	30.00	61	56.48	4	4.44	23	21.30
	Negative	63	70.00	47	43.52	86	95.56	85	78.70
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	49	24.38	63	32.31	4	1.99	3	1.54
	Negative	152	75.62	132	67.69	197	98.01	192	98.46
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	53	53.00	67	67.00	14	14.00	16	16.00
	Negative	47	47.00	33	33.00	86	86.00	84	84.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 28

Summary by Interfering Substance/Pathology Group for SLPI					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	20	44.44	7	15.56
	Negative	25	55.56	38	84.44
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	10	50.00	1	5.00
	Negative	10	50.00	19	95.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	6	18.18	0	0.00
	Negative	27	81.82	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	12	34.29	4	11.43
	Negative	23	65.71	31	88.57
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	16	64.00	9	36.00
	Negative	9	36.00	16	64.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	26	61.90	7	16.67
	Negative	16	38.10	35	83.33
Total		42	100.00	42	100.00

TABLE 29

Summary by Cancer Stage Group for SLPI					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	34	50.75	9	13.43
	Negative	33	49.25	58	86.57
Total		67	100.00	67	100.00

TABLE 29-continued

Summary by Cancer Stage Group for SLPI					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
2	Positive	38	57.58	4	6.06
	Negative	28	42.42	62	93.94
3	Total	66	100.00	66	100.00
	Positive	48	71.64	17	25.37
	Negative	19	28.36	50	74.63
	Total	67	100.00	67	100.00

Biomarker: Inhibin A

[0202]

TABLE 31-continued

Summary by Interfering Substance/Pathology Group for Inhibin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Vascular Disorder	Positive	3	12.00	2	8.00
	Negative	22	88.00	23	92.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	8	19.05	4	9.52
	Negative	34	80.95	38	90.48
Total		42	100.00	42	100.00

TABLE 30

Summary by Age Group for Inhibin									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	53	58.89	11	10.19	48	53.33	7	6.48
	Negative	37	41.11	97	89.81	42	46.67	101	93.52
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	94	46.77	25	12.82	83	41.29	14	7.18
	Negative	107	53.23	170	87.18	118	58.71	181	92.82
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	42	42.00	41	41.00	32	32.00	36	36.00
	Negative	58	58.00	59	59.00	68	68.00	64	64.00
	Total	100	100.00	100	100.00	100	100.00	100	100.00

TABLE 31

Summary by Interfering Substance/Pathology Group for Inhibin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	4	8.89	2	4.44
	Negative	41	91.11	43	95.56
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	8	40.00	8	40.00
	Negative	12	60.00	12	60.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	16	48.48	16	48.48
	Negative	17	51.52	17	51.52
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	27	77.14	25	71.43
	Negative	8	22.86	10	28.57
	Total	35	100.00	35	100.00

TABLE 32

Summary by Cancer Stage Group for Inhibin					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	25	37.31	20	29.85
	Negative	42	62.69	47	70.15
2	Total	67	100.00	67	100.00
	Positive	35	53.03	32	48.48
	Negative	31	46.97	34	51.52
3	Total	66	100.00	66	100.00
	Positive	23	34.33	16	23.88
	Negative	44	65.67	51	76.12
Total		67	100.00	67	100.00

Biomarker: Glycodelin
[0203]

TABLE 33

Summary by Age Group for Glycodelin									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	53	58.89	18	16.67	36	40.00	10	9.26
	Negative	37	41.11	90	83.33	54	60.00	98	90.74
Total		90	100.00	108	100.00	90	100.00	108	100.00
NORMAL	Positive	73	36.32	10	5.13	56	27.86	3	1.54
	Negative	128	63.68	185	94.87	145	72.14	192	98.46
Total		201	100.00	195	100.00	201	100.00	195	100.00
OvCA	Positive	65	65.00	62	62.00	49	49.00	52	52.00
	Negative	35	35.00	38	38.00	51	51.00	48	48.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 34

Summary by Interfering Substance/Pathology Group for Glycodelin					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	13	28.89	6	13.33
	Negative	32	71.11	39	86.67
Total		45	100.00	45	100.00
Metabolic Disorder	Positive	9	45.00	5	25.00
	Negative	11	55.00	15	75.00
Total		20	100.00	20	100.00
Hormonal Fluctuation	Positive	18	54.55	15	45.45
	Negative	15	45.45	18	54.55
Total		33	100.00	33	100.00
Gynecologic Disorder	Positive	21	60.00	14	40.00
	Negative	14	40.00	21	60.00
Total		35	100.00	35	100.00
Vascular Disorder	Positive	1	4.00	1	4.00
	Negative	24	96.00	24	96.00
Total		25	100.00	25	100.00

TABLE 34-continued

Summary by Interfering Substance/Pathology Group for Glycodelin					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Chronic Immuno. Disorder	Positive	9	21.43	5	11.90
	Negative	33	78.57	37	88.10
Total		42	100.00	42	100.00

TABLE 35

Summary by Cancer Stage Group for Glycodelin					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	43	64.18	34	50.75
	Negative	24	35.82	33	49.25
Total		67	100.00	67	100.00
2	Positive	41	62.12	37	56.06
	Negative	25	37.88	29	43.94
Total		66	100.00	66	100.00
3	Positive	43	64.18	30	44.78
	Negative	24	35.82	37	55.22
Total		67	100.00	67	100.00

Biomarker: MMP-7
[0204]

TABLE 36

Summary by Age Group for MMP-7									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	19	21.11	78	72.22	9	10.00	44	40.74
	Negative	71	78.89	30	27.78	81	90.00	64	59.26
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	12	5.97	30	15.38	2	1.00	7	3.59
	Negative	189	94.03	165	84.62	199	99.00	188	96.41
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	50	50.00	53	53.00	28	28.00	33	33.00
	Negative	50	50.00	47	47.00	72	72.00	67	67.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 37

Summary by Interfering Substance/Pathology Group for MMP-7					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	27	60.00	15	33.33
	Negative	18	40.00	30	66.67
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	8	40.00	5	25.00
	Negative	12	60.00	15	75.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	3	9.09	0	0.00
	Negative	30	90.91	33	100.00
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	8	22.86	3	8.57
	Negative	27	77.14	32	91.43
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	22	88.00	10	40.00
	Negative	3	12.00	15	60.00
Total		25	100.00	25	100.00

TABLE 37-continued

Summary by Interfering Substance/Pathology Group for MMP-7					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Chronic Immuno. Disorder	Positive	29	69.05	20	47.62
	Negative	13	30.95	22	52.38
Total		42	100.00	42	100.00

TABLE 38

Summary by Cancer Stage Group for MMP-7					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	33	49.25	20	29.85
	Negative	34	50.75	47	70.15
2	Total	67	100.00	67	100.00
	Positive	28	42.42	11	16.67
	Negative	38	57.58	55	83.33
3	Total	66	100.00	66	100.00
	Positive	42	62.69	30	44.78
	Negative	25	37.31	37	55.22
Total		67	100.00	67	100.00

Biomarker: PLAU-R
[0205]

TABLE 39

Summary by Age Group for PLAU-R									
		Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
Group	Result	N	%	N	%	N	%	N	%
IP	Positive	50	55.56	71	65.74	24	26.67	56	51.85
	Negative	40	44.44	37	34.26	66	73.33	52	48.15
Total		90	100.00	108	100.00	90	100.00	108	100.00
NORMAL	Positive	35	17.41	61	31.28	16	7.96	23	11.79
	Negative	166	82.59	134	68.72	185	92.04	172	88.21
Total		201	100.00	195	100.00	201	100.00	195	100.00
OvCA	Positive	71	71.00	72	72.00	44	44.00	50	50.00
	Negative	29	29.00	28	28.00	56	56.00	50	50.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 40

Summary by Interfering Substance/Pathology Group for PLAU-R					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Tumors	Positive	30	66.67	20	44.44
	Negative	15	33.33	25	55.56
Total		45	100.00	45	100.00
Metabolic Disorder	Positive	13	65.00	11	55.00
	Negative	7	35.00	9	45.00
Total		20	100.00	20	100.00
Hormonal Fluctuation	Positive	13	39.39	1	3.03
	Negative	20	60.61	32	96.97
Total		33	100.00	33	100.00
Gynecologic Disorder	Positive	15	42.86	9	25.71
	Negative	20	57.14	26	74.29
Total		35	100.00	35	100.00
Vascular Disorder	Positive	18	72.00	11	44.00
	Negative	7	28.00	14	56.00
Total		25	100.00	25	100.00

TABLE 40-continued

Summary by Interfering Substance/Pathology Group for PLAU-R					
		Best Cutoff from ROC plot		Mean + 2 * std	
Group	Result	N	%	N	%
Chronic Immuno. Disorder	Positive	32	76.19	28	66.67
	Negative	10	23.81	14	33.33
Total		42	100.00	42	100.00

TABLE 41

Summary by Cancer Stage Group for PLAU-R					
		Best Cutoff from ROC plot		Mean + 2 * std	
Stage	Result	N	%	N	%
1	Positive	53	79.10	30	44.78
	Negative	14	20.90	37	55.22
Total		67	100.00	67	100.00
2	Positive	40	60.61	29	43.94
	Negative	26	39.39	37	56.06
Total		66	100.00	66	100.00
3	Positive	50	74.63	35	52.24
	Negative	17	25.37	32	47.76
Total		67	100.00	67	100.00

Biomarker: Prolactin
[0206]

TABLE 42

Summary by Age Group for Prolactin									
Group	Result	Best Cutoff from ROC plot				Mean + 2 * std			
		Age <= 55		Age > 55		Age <= 55		Age > 55	
		N	%	N	%	N	%	N	%
IP	Positive	50	55.56	49	45.37	9	10.00	6	5.56
	Negative	40	44.44	59	54.63	81	90.00	102	94.44
NORMAL	Total	90	100.00	108	100.00	90	100.00	108	100.00
	Positive	92	45.77	54	27.69	6	2.99	3	1.54
	Negative	109	54.23	141	72.31	195	97.01	192	98.46
OvCA	Total	201	100.00	195	100.00	201	100.00	195	100.00
	Positive	64	64.00	48	48.00	5	5.00	2	2.00
	Negative	36	36.00	52	52.00	95	95.00	98	98.00
Total		100	100.00	100	100.00	100	100.00	100	100.00

TABLE 43

Summary by Interfering Substance/Pathology Group for Prolactin					
Group	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
Tumors	Positive	17	37.78	3	6.67
	Negative	28	62.22	42	93.33
Metabolic Disorder	Total	45	100.00	45	100.00
	Positive	4	20.00	2	10.00
	Negative	16	80.00	18	90.00
Hormonal Fluctuation	Total	20	100.00	20	100.00
	Positive	23	69.70	4	12.12
	Negative	10	30.30	29	87.88
Gynecologic Disorder	Total	33	100.00	33	100.00
	Positive	18	51.43	3	8.57
	Negative	17	48.57	32	91.43
Vascular Disorder	Total	35	100.00	35	100.00
	Positive	13	52.00	2	8.00
	Negative	12	48.00	23	92.00
Chronic Immuno. Disorder	Total	25	100.00	25	100.00
	Positive	26	61.90	2	4.76
	Negative	16	38.10	40	95.24
Total		42	100.00	42	100.00

TABLE 44

Summary by Cancer Stage Group for Prolactin					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
1	Positive	42	62.69	2	2.99
	Negative	25	37.31	65	97.01
Total		67	100.00	67	100.00

TABLE 44-continued

Summary by Cancer Stage Group for Prolactin					
Stage	Result	Best Cutoff from ROC plot		Mean + 2 * std	
		N	%	N	%
2	Positive	30	45.45	2	3.03
	Negative	36	54.55	64	96.97
3	Total	66	100.00	66	100.00
	Positive	40	59.70	3	4.48
	Negative	27	40.30	64	95.52
Total		67	100.00	67	100.00

Biomarker: CA125 (Lab Corp Data)

[0207]

TABLE 45

Summary by Age Group for CA125 (LabCorp Data)					
Group	Result	Cutoff at 35			
		Age <= 55		Age > 55	
		N	%	N	%
IP	Positive	13	14.94	6	5.66
	Negative	74	85.06	100	94.34
NORMAL	Total	87	100.00	106	100.00
	Positive	5	2.51	1	0.52
	Negative	194	97.49	193	99.48
OvCA	Total	199	100.00	194	100.00
	Positive	39	39.39	60	60.61
	Negative	60	60.61	39	39.39
Total		99	100.00	99	100.00

TABLE 46

Summary by Interfering Substance/Pathology Group for CA125 (LabCorp data)			
Group	Result	Cutoff at 35	
		N	%
Tumors	Positive	5	11.11
	Negative	40	88.89
Metabolic Disorder	Total	45	100.00
	Positive	1	5.56
	Negative	17	94.44
Hormonal Fluctuation	Total	18	100.00
	Positive	7	21.21
	Negative	26	78.79
Gynecologic Disorder	Total	33	100.00
	Positive	4	12.50
	Negative	28	87.50
Vascular Disorder	Total	32	100.00
	Positive	0	0.00
	Negative	25	100.00
Chronic Immuno. Disorder	Total	25	100.00
	Positive	2	4.76
	Negative	40	95.24
Total		42	100.00

TABLE 47

Summary by Cancer Stage Group for CA 125 (LabCorp data)			
Stage	Result	Cutoff at 35	
		N	%
1	Positive	24	35.82
	Negative	43	64.18
2	Total	67	100.00
	Positive	37	56.06
	Negative	29	43.94
3	Total	66	100.00
	Positive	38	58.46
	Negative	27	41.54
Total		65	100.00

[0208] Summaries of the sensitivity of the thirteen biomarkers analyzed are presented in Tables 48-50, based on tumor stage, normal 2-standard deviation limits, or “best fit,” respectively.

TABLE 48

Individual marker sensitivity summary by tumor stage (Based on best cutoff)			
Marker	Stage 1 % pos	Stage 2 % pos	Stage 3 % pos
HE4	85.1	80.3	92.5
Glycodelin	64.2	62.1	64.2
MMP7	49.3	42.4	62.7
SLPI	50.8	57.6	71.6
PAI-1	80.6	50.0	68.7

TABLE 48-continued

Individual marker sensitivity summary by tumor stage (Based on best cutoff)			
Marker	Stage 1 % pos	Stage 2 % pos	Stage 3 % pos
MUC-1	65.7	40.9	55.2
CA125	35.8	56.1	58.5
Plau-R	79.1	60.6	74.6
Inhibin A	37.3	53.0	34.3
CTHRC1	23.9	28.8	35.8
KLK6	14.9	10.6	9.0
KLK10	55.2	56.1	62.7
Prolactin	62.7	45.5	59.7

TABLE 49

Individual Marker Sensitivity Summary (based on Normal 2SD limit)		
Marker	Sensitivity	Specificity
HE4	66.5	96
Glycodelin	50.5	85.3
MMP7	30.5	97.7
SLPI	15.0	98.3
Plau-R	47.0	90.1
MUC1	8.0	98.5
Inhibin A	34.0	75.8
PAI-1	15.0	96.2
CA125	50.0	98.5
(≥35 u/ml)		
CTHRC1	12.5	98.0
KLK6	5.0	98.2
KLK10	8.0	98.5
Prolactin	3.5	97.7

TABLE 50

Individual Marker Sensitivity Summary (based on best cutoff)		
Marker	Sensitivity	Specificity
HE4	86.0	86.3
Glycodelin	63.5	79.0
MMP7	51.5	89.4
SLPI	60.0	71.7
Plau-R	71.5	77.2
MUC1	54.0	73.0
Inhibin A	40.7	70.3
PAI-1	66.5	76.0
CA125	50.5	98.2
(≥35 u/ml)		
CTHRC1	29.5	84.8
KLK6	11.5	95.7
KLK10	58.0	54.3
Prolactin	56.0	63.1

Example 3

Ovarian Biomarker Selection Study—Multiple Biomarker Analysis

[0209] The logistic regression method was used for selection of optimal biomarkers for this study. Using logistic regression, stepwise selection starts off by finding the biomarker that produces the largest R-square value with the dependent variable. Then, given that the “best” biomarker is in the model, logistic regression finds that next best biomarker in terms of adding to the R-square. This process of finding a set of biomarkers that adds to the R-square is stopped when biomarkers can no longer add to the R-square, in accordance

with certain statistical criteria. These sets of biomarkers are not unique because some of the biomarkers have the same predictive performance.

[0210] Based on one selected model, a ROC plot can be produced, which provides the relationship between the sensitivity and specificity rates. Therefore, an appropriate specificity and sensitivity can be chosen in order to obtain an expected PPV with accepted sensitivity.

[0211] Tables 51 and 52 provide several examples involving selection of a set of biomarkers with a higher specificity and an appropriate sensitivity with a PPV of approximately 10% and a combined sensitivity rate around 70%-80%, under the assumption that the population is 8,000,000 and the disease prevalence is 0.25%. Different target values for sensitivity, specificity, NPV and PPV can be obtained by selecting different assay cutoffs, different biomarker combinations,

and different rules for combining the biomarkers. Biomarker performance was analyzed using the biomarker values as continuous variables (Table 51) and as categorical variables (Table 52).

[0212] By way of definition, when two assay steps are performed, the first assay step may be referred to as the "screen test," and the second step may be referred to as the "reflex test." "Best cutoff point" refers to the value obtained from the ROC plot for a particular biomarker that produces the best sensitivity and specificity. "Mean+2*std" refers to the average expression level plus twice the standard deviation, based on analysis of normal samples from patients not afflicted with ovarian cancer.

Biomarker Performance as Continuous Variables

[0213]

TABLE 51

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence for Different Models (Biomarker values as continuous variables)							
Example	Marker Selected and rule	Screen/Reflex	Screen/Reflex	Combined Performance*			
		Test Sensitivity	Test Specificity	Sensitivity	Specificity	PPV	NPV
<u>Age > 55</u>							
1	Screen Test: If HE4 <=1.8 then test is negative	90.2%	62.2%				
	Reflex Test: If HE4 >1.8 then the following marker selected: CA125, GLY, PAI, Plau-R (actual value used**)	87%	96%	78.474%	98.4880%	11.5105%	99.9453%
2†	Marker selected: HE4, CA125, GLY, MMP-7, PAI, Plau-R (actual value used)	81.7%	98%	81.7%	98%	9.2873%	99.9532%

*Assume the population = 8,000,000; prevalence = 0.25%, estimated cancer cases = 20,000 in the population.

**Actual value refers to the actual biomarker expression level obtained in the test

†Although all listed biomarkers were assayed in a single step, additional algorithms were applied to obtain the values for sensitivity, specificity, PPV, and NPV indicated in the table.

Biomarker Performance as Categorical Variables

[0214]

TABLE 52

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence for Different Models (Biomarker Values as Categorical Variables)							
Example	Marker Selected and	Screen/Reflex	Screen/Reflex	Combined Performance*			
	rule	Test Sensitivity	Test Specificity	Sensitivity	Specificity	PPV	NPV
	<u>Overall Sample</u>						
1	Screen Test: If HE4 <=1.8 then test is negative	91.9%	73%				

TABLE 52-continued

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence for Different Models (Biomarker Values as Categorical Variables)							
Example	Marker Selected and rule	Screen/Reflex	Screen/Reflex	Combined Performance*			
		Test Sensitivity	Test Specificity	Sensitivity	Specificity	PPV	NPV
	Reflex Test: If HE4 >1.8 then the following marker selected: CA125, MUC1, GLY, PAI-1, Plau-R (Best cutoff points used)	80%	92.5%	73.52%	98.704%	12.4479%	99.9328%
		<u>Age > 55</u>					
1	Screen Test: If HE4 ≤1.8 then test is negative Reflex Test: If HE4 >1.8 then the following marker selected (best cutoff points used): CA125, MUC-1, MMP-7, Plau-R, GLY	90.2%	62.2%				
	Reflex Test: If HE4 >1.8 then the following marker selected (best cutoff points used): CA125, MUC-1, MMP-7, Plau-R, GLY	78%	95.9%	70.356%	98.4502%	10.2154%	99.9246%
2	Screen Test: If HE4 ≤1.8 then test is negative Reflex Test: If HE4 >1.8 then the following marker selected (Mean + 2 * std cutoff points used): CA125, MUC-1, MMP-7, Plau-R, Inhibin	90.2%	62.2%				
	Reflex Test: If HE4 >1.8 then the following marker selected (Mean + 2 * std cutoff points used): CA125, MUC-1, MMP-7, Plau-R, Inhibin	82%	95.8%	73.964%	98.4124%	10.4555%	99.9337%
3†	Marker selected: PLAU-R, GLY, HE4, CA125, MMP-7, PAI-1 (Best cutoff points used)	80.8%	98.5%	80.8%	98.5%	11.8946%	99.9512%
4†	Marker selected: PLAU-R, GLY, HE4, CA125, MMP-7 (Mean + 2 * std cutoff points used)	75%	99%	75%	99%	15.8228%	99.9368%

*CA125 cutoff ≥ 35 in either best cutoff or mean + 2std cases

**Assume the population = 8,000,000; prevalence = 0.25%, the estimate cancer cases = 20,000 in the population.

† Although all listed biomarkers were assayed in a single step, additional algorithms were applied to obtain the values for sensitivity, specificity, PPV, and NPV indicated in the table.

Sensitivity, Specificity, PPV, and NPV Results Obtained with Application of "Test Rules"

[0215] In the current study, the biomarkers HE4, CA125, PLAU-R, glycodelin, Muc-1, PAI-1, MMP-7, and inhibin were the most frequently selected markers based on marker performance either as continuous or categorical variables. In contrast to the statistical methods described above, Table 53 provides the estimated sensitivity, specificity, PPV, and NPV (adjusted by disease prevalence) based on two test rules: (1) if any two of the above biomarkers are positive (i.e., overex-

pressed), then the test is declared positive or (2) if any 3 of the above biomarkers are positive (i.e., overexpressed), the test is declared positive. Contrary to the results presented above in Tables 51 and 52, though, the application of either test rule did not produce a high specificity rate, which in turn lead to an unacceptably low PPV (<1.5%) when adjusted for the low prevalence rate of ovarian cancer. The application of "test rules," such as those described herein, is representative of the current state of the art in the identification of patients having an increased risk of ovarian cancer.

TABLE 53

Estimated Sensitivity, Specificity, PPV, and NPV Adjusted by Disease Prevalence Based on Test Rules					
Example	Marker Selected and rule	Performance*			
		Sensitivity	Specificity	PPV	NPV
<u>Overall Sample</u>					
1	Any of two following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	97.475%	51.654%	0.5028%	99.9878%
2	Any of 3 following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	91.414%	78.372%	1.0482%	99.9726%
<u>Age > 55 Year Older</u>					
1	Any of two following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	96.970%	56.186%	0.5516%	99.9865%
2	Any of 3 following markers are positive: HE4, CA125, Plau-R, GLY, MUC-1, PAI-1, MMP-7, Inhibin (best cutoff points used)	94.949%	78.866%	1.1135%	99.9840%

*CA125 cutoff ≥ 35 in either best cutoff or mean + 2std cases

**Assume the population = 8,000,000; prevalence = 0.25%, estimated cancer cases = 20,000 in the population.

Example 4

Ovarian Biomarker Selection Study—Multiple Biomarker Analysis Using One-Step Screening Method

[0216] Expression of the biomarkers HE4, CA125, and glycodelin and combinations thereof for all patients and patient age over 55 was assessed using a one-step screening method, as described herein above. In particular, Table 54 provides the results for a one-step algorithm for patients over age 55. The test algorithm was based on a linear logistic regression model, and the actual value of each marker was used in the model. Linear logistic regression models (and other algorithms) are routine and well known in the art. See, for example, Fleiss (2003) Statistical Methods for Rates and Proportions (3rd Ed.), which is herein incorporated by reference in its entirety. The algorithm offered 76.8% sensitivity at 96.4% specificity. A test outcome defined as positive was based on the following linear logistic regression model: $\ln(P/(1-P)) = -4.2391 + 0.0888 \cdot \text{CA125} + 0.1790 \cdot \text{HE4} + 0.2349 \cdot \text{GLY}$, where P is the conditional probability of ovarian cancer given CA125, HE4, and glycodelin being overexpressed in the patient body sample. A similar result was obtained with CA125 determined using manufacture's recommended cutoff value of ≥ 35 u/mL.

TABLE 54

Sensitivity and specificity of single-step screening assay to distinguish ovarian cancer (all stages) from controls in patients over age 55				
Marker	Variable	Algorithm	Sensitivity	Specificity
HE4, CA125, GLYCODELIN	Actual value	1 Step: based on linear logistic model	76.8%	96.4%
HE4, CA125, GLYCODELIN	Actual value, except CA125	1 Step: based on linear logistic model	71.4%	95.4%

Example 5

Bootstrap Method of Analysis

Validation of Study Methods

[0217] A bootstrap method of analysis was also conducted to assure a robust estimate of sensitivity and specificity for the above studies given that an independent and unique set of cancer sera was not available to validate the model. The bootstrap method consisted of artificially creating 1000 random datasets with replacement selection from the study sample set. A set of the most frequently selected markers in the study based on optimal performance was selected: HE4,

CA125, PLAU-R, Glycodelin, MUC1 and PAI-1. A “test” was defined as follows: Test is positive if either (1) HE4 is positive and any one of CA125, Glycodelin, MMP-7, PLAU-R is positive or (2) HE4 is negative but CA125, Gly-

codelin, MMP-7, PLAU-R are all positive; otherwise, the “test” is negative. From the 1000 random samples, the mean/standard deviation and 95% confidence interval of the sensitivity/specificity of this defined test were obtained.

TABLE 55

Biomarker Sequence Information				
Biomarker Name	Amino Acid Sequence		Nucleotide Sequence	
	Accession No.	Sequence Identifier	Accession No.	Sequence Identifier
HE4 (Isoform 1)	NP_006094	SEQ ID NO: 1	NM_006103	SEQ ID NO: 2
HE4 (Isoform 3)	NP_542771	SEQ ID NO: 3	NM_080733	SEQ ID NO: 4
HE4 (Isoform 4)	NP_542772	SEQ ID NO: 5	NM_080734	SEQ ID NO: 6
HE4 (Isoform 2)	NP_542774	SEQ ID NO: 7	NM_080736	SEQ ID NO: 8
HE4 (Isoform 5)	NP_542773	SEQ ID NO: 9	NM_080735	SEQ ID NO: 10
KLK6 (Variant A)	NP_002765	SEQ ID NO: 11	NM_002774	SEQ ID NO: 12
KLK6 (Variant B)	NP_001012982	SEQ ID NO: 13	NM_001012964	SEQ ID NO: 14
KLK6 (Variant C)	NP_001012983	SEQ ID NO: 15	NM_001012965	SEQ ID NO: 16
KLK (Variant D)	NP_001012984	SEQ ID NO: 17	NM_001012966	SEQ ID NO: 18
KLK10 (Variant 1)	NP_002767	SEQ ID NO: 19	NM_002776	SEQ ID NO: 20
KLK10 (Variant 2)	NP_665895	SEQ ID NO: 21	NM_145888	SEQ ID NO: 22
Glycodelin (Variant 1)	NP_001018059	SEQ ID NO: 23	NM_001018409	SEQ ID NO: 24
Glycodelin (Variant 2)	NP_002562	SEQ ID NO: 25	NM_002571	SEQ ID NO: 26
PAI-1	NP_000593	SEQ ID NO: 27	NM_000602	SEQ ID NO: 28
Muc-1 (Variant 1)	NP_002447	SEQ ID NO: 29	NM_002456	SEQ ID NO: 30
Muc-1 (Variant 2)	NP_001018016	SEQ ID NO: 31	NM_001018016	SEQ ID NO: 32
Muc-1 (Variant 3)	NP_001018017	SEQ ID NO: 33	NM_001018017	SEQ ID NO: 34
Muc-1 (Variant 4)	NP_001018021	SEQ ID NO: 35	NM_001018021	SEQ ID NO: 36
Alpha-1 anti-trypsin	NP_000286	SEQ ID NO: 37	NM_000295	SEQ ID NO: 38
Alpha-1 anti-trypsin	NP_001002235	SEQ ID NO: 39	NM_001002235	SEQ ID NO: 40
Alpha-1 anti-trypsin	NP_001002236	SEQ ID NO: 41	NM_001002236	SEQ ID NO: 42
PLAUR (Variant 1)	NP_002650	SEQ ID NO: 43	NM_002659	SEQ ID NO: 44
PLAUR (Variant 2)	NP_001005376	SEQ ID NO: 45	NM_001005376	SEQ ID NO: 46
PLAUR (Variant 3)	NP_001005377	SEQ ID NO: 47	NM_001005377	SEQ ID NO: 48
CTHRC1	NP_612464	SEQ ID NO: 49	NM_138455	SEQ ID NO: 50
Inhibin (INHA)	NP_002182	SEQ ID NO: 51	NM_002191	SEQ ID NO: 52
Inhibin (INHBB)	NP_002184	SEQ ID NO: 53	NM_002193	SEQ ID NO: 54
Inhibin (INHBA)	NP_002183	SEQ ID NO: 55	NM_002192	SEQ ID NO: 56
CA125 (Muc-16)	NP_078966	SEQ ID NO: 57	NM_024690	SEQ ID NO: 58
MMP-7	NP_002414	SEQ ID NO: 59	NM_002423	SEQ ID NO: 60
Prolactin	NP_000939	SEQ ID NO: 61	NM_000948	SEQ ID NO: 62
SLPI	NP_003055	SEQ ID NO: 63	NM_003064	SEQ ID NO: 64

[0218] All publications and patent applications mentioned in the specification are indicative of the level of those skilled in the art to which this invention pertains. All publications and patent applications are herein incorporated by reference to the same extent as if each individual publication or patent application was specifically and individually indicated to be incorporated by reference.

[0219] Although the foregoing invention has been described in some detail by way of illustration and example for purposes of clarity of understanding, it will be obvious that certain changes and modifications may be practiced within the scope of the appended embodiments.

SEQUENCE LISTING

<160> NUMBER OF SEQ ID NOS: 64

<210> SEQ ID NO 1

<211> LENGTH: 124

<212> TYPE: PRT

-continued

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 1

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1           5           10           15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys
                20           25           30
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu
                35           40           45
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala
                50           55           60
Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Asp Lys Glu Gly Ser Cys
65           70           75           80
Pro Gln Val Asn Ile Asn Phe Pro Gln Leu Gly Leu Cys Arg Asp Gln
                85           90           95
Cys Gln Val Asp Ser Gln Cys Pro Gly Gln Met Lys Cys Cys Arg Asn
                100          105          110
Gly Cys Gly Lys Val Ser Cys Val Thr Pro Asn Phe
                115          120

```

<210> SEQ ID NO 2

<211> LENGTH: 570

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 2

```

cacctgcacc ccgcccgggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc      60
cgccctcttc ctcagctctg tgctgttcgg cttcacccta gtctcaggca caggagcaga      120
gaagactggc gtgtgccccg agctccaggc tgaccagaac tgcacgcaag agtgcgcttc      180
ggacagcgaa tgcgccgaca acctcaagtg ctgcagcgcg ggctgtgcca ccttctgttc      240
tctgccaat gataaggagg gttcctgccc ccaggtgaac attaaatttc cccagctcgg      300
cctctgtcgg gaccagtgcc aggtggacag ccagtgtcct ggccagatga aatgctgccg      360
caatggctgt gggaaggtgt cctgtgtcac tcccaatttc tgagctccag ccaccaccag      420
gctgagcagt gaggagagaa agtttttgcc tggcctgca tctggttcca gccacactgc      480
cctccccctt ttcgggactc tgtattccct cttgggctga ccacagcttc tccctttccc      540
aaccaataaa gtaaccactt tcagcaaaaa

```

<210> SEQ ID NO 3

<211> LENGTH: 79

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 3

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1           5           10           15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys
                20           25           30
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu
                35           40           45
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala
                50           55           60

```

-continued

Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Gly Gln Leu Ala Glu
65 70 75

<210> SEQ ID NO 4

<211> LENGTH: 694

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 4

```

cacctgcacc cgcgccgggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc      60
cgccctctct ctcagcctgc tgcctgttcgg cttcacccta gtctcaggca caggagcaga      120
gaagactggc gtgtgccccg agctccaggc tgaccagaac tgcacgcaag agtgcgctct      180
ggacagcgaa tgcgccgaca acctcaagtg ctgcagcgcg ggctgtgcca ccttctgctc      240
tctgcccaat ggccaactgg ctgagtgtatt cgaagaaagt gaggaatcct ccctggacac      300
tgtatcgccc ttgcgtgtct ttcagtcaat ctcttcact ctaaggattg agtgagcgcg      360
agctggggac tctctcaaag ataaggaggg ttctgcccc caggtgaaca ttaactttcc      420
ccagctcggc ctctgtcggg accagtgcca ggtggacagc cagtgtcctg gccagatgaa      480
atgctgcccc aatggctgtg ggaagggtgc ctgtgtcact cccaatttct gaggtccagc      540
caccaccagg ctgagcagtg aggagagaaa gtttctgcct ggccctgcat ctggttcag      600
cccacctgcc ctcccccttt tcgggactct gtattccctc ttgggctgac cacagcttct      660
ccctttccca accaataaag taaccacttt cagc                                     694

```

<210> SEQ ID NO 5

<211> LENGTH: 76

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 5

```

Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1          5          10          15

Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Asp Lys Glu Gly Ser Cys
20          25          30

Pro Gln Val Asn Ile Asn Phe Pro Gln Leu Gly Leu Cys Arg Asp Gln
35          40          45

Cys Gln Val Asp Ser Gln Cys Pro Gly Gln Met Lys Cys Cys Arg Asn
50          55          60

Gly Cys Gly Lys Val Ser Cys Val Thr Pro Asn Phe
65          70          75

```

<210> SEQ ID NO 6

<211> LENGTH: 421

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 6

```

cacctgcacc cgcgccgggc atagcaccat gcctgcttgt cgcctaggcc cgctagccgc      60
cgccctctct ctcagcctgc tgcctgttcgg cttcacccta gtctcagata aggagggttc      120
ctgccccag gtgaacatta actttcccca gctcgccctc tgcggggacc agtgccaggt      180
ggacagccag tgtctggcc agatgaaatg ctgccgcaat ggctgtggga agtgtctctg      240
tgtcactccc aatttctgag gtccagccac caccaggctg agcagtgagg agagaaagtt      300

```

-continued

```
tctgcctggc cctgcatctg gttccagccc acctgccctc ccttttttcg ggactctgta 360
ttccctcttg ggtgaccac agcttctccc ttcccaacc aataaagtaa ccactttcag 420
c 421
```

```
<210> SEQ ID NO 7
<211> LENGTH: 102
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
```

```
<400> SEQUENCE: 7
```

```
Met Pro Ala Cys Arg Leu Gly Pro Leu Ala Ala Ala Leu Leu Leu Ser
1          5          10          15
Leu Leu Leu Phe Gly Phe Thr Leu Val Ser Gly Thr Gly Ala Glu Lys
          20          25          30
Thr Gly Val Cys Pro Glu Leu Gln Ala Asp Gln Asn Cys Thr Gln Glu
          35          40          45
Cys Val Ser Asp Ser Glu Cys Ala Asp Asn Leu Lys Cys Cys Ser Ala
          50          55          60
Gly Cys Ala Thr Phe Cys Ser Leu Pro Asn Ala Leu Phe His Trp His
65          70          75          80
Leu Lys Thr Arg Arg Leu Trp Glu Ile Ser Gly Pro Arg Pro Arg Arg
          85          90          95
Pro Thr Trp Asp Ser Ser
          100
```

```
<210> SEQ ID NO 8
<211> LENGTH: 358
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
```

```
<400> SEQUENCE: 8
```

```
cacctgcacc ccgcccgggc atagcaccat gctgtcttgt cgcctaggcc cgtagccgc 60
cgccctcttc ctcagctctg tgctgttcgg cttcaccccta gtctcaggca caggagcaga 120
gaagactggc gtgtgccccg agctccaggc tgaccagaac tgcacgaag agtgcgcttc 180
ggacagcgaa tgcgccgaca acctcaagtg ctgcagcgcg ggctgtgcc cttctctgctc 240
tctgccaat gcactgttcc actggcacct aaagacacgg aggctctggg agatttctgg 300
ccctaggcca cgaaggccca cttgggactc aagctgaggt cctgtgattc catttggg 358
```

```
<210> SEQ ID NO 9
<211> LENGTH: 73
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens
```

```
<400> SEQUENCE: 9
```

```
Met Leu Gln Val Gln Val Asn Leu Pro Val Ser Pro Leu Pro Thr Tyr
1          5          10          15
Pro Tyr Ser Phe Phe Tyr Pro Asp Lys Glu Gly Ser Cys Pro Gln Val
          20          25          30
Asn Ile Asn Phe Pro Gln Leu Gly Leu Cys Arg Asp Gln Cys Gln Val
          35          40          45
Asp Ser Gln Cys Pro Gly Gln Met Lys Cys Cys Arg Asn Gly Cys Gly
          50          55          60
Lys Val Ser Cys Val Thr Pro Asn Phe
```

-continued

```

65                               70

<210> SEQ ID NO 10
<211> LENGTH: 411
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 10
agcccagtga ggggcagtgg gggggccatg ctgcaggtac aagttaatct ccctgtatcg      60
cctctgcccc cttaccctta ctcttttttc taccagata aggagggttc ctgccccag      120
gtgaacatta actttcccca gctcggcctc tgcgggacc agtgccaggt ggacagccag      180
tgtctctggc agatgaaatg ctgccgcaat ggctgtggga aggtgtctctg tgtcactccc      240
aatttctgag gtccagccac caccaggctg agcagtgagg agagaaagtt tctgcctggc      300
cctgcacatg gttccagccc acctgccctc ccctttttcg ggactctgta ttccctcttg      360
ggctgaccac agctttctcc tttcccaacc aataaagtaa ccactttcag c              411

```

```

<210> SEQ ID NO 11
<211> LENGTH: 244
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 11
Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Ala Trp Ala
1          5          10          15
Glu Glu Gln Asn Lys Leu Val His Gly Gly Pro Cys Asp Lys Thr Ser
20         25         30
His Pro Tyr Gln Ala Ala Leu Tyr Thr Ser Gly His Leu Leu Cys Gly
35         40         45
Gly Val Leu Ile His Pro Leu Trp Val Leu Thr Ala Ala His Cys Lys
50         55         60
Lys Pro Asn Leu Gln Val Phe Leu Gly Lys His Asn Leu Arg Gln Arg
65         70         75         80
Glu Ser Ser Gln Glu Gln Ser Ser Val Val Arg Ala Val Ile His Pro
85         90         95
Asp Tyr Asp Ala Ala Ser His Asp Gln Asp Ile Met Leu Leu Arg Leu
100        105        110
Ala Arg Pro Ala Lys Leu Ser Glu Leu Ile Gln Pro Leu Pro Leu Glu
115        120        125
Arg Asp Cys Ser Ala Asn Thr Thr Ser Cys His Ile Leu Gly Trp Gly
130        135        140
Lys Thr Ala Asp Gly Asp Phe Pro Asp Thr Ile Gln Cys Ala Tyr Ile
145        150        155        160
His Leu Val Ser Arg Glu Glu Cys Glu His Ala Tyr Pro Gly Gln Ile
165        170        175
Thr Gln Asn Met Leu Cys Ala Gly Asp Glu Lys Tyr Gly Lys Asp Ser
180        185        190
Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys Gly Asp His Leu Arg
195        200        205
Gly Leu Val Ser Trp Gly Asn Ile Pro Cys Gly Ser Lys Glu Lys Pro
210        215        220
Gly Val Tyr Thr Asn Val Cys Arg Tyr Thr Asn Trp Ile Gln Lys Thr
225        230        235        240

```

-continued

Ile Gln Ala Lys

<210> SEQ ID NO 12

<211> LENGTH: 1527

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 12

```

ggcggacaaa gcccgattgt tccctgggcc tttcccatc gcgcctgggc ctgctcccca    60
gcccggggca gggcgggggg ccagtgtggt gacacacgct gtagctgtct ccccggtctg    120
ctggtctgct ctctcctggg gacacagagg tcggcaggca gcacacagag ggacctacgg    180
gcagctgttc cttcccccga ctcaagaatc cccggaggcc cggaggcctg cagcaggagc    240
ggccatgaag aagctgatgg tgggtgctgag tctgattgct gcagcctggg cagaggagca    300
gaataagttg gtgcatggcg gacctgcga caagacatct caccctacc aagctgccct    360
ctacacctcg ggccacttgc tctgtggtgg ggtccttacc catccactgt gggctctcac    420
agctgcccac tgcaaaaaac cgaatcttca ggtcttctcg gggaagcata accttcggca    480
aaggagagag tcccaggagc agagtcttgt tgtccgggct gtgatccacc ctgactatga    540
tgccgccagc catgaccagg acatcatgct gttgcgcctg gcacgcccag ccaaaacttc    600
tgaactcatc cagccctctc ccctggagag ggactgctca gccaacacca ccagctgccca    660
cactctgggc tggggcaaga cagcagatgg tgatttcctt gacaccatcc agtgtgcata    720
catccacctg gtgtcccgtg aggagtgtga gcatgcctac cctggccaga tccccagaa    780
catgttgtgt gctggggatg agaagtagcg gaaggattcc tggcagggtg attctggggg    840
tccgctggta tgtggagacc acctccgagg ccttgtgtca tggggtaaca tccctgtgg    900
atcaaaggag aagccaggag tctacaccaa cgtctgcaga tacacgaact ggatccaaaa    960
aaccattcag gccaaagtac cctgacatgt gacatctacc tcccgacctc caccctact   1020
ggctggttcc agaactcttc tcacctagac cttgcctccc ctctctctct gccagctct   1080
gacctgatg cttaataaac gcagcgacgt gagggctctg attctccctg gttttacccc   1140
agctccatcc ttgcatcact ggggaggacg tgatgagtga ggacttgggt cctcggtctt   1200
acccccacca ctaagagaat acaggaaaat cccttctagg catctcctct ccccaacct   1260
tccacacggt tgatttcttc ctgcagaggg ccagccacgt gtctggaatc ccagctccgc   1320
tgcttactgt cgggtgtccc ttgggatgta cttttcttca ctgcagattt ctcacctgta   1380
agatgaagat aaggatgata cagtctccat aaggcagtgg ctgttggaat gatttaaggt   1440
ttcacacctc tgacatacat ggaatagcac ctgggccacc atgcactcaa taaagaatga   1500
atattattat gaaaaaaaaa aaaaaaa                                     1527

```

<210> SEQ ID NO 13

<211> LENGTH: 244

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 13

```

Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Ala Trp Ala
1           5           10           15

Glu Glu Gln Asn Lys Leu Val His Gly Gly Pro Cys Asp Lys Thr Ser
                20           25           30

```

-continued

His	Pro	Tyr	Gln	Ala	Ala	Leu	Tyr	Thr	Ser	Gly	His	Leu	Leu	Cys	Gly
	35						40					45			
Gly	Val	Leu	Ile	His	Pro	Leu	Trp	Val	Leu	Thr	Ala	Ala	His	Cys	Lys
	50				55						60				
Lys	Pro	Asn	Leu	Gln	Val	Phe	Leu	Gly	Lys	His	Asn	Leu	Arg	Gln	Arg
65				70					75					80	
Glu	Ser	Ser	Gln	Glu	Gln	Ser	Ser	Val	Val	Arg	Ala	Val	Ile	His	Pro
			85					90					95		
Asp	Tyr	Asp	Ala	Ala	Ser	His	Asp	Gln	Asp	Ile	Met	Leu	Leu	Arg	Leu
			100					105					110		
Ala	Arg	Pro	Ala	Lys	Leu	Ser	Glu	Leu	Ile	Gln	Pro	Leu	Pro	Leu	Glu
		115					120					125			
Arg	Asp	Cys	Ser	Ala	Asn	Thr	Thr	Ser	Cys	His	Ile	Leu	Gly	Trp	Gly
	130					135					140				
Lys	Thr	Ala	Asp	Gly	Asp	Phe	Pro	Asp	Thr	Ile	Gln	Cys	Ala	Tyr	Ile
145				150					155						160
His	Leu	Val	Ser	Arg	Glu	Glu	Cys	Glu	His	Ala	Tyr	Pro	Gly	Gln	Ile
			165					170						175	
Thr	Gln	Asn	Met	Leu	Cys	Ala	Gly	Asp	Glu	Lys	Tyr	Gly	Lys	Asp	Ser
		180						185					190		
Cys	Gln	Gly	Asp	Ser	Gly	Gly	Pro	Leu	Val	Cys	Gly	Asp	His	Leu	Arg
	195					200					205				
Gly	Leu	Val	Ser	Trp	Gly	Asn	Ile	Pro	Cys	Gly	Ser	Lys	Glu	Lys	Pro
	210					215					220				
Gly	Val	Tyr	Thr	Asn	Val	Cys	Arg	Tyr	Thr	Asn	Trp	Ile	Gln	Lys	Thr
225				230					235						240

Ile Gln Ala Lys

<210> SEQ ID NO 14

<211> LENGTH: 1527

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 14

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccaggagggc ctgggagctg	60
gggggtgtgtg tctggcagtc cctgcagccc tgggctctgc ggccctgcg tcttcgctt	120
ggctctgccca ctgcatctga gtgtctcttc tcttcacggc tccccgcatt tctaactctt	180
tctgcctcct cgtctcaaag ctgttccttc ccccgactca agaatccccg gaggcccgga	240
ggcctgcagc aggagcggcc atgaagaagc tgatggtggt gctgagctg attgctgcag	300
cctgggcaga ggagcagaat aagttggtgc atggcggacc ctgcgacaag acatctcacc	360
cctaccaagc tgccctctac acctcgggcc acttgcctctg tgggtggggtc cttatccatc	420
cactgtgggt cctcacagct gccactgca aaaaaccgaa tcttcaggtc ttctggggga	480
agcataacct tcggcaaagg gagagttccc aggagcagag ttctgtgtgc cgggctgtga	540
tccacctga ctatgatgcc gccagccatg accaggacat catgctgttg cgcttggcac	600
gcccagccaa actctctgaa ctcatccagc ccttccctt ggagagggac tgctcagcca	660
acaccaccag ctgccacatc ctgggctggg gcaagacagc agatggtgat ttccctgaca	720
ccatccagtg tgcatacatc cactgtgtgt cccgtgagga gtgtgagcat gcctaccctg	780

-continued

```

gccagatcac ccagaacatg ttgtgtgtg gggatgagaa gtacgggaag gattcctgcc      840
aggggtgattc tgggggtccg ctggatgtg gagaccacct cagaggcctt gtgtcatggg      900
gtaacatccc ctgtggatca aaggagaagc caggagtcta caccaacgtc tgcagataca      960
cgaactggat ccaaaaaacc attcaggcca agtgaccctg acatgtgaca tctacctccc     1020
gacctaccac cccactggct ggttcagaa cgtctctcac ctagaccttg cctccccctcc     1080
tctcctgccc agctctgacc ctgatgctta ataaacgcag cgacgtgagg gtctctgattc     1140
tccctgggttt taccccagct ccactcctgc atcactgggg aggcagtgat gagtgaggac     1200
ttgggtcctc ggtcttacc ccaccactaa gagaatacag gaaaatccct tctaggcatc     1260
tcctctcccc aacccttcca caegtgtgat ttcttctgc agaggcccag ccacgtgtct     1320
ggaatcccag ctccgctgct tactgtcggg gtccccttgg gatgtacctt tcttactgc     1380
agatttctca cctgtaagat gaagataagg atgatacagt ctccataagg cagtggctgt     1440
tggaagatt taaggtttca cacctatgac atacatggaa tagcacctgg gccaccatgc     1500
actcaataaa gaatgaattt tattatg                                         1527

```

```

<210> SEQ ID NO 15
<211> LENGTH: 137
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 15

```

```

Met Leu Leu Arg Leu Ala Arg Pro Ala Lys Leu Ser Glu Leu Ile Gln
1           5           10          15

Pro Leu Pro Leu Glu Arg Asp Cys Ser Ala Asn Thr Thr Ser Cys His
          20          25          30

Ile Leu Gly Trp Gly Lys Thr Ala Asp Gly Asp Phe Pro Asp Thr Ile
          35          40          45

Gln Cys Ala Tyr Ile His Leu Val Ser Arg Glu Glu Cys Glu His Ala
          50          55          60

Tyr Pro Gly Gln Ile Thr Gln Asn Met Leu Cys Ala Gly Asp Glu Lys
65          70          75          80

Tyr Gly Lys Asp Ser Cys Gln Gly Asp Ser Gly Gly Pro Leu Val Cys
          85          90          95

Gly Asp His Leu Arg Gly Leu Val Ser Trp Gly Asn Ile Pro Cys Gly
          100         105         110

Ser Lys Glu Lys Pro Gly Val Tyr Thr Asn Val Cys Arg Tyr Thr Asn
          115         120         125

Trp Ile Gln Lys Thr Ile Gln Ala Lys
          130         135

```

```

<210> SEQ ID NO 16
<211> LENGTH: 1495
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 16

```

```

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccaggaggagc ctgggagctg      60
gggggtgtgtg tctggcagtc cctgcagccc tgggctctgc ggcccctgcg tcctccgctt     120
ggctctgccca ctgcatctga gtgtcttctc tcctcacggc tccccgcatt tctaactctt     180
tctgctcctc cgtctcaaa gctgttccttc ccccgactca agaatccccg gaggcceggga     240

```

-continued

```

ggcctgcagc agcctgggca gaggagcaga ataagttggt gcattggcga cctgcgcaca    300
agacatctca cccctaccaa gctgccctct acacctcggg ccacttgctc tgttggtggg    360
tccttatcca tccactgtgg gtctcacag ctgccactg caaaaaaccg aatcttcagg    420
tcttcctggg gaagcataac ctccggcaaa gggagagtto ccaggagcag agttctgttg    480
tccgggtgtg gatccacct gactatgatg ccgccagcca tgaccaggac atcatgctgt    540
tgcgctggc acgcccagcc aaactctctg aactcatcca gcccttccc ctggagaggg    600
actgtcagc caacaccacc agctgccaca tcttgggtg gggcaagaca gcagatggtg    660
atttcctga caccatccag tgtgcataca tccacctggt gtcccgtag gagtgtagc    720
atgcctacc tggccagatc acccagaaca tgttgtgtgc tggggatgag aagtacggga    780
aggattcctg ccagggtgat tctgggggtc cgtgtgtatg tggagaccac ctccaggcc    840
ttgtgtcatg gggtaacatc ccctgtggat caaaggagaa gccaggagtc tacaccaacg    900
tctgcagata caggaactgg atccaaaaaa ccattcaggc caagtgacc tgacatgtga    960
catctacctc ccgacctacc acccactgg ctggttcag aacgtctctc acctagacct   1020
tgcctccct cctctctgc ccagctctga ccctgatgct taataaacgc agcgacgtga   1080
gggtcctgat tctccctggt tttaccccag ctccatcctt gcactactgg ggaggacgtg   1140
atgagtgagg acttgggtcc tcggtcttac cccaccact aagagaatac aggaaaatcc   1200
cttctaggca tctctctcc ccaaccctc cacacgttg attttctct gcagaggccc   1260
agccacgtgt ctggaatccc agctccgctg cttactgtcg gtgtcccctt gggatgtacc   1320
tttcttact gcagatttct cacctgtaag atgaagataa ggatgatata gtctccataa   1380
ggcagtggtt gttgaaaga ttttaagggtt cacacctatg acatacatgg aatagcacct   1440
gggccaccat gcactcaata aagaatgaat tttattatga aaaaaaaaaa aaaaaa   1495

```

```

<210> SEQ ID NO 17
<211> LENGTH: 40
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 17

```

```

Met Lys Lys Leu Met Val Val Leu Ser Leu Ile Ala Ala Gly Ile Phe
1         5             10          15
Arg Ser Ser Trp Gly Ser Ile Thr Phe Gly Lys Gly Arg Val Pro Arg
        20             25          30
Ser Arg Val Leu Leu Ser Gly Leu
        35             40

```

```

<210> SEQ ID NO 18
<211> LENGTH: 1386
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 18

```

```

aggacgttcc agaagcatct ggggacagaa ccagcctctt ccaggagggc ctgggagctg    60
ggggtgtgtg tctggcagtc cctgcagccc tgggtctctc ggcccctgcg tctccgctt   120
ggctctgcc a ctgcactga gtgtctctc tctcaccggc tccccgatt tctaactctt   180
tctgcctcct cgtctcaaa gctgtctctc ccccgactca agaatcccc gaggcccgga   240

```

-continued

```

ggcctgcagc aggagcggcc atgaagaagc tgatggtggt gotgagtctg attgctgcag 300
gaatcttcag gtcttcctgg ggaagcataa ccttcggcaa agggagagtt cccaggagca 360
gagttctggt gtccgggctg tgatccaccc tgactatgat gccgccagcc atgaccagga 420
catcatgctg ttgcgcctgg cagccccagc caaactctct gaactcatcc agcccttcc 480
cctggagagg gactgctcag ccaacaccac cagctgccac atcctgggct ggggcaagac 540
agcagatggt gatttccctg acaccatcca gtgtgcatac atccacctgg tgtcccgta 600
ggagtgtgag catgcctacc ctggccagat caccagaaac atgttgtgtg ctggggatga 660
gaagtacggg aaggattcct gccagggtga ttctgggggt ccgctggtat gtggagacca 720
cctccgaggc cttgtgtcat ggggtaacat cccctgtgga tcaaaggaga agccaggagt 780
ctacaccaac gtctgcagat acacgaactg gatccaaaaa accattcagg ccaagtgacc 840
ctgacatgtg acatctacct cccgacctac caccctactg gctgggtcca gaactctct 900
cacctagacc ttgcctcccc tcctctcctg cccagctctg accctgatgc ttaataaacg 960
cagcgacgtg agggctcctg ttctccctgg ttttacccca gctccatcct tgcactactg 1020
gggaggacgt gatgagttag gacttgggtc ctcggtctta cccccaccac taagagaata 1080
caggaaaaac ccttctaggt atctctcttc cccaaccctt ccacacgttt gattttcttc 1140
tgcagaggcc cagccacgtg tctggaatcc cagctccgct gcttactgtc ggtgtcccct 1200
tgggagtgtac ctttcttcac tgcagatttc tcacctgtaa gatgaagata aggatgatac 1260
agtctccata aggcagtggc tgttggaag atttaaggtt tcacacctat gacatacatg 1320
gaatagcacc tgggccacca tgcactcaat aaagaatgaa ttttattatg aaaaaaaaaa 1380
aaaaaa 1386

```

<210> SEQ ID NO 19

<211> LENGTH: 276

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 19

```

Met Arg Ala Pro His Leu His Leu Ser Ala Ala Ser Gly Ala Arg Ala
1          5          10          15

Leu Ala Lys Leu Leu Pro Leu Leu Met Ala Gln Leu Trp Ala Ala Glu
20        25        30

Ala Ala Leu Leu Pro Gln Asn Asp Thr Arg Leu Asp Pro Glu Ala Tyr
35        40        45

Gly Ser Pro Cys Ala Arg Gly Ser Gln Pro Trp Gln Val Ser Leu Phe
50        55        60

Asn Gly Leu Ser Phe His Cys Ala Gly Val Leu Val Asp Gln Ser Trp
65        70        75        80

Val Leu Thr Ala Ala His Cys Gly Asn Lys Pro Leu Trp Ala Arg Val
85        90        95

Gly Asp Asp His Leu Leu Leu Leu Gln Gly Glu Gln Leu Arg Arg Thr
100       105       110

Thr Arg Ser Val Val His Pro Lys Tyr His Gln Gly Ser Gly Pro Ile
115       120       125

Leu Pro Arg Arg Thr Asp Glu His Asp Leu Met Leu Leu Lys Leu Ala
130       135       140

Arg Pro Val Val Leu Gly Pro Arg Val Arg Ala Leu Gln Leu Pro Tyr

```

-continued

145	150	155	160
Arg Cys Ala Gln Pro Gly Asp Gln Cys Gln Val Ala Gly Trp Gly Thr			
	165	170	175
Thr Ala Ala Arg Arg Val Lys Tyr Asn Lys Gly Leu Thr Cys Ser Ser			
	180	185	190
Ile Thr Ile Leu Ser Pro Lys Glu Cys Glu Val Phe Tyr Pro Gly Val			
	195	200	205
Val Thr Asn Asn Met Ile Cys Ala Gly Leu Asp Arg Gly Gln Asp Pro			
	210	215	220
Cys Gln Ser Asp Ser Gly Gly Pro Leu Val Cys Asp Glu Thr Leu Gln			
	225	230	235
Gly Ile Leu Ser Trp Gly Val Tyr Pro Cys Gly Ser Ala Gln His Pro			
	245	250	255
Ala Val Tyr Thr Gln Ile Cys Lys Tyr Met Ser Trp Ile Asn Lys Val			
	260	265	270
Ile Arg Ser Asn			
	275		

<210> SEQ ID NO 20

<211> LENGTH: 1580

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 20

```

catcctgcca cccctagcct tgcctggggac gtgaaccctc tccccgcgcc tgggaagcct    60
tcttggcacc gggacccgga gaatcccccac ggaagccagt tccaaaaggg atgaaaaggg    120
ggcgtttcgg gcactgggag aagcctgtat tccagggcc cccccagagc aggaatctgg    180
gacccaggag tgccagcctc acccacgcag atcctggcca tgagagctcc gcacctccac    240
ctctccgccg cctctggcgc ccgggctctg gcgaagctgc tgccgtgct gatggcgcaa    300
ctctgggccg cagaggcggc gctgctcccc caaacgcaca cgcgcttga ccccgagcc    360
tatggctccc cgtgcgcgcg cggctcgcag ccctggcagg tctcgctctt caacggcctc    420
tcgttccact gcgcgggtgt cctggtggac cagagttggg tgctgacggc cgcgcactgc    480
ggaacaagc cactgtgggc tcgagtaggg gatgaccacc tgctgcttct tcagggagag    540
cagctccgcc ggaccactcg ctctgtgtgc catcccaagt accaccaggg ctcaggcccc    600
atcctgccaa ggccgaacgga tgagcacgat ctcatgttgc tgaagctggc caggcccgtg    660
gtgctggggc cccgcgtccg ggcctgcag ctccctacc gctgtgctca gcccgagagc    720
cagtgccagg ttgctggctg gggcaccacg gccgcccga gagtgaagta caacaagggc    780
ctgacctgct ccagcatcac tatcctgagc cctaaagagt gtgaggtctt ctacctggc    840
gtggtcacca acaacatgat atgtgtgga ctggaccggg gccaggaccc ttgccagagt    900
gactctggag gcccccctgt ctgtgacgag accctccaag goatcctctc gtgggtgtgt    960
taccctgtg gctctgcca gcatccagct gtctacacc agatctgcaa atacatgtcc   1020
tggatcaata aagtcatacg ctccaactga tccagatgct acgctccagc tgatccagat   1080
gttatgctcc tgctgatcca gatcccaga ggctccatcg tccatcctct tctccccag   1140
tcggctgaac tctccccttg tctgcaactg tcaaacctct gccgccctcc acacctctaa   1200
acatctcccc tctcacctca tccccccacc tatccccatt ctctgctgtg actgaagctg   1260

```

-continued

```

aatgcagga agtgggtggca aaggtttatt ccagagaagc caggaagccg gtcacaccc 1320
agcctctgag agcagttact ggggtcaccc aacctgactt cctctgccac tcctgtgtgt 1380
gtgactttgg gcaagccaag tgcctctctt gaacctcagt ttcctcatct gcaaaatggg 1440
aacaatgacg tgacctcttc ttagacatgt tgtgaggaga ctatgatata acatgtgtat 1500
gtaaatcttc atggtgattg tcatgtaagg cttaacacag tgggtggtga gttctgacta 1560
aaggttacct gttgtcgtga 1580

```

```

<210> SEQ ID NO 21
<211> LENGTH: 276
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 21

```

```

Met Arg Ala Pro His Leu His Leu Ser Ala Ala Ser Gly Ala Arg Ala
1      5      10      15
Leu Ala Lys Leu Leu Pro Leu Leu Met Ala Gln Leu Trp Ala Ala Glu
20     25     30
Ala Ala Leu Leu Pro Gln Asn Asp Thr Arg Leu Asp Pro Glu Ala Tyr
35     40     45
Gly Ser Pro Cys Ala Arg Gly Ser Gln Pro Trp Gln Val Ser Leu Phe
50     55     60
Asn Gly Leu Ser Phe His Cys Ala Gly Val Leu Val Asp Gln Ser Trp
65     70     75     80
Val Leu Thr Ala Ala His Cys Gly Asn Lys Pro Leu Trp Ala Arg Val
85     90     95
Gly Asp Asp His Leu Leu Leu Gln Gly Glu Gln Leu Arg Arg Thr
100    105    110
Thr Arg Ser Val Val His Pro Lys Tyr His Gln Gly Ser Gly Pro Ile
115    120    125
Leu Pro Arg Arg Thr Asp Glu His Asp Leu Met Leu Leu Lys Leu Ala
130    135    140
Arg Pro Val Val Leu Gly Pro Arg Val Arg Ala Leu Gln Leu Pro Tyr
145    150    155    160
Arg Cys Ala Gln Pro Gly Asp Gln Cys Gln Val Ala Gly Trp Gly Thr
165    170    175
Thr Ala Ala Arg Arg Val Lys Tyr Asn Lys Gly Leu Thr Cys Ser Ser
180    185    190
Ile Thr Ile Leu Ser Pro Lys Glu Cys Glu Val Phe Tyr Pro Gly Val
195    200    205
Val Thr Asn Asn Met Ile Cys Ala Gly Leu Asp Arg Gly Gln Asp Pro
210    215    220
Cys Gln Ser Asp Ser Gly Gly Pro Leu Val Cys Asp Glu Thr Leu Gln
225    230    235    240
Gly Ile Leu Ser Trp Gly Val Tyr Pro Cys Gly Ser Ala Gln His Pro
245    250    255
Ala Val Tyr Thr Gln Ile Cys Lys Tyr Met Ser Trp Ile Asn Lys Val
260    265    270
Ile Arg Ser Asn
275

```

```

<210> SEQ ID NO 22

```

-continued

<211> LENGTH: 1443

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 22

```

accagcggca gaccacaggc agggcagagg cacgtctggg tccctccct ccttctatc   60
ggcgactccc aggatcctgg ccatgagagc tccgcacctc cacctctccg cgcctctgg   120
cgcccgggct ctggcgaagc tgctgccgct gctgatggcg caactctggg ccgcagaggc   180
ggcgctgctc ccccaaaacg acacgcgctt ggaccccgaa gcctatggct ccccgctgcgc   240
gcgcggtctg cagccctggc aggtctcgct cttcaacggc ctctcggtcc actgcgcggg   300
tgtcctggtg gaccagagtt ggggtgctgac ggccgcgcac tgcggaaaca agccactgtg   360
ggctcgagta ggggatgacc acctgctgct tcttcagggg gagcagctcc gccggaccac   420
tcgctctgtt gtccatccca agtaccacca gggtcaggc cccatcctgc caaggcgaac   480
ggatgagcac gatctcatgt tgctgaagct ggccaggccc gtagtgctgg ggcgccgct   540
ccggggccctg cagcttccct accgctgtgc tcagcccgga gaccagtgcc aggttgctgg   600
ctggggcacc acggccgccc ggagagtga gtaacaacg ggctgacct gctccagcat   660
cactatcctg agccctaaag agtgtgaggt cttctacct ggctgggtca ccaacaacat   720
gatatgtgct ggactggacc ggggccagga cccttgccag agtgactctg gagggccct   780
ggctctgtgac gagacctcc aaggcactct ctctgggggt gtttacctct gtggctctgc   840
ccagcatcca gctgtctaca ccagatctg caaatatcg tctggatca ataaagtcac   900
acgtccaac tgatccagat gctacgctcc agctgatcca gatgttatgc tctgtctgat   960
ccagatgcc agaggtccca tcgtccatcc tcttctccc cagtggctg aactctcccc   1020
ttgtctgcac tgttcaaacc tctgccgcc tccacacctc taaacatctc cctctcacc   1080
tcattcccc acctatcccc attctctgct tgtactgaag ctgaaatgca ggaagtgtg   1140
gcaaagggtt attccagaga agccaggaag ccggtcatca cccagcctct gagagcagtt   1200
actgggtgca cccaacctga cttcctctgc cactccctgc tgtgtgactt tgggcaagcc   1260
aagtgcctc tctgaacctc agtttctca tctgcaaat gggacaatg acgtgcctac   1320
ctcttagaca tgttgtgagg agactatgat ataacatgt tatgtaaatc ttcatggtga   1380
ttgtcatgta aggttaaca cagtgggtg tgagttctga ctaaaggtta cctgtgtctg   1440
tga
1443

```

<210> SEQ ID NO 23

<211> LENGTH: 180

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 23

```

Met Leu Cys Leu Leu Leu Thr Leu Gly Val Ala Leu Val Cys Gly Val
1         5         10        15
Pro Ala Met Asp Ile Pro Gln Thr Lys Gln Asp Leu Glu Leu Pro Lys
20        25        30
Leu Ala Gly Thr Trp His Ser Met Ala Met Ala Thr Asn Asn Ile Ser
35        40        45
Leu Met Ala Thr Leu Lys Ala Pro Leu Arg Val His Ile Thr Ser Leu
50        55        60

```

-continued

Leu	Pro	Thr	Pro	Glu	Asp	Asn	Leu	Glu	Ile	Val	Leu	His	Arg	Trp	Glu
65					70					75					80
Asn	Asn	Ser	Cys	Val	Glu	Lys	Lys	Val	Leu	Gly	Glu	Lys	Thr	Glu	Asn
			85						90					95	
Pro	Lys	Lys	Phe	Lys	Ile	Asn	Tyr	Thr	Val	Ala	Asn	Glu	Ala	Thr	Leu
			100					105						110	
Leu	Asp	Thr	Asp	Tyr	Asp	Asn	Phe	Leu	Phe	Leu	Cys	Leu	Gln	Asp	Thr
		115						120					125		
Thr	Thr	Pro	Ile	Gln	Ser	Met	Met	Cys	Gln	Tyr	Leu	Ala	Arg	Val	Leu
		130					135					140			
Val	Glu	Asp	Asp	Glu	Ile	Met	Gln	Gly	Phe	Ile	Arg	Ala	Phe	Arg	Pro
145					150					155					160
Leu	Pro	Arg	His	Leu	Trp	Tyr	Leu	Leu	Asp	Leu	Lys	Gln	Met	Glu	Glu
			165						170					175	
Pro	Cys	Arg	Phe												
			180												

<210> SEQ ID NO 24

<211> LENGTH: 857

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 24

```

catccctctg gctccagagc tcagagccac ccacagccgc agccatgctg tgcctcctgc      60
tcaccctggg cgtggccctg gtctgtggtg tcccggccat ggacatcccc cagaccaagc      120
aggacctgga gctcccaaag ttggcaggga cctggcactc catggccatg gcgaccaaca      180
acatctccct catggcgaca ctgaaggccc ctctgagggt ccacatcacc tcaactgttc      240
ccacccccga ggacaacctg gagatcgttc tgcacagatg ggagaacaac agctgtgttg      300
agaagaaggt ccttgagagag aagactgaga atccaaagaa gttcaagatc aactatacgg      360
tggcgaacga ggccacgctg ctcgatactg actacgacaa tttcctgttt ctctgcctac      420
aggacaccac ccccccatc cagagcatga tgtgccagta cctggccaga gtctgggtgg      480
aggacgatga gatcatgcag ggattcatca gggctttcag gccctgccc aggcacctat      540
ggctacttgc ggacttgaag cagatggaag agccgtgccg tttctagggt agctcctgcc      600
tggctctgcc tcctggctca cctccgcctc caggaagacc agactccac ccttcacac      660
ctccagagca gtgggacttc ctctgcctt ttcaaagaat aaccacagct cagaagacga      720
tgacgtggtc atctgtgtcg ccatcccctt cctgctgcac acctgcacca cggccatggg      780
gaggctgctc cctgggggca gagtctctgg cagaggttat taataaacc ttggagcatg      840
aaaaaaaaa aaaaaaa                                     857

```

<210> SEQ ID NO 25

<211> LENGTH: 180

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 25

Met	Leu	Cys	Leu	Leu	Leu	Thr	Leu	Gly	Val	Ala	Leu	Val	Cys	Gly	Val
1				5					10					15	
Pro	Ala	Met	Asp	Ile	Pro	Gln	Thr	Lys	Gln	Asp	Leu	Glu	Leu	Pro	Lys
			20					25					30		

-continued

Leu Ala Gly Thr Trp His Ser Met Ala Met Ala Thr Asn Asn Ile Ser
 35 40 45
 Leu Met Ala Thr Leu Lys Ala Pro Leu Arg Val His Ile Thr Ser Leu
 50 55 60
 Leu Pro Thr Pro Glu Asp Asn Leu Glu Ile Val Leu His Arg Trp Glu
 65 70 75 80
 Asn Asn Ser Cys Val Glu Lys Lys Val Leu Gly Glu Lys Thr Glu Asn
 85 90 95
 Pro Lys Lys Phe Lys Ile Asn Tyr Thr Val Ala Asn Glu Ala Thr Leu
 100 105 110
 Leu Asp Thr Asp Tyr Asp Asn Phe Leu Phe Leu Cys Leu Gln Asp Thr
 115 120 125
 Thr Thr Pro Ile Gln Ser Met Met Cys Gln Tyr Leu Ala Arg Val Leu
 130 135 140
 Val Glu Asp Asp Glu Ile Met Gln Gly Phe Ile Arg Ala Phe Arg Pro
 145 150 155 160
 Leu Pro Arg His Leu Trp Tyr Leu Leu Asp Leu Lys Gln Met Glu Glu
 165 170 175
 Pro Cys Arg Phe
 180

<210> SEQ ID NO 26

<211> LENGTH: 828

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 26

```

catccctctg gctccagagc tcagagccac ccacagccgc agccatgctg tgcctcctgc      60
tcaccctggg cgtggccctg gtctgtggtg tcccggccat ggacatcccc cagaccaagc      120
aggacctgga gctcccaaag ttggcaggga cctggcactc catggccatg gcgaccaaca      180
acatctccct catggcgaca ctgaaggccc ctctgagggc ccacatcacc tctgtgttgc      240
ccacccccga ggacaacctg gagatcggtc tgcacagatg ggagaacaac agctgtgttg      300
agaagaaggt ccttgagag aagactgaga atccaaagaa gttcaagatc aactatacgg      360
tggcgaacga ggccacgctg ctcgatactg actacgacaa ttctctgttt ctctgcctac      420
aggacaccac cacccccac cagagcatga tgtgccagta cctggccaga gtcctggtgg      480
aggacgatga gatcatgcag ggattcatca gggctttcag gccctgccc aggcacctat      540
ggtacttgct ggacttgaaa cagatggaag agccgtgccg tttctagctc acctccgcct      600
ccaggaagac cagactccca cccttcaca cctccagagc agtgggactt cctcctgccc      660
tttcaaagaa taaccacagc tcagaagacg atgacgtggt catctgtgtc gccatccct      720
tcctgctgca cacctgcacc acggccatgg ggaggtgct cctgggggag agagtctctg      780
gcagaggtta ttaataaacc cttggagcat gaaaaaaaa aaaaaaaaa      828

```

<210> SEQ ID NO 27

<211> LENGTH: 402

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 27

Met Gln Met Ser Pro Ala Leu Thr Cys Leu Val Leu Gly Leu Ala Leu
 1 5 10 15

[illegible]

-continued

<210> SEQ ID NO 28

<211> LENGTH: 2876

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 28

```
gaattcctgc agctcagcag ccgcccagc agcaggacga accgccaatc gcaaggcacc    60
tctgagaact tcaggatgca gatgtctcca gccctcacct gcctagtccct gggcctggcc    120
cttgtctttg gtgaagggtc tgctgtgcac catcccccat cctacgtggc ccacctggcc    180
tcagacttcg ggggtgaggt gtttcagcag gtggcgagc cctccaagga ccgcaacgtg    240
gttttctcac cctatggggt ggctcgggtg ttggccatgc tccagctgac aacaggagga    300
gaaacccagc agcagattca agcagctatg ggattcaaga ttgatgacaa gggcatggcc    360
cccgccctcc ggcactctgt caaggagctc atggggccat ggaacaagga tgagatcagc    420
accacagacg cgatcttctg ccagcgggat ctgaagctgg tccagggcct catgccccac    480
ttcttcaggc tgttcoggag cacgggtcaag caagtggact tttcagaggt ggagagagcc    540
agattcatca tcaatgactg ggtgaagaca cacacaaaag gtatgatcag caacttgctt    600
gggaaaggag ccgtggacca gctgacacgg ctggtgctgg tgaatgcctt ctacttcaac    660
ggccagtgga agactccctt ccccgactcc agcaccacc gccgcctctt ccacaaatca    720
gacggcagca ctgtctctgt gcccatgatg gctcagacca acaagttcaa ctatactgag    780
ttcaccacgc ccgatggcca ttactacgac atcctggaac tgccctacca cggggacacc    840
ctcagcatgt tcattgtctc cccttatgaa aaagaggtgc ctctctctgc cctcaccaac    900
attctgagtg cccagctcat cagccactgg aaaggcaaca tgaccaggtt gccccgcctc    960
ctggttctgc ccaagttctc cctggagact gaagtcgacc tcaggaagcc cctagagaa    1020
ctgggaatga ccgacatgtt cagacagttt caggctgact tcacgagtct ttcagaccaa    1080
gagcctctcc acgtcgcgca ggcgctgcag aaagtgaaga tcgaggtgaa cgagagtggc    1140
acggtggcct cctcatccac agctgtcata gtctcagccc gcattggccc cgaggagatc    1200
atcatggaca gaccttctt ctttgtggtc cggcacaacc ccacaggaac agtccctttc    1260
atgggccaag tgatggaacc ctgaccctgg ggaagacgc cttcatctgg gacaaaactg    1320
gagatgcacg ggaagaagaa aaactccgaa gaaaagaatt ttagtgtaa tgactctttc    1380
tgaaggaaga gaagacattt gccttttgtt aaaagatggt aaaccagatc tgtctccaag    1440
accttgccct ctcttgagg gacctttagg tcaaaactcc tagtctccac ctgagaccct    1500
gggagagaag tttgaagcac aactccctta aggtctccaa accagacggt gacgcctgcg    1560
ggaccatctg gggcacctgc ttccaccgt ctctctgccc actcgggtct gcagacctgg    1620
ttcccactga ggccttttgc aggatggaac tacggggctt acaggagctt ttgtgtgcct    1680
ggtagaaaact atttctgtc cagtcacatt gccatcactc ttgtactgcc tgccaccgcg    1740
gaggaggtcg gtgacaggcc aaaggccagt ggaagaaaca ccctttcatc tcagagtcca    1800
ctgtggcact gggcaccctt cccagtcaca ggggtgctgc aggtggcaga gtgaatgtcc    1860
cccatcatgt ggcccaactc tcttgccctg gccatctccc tcccagaaa cagtgtgcat    1920
gggttatatt ggagttagg tgacttggtt actcattgaa gcagatttct gcttcctttt    1980
atttttatag gaatagagga agaaatgtca gatgcgtgcc cagctcttca cccccaatc    2040
tcttggtggg gaggggtgta cctaaatatt tatcatatcc ttgcccttga gtgcttgta    2100
```

-continued

```

gagagaaaga gaactactaa ggaaaataat attatttaaa ctgctccta gtgtttcttt 2160
gtggtctgtg tcaccgtatc tcaggaagtc cagccacttg actggcacac acccctccgg 2220
acatccagcg tgacggagcc cacactgcca ccttgtggcc gctgagacc ctgcgcccc 2280
ccgcgcccc ccgcgccctc ttttccct tgatggaaat tgaccatata atttcactc 2340
ccttcagggg atcaaaagga cggagtgggg ggacagagac tcagatgagg acagagtgg 2400
ttccaatgtg ttcaatagat ttaggagcag aaatgcaagg ggctgcatga cctaccagga 2460
cagaacttcc cccaattaca gggtgactca cagccgcatt ggtgactcac ttcaatgtgt 2520
catttcggc tgctgtgtg gagcagtga cacgtgagg gggggtggt gagagagaca 2580
ggcagctcgg attcaactac cttagataat atttctgaaa acctaccagc cagagggtag 2640
ggcacaaga tggatgtaat gcactttggg aggccaaggc gggaggattg cttgagccca 2700
ggagtccaag accagcctgg gcaacatacc aagaccccg tctctttaa aatatatata 2760
ttttaaata acttaaat atatttctaa tatctttaa tatatatata tattttaaag 2820
accaatttat gggagaattg cacacagatg tgaaatgaat gtaatctaata agaagc 2876

```

<210> SEQ ID NO 29

<211> LENGTH: 273

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 29

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1           5           10           15
Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20           25           30
Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35           40           45
Thr Glu Lys Asn Ala Leu Ser Thr Gly Val Ser Phe Phe Phe Leu Ser
50           55           60
Phe His Ile Ser Asn Leu Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser
65           70           75           80
Thr Asp Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu
85           90           95
Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
100          105          110
Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
115          120          125
Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
130          135          140
Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser
145          150          155          160
Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly
165          170          175
Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala
180          185          190
Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn
195          200          205
Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met
210          215          220

```

-continued

Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser
 225 230 235 240

Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly
 245 250 255

Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn
 260 265 270

Leu

<210> SEQ ID NO 30
 <211> LENGTH: 1209
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 30

```

acctctcaag cagccagcgc ctgcctgaat ctgttctgcc cctccccac ccatttcacc    60
accaccatga caccgggcac ccagtctcct ttcttcctgc tgcgtctcct cacagtgcct    120
acagttgtta cgggttcttg tcatgcaagc tctaccccag gtggagaaaa ggagacttcg    180
gctaccacaga gaagttcagt gccagctctt actgagaaga atgctttgtc tactggggtc    240
tctttctttt tcctgtcttt tcacatttca aacctccagt ttaattctc tctggaagat    300
cccagcaccg actactacca agagctgcag agagacattt ctgaaatgtt ttgcagatt    360
tataaacaag ggggttttct gggcctctcc aatattaagt tcaggccagg atctgtggtg    420
gtacaattga ctctggcctt ccgagaaggt accatcaatg tccacgacgt ggagacacag    480
ttcaatcagt ataaaaacga agcagcctct cgatataacc tgacgatctc agacgtcagc    540
gtgagtgatg tgccatttcc tttctctgcc cagtctgggg ctgggggtgcc aggctggggc    600
atcgcgctgc tgggtctggt ctgtgttctg gttgcgctgg ccattgtcta tctcattgcc    660
ttggctgtct gtcagtgccg ccgaaagaac tacgggcagc tggacatctt tccagcccgg    720
gataacctacc atcctatgag cgagtacccc acctaccaca cccatgggcg ctatgtgccc    780
cctagcagta ccgatcgtag cccctatgag aaggtttctg caggtaatgg tggcagcagc    840
ctctcttaca caaaccacgc agtggcagcc acttctgcca acttgtaggg gcacgtcgcc    900
cgctgagctg agtggccagc cagtgcatt ccactccact caggttcttc agggccagag    960
cccctgcacc ctgtttgggc tggtagctg ggagttcagg tgggctgctc acagcctcct   1020
tcagaggccc caccaatttc tcggacactt ctcaagtgtg ggaagctcat gtgggcccct   1080
gagggctcat gcctgggaag tggtgtggtg ggggctccca ggaggactgg cccagagagc   1140
cctgagatag cggggatcct gaactggact gaataaaacg tgggtctcca ctgcgccaaa   1200
aaaaaaaaa                                     1209

```

<210> SEQ ID NO 31
 <211> LENGTH: 264
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 31

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
 1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
 20 25 30

-continued

Ser	Gly	His	Ala	Ser	Ser	Thr	Pro	Gly	Gly	Glu	Lys	Glu	Thr	Ser	Ala
	35						40					45			
Thr	Gln	Arg	Ser	Ser	Val	Pro	Ser	Ser	Thr	Glu	Lys	Asn	Ala	Phe	Asn
	50					55					60				
Ser	Ser	Leu	Glu	Asp	Pro	Ser	Thr	Asp	Tyr	Tyr	Gln	Glu	Leu	Gln	Arg
65					70					75				80	
Asp	Ile	Ser	Glu	Met	Phe	Leu	Gln	Ile	Tyr	Lys	Gln	Gly	Gly	Phe	Leu
			85						90					95	
Gly	Leu	Ser	Asn	Ile	Lys	Phe	Arg	Pro	Gly	Ser	Val	Val	Val	Gln	Leu
			100					105					110		
Thr	Leu	Ala	Phe	Arg	Glu	Gly	Thr	Ile	Asn	Val	His	Asp	Val	Glu	Thr
	115						120					125			
Gln	Phe	Asn	Gln	Tyr	Lys	Thr	Glu	Ala	Ala	Ser	Arg	Tyr	Asn	Leu	Thr
	130					135					140				
Ile	Ser	Asp	Val	Ser	Val	Ser	Asp	Val	Pro	Phe	Pro	Phe	Ser	Ala	Gln
145					150					155				160	
Ser	Gly	Ala	Gly	Val	Pro	Gly	Trp	Gly	Ile	Ala	Leu	Leu	Val	Leu	Val
			165					170						175	
Cys	Val	Leu	Val	Ala	Leu	Ala	Ile	Val	Tyr	Leu	Ile	Ala	Leu	Ala	Val
		180						185					190		
Cys	Gln	Cys	Arg	Arg	Lys	Asn	Tyr	Gly	Gln	Leu	Asp	Ile	Phe	Pro	Ala
	195					200					205				
Arg	Asp	Thr	Tyr	His	Pro	Met	Ser	Glu	Tyr	Pro	Thr	Tyr	His	Thr	His
	210					215					220				
Gly	Arg	Tyr	Val	Pro	Pro	Ser	Ser	Thr	Asp	Arg	Ser	Pro	Tyr	Glu	Lys
225					230					235				240	
Val	Ser	Ala	Gly	Asn	Gly	Gly	Ser	Ser	Leu	Ser	Tyr	Thr	Asn	Pro	Ala
			245						250					255	
Val	Ala	Ala	Thr	Ser	Ala	Asn	Leu								
			260												

<210> SEQ ID NO 32

<211> LENGTH: 1182

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 32

acctctcaag cagccagcgc ctgcctgaat ctgtttctgcc ccctcccccac ccatttcacc	60
accaccatga caccgggcac ccagtctcct ttcttctctgc tgetgctcct cacagtgett	120
acagctacca cagcccctaa acccgcaaca gttgttacgg gttctgggtca tgcaagctct	180
accccaggtg gagaaaagga gacttcggct acccagagaa gttcagtgcc cagctctact	240
gagaagaatg cttttaatto ctctctggaa gatccagca cagactacta ccaagagctg	300
cagagagaca tttctgaaat gtttttcgag atttataaac aaggggggttt tctgggcctc	360
tccaatatta agttcaggcc aggatctgtg gtggtacaat tgactctggc cttccgagaa	420
gggtaccatca atgtccacga cgtggagaca cagttcaatc agtataaaac ggaagcagcc	480
tctcgatata acctgacgat ctacagcgtc agcgtgagtg atgtgccatt tcctttctct	540
gcccgctctg gggctggggg gccaggctgg ggcacgcgc tgctgggtgct ggtctgtgtt	600
ctggttgctg tggccattgt ctatctcatt gccttggtg tctgtcagtg ccgccgaaag	660
aactacgggc agctggacat ctttcagcc cgggatacct accatcctat gagcgagtag	720

-continued

```

cccacctacc acacccatgg gcgctatgtg cccctagca gtaccgatcg tagccctat 780
gagaagggtt ctgcaggtaa tgggtggcagc agcctctctt acacaaaccc agcagtggca 840
gccacttctg ccaacttgta ggggcacgct gcccgctgag ctgagtggcc agccagtgcc 900
attccactcc actcagggtc ttcagggcc gagccctgc accctgtttg ggctggtgag 960
ctgggagttc aggtgggctg ctcacagcct ccttcagagg cccaccaat ttctcggaca 1020
cttctcagtg tgtgaagct catgtgggcc cctgagggt catgctggg aagtgttg 1080
gtgggggctc ccaggaggac tggcccagag agcctgaga tagcggggat cctgaactgg 1140
actgaataaa acgtggtctc cactgcgcc aaaaaaaaa aa 1182

```

```

<210> SEQ ID NO 33
<211> LENGTH: 255
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 33

```

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1          5          10          15
Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20        25        30
Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35        40        45
Thr Glu Lys Asn Ala Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp
50        55        60
Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu Gln Ile
65        70        75        80
Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro
85        90        95
Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile
100       105       110
Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala
115       120       125
Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val
130       135       140
Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly
145       150       155       160
Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val
165       170       175
Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly
180       185       190
Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu
195       200       205
Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr
210       215       220
Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser
225       230       235       240
Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
245       250       255

```

```

<210> SEQ ID NO 34
<211> LENGTH: 1155

```

-continued

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 34

```

acctctcaag cagccagcgc ctgcctgaat ctgttctgcc cctccccac ccatttcacc      60
accaccatga caccgggcac ccagtctcct ttcttctctgc tgetgctcct cacagtgttt      120
acagttgtta cgggttctgg tcatgcaagc tctaccacag gtggagaaaa ggagacttcg      180
gctaccacaga gaagttcagt gccagctct actgagaaga atgcttttaa ttctctctctg      240
gaagatccca gcaccgacta ctaccaagag ctgcagagag acatttctga aatgtttttg      300
cagatttata aacaaggggg ttttctgggc ctctccaata ttaagttcag gccaggatct      360
gtggtgttac aattgactct ggccttcga gaaggtacca tcaatgtcca cgacgtggag      420
acacagttca atcagtataa aacggaagca gcctctcgat ataacctgac gatctcagac      480
gtcagcgtga gtgagtgtgc atttcctttc tctgccagct ctggggctgg ggtgccaggc      540
tggggcatcg cgtgctgtgt gctggtctgt gttctggttg cgtggccat tgtctatctc      600
attgccttgg ctgtctgtca gtgccgccga aagaactacg ggcagctgga catctttcca      660
gcccgggata cctaccatcc tatgagcgag taccacacct accacacca tgggcgctat      720
gtgccccta gcagtaccga tcgtagcccc tatgagaagg tttctgcagg taatggtggc      780
agcagcctct ctacacaaa cccagcagtg gcagccactt ctgccaaact gtaggggcac      840
gtcggccgct gagctgagtg gccagccagt gccattccac tccactcagg ttcttcaggg      900
ccagagcccc tgcacctgtg ttgggctggt gagctgggag ttcaggtggg ctgctcacag      960
cctccttcag agggcccacc aatttctcgg acatttctca gtgtgtggaa gctcatgtgg     1020
gcccctgagg gctcatgctt gggaagtgtt gtggtggggg ctcccaggag gactggccca     1080
gagagccctg agatagcggg gatcctgaac tggactgaat aaaacgtggt ctcccactgc     1140
gccaaaaaaa aaaaaa                                     1155

```

<210> SEQ ID NO 35

<211> LENGTH: 96

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 35

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1           5           10           15
Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20           25           30
Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35           40           45
Thr Glu Lys Asn Ala Ile Pro Ala Pro Thr Thr Thr Lys Ser Cys Arg
50           55           60
Glu Thr Phe Leu Lys Cys Phe Cys Arg Phe Ile Asn Lys Gly Val Phe
65           70           75           80
Trp Ala Ser Pro Ile Leu Ser Ser Gly Gln Asp Leu Trp Trp Tyr Asn
85           90           95

```

<210> SEQ ID NO 36

<211> LENGTH: 1136

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

-continued

<400> SEQUENCE: 36

```

acctctcaag cagccagcgc ctgcctgaat ctgttctgcc cctctcccccac ccatttcacc      60
accaccatga caccggggcac ccagtctcct ttcttcctgc tgtgtctcct cacagtgttt      120
acagttgtta cgggttcttg tcatgcaagc tctaccccag gtggagaaaa ggagacttcg      180
gctaccacaga gaagttcagt gcccagctct actgagaaga atgctatccc agcaccgact      240
actaccaaga gctgcagaga gacatttctg aaatgttttt gcagatttat aaacaagggg      300
gttttctggg cctctccaat attaatgtca ggccaggatc tgtggtggta caattgactc      360
tggccttcgc agaaggtacc atcaatgtcc acgacgtgga gacacagttc aatcagtata      420
aaacggaagc agcctctcga tataacctga cgatctcaga cgtcagcgtg agtgatgtgc      480
catttccttt ctctgcccag tctggggctg ggggtgccagg ctggggcatc gcgctgctgg      540
tgctggtctg tgttctggtt gcgctggcca ttgtctatct cattgccttg gctgtctgtc      600
agtgcgcgcg aaagaactac gggcagctgg acatctttcc agcccgggat acctaccatc      660
ctatgagcga gtaccccacc taccacaccc atgggcgcta tgtgccccct agcagtaccg      720
atcgtagccc ctatgagaag gttctctgag gtaatggtgg cagcagcctc tcttacacaa      780
accacagcagt ggcagccact tctgccaaact ttagggggca cgtcgcccgc tgagctgagt      840
ggccagccag tgccattcca ctccactcag gttcttcagg gccagagccc ctgcaccctg      900
tttgggctgg tgagctggga gttcaggtgg gctgtcaca gctccttca gaggccccac      960
caatttctcg gacacttctc agtgtgtgga agctcatgtg ggccccctgag ggctcatgcc     1020
tgggaagtgt tgtggtgggg gctcccagga ggactggccc agagagccct gagatagcgg     1080
ggatcctgaa ctggactgaa taaaacgtgg tctccactg cgccaaaaaa aaaaaa     1136

```

<210> SEQ ID NO 37

<211> LENGTH: 418

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 37

```

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1           5           10           15

Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
          20           25           30

Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35           40           45

Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50           55           60

Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65           70           75           80

Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
85           90           95

His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
100          105          110

Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn
115          120          125

Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu
130          135          140

```

-continued

Ser	Glu	Gly	Leu	Lys	Leu	Val	Asp	Lys	Phe	Leu	Glu	Asp	Val	Lys	Lys	145	150	155	160
Leu	Tyr	His	Ser	Glu	Ala	Phe	Thr	Val	Asn	Phe	Gly	Asp	Thr	Glu	Glu	165	170	175	
Ala	Lys	Lys	Gln	Ile	Asn	Asp	Tyr	Val	Glu	Lys	Gly	Thr	Gln	Gly	Lys	180	185	190	
Ile	Val	Asp	Leu	Val	Lys	Glu	Leu	Asp	Arg	Asp	Thr	Val	Phe	Ala	Leu	195	200	205	
Val	Asn	Tyr	Ile	Phe	Phe	Lys	Gly	Lys	Trp	Glu	Arg	Pro	Phe	Glu	Val	210	215	220	
Lys	Asp	Thr	Glu	Glu	Glu	Asp	Phe	His	Val	Asp	Gln	Val	Thr	Thr	Val	225	230	235	240
Lys	Val	Pro	Met	Met	Lys	Arg	Leu	Gly	Met	Phe	Asn	Ile	Gln	His	Cys	245	250	255	
Lys	Lys	Leu	Ser	Ser	Trp	Val	Leu	Leu	Met	Lys	Tyr	Leu	Gly	Asn	Ala	260	265	270	
Thr	Ala	Ile	Phe	Phe	Leu	Pro	Asp	Glu	Gly	Lys	Leu	Gln	His	Leu	Glu	275	280	285	
Asn	Glu	Leu	Thr	His	Asp	Ile	Ile	Thr	Lys	Phe	Leu	Glu	Asn	Glu	Asp	290	295	300	
Arg	Arg	Ser	Ala	Ser	Leu	His	Leu	Pro	Lys	Leu	Ser	Ile	Thr	Gly	Thr	305	310	315	320
Tyr	Asp	Leu	Lys	Ser	Val	Leu	Gly	Gln	Leu	Gly	Ile	Thr	Lys	Val	Phe	325	330	335	
Ser	Asn	Gly	Ala	Asp	Leu	Ser	Gly	Val	Thr	Glu	Glu	Ala	Pro	Leu	Lys	340	345	350	
Leu	Ser	Lys	Ala	Val	His	Lys	Ala	Val	Leu	Thr	Ile	Asp	Glu	Lys	Gly	355	360	365	
Thr	Glu	Ala	Ala	Gly	Ala	Met	Phe	Leu	Glu	Ala	Ile	Pro	Met	Ser	Ile	370	375	380	
Pro	Pro	Glu	Val	Lys	Phe	Asn	Lys	Pro	Phe	Val	Phe	Leu	Met	Ile	Glu	385	390	395	400
Gln	Asn	Thr	Lys	Ser	Pro	Leu	Phe	Met	Gly	Lys	Val	Val	Asn	Pro	Thr	405	410	415	

Gln Lys

<210> SEQ ID NO 38

<211> LENGTH: 1607

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 38

aatgactcct	ttcggttaagt	gcagtgaag	ctgtacactg	cccaggcaaa	gcgtccgggc	60
agcgtaggcg	ggcgactcag	atcccagcca	gtggacttag	cccctgtttg	ctcctccgat	120
aactgggggtg	accttggtta	atattcacca	gcagcctccc	ccgttgcccc	tctggatcca	180
ctgcttaaat	acggacgagg	acagggccct	gtctcctcag	cttcaggcac	caccactgac	240
ctgggacagt	gaatcgacaa	tgccgtcttc	tgtctcgtgg	ggcctcctcc	tgctggcagg	300
cctgtgtctgc	ctggctccctg	tctccctggc	tgaggatccc	cagggagatg	ctgcccagaa	360
gacagataca	tcccaccatg	atcaggatca	cccaaccttc	aacaagatca	cccccaacct	420
ggctgagttc	gccttcagcc	tataccgcca	gctggcacac	cagtcacaaca	gcaccaatat	480

-continued

```

ctttcttctcc ccagtgagca tcgtacagc ctttgcaatg ctctccctgg ggaccaaggc 540
tgacactcac gatgaatcc tggagggcct gaatttcaac ctcacggaga ttccggaggc 600
tcagatccat gaaggcttcc aggaactcct ccgtaccctc aaccagccag acagccagct 660
ccagctgacc accggcaatg gcctgttctc cagcgagggc ctgaagctag tggataagtt 720
tttgagggat gttaaaaagt tgtaccactc agaagccttc actgtcaact tcggggacac 780
cgaagaggcc aagaaacaga tcaacgatta cgtggagaag ggtactcaag ggaaaattgt 840
ggatttggtc aaggagcttg acagagacac agtttttctc ctggtgaatt acatcttctt 900
taaaggcaaa tgggagagac cctttgaagt caaggacacc gaggaagagg acttccacgt 960
ggaccagggtg accaccgtga aggtgcctat gatgaagcgt ttaggcatgt ttaacatcca 1020
gcactgtaag aagctgtcca gctgggtgct gctgatgaaa tacctgggca atgccaccgc 1080
catcttcttc ctgcctgatg aggggaaact acagcacctg gaaaatgaac taccacacga 1140
tatcatcacc aagtctctgg aaaatgaaga cagaaggctc gccagcttac atttacccaa 1200
actgtccatt actggaacct atgatctgaa gagcgctctg ggtcaactgg gcatcactaa 1260
ggtcttcagc aatgggctg acctctccgg ggtcacagag gaggcacccc tgaagctctc 1320
caaggccgtg cataaggctg tgctgacctat cgacgagaaa gggactgaag ctgctggggc 1380
catgttttta gaggccatc ccatgtctat ccccccgag gtcaagttca acaaaccctt 1440
tgtcttctta atgattgaac aaaataccaa gtctccctc ttcatgggaa aagtggtgaa 1500
tcccacccaa aaataactgc ctctcgctcc tcaacccctc ccctccatcc ctggccccct 1560
ccctggatga cattaagaa gggttgagct ggtccctgcc tgcaaaa 1607

```

<210> SEQ ID NO 39

<211> LENGTH: 418

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 39

```

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1           5           10          15

Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
          20          25          30

Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
          35          40          45

Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
          50          55          60

Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65          70          75          80

Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
          85          90          95

His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
          100         105         110

Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn
          115         120         125

Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu
          130         135         140

Ser Glu Gly Leu Lys Leu Val Asp Lys Phe Leu Glu Asp Val Lys Lys
          145         150         155         160

```

-continued

Leu Tyr His Ser Glu Ala Phe Thr Val Asn Phe Gly Asp Thr Glu Glu
 165 170 175
 Ala Lys Lys Gln Ile Asn Asp Tyr Val Glu Lys Gly Thr Gln Gly Lys
 180 185 190
 Ile Val Asp Leu Val Lys Glu Leu Asp Arg Asp Thr Val Phe Ala Leu
 195 200 205
 Val Asn Tyr Ile Phe Phe Lys Gly Lys Trp Glu Arg Pro Phe Glu Val
 210 215 220
 Lys Asp Thr Glu Glu Glu Asp Phe His Val Asp Gln Val Thr Thr Val
 225 230 235 240
 Lys Val Pro Met Met Lys Arg Leu Gly Met Phe Asn Ile Gln His Cys
 245 250 255
 Lys Lys Leu Ser Ser Trp Val Leu Leu Met Lys Tyr Leu Gly Asn Ala
 260 265 270
 Thr Ala Ile Phe Phe Leu Pro Asp Glu Gly Lys Leu Gln His Leu Glu
 275 280 285
 Asn Glu Leu Thr His Asp Ile Ile Thr Lys Phe Leu Glu Asn Glu Asp
 290 295 300
 Arg Arg Ser Ala Ser Leu His Leu Pro Lys Leu Ser Ile Thr Gly Thr
 305 310 315 320
 Tyr Asp Leu Lys Ser Val Leu Gly Gln Leu Gly Ile Thr Lys Val Phe
 325 330 335
 Ser Asn Gly Ala Asp Leu Ser Gly Val Thr Glu Glu Ala Pro Leu Lys
 340 345 350
 Leu Ser Lys Ala Val His Lys Ala Val Leu Thr Ile Asp Glu Lys Gly
 355 360 365
 Thr Glu Ala Ala Gly Ala Met Phe Leu Glu Ala Ile Pro Met Ser Ile
 370 375 380
 Pro Pro Glu Val Lys Phe Asn Lys Pro Phe Val Phe Leu Met Ile Glu
 385 390 395 400
 Gln Asn Thr Lys Ser Pro Leu Phe Met Gly Lys Val Val Asn Pro Thr
 405 410 415
 Gln Lys

<210> SEQ ID NO 40

<211> LENGTH: 1588

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 40

```

tgggcaggaa ctgggcactg tgcccagggc atgcactgcc tccacgcagc aaccctcaga    60
gtcctgagct gaaccaagaa ggaggagggg gtcgggcctc cgaggaaggc ctagccgctg    120
ctgctgccag gaattccagg ttggaggggg ggcaacctcc tgccagcctt caggccactc    180
tcctgtgcct gccagaagag acagagcttg aggagagctt gaggagagca ggaaggaca    240
atgccgtctt ctgtctcgtg gggcatcctc ctgctggcag gctgtgctg cctggtccct    300
gtctccctgg ctgaggatcc ccaggagatg gctgcccaga agacagatac atcccacat    360
gatcaggatc acccaacctt caacaagatc accccaacc tggetgagtt cgccttcagc    420
ctataccgcc agctggcaca ccagtccaac agcaccaata tcttctctc cccagtgagc    480
atcgctacag cctttgcaat gctctccctg gggaccaagg ctgacactca cgatgaaatc    540

```

-continued

```

ctggagggcc tgaatttcaa cctcacggag attccggagg ctcagatcca tgaaggcttc 600
caggaactcc tccgtaccct caaccagcca gacagccagc tccagctgac caccggcaat 660
ggcctgttcc tcacgagagg cctgaagcta gtggataagt ttttgagga tgtaaaaag 720
ttgtaccact cagaagcctt cactgtcaac ttcggggaca ccgaagaggc caagaacag 780
atcaacgatt acgtggagaa gggactactcaa gggaaaattg tggatttggc caaggagctt 840
gacagagaca cagtttttgc tctgggtgaat tacatcttct ttaaaggcaa atgggagaga 900
ccctttgaag tcaaggacac cgaggaagag gacttccacg tggaccaggt gaccaccgtg 960
aaggtgccta tgatgaagcg tttaggcatg tttaacatcc agcactgtaa gaagctgtcc 1020
agctgggtgc tgetgatgaa atacctgggc aatgccaccg ccattcttct cctgcctgat 1080
gaggggaaac tacagcacct ggaaaatgaa ctcaccacg atatcatcac caagttcctg 1140
gaaaatgaag acagaaggtc tgccagctta catttaccce aactgtccat tactggaacc 1200
tatgatctga agagcgctct gggccaactg ggcatacta aggtcttcag caatggggct 1260
gacctctccg gggtcacaga ggaggcacc cctgaagctct ccaaggccgt gcataaggct 1320
gtgctgacca tcgacgagaa agggactgaa gctgctgggg ccattgtttt agaggccata 1380
cccatgtcta tccccccga ggtcaagttc aacaaaccct ttgtcttctt aatgattgaa 1440
caaaatacca agtctcccc cttcatggga aaagtgggta atccccacca aaaataactg 1500
cctctcgctc ctcaaccctt cccctccatc cctggcccc toctggatg acattaaaga 1560
agggttgagc tggtcctgc ctgcaaaa 1588

```

```

<210> SEQ ID NO 41
<211> LENGTH: 418
<212> TYPE: PRT
<213> ORGANISM: Homo sapiens

```

```

<400> SEQUENCE: 41

```

```

Met Pro Ser Ser Val Ser Trp Gly Ile Leu Leu Leu Ala Gly Leu Cys
1           5           10          15
Cys Leu Val Pro Val Ser Leu Ala Glu Asp Pro Gln Gly Asp Ala Ala
20          25          30
Gln Lys Thr Asp Thr Ser His His Asp Gln Asp His Pro Thr Phe Asn
35          40          45
Lys Ile Thr Pro Asn Leu Ala Glu Phe Ala Phe Ser Leu Tyr Arg Gln
50          55          60
Leu Ala His Gln Ser Asn Ser Thr Asn Ile Phe Phe Ser Pro Val Ser
65          70          75          80
Ile Ala Thr Ala Phe Ala Met Leu Ser Leu Gly Thr Lys Ala Asp Thr
85          90          95
His Asp Glu Ile Leu Glu Gly Leu Asn Phe Asn Leu Thr Glu Ile Pro
100         105         110
Glu Ala Gln Ile His Glu Gly Phe Gln Glu Leu Leu Arg Thr Leu Asn
115         120         125
Gln Pro Asp Ser Gln Leu Gln Leu Thr Thr Gly Asn Gly Leu Phe Leu
130         135         140
Ser Glu Gly Leu Lys Leu Val Asp Lys Phe Leu Glu Asp Val Lys Lys
145         150         155         160
Leu Tyr His Ser Glu Ala Phe Thr Val Asn Phe Gly Asp Thr Glu Glu

```

-continued

165								170				175			
Ala	Lys	Lys	Gln	Ile	Asn	Asp	Tyr	Val	Glu	Lys	Gly	Thr	Gln	Gly	Lys
180								185				190			
Ile	Val	Asp	Leu	Val	Lys	Glu	Leu	Asp	Arg	Asp	Thr	Val	Phe	Ala	Leu
195								200				205			
Val	Asn	Tyr	Ile	Phe	Phe	Lys	Gly	Lys	Trp	Glu	Arg	Pro	Phe	Glu	Val
210								215				220			
Lys	Asp	Thr	Glu	Glu	Glu	Asp	Phe	His	Val	Asp	Gln	Val	Thr	Thr	Val
225								230				235			
Lys	Val	Pro	Met	Met	Lys	Arg	Leu	Gly	Met	Phe	Asn	Ile	Gln	His	Cys
245								250				255			
Lys	Lys	Leu	Ser	Ser	Trp	Val	Leu	Leu	Met	Lys	Tyr	Leu	Gly	Asn	Ala
260								265				270			
Thr	Ala	Ile	Phe	Phe	Leu	Pro	Asp	Glu	Gly	Lys	Leu	Gln	His	Leu	Glu
275								280				285			
Asn	Glu	Leu	Thr	His	Asp	Ile	Ile	Thr	Lys	Phe	Leu	Glu	Asn	Glu	Asp
290								295				300			
Arg	Arg	Ser	Ala	Ser	Leu	His	Leu	Pro	Lys	Leu	Ser	Ile	Thr	Gly	Thr
305								310				315			
Tyr	Asp	Leu	Lys	Ser	Val	Leu	Gly	Gln	Leu	Gly	Ile	Thr	Lys	Val	Phe
325								330				335			
Ser	Asn	Gly	Ala	Asp	Leu	Ser	Gly	Val	Thr	Glu	Glu	Ala	Pro	Leu	Lys
340								345				350			
Leu	Ser	Lys	Ala	Val	His	Lys	Ala	Val	Leu	Thr	Ile	Asp	Glu	Lys	Gly
355								360				365			
Thr	Glu	Ala	Ala	Gly	Ala	Met	Phe	Leu	Glu	Ala	Ile	Pro	Met	Ser	Ile
370								375				380			
Pro	Pro	Glu	Val	Lys	Phe	Asn	Lys	Pro	Phe	Val	Phe	Leu	Met	Ile	Glu
385								390				395			
Gln	Asn	Thr	Lys	Ser	Pro	Leu	Phe	Met	Gly	Lys	Val	Val	Asn	Pro	Thr
405								410				415			

Gln Lys

<210> SEQ ID NO 42

<211> LENGTH: 1902

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 42

```

tgggcaggaa ctgggcactg tgcccagggc atgcactgcc tccacgcagc aaccctcaga      60
gtcctgagct gaaccaagaa ggaggagggg gtcgggcctc cgaggaaggc ctagccgctg      120
ctgctgccag gaattccagg ttggaggggg ggcaacctcc tgccagcctt caggccactc      180
tcctgtgcct gccagaagag acagagcttg aggagagctt gaggagagca ggaaagggcg      240
gcagtaagtc ttcagcatca ggcattttgg ggtgactcag taaatggtag atcttgctac      300
cagtgaaca gccactaagg attctgcagt gagagcagag ggccagctaa gtggtactct      360
cccagagact gtctgactca cgccaccccc tccaccttgg acacaggacg ctgtggtttc      420
tgagccaggt acaatgactc ctttcgcagc ctcccccggt gccctctctg atccactgct      480
taaatacgga cgaggacagg gccctgtctc ctcagcttca ggccaccacca ctgacctggg      540
acagtgaatc gacaatgccg tcttctgtct cgtggggcat cctcctgctg gcaggcctgt      600

```

-continued

```

gctgcctggt cctgtctcc ctggtgagg atccccagg agatgctgcc cagaagacag 660
atacatccca ccatgatcag gatcacccaa ccttcaacaa gatcaccccc aacctggctg 720
agttcgccct cagcctatac cgccagctgg cacaccagtc caacagcacc aatattctct 780
tctccccagt gagcatcgct acagcctttg caatgctctc cctggggacc aaggtgcaga 840
ctcacgatga aatcctggag ggctgaatt tcaacctcac ggagattccg gaggtcaga 900
tccatgaagg cttccaggaa ctctccgta cctcaacca gccagacagc cagctccagc 960
tgaccaccgg caatggcctg ttctcagcg agggcctgaa gctagtggat aagtttttgg 1020
aggatgttaa aaagttgtac cactcagaag ccttcactgt caacttcggg gacaccgaag 1080
aggccaagaa acagatcaac gattacgtgg agaagggtac tcaagggaaa attgtggatt 1140
tggtcaagga gcttgacaga gacacagttt ttgctctggt gaattacatc ttctttaaag 1200
gcaaatggga gagacccttt gaagtcaagg acaccgagga agaggacttc cagtgaggac 1260
aggtgaccac cgtgaagggt cctatgatga agcgtttagg catgtttaac atccagcact 1320
gtaagaagct gtccagctgg gtgctgctga tgaaatacct gggcaatgcc accgccatct 1380
tcttctgccc tgatgagggg aaactacagc acctggaaaa tgaactcacc cagtatatca 1440
tcaccaagtt cctggaaaat gaagacagaa ggtctgccag cttacattta cccaaactgt 1500
ccattactgg aacctatgat ctgaagagcg tcttggttca actgggcac actaagggtct 1560
tcagcaatgg ggtgacctc tccgggttca cagaggaggc acccctgaag ctctccaagg 1620
ccgtgcataa ggctgtgctg accatcgacg agaaagggac tgaagctgct ggggccatgt 1680
ttttagaggc catacccatg tctatcccc ccgaggtcaa gttcaacaaa ccctttgtct 1740
tcttaatgat tgaacaaaat accaagtctc ccctcttcat gggaaaagtg gtgaatccca 1800
ccccaaaata actgcctctc gctcctcaac ccctccctc catccctggc ccctccctg 1860
gatgacatta aagaagggtt gagctggtcc ctgcctgcaa aa 1902

```

<210> SEQ ID NO 43

<211> LENGTH: 335

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 43

```

Met Gly His Pro Pro Leu Leu Pro Leu Leu Leu Leu His Thr Cys
1           5           10           15
Val Pro Ala Ser Trp Gly Leu Arg Cys Met Gln Cys Lys Thr Asn Gly
20           25           30
Asp Cys Arg Val Glu Glu Cys Ala Leu Gly Gln Asp Leu Cys Arg Thr
35           40           45
Thr Ile Val Arg Leu Trp Glu Glu Gly Glu Glu Leu Glu Leu Val Glu
50           55           60
Lys Ser Cys Thr His Ser Glu Lys Thr Asn Arg Thr Leu Ser Tyr Arg
65           70           75           80
Thr Gly Leu Lys Ile Thr Ser Leu Thr Glu Val Val Cys Gly Leu Asp
85           90           95
Leu Cys Asn Gln Gly Asn Ser Gly Arg Ala Val Thr Tyr Ser Arg Ser
100          105          110
Arg Tyr Leu Glu Cys Ile Ser Cys Gly Ser Ser Asp Met Ser Cys Glu
115          120          125

```

-continued

Arg Gly Arg His Gln Ser Leu Gln Cys Arg Ser Pro Glu Glu Gln Cys
 130 135 140
 Leu Asp Val Val Thr His Trp Ile Gln Glu Gly Glu Glu Gly Arg Pro
 145 150 155 160
 Lys Asp Asp Arg His Leu Arg Gly Cys Gly Tyr Leu Pro Gly Cys Pro
 165 170 175
 Gly Ser Asn Gly Phe His Asn Asn Asp Thr Phe His Phe Leu Lys Cys
 180 185 190
 Cys Asn Thr Thr Lys Cys Asn Glu Gly Pro Ile Leu Glu Leu Glu Asn
 195 200 205
 Leu Pro Gln Asn Gly Arg Gln Cys Tyr Ser Cys Lys Gly Asn Ser Thr
 210 215 220
 His Gly Cys Ser Ser Glu Glu Thr Phe Leu Ile Asp Cys Arg Gly Pro
 225 230 235 240
 Met Asn Gln Cys Leu Val Ala Thr Gly Thr His Glu Pro Lys Asn Gln
 245 250 255
 Ser Tyr Met Val Arg Gly Cys Ala Thr Ala Ser Met Cys Gln His Ala
 260 265 270
 His Leu Gly Asp Ala Phe Ser Met Asn His Ile Asp Val Ser Cys Cys
 275 280 285
 Thr Lys Ser Gly Cys Asn His Pro Asp Leu Asp Val Gln Tyr Arg Ser
 290 295 300
 Gly Ala Ala Pro Gln Pro Gly Pro Ala His Leu Ser Leu Thr Ile Thr
 305 310 315 320
 Leu Leu Met Thr Ala Arg Leu Trp Gly Gly Thr Leu Leu Trp Thr
 325 330 335

<210> SEQ ID NO 44

<211> LENGTH: 1548

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 44

```

cagggcgcag ccagccctt caccaccagc cggccgcgcc ccgggaaggg aagtttgtgg    60
cggaggaggt tcgtacggga ggagggggag gcgccacgc atctggggct gactcgctct    120
ttcgcaaaac gtctgggagg agtccctggg gccacaaaac tgctccttc ctgaggccag    180
aaggagagaa gacgtgcagg gaccccgcc acaggagctg cctcgcgcac atgggtcacc    240
cgccgtgctg gccgtgctg ctgtgctcc acacctgctg ccagcctct tggggcctgc    300
ggtgcatgca gtgtaagacc aacggggatt gccgtgtgga agagtgcgcc ctgggacagg    360
acctctgcag gaccacgatc gtgcgcttgt gggaagaagg agaagagctg gagctggtgg    420
agaaaagctg taccactca gagaagacca acaggaccct gagctatcgg actggcttga    480
agatcaccag ccttacccag gttgtgtgtg ggtagactt gtgcaaccag ggcaactctg    540
gccgggctgt cactattcc cgaagccgtt acctcgaatg catttcctgt ggctcatcag    600
acatgagctg tgagaggggc cggcaccaga gcctgcagtg ccgcagccct gaagaacagt    660
gcctggatgt ggtgaccac tggatccagg aaggtgaaga agggcgtcca aaggatgacc    720
gccacctccg tggtgtggc taccttccc gctgcccggg ctccaatggt ttccacaaca    780
acgacacctt ccacttctg aatgctgca acaccacaa atgcaacgag ggcccaatcc    840

```

-continued

```

tggagcttga aaatctgccg cagaatggcc gccagtgtta cagctgcaag gggaacagca    900
cccatggatg ctectctgaa gagactttcc tcattgactg cagaggcccc atgaatcaat    960
gtctggttagc caccggcact cacgaaccga aaaaccaaag ctatatggta agaggctgtg   1020
caaccgcctc aatgtgccaa catgccacc tgggtgacgc cttcagcatg aaccacattg   1080
atgtctcctg ctgtactaaa agtgggtgtg accaccacaga cctggatgtc cagtaccgca   1140
gtggggctgc tcctcagcct ggccctgccc atctcagcct caccatcacc ctgctaataa   1200
ctgccagact gtggggaggc actctcctct ggacctaaac ctgaaatccc cctctctgcc   1260
ctggctggat ccgggggacc cctttgccct tcctcgggt cccagcccta cagacttgtc   1320
gtgtgacctc aggccagtgt gccgacctct ctgggcctca gttttcccag ctatgaaaac   1380
agctatctca caaagttgtg tgaagcagaa gagaaaagct ggaggaaggc cgtgggccaa   1440
tgggagagct ctgtttatta ttaatatgt tgccgtgtt gtgtgtgtt tattaattaa   1500
tattcatatt atttatttta tacttacata aagattttgt accagtgg                1548

```

<210> SEQ ID NO 45

<211> LENGTH: 281

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 45

```

Met Gly His Pro Pro Leu Leu Pro Leu Leu Leu Leu His Thr Cys
1          5          10          15

Val Pro Ala Ser Trp Gly Leu Arg Cys Met Gln Cys Lys Thr Asn Gly
          20          25          30

Asp Cys Arg Val Glu Glu Cys Ala Leu Gly Gln Asp Leu Cys Arg Thr
          35          40          45

Thr Ile Val Arg Leu Trp Glu Glu Gly Glu Glu Leu Glu Leu Val Glu
          50          55          60

Lys Ser Cys Thr His Ser Glu Lys Thr Asn Arg Thr Leu Ser Tyr Arg
          65          70          75          80

Thr Gly Leu Lys Ile Thr Ser Leu Thr Glu Val Val Cys Gly Leu Asp
          85          90          95

Leu Cys Asn Gln Gly Asn Ser Gly Arg Ala Val Thr Tyr Ser Arg Ser
          100          105          110

Arg Tyr Leu Glu Cys Ile Ser Cys Gly Ser Ser Asp Met Ser Cys Glu
          115          120          125

Arg Gly Arg His Gln Ser Leu Gln Cys Arg Ser Pro Glu Glu Gln Cys
          130          135          140

Leu Asp Val Val Thr His Trp Ile Gln Glu Gly Glu Glu Gly Arg Pro
          145          150          155          160

Lys Asp Asp Arg His Leu Arg Gly Cys Gly Tyr Leu Pro Gly Cys Pro
          165          170          175

Gly Ser Asn Gly Phe His Asn Asn Asp Thr Phe His Phe Leu Lys Cys
          180          185          190

Cys Asn Thr Thr Lys Cys Asn Glu Gly Pro Ile Leu Glu Leu Glu Asn
          195          200          205

Leu Pro Gln Asn Gly Arg Gln Cys Tyr Ser Cys Lys Gly Asn Ser Thr
          210          215          220

His Gly Cys Ser Ser Glu Glu Thr Phe Leu Ile Asp Cys Arg Gly Pro
          225          230          235          240

```

-continued

Met	Asn	Gln	Cys	Leu	Val	Ala	Thr	Gly	Thr	His	Glu	Arg	Ser	Leu	Trp
			245					250						255	
Gly	Ser	Trp	Leu	Pro	Cys	Lys	Ser	Thr	Thr	Ala	Leu	Arg	Pro	Pro	Cys
			260					265					270		
Cys	Glu	Glu	Ala	Gln	Ala	Thr	His	Val							
			275					280							

<210> SEQ ID NO 46
 <211> LENGTH: 1437
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 46

```

caggggccgag ccagcccctt caccaccagc cggccgcgcc ccgggaaggg aagtttgtgg      60
cggaggaggt tcgtacggga ggagggggag gcgccacgc atctggggt gactcgtct      120
ttcgaaaac gtctgggagg agtccctggg gccacaaaac tgcctcctt ctgaggccag      180
aaggagagaa gacgtgcagg gaccccgcc acaggagctg cctcgcgac atgggtcacc      240
cgccgtgtgt gccgtgtgt ctgtgtctcc acacctgctg ccagcctct tggggcctgc      300
gggtcatgca gtgaagacc aacggggatt gccgtgtgga agagtgcgcc ctgggacagg      360
acctctgcag gaccacgatc gtgcgcttgt gggaagaagg agaagagctg gagctggtgg      420
agaaaagctg taccactca gagaagacca acaggaccct gagctatcgg actggcttga      480
agatcaccag ccttaccgag gttgtgtgtg ggtagactt gtgcaaccag ggcaactctg      540
gccgggtgt cactatttcc cgaagccgtt acctcgaatg catttctgt ggctcatcag      600
acatgagctg tgagaggggc cggcaccaga gcctgcagtg ccgcagccct gaagaacagt      660
gcctggatgt ggtgaccac tggatccagg aaggtgaaga agggcgctcca aaggatgacc      720
gccacctccg tggtgtggc taccttccc gctgccggg ctccaatggt ttccacaaca      780
acgacacctt ccacttctgt aaatgctgca acaccaccaa atgcaacgag ggccaatcc      840
tggagcttga aaatctgcc cagaatggcc gccagtgtta cagctgcaag ggaacagca      900
cccattgatg ctctctgaa gagactttcc tcattgactg ccgaggcccc atgaatcaat      960
gtctggtagc caccggcact cactgaacgt cactctgggg aagctggttg ccatgtaaaa     1020
gtactactgc cctgagacca ccatgctgtg aggaagccca agctactcat gtataaatgc     1080
catgtggaga tagagcccca gatgtttcag ccatctcagc ccaggacca gacaagtggg     1140
tgaagaagcc accttggaca tgtagcccca gcagatgtga tatagagaag aacaggaaa     1200
cttggtata ttagtttct agggctgcct gtgataaatt attacaaact ttataaacta     1260
acacattgtg tgccatatat aaaacatcat ggaaggacag gcacagtggc tcatgcctgt     1320
agtcctagca ctttgggagg gtgagaaaagg aagatctctt gagctcagga gttcaagatc     1380
agcctgggca acacagtgag acctcatctc cactaaaaat aaaaaaaaaat tggctgg      1437

```

<210> SEQ ID NO 47
 <211> LENGTH: 290
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 47

Met	Gly	His	Pro	Pro	Leu	Leu	Pro	Leu	Leu	Leu	Leu	His	Thr	Cys
1					5				10				15	

-continued

Val	Pro	Ala	Ser	Trp	Gly	Leu	Arg	Cys	Met	Gln	Cys	Lys	Thr	Asn	Gly
20															
Asp	Cys	Arg	Val	Glu	Glu	Cys	Ala	Leu	Gly	Gln	Asp	Leu	Cys	Arg	Thr
35															
Thr	Ile	Val	Arg	Leu	Trp	Glu	Glu	Gly	Glu	Glu	Leu	Glu	Leu	Val	Glu
50															
Lys	Ser	Cys	Thr	His	Ser	Glu	Lys	Thr	Asn	Arg	Thr	Leu	Ser	Tyr	Arg
65															
Thr	Gly	Leu	Lys	Ile	Thr	Ser	Leu	Thr	Glu	Val	Val	Cys	Gly	Leu	Asp
85															
Leu	Cys	Asn	Gln	Gly	Asn	Ser	Gly	Arg	Ala	Val	Thr	Tyr	Ser	Arg	Ser
100															
Arg	Tyr	Leu	Glu	Cys	Ile	Ser	Cys	Gly	Ser	Ser	Asp	Met	Ser	Cys	Glu
115															
Arg	Gly	Arg	His	Gln	Ser	Leu	Gln	Cys	Arg	Ser	Pro	Glu	Glu	Gln	Cys
130															
Leu	Asp	Val	Val	Thr	His	Trp	Ile	Gln	Glu	Gly	Glu	Glu	Val	Leu	Glu
145															
Leu	Glu	Asn	Leu	Pro	Gln	Asn	Gly	Arg	Gln	Cys	Tyr	Ser	Cys	Lys	Gly
165															
Asn	Ser	Thr	His	Gly	Cys	Ser	Ser	Glu	Glu	Thr	Phe	Leu	Ile	Asp	Cys
180															
Arg	Gly	Pro	Met	Asn	Gln	Cys	Leu	Val	Ala	Thr	Gly	Thr	His	Glu	Pro
195															
Lys	Asn	Gln	Ser	Tyr	Met	Val	Arg	Gly	Cys	Ala	Thr	Ala	Ser	Met	Cys
210															
Gln	His	Ala	His	Leu	Gly	Asp	Ala	Phe	Ser	Met	Asn	His	Ile	Asp	Val
225															
Ser	Cys	Cys	Thr	Lys	Ser	Gly	Cys	Asn	His	Pro	Asp	Leu	Asp	Val	Gln
245															
Tyr	Arg	Ser	Gly	Ala	Ala	Pro	Gln	Pro	Gly	Pro	Ala	His	Leu	Ser	Leu
260															
Thr	Ile	Thr	Leu	Leu	Met	Thr	Ala	Arg	Leu	Trp	Gly	Gly	Thr	Leu	Leu
275															
Trp	Thr														
290															

```
<210> SEQ ID NO 48
<211> LENGTH: 1360
<212> TYPE: DNA
<213> ORGANISM: Homo sapiens
```

<400> SEQUENCE: 48

cagggccgag ccagccctt caccaccagc cggccgcgcc ccgggaaggg aagtttgtgg	60
cggaggaggt tcgtacggga ggagggggag gcgccccagc atctggggct gactcgtct	120
ttcgaaaaac gtctgggagg agtccttggg gccacaaaac tgctctcttc ctgaggccag	180
aaggagagaa gacgtgcagg gaccccgccg acaggagctg cctctcgac atgggtcacc	240
cgcgctgct gccgctgctg ctgctgctcc acacctgcgt ccagacctct tggggcctgc	300
ggtgcatgca gtgtaagacc aacggggatt gccgttgga agagtgcgc ctgggacagg	360
acctctgcag gaccacgac gtgcgcttgt ggaagaagg agaagagctg gagctggtgg	420

-continued

```

agaaaagctg taccactca gagaagacca acaggaccct gagctatcgg actggcttga 480
agatcaccag ccttaccgag gttgtgtgtg ggtagactt gtgcaaccag ggcaactctg 540
gccgggctgt cacctattcc cgaagccgtt acctcgaatg catttcctgt ggctcatcag 600
acatgagctg tgagaggggc cggcaccaga gcctgcagtg ccgcagccct gaagaacagt 660
gcctggatgt ggtgaccac tggtaccagg aaggtgaaga agtcctggag cttgaaaatc 720
tgccgcagaa tggccgccag tggtacagct gcaaggggaa cagcaccat ggatgctcct 780
ctgaagagac ttctctcatt gactgccgag gcccacatgaa tcaatgtctg gtagccaccg 840
gcactcacga accgaaaaac caaagctata tggtagagg ctgtgcaacc gcctcaatgt 900
gccacatgc ccacctgggt gacgccttca gcataacca cattgatgtc tctgtctgta 960
ctaaaagtgg ctgtaaccac ccagacctgg atgtccagta ccgcagtggg gctgctctc 1020
agcctggccc tgcccatctc agcctcacca tcacctgct aatgactgcc agactgtggg 1080
gaggcactct cctctggacc taaacctgaa atccccctct ctgccctggc tggatccggg 1140
ggaccccttt gcccttcctt cggctcccag ccctacagac ttgtgtgtg acctcaggcc 1200
agtgtgccga cctctctggg cctcagtttt ccagctatg aaaacagcta tctcacaag 1260
ttgtgtgaag cagaagagaa aagctggagg aaggccgtgg gccaatggga gagctcttgt 1320
tattattaat attgttgccg ctgtgtgtgt gttgttatta 1360

```

<210> SEQ ID NO 49

<211> LENGTH: 243

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 49

```

Met Arg Pro Gln Gly Pro Ala Ala Ser Pro Gln Arg Leu Arg Gly Leu
1          5          10          15

Leu Leu Leu Leu Leu Leu Gln Leu Pro Ala Pro Ser Ser Ala Ser Glu
20          25          30

Ile Pro Lys Gly Lys Gln Lys Ala Gln Leu Arg Gln Arg Glu Val Val
35          40          45

Asp Leu Tyr Asn Gly Met Cys Leu Gln Gly Pro Ala Gly Val Pro Gly
50          55          60

Arg Asp Gly Ser Pro Gly Ala Asn Gly Ile Pro Gly Thr Pro Gly Ile
65          70          75          80

Pro Gly Arg Asp Gly Phe Lys Gly Glu Lys Gly Glu Cys Leu Arg Glu
85          90          95

Ser Phe Glu Glu Ser Trp Thr Pro Asn Tyr Lys Gln Cys Ser Trp Ser
100         105         110

Ser Leu Asn Tyr Gly Ile Asp Leu Gly Lys Ile Ala Glu Cys Thr Phe
115         120         125

Thr Lys Met Arg Ser Asn Ser Ala Leu Arg Val Leu Phe Ser Gly Ser
130         135         140

Leu Arg Leu Lys Cys Arg Asn Ala Cys Cys Gln Arg Trp Tyr Phe Thr
145         150         155         160

Phe Asn Gly Ala Glu Cys Ser Gly Pro Leu Pro Ile Glu Ala Ile Ile
165         170         175

Tyr Leu Asp Gln Gly Ser Pro Glu Met Asn Ser Thr Ile Asn Ile His
180         185         190

```

-continued

Arg Thr Ser Ser Val Glu Gly Leu Cys Glu Gly Ile Gly Ala Gly Leu
195 200 205

Val Asp Val Ala Ile Trp Val Gly Thr Cys Ser Asp Tyr Pro Lys Gly
210 215 220

Asp Ala Ser Thr Gly Trp Asn Ser Val Ser Arg Ile Ile Ile Glu Glu
225 230 235 240

Leu Pro Lys

<210> SEQ ID NO 50

<211> LENGTH: 1236

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 50

```

ctgcggcggc ctcggagcgc ggcggagcca gacgctgacc acgttcctct cctcgggtctc   60
ctccgcctcc agctccgcgc tgcccggcag ccgggagcca tgcgaccca gggccccgcgc   120
gcctccccgc agcggctccg cggcctcctg ctgctcctgc tgetgcagct gcccgcgccg   180
tcgagcgcct ctgagatccc caaggggaag caaaaggcgc agtccggca gagggagggtg   240
gtggacctgt ataatggaat gtgcttaca gggccagcag gagtgcctgg tcgagacggg   300
agccctgggg ccaatggcat tccgggtaca cctgggatcc caggtcggga tggattcaaa   360
ggagaaaagg gggaatgtct gagggaaagc tttgaggagt cctggacacc caactacaag   420
cagtgttcat ggagttcatt gaattatggc atagatcttg gaaaaattgc ggagtgtaca   480
tttacaaga tgcgttcaaa tagtgctcta agagttttgt tcagtggctc acttcggcta   540
aatgcagaa atgcatgctg tcagcgttgg tatttcacat tcaatggagc tgaatgttca   600
ggacctcttc ccattgaagc tataatttat ttggaccaag gaagccctga aatgaattca   660
acaattaata ttcacgcac ttcttctgtg gaaggacttt gtgaaggaat tgggtgctgga   720
ttagtgatg ttgctatctg ggttggcact tgttcagatt acccaaaagg agatgcttct   780
actggatgga attcagtttc tcgcatcatt attgaagaac taccaaaata aatgctttaa   840
ttttcatttg ctacctcttt ttttattatg ccttggaatg gttcacttaa atgacatttt   900
aaataagttt atgtatacat ctgaatgaaa agcaaagcta aatatgttta cagaccaaag   960
tgtgatttca cactgttttt aaatctagca ttattcattt tgcttcaatc aaaagtgggt  1020
tcaatatttt ttttagttgg ttagaatact ttcttcatag tcacattctc tcaacctata  1080
atttgaata ttgttgggt cttttgtttt ttctcttagt atagcatttt taataaaata  1140
taaaagctac caatctttgt acaatttgta aatgttaaga atttttttta tatctgttaa  1200
ataaaaatta tttccaacaa aaaaaaaaaa aaaaaa  1236

```

<210> SEQ ID NO 51

<211> LENGTH: 366

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 51

Met Val Leu His Leu Leu Leu Phe Leu Leu Leu Thr Pro Gln Gly Gly
1 5 10 15

His Ser Cys Gln Gly Leu Glu Leu Ala Arg Glu Leu Val Leu Ala Lys
20 25 30

-continued

Val	Arg	Ala	Leu	Phe	Leu	Asp	Ala	Leu	Gly	Pro	Pro	Ala	Val	Thr	Arg	
	35						40					45				
Glu	Gly	Gly	Asp	Pro	Gly	Val	Arg	Arg	Leu	Pro	Arg	Arg	His	Ala	Leu	
	50					55				60						
Gly	Gly	Phe	Thr	His	Arg	Gly	Ser	Glu	Pro	Glu	Glu	Glu	Glu	Asp	Val	
	65				70				75					80		
Ser	Gln	Ala	Ile	Leu	Phe	Pro	Ala	Thr	Asp	Ala	Ser	Cys	Glu	Asp	Lys	
			85						90					95		
Ser	Ala	Ala	Arg	Gly	Leu	Ala	Gln	Glu	Ala	Glu	Glu	Gly	Leu	Phe	Arg	
			100					105					110			
Tyr	Met	Phe	Arg	Pro	Ser	Gln	His	Thr	Arg	Ser	Arg	Gln	Val	Thr	Ser	
		115				120						125				
Ala	Gln	Leu	Trp	Phe	His	Thr	Gly	Leu	Asp	Arg	Gln	Gly	Thr	Ala	Ala	
		130				135					140					
Ser	Asn	Ser	Ser	Glu	Pro	Leu	Leu	Gly	Leu	Ala	Leu	Ser	Pro	Gly		
	145				150				155					160		
Gly	Pro	Val	Ala	Val	Pro	Met	Ser	Leu	Gly	His	Ala	Pro	Pro	His	Trp	
			165						170					175		
Ala	Val	Leu	His	Leu	Ala	Thr	Ser	Ala	Leu	Ser	Leu	Leu	Thr	His	Pro	
			180					185					190			
Val	Leu	Val	Leu	Leu	Leu	Arg	Cys	Pro	Leu	Cys	Thr	Cys	Ser	Ala	Arg	
		195				200						205				
Pro	Glu	Ala	Thr	Pro	Phe	Leu	Val	Ala	His	Thr	Arg	Thr	Arg	Pro	Pro	
	210					215					220					
Ser	Gly	Gly	Glu	Arg	Ala	Arg	Arg	Ser	Thr	Pro	Leu	Met	Ser	Trp	Pro	
	225				230					235				240		
Trp	Ser	Pro	Ser	Ala	Leu	Arg	Leu	Leu	Gln	Arg	Pro	Pro	Glu	Glu	Pro	
			245						250					255		
Ala	Ala	His	Ala	Asn	Cys	His	Arg	Val	Ala	Leu	Asn	Ile	Ser	Phe	Gln	
			260					265					270			
Glu	Leu	Gly	Trp	Glu	Arg	Trp	Ile	Val	Tyr	Pro	Pro	Ser	Phe	Ile	Phe	
		275				280						285				
His	Tyr	Cys	His	Gly	Gly	Cys	Gly	Leu	His	Ile	Pro	Pro	Asn	Leu	Ser	
	290					295					300					
Leu	Pro	Val	Pro	Gly	Ala	Pro	Pro	Thr	Pro	Ala	Gln	Pro	Tyr	Ser	Leu	
	305				310					315					320	
Leu	Pro	Gly	Ala	Gln	Pro	Cys	Cys	Ala	Ala	Leu	Pro	Gly	Thr	Met	Arg	
			325					330						335		
Pro	Leu	His	Val	Arg	Thr	Thr	Ser	Asp	Gly	Gly	Tyr	Ser	Phe	Lys	Tyr	
			340					345					350			
Glu	Thr	Val	Pro	Asn	Leu	Leu	Thr	Gln	His	Cys	Ala	Cys	Ile			
		355					360					365				

<210> SEQ ID NO 52

<211> LENGTH: 1424

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 52

gaaggactgg ggaagactgg atgagaaggg tagaagaggg tgggtgtggg atggggaggg 60

gagagtggaa aggccctggg cagaccctgg cagaaggggc acggggcagg gtgtgagttc 120

cccactagca gggccaggtg agctatgggt ctgcacctac tgctcttctt gctgctgacc 180

-continued

```

ccacaggggtg ggcacagctg ccaggggctg gagctggccc gggaacttgt tctggccaag   240
gtgagggccc tgttcttgga tgccttgggg ccccccgcgg tgaccaggga aggtggggac   300
cctggagtca ggcggctgcc ccgaagacat gccctggggg gcttcacaca caggggctct   360
gagcccaggg aagaggagga tgtctccaa gccatccttt tcccagccac agatgccagc   420
tgtgaggaca agtcagctgc cagagggctg gcccaggagg ctgaggaggg cctcttcaga   480
tacatgttcc ggccatccca gcatacacgc agccgccagg tgacttcagc ccagctgtgg   540
ttccacaccg ggctggacag gcagggcaca gcagcctcca atagctctga gccctgcta   600
ggcctgtgtg cactgtcacc gggaggaccc gtggctgtgc ccatgtcttt gggccatgct   660
ccccctcact gggcgtgct gcacctgggc acctctgctc tctctctgct gacccacccc   720
gtcctggtgc tgetgtgctg ctgtccctc tgtacctgct cagcccgccc tgaggccacg   780
cccttctctg tggccacac tcggaccaga ccaccagtg gaggggagag agcccgacgc   840
tcaactcccc tgatgtcctg gccttggtct ccctctgctc tgcgctgct gcagaggcct   900
ccggaggaac cggtgcccc tgccaactgc cacagagtag cactgaacat ctcttccag   960
gagctgggct gggaacggtg gatcgtgtac cctccagtt tcatcttcca ctactgtcat  1020
ggtggttggt ggctgcacat cccacaaac ctgtccctc cagtccctgg ggtcccccct  1080
acccagccc agccctactc cttgctgcca ggggccacg cctgctgtgc tgctctccca  1140
gggaccatga ggccctaca tgtccgcacc acctcggatg gaggttactc tttcaagtat  1200
gagacagtgc ccaaccttct caccgcagcac tgtgcttgta tctaagggtg gggggtcttc  1260
cttcttaatc ccatggctgg tggccacgc cccaccatca tcagctggga ggaaggcag  1320
agttgggaaa tagatggctc ccaactctcc ctctttcac ttctctgcct atgggctacc  1380
ctccccaccc cacttctatc tcaataaaga acacagtgca tatg                    1424

```

<210> SEQ ID NO 53

<211> LENGTH: 407

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 53

```

Met Asp Gly Leu Pro Gly Arg Ala Leu Gly Ala Ala Cys Leu Leu Leu
1           5           10           15

Leu Ala Ala Gly Trp Leu Gly Pro Glu Ala Trp Gly Ser Pro Thr Pro
20           25           30

Pro Pro Thr Pro Ala Ala Pro Pro Pro Pro Pro Pro Gly Ala Pro
35           40           45

Gly Gly Ser Gln Asp Thr Cys Thr Ser Cys Gly Gly Phe Arg Arg Pro
50           55           60

Glu Glu Leu Gly Arg Val Asp Gly Asp Phe Leu Glu Ala Val Lys Arg
65           70           75           80

His Ile Leu Ser Arg Leu Gln Met Arg Gly Arg Pro Asn Ile Thr His
85           90           95

Ala Val Pro Lys Ala Ala Met Val Thr Ala Leu Arg Lys Leu His Ala
100          105          110

Gly Lys Val Arg Glu Asp Gly Arg Val Glu Ile Pro His Leu Asp Gly
115          120          125

His Ala Ser Pro Gly Ala Asp Gly Gln Glu Arg Val Ser Glu Ile Ile

```

-continued

130	135	140
Ser Phe Ala Glu Thr Asp Gly Leu Ala Ser Ser Arg Val Arg Leu Tyr 145 150 155 160		
Phe Phe Ile Ser Asn Glu Gly Asn Gln Asn Leu Phe Val Val Gln Ala 165 170 175		
Ser Leu Trp Leu Tyr Leu Lys Leu Leu Pro Tyr Val Leu Glu Lys Gly 180 185 190		
Ser Arg Arg Lys Val Arg Val Lys Val Tyr Phe Gln Glu Gln Gly His 195 200 205		
Gly Asp Arg Trp Asn Met Val Glu Lys Arg Val Asp Leu Lys Arg Ser 210 215 220		
Gly Trp His Thr Phe Pro Leu Thr Glu Ala Ile Gln Ala Leu Phe Glu 225 230 235 240		
Arg Gly Glu Arg Arg Leu Asn Leu Asp Val Gln Cys Asp Ser Cys Gln 245 250 255		
Glu Leu Ala Val Val Pro Val Phe Val Asp Pro Gly Glu Glu Ser His 260 265 270		
Arg Pro Phe Val Val Val Gln Ala Arg Leu Gly Asp Ser Arg His Arg 275 280 285		
Ile Arg Lys Arg Gly Leu Glu Cys Asp Gly Arg Thr Asn Leu Cys Cys 290 295 300		
Arg Gln Gln Phe Phe Ile Asp Phe Arg Leu Ile Gly Trp Asn Asp Trp 305 310 315 320		
Ile Ile Ala Pro Thr Gly Tyr Tyr Gly Asn Tyr Cys Glu Gly Ser Cys 325 330 335		
Pro Ala Tyr Leu Ala Gly Val Pro Gly Ser Ala Ser Ser Phe His Thr 340 345 350		
Ala Val Val Asn Gln Tyr Arg Met Arg Gly Leu Asn Pro Gly Thr Val 355 360 365		
Asn Ser Cys Cys Ile Pro Thr Lys Leu Ser Thr Met Ser Met Leu Tyr 370 375 380		
Phe Asp Asp Glu Tyr Asn Ile Val Lys Arg Asp Val Pro Asn Met Ile 385 390 395 400		
Val Glu Glu Cys Gly Cys Ala 405		

<210> SEQ ID NO 54

<211> LENGTH: 3516

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 54

```

ggatcctgga gacaactttg ccgtgtgacg cgccgggagg actgcagggc ccgcggccga      60
gggctcggcg ccgcctgtga gcgggcccgc gcggccggct ctcccgggca ccaagcttgc      120
tccgcgccac tgcccgcggg cccgcggcga ggacgacctg cccgtctccg ccgcggcgcg      180
cccttctctg cgcgaggcag tgagggcgag gcgctcaggt gcgagcgcgg ggccccgcgg      240
cagcgcccgc cgcagcgccg cgccaagccg cgcccggctc cgctccgggg ggctccagcg      300
ccttcgcttc cgtctcagcc aagttgcgtg gacccgctct ttcgccacct tccccagccg      360
ccggccgaac cgccgctccc actgacgctg ctttcgcttc acccgaaccg gggctgcggg      420
gcccccgacg cggaaggat ggggagaagg ctgcagatgc cgaggcgccc cgagacgccc      480

```

-continued

gtgcggcagt gaccccgac ctcgccccg cccggcgcg cctcggggc cccggggccc	540
tcggcgcccc ttccctgccg cgcgggaacc cccgaggccc ggccggcccc ctcctccctgc	600
gagccggcgg cagccctccc ggccgggggg cggcgaggagg cccggggcgg cgcggggcgcg	660
ggcggggggc gggcgggggc gcgcgcggc agcccgagg cggccctgc gctcggctcg	720
actcggctcg cctcggcg ggccgctcg tcgccaggcg cgcacctgg acgggctgcc	780
cggtcggggc ctggggggcg cctgccttct gctgctggcg gccggctggc tggggcctga	840
ggcctggggc taccaccgc ccccgccgac gcctgcggc cggccggcac ccccgccacc	900
cggagccccg ggtggctcgc aggacacctg tacgtcgtgc ggccgcttc ggccggccaga	960
ggagctcggc cgagtggacg gcgacttct ggaggcggc aagcggcaca tcttgagccg	1020
cctgcagatg cggggcgcg ccaacatcac gcacgcccgt cctaaggccg ccatggtcac	1080
ggccctgcgc aagctgcacg cgggcaaggc gcgcgaggc ggccgctgg agatcccgca	1140
cctcgacggc cagccagcc cggcgccga cggccaggc cgcgtttccg aaatcatcag	1200
cttcgcccag acagatggcc tcgcctctc cgggtccgc ctatacttct tcatctccaa	1260
cgaaggcaac cagaacctgt ttgtggtcca ggccagcctg tggctttacc tgaactcct	1320
gccctacgtc ctggagaagg gcagccggc gaaggcgcg gtcaaagtgt acttccagga	1380
gcaggggcac ggtgacaggt ggaacatggt ggagaagagg gtggacctca agcgcagcgg	1440
ctggcatacc ttcactca cggaggccat ccaggcctt tttgagcgg gcgagcggcg	1500
actcaacctc gacgtgcagt gtgacagctg ccaggagctg gccgtggtgc cgggtttcgt	1560
ggaccaggc gaagagtcgc accgacctt tgtggtggtg caggctcggc tgggcgacag	1620
caggcaccgc attcgcaagc gaggcctgga gtgcgatggc cggaccaacc tctgttgag	1680
gcaacagttc ttcattgact tccgcctcat cggctggaac gactggatca tagcaccac	1740
cggctactac ggcaactact gtgaggcag ctgccagcc tacctggcag gggtecccg	1800
ctctgcctcc tcttccaca cggctgtggt gaaccagtac cgcagcggg gtctgaacct	1860
cggcacggc aactcctgt gcattcccac caagtgagc accatgtcca tctgtactt	1920
cgatgatgag tacaacatcg tcaagcggga cgtgcccac atgattgtgg aggagtgcg	1980
ctgcgcctga cagtgaagg caggggcacg gtggtggggc acggagggca gtcccggtg	2040
ggcttcttcc agccccccg gggaacggg tacacgggtg gctgagtaca gtcattctgt	2100
tgggctgtg agatagtgc agggcgccg ctgagatatt tttctacag ttcatagagc	2160
aaccagtcac aaccagagc agaaccctc actgacatga aatactttaa aatgcacag	2220
tagccacgca cagccagac catcctgcca cccacacag agcctccagg ataccagca	2280
atggatgcgg tgacaaatg cagcttagct acaaatgcct gtcagtcgga gagaatggg	2340
tgagcagcca ccattccacc agctggccc gccacgtct gaagttgcg cttcccgagc	2400
acacataaaa gcacaaagc agagacgcag agagagagag agagccacgg agaggaaaag	2460
cagatgcagg ggtggggagc gcagctcggc ggaggctcg tgtgccccg ggtttttacc	2520
aggcctgctc tgctggctc gatgtctgt ttttccagc ctgggacctc tctgtctca	2580
aggcctggg agcctgtct tccatgcct tgtcgaggga aagagacca gaaaggacac	2640
aaccctcag agacctggg gcaggggcaa tgaccgttg actgtttgt gcttgggcct	2700
ctgacatgac ttatgtgtg gtgtgtttt ggggtgggga gggagggaga gaagagggg	2760

-continued

```

ctaaatttga tgccttaact gatctccaac agttgacagg tcataccttgc cagttgtata 2820
actgaaaaag gacttttcta ccaggatatga ccttttaagt gaaaatctga attgttctaa 2880
atggaaagaa aaaaagttgc aatctgtgac cttcattggg gacattcctc taggactggg 2940
ttggggacgg gtgggaatga cccctaggca aggggatgag accgcaggag gaaatggcgg 3000
ggaggtggca ttcttgaact gctgaggatg gggggtgtcc cctcagcgga ggccaaggga 3060
ggggagcagc ctagtgtgtc ttggagagat ggggaaggct ttcagctgat ttgcagaagt 3120
tgcccatgtg ggcccaacca tcagggtctg ccgtggacgt ggccctgcc cactcacctg 3180
ccgcctgcc cgcccgcccg catagcactt gcagacctgc ctgaacgcac atgacatagc 3240
acttgccgat ctgcgtgtgc ccagaagtgg cccttggccg agcgccgaac tcgctcgccc 3300
tctagatgtc caagtgccac gtgaactatg caatttaaag gggtgacca cactagacga 3360
aactggactc gtacgactct tttatatatt tttatacttg aaatgaaatc ctttgcttct 3420
tttttaagcg aatgattgct tttaatgttt gcactgattt agttgcatga ttagtcagaa 3480
actgccattt gaaaaaaaaa ttatttttat agcagc 3516

```

<210> SEQ ID NO 55

<211> LENGTH: 426

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 55

```

Met Pro Leu Leu Trp Leu Arg Gly Phe Leu Leu Ala Ser Cys Trp Ile
1           5           10          15
Ile Val Arg Ser Ser Pro Thr Pro Gly Ser Glu Gly His Ser Ala Ala
20          25          30
Pro Asp Cys Pro Ser Cys Ala Leu Ala Ala Leu Pro Lys Asp Val Pro
35          40          45
Asn Ser Gln Pro Glu Met Val Glu Ala Val Lys Lys His Ile Leu Asn
50          55          60
Met Leu His Leu Lys Lys Arg Pro Asp Val Thr Gln Pro Val Pro Lys
65          70          75          80
Ala Ala Leu Leu Asn Ala Ile Arg Lys Leu His Val Gly Lys Val Gly
85          90          95
Glu Asn Gly Tyr Val Glu Ile Glu Asp Asp Ile Gly Arg Arg Ala Glu
100         105         110
Met Asn Glu Leu Met Glu Gln Thr Ser Glu Ile Ile Thr Phe Ala Glu
115         120         125
Ser Gly Thr Ala Arg Lys Thr Leu His Phe Glu Ile Ser Lys Glu Gly
130         135         140
Ser Asp Leu Ser Val Val Glu Arg Ala Glu Val Trp Leu Phe Leu Lys
145         150         155         160
Val Pro Lys Ala Asn Arg Thr Arg Thr Lys Val Thr Ile Arg Leu Phe
165         170         175
Gln Gln Gln Lys His Pro Gln Gly Ser Leu Asp Thr Gly Glu Glu Ala
180         185         190
Glu Glu Val Gly Leu Lys Gly Glu Arg Ser Glu Leu Leu Leu Ser Glu
195         200         205
Lys Val Val Asp Ala Arg Lys Ser Thr Trp His Val Phe Pro Val Ser
210         215         220

```

-continued

Ser Ser Ile Gln Arg Leu Leu Asp Gln Gly Lys Ser Ser Leu Asp Val
 225 230 235 240
 Arg Ile Ala Cys Glu Gln Cys Gln Glu Ser Gly Ala Ser Leu Val Leu
 245 250 255
 Leu Gly Lys Lys Lys Lys Lys Glu Glu Glu Gly Glu Gly Lys Lys Lys
 260 265 270
 Gly Gly Gly Glu Gly Gly Ala Gly Ala Asp Glu Glu Lys Glu Gln Ser
 275 280 285
 His Arg Pro Phe Leu Met Leu Gln Ala Arg Gln Ser Glu Asp His Pro
 290 295 300
 His Arg Arg Arg Arg Arg Gly Leu Glu Cys Asp Gly Lys Val Asn Ile
 305 310 315 320
 Cys Cys Lys Lys Gln Phe Phe Val Ser Phe Lys Asp Ile Gly Trp Asn
 325 330 335
 Asp Trp Ile Ile Ala Pro Ser Gly Tyr His Ala Asn Tyr Cys Glu Gly
 340 345 350
 Glu Cys Pro Ser His Ile Ala Gly Thr Ser Gly Ser Ser Leu Ser Phe
 355 360 365
 His Ser Thr Val Ile Asn His Tyr Arg Met Arg Gly His Ser Pro Phe
 370 375 380
 Ala Asn Leu Lys Ser Cys Cys Val Pro Thr Lys Leu Arg Pro Met Ser
 385 390 395 400
 Met Leu Tyr Tyr Asp Asp Gly Gln Asn Ile Ile Lys Lys Asp Ile Gln
 405 410 415
 Asn Met Ile Val Glu Glu Cys Gly Cys Ser
 420 425

<210> SEQ ID NO 56

<211> LENGTH: 2175

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 56

```

agtacagtat aaaacttcac agtgccaata ccatgaagag gagctcagac agctcttacc      60
acatgataca agagccggct ggtggaagag tggggaccag aaagagaatt tgctgaagag      120
gagaaggaaa aaaaaaacac caaaaaaaaa aataaaaaaa tccacacaca caaaaaaacc      180
tgcgcgtagg gggggaggaa aagcagggcc ttttaaaaag gcaatcacaa caacttttgc      240
tgccaggatg cccttgcttt ggctgagagg atttctgttg gcaagttgct ggattatagt      300
gaggagttcc cccaccccag gatccgaggg gcacagcgcg gcccccgact gtccgtcctg      360
tgcgctggcc gccctcccaa aggatgtacc caactctcag ccagagatgg tggaggccgt      420
caagaagcac attttaaca tgctgcactt gaagaagaga cccgatgtca cccagccggt      480
acccaaggcg gcgcttctga acgcgcatcag aaagcttcat gtgggcaaag tcggggagaa      540
cgggtatgtg gagatagagg atgacattgg aaggagggca gaaatgaatg aacttatgga      600
gcagacctcg gagatcatca cgtttgccga gtcaggaaca gccaggaaga cgctgcactt      660
cgagatttcc aaggaaggca gtgacctgtc agtggtggag cgtgcagaag tctggctctt      720
cctaaaagtc cccaaggcca acaggaccag gaccaaagtc accatccgcc tcttcagca      780
gcagaagcac ccgaggggca gcttggaacac aggggaagag gccaggaag tgggcttaaa      840

```

-continued

```

gggggagagg agtgaactgt tgctctctga aaaagtagta gacgctcgga agagcacctg    900
gcatgtcttc cctgtctcca gcagcatcca gcggttgctg gaccagggca agagctccct    960
ggacgttcgg attgcctgtg agcagtgcca ggagagtggc gccagcttgg ttctctggg    1020
caagaagaag aagaagaag aggaggggga agggaaaaag aaggcgagg gtgaaggtgg    1080
ggcaggagca gatgaggaaa aggagcagtc gcacagacct ttctcatgc tgcaggcccg    1140
gcagtctgaa gaccaccctc atcgccggcg tcggcggggc ttggagtgtg atggcaaggt    1200
caacatctgc tgtaagaaac agttctttgt cagtttcaag gacatcggct ggaatgactg    1260
gatcattgct cctctgtggt atcatgcca ctactgcgag ggtgagtgcc cgagccatat    1320
agcaggcacg tccgggtcct cactgtcctt ccactcaaca gtcacaaacc actaccgcat    1380
gcggggcat agcccccttg ccaacctcaa atcgtgctgt gtgcccacca agctgagacc    1440
catgtccatg ttgtactatg atgatgtca aaacatcacc aaaaaggaca ttcagaacat    1500
gatcgtggag gagtgtgggt gctcatagag ttgccagcc cagggggaaa gggagcaaga    1560
gttgctcaga gaagacagtg gcaaaatgaa gaaattttta aggtttctga gttaaccaga    1620
aaaatagaaa ttaaaaacaa aacaaaaaaa aaaacaaaaa aaaacaaaag taaattaaaa    1680
acaaaacctg atgaacaga tgaaggaaga tgtggaaaaa atccttagcc agggctcaga    1740
gatgaagcag tgaagagac aggaattggg agggaaaggg agaatggtgt accctttatt    1800
tcttctgaaa tcacactgat gacatcagtt gtttaaacgg ggtattgtcc ttccccct    1860
tgagggtccc ttgtgagcct tgaatcaacc aatctagtct gcagtagtgt ggactagaac    1920
aacccaaata gcacttagaa agccatgagt ttgaaagggc ccatcacagg cactttccta    1980
cccaattacc caggtcataa ggtatgtctg tgtgacactt atctctgtgt atatcagcat    2040
acacacacac acacacacac acacacacac acacaggcat ttccacacat tacatatata    2100
cacatactgg taaaagaaca atcgtgtgca ggtggtcaca cttccttttt ctgtaccact    2160
ttgcaacaa aacaa                                     2175

```

<210> SEQ ID NO 57
 <211> LENGTH: 14507
 <212> TYPE: PRT
 <213> ORGANISM: Homo sapiens

<400> SEQUENCE: 57

```

Met Leu Lys Pro Ser Gly Leu Pro Gly Ser Ser Ser Pro Thr Arg Ser
1          5          10          15
Leu Met Thr Gly Ser Arg Ser Thr Lys Ala Thr Pro Glu Met Asp Ser
          20          25          30
Gly Leu Thr Gly Ala Thr Leu Ser Pro Lys Thr Ser Thr Gly Ala Ile
          35          40          45
Val Val Thr Glu His Thr Leu Pro Phe Thr Ser Pro Asp Lys Thr Leu
          50          55          60
Ala Ser Pro Thr Ser Ser Val Val Gly Arg Thr Thr Gln Ser Leu Gly
65          70          75          80
Val Met Ser Ser Ala Leu Pro Glu Ser Thr Ser Arg Gly Met Thr His
          85          90          95
Ser Glu Gln Arg Thr Ser Pro Ser Leu Ser Pro Gln Val Asn Gly Thr
          100         105         110
Pro Ser Arg Asn Tyr Pro Ala Thr Ser Met Val Ser Gly Leu Ser Ser

```

-continued

115					120					125					
Pro	Arg	Thr	Arg	Thr	Ser	Ser	Thr	Glu	Gly	Asn	Phe	Thr	Lys	Glu	Ala
	130					135					140				
Ser	Thr	Tyr	Thr	Leu	Thr	Val	Glu	Thr	Thr	Ser	Gly	Pro	Val	Thr	Glu
145						150				155					160
Lys	Tyr	Thr	Val	Pro	Thr	Glu	Thr	Ser	Thr	Thr	Glu	Gly	Asp	Ser	Thr
				165					170					175	
Glu	Thr	Pro	Trp	Asp	Thr	Arg	Tyr	Ile	Pro	Val	Lys	Ile	Thr	Ser	Pro
			180					185					190		
Met	Lys	Thr	Phe	Ala	Asp	Ser	Thr	Ala	Ser	Lys	Glu	Asn	Ala	Pro	Val
		195					200					205			
Ser	Met	Thr	Pro	Ala	Glu	Thr	Thr	Val	Thr	Asp	Ser	His	Thr	Pro	Gly
	210					215					220				
Arg	Thr	Asn	Pro	Ser	Phe	Gly	Thr	Leu	Tyr	Ser	Ser	Phe	Leu	Asp	Leu
225					230					235					240
Ser	Pro	Lys	Gly	Thr	Pro	Asn	Ser	Arg	Gly	Glu	Thr	Ser	Leu	Glu	Leu
				245					250					255	
Ile	Leu	Ser	Thr	Thr	Gly	Tyr	Pro	Phe	Ser	Ser	Pro	Glu	Pro	Gly	Ser
			260					265					270		
Ala	Gly	His	Ser	Arg	Ile	Ser	Thr	Ser	Ala	Pro	Leu	Ser	Ser	Ser	Ala
	275						280					285			
Ser	Val	Leu	Asp	Asn	Lys	Ile	Ser	Glu	Thr	Ser	Ile	Phe	Ser	Gly	Gln
	290					295					300				
Ser	Leu	Thr	Ser	Pro	Leu	Ser	Pro	Gly	Val	Pro	Glu	Ala	Arg	Ala	Ser
305					310					315					320
Thr	Met	Pro	Asn	Ser	Ala	Ile	Pro	Phe	Ser	Met	Thr	Leu	Ser	Asn	Ala
			325					330						335	
Glu	Thr	Ser	Ala	Glu	Arg	Val	Arg	Ser	Thr	Ile	Ser	Ser	Leu	Gly	Thr
			340					345					350		
Pro	Ser	Ile	Ser	Thr	Lys	Gln	Thr	Ala	Glu	Thr	Ile	Leu	Thr	Phe	His
	355					360						365			
Ala	Phe	Ala	Glu	Thr	Met	Asp	Ile	Pro	Ser	Thr	His	Ile	Ala	Lys	Thr
	370					375					380				
Leu	Ala	Ser	Glu	Trp	Leu	Gly	Ser	Pro	Gly	Thr	Leu	Gly	Gly	Thr	Ser
385				390						395					400
Thr	Ser	Ala	Leu	Thr	Thr	Thr	Ser	Pro	Ser	Thr	Thr	Leu	Val	Ser	Glu
			405						410					415	
Glu	Thr	Asn	Thr	His	His	Ser	Thr	Ser	Gly	Lys	Glu	Thr	Glu	Gly	Thr
			420					425					430		
Leu	Asn	Thr	Ser	Met	Thr	Pro	Leu	Glu	Thr	Ser	Ala	Pro	Gly	Glu	Glu
	435						440					445			
Ser	Glu	Met	Thr	Ala	Thr	Leu	Val	Pro	Thr	Leu	Gly	Phe	Thr	Thr	Leu
	450					455					460				
Asp	Ser	Lys	Ile	Arg	Ser	Pro	Ser	Gln	Val	Ser	Ser	Ser	His	Pro	Thr
465					470					475					480
Arg	Glu	Leu	Arg	Thr	Thr	Gly	Ser	Thr	Ser	Gly	Arg	Gln	Ser	Ser	Ser
			485						490					495	
Thr	Ala	Ala	His	Gly	Ser	Ser	Asp	Ile	Leu	Arg	Ala	Thr	Thr	Ser	Ser
			500					505					510		
Thr	Ser	Lys	Ala	Ser	Ser	Trp	Thr	Ser	Glu	Ser	Thr	Ala	Gln	Gln	Phe
	515						520					525			

-continued

Ser	Glu	Pro	Gln	His	Thr	Gln	Trp	Val	Glu	Thr	Ser	Pro	Ser	Met	Lys
530						535					540				
Thr	Glu	Arg	Pro	Pro	Ala	Ser	Thr	Ser	Val	Ala	Ala	Pro	Ile	Thr	Thr
545					550					555					560
Ser	Val	Pro	Ser	Val	Val	Ser	Gly	Phe	Thr	Thr	Leu	Lys	Thr	Ser	Ser
				565					570					575	
Thr	Lys	Gly	Ile	Trp	Leu	Glu	Glu	Thr	Ser	Ala	Asp	Thr	Leu	Ile	Gly
			580					585					590		
Glu	Ser	Thr	Ala	Gly	Pro	Thr	Thr	His	Gln	Phe	Ala	Val	Pro	Thr	Gly
		595					600					605			
Ile	Ser	Met	Thr	Gly	Gly	Ser	Ser	Thr	Arg	Gly	Ser	Gln	Gly	Thr	Thr
610						615					620				
His	Leu	Leu	Thr	Arg	Ala	Thr	Ala	Ser	Ser	Glu	Thr	Ser	Ala	Asp	Leu
625					630					635					640
Thr	Leu	Ala	Thr	Asn	Gly	Val	Pro	Val	Ser	Val	Ser	Pro	Ala	Val	Ser
				645					650					655	
Lys	Thr	Ala	Ala	Gly	Ser	Ser	Pro	Pro	Gly	Gly	Thr	Lys	Pro	Ser	Tyr
			660					665					670		
Thr	Met	Val	Ser	Ser	Val	Ile	Pro	Glu	Thr	Ser	Ser	Leu	Gln	Ser	Ser
		675					680					685			
Ala	Phe	Arg	Glu	Gly	Thr	Ser	Leu	Gly	Leu	Thr	Pro	Leu	Asn	Thr	Arg
690						695					700				
His	Pro	Phe	Ser	Ser	Pro	Glu	Pro	Asp	Ser	Ala	Gly	His	Thr	Lys	Ile
705					710					715					720
Ser	Thr	Ser	Ile	Pro	Leu	Leu	Ser	Ser	Ala	Ser	Val	Leu	Glu	Asp	Lys
			725						730					735	
Val	Ser	Ala	Thr	Ser	Thr	Phe	Ser	His	His	Lys	Ala	Thr	Ser	Ser	Ile
			740					745					750		
Thr	Thr	Gly	Thr	Pro	Glu	Ile	Ser	Thr	Lys	Thr	Lys	Pro	Ser	Ser	Ala
		755					760					765			
Val	Leu	Ser	Ser	Met	Thr	Leu	Ser	Asn	Ala	Ala	Thr	Ser	Pro	Glu	Arg
770						775					780				
Val	Arg	Asn	Ala	Thr	Ser	Pro	Leu	Thr	His	Pro	Ser	Pro	Ser	Gly	Glu
785					790					795					800
Glu	Thr	Ala	Gly	Ser	Val	Leu	Thr	Leu	Ser	Thr	Ser	Ala	Glu	Thr	Thr
			805					810						815	
Asp	Ser	Pro	Asn	Ile	His	Pro	Thr	Gly	Thr	Leu	Thr	Ser	Glu	Ser	Ser
			820					825					830		
Glu	Ser	Pro	Ser	Thr	Leu	Ser	Leu	Pro	Ser	Val	Ser	Gly	Val	Lys	Thr
		835					840					845			
Thr	Phe	Ser	Ser	Ser	Thr	Pro	Ser	Thr	His	Leu	Phe	Thr	Ser	Gly	Glu
850						855					860				
Glu	Thr	Glu	Glu	Thr	Ser	Asn	Pro	Ser	Val	Ser	Gln	Pro	Glu	Thr	Ser
865					870					875					880
Val	Ser	Arg	Val	Arg	Thr	Thr	Leu	Ala	Ser	Thr	Ser	Val	Pro	Thr	Pro
			885					890						895	
Val	Phe	Pro	Thr	Met	Asp	Thr	Trp	Pro	Thr	Arg	Ser	Ala	Gln	Phe	Ser
			900					905					910		
Ser	Ser	His	Leu	Val	Ser	Glu	Leu	Arg	Ala	Thr	Ser	Ser	Thr	Ser	Val
		915					920					925			

-continued

Thr	Asn	Ser	Thr	Gly	Ser	Ala	Leu	Pro	Lys	Ile	Ser	His	Leu	Thr	Gly
930						935					940				
Thr	Ala	Thr	Met	Ser	Gln	Thr	Asn	Arg	Asp	Thr	Phe	Asn	Asp	Ser	Ala
945					950					955					960
Ala	Pro	Gln	Ser	Thr	Thr	Trp	Pro	Glu	Thr	Ser	Pro	Arg	Phe	Lys	Thr
				965						970					975
Gly	Leu	Pro	Ser	Ala	Thr	Thr	Thr	Val	Ser	Thr	Ser	Ala	Thr	Ser	Leu
			980						985					990	
Ser	Ala	Thr	Val	Met	Val	Ser	Lys	Phe	Thr	Ser	Pro	Ala	Thr	Ser	Ser
			995					1000					1005		
Met	Glu	Ala	Thr	Ser	Ile	Arg	Glu	Pro	Ser	Thr	Thr	Ile	Leu	Thr	Thr
	1010					1015						1020			
Glu	Thr	Thr	Asn	Gly	Pro	Gly	Ser	Met	Ala	Val	Ala	Ser	Thr	Asn	Ile
1025					1030						1035				1040
Pro	Ile	Gly	Lys	Gly	Tyr	Ile	Thr	Glu	Gly	Arg	Leu	Asp	Thr	Ser	His
				1045						1050					1055
Leu	Pro	Ile	Gly	Thr	Thr	Ala	Ser	Ser	Glu	Thr	Ser	Met	Asp	Phe	Thr
			1060							1065				1070	
Met	Ala	Lys	Glu	Ser	Val	Ser	Met	Ser	Val	Ser	Pro	Ser	Gln	Ser	Met
			1075					1080					1085		
Asp	Ala	Ala	Gly	Ser	Ser	Thr	Pro	Gly	Arg	Thr	Ser	Gln	Phe	Val	Asp
	1090					1095						1100			
Thr	Phe	Ser	Asp	Asp	Val	Tyr	His	Leu	Thr	Ser	Arg	Glu	Ile	Thr	Ile
1105					1110						1115				1120
Pro	Arg	Asp	Gly	Thr	Ser	Ser	Ala	Leu	Thr	Pro	Gln	Met	Thr	Ala	Thr
				1125						1130					1135
His	Pro	Pro	Ser	Pro	Asp	Pro	Gly	Ser	Ala	Arg	Ser	Thr	Trp	Leu	Gly
			1140						1145					1150	
Ile	Leu	Ser	Ser	Ser	Pro	Ser	Ser	Pro	Thr	Pro	Lys	Val	Thr	Met	Ser
	1155						1160						1165		
Ser	Thr	Phe	Ser	Thr	Gln	Arg	Val	Thr	Thr	Ser	Met	Ile	Met	Asp	Thr
	1170					1175					1180				
Val	Glu	Thr	Ser	Arg	Trp	Asn	Met	Pro	Asn	Leu	Pro	Ser	Thr	Thr	Ser
1185					1190						1195				1200
Leu	Thr	Pro	Ser	Asn	Ile	Pro	Thr	Ser	Gly	Ala	Ile	Gly	Lys	Ser	Thr
				1205						1210				1215	
Leu	Val	Pro	Leu	Asp	Thr	Pro	Ser	Pro	Ala	Thr	Ser	Leu	Glu	Ala	Ser
			1220							1225				1230	
Glu	Gly	Gly	Leu	Pro	Thr	Leu	Ser	Thr	Tyr	Pro	Glu	Ser	Thr	Asn	Thr
	1235						1240						1245		
Pro	Ser	Ile	His	Leu	Gly	Ala	His	Ala	Ser	Ser	Glu	Ser	Pro	Ser	Thr
	1250					1255						1260			
Ile	Lys	Leu	Thr	Met	Ala	Ser	Val	Val	Lys	Pro	Gly	Ser	Tyr	Thr	Pro
1265					1270						1275				1280
Leu	Thr	Phe	Pro	Ser	Ile	Glu	Thr	His	Ile	His	Val	Ser	Thr	Ala	Arg
				1285					1290					1295	
Met	Ala	Tyr	Ser	Ser	Gly	Ser	Ser	Pro	Glu	Met	Thr	Ala	Pro	Gly	Glu
		1300							1305					1310	
Thr	Asn	Thr	Gly	Ser	Thr	Trp	Asp	Pro	Thr	Thr	Tyr	Ile	Thr	Thr	Thr
	1315						1320					1325			
Asp	Pro	Lys	Asp	Thr	Ser	Ser	Ala	Gln	Val	Ser	Thr	Pro	His	Ser	Val

-continued

1330	1335	1340
Arg Thr Leu Arg Thr Thr Glu Asn His Pro Lys Thr Glu Ser Ala Thr 1345 1350 1355 1360		
Pro Ala Ala Tyr Ser Gly Ser Pro Lys Ile Ser Ser Ser Pro Asn Leu 1365 1370 1375		
Thr Ser Pro Ala Thr Lys Ala Trp Thr Ile Thr Asp Thr Thr Glu His 1380 1385 1390		
Ser Thr Gln Leu His Tyr Thr Lys Leu Ala Glu Lys Ser Ser Gly Phe 1395 1400 1405		
Glu Thr Gln Ser Ala Pro Gly Pro Val Ser Val Val Ile Pro Thr Ser 1410 1415 1420		
Pro Thr Ile Gly Ser Ser Thr Leu Glu Leu Thr Ser Asp Val Pro Gly 1425 1430 1435 1440		
Glu Pro Leu Val Leu Ala Pro Ser Glu Gln Thr Thr Ile Thr Leu Pro 1445 1450 1455		
Met Ala Thr Trp Leu Ser Thr Ser Leu Thr Glu Glu Met Ala Ser Thr 1460 1465 1470		
Asp Leu Asp Ile Ser Ser Pro Ser Ser Pro Met Ser Thr Phe Ala Ile 1475 1480 1485		
Phe Pro Pro Met Ser Thr Pro Ser His Glu Leu Ser Lys Ser Glu Ala 1490 1495 1500		
Asp Thr Ser Ala Ile Arg Asn Thr Asp Ser Thr Thr Leu Asp Gln His 1505 1510 1515 1520		
Leu Gly Ile Arg Ser Leu Gly Arg Thr Gly Asp Leu Thr Thr Val Pro 1525 1530 1535		
Ile Thr Pro Leu Thr Thr Thr Trp Thr Ser Val Ile Glu His Ser Thr 1540 1545 1550		
Gln Ala Gln Asp Thr Leu Ser Ala Thr Met Ser Pro Thr His Val Thr 1555 1560 1565		
Gln Ser Leu Lys Asp Gln Thr Ser Ile Pro Ala Ser Ala Ser Pro Ser 1570 1575 1580		
His Leu Thr Glu Val Tyr Pro Glu Leu Gly Thr Gln Gly Arg Ser Ser 1585 1590 1595 1600		
Ser Glu Ala Thr Thr Phe Trp Lys Pro Ser Thr Asp Thr Leu Ser Arg 1605 1610 1615		
Glu Ile Glu Thr Gly Pro Thr Asn Ile Gln Ser Thr Pro Pro Met Asp 1620 1625 1630		
Asn Thr Thr Thr Gly Ser Ser Ser Ser Gly Val Thr Leu Gly Ile Ala 1635 1640 1645		
His Leu Pro Ile Gly Thr Ser Ser Pro Ala Glu Thr Ser Thr Asn Met 1650 1655 1660		
Ala Leu Glu Arg Arg Ser Ser Thr Ala Thr Val Ser Met Ala Gly Thr 1665 1670 1675 1680		
Met Gly Leu Leu Val Thr Ser Ala Pro Gly Arg Ser Ile Ser Gln Ser 1685 1690 1695		
Leu Gly Arg Val Ser Ser Val Leu Ser Glu Ser Thr Thr Glu Gly Val 1700 1705 1710		
Thr Asp Ser Ser Lys Gly Ser Ser Pro Arg Leu Asn Thr Gln Gly Asn 1715 1720 1725		
Thr Ala Leu Ser Ser Ser Leu Glu Pro Ser Tyr Ala Glu Gly Ser Gln 1730 1735 1740		

-continued

Met Ser Thr Ser Ile Pro Leu Thr Ser Ser Pro Thr Thr Pro Asp Val			
1745	1750	1755	1760
Glu Phe Ile Gly Gly Ser Thr Phe Trp Thr Lys Glu Val Thr Thr Val			
	1765	1770	1775
Met Thr Ser Asp Ile Ser Lys Ser Ser Ala Arg Thr Glu Ser Ser Ser			
	1780	1785	1790
Ala Thr Leu Met Ser Thr Ala Leu Gly Ser Thr Glu Asn Thr Gly Lys			
	1795	1800	1805
Glu Lys Leu Arg Thr Ala Ser Met Asp Leu Pro Ser Pro Thr Pro Ser			
	1810	1815	1820
Met Glu Val Thr Pro Trp Ile Ser Leu Thr Leu Ser Asn Ala Pro Asn			
1825	1830	1835	1840
Thr Thr Asp Ser Leu Asp Leu Ser His Gly Val His Thr Ser Ser Ala			
	1845	1850	1855
Gly Thr Leu Ala Thr Asp Arg Ser Leu Asn Thr Gly Val Thr Arg Ala			
	1860	1865	1870
Ser Arg Leu Glu Asn Gly Ser Asp Thr Ser Ser Lys Ser Leu Ser Met			
	1875	1880	1885
Gly Asn Ser Thr His Thr Ser Met Thr Tyr Thr Glu Lys Ser Glu Val			
	1890	1895	1900
Ser Ser Ser Ile His Pro Arg Pro Glu Thr Ser Ala Pro Gly Ala Glu			
1905	1910	1915	1920
Thr Thr Leu Thr Ser Thr Pro Gly Asn Arg Ala Ile Ser Leu Thr Leu			
	1925	1930	1935
Pro Phe Ser Ser Ile Pro Val Glu Glu Val Ile Ser Thr Gly Ile Thr			
	1940	1945	1950
Ser Gly Pro Asp Ile Asn Ser Ala Pro Met Thr His Ser Pro Ile Thr			
	1955	1960	1965
Pro Pro Thr Ile Val Trp Thr Ser Thr Gly Thr Ile Glu Gln Ser Thr			
	1970	1975	1980
Gln Pro Leu His Ala Val Ser Ser Glu Lys Val Ser Val Gln Thr Gln			
1985	1990	1995	2000
Ser Thr Pro Tyr Val Asn Ser Val Ala Val Ser Ala Ser Pro Thr His			
	2005	2010	2015
Glu Asn Ser Val Ser Ser Gly Ser Ser Thr Ser Ser Pro Tyr Ser Ser			
	2020	2025	2030
Ala Ser Leu Glu Ser Leu Asp Ser Thr Ile Ser Arg Arg Asn Ala Ile			
	2035	2040	2045
Thr Ser Trp Leu Trp Asp Leu Thr Thr Ser Leu Pro Thr Thr Trp			
	2050	2055	2060
Pro Ser Thr Ser Leu Ser Glu Ala Leu Ser Ser Gly His Ser Gly Val			
2065	2070	2075	2080
Ser Asn Pro Ser Ser Thr Thr Thr Glu Phe Pro Leu Phe Ser Ala Ala			
	2085	2090	2095
Ser Thr Ser Ala Ala Lys Gln Arg Asn Pro Glu Thr Glu Thr His Gly			
	2100	2105	2110
Pro Gln Asn Thr Ala Ala Ser Thr Leu Asn Thr Asp Ala Ser Ser Val			
	2115	2120	2125
Thr Gly Leu Ser Glu Thr Pro Val Gly Ala Ser Ile Ser Ser Glu Val			
	2130	2135	2140

Pro	Leu	Pro	Met	Ala	Ile	Thr	Ser	Arg	Ser	Asp	Val	Ser	Gly	Leu	Thr
2145					2150					2155				2160	
Ser	Glu	Ser	Thr	Ala	Asn	Pro	Ser	Leu	Gly	Thr	Ala	Ser	Ser	Ala	Gly
				2165					2170					2175	
Thr	Lys	Leu	Thr	Arg	Thr	Ile	Ser	Leu	Pro	Thr	Ser	Glu	Ser	Leu	Val
			2180					2185					2190		
Ser	Phe	Arg	Met	Asn	Lys	Asp	Pro	Trp	Thr	Val	Ser	Ile	Pro	Leu	Gly
	2195						2200					2205			
Ser	His	Pro	Thr	Thr	Asn	Thr	Glu	Thr	Ser	Ile	Pro	Val	Asn	Ser	Ala
	2210					2215					2220				
Gly	Pro	Pro	Gly	Leu	Ser	Thr	Val	Ala	Ser	Asp	Val	Ile	Asp	Thr	Pro
2225					2230					2235				2240	
Ser	Asp	Gly	Ala	Glu	Ser	Ile	Pro	Thr	Val	Ser	Phe	Ser	Pro	Ser	Pro
				2245					2250					2255	
Asp	Thr	Glu	Val	Thr	Thr	Ile	Ser	His	Phe	Pro	Glu	Lys	Thr	Thr	His
		2260						2265					2270		
Ser	Phe	Arg	Thr	Ile	Ser	Ser	Leu	Thr	His	Glu	Leu	Thr	Ser	Arg	Val
	2275						2280					2285			
Thr	Pro	Ile	Pro	Gly	Asp	Trp	Met	Ser	Ser	Ala	Met	Ser	Thr	Lys	Pro
	2290					2295					2300				
Thr	Gly	Ala	Ser	Pro	Ser	Ile	Thr	Leu	Gly	Glu	Arg	Arg	Thr	Ile	Thr
2305					2310					2315				2320	
Ser	Ala	Ala	Pro	Thr	Thr	Ser	Pro	Ile	Val	Leu	Thr	Ala	Ser	Phe	Thr
				2325					2330					2335	
Glu	Thr	Ser	Thr	Val	Ser	Leu	Asp	Asn	Glu	Thr	Thr	Val	Lys	Thr	Ser
			2340					2345					2350		
Asp	Ile	Leu	Asp	Ala	Arg	Lys	Thr	Asn	Glu	Leu	Pro	Ser	Asp	Ser	Ser
	2355						2360					2365			
Ser	Ser	Ser	Asp	Leu	Ile	Asn	Thr	Ser	Ile	Ala	Ser	Ser	Thr	Met	Asp
	2370					2375					2380				
Val	Thr	Lys	Thr	Ala	Ser	Ile	Ser	Pro	Thr	Ser	Ile	Ser	Gly	Met	Thr
2385					2390					2395				2400	
Ala	Ser	Ser	Ser	Pro	Ser	Leu	Phe	Ser	Ser	Asp	Arg	Pro	Gln	Val	Pro
				2405					2410					2415	
Thr	Ser	Thr	Thr	Glu	Thr	Asn	Thr	Ala	Thr	Ser	Pro	Ser	Val	Ser	Ser
			2420					2425					2430		
Asn	Thr	Tyr	Ser	Leu	Asp	Gly	Gly	Ser	Asn	Val	Gly	Gly	Thr	Pro	Ser
	2435					2440						2445			
Thr	Leu	Pro	Pro	Phe	Thr	Ile	Thr	His	Pro	Val	Glu	Thr	Ser	Ser	Ala
	2450					2455					2460				
Leu	Leu	Ala	Trp	Ser	Arg	Pro	Val	Arg	Thr	Phe	Ser	Thr	Met	Val	Ser
2465					2470					2475				2480	
Thr	Asp	Thr	Ala	Ser	Gly	Glu	Asn	Pro	Thr	Ser	Ser	Asn	Ser	Val	Val
			2485						2490	</					

-continued

2545	2550	2555	2560
Ser Leu Leu Thr Thr Ser Glu Ser Lys Ala Ile His Ser Ser Pro Gln	2565	2570	2575
Thr Pro Thr Thr Pro Thr Ser Gly Ala Asn Trp Glu Thr Ser Ala Thr	2580	2585	2590
Pro Glu Ser Leu Leu Val Val Thr Glu Thr Ser Asp Thr Thr Leu Thr	2595	2600	2605
Ser Lys Ile Leu Val Thr Asp Thr Ile Leu Phe Ser Thr Val Ser Thr	2610	2615	2620
Pro Pro Ser Lys Phe Pro Ser Thr Gly Thr Leu Ser Gly Ala Ser Phe	2625	2630	2635
Pro Thr Leu Leu Pro Asp Thr Pro Ala Ile Pro Leu Thr Ala Thr Glu	2645	2650	2655
Pro Thr Ser Ser Leu Ala Thr Ser Phe Asp Ser Thr Pro Leu Val Thr	2660	2665	2670
Ile Ala Ser Asp Ser Leu Gly Thr Val Pro Glu Thr Thr Leu Thr Met	2675	2680	2685
Ser Glu Thr Ser Asn Gly Asp Ala Leu Val Leu Lys Thr Val Ser Asn	2690	2695	2700
Pro Asp Arg Ser Ile Pro Gly Ile Thr Ile Gln Gly Val Thr Glu Ser	2705	2710	2715
Pro Leu His Pro Ser Ser Thr Ser Pro Ser Lys Ile Val Ala Pro Arg	2725	2730	2735
Asn Thr Thr Tyr Glu Gly Ser Ile Thr Val Ala Leu Ser Thr Leu Pro	2740	2745	2750
Ala Gly Thr Thr Gly Ser Leu Val Phe Ser Gln Ser Ser Glu Asn Ser	2755	2760	2765
Glu Thr Thr Ala Leu Val Asp Ser Ser Ala Gly Leu Glu Arg Ala Ser	2770	2775	2780
Val Met Pro Leu Thr Thr Gly Ser Gln Gly Met Ala Ser Ser Gly Gly	2785	2790	2795
Ile Arg Ser Gly Ser Thr His Ser Thr Gly Thr Lys Thr Phe Ser Ser	2805	2810	2815
Leu Pro Leu Thr Met Asn Pro Gly Glu Val Thr Ala Met Ser Glu Ile	2820	2825	2830
Thr Thr Asn Arg Leu Thr Ala Thr Gln Ser Thr Ala Pro Lys Gly Ile	2835	2840	2845
Pro Val Lys Pro Thr Ser Ala Glu Ser Gly Leu Leu Thr Pro Val Ser	2850	2855	2860
Ala Ser Ser Ser Pro Ser Lys Ala Phe Ala Ser Leu Thr Thr Ala Pro	2865	2870	2875
Pro Thr Trp Gly Ile Pro Gln Ser Thr Leu Thr Phe Glu Phe Ser Glu	2885	2890	2895
Val Pro Ser Leu Asp Thr Lys Ser Ala Ser Leu Pro Thr Pro Gly Gln	2900	2905	2910
Ser Leu Asn Thr Ile Pro Asp Ser Asp Ala Ser Thr Ala Ser Ser Ser	2915	2920	2925
Leu Ser Lys Ser Pro Glu Lys Asn Pro Arg Ala Arg Met Met Thr Ser	2930	2935	2940
Thr Lys Ala Ile Ser Ala Ser Ser Phe Gln Ser Thr Gly Phe Thr Glu	2945	2950	2955
			2960

-continued

Thr	Pro	Glu	Gly	Ser	Ala	Ser	Pro	Ser	Met	Ala	Gly	His	Glu	Pro	Arg	2965	2970	2975
Val	Pro	Thr	Ser	Gly	Thr	Gly	Asp	Pro	Arg	Tyr	Ala	Ser	Glu	Ser	Met	2980	2985	2990
Ser	Tyr	Pro	Asp	Pro	Ser	Lys	Ala	Ser	Ser	Ala	Met	Thr	Ser	Thr	Ser	2995	3000	3005
Leu	Ala	Ser	Lys	Leu	Thr	Thr	Leu	Phe	Ser	Thr	Gly	Gln	Ala	Ala	Arg	3010	3015	3020
Ser	Gly	Ser	Ser	Ser	Ser	Pro	Ile	Ser	Leu	Ser	Thr	Glu	Lys	Glu	Thr	3025	3030	3035
Ser	Phe	Leu	Ser	Pro	Thr	Ala	Ser	Thr	Ser	Arg	Lys	Thr	Ser	Leu	Phe	3045	3050	3055
Leu	Gly	Pro	Ser	Met	Ala	Arg	Gln	Pro	Asn	Ile	Leu	Val	His	Leu	Gln	3060	3065	3070
Thr	Ser	Ala	Leu	Thr	Leu	Ser	Pro	Thr	Ser	Thr	Leu	Asn	Met	Ser	Gln	3075	3080	3085
Glu	Glu	Pro	Pro	Glu	Leu	Thr	Ser	Ser	Gln	Thr	Ile	Ala	Glu	Glu	Glu	3090	3095	3100
Gly	Thr	Thr	Ala	Glu	Thr	Gln	Thr	Leu	Thr	Phe	Thr	Pro	Ser	Glu	Thr	3105	3110	3115
Pro	Thr	Ser	Leu	Leu	Pro	Val	Ser	Ser	Pro	Thr	Glu	Pro	Thr	Ala	Arg	3125	3130	3135
Arg	Lys	Ser	Ser	Pro	Glu	Thr	Trp	Ala	Ser	Ser	Ile	Ser	Val	Pro	Ala	3140	3145	3150
Lys	Thr	Ser	Leu	Val	Glu	Thr	Thr	Asp	Gly	Thr	Leu	Val	Thr	Thr	Ile	3155	3160	3165
Lys	Met	Ser	Ser	Gln	Ala	Ala	Gln	Gly	Asn	Ser	Thr	Trp	Pro	Ala	Pro	3170	3175	3180
Ala	Glu	Glu	Thr	Gly	Ser	Ser	Pro	Ala	Gly	Thr	Ser	Pro	Gly	Ser	Pro	3185	3190	3195
Glu	Met	Ser	Thr	Thr	Leu	Lys	Ile	Met	Ser	Ser	Lys	Glu	Pro	Ser	Ile	3205	3210	3215
Ser	Pro	Glu	Ile	Arg	Ser	Thr	Val	Arg	Asn	Ser	Pro	Trp	Lys	Thr	Pro	3220	3225	3230
Glu	Thr	Thr	Val	Pro	Met	Glu	Thr	Thr	Val	Glu	Pro	Val	Thr	Leu	Gln	3235	3240	3245
Ser	Thr	Ala	Leu	Gly	Ser	Gly	Ser	Thr	Ser	Ile	Ser	His	Leu	Pro	Thr	3250	3255	3260
Gly	Thr	Thr	Ser	Pro	Thr	Lys	Ser	Pro	Thr	Glu	Asn	Met	Leu	Ala	Thr	3265	3270	3275
Glu	Arg	Val	Ser	Leu	Ser	Pro	Ser	Pro	Pro	Glu	Ala	Trp	Thr	Asn	Leu	3285	3290	3295
Tyr	Ser	Gly	Thr	Pro	Gly	Gly	Thr	Arg	Gln	Ser	Leu	Ala	Thr	Met	Ser	3300	3305	3310
Ser	Val	Ser	Leu	Glu	Ser	Pro	Thr	Ala	Arg	Ser	Ile	Thr	Gly	Thr	Gly	3315	3320	3325
Gln	Gln	Ser	Ser	Pro	Glu	Leu	Val	Ser	Lys	Thr	Thr	Gly	Met	Glu	Phe	3330	3335	3340
Ser	Met	Trp	His	Gly	Ser	Thr	Gly	Gly	Thr	Thr	Gly	Asp	Thr	His	Val	3345	3350	3355

-continued

Ser	Leu	Ser	Thr	Ser	Ser	Asn	Ile	Leu	Glu	Asp	Pro	Val	Thr	Ser	Pro	3365	3370	3375
Asn	Ser	Val	Ser	Ser	Leu	Thr	Asp	Lys	Ser	Lys	His	Lys	Thr	Glu	Thr	3380	3385	3390
Trp	Val	Ser	Thr	Thr	Ala	Ile	Pro	Ser	Thr	Val	Leu	Asn	Asn	Lys	Ile	3395	3400	3405
Met	Ala	Ala	Glu	Gln	Gln	Thr	Ser	Arg	Ser	Val	Asp	Glu	Ala	Tyr	Ser	3410	3415	3420
Ser	Thr	Ser	Ser	Trp	Ser	Asp	Gln	Thr	Ser	Gly	Ser	Asp	Ile	Thr	Leu	3425	3430	3435
Gly	Ala	Ser	Pro	Asp	Val	Thr	Asn	Thr	Leu	Tyr	Ile	Thr	Ser	Thr	Ala	3445	3450	3455
Gln	Thr	Thr	Ser	Leu	Val	Ser	Leu	Pro	Ser	Gly	Asp	Gln	Gly	Ile	Thr	3460	3465	3470
Ser	Leu	Thr	Asn	Pro	Ser	Gly	Gly	Lys	Thr	Ser	Ser	Ala	Ser	Ser	Val	3475	3480	3485
Thr	Ser	Pro	Ser	Ile	Gly	Leu	Glu	Thr	Leu	Arg	Ala	Asn	Val	Ser	Ala	3490	3495	3500
Val	Lys	Ser	Asp	Ile	Ala	Pro	Thr	Ala	Gly	His	Leu	Ser	Gln	Thr	Ser	3505	3510	3515
Ser	Pro	Ala	Glu	Val	Ser	Ile	Leu	Asp	Val	Thr	Thr	Ala	Pro	Thr	Pro	3525	3530	3535
Gly	Ile	Ser	Thr	Thr	Ile	Thr	Thr	Met	Gly	Thr	Asn	Ser	Ile	Ser	Thr	3540	3545	3550
Thr	Thr	Pro	Asn	Pro	Glu	Val	Gly	Met	Ser	Thr	Met	Asp	Ser	Thr	Pro	3555	3560	3565
Ala	Thr	Glu	Arg	Arg	Thr	Thr	Ser	Thr	Glu	His	Pro	Ser	Thr	Trp	Ser	3570	3575	3580
Ser	Thr	Ala	Ala	Ser	Asp	Ser	Trp	Thr	Val	Thr	Asp	Met	Thr	Ser	Asn	3585	3590	3595
Leu	Lys	Val	Ala	Arg	Ser	Pro	Gly	Thr	Ile	Ser	Thr	Met	His	Thr	Thr	3605	3610	3615
Ser	Phe	Leu	Ala	Ser	Ser	Thr	Glu	Leu	Asp	Ser	Met	Ser	Thr	Pro	His	3620	3625	3630
Gly	Arg	Ile	Thr	Val	Ile	Gly	Thr	Ser	Leu	Val	Thr	Pro	Ser	Ser	Asp	3635	3640	3645
Ala	Ser	Ala	Val	Lys	Thr	Glu	Thr	Ser	Thr	Ser	Glu	Arg	Thr	Leu	Ser	3650	3655	3660
Pro	Ser	Asp	Thr	Thr	Ala	Ser	Thr	Pro	Ile	Ser	Thr	Phe	Ser	Arg	Val	3665	3670	3675
Gln	Arg	Met	Ser	Ile	Ser	Val	Pro	Asp	Ile	Leu	Ser	Thr	Ser	Trp	Thr	3685	3690	3695
Pro	Ser	Ser	Thr	Glu	Ala	Glu	Asp	Val	Pro	Val	Ser	Met	Val	Ser	Thr	3700	3705	3710
Asp	His	Ala	Ser	Thr	Lys	Thr	Asp	Pro	Asn	Thr	Pro	Leu	Ser	Thr	Phe	3715	3720	3725
Leu	Phe	Asp	Ser	Leu	Ser	Thr	Leu	Asp	Trp	Asp	Thr	Gly	Arg	Ser	Leu	3730	3735	3740
Ser	Ser	Ala	Thr	Ala	Thr	Thr	Ser	Ala	Pro	Gln	Gly	Ala	Thr	Thr	Pro	3745	3750	3755
Gln	Glu	Leu	Thr	Leu	Glu	Thr	Met	Ile	Ser	Pro	Ala	Thr	Ser	Gln	Leu			

-continued

3765								3770				3775			
Pro	Phe	Ser	Ile	Gly	His	Ile	Thr	Ser	Ala	Val	Thr	Pro	Ala	Ala	Met
3780				3785				3790							
Ala	Arg	Ser	Ser	Gly	Val	Thr	Phe	Ser	Arg	Pro	Asp	Pro	Thr	Ser	Lys
3795				3800				3805							
Lys	Ala	Glu	Gln	Thr	Ser	Thr	Gln	Leu	Pro	Thr	Thr	Thr	Ser	Ala	His
3810				3815				3820							
Pro	Gly	Gln	Val	Pro	Arg	Ser	Ala	Ala	Thr	Thr	Leu	Asp	Val	Ile	Pro
3825				3830				3835				3840			
His	Thr	Ala	Lys	Thr	Pro	Asp	Ala	Thr	Phe	Gln	Arg	Gln	Gly	Gln	Thr
3845				3850				3855							
Ala	Leu	Thr	Thr	Glu	Ala	Arg	Ala	Thr	Ser	Asp	Ser	Trp	Asn	Glu	Lys
3860				3865				3870							
Glu	Lys	Ser	Thr	Pro	Ser	Ala	Pro	Trp	Ile	Thr	Glu	Met	Met	Asn	Ser
3875				3880				3885							
Val	Ser	Glu	Asp	Thr	Ile	Lys	Glu	Val	Thr	Ser	Ser	Ser	Ser	Val	Leu
3890				3895				3900							
Arg	Thr	Leu	Asn	Thr	Leu	Asp	Ile	Asn	Leu	Glu	Ser	Gly	Thr	Thr	Ser
3905				3910				3915				3920			
Ser	Pro	Ser	Trp	Lys	Ser	Ser	Pro	Tyr	Glu	Arg	Ile	Ala	Pro	Ser	Glu
3925				3930				3935							
Ser	Thr	Thr	Asp	Lys	Glu	Ala	Ile	His	Pro	Ser	Thr	Asn	Thr	Val	Glu
3940				3945				3950							
Thr	Thr	Gly	Trp	Val	Thr	Ser	Ser	Glu	His	Ala	Ser	His	Ser	Thr	Ile
3955				3960				3965							
Pro	Ala	His	Ser	Ala	Ser	Ser	Lys	Leu	Thr	Ser	Pro	Val	Val	Thr	Thr
3970				3975				3980							
Ser	Thr	Arg	Glu	Gln	Ala	Ile	Val	Ser	Met	Ser	Thr	Thr	Thr	Trp	Pro
3985				3990				3995				4000			
Glu	Ser	Thr	Arg	Ala	Arg	Thr	Glu	Pro	Asn	Ser	Phe	Leu	Thr	Ile	Glu
4005				4010				4015							
Leu	Arg	Asp	Val	Ser	Pro	Tyr	Met	Asp	Thr	Ser	Ser	Thr	Thr	Gln	Thr
4020				4025				4030							
Ser	Ile	Ile	Ser	Ser	Pro	Gly	Ser	Thr	Ala	Ile	Thr	Lys	Gly	Pro	Arg
4035				4040				4045							
Thr	Glu	Ile	Thr	Ser	Ser	Lys	Arg	Ile	Ser	Ser	Ser	Phe	Leu	Ala	Gln
4050				4055				4060							
Ser	Met	Arg	Ser	Ser	Asp	Ser	Pro	Ser	Glu	Ala	Ile	Thr	Arg	Leu	Ser
4065				4070				4075				4080			
Asn	Phe	Pro	Ala	Met	Thr	Glu	Ser	Gly	Gly	Met	Ile	Leu	Ala	Met	Gln
4085				4090				4095							
Thr	Ser	Pro	Pro	Gly	Ala	Thr	Ser	Leu	Ser	Ala	Pro	Thr	Leu	Asp	Thr
4100				4105				4110							
Ser	Ala	Thr	Ala	Ser	Trp	Thr	Gly	Thr	Pro	Leu	Ala	Thr	Thr	Gln	Arg
4115				4120				4125							
Phe	Thr	Tyr	Ser	Glu	Lys	Thr	Thr	Leu	Phe	Ser	Lys	Gly	Pro	Glu	Asp
4130				4135				4140							
Thr	Ser	Gln	Pro	Ser	Pro	Pro	Ser	Val	Glu	Glu	Thr	Ser	Ser	Ser	Ser
4145				4150				4155				4160			
Ser	Leu	Val	Pro	Ile	His	Ala	Thr	Thr	Ser	Pro	Ser	Asn	Ile	Leu	Leu
4165				4170				4175							

-continued

Thr Ser Gln Gly His Ser Pro Ser Ser Thr Pro Pro Val Thr Ser Val	4180	4185	4190
Phe Leu Ser Glu Thr Ser Gly Leu Gly Lys Thr Thr Asp Met Ser Arg	4195	4200	4205
Ile Ser Leu Glu Pro Gly Thr Ser Leu Pro Pro Asn Leu Ser Ser Thr	4210	4215	4220
Ala Gly Glu Ala Leu Ser Thr Tyr Glu Ala Ser Arg Asp Thr Lys Ala	4225	4230	4235
Ile His His Ser Ala Asp Thr Ala Val Thr Asn Met Glu Ala Thr Ser	4245	4250	4255
Ser Glu Tyr Ser Pro Ile Pro Gly His Thr Lys Pro Ser Lys Ala Thr	4260	4265	4270
Ser Pro Leu Val Thr Ser His Ile Met Gly Asp Ile Thr Ser Ser Thr	4275	4280	4285
Ser Val Phe Gly Ser Ser Glu Thr Thr Glu Ile Glu Thr Val Ser Ser	4290	4295	4300
Val Asn Gln Gly Leu Gln Glu Arg Ser Thr Ser Gln Val Ala Ser Ser	4305	4310	4315
Ala Thr Glu Thr Ser Thr Val Ile Thr His Val Ser Ser Gly Asp Ala	4325	4330	4335
Thr Thr His Val Thr Lys Thr Gln Ala Thr Phe Ser Ser Gly Thr Ser	4340	4345	4350
Ile Ser Ser Pro His Gln Phe Ile Thr Ser Thr Asn Thr Phe Thr Asp	4355	4360	4365
Val Ser Thr Asn Pro Ser Thr Ser Leu Ile Met Thr Glu Ser Ser Gly	4370	4375	4380
Val Thr Ile Thr Thr Gln Thr Gly Pro Thr Gly Ala Ala Thr Gln Gly	4385	4390	4395
Pro Tyr Leu Leu Asp Thr Ser Thr Met Pro Tyr Leu Thr Glu Thr Pro	4405	4410	4415
Leu Ala Val Thr Pro Asp Phe Met Gln Ser Glu Lys Thr Thr Leu Ile	4420	4425	4430
Ser Lys Gly Pro Lys Asp Val Ser Trp Thr Ser Pro Pro Ser Val Ala	4435	4440	4445
Glu Thr Ser Tyr Pro Ser Ser Leu Thr Pro Phe Leu Val Thr Thr Ile	4450	4455	4460
Pro Pro Ala Thr Ser Thr Leu Gln Gly Gln His Thr Ser Ser Pro Val	4465	4470	4475
Ser Ala Thr Ser Val Leu Thr Ser Gly Leu Val Lys Thr Thr Asp Met	4485	4490	4495
Leu Asn Thr Ser Met Glu Pro Val Thr Asn Ser Pro Gln Asn Leu Asn	4500	4505	4510
Asn Pro Ser Asn Glu Ile Leu Ala Thr Leu Ala Ala Thr Thr Asp Ile	4515	4520	4525
Glu Thr Ile His Pro Ser Ile Asn Lys Ala Val Thr Asn Met Gly Thr	4530	4535	4540
Ala Ser Ser Ala His Val Leu His Ser Thr Leu Pro Val Ser Ser Glu	4545	4550	4555
Pro Ser Thr Ala Thr Ser Pro Met Val Pro Ala Ser Ser Met Gly Asp	4565	4570	4575

-continued

Ala Leu Ala Ser Ile Ser Ile Pro Gly Ser Glu Thr Thr Asp Ile Glu	4580	4585	4590
Gly Glu Pro Thr Ser Ser Leu Thr Ala Gly Arg Lys Glu Asn Ser Thr	4595	4600	4605
Leu Gln Glu Met Asn Ser Thr Thr Glu Ser Asn Ile Ile Leu Ser Asn	4610	4615	4620
Val Ser Val Gly Ala Ile Thr Glu Ala Thr Lys Met Glu Val Pro Ser	4625	4630	4635
Phe Asp Ala Thr Phe Ile Pro Thr Pro Ala Gln Ser Thr Lys Phe Pro	4645	4650	4655
Asp Ile Phe Ser Val Ala Ser Ser Arg Leu Ser Asn Ser Pro Pro Met	4660	4665	4670
Thr Ile Ser Thr His Met Thr Thr Thr Gln Thr Gly Ser Ser Gly Ala	4675	4680	4685
Thr Ser Lys Ile Pro Leu Ala Leu Asp Thr Ser Thr Leu Glu Thr Ser	4690	4695	4700
Ala Gly Thr Pro Ser Val Val Thr Glu Gly Phe Ala His Ser Lys Ile	4705	4710	4715
Thr Thr Ala Met Asn Asn Asp Val Lys Asp Val Ser Gln Thr Asn Pro	4725	4730	4735
Pro Phe Gln Asp Glu Ala Ser Ser Pro Ser Ser Gln Ala Pro Val Leu	4740	4745	4750
Val Thr Thr Leu Pro Ser Ser Val Ala Phe Thr Pro Gln Trp His Ser	4755	4760	4765
Thr Ser Ser Pro Val Ser Met Ser Ser Val Leu Thr Ser Ser Leu Val	4770	4775	4780
Lys Thr Ala Gly Lys Val Asp Thr Ser Leu Glu Thr Val Thr Ser Ser	4785	4790	4795
Pro Gln Ser Met Ser Asn Thr Leu Asp Asp Ile Ser Val Thr Ser Ala	4805	4810	4815
Ala Thr Thr Asp Ile Glu Thr Thr His Pro Ser Ile Asn Thr Val Val	4820	4825	4830
Thr Asn Val Gly Thr Thr Gly Ser Ala Phe Glu Ser His Ser Thr Val	4835	4840	4845
Ser Ala Tyr Pro Glu Pro Ser Lys Val Thr Ser Pro Asn Val Thr Thr	4850	4855	4860
Ser Thr Met Glu Asp Thr Thr Ile Ser Arg Ser Ile Pro Lys Ser Ser	4865	4870	4875
Lys Thr Thr Arg Thr Glu Thr Glu Thr Thr Ser Ser Leu Thr Pro Lys	4885	4890	4895
Leu Arg Glu Thr Ser Ile Ser Gln Glu Ile Thr Ser Ser Thr Glu Thr	4900	4905	4910
Ser Thr Val Pro Tyr Lys Glu Leu Thr Gly Ala Thr Thr Glu Val Ser	4915	4920	4925
Arg Thr Asp Val Thr Ser Ser Ser Ser Thr Ser Phe Pro Gly Pro Asp	4930	4935	4940
Gln Ser Thr Val Ser Leu Asp Ile Ser Thr Glu Thr Asn Thr Arg Leu	4945	4950	4955
Ser Thr Ser Pro Ile Met Thr Glu Ser Ala Glu Ile Thr Ile Thr Thr	4965	4970	4975
Gln Thr Gly Pro His Gly Ala Thr Ser Gln Asp Thr Phe Thr Met Asp			

-continued

4980					4985					4990						
Pro	Ser	Asn	Thr	Thr	Pro	Gln	Ala	Gly	Ile	His	Ser	Ala	Met	Thr	His	
4995					5000					5005						
Gly	Phe	Ser	Gln	Leu	Asp	Val	Thr	Thr	Leu	Met	Ser	Arg	Ile	Pro	Gln	
5010					5015					5020						
Asp	Val	Ser	Trp	Thr	Ser	Pro	Pro	Ser	Val	Asp	Lys	Thr	Ser	Ser	Pro	
5025					5030					5035					5040	
Ser	Ser	Phe	Leu	Ser	Ser	Pro	Ala	Met	Thr	Thr	Pro	Ser	Leu	Ile	Ser	
5045					5050					5055						
Ser	Thr	Leu	Pro	Glu	Asp	Lys	Leu	Ser	Ser	Pro	Met	Thr	Ser	Leu	Leu	
5060					5065					5070						
Thr	Ser	Gly	Leu	Val	Lys	Ile	Thr	Asp	Ile	Leu	Arg	Thr	Arg	Leu	Glu	
5075					5080					5085						
Pro	Val	Thr	Ser	Ser	Leu	Pro	Asn	Phe	Ser	Ser	Thr	Ser	Asp	Lys	Ile	
5090					5095					5100						
Leu	Ala	Thr	Ser	Lys	Asp	Ser	Lys	Asp	Thr	Lys	Glu	Ile	Phe	Pro	Ser	
5105					5110					5115					5120	
Ile	Asn	Thr	Glu	Glu	Thr	Asn	Val	Lys	Ala	Asn	Asn	Ser	Gly	His	Glu	
5125					5130					5135						
Ser	His	Ser	Pro	Ala	Leu	Ala	Asp	Ser	Glu	Thr	Pro	Lys	Ala	Thr	Thr	
5140					5145					5150						
Gln	Met	Val	Ile	Thr	Thr	Thr	Val	Gly	Asp	Pro	Ala	Pro	Ser	Thr	Ser	
5155					5160					5165						
Met	Pro	Val	His	Gly	Ser	Ser	Glu	Thr	Thr	Asn	Ile	Lys	Arg	Glu	Pro	
5170					5175					5180						
Thr	Tyr	Phe	Leu	Thr	Pro	Arg	Leu	Arg	Glu	Thr	Ser	Thr	Ser	Gln	Glu	
5185					5190					5195					5200	
Ser	Ser	Phe	Pro	Thr	Asp	Thr	Ser	Phe	Leu	Leu	Ser	Lys	Val	Pro	Thr	
5205					5210					5215						
Gly	Thr	Ile	Thr	Glu	Val	Ser	Ser	Thr	Gly	Val	Asn	Ser	Ser	Ser	Lys	
5220					5225					5230						
Ile	Ser	Thr	Pro	Asp	His	Asp	Lys	Ser	Thr	Val	Pro	Pro	Asp	Thr	Phe	
5235					5240					5245						
Thr	Gly	Glu	Ile	Pro	Arg	Val	Phe	Thr	Ser	Ser	Ile	Lys	Thr	Lys	Ser	
5250					5255					5260						
Ala	Glu	Met	Thr	Ile	Thr	Thr	Gln	Ala	Ser	Pro	Pro	Glu	Ser	Ala	Ser	
5265					5270					5275					5280	
His	Ser	Thr	Leu	Pro	Leu	Asp	Thr	Ser	Thr	Thr	Leu	Ser	Gln	Gly	Gly	
5285					5290					5295						
Thr	His	Ser	Thr	Val	Thr	Gln	Gly	Phe	Pro	Tyr	Ser	Glu	Val	Thr	Thr	
5300					5305					5310						
Leu	Met	Gly	Met	Gly	Pro	Gly	Asn	Val	Ser	Trp	Met	Thr	Thr	Pro	Pro	
5315					5320					5325						
Val	Glu	Glu	Thr	Ser	Ser	Val	Ser	Ser	Leu	Met	Ser	Ser	Pro	Ala	Met	
5330					5335					5340						
Thr	Ser	Pro	Ser	Pro	Val	Ser	Ser	Thr	Ser	Pro	Gln	Ser	Ile	Pro	Ser	
5345					5350					5355					5360	
Ser	Pro	Leu	Pro	Val	Thr	Ala	Leu	Pro	Thr	Ser	Val	Leu	Val	Thr	Thr	
5365					5370					5375						
Thr	Asp	Val	Leu	Gly	Thr	Thr	Ser	Pro	Glu	Ser	Val	Thr	Ser	Ser	Pro	
5380					5385					5390						

-continued

Pro Asn Leu Ser Ser Ile Thr His Glu Arg Pro Ala Thr Tyr Lys Asp			
5395	5400	5405	
Thr Ala His Thr Glu Ala Ala Met His His Ser Thr Asn Thr Ala Val			
5410	5415	5420	
Thr Asn Val Gly Thr Ser Gly Ser Gly His Lys Ser Gln Ser Ser Val			
5425	5430	5435	5440
Leu Ala Asp Ser Glu Thr Ser Lys Ala Thr Pro Leu Met Ser Thr Thr			
5445	5450	5455	
Ser Thr Leu Gly Asp Thr Ser Val Ser Thr Ser Thr Pro Asn Ile Ser			
5460	5465	5470	
Gln Thr Asn Gln Ile Gln Thr Glu Pro Thr Ala Ser Leu Ser Pro Arg			
5475	5480	5485	
Leu Arg Glu Ser Ser Thr Ser Glu Lys Thr Ser Ser Thr Thr Glu Thr			
5490	5495	5500	
Asn Thr Ala Phe Ser Tyr Val Pro Thr Gly Ala Ile Thr Gln Ala Ser			
5505	5510	5515	5520
Arg Thr Glu Ile Ser Ser Ser Arg Thr Ser Ile Ser Asp Leu Asp Arg			
5525	5530	5535	
Pro Thr Ile Ala Pro Asp Ile Ser Thr Gly Met Ile Thr Arg Leu Phe			
5540	5545	5550	
Thr Ser Pro Ile Met Thr Lys Ser Ala Glu Met Thr Val Thr Thr Gln			
5555	5560	5565	
Thr Thr Thr Pro Gly Ala Thr Ser Gln Gly Ile Leu Pro Trp Asp Thr			
5570	5575	5580	
Ser Thr Thr Leu Phe Gln Gly Gly Thr His Ser Thr Val Ser Gln Gly			
5585	5590	5595	5600
Phe Pro His Ser Glu Ile Thr Thr Leu Arg Ser Arg Thr Pro Gly Asp			
5605	5610	5615	
Val Ser Trp Met Thr Thr Pro Pro Val Glu Glu Thr Ser Ser Gly Phe			
5620	5625	5630	
Ser Leu Met Ser Pro Ser Met Thr Ser Pro Ser Pro Val Ser Ser Thr			
5635	5640	5645	
Ser Pro Glu Ser Ile Pro Ser Ser Pro Leu Pro Val Thr Ala Leu Leu			
5650	5655	5660	
Thr Ser Val Leu Val Thr Thr Thr Asn Val Leu Gly Thr Thr Ser Pro			
5665	5670	5675	5680
Glu Pro Val Thr Ser Ser Pro Pro Asn Leu Ser Ser Pro Thr Gln Glu			
5685	5690	5695	
Arg Leu Thr Thr Tyr Lys Asp Thr Ala His Thr Glu Ala Met His Ala			
5700	5705	5710	
Ser Met His Thr Asn Thr Ala Val Ala Asn Val Gly Thr Ser Ile Ser			
5715	5720	5725	
Gly His Glu Ser Gln Ser Ser Val Pro Ala Asp Ser His Thr Ser Lys			
5730	5735	5740	
Ala Thr Ser Pro Met Gly Ile Thr Phe Ala Met Gly Asp Thr Ser Val			
5745	5750	5755	5760
Ser Thr Ser Thr Pro Ala Phe Phe Glu Thr Arg Ile Gln Thr Glu Ser			
5765	5770	5775	
Thr Ser Ser Leu Ile Pro Gly Leu Arg Asp Thr Arg Thr Ser Glu Glu			
5780	5785	5790	

-continued

Ile Asn Thr Val Thr Glu Thr Ser Thr Val Leu Ser Glu Val Pro Thr	5795	5800	5805
Thr Thr Thr Thr Glu Val Ser Arg Thr Glu Val Ile Thr Ser Ser Arg	5810	5815	5820
Thr Thr Ile Ser Gly Pro Asp His Ser Lys Met Ser Pro Tyr Ile Ser	5825	5830	5835
Thr Glu Thr Ile Thr Arg Leu Ser Thr Phe Pro Phe Val Thr Gly Ser	5845	5850	5855
Thr Glu Met Ala Ile Thr Asn Gln Thr Gly Pro Ile Gly Thr Ile Ser	5860	5865	5870
Gln Ala Thr Leu Thr Leu Asp Thr Ser Ser Thr Ala Ser Trp Glu Gly	5875	5880	5885
Thr His Ser Pro Val Thr Gln Arg Phe Pro His Ser Glu Glu Thr Thr	5890	5895	5900
Thr Met Ser Arg Ser Thr Lys Gly Val Ser Trp Gln Ser Pro Pro Ser	5905	5910	5915
Val Glu Glu Thr Ser Ser Pro Ser Ser Pro Val Pro Leu Pro Ala Ile	5925	5930	5935
Thr Ser His Ser Ser Leu Tyr Ser Ala Val Ser Gly Ser Ser Pro Thr	5940	5945	5950
Ser Ala Leu Pro Val Thr Ser Leu Leu Thr Ser Gly Arg Arg Lys Thr	5955	5960	5965
Ile Asp Met Leu Asp Thr His Ser Glu Leu Val Thr Ser Ser Leu Pro	5970	5975	5980
Ser Ala Ser Ser Phe Ser Gly Glu Ile Leu Thr Ser Glu Ala Ser Thr	5985	5990	5995
Asn Thr Glu Thr Ile His Phe Ser Glu Asn Thr Ala Glu Thr Asn Met	6005	6010	6015
Gly Thr Thr Asn Ser Met His Lys Leu His Ser Ser Val Ser Ile His	6020	6025	6030
Ser Gln Pro Ser Gly His Thr Pro Pro Lys Val Thr Gly Ser Met Met	6035	6040	6045
Glu Asp Ala Ile Val Ser Thr Ser Thr Pro Gly Ser Pro Glu Thr Lys	6050	6055	6060
Asn Val Asp Arg Asp Ser Thr Ser Pro Leu Thr Pro Glu Leu Lys Glu	6065	6070	6075
Asp Ser Thr Ala Leu Val Met Asn Ser Thr Thr Glu Ser Asn Thr Val	6085	6090	6095
Phe Ser Ser Val Ser Leu Asp Ala Ala Thr Glu Val Ser Arg Ala Glu	6100	6105	6110
Val Thr Tyr Tyr Asp Pro Thr Phe Met Pro Ala Ser Ala Gln Ser Thr	6115	6120	6125
Lys Ser Pro Asp Ile Ser Pro Glu Ala Ser Ser Ser His Ser Asn Ser	6130	6135	6140
Pro Pro Leu Thr Ile Ser Thr His Lys Thr Ile Ala Thr Gln Thr Gly	6145	6150	6155
Pro Ser Gly Val Thr Ser Leu Gly Gln Leu Thr Leu Asp Thr Ser Thr	6165	6170	6175
Ile Ala Thr Ser Ala Gly Thr Pro Ser Ala Arg Thr Gln Asp Phe Val	6180	6185	6190
Asp Ser Glu Thr Thr Ser Val Met Asn Asn Asp Leu Asn Asp Val Leu			

-continued

6195	6200	6205
Lys Thr Ser Pro Phe Ser Ala Glu Glu Ala Asn Ser Leu Ser Ser Gln 6210 6215 6220		
Ala Pro Leu Leu Val Thr Thr Ser Pro Ser Pro Val Thr Ser Thr Leu 6225 6230 6235 6240		
Gln Glu His Ser Thr Ser Ser Leu Val Ser Val Thr Ser Val Pro Thr 6245 6250 6255		
Pro Thr Leu Ala Lys Ile Thr Asp Met Asp Thr Asn Leu Glu Pro Val 6260 6265 6270		
Thr Arg Ser Pro Gln Asn Leu Arg Asn Thr Leu Ala Thr Ser Glu Ala 6275 6280 6285		
Thr Thr Asp Thr His Thr Met His Pro Ser Ile Asn Thr Ala Val Ala 6290 6295 6300		
Asn Val Gly Thr Thr Ser Ser Pro Asn Glu Phe Tyr Phe Thr Val Ser 6305 6310 6315 6320		
Pro Asp Ser Asp Pro Tyr Lys Ala Thr Ser Ala Val Val Ile Thr Ser 6325 6330 6335		
Thr Ser Gly Asp Ser Ile Val Ser Thr Ser Met Pro Arg Ser Ser Ala 6340 6345 6350		
Met Lys Lys Ile Glu Ser Glu Thr Thr Phe Ser Leu Ile Phe Arg Leu 6355 6360 6365		
Arg Glu Thr Ser Thr Ser Gln Lys Ile Gly Ser Ser Ser Asp Thr Ser 6370 6375 6380		
Thr Val Phe Asp Lys Ala Phe Thr Ala Ala Thr Thr Glu Val Ser Arg 6385 6390 6395 6400		
Thr Glu Leu Thr Ser Ser Ser Arg Thr Ser Ile Gln Gly Thr Glu Lys 6405 6410 6415		
Pro Thr Met Ser Pro Asp Thr Ser Thr Arg Ser Val Thr Met Leu Ser 6420 6425 6430		
Thr Phe Ala Gly Leu Thr Lys Ser Glu Glu Arg Thr Ile Ala Thr Gln 6435 6440 6445		
Thr Gly Pro His Arg Ala Thr Ser Gln Gly Thr Leu Thr Trp Asp Thr 6450 6455 6460		
Ser Ile Thr Thr Ser Gln Ala Gly Thr His Ser Ala Met Thr His Gly 6465 6470 6475 6480		
Phe Ser Gln Leu Asp Leu Ser Thr Leu Thr Ser Arg Val Pro Glu Tyr 6485 6490 6495		
Ile Ser Gly Thr Ser Pro Pro Ser Val Glu Lys Thr Ser Ser Ser Ser 6500 6505 6510		
Ser Leu Leu Ser Leu Pro Ala Ile Thr Ser Pro Ser Pro Val Pro Thr 6515 6520 6525		
Thr Leu Pro Glu Ser Arg Pro Ser Ser Pro Val His Leu Thr Ser Leu 6530 6535 6540		
Pro Thr Ser Gly Leu Val Lys Thr Thr Asp Met Leu Ala Ser Val Ala 6545 6550 6555 6560		
Ser Leu Pro Pro Asn Leu Gly Ser Thr Ser His Lys Ile Pro Thr Thr 6565 6570 6575		
Ser Glu Asp Ile Lys Asp Thr Glu Lys Met Tyr Pro Ser Thr Asn Ile 6580 6585 6590		
Ala Val Thr Asn Val Gly Thr Thr Thr Ser Glu Lys Glu Ser Tyr Ser 6595 6600 6605		

-continued

Ser Val Pro Ala Tyr Ser Glu Pro Pro Lys Val Thr Ser Pro Met Val	
6610	6615 6620
Thr Ser Phe Asn Ile Arg Asp Thr Ile Val Ser Thr Ser Met Pro Gly	
6625	6630 6635 6640
Ser Ser Glu Ile Thr Arg Ile Glu Met Glu Ser Thr Phe Ser Leu Ala	
6645	6650 6655
His Gly Leu Lys Gly Thr Ser Thr Ser Gln Asp Pro Ile Val Ser Thr	
6660	6665 6670
Glu Lys Ser Ala Val Leu His Lys Leu Thr Thr Gly Ala Thr Glu Thr	
6675	6680 6685
Ser Arg Thr Glu Val Ala Ser Ser Arg Arg Thr Ser Ile Pro Gly Pro	
6690	6695 6700
Asp His Ser Thr Glu Ser Pro Asp Ile Ser Thr Glu Val Ile Pro Ser	
6705	6710 6715 6720
Leu Pro Ile Ser Leu Gly Ile Thr Glu Ser Ser Asn Met Thr Ile Ile	
6725	6730 6735
Thr Arg Thr Gly Pro Pro Leu Gly Ser Thr Ser Gln Gly Thr Phe Thr	
6740	6745 6750
Leu Asp Thr Pro Thr Thr Ser Ser Arg Ala Gly Thr His Ser Met Ala	
6755	6760 6765
Thr Gln Glu Phe Pro His Ser Glu Met Thr Thr Val Met Asn Lys Asp	
6770	6775 6780
Pro Glu Ile Leu Ser Trp Thr Ile Pro Pro Ser Ile Glu Lys Thr Ser	
6785	6790 6795 6800
Phe Ser Ser Ser Leu Met Pro Ser Pro Ala Met Thr Ser Pro Pro Val	
6805	6810 6815
Ser Ser Thr Leu Pro Lys Thr Ile His Thr Thr Pro Ser Pro Met Thr	
6820	6825 6830
Ser Leu Leu Thr Pro Ser Leu Val Met Thr Thr Asp Thr Leu Gly Thr	
6835	6840 6845
Ser Pro Glu Pro Thr Thr Ser Ser Pro Pro Asn Leu Ser Ser Thr Ser	
6850	6855 6860
His Glu Ile Leu Thr Thr Asp Glu Asp Thr Thr Ala Ile Glu Ala Met	
6865	6870 6875 6880
His Pro Ser Thr Ser Thr Ala Ala Thr Asn Val Glu Thr Thr Ser Ser	
6885	6890 6895
Gly His Gly Ser Gln Ser Ser Val Leu Ala Asp Ser Glu Lys Thr Lys	
6900	6905 6910
Ala Thr Ala Pro Met Asp Thr Thr Ser Thr Met Gly His Thr Thr Val	
6915	6920 6925
Ser Thr Ser Met Ser Val Ser Ser Glu Thr Thr Lys Ile Lys Arg Glu	
6930	6935 6940
Ser Thr Tyr Ser Leu Thr Pro Gly Leu Arg Glu Thr Ser Ile Ser Gln	
6945	6950 6955 6960
Asn Ala Ser Phe Ser Thr Asp Thr Ser Ile Val Leu Ser Glu Val Pro	
6965	6970 6975
Thr Gly Thr Thr Ala Glu Val Ser Arg Thr Glu Val Thr Ser Ser Gly	
6980	6985 6990
Arg Thr Ser Ile Pro Gly Pro Ser Gln Ser Thr Val Leu Pro Glu Ile	
6995	7000 7005

-continued

Ser Thr Arg Thr Met Thr Arg Leu Phe Ala Ser Pro Thr Met Thr Glu			
7010	7015	7020	
Ser Ala Glu Met Thr Ile Pro Thr Gln Thr Gly Pro Ser Gly Ser Thr			
7025	7030	7035	7040
Ser Gln Asp Thr Leu Thr Leu Asp Thr Ser Thr Thr Lys Ser Gln Ala			
7045	7050		7055
Lys Thr His Ser Thr Leu Thr Gln Arg Phe Pro His Ser Glu Met Thr			
7060	7065		7070
Thr Leu Met Ser Arg Gly Pro Gly Asp Met Ser Trp Gln Ser Ser Pro			
7075	7080		7085
Ser Leu Glu Asn Pro Ser Ser Leu Pro Ser Leu Leu Ser Leu Pro Ala			
7090	7095		7100
Thr Thr Ser Pro Pro Pro Ile Ser Ser Thr Leu Pro Val Thr Ile Ser			
7105	7110	7115	7120
Ser Ser Pro Leu Pro Val Thr Ser Leu Leu Thr Ser Ser Pro Val Thr			
7125	7130		7135
Thr Thr Asp Met Leu His Thr Ser Pro Glu Leu Val Thr Ser Ser Pro			
7140	7145		7150
Pro Lys Leu Ser His Thr Ser Asp Glu Arg Leu Thr Thr Gly Lys Asp			
7155	7160		7165
Thr Thr Asn Thr Glu Ala Val His Pro Ser Thr Asn Thr Ala Ala Ser			
7170	7175		7180
Asn Val Glu Ile Pro Ser Ser Gly His Glu Ser Pro Ser Ser Ala Leu			
7185	7190	7195	7200
Ala Asp Ser Glu Thr Ser Lys Ala Thr Ser Pro Met Phe Ile Thr Ser			
7205	7210		7215
Thr Gln Glu Asp Thr Thr Val Ala Ile Ser Thr Pro His Phe Leu Glu			
7220	7225		7230
Thr Ser Arg Ile Gln Lys Glu Ser Ile Ser Ser Leu Ser Pro Lys Leu			
7235	7240		7245
Arg Glu Thr Gly Ser Ser Val Glu Thr Ser Ser Ala Ile Glu Thr Ser			
7250	7255		7260
Ala Val Leu Ser Glu Val Ser Ile Gly Ala Thr Thr Glu Ile Ser Arg			
7265	7270	7275	7280
Thr Glu Val Thr Ser Ser Ser Arg Thr Ser Ile Ser Gly Ser Ala Glu			
7285	7290		7295
Ser Thr Met Leu Pro Glu Ile Ser Thr Thr Arg Lys Ile Ile Lys Phe			
7300	7305		7310
Pro Thr Ser Pro Ile Leu Ala Glu Ser Ser Glu Met Thr Ile Lys Thr			
7315	7320		7325
Gln Thr Ser Pro Pro Gly Ser Thr Ser Glu Ser Thr Phe Thr Leu Asp			
7330	7335		7340
Thr Ser Thr Thr Pro Ser Leu Val Ile Thr His Ser Thr Met Thr Gln			
7345	7350	7355	7360
Arg Leu Pro His Ser Glu Ile Thr Thr Leu Val Ser Arg Gly Ala Gly			
7365	7370		7375
Asp Val Pro Arg Pro Ser Ser Leu Pro Val Glu Glu Thr Ser Pro Pro			
7380	7385		7390
Ser Ser Gln Leu Ser Leu Ser Ala Met Ile Ser Pro Ser Pro Val Ser			
7395	7400		7405
Ser Thr Leu Pro Ala Ser Ser His Ser Ser Ser Ala Ser Val Thr Ser			

-continued

7410					7415					7420					
Leu	Leu	Thr	Pro	Gly	Gln	Val	Lys	Thr	Thr	Glu	Val	Leu	Asp	Ala	Ser
7425					7430					7435					7440
Ala	Glu	Pro	Glu	Thr	Ser	Ser	Pro	Pro	Ser	Leu	Ser	Ser	Thr	Ser	Val
				7445						7450				7455	
Glu	Ile	Leu	Ala	Thr	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu	Lys	Ile	His
			7460					7465					7470		
Pro	Phe	Ser	Asn	Thr	Ala	Val	Thr	Lys	Val	Gly	Thr	Ser	Ser	Ser	Gly
	7475						7480					7485			
His	Glu	Ser	Pro	Ser	Ser	Val	Leu	Pro	Asp	Ser	Glu	Thr	Thr	Lys	Ala
7490						7495					7500				
Thr	Ser	Ala	Met	Gly	Thr	Ile	Ser	Ile	Met	Gly	Asp	Thr	Ser	Val	Ser
7505					7510					7515				7520	
Thr	Leu	Thr	Pro	Ala	Leu	Ser	Asn	Thr	Arg	Lys	Ile	Gln	Ser	Glu	Pro
			7525						7530					7535	
Ala	Ser	Ser	Leu	Thr	Thr	Arg	Leu	Arg	Glu	Thr	Ser	Thr	Ser	Glu	Glu
			7540					7545					7550		
Thr	Ser	Leu	Ala	Thr	Glu	Ala	Asn	Thr	Val	Leu	Ser	Lys	Val	Ser	Thr
	7555						7560					7565			
Gly	Ala	Thr	Thr	Glu	Val	Ser	Arg	Thr	Glu	Ala	Ile	Ser	Phe	Ser	Arg
7570					7575						7580				
Thr	Ser	Met	Ser	Gly	Pro	Glu	Gln	Ser	Thr	Met	Ser	Gln	Asp	Ile	Ser
7585					7590					7595				7600	
Ile	Gly	Thr	Ile	Pro	Arg	Ile	Ser	Ala	Ser	Ser	Val	Leu	Thr	Glu	Ser
			7605						7610					7615	
Ala	Lys	Met	Thr	Ile	Thr	Thr	Gln	Thr	Gly	Pro	Ser	Glu	Ser	Thr	Leu
			7620					7625					7630		
Glu	Ser	Thr	Leu	Asn	Leu	Asn	Thr	Ala	Thr	Thr	Pro	Ser	Trp	Val	Glu
	7635						7640					7645			
Thr	His	Ser	Ile	Val	Ile	Gln	Gly	Phe	Pro	His	Pro	Glu	Met	Thr	Thr
7650					7655						7660				
Ser	Met	Gly	Arg	Gly	Pro	Gly	Gly	Val	Ser	Trp	Pro	Ser	Pro	Pro	Phe
7665					7670					7675				7680	
Val	Lys	Glu	Thr	Ser	Pro	Pro	Ser	Ser	Pro	Leu	Ser	Leu	Pro	Ala	Val
			7685						7690					7695	
Thr	Ser	Pro	His	Pro	Val	Ser	Thr	Thr	Phe	Leu	Ala	His	Ile	Pro	Pro
		7700						7705					7710		
Ser	Pro	Leu	Pro	Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Pro	Ala	Thr	Thr
	7715						7720				7725				
Thr	Asp	Ile	Leu	Gly	Thr	Ser	Thr	Glu	Pro	Gly	Thr	Ser	Ser	Ser	Ser
7730					7735						7740				
Ser	Leu	Ser	Thr	Thr	Ser	His	Glu	Arg	Leu	Thr	Thr	Tyr	Lys	Asp	Thr
7745					7750					7755				7760	
Ala	His	Thr	Glu	Ala	Val	His	Pro	Ser	Thr	Asn	Thr	Gly	Gly	Thr	Asn
			7765						7770					7775	
Val	Ala	Thr	Thr	Ser	Ser	Gly	Tyr	Lys	Ser	Gln	Ser	Ser	Val	Leu	Ala
			7780					7785					7790		
Asp	Ser	Ser	Pro	Met	Cys	Thr	Thr	Ser	Thr	Met	Gly	Asp	Thr	Ser	Val
	7795						7800					7805			
Leu	Thr	Ser	Thr	Pro	Ala	Phe	Leu	Glu	Thr	Arg	Arg	Ile	Gln	Thr	Glu
7810						7815					7820				

-continued

Leu	Ala	Ser	Ser	Leu	Thr	Pro	Gly	Leu	Arg	Glu	Ser	Ser	Gly	Ser	Glu
7825						7830				7835					7840
Gly	Thr	Ser	Ser	Gly	Thr	Lys	Met	Ser	Thr	Val	Leu	Ser	Lys	Val	Pro
				7845					7850					7855	
Thr	Gly	Ala	Thr	Thr	Glu	Ile	Ser	Lys	Glu	Asp	Val	Thr	Ser	Ile	Pro
			7860					7865					7870		
Gly	Pro	Ala	Gln	Ser	Thr	Ile	Ser	Pro	Asp	Ile	Ser	Thr	Arg	Thr	Val
		7875					7880				7885				
Ser	Trp	Phe	Ser	Thr	Ser	Pro	Val	Met	Thr	Glu	Ser	Ala	Glu	Ile	Thr
7890						7895				7900					
Met	Asn	Thr	His	Thr	Ser	Pro	Leu	Gly	Ala	Thr	Thr	Gln	Gly		Ser
7905					7910				7915						7920
Thr	Leu	Asp	Thr	Ser	Ser	Thr	Thr	Ser	Leu	Thr	Met	Thr	His	Ser	Thr
			7925						7930					7935	
Ile	Ser	Gln	Gly	Phe	Ser	His	Ser	Gln	Met	Ser	Thr	Leu	Met	Arg	Arg
		7940						7945					7950		
Gly	Pro	Glu	Asp	Val	Ser	Trp	Met	Ser	Pro	Pro	Leu	Leu	Glu	Lys	Thr
		7955					7960				7965				
Arg	Pro	Ser	Phe	Ser	Leu	Met	Ser	Ser	Pro	Ala	Thr	Thr	Ser	Pro	Ser
		7970				7975				7980					
Pro	Val	Ser	Ser	Thr	Leu	Pro	Glu	Ser	Ile	Ser	Ser	Ser	Pro	Leu	Pro
7985					7990					7995					8000
Val	Thr	Ser	Leu	Leu	Thr	Ser	Gly	Leu	Ala	Lys	Thr	Thr	Asp	Met	Leu
			8005					8010					8015		
His	Lys	Ser	Ser	Glu	Pro	Val	Thr	Asn	Ser	Pro	Ala	Asn	Leu	Ser	Ser
			8020					8025					8030		
Thr	Ser	Val	Glu	Ile	Leu	Ala	Thr	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu
		8035				8040					8045				
Lys	Thr	His	Pro	Ser	Ser	Asn	Arg	Thr	Val	Thr	Asp	Val	Gly	Thr	Ser
	8050					8055				8060					
Ser	Ser	Gly	His	Glu	Ser	Thr	Ser	Phe	Val	Leu	Ala	Asp	Ser	Gln	Thr
8065				8070					8075					8080	
Ser	Lys	Val	Thr	Ser	Pro	Met	Val	Ile	Thr	Ser	Thr	Met	Glu	Asp	Thr
			8085					8090					8095		
Ser	Val	Ser	Thr	Ser	Thr	Pro	Gly	Phe	Phe	Glu	Thr	Ser	Arg	Ile	Gln
			8100					8105					8110		
Thr	Glu	Pro	Thr	Ser	Ser	Leu	Thr	Leu	Gly	Leu	Arg	Lys	Thr	Ser	Ser
		8115					8120					8125			
Ser	Glu	Gly	Thr	Ser	Leu	Ala	Thr	Glu	Met	Ser	Thr	Val	Leu	Ser	Gly
		8130				8135					8140				
Val	Pro	Thr	Gly	Ala	Thr	Ala	Glu	Val	Ser	Arg	Thr	Glu	Val	Thr	Ser
8145				8150						8155				8160	
Ser	Ser	Arg	Thr	Ser	Ile	Ser	Gly	Phe	Ala	Gln	Leu	Thr	Val	Ser	Pro
			8165					8170						817	

-continued

Trp Val Glu Thr His Ser Thr Val Thr Gln Arg Phe Ser His Ser Glu			
8225	8230	8235	8240
Met Thr Thr Leu Val Ser Arg Ser Pro Gly Asp Met Leu Trp Pro Ser			
	8245	8250	8255
Gln Ser Ser Val Glu Glu Thr Ser Ser Ala Ser Ser Leu Leu Ser Leu			
	8260	8265	8270
Pro Ala Thr Thr Ser Pro Ser Pro Val Ser Ser Thr Leu Val Glu Asp			
	8275	8280	8285
Phe Pro Ser Ala Ser Leu Pro Val Thr Ser Leu Leu Asn Pro Gly Leu			
	8290	8295	8300
Val Ile Thr Thr Asp Arg Met Gly Ile Ser Arg Glu Pro Gly Thr Ser			
8305	8310	8315	8320
Ser Thr Ser Asn Leu Ser Ser Thr Ser His Glu Arg Leu Thr Thr Leu			
	8325	8330	8335
Glu Asp Thr Val Asp Thr Glu Asp Met Gln Pro Ser Thr His Thr Ala			
	8340	8345	8350
Val Thr Asn Val Arg Thr Ser Ile Ser Gly His Glu Ser Gln Ser Ser			
	8355	8360	8365
Val Leu Ser Asp Ser Glu Thr Pro Lys Ala Thr Ser Pro Met Gly Thr			
	8370	8375	8380
Thr Tyr Thr Met Gly Glu Thr Ser Val Ser Ile Ser Thr Ser Asp Phe			
8385	8390	8395	8400
Phe Glu Thr Ser Arg Ile Gln Ile Glu Pro Thr Ser Ser Leu Thr Ser			
	8405	8410	8415
Gly Leu Arg Glu Thr Ser Ser Ser Glu Arg Ile Ser Ser Ala Thr Glu			
	8420	8425	8430
Gly Ser Thr Val Leu Ser Glu Val Pro Ser Gly Ala Thr Thr Glu Val			
	8435	8440	8445
Ser Arg Thr Glu Val Ile Ser Ser Arg Gly Thr Ser Met Ser Gly Pro			
	8450	8455	8460
Asp Gln Phe Thr Ile Ser Pro Asp Ile Ser Thr Glu Ala Ile Thr Arg			
8465	8470	8475	8480
Leu Ser Thr Ser Pro Ile Met Thr Glu Ser Ala Glu Ser Ala Ile Thr			
	8485	8490	8495
Ile Glu Thr Gly Ser Pro Gly Ala Thr Ser Glu Gly Thr Leu Thr Leu			
	8500	8505	8510
Asp Thr Ser Thr Thr Thr Phe Trp Ser Gly Thr His Ser Thr Ala Ser			
	8515	8520	8525
Pro Gly Phe Ser His Ser Glu Met Thr Thr Leu Met Ser Arg Thr Pro			
	8530	8535	8540
Gly Asp Val Pro Trp Pro Ser Leu Pro Ser Val Glu Glu Ala Ser Ser			
8545	8550	8555	8560
Val Ser Ser Ser Leu Ser Ser Pro Ala Met Thr Ser Thr Ser Phe Phe			
	8565	8570	8575
Ser Thr Leu Pro Glu Ser Ile Ser Ser Ser Pro His Pro Val Thr Ala			
	8580	8585	8590
Leu Leu Thr Leu Gly Pro Val Lys Thr Thr Asp Met Leu Arg Thr Ser			
	8595	8600	8605
Ser Glu Pro Glu Thr Ser Ser Pro Pro Asn Leu Ser Ser Thr Ser Ala			
	8610	8615	8620
Glu Ile Leu Ala Thr Ser Glu Val Thr Lys Asp Arg Glu Lys Ile His			

-continued

8625	8630	8635	8640
Pro Ser Ser Asn Thr Pro Val Val Asn Val Gly Thr Val Ile Tyr Lys			
	8645	8650	8655
His Leu Ser Pro Ser Ser Val Leu Ala Asp Leu Val Thr Thr Lys Pro			
	8660	8665	8670
Thr Ser Pro Met Ala Thr Thr Ser Thr Leu Gly Asn Thr Ser Val Ser			
	8675	8680	8685
Thr Ser Thr Pro Ala Phe Pro Glu Thr Met Met Thr Gln Pro Thr Ser			
	8690	8695	8700
Ser Leu Thr Ser Gly Leu Arg Glu Ile Ser Thr Ser Gln Glu Thr Ser			
8705	8710	8715	8720
Ser Ala Thr Glu Arg Ser Ala Ser Leu Ser Gly Met Pro Thr Gly Ala			
	8725	8730	8735
Thr Thr Lys Val Ser Arg Thr Glu Ala Leu Ser Leu Gly Arg Thr Ser			
	8740	8745	8750
Thr Pro Gly Pro Ala Gln Ser Thr Ile Ser Pro Glu Ile Ser Thr Glu			
	8755	8760	8765
Thr Ile Thr Arg Ile Ser Thr Pro Leu Thr Thr Thr Gly Ser Ala Glu			
	8770	8775	8780
Met Thr Ile Thr Pro Lys Thr Gly His Ser Gly Ala Ser Ser Gln Gly			
8785	8790	8795	8800
Thr Phe Thr Leu Asp Thr Ser Ser Arg Ala Ser Trp Pro Gly Thr His			
	8805	8810	8815
Ser Ala Ala Thr His Arg Ser Pro His Ser Gly Met Thr Thr Pro Met			
	8820	8825	8830
Ser Arg Gly Pro Glu Asp Val Ser Trp Pro Ser Arg Pro Ser Val Glu			
	8835	8840	8845
Lys Thr Ser Pro Pro Ser Ser Leu Val Ser Leu Ser Ala Val Thr Ser			
	8850	8855	8860
Pro Ser Pro Leu Tyr Ser Thr Pro Ser Glu Ser Ser His Ser Ser Pro			
8865	8870	8875	8880
Leu Arg Val Thr Ser Leu Phe Thr Pro Val Met Met Lys Thr Thr Asp			
	8885	8890	8895
Met Leu Asp Thr Ser Leu Glu Pro Val Thr Thr Ser Pro Pro Ser Met			
	8900	8905	8910
Asn Ile Thr Ser Asp Glu Ser Leu Ala Thr Ser Lys Ala Thr Met Glu			
	8915	8920	8925
Thr Glu Ala Ile Gln Leu Ser Glu Asn Thr Ala Val Thr Gln Met Gly			
	8930	8935	8940
Thr Ile Ser Ala Arg Gln Glu Phe Tyr Ser Ser Tyr Pro Gly Leu Pro			
8945	8950	8955	8960
Glu Pro Ser Lys Val Thr Ser Pro Val Val Thr Ser Ser Thr Ile Lys			
	8965	8970	8975
Asp Ile Val Ser Thr Thr Ile Pro Ala Ser Ser Glu Ile Thr Arg Ile			
	8980	8985	8990
Glu Met Glu Ser Thr Ser Thr Leu Thr Pro Thr Pro Arg Glu Thr Ser			
	8995	9000	9005
Thr Ser Gln Glu Ile His Ser Ala Thr Lys Pro Ser Thr Val Pro Tyr			
	9010	9015	9020
Lys Ala Leu Thr Ser Ala Thr Ile Glu Asp Ser Met Thr Gln Val Met			
9025	9030	9035	9040

-continued

Ser Ser Ser Arg Gly Pro Ser Pro Asp Gln Ser Thr Met Ser Gln Asp	9045	9050	9055
Ile Ser Thr Glu Val Ile Thr Arg Leu Ser Thr Ser Pro Ile Lys Thr	9060	9065	9070
Glu Ser Thr Glu Met Thr Ile Thr Thr Gln Thr Gly Ser Pro Gly Ala	9075	9080	9085
Thr Ser Arg Gly Thr Leu Thr Leu Asp Thr Ser Thr Thr Phe Met Ser	9090	9095	9100
Gly Thr His Ser Thr Ala Ser Gln Gly Phe Ser His Ser Gln Met Thr	9105	9110	9115
Ala Leu Met Ser Arg Thr Pro Gly Asp Val Pro Trp Leu Ser His Pro	9125	9130	9135
Ser Val Glu Glu Ala Ser Ser Ala Ser Phe Ser Leu Ser Ser Pro Val	9140	9145	9150
Met Thr Ser Ser Ser Pro Val Ser Ser Thr Leu Pro Asp Ser Ile His	9155	9160	9165
Ser Ser Ser Leu Pro Val Thr Ser Leu Leu Thr Ser Gly Leu Val Lys	9170	9175	9180
Thr Thr Glu Leu Leu Gly Thr Ser Ser Glu Pro Glu Thr Ser Ser Pro	9185	9190	9195
Pro Asn Leu Ser Ser Thr Ser Ala Glu Ile Leu Ala Ile Thr Glu Val	9205	9210	9215
Thr Thr Asp Thr Glu Lys Leu Glu Met Thr Asn Val Val Thr Ser Gly	9220	9225	9230
Tyr Thr His Glu Ser Pro Ser Ser Val Leu Ala Asp Ser Val Thr Thr	9235	9240	9245
Lys Ala Thr Ser Ser Met Gly Ile Thr Tyr Pro Thr Gly Asp Thr Asn	9250	9255	9260
Val Leu Thr Ser Thr Pro Ala Phe Ser Asp Thr Ser Arg Ile Gln Thr	9265	9270	9275
Lys Ser Lys Leu Ser Leu Thr Pro Gly Leu Met Glu Thr Ser Ile Ser	9285	9290	9295
Glu Glu Thr Ser Ser Ala Thr Glu Lys Ser Thr Val Leu Ser Ser Val	9300	9305	9310
Pro Thr Gly Ala Thr Thr Glu Val Ser Arg Thr Glu Ala Ile Ser Ser	9315	9320	9325
Ser Arg Thr Ser Ile Pro Gly Pro Ala Gln Ser Thr Met Ser Ser Asp	9330	9335	9340
Thr Ser Met Glu Thr Ile Thr Arg Ile Ser Thr Pro Leu Thr Arg Lys	9345	9350	9355
Glu Ser Thr Asp Met Ala Ile Thr Pro Lys Thr Gly Pro Ser Gly Ala	9365	9370	9375
Thr Ser Gln Gly Thr Phe Thr Leu Asp Ser Ser Ser Thr Ala Ser Trp	9380	9385	9390
Pro Gly Thr His Ser Ala Thr Thr Gln Arg Phe Pro Gln Ser Val Val	9395	9400	9405
Thr Thr Pro Met Ser Arg Gly Pro Glu Asp Val Ser Trp Pro Ser Pro	9410	9415	9420
Leu Ser Val Glu Lys Asn Ser Pro Pro Ser Ser Leu Val Ser Ser Ser	9425	9430	9435
			9440

-continued

Ser Val Thr	Ser Pro Ser Pro Leu Tyr	Ser Thr Pro Ser Gly Ser Ser
	9445	9450 9455
His Ser Ser	Pro Val Pro Val Thr	Ser Leu Phe Thr Ser Ile Met Met
	9460	9465 9470
Lys Ala Thr	Asp Met Leu Asp Ala Ser Leu Glu Pro	Glu Thr Thr Ser
	9475	9480 9485
Ala Pro Asn Met	Asn Ile Thr Ser Asp Glu Ser	Leu Ala Ala Ser Lys
	9490	9495 9500
Ala Thr Thr	Glu Thr Glu Ala Ile His Val Phe Glu Asn Thr	Ala Ala
	9505	9510 9515 9520
Ser His Val	Glu Thr Thr Ser Ala Thr	Glu Glu Leu Tyr Ser Ser Ser
	9525	9530 9535
Pro Gly Phe	Ser Glu Pro Thr Lys Val Ile Ser Pro	Val Val Thr Ser
	9540	9545 9550
Ser Ser Ile	Arg Asp Asn Met Val Ser Thr Thr	Met Pro Gly Ser Ser
	9555	9560 9565
Gly Ile Thr	Arg Ile Glu Ile Glu Ser Met Ser	Ser Leu Thr Pro Gly
	9570	9575 9580
Leu Arg Glu	Thr Arg Thr Ser Gln Asp Ile Thr Ser	Ser Thr Glu Thr
	9585	9590 9595 9600
Ser Thr Val	Leu Tyr Lys Met Pro Ser Gly Ala Thr	Pro Glu Val Ser
	9605	9610 9615
Arg Thr Glu	Val Met Pro Ser Ser Arg Thr Ser	Ile Pro Gly Pro Ala
	9620	9625 9630
Gln Ser Thr	Met Ser Leu Asp Ile Ser Asp Glu Val	Val Thr Arg Leu
	9635	9640 9645
Ser Thr Ser	Pro Ile Met Thr Glu Ser Ala Glu Ile Thr	Ile Thr Thr
	9650	9655 9660
Gln Thr Gly	Tyr Ser Leu Ala Thr Ser Gln Val Thr	Leu Pro Leu Gly
	9665	9670 9675 9680
Thr Ser Met	Thr Phe Leu Ser Gly Thr His Ser Thr	Met Ser Gln Gly
	9685	9690 9695
Leu Ser His	Ser Glu Met Thr Asn Leu Met Ser Arg Gly	Pro Glu Ser
	9700	9705 9710
Leu Ser Trp	Thr Ser Pro Arg Phe Val Glu Thr Thr	Arg Ser Ser Ser
	9715	9720 9725
Ser Leu Thr	Ser Leu Pro Leu Thr Thr Ser Leu Ser	Pro Val Ser Ser
	9730	9735 9740
Thr Leu Leu	Asp Ser Ser Pro Ser Ser Pro Leu Pro	Val Thr Ser Leu
	9745	9750 9755 9760
Ile Leu Pro	Gly Leu Val Lys Thr Thr Glu Val Leu	Asp Thr Ser Ser
	9765	9770 9775
Glu Pro Lys	Thr Ser Ser Ser Pro Asn Leu Ser Ser	Thr Ser Val Glu
	9780	9785 9790
Ile Pro Ala	Thr Ser Glu Ile Met Thr Asp Thr Glu Lys	Ile His Pro
	9795	9800 9805
Ser Ser Asn	Thr Ala Val Ala Lys Val Arg Thr Ser	Ser Ser Val His
	9810	9815 9820
Glu Ser His	Ser Ser Val Leu Ala Asp Ser Glu Thr	Thr Ile Thr Ile
	9825	9830 9835 9840
Pro Ser Met	Gly Ile Thr Ser Ala Val Asp Asp Thr	Thr Val Phe Thr

-continued

9845					9850					9855						
Ser	Asn	Pro	Ala	Phe	Ser	Glu	Thr	Arg	Arg	Ile	Pro	Thr	Glu	Pro	Thr	
9860					9865					9870						
Phe	Ser	Leu	Thr	Pro	Gly	Phe	Arg	Glu	Thr	Ser	Thr	Ser	Glu	Glu	Thr	
9875					9880					9885						
Thr	Ser	Ile	Thr	Glu	Thr	Ser	Ala	Val	Leu	Tyr	Gly	Val	Pro	Thr	Ser	
9890					9895					9900						
Ala	Thr	Thr	Glu	Val	Ser	Met	Thr	Glu	Ile	Met	Ser	Ser	Asn	Arg	Ile	
9905					9910					9915					9920	
His	Ile	Pro	Asp	Ser	Asp	Gln	Ser	Thr	Met	Ser	Pro	Asp	Ile	Ile	Thr	
9925					9930					9935						
Glu	Val	Ile	Thr	Arg	Leu	Ser	Ser	Ser	Ser	Met	Met	Ser	Glu	Ser	Thr	
9940					9945					9950						
Gln	Met	Thr	Ile	Thr	Thr	Gln	Lys	Ser	Ser	Pro	Gly	Ala	Thr	Ala	Gln	
9955					9960					9965						
Ser	Thr	Leu	Thr	Leu	Ala	Thr	Thr	Thr	Ala	Pro	Leu	Ala	Arg	Thr	His	
9970					9975					9980						
Ser	Thr	Val	Pro	Pro	Arg	Phe	Leu	His	Ser	Glu	Met	Thr	Thr	Leu	Met	
9985					9990					9995					10000	
Ser	Arg	Ser	Pro	Glu	Asn	Pro	Ser	Trp	Lys	Ser	Ser	Leu	Phe	Val	Glu	
10005					10010					10015						
Lys	Thr	Ser	Ser	Ser	Ser	Ser	Leu	Leu	Ser	Leu	Pro	Val	Thr	Thr	Ser	
10020					10025					10030						
Pro	Ser	Val	Ser	Ser	Thr	Leu	Pro	Gln	Ser	Ile	Pro	Ser	Ser	Ser	Phe	
10035					10040					10045						
Ser	Val	Thr	Ser	Leu	Leu	Thr	Pro	Gly	Met	Val	Lys	Thr	Thr	Asp	Thr	
10050					10055					10060						
Ser	Thr	Glu	Pro	Gly	Thr	Ser	Leu	Ser	Pro	Asn	Leu	Ser	Gly	Thr	Ser	
10065					10070					10075					10080	
Val	Glu	Ile	Leu	Ala	Ala	Ser	Glu	Val	Thr	Thr	Asp	Thr	Glu	Lys	Ile	
10085					10090					10095						
His	Pro	Ser	Ser	Ser	Met	Ala	Val	Thr	Asn	Val	Gly	Thr	Thr	Ser	Ser	
10100					10105					10110						
Gly	His	Glu	Leu	Tyr	Ser	Ser	Val	Ser	Ile	His	Ser	Glu	Pro	Ser	Lys	
10115					10120					10125						
Ala	Thr	Tyr	Pro	Val	Gly	Thr	Pro	Ser	Ser	Met	Ala	Glu	Thr	Ser	Ile	
10130					10135					10140						
Ser	Thr	Ser	Met	Pro	Ala	Asn	Phe	Glu	Thr	Thr	Gly	Phe	Glu	Ala	Glu	
10145					10150					10155					10160	
Pro	Phe	Ser	His	Leu	Thr	Ser	Gly	Phe	Arg	Lys	Thr	Asn	Met	Ser	Leu	
10165					10170					10175						
Asp	Thr	Ser	Ser	Val	Thr	Pro	Thr	Asn	Thr	Pro	Ser	Ser	Pro	Gly	Ser	
10180					10185					10190						
Thr	His	Leu	Leu	Gln	Ser	Ser	Lys	Thr	Asp	Phe	Thr	Ser	Ser	Ala	Lys	
10195					10200					10205						
Thr	Ser	Ser	Pro	Asp	Trp	Pro	Pro	Ala	Ser	Gln	Tyr	Thr	Glu	Ile	Pro	
10210					10215					10220						
Val	Asp	Ile	Ile	Thr	Pro	Phe	Asn	Ala	Ser	Pro	Ser	Ile	Thr	Glu	Ser	
10225					10230					10235					10240	
Thr	Gly	Ile	Thr	Ser	Phe	Pro	Glu	Ser	Arg	Phe	Thr	Met	Ser	Val	Thr	
10245					10250					10255						

-continued

Glu Ser Thr His	His Leu Ser Thr Asp	Leu Leu Pro Ser Ala	Glu Thr
10260	10265	10270	
Ile Ser Thr Gly Thr Val Met Pro	Ser Leu Ser Glu Ala Met Thr Ser		
10275	10280	10285	
Phe Ala Thr Thr Gly Val Pro	Arg Ala Ile Ser Gly Ser Gly Ser Pro		
10290	10295	10300	
Phe Ser Arg Thr Glu Ser Gly Pro Gly Asp Ala Thr Leu Ser Thr Ile			
10305	10310	10315	10320
Ala Glu Ser Leu Pro Ser Ser Thr Pro Val Pro Phe Ser Ser Ser Thr			
10325	10330	10335	
Phe Thr Thr Thr Asp Ser Ser Thr Ile Pro Ala Leu His Glu Ile Thr			
10340	10345	10350	
Ser Ser Ser Ala Thr Pro Tyr Arg Val Asp Thr Ser Leu Gly Thr Glu			
10355	10360	10365	
Ser Ser Thr Thr Glu Gly Arg Leu Val Met Val Ser Thr Leu Asp Thr			
10370	10375	10380	
Ser Ser Gln Pro Gly Arg Thr Ser Ser Ser Pro Ile Leu Asp Thr Arg			
10385	10390	10395	10400
Met Thr Glu Ser Val Glu Leu Gly Thr Val Thr Ser Ala Tyr Gln Val			
10405	10410	10415	
Pro Ser Leu Ser Thr Arg Leu Thr Arg Thr Asp Gly Ile Met Glu His			
10420	10425	10430	
Ile Thr Lys Ile Pro Asn Glu Ala Ala His Arg Gly Thr Ile Arg Pro			
10435	10440	10445	
Val Lys Gly Pro Gln Thr Ser Thr Ser Pro Ala Ser Pro Lys Gly Leu			
10450	10455	10460	
His Thr Gly Gly Thr Lys Arg Met Glu Thr Thr Thr Thr Ala Leu Lys			
10465	10470	10475	10480
Thr Thr Thr Thr Ala Leu Lys Thr Thr Ser Arg Ala Thr Leu Thr Thr			
10485	10490	10495	
Ser Val Tyr Thr Pro Thr Leu Gly Thr Leu Thr Pro Leu Asn Ala Ser			
10500	10505	10510	
Met Gln Met Ala Ser Thr Ile Pro Thr Glu Met Met Ile Thr Thr Pro			
10515	10520	10525	
Tyr Val Phe Pro Asp Val Pro Glu Thr Thr Ser Ser Leu Ala Thr Ser			
10530	10535	10540	
Leu Gly Ala Glu Thr Ser Thr Ala Leu Pro Arg Thr Thr Pro Ser Val			
10545	10550	10555	10560
Phe Asn Arg Glu Ser Glu Thr Thr Ala Ser Leu Val Ser Arg Ser Gly			
10565	10570	10575	
Ala Glu Arg Ser Pro Val Ile Gln Thr Leu Asp Val Ser Ser Ser Glu			
10580	10585	10590	
Pro Asp Thr Thr Ala Ser Trp Val Ile His Pro Ala Glu Thr Ile Pro			
10595	10600	10605	
Thr Val Ser Lys Thr Thr Pro Asn Phe Phe His Ser Glu Leu Asp Thr			
10610	10615	10620	
Val Ser Ser Thr Ala Thr Ser His Gly Ala Asp Val Ser Ser Ala Ile			
10625	10630	10635	10640
Pro Thr Asn Ile Ser Pro Ser Glu Leu Asp Ala Leu Thr Pro Leu Val			
10645	10650	10655	

-continued

Thr Ile Ser Gly	Thr Asp Thr Ser Thr	Thr Phe Pro Thr Leu	Thr Lys
10660	10665	10670	
Ser Pro His Glu Thr Glu Thr Arg	Thr Thr Trp Leu Thr	His Pro Ala	
10675	10680	10685	
Glu Thr Ser Ser Thr Ile Pro Arg Thr Ile Pro Asn	Phe Ser His His		
10690	10695	10700	
Glu Ser Asp Ala Thr Pro Ser Ile Ala Thr Ser	Pro Gly Ala Glu Thr		
10705	10710	10715	10720
Ser Ser Ala Ile Pro Ile Met Thr Val Ser	Pro Gly Ala Glu Asp Leu		
10725	10730	10735	
Val Thr Ser Gln Val Thr Ser Ser Gly Thr Asp Arg Asn Met	Thr Ile		
10740	10745	10750	
Pro Thr Leu Thr Leu Ser Pro Gly Glu Pro Lys Thr Ile Ala Ser Leu			
10755	10760	10765	
Val Thr His Pro Glu Ala Gln Thr Ser Ser Ala Ile	Pro Thr Ser Thr		
10770	10775	10780	
Ile Ser Pro Ala Val Ser Arg Leu Val Thr Ser Met Val Thr Ser Leu			
10785	10790	10795	10800
Ala Ala Lys Thr Ser Thr Thr Asn Arg Ala Leu Thr Asn Ser Pro Gly			
10805	10810	10815	
Glu Pro Ala Thr Thr Val Ser Leu Val Thr His Pro Ala Gln Thr Ser			
10820	10825	10830	
Pro Thr Val Pro Trp Thr Thr Ser Ile Phe Phe His Ser Lys Ser Asp			
10835	10840	10845	
Thr Thr Pro Ser Met Thr Thr Ser His Gly Ala Glu Ser Ser Ser Ala			
10850	10855	10860	
Val Pro Thr Pro Thr Val Ser Thr Glu Val Pro Gly Val Val Thr Pro			
10865	10870	10875	10880
Leu Val Thr Ser Ser Arg Ala Val Ile Ser Thr Thr Ile Pro Ile Leu			
10885	10890	10895	
Thr Leu Ser Pro Gly Glu Pro Glu Thr Thr Pro Ser Met Ala Thr Ser			
10900	10905	10910	
His Gly Glu Glu Ala Ser Ser Ala Ile Pro Thr Pro Thr Val Ser Pro			
10915	10920	10925	
Gly Val Pro Gly Val Val Thr Ser Leu Val Thr Ser Ser Arg Ala Val			
10930	10935	10940	
Thr Ser Thr Thr Ile Pro Ile Leu Thr Phe Ser Leu Gly Glu Pro Glu			
10945	10950	10955	10960
Thr Thr Pro Ser Met Ala Thr Ser His Gly Thr Glu Ala Gly Ser Ala			
10965	10970	10975	
Val Pro Thr Val Leu Pro Glu Val Pro Gly Met Val Thr Ser Leu Val			
10980	10985	10990	
Ala Ser Ser Arg Ala Val Thr Ser Thr Thr Leu Pro Thr Leu Thr Leu			
10995	11000	11005	
Ser Pro Gly Glu Pro Glu Thr Thr Pro Ser Met Ala Thr Ser His Gly			
11010	11015	11020	
Ala Glu Ala Ser Ser Thr Val Pro Thr Val Ser Pro Glu Val Pro Gly			
11025	11030	11035	11040
Val Val Thr Ser Leu Val Thr Ser Ser Ser Gly Val Asn Ser Thr Ser			
11045	11050	11055	
Ile Pro Thr Leu Ile Leu Ser Pro Gly Glu Leu Glu Thr Thr Pro Ser			

-continued

11060	11065	11070
Met Ala Thr Ser His Gly Ala Glu Ala Ser Ser Ala Val Pro Thr Pro 11075 11080 11085		
Thr Val Ser Pro Gly Val Ser Gly Val Val Thr Pro Leu Val Thr Ser 11090 11095 11100		
Ser Arg Ala Val Thr Ser Thr Thr Ile Pro Ile Leu Thr Leu Ser Ser 11105 11110 11115 11120		
Ser Glu Pro Glu Thr Thr Pro Ser Met Ala Thr Ser His Gly Val Glu 11125 11130 11135		
Ala Ser Ser Ala Val Leu Thr Val Ser Pro Glu Val Pro Gly Met Val 11140 11145 11150		
Thr Ser Leu Val Thr Ser Ser Arg Ala Val Thr Ser Thr Thr Ile Pro 11155 11160 11165		
Thr Leu Thr Ile Ser Ser Asp Glu Pro Glu Thr Thr Thr Ser Leu Val 11170 11175 11180		
Thr His Ser Glu Ala Lys Met Ile Ser Ala Ile Pro Thr Leu Ala Val 11185 11190 11195 11200		
Ser Pro Thr Val Gln Gly Leu Val Thr Ser Leu Val Thr Ser Ser Gly 11205 11210 11215		
Ser Glu Thr Ser Ala Phe Ser Asn Leu Thr Val Ala Ser Ser Gln Pro 11220 11225 11230		
Glu Thr Ile Asp Ser Trp Val Ala His Pro Gly Thr Glu Ala Ser Ser 11235 11240 11245		
Val Val Pro Thr Leu Thr Val Ser Thr Gly Glu Pro Phe Thr Asn Ile 11250 11255 11260		
Ser Leu Val Thr His Pro Ala Glu Ser Ser Ser Thr Leu Pro Arg Thr 11265 11270 11275 11280		
Thr Ser Arg Phe Ser His Ser Glu Leu Asp Thr Met Pro Ser Thr Val 11285 11290 11295		
Thr Ser Pro Glu Ala Glu Ser Ser Ser Ala Ile Ser Thr Thr Ile Ser 11300 11305 11310		
Pro Gly Ile Pro Gly Val Leu Thr Ser Leu Val Thr Ser Ser Gly Arg 11315 11320 11325		
Asp Ile Ser Ala Thr Phe Pro Thr Val Pro Glu Ser Pro His Glu Ser 11330 11335 11340		
Glu Ala Thr Ala Ser Trp Val Thr His Pro Ala Val Thr Ser Thr Thr 11345 11350 11355 11360		
Val Pro Arg Thr Thr Pro Asn Tyr Ser His Ser Glu Pro Asp Thr Thr 11365 11370 11375		
Pro Ser Ile Ala Thr Ser Pro Gly Ala Glu Ala Thr Ser Asp Phe Pro 11380 11385 11390		
Thr Ile Thr Val Ser Pro Asp Val Pro Asp Met Val Thr Ser Gln Val 11395 11400 11405		
Thr Ser Ser Gly Thr Asp Thr Ser Ile Thr Ile Pro Thr Leu Thr Leu 11410 11415 11420		
Ser Ser Gly Glu Pro Glu Thr Thr Thr Ser Phe Ile Thr Tyr Ser Glu 11425 11430 11435 11440		
Thr His Thr Ser Ser Ala Ile Pro Thr Leu Pro Val Ser Pro Gly Ala 11445 11450 11455		
Ser Lys Met Leu Thr Ser Leu Val Ile Ser Ser Gly Thr Asp Ser Thr 11460 11465 11470		

-continued

Thr Thr Phe Pro Thr Leu Thr Glu Thr Pro Tyr Glu Pro Glu Thr Thr	11475	11480	11485
Ala Ile Gln Leu Ile His Pro Ala Glu Thr Asn Thr Met Val Pro Arg	11490	11495	11500
Thr Thr Pro Lys Phe Ser His Ser Lys Ser Asp Thr Thr Leu Pro Val	11505	11510	11515 11520
Ala Ile Thr Ser Pro Gly Pro Glu Ala Ser Ser Ala Val Ser Thr Thr	11525	11530	11535
Thr Ile Ser Pro Asp Met Ser Asp Leu Val Thr Ser Leu Val Pro Ser	11540	11545	11550
Ser Gly Thr Asp Thr Ser Thr Thr Phe Pro Thr Leu Ser Glu Thr Pro	11555	11560	11565
Tyr Glu Pro Glu Thr Thr Ala Thr Trp Leu Thr His Pro Ala Glu Thr	11570	11575	11580
Ser Thr Thr Val Ser Gly Thr Ile Pro Asn Phe Ser His Arg Gly Ser	11585	11590	11595 11600
Asp Thr Ala Pro Ser Met Val Thr Ser Pro Gly Val Asp Thr Arg Ser	11605	11610	11615
Gly Val Pro Thr Thr Thr Ile Pro Pro Ser Ile Pro Gly Val Val Thr	11620	11625	11630
Ser Gln Val Thr Ser Ser Ala Thr Asp Thr Ser Thr Ala Ile Pro Thr	11635	11640	11645
Leu Thr Pro Ser Pro Gly Glu Pro Glu Thr Thr Ala Ser Ser Ala Thr	11650	11655	11660
His Pro Gly Thr Gln Thr Gly Phe Thr Val Pro Ile Arg Thr Val Pro	11665	11670	11675 11680
Ser Ser Glu Pro Asp Thr Met Ala Ser Trp Val Thr His Pro Pro Gln	11685	11690	11695
Thr Ser Thr Pro Val Ser Arg Thr Thr Ser Ser Phe Ser His Ser Ser	11700	11705	11710
Pro Asp Ala Thr Pro Val Met Ala Thr Ser Pro Arg Thr Glu Ala Ser	11715	11720	11725
Ser Ala Val Leu Thr Thr Ile Ser Pro Gly Ala Pro Glu Met Val Thr	11730	11735	11740
Ser Gln Ile Thr Ser Ser Gly Ala Ala Thr Ser Thr Thr Val Pro Thr	11745	11750	11755 11760
Leu Thr His Ser Pro Gly Met Pro Glu Thr Thr Ala Leu Leu Ser Thr	11765	11770	11775
His Pro Arg Thr Glu Thr Ser Lys Thr Phe Pro Ala Ser Thr Val Phe	11780	11785	11790
Pro Gln Val Ser Glu Thr Thr Ala Ser Leu Thr Ile Arg Pro Gly Ala	11795	11800	11805
Glu Thr Ser Thr Ala Leu Pro Thr Gln Thr Thr Ser Ser Leu Phe Thr	11810	11815	11820
Leu Leu Val Thr Gly Thr Ser Arg Val Asp Leu Ser Pro Thr Ala Ser	11825	11830	11835 11840
Pro Gly Val Ser Ala Lys Thr Ala Pro Leu Ser Thr His Pro Gly Thr	11845	11850	11855
Glu Thr Ser Thr Met Ile Pro Thr Ser Thr Leu Ser Leu Gly Leu Leu	11860	11865	11870

-continued

Glu Thr Thr Gly Leu Leu Ala Thr Ser Ser Ser Ala Glu Thr Ser Thr	11875	11880	11885
Ser Thr Leu Thr Leu Thr Val Ser Pro Ala Val Ser Gly Leu Ser Ser	11890	11895	11900
Ala Ser Ile Thr Thr Asp Lys Pro Gln Thr Val Thr Ser Trp Asn Thr	11905	11910	11915
Glu Thr Ser Pro Ser Val Thr Ser Val Gly Pro Pro Glu Phe Ser Arg	11925	11930	11935
Thr Val Thr Gly Thr Thr Met Thr Leu Ile Pro Ser Glu Met Pro Thr	11940	11945	11950
Pro Pro Lys Thr Ser His Gly Glu Gly Val Ser Pro Thr Thr Ile Leu	11955	11960	11965
Arg Thr Thr Met Val Glu Ala Thr Asn Leu Ala Thr Thr Gly Ser Ser	11970	11975	11980
Pro Thr Val Ala Lys Thr Thr Thr Thr Phe Asn Thr Leu Ala Gly Ser	11985	11990	11995
Leu Phe Thr Pro Leu Thr Thr Pro Gly Met Ser Thr Leu Ala Ser Glu	12005	12010	12015
Ser Val Thr Ser Arg Thr Ser Tyr Asn His Arg Ser Trp Ile Ser Thr	12020	12025	12030
Thr Ser Ser Tyr Asn Arg Arg Tyr Trp Thr Pro Ala Thr Ser Thr Pro	12035	12040	12045
Val Thr Ser Thr Phe Ser Pro Gly Ile Ser Thr Ser Ser Ile Pro Ser	12050	12055	12060
Ser Thr Ala Ala Thr Val Pro Phe Met Val Pro Phe Thr Leu Asn Phe	12065	12070	12075
Thr Ile Thr Asn Leu Gln Tyr Glu Glu Asp Met Arg His Pro Gly Ser	12085	12090	12095
Arg Lys Phe Asn Ala Thr Glu Arg Glu Leu Gln Gly Leu Leu Lys Pro	12100	12105	12110
Leu Phe Arg Asn Ser Ser Leu Glu Tyr Leu Tyr Ser Gly Cys Arg Leu	12115	12120	12125
Ala Ser Leu Arg Pro Glu Lys Asp Ser Ser Ala Thr Ala Val Asp Ala	12130	12135	12140
Ile Cys Thr His Arg Pro Asp Pro Glu Asp Leu Gly Leu Asp Arg Glu	12145	12150	12155
Arg Leu Tyr Trp Glu Leu Ser Asn Leu Thr Asn Gly Ile Gln Glu Leu	12165	12170	12175
Gly Pro Tyr Thr Leu Asp Arg Asn Ser Leu Tyr Val Asn Gly Phe Thr	12180	12185	12190
His Arg Ser Ser Met Pro Thr Thr Ser Thr Pro Gly Thr Ser Thr Val	12195	12200	12205
Asp Val Gly Thr Ser Gly Thr Pro Ser Ser Ser Pro Ser Pro Thr Thr	12210	12215	12220
Ala Gly Pro Leu Leu Met Pro Phe Thr Leu Asn Phe Thr Ile Thr Asn	12225	12230	12235
Leu Gln Tyr Glu Glu Asp Met Arg Arg Thr Gly Ser Arg Lys Phe Asn	12245	12250	12255
Thr Met Glu Ser Val Leu Gln Gly Leu Leu Lys Pro Leu Phe Lys Asn	12260	12265	12270
Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg			

-continued

12275	12280	12285
Pro Glu Lys Asp Gly Ala Ala Thr Gly Val Asp Ala Ile Cys Thr His 12290 12295 12300		
Arg Leu Asp Pro Lys Ser Pro Gly Leu Asn Arg Glu Gln Leu Tyr Trp 12305 12310 12315 12320		
Glu Leu Ser Lys Leu Thr Asn Asp Ile Glu Glu Leu Gly Pro Tyr Thr 12325 12330 12335		
Leu Asp Arg Asn Ser Leu Tyr Val Asn Gly Phe Thr His Gln Ser Ser 12340 12345 12350		
Val Ser Thr Thr Ser Thr Pro Gly Thr Ser Thr Val Asp Leu Arg Thr 12355 12360 12365		
Ser Gly Thr Pro Ser Ser Leu Ser Ser Pro Thr Ile Met Ala Ala Gly 12370 12375 12380		
Pro Leu Leu Val Pro Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Gln 12385 12390 12395 12400		
Tyr Gly Glu Asp Met Gly His Pro Gly Ser Arg Lys Phe Asn Thr Thr 12405 12410 12415		
Glu Arg Val Leu Gln Gly Leu Leu Gly Pro Ile Phe Lys Asn Thr Ser 12420 12425 12430		
Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Ser Leu Arg Ser Glu 12435 12440 12445		
Lys Asp Gly Ala Ala Thr Gly Val Asp Ala Ile Cys Ile His His Leu 12450 12455 12460		
Asp Pro Lys Ser Pro Gly Leu Asn Arg Glu Arg Leu Tyr Trp Glu Leu 12465 12470 12475 12480		
Ser Gln Leu Thr Asn Gly Ile Lys Glu Leu Gly Pro Tyr Thr Leu Asp 12485 12490 12495		
Arg Asn Ser Leu Tyr Val Asn Gly Phe Thr His Arg Thr Ser Val Pro 12500 12505 12510		
Thr Ser Ser Thr Pro Gly Thr Ser Thr Val Asp Leu Gly Thr Ser Gly 12515 12520 12525		
Thr Pro Phe Ser Leu Pro Ser Pro Ala Thr Ala Gly Pro Leu Leu Val 12530 12535 12540		
Leu Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Lys Tyr Glu Glu Asp 12545 12550 12555 12560		
Met His Arg Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu Arg Val Leu 12565 12570 12575		
Gln Thr Leu Leu Gly Pro Met Phe Lys Asn Thr Ser Val Gly Leu Leu 12580 12585 12590		
Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg Ser Glu Lys Asp Gly Ala 12595 12600 12605		
Ala Thr Gly Val Asp Ala Ile Cys Thr His Arg Leu Asp Pro Lys Ser 12610 12615 12620		
Pro Gly Val Asp Arg Glu Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr 12625 12630 12635 12640		
Asn Gly Ile Lys Glu Leu Gly Pro Tyr Thr Leu Asp Arg Asn Ser Leu 12645 12650 12655		
Tyr Val Asn Gly Phe Thr His Trp Ile Pro Val Pro Thr Ser Ser Thr 12660 12665 12670		
Pro Gly Thr Ser Thr Val Asp Leu Gly Ser Gly Thr Pro Ser Ser Leu 12675 12680 12685		

-continued

Pro Ser	Pro Thr	Thr Ala	Gly	Pro Leu	Leu Val	Pro	Phe Thr	Leu Asn	
12690			12695				12700		
Phe Thr	Ile Thr	Asn Leu	Lys Tyr	Glu Glu	Asp	Met His	Cys Pro	Gly	
12705		12710			12715			12720	
Ser Arg	Lys Phe	Asn Thr	Thr Thr	Glu Arg	Val Leu	Gln Ser	Leu Leu	Gly	
		12725			12730			12735	
Pro Met	Phe Lys	Asn Thr	Ser Val	Gly	Pro Leu	Tyr Ser	Gly Cys	Arg	
		12740			12745			12750	
Leu Thr	Leu Leu	Arg Ser	Glu Lys	Asp Gly	Ala Ala	Thr Gly	Val Asp		
		12755			12760			12765	
Ala Ile	Cys Thr	His Arg	Leu Asp	Pro Lys	Ser Pro	Gly Val	Asp Arg		
		12770			12775			12780	
Glu Gln	Leu Tyr	Trp Glu	Leu Ser	Gln Leu	Thr Asn	Gly Ile	Lys Glu		
12785			12790			12795		12800	
Leu Gly	Pro Tyr	Thr Leu	Asp Arg	Asn Ser	Leu Tyr	Val Asn	Gly Phe		
		12805			12810			12815	
Thr His	Gln Thr	Ser Ala	Pro Asn	Thr Ser	Thr Pro	Gly Thr	Ser Thr		
		12820			12825			12830	
Val Asp	Leu Gly	Thr Ser	Gly Thr	Pro Ser	Ser Ser	Leu Pro	Ser Pro	Thr	
		12835			12840			12845	
Ser Ala	Gly Pro	Leu Leu	Val Pro	Phe Thr	Leu Asn	Phe Thr	Ile Thr		
		12850			12855			12860	
Asn Leu	Gln Tyr	Glu Glu	Asp Met	His His	Pro Gly	Ser Arg	Lys Phe		
12865			12870			12875		12880	
Asn Thr	Thr Thr	Glu Arg	Val Leu	Gln Gly	Leu Leu	Gly Pro	Met Phe	Lys	
		12885			12890			12895	
Asn Thr	Ser Val	Gly Leu	Leu Tyr	Ser Gly	Cys Arg	Leu Thr	Leu Leu		
		12900			12905			12910	
Arg Pro	Glu Lys	Asn Gly	Ala Ala	Thr Gly	Met Asp	Ala Ile	Cys Ser		
		12915			12920			12925	
His Arg	Leu Asp	Pro Lys	Ser Pro	Gly Leu	Asn Arg	Glu Gln	Leu Tyr		
		12930			12935			12940	
Trp Glu	Leu Ser	Gln Leu	Thr His	Gly Ile	Lys Glu	Leu Gly	Pro Tyr		
12945			12950			12955		12960	
Thr Leu	Asp Arg	Asn Ser	Leu Tyr	Val Asn	Gly Phe	Thr His	Arg Ser		
		12965			12970			12975	
Ser Val	Ala Pro	Thr Ser	Thr Pro	Gly Thr	Ser Thr	Val Asp	Leu Gly		
		12980			12985			12990	
Thr Ser	Gly Thr	Pro Ser	Ser Leu	Pro Ser	Pro Thr	Thr Ala	Val Pro		
		12995			13000			13005	
Leu Leu	Val Pro	Phe Thr	Leu Asn	Phe Thr	Ile Thr	Asn Leu	Gln Tyr		
		13010			13015			13020	
Gly Glu	Asp Met	Arg His	Pro Gly	Ser Arg	Lys Phe	Asn Thr	Thr Glu		
13025			13030			13035		13040	
Arg Val	Leu Gln	Gly Leu	Leu Gly	Pro Leu	Phe Lys	Asn Ser	Ser Val		
		13045			13050			13055	
Gly Pro	Leu Tyr	Ser Gly	Cys Arg	Leu Ile	Ser Leu	Arg Ser	Glu Lys		
		13060			13065			13070	
Asp Gly	Ala Ala	Thr Gly	Val Asp	Ala Ile	Cys Thr	His His	Leu Asn		
		13075			13080			13085	

-continued

Pro	Gln	Ser	Pro	Gly	Leu	Asp	Arg	Glu	Gln	Leu	Tyr	Trp	Gln	Leu	Ser
13090						13095					13100				
Gln	Met	Thr	Asn	Gly	Ile	Lys	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg
13105				13110					13115					13120	
Asn	Ser	Leu	Tyr	Val	Asn	Gly	Phe	Thr	His	Arg	Ser	Ser	Gly	Leu	Thr
			13125					13130						13135	
Thr	Ser	Thr	Pro	Trp	Thr	Ser	Thr	Val	Asp	Leu	Gly	Thr	Ser	Gly	Thr
			13140					13145						13150	
Pro	Ser	Pro	Val	Pro	Ser	Pro	Thr	Thr	Thr	Gly	Pro	Leu	Leu	Val	Pro
			13155				13160						13165		
Phe	Thr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asn	Met
13170					13175						13180				
Gly	His	Pro	Gly	Ser	Arg	Lys	Phe	Asn	Ile	Thr	Glu	Ser	Val	Leu	Gln
13185					13190					13195					13200
Gly	Leu	Leu	Lys	Pro	Leu	Phe	Lys	Ser	Thr	Ser	Val	Gly	Pro	Leu	Tyr
			13205					13210						13215	
Ser	Gly	Cys	Arg	Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asp	Gly	Val	Ala
			13220					13225						13230	
Thr	Arg	Val	Asp	Ala	Ile	Cys	Thr	His	Arg	Pro	Asp	Pro	Lys	Ile	Pro
			13235				13240						13245		
Gly	Leu	Asp	Arg	Gln	Gln	Leu	Tyr	Trp	Glu	Leu	Ser	Gln	Leu	Thr	His
13250					13255						13260				
Ser	Ile	Thr	Glu	Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	Asp	Ser	Leu	Tyr
13265				13270						13275				13280	
Val	Asn	Gly	Phe	Thr	Gln	Arg	Ser	Ser	Val	Pro	Thr	Thr	Ser	Thr	Pro
			13285						13290					13295	
Gly	Thr	Phe	Thr	Val	Gln	Pro	Glu	Thr	Ser	Glu	Thr	Pro	Ser	Ser	Leu
			13300					13305						13310	
Pro	Gly	Pro	Thr	Ala	Thr	Gly	Pro	Val	Leu	Leu	Pro	Phe	Thr	Leu	Asn
			13315				13320						13325		
Phe	Thr	Ile	Thr	Asn	Leu	Gln	Tyr	Glu	Glu	Asp	Met	Arg	Arg	Pro	Gly
13330				13335							13340				
Ser	Arg	Lys	Phe	Asn	Thr	Glu	Arg	Val	Leu	Gln	Gly	Leu	Leu	Met	
13345				13350					13355					13360	
Pro	Leu	Phe	Lys	Asn	Thr	Ser	Val	Ser	Ser	Leu	Tyr	Ser	Gly	Cys	Arg
			13365					13370						13375	
Leu	Thr	Leu	Leu	Arg	Pro	Glu	Lys	Asp	Gly	Ala	Ala	Thr	Arg	Val	Asp
			13380					13385					13390		
Ala	Val	Cys	Thr	His	Arg	Pro	Asp	Pro	Lys	Ser	Pro	Gly	Leu	Asp	Arg
			13395				13400						13405		
Glu	Arg	Leu	Tyr	Trp	Lys	Leu	Ser	Gln	Leu	Thr	His	Gly	Ile	Thr	Glu
13410					13415						13420				
Leu	Gly	Pro	Tyr	Thr	Leu	Asp	Arg	His	Ser	Leu	Tyr	Val	Asn	Gly	Phe
13425					13430					13435				13440	
Thr	His	Gln	Ser	Ser	Met	Thr	Thr	Thr	Arg	Thr	Pro	Asp	Thr	Ser	Thr
			13445						13450					13455	
Met	His	Leu	Ala	Thr	Ser	Arg	Thr	Pro	Ala	Ser	Leu	Ser	Gly	Pro	Met
			13460					13465					13470		
Thr	Ala	Ser	Pro	Leu	Leu	Val	Leu	Phe	Thr	Ile	Asn	Phe	Thr	Ile	Thr
			13475				13480					13485			
Asn	Leu	Arg	Tyr	Glu	Glu	Asn	Met	His	His	Pro	Gly	Ser	Arg	Lys	Phe

-continued

13490	13495	13500
Asn Thr Thr Glu Arg Val Leu Gln Gly Leu Leu Arg Pro Val Phe Lys 13505	13510	13515 13520
Asn Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu 13525	13530	13535
Arg Pro Lys Lys Asp Gly Ala Ala Thr Lys Val Asp Ala Ile Cys Thr 13540	13545	13550
Tyr Arg Pro Asp Pro Lys Ser Pro Gly Leu Asp Arg Glu Gln Leu Tyr 13555	13560	13565
Trp Glu Leu Ser Gln Leu Thr His Ser Ile Thr Glu Leu Gly Pro Tyr 13570	13575	13580
Thr Leu Asp Arg Asp Ser Leu Tyr Val Asn Gly Phe Thr Gln Arg Ser 13585	13590	13595 13600
Ser Val Pro Thr Thr Ser Ile Pro Gly Thr Pro Thr Val Asp Leu Gly 13605	13610	13615
Thr Ser Gly Thr Pro Val Ser Lys Pro Gly Pro Ser Ala Ala Ser Pro 13620	13625	13630
Leu Leu Val Leu Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Arg Tyr 13635	13640	13645
Glu Glu Asn Met Gln His Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu 13650	13655	13660
Arg Val Leu Gln Gly Leu Leu Arg Ser Leu Phe Lys Ser Thr Ser Val 13665	13670	13675 13680
Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg Pro Glu Lys 13685	13690	13695
Asp Gly Thr Ala Thr Gly Val Asp Ala Ile Cys Thr His His Pro Asp 13700	13705	13710
Pro Lys Ser Pro Arg Leu Asp Arg Glu Gln Leu Tyr Trp Glu Leu Ser 13715	13720	13725
Gln Leu Thr His Asn Ile Thr Glu Leu Gly Pro Tyr Ala Leu Asp Asn 13730	13735	13740
Asp Ser Leu Phe Val Asn Gly Phe Thr His Arg Ser Ser Val Ser Thr 13745	13750	13755 13760
Thr Ser Thr Pro Gly Thr Pro Thr Val Tyr Leu Gly Ala Ser Lys Thr 13765	13770	13775
Pro Ala Ser Ile Phe Gly Pro Ser Ala Ala Ser His Leu Leu Ile Leu 13780	13785	13790
Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu Arg Tyr Glu Glu Asn Met 13795	13800	13805
Trp Pro Gly Ser Arg Lys Phe Asn Thr Thr Glu Arg Val Leu Gln Gly 13810	13815	13820
Leu Leu Arg Pro Leu Phe Lys Asn Thr Ser Val Gly Pro Leu Tyr Ser 13825	13830	13835 13840
Gly Cys Arg Leu Thr Leu Leu Arg Pro Glu Lys Asp Gly Glu Ala Thr 13845	13850	13855
Gly Val Asp Ala Ile Cys Thr His Arg Pro Asp Pro Thr Gly Pro Gly 13860	13865	13870
Leu Asp Arg Glu Gln Leu Tyr Leu Glu Leu Ser Gln Leu Thr His Ser 13875	13880	13885
Ile Thr Glu Leu Gly Pro Tyr Thr Leu Asp Arg Asp Ser Leu Tyr Val 13890	13895	13900

-continued

Asn Gly Phe Thr His Arg Ser Ser Val Pro Thr Thr Ser Thr Gly Val		
13905	13910	13915 13920
Val Ser Glu Glu Pro Phe Thr Leu Asn Phe Thr Ile Asn Asn Leu Arg		
	13925 13930	13935
Tyr Met Ala Asp Met Gly Gln Pro Gly Ser Leu Lys Phe Asn Ile Thr		
	13940 13945	13950
Asp Asn Val Met Gln His Leu Leu Ser Pro Leu Phe Gln Arg Ser Ser		
	13955 13960	13965
Leu Gly Ala Arg Tyr Thr Gly Cys Arg Val Ile Ala Leu Arg Ser Val		
	13970 13975	13980
Lys Asn Gly Ala Glu Thr Arg Val Asp Leu Leu Cys Thr Tyr Leu Gln		
13985	13990	13995 14000
Pro Leu Ser Gly Pro Gly Leu Pro Ile Lys Gln Val Phe His Glu Leu		
	14005 14010	14015
Ser Gln Gln Thr His Gly Ile Thr Arg Leu Gly Pro Tyr Ser Leu Asp		
	14020 14025	14030
Lys Asp Ser Leu Tyr Leu Asn Gly Tyr Asn Glu Pro Gly Pro Asp Glu		
	14035 14040	14045
Pro Pro Thr Thr Pro Lys Pro Ala Thr Thr Phe Leu Pro Pro Leu Ser		
	14050 14055	14060
Glu Ala Thr Thr Ala Met Gly Tyr His Leu Lys Thr Leu Thr Leu Asn		
14065	14070	14075 14080
Phe Thr Ile Ser Asn Leu Gln Tyr Ser Pro Asp Met Gly Lys Gly Ser		
	14085 14090	14095
Ala Thr Phe Asn Ser Thr Glu Gly Val Leu Gln His Leu Leu Arg Pro		
	14100 14105	14110
Leu Phe Gln Lys Ser Ser Met Gly Pro Phe Tyr Leu Gly Cys Gln Leu		
	14115 14120	14125
Ile Ser Leu Arg Pro Glu Lys Asp Gly Ala Ala Thr Gly Val Asp Thr		
	14130 14135	14140
Thr Cys Thr Tyr His Pro Asp Pro Val Gly Pro Gly Leu Asp Ile Gln		
14145	14150	14155 14160
Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr His Gly Val Thr Gln Leu		
	14165 14170	14175
Gly Phe Tyr Val Leu Asp Arg Asp Ser Leu Phe Ile Asn Gly Tyr Ala		
	14180 14185	14190
Pro Gln Asn Leu Ser Ile Arg Gly Glu Tyr Gln Ile Asn Phe His Ile		
	14195 14200	14205
Val Asn Trp Asn Leu Ser Asn Pro Asp Pro Thr Ser Ser Glu Tyr Ile		
	14210 14215	14220
Thr Leu Leu Arg Asp Ile Gln Asp Lys Val Thr Thr Leu Tyr Lys Gly		
14225	14230	14235 14240
Ser Gln Leu His Asp Thr Phe Arg Phe Cys Leu Val Thr Asn Leu Thr		
	14245 14250	14255
Met Asp Ser Val Leu Val Thr Val Lys Ala Leu Phe Ser Ser Asn Leu		
	14260 14265	14270
Asp Pro Ser Leu Val Glu Gln Val Phe Leu Asp Lys Thr Leu Asn Ala		
	14275 14280	14285
Ser Phe His Trp Leu Gly Ser Thr Tyr Gln Leu Val Asp Ile His Val		
	14290 14295	14300

-continued

Thr	Glu	Met	Glu	Ser	Ser	Val	Tyr	Gln	Pro	Thr	Ser	Ser	Ser	Ser	Thr
14305					14310					14315					14320
Gln	His	Phe	Tyr	Leu	Asn	Phe	Thr	Ile	Thr	Asn	Leu	Pro	Tyr	Ser	Gln
			14325						14330					14335	
Asp	Lys	Ala	Gln	Pro	Gly	Thr	Thr	Asn	Tyr	Gln	Arg	Asn	Lys	Arg	Asn
			14340						14345					14350	
Ile	Glu	Asp	Ala	Leu	Asn	Gln	Leu	Phe	Arg	Asn	Ser	Ser	Ile	Lys	Ser
		14355					14360						14365		
Tyr	Phe	Ser	Asp	Cys	Gln	Val	Ser	Thr	Phe	Arg	Ser	Val	Pro	Asn	Arg
		14370				14375						14380			
His	His	Thr	Gly	Val	Asp	Ser	Leu	Cys	Asn	Phe	Ser	Pro	Leu	Ala	Arg
14385					14390					14395					14400
Arg	Val	Asp	Arg	Val	Ala	Ile	Tyr	Glu	Glu	Phe	Leu	Arg	Met	Thr	Arg
				14405					14410						14415
Asn	Gly	Thr	Gln	Leu	Gln	Asn	Phe	Thr	Leu	Asp	Arg	Ser	Ser	Val	Leu
			14420					14425						14430	
Val	Asp	Gly	Tyr	Ser	Pro	Asn	Arg	Asn	Glu	Pro	Leu	Thr	Gly	Asn	Ser
		14435					14440						14445		
Asp	Leu	Pro	Phe	Trp	Ala	Val	Ile	Leu	Ile	Gly	Leu	Ala	Gly	Leu	Leu
	14450					14455					14460				
Gly	Val	Ile	Thr	Cys	Leu	Ile	Cys	Gly	Val	Leu	Val	Thr	Thr	Arg	Arg
14465					14470					14475					14480
Arg	Lys	Lys	Glu	Gly	Glu	Tyr	Asn	Val	Gln	Gln	Gln	Cys	Pro	Gly	Tyr
			14485						14490						14495
Tyr	Gln	Ser	His	Leu	Asp	Leu	Glu	Asp	Leu	Gln					
		14500						14505							

<210> SEQ ID NO 58

<211> LENGTH: 43816

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 58

```

aagcgttgca caattccccc aacctccata catacggcag ctcttctaga cacaggtttt      60
cccagggtcaa atgcgggggac ccagaccata tctcccaccc tgagaaattt tggagtttca      120
gggagctcag aagctctgca gaggccaccc tctctgaggg gattcttctt agacctccat      180
ccagaggcaa atgttgacct gtccatgctg aaacctcag gccttctctg gtcattctct      240
cccaccgct ccttgatgac agggagcagg agcactaaag ccacaccaga aatggattca      300
ggactgacag gagccacctt gtcacctaa acatctacag gtgcaatcgt ggtgacagaa      360
catactctgc cctttacttc ccagataaag accttgGCCA gtcctacatc ttcggttggtg      420
ggaagaacca cccagtcttt ggggggtgatg tcctctgctc tccctgagtc aacctctaga      480
ggaatgacac actccgagca aagaaccagc ccatcgctga gtccccaggt caatggaact      540
ccctctagga actacctgct tacaagcatg gtttcaggat tgagttcccc aaggaccagg      600
accagttcca cagaaggaaa ttttaccaaa gaagcatcta catacacact cactgtagag      660
accacaagtg gccagtcac tgagaagtac acagtcccca ctgagacctc aacaactgaa      720
ggtgacagca cagagacccc ctgggacaca agatatattc ctgtaaaaat cacatctcca      780
atgaaaacat ttgcagattc aactgcatcc aaggaaaatg cccagtgctc tatgactcca      840
gctgagacca cagttactga ctcacatact ccaggaagga caaacccatc atttgggaca      900

```

-continued

ctttattctt ccttcottga cctatcacct aaagggaacc caaattccag aggtgaaaca	960
agcctggaac tgattctatc aaccactgga tatcccttct cctctcctga acctggctct	1020
gcaggacaca gcagaataag taccagtgcg cctttgtcat catctgcttc agttctcgat	1080
aataaaatat cagagaccag catattctca ggccagagtc tcacctcccc tctgtctcct	1140
ggggtgcccg aggccagagc cagcacaatg cccaactcag ctatcccttt ttccatgaca	1200
ctaagcaatg cagaaacaag tgccgaaagg gtcagaagca caatttcctc tctggggact	1260
ccatcaatat ccacaaagca gacagcagag actatcctta ccttccatgc ctctgctgag	1320
accatggata taccagcac ccacatagcc aagactttgg cttcagaatg gttgggaagt	1380
ccaggtaccc ttgggtggcag cagcacttca gcgctgacaa ccacatctcc atctaccact	1440
ttagtctcag aggagaccaa caccatcac tccacgagtg gaaaggaaac agaaggaact	1500
ttgaatacat ctatgactcc acttgagacc tctgtcctg gagaagagtc cgaatgact	1560
gccaccttg tccccactct aggttttaca actcttgaca gcaagatcag aagtcactct	1620
caggtctctt catcccacc aacaagagag ctcagaacca caggcagcac ctctgggagg	1680
cagagtcca gcacagctgc ccacgggagc tctgacatcc tgagggaac cacttccagc	1740
acctcaaaag catcatcatg gaccagtga agcacagctc agcaatttag tgaacccag	1800
cacacacagt ggggtggagc aagtcctagc atgaaaacag agagaccccc agcatcaacc	1860
agtgtggcag cccctatcac cacttctgtt cctcagtggt tctctggtt caccacctg	1920
aagaccagct ccacaaaagg gatttggctt gaagaaacat ctgcagacac actcatcgga	1980
gaatccacag ctggcccaac caccatcag tttgtgttc ccaactggat ttcaatgaca	2040
ggaggcagca gcaccagggg aagccagggc acaaccacc tactcaccag agccacagca	2100
tcacttgaga catccgcaga tttgactctg gccacgaacg gtgtccagct ctccgtgtct	2160
ccagcagtg gcaagcggc tgctggctca agtcctccag gagggacaaa gccatcatat	2220
acaatggttt cttctgtcat ccttgagaca tcactcttac agtcctcagc ttccagggaa	2280
ggaaccagcc tgggactgac tccattaaac actagacatc ccttctcttc cctgaacca	2340
gactctgcag gacacaccaa gataagcacc agcattcctc tgtgtgcatc tgcttcagtt	2400
cttgaggata aagtgtcagc gaccagcaca ttctcacacc acaagccac ctcatctatt	2460
accacagga ctctgaaat ctcaacaaag acaagccca gctcagccgt tctttctctc	2520
atgacctaa gcaatgcagc aacaagtct gaaagagtca gaaatgcaac tccccctctg	2580
actcatccat ctccatcagg ggaagagaca gcaggagtg tctcactct cagcacctct	2640
gctgagacta cagactcacc taacatccac ccaactggga cactgacttc agaatcgtca	2700
gagagtcta gcactctcag cctcccaagt gtctctggag tcaaaaccac attttcttca	2760
tctactcctt ccactcatct atttactagt ggagaagaaa cagaggaaac ttggaatcca	2820
tctgtgtctc aacctgagac ttctgtttcc agagtaagga ccacctggc cagcacctct	2880
gtccctaccc cagtattccc caccatggac acctggccta caggttcagc tcagttctct	2940
tcatcccacc tagtgagtga gctcagagct acgagcagta cctcagttac aaactcaact	3000
ggttcagctc ttccataaat atctcacctc actgggacgg caacaatgtc acagaccaat	3060
agagacacgt ttaatgactc tgctgcaccc caaagcacia cttggccaga gactagtccc	3120
agattcaaga cagggttacc ttacgaaca accactgttt caacctctgc cacttctctc	3180

-continued

tctgctactg taatggtctc taaattcact tctccagcaa ctagtccat ggaagcaact	3240
tctatcaggg aaccatcaac aaccatcctc acaacagaga ccacgaatgg cccaggtct	3300
atggctgtgg cttctaccaa catcccaatt ggaaagggt acattactga aggaagattg	3360
gacacaagcc atctgcccac tggaaccaca gcttcctctg agacatctat ggattttacc	3420
atggccaaag aaagtgtctc aatgtcagta tctccatctc agtccatgga tgctgctggc	3480
tcaagcactc caggaaggac aagccaattc gttgacacat tttctgatga tgtctatcat	3540
ttaacatcca gagaaattac aatacctaga gatggaacaa gctcagctct gactccacaa	3600
atgactgcaa ctcaccctcc atctcctgat cctggctctg ctagaagcac ctggcttggc	3660
atcttgtcct catctccttc ttctcctact cccaaagtca caatgagctc cacattttca	3720
actcagagag tcaccacaag catgataatg gacacagttg aaactagtcg gtggaacatg	3780
cccaacttac cttccacgac ttcttgaca ccaagtaata ttccaacaag tggtgccata	3840
ggaaaaagca ccttggttcc cttggacact ccatctccag ccacatcatt ggaggcatca	3900
gaagggggac ttccaacct cagcacctac cctgaatcaa caaacacacc cagcatccac	3960
ctcggagcac acgctagtcc agaaagtcca agcaccatca aacttaccat ggcttcagta	4020
gtaaaacctg gctcttacac acctctcacc ttccctcaa tagagacca cattcatgta	4080
tcaacagcca gaatggctta ctcttctggg tcttcacctg agatgacagc tcttgagag	4140
actaacactg gtagtacctg ggaccccacc acctacatca ccactacgga tctaaggat	4200
acaagttcag ctcaggcttc tacaccccac tcagtgagga cactcagaac cacagaaaac	4260
catccaaaga cagagtccgc caccacagct gcttactctg gaagtctaa aatctcaagt	4320
tcaccaatc tcaccagtc gccacaaaa gcatggacca tcacagacac aactgaacac	4380
tccactcaat tacattacac aaaattggca gaaaaatcat ctggatttga gacacagtca	4440
gctccaggac ctgtctctgt agtaatccct acctcccta ccattggaag cagcacattg	4500
gaactaactt ctgatgtccc aggggaacct ctggtccttg ctcccagtga gcagaccaca	4560
atcactctcc ccattggcaac atggtgagt accagtttga cagaggaaat ggcttcaaca	4620
gaccttgata tttcaagtcc aagttcacc atgagtacat ttgctatttt tccacctatg	4680
tcacacctt ctcatgaact ttcaaagtca gaggcagata ccagtgccat tagaaataca	4740
gattcaacaa cgttggtatg gcacctagga atcaggagtt tgggcagaac tggggactta	4800
acaactgttc ctatcacccc actgacaacc acgtggacca gtgtgattga aactcaaca	4860
caagcacagg acacctttc tgcaacgatg agtctactc acgtgacaca gtcactcaa	4920
gatcaaacat ctataccagc ctcagcatcc ccttccatc ttactgaagt ctaccctgag	4980
ctcgggacac aagggagaag ctctctgag gcaaccaatt tttggaacc atctacagac	5040
acactgtcca gagagattga gactggccca acaaacatc aatccactcc acccatggac	5100
aacacaacaa cagggagcag tagtagtgga gtcacctgg gcatagccca ccttccata	5160
ggaacatcct cccagctga gacatccaca aacatggcac tggaaagaag aagttctaca	5220
gccactgtct ctatggctgg gacaatggga ctcttggtta ctagtctcc aggaagaagc	5280
atcagccagt cattaggaag agtttctct gtcctttctg agtcaactac tgaaggagtc	5340
acagattcta gtaagggaag cagcccaagg ctgaacacac agggaaatac agctctctcc	5400
tcctctcttg aacctgcta tgctgaagga agccagatga gcacaagcat cctctaac	5460

-continued

tcattctcta caactcctga tgtggaattc atagggggca gcacattttg gaccaaggag	5520
gtcaccacag ttatgacctc agacatctcc aagtcttcag caaggacaga gtccagctca	5580
gctaccctta tgtccacagc tttgggaagc actgaaaata caggaaaaga aaaactcaga	5640
actgcctcta tggatcttcc atctccaact ccatcaatgg aggtgacacc atggatttct	5700
ctcactctca gtaatgcccc caataccaca gattcacttg acctcagcca tggggtgcac	5760
accagctctg cagggacttt ggccactgac aggtcattga atactggtgt cactagagcc	5820
tccagattgg aaaacggctc tgatacctct tctaagtccc tgtctatggg aaacagcact	5880
cacacttcca tgacttacac agagaagagt gaagtgtctt ctccaatcca tccccgacct	5940
gagacctcag ctctcggagc agagaccact ttgacttcca ctcttgaaa cagggccata	6000
agcttaacat tgcttttttc atccattcca gtggaagaag tcattttctac aggcataacc	6060
tcaggaccag acatcaactc agcaccatg acacattctc ccataccccc accaacaatt	6120
gtatggacca gtacaggcac aattgaacag tccactcaac cactacatgc agttttctca	6180
gaaaaagttt ctgtgcagac acagtcaact ccatatgtca actctgtggc agtgtctgct	6240
tccccatccc atgagaattc agtctcttct ggaagcagca catctctccc atattcctca	6300
gcctcacttg aatccttgga ttccacaatc agtaggagga atgcaatcac ttctgggcta	6360
tgggacctca ctacatctct cccactaca acttgcccaa gtactagttt atctgaggca	6420
ctgtcctcag gccattctg ggtttcaaac ccaagttcaa ctacgactga atttcactc	6480
ttttcagctg catccacatc tgctgctaag caaagaaatc cagaaacaga gacctatggt	6540
ccccagaata cagccgagag tactttgaac actgatgcat cctcggtcac aggtctttct	6600
gagactcctg tgggggcaag tatcagctct gaagtccctc ttccaatggc cataacttct	6660
agatcagatg tttctggcct tacatctgag agtactgcta acccgagttt aggcacagcc	6720
tcttcagcag ggaccaaat aactaggaca atatccctgc ccacttcaga gtctttggtt	6780
tcctttagaa tgaacaagga tccatggaca gtgtcaatcc ctttggggtc ccatccaact	6840
actaatacag aaacaagcat ccagtaaac agcgaggtc cacctggctt gtccacagta	6900
gcatcagatg taattgacac accttcagat ggggctgaga gtattccac tgtctccttt	6960
tccccctccc ctgatactga agtgacaact atctcacatt tccagaaaa gacaactcat	7020
tcatttagaa ccatttcctc tctcactcat gaggttgact caagagtgc acctattcct	7080
ggggattgga tgagttcagc tatgtctaca aagccacag gagccagtcc ctccattaca	7140
ctgggagaga gaaggacaat cactctgct gctccaacca ctcccccat agttctcact	7200
gctagtttca cagagaccag cacagtttca ctggataatg aaactacagt aaaaacctca	7260
gatatccttg acgcacggaa aacaaatgag ctcccctcag atagcagttc ttcttctgat	7320
ctgatcaaca cctccatagc ttcttcaact atggatgtca ctaaacagc ctccatcagt	7380
cccactagca tctcaggaat gacagcaagt tctccccat ctctcttctc ttcagataga	7440
ccccaggttc ccacatctac aacagagaca aatacagcca cctctccatc tgtttccagt	7500
aacacctatt ctcttgatgg gggctccaat gtgggtggca ctccatccac tttaccaccc	7560
tttacaatca cccacctgt cgagacaagc tcggccctat tagcctggtc tagaccagta	7620
agaactttca gcacctggg cagcactgac actgcctccg gagaaaatcc tacctctagc	7680
aattctgtgg tgacttctgt tccagacca ggtacatgga ccagtgtagg cagtactact	7740

-continued

gacttacctg ccatgggctt tctcaagaca agtcctgcag gagaggcaca ctcacttcta	7800
gcataaacta ttgaaccagc cactgccttc actccccatc tctcagcagc agtggtcact	7860
ggatccagtg ctacatcaga agccagtctt ctcactacga gtgaaagcaa agccattcat	7920
tcttcaccac agaccccaac tacaccaccc tctggagcaa actgggaaac ttcagctact	7980
cctgagagcc ttttggtagt cactgagact tcagacacaa cacttacctc aaagattttg	8040
gtcacagata ccatcttggt ttcaactgtg tcacagccac cttctaaatt tccaagtacg	8100
gggactctgt ctggagcttc cttccctact ttactcccg acactccagc catccctctc	8160
actgccactg agccaacaag ttcattagct acatcctttg attccacccc actggtgact	8220
atagcttcgg atagtcttg cagagtcaca gagactacco tgaccatgac agagacctca	8280
aatggtgatg cactggttct taagacagta agtaaccag ataggagcat ccctggaatc	8340
actatccaag gagtaacaga aagtccactc catccttctt ccacttcccc ctctaagatt	8400
gttgctccac ggaatacaac ctatgaaggt tcgatcacag tggcactttc tactttgcct	8460
gcgggaacta ctggttcctt tgtattcagt cagagttctg aaaactcaga gacaacggct	8520
ttggtagact catcagctgg ccttgagagg gcatctgtga tgccactaac cacaggaagc	8580
cagggtatgg ctactctctg aggaatcaga agtgggtcca ctcactcaac tggaacccaa	8640
acattttctt ctctccctct gaccatgaac ccagggtgagg ttacagccat gcttgaaatc	8700
accacgaaca gactgacagc tactcaatca acagcaccac aagggatacc tgtgaagccc	8760
accagtgcct agtcaggcct cctaacacct gtctctgcct cctcaagccc atcaaaggcc	8820
tttgctccac tgactacagc tcccccaact tgggggatcc cacagtctac cttgacattt	8880
gagttttctg aggtcccaag tttggatact aagtcctgtt ctttaccac tcttgacag	8940
tccttgaaca ccatccaga ctcagatgca agcacagcat cttctcact gtccaagtct	9000
ccagaaaaaa acccaagggc aaggatgatg acttcacaa aggccataag tgcaagctca	9060
tttcaatcaa caggttttac tgaaacccct gagggatctg cctccccttc tatggcaggg	9120
catgaacca gagtccccac ttcaggaaca ggggacctc gatatgcctc agagagcatg	9180
tcttatccag acccaagcaa ggcacatca gctatgacat cgacctctct tgcacaaaa	9240
ctcacaactc tcttcagcac aggtcaagca gcaaggtctg gttctagtct ctctccata	9300
agcctatcca ctgagaaaa aacaagcttc ctttccccca ctgcatccac ctccagaaag	9360
acttcaactat ttcttgggcc ttccatggca aggcagccca acatattgggt gcattctcag	9420
acttcagctc tgacacttcc tccaacatcc actctaaata tgtcccagga ggagcctcct	9480
gagttaacct caagccagac cattgcagaa gaagagggaa caacagctga aacacagacg	9540
ttaaccttca caccatctga gacccaaca tccttggtac ctgtctcttc tcccacagaa	9600
cccacagcca gaagaaagag ttctccagaa acatgggcaa gctctatttc agttcctgcc	9660
aagacctcct tgggtgaaac aactgatgga acgctagtga ccaccataaa gatgtcaagc	9720
caggcagcac aaggaaatcc cactgggctt gccccagcag aggagacggg gagcagtcca	9780
gcaggcacat cccaggaag cccagaaatg tctaccactc tcaaaatcat gagctccaag	9840
gaaccacgca tcagcccaga gatcaggtcc actgtgagaa attctccttg gaagactcca	9900
gaaacaactg ttcctatgga gaccacagtg gaaccagtca ccttcagtc cacagcccta	9960
ggaagtggca gcaccagcat ctctcacctg cccacaggaa ccacatcacc aaccaagtca	10020

-continued

ccaacagaaa	atatgttggc	tacagaaagg	gtctccctct	ccccatcccc	acctgaggct	10080
tggaccaacc	tttattcttg	aactccagga	gggaccaggc	agtcactggc	cacaatgtcc	10140
tctgtctccc	tagagtcacc	aactgctaga	agcatcacag	ggactggtea	gcaaagcagt	10200
ccagaactgg	tttcaaagac	aactggaatg	gaattctcta	tgtggcatgg	ctctactgga	10260
gggaccacag	gggacacaca	tgtctctctg	agcacatctt	ccaatatcct	tgaagaccct	10320
gtaaccagcc	caaactctgt	gagctcattg	acagataaat	ccaaacataa	aaccgagaca	10380
tgggtaagca	ccacagccat	tccctccact	gtcctgaata	ataagataat	ggcagctgaa	10440
caacagacaa	gtcgatctgt	ggatgaggct	tattcatcaa	ctagtctctg	gtcagatcag	10500
acatctggga	gtgacatcac	ccttggtgca	tctcctgatg	tcacaaacac	attatacatc	10560
acctccacag	cacaaaccac	ctcactagtg	tctctgccct	ctggagacca	aggcattaca	10620
agcctcacca	atccctcagg	aggaaaaaca	agctctgcgt	catctgtcac	atctccttca	10680
atagggtctg	agactctgag	ggccaatgta	agtgacgtga	aaagtacat	tgcctcact	10740
gctgggcata	tatctcagac	ttcatctcct	gcggaagtga	gcacctgga	cgtaaccaca	10800
gctcctactc	cagggtatctc	caccaccatc	accacatgg	gaaccaactc	aatctcaact	10860
accacacca	accagaagt	gggtatgagt	accatggaca	gcacccggc	cacagagagg	10920
cgcacaactt	ctacagaaca	cccttcacac	tggctctcca	cagctgcata	agattcctgg	10980
actgtcacag	acatgacttc	aaacttgaaa	gttgcaagat	ctcctggaac	aatttcacaca	11040
atgcatacaa	cttcattctt	agcctcaagc	actgaattag	actccatgtc	tactccccat	11100
ggccgtataa	ctgtcattgg	aaccagcctg	gtcactccat	cctctgatgc	ttcagctgta	11160
aagacagaga	ccagtacaag	tgaagaaca	ttgagtcctt	cagacacaac	tgcactctact	11220
cccatctcaa	ctttttctctg	tgtccagagg	atgagcatct	cagttcctga	cattttaagt	11280
acaagttgga	ctcccagtag	tacagaagca	gaagatgtgc	ctgtttcaat	ggtttctaca	11340
gatcatgcta	gtacaaagac	tgacccaaat	acgcccctgt	ccacttttct	gtttgattct	11400
ctgtccactc	ttgactggga	cactgggaga	tctctgtcat	cagccacagc	cactacctca	11460
gctcctcagg	gggcccacaac	ccccaggaa	ctcacttttg	aaaccatgat	cagcccagct	11520
acctcacagt	tgcccttctc	tatagggcac	attacaagtg	cagtcacacc	agctgcaatg	11580
gcaaggagct	ctggagttac	tttttcaaga	ccagatccca	caagcaaaaa	ggcagagcag	11640
acttccactc	agcttcccac	caccacttct	gcacatccag	ggcaggtgcc	cagatcagca	11700
gcaacaactc	tggatgtgat	cccacacaca	gcaaaaactc	cagatgcaac	ttttcagaga	11760
caagggcaga	cagctcttac	aacagaggca	agagctacat	ctgactcctg	gaatgagaaa	11820
gaaaaatcaa	ccccagtg	accttgatc	actgagatga	tgaattctgt	ctcagaagat	11880
accatcaagg	aggttaccag	ctctccagt	gtattaagga	ccctgaatac	gctggacata	11940
aacttggaat	ctgggacgac	ttcatcccca	agttggaaaa	gcagcccata	tgagagaatt	12000
gccccctctg	agtccaccac	agacaaagag	gcaattcacc	cttctacaaa	cacagtagag	12060
accacaggct	gggtcacaa	ttccgaacat	gtttctcatt	ccactatccc	agcccactca	12120
gcgtcatcca	aactcacatc	tccagtgggt	acaacctcca	ccagggaaca	agcaatagtt	12180
tctatgtcaa	caaccacatg	gccagagtct	acaagggcta	gaacagagcc	taattccttc	12240
ttgactattg	aactgaggga	cgtcagccct	tacatggaca	ccagctcaac	cacacaaaca	12300

-continued

agtattatct	cttccccagg	ttccactgcg	atcaccaagg	ggcctagaac	agaaattacc	12360
tcctctaaga	gaatatccag	ctcattccct	gccagtccta	tgaggctcgc	agacagcccc	12420
tcagaagcca	tcaccaggct	gtctaacttt	cctgccatga	cagaatctgg	aggaatgata	12480
cttgctatgc	aaacaagtcc	acctggcgct	acatcactaa	gtgcacctac	tttggataca	12540
tcagccacag	cctcctggac	agggactcca	ctggctacga	ctcagagatt	tacatactca	12600
gagaagacca	ctctctttag	caaaggctct	gaggatacat	cacagccaag	ccctccctct	12660
gtggaagaaa	ccagctcttc	ctcttccctg	gtacctatcc	atgctacaac	ctcgcttccc	12720
aatatattgt	tgacatcaca	agggcacagt	ccctcctcta	ctccacctgt	gacctcagtt	12780
ttcttgtctg	agacctctgg	cctggggaag	accacagaca	tgctgaggat	aagcttgga	12840
cctggcacia	gtttacctcc	caatttgagc	agtacagcag	gtgaggcggt	atccacttat	12900
gaagcctcca	gagatacaaa	ggcaattcat	cattctgcag	acacagcagt	gacgaatatg	12960
gaggcaacca	gttctgaata	ttctctatc	ccaggccata	caaagccatc	caaagccaca	13020
tctccattgg	ttacctcca	catcatgggg	gacatcactt	cttccacatc	agtatttggc	13080
tcctccgaga	ccacagagat	tgagacagtg	tcctctgtga	accagggact	tcaggagaga	13140
agcacatccc	aggtggccag	ctctgtctaca	gagacaagca	ctgtcattac	ccatgtgtct	13200
agtgggtgatg	ctactactca	tgtcaccaag	acacaagcca	ctttctctag	cgaacatccc	13260
atctcaagcc	ctcatcagtt	tataacttct	accaacacat	ttacagatgt	gagcaccaac	13320
ccctccacct	ctctgataat	gacagaatct	tcaggagtga	ccatcaccac	ccaaacaggt	13380
cctactggag	ctgcaacaca	gggtccatat	ctcttgga	catcaaccat	gccttacttg	13440
acagagactc	cattagctgt	gactccagat	tttatgcaat	cagagaagac	cactctcata	13500
agcaaaggtc	ccaaggatgt	gtcttgga	agccctccct	ctgtggcaga	aaccagctat	13560
ccctcttccc	tgacaccttt	cttggtcaca	accatacctc	ctgccacttc	cacgttacia	13620
gggcaacata	catcctctcc	tgtttctg	acttcagttc	ttacctctgg	actggtgaag	13680
accacagata	tggtgaacac	aagcatggaa	cctgtgacca	attcacctca	aaatttgaac	13740
aatccatcaa	atgagatact	ggccactttg	gcagccacca	cagatataga	gactattcat	13800
ccttcataa	acaaagcagt	gaccaatatg	gggactgcca	gttcagcaca	tgtactgcat	13860
tccactctcc	cagtcagctc	agaacctatc	acagccacat	ctccaatgg	tctgcctccc	13920
agcatggggg	acgctcttgc	ttctatatca	atacctgggt	ctgagaccac	agacattgag	13980
ggagagccaa	catcctccct	gactgctgga	cgaaaagaga	acagcaccct	ccaggagatg	14040
aactcaacta	cagagtcaaa	catcatcctc	tccaatgtgt	ctgtgggggc	tattactgaa	14100
gccacaaaaa	tggaagtccc	ctcttttgat	gcaacattca	taccaactcc	tgctcagtca	14160
acaaagtccc	cagatatttt	ctcagtagcc	agcagtagac	tttcaaaactc	tcctcccatg	14220
acaatatcta	cccacatgac	caccaccag	acagggtctt	ctggagctac	atcaaagatt	14280
ccacttgctc	tagacacatc	aaccttgga	acctcagcag	ggactccatc	agtggtgact	14340
gaggggtttg	cccactcaaa	aataaccact	gcaatgaaca	atgatgtcaa	ggacgtgtca	14400
cagacaaacc	ctccctttca	ggatgaagcc	agctctccct	cttctcaagc	acctgtcctt	14460
gtcacacact	tacctctctc	tggtgctttc	acaccgcaat	ggcacagtac	ctcctctcct	14520
gtttctatgt	cctcagttct	tactcttcca	ctggtaaaga	ccgcaggcaa	ggtggataca	14580

-continued

agcttagaaa	cagtgaccag	ttcacctcaa	agtatgagca	acactttgga	tgacatatcg	14640
gtcacttcag	cagccaccac	agatatagag	acaacgcac	cttccataaa	cacagtagtt	14700
accaatgtgg	ggaccaccgg	ttcagcattt	gaatcacatt	ctactgtctc	agcttaccca	14760
gagccatcta	aagtccacac	tccaaatggt	accacctcca	ccatggaaga	caccacaatt	14820
tccagatcaa	tacctaaatc	ctctaagact	acaagaactg	agactgagac	aacttcctcc	14880
ctgactccta	aactgaggga	gaccagcacc	tcccaggaga	tcacctcgtc	cacagagaca	14940
agcactgttc	cttacaaaga	gctcactggg	gccactaccg	aggtatccag	gacagatgtc	15000
acttcctcta	gcagtacac	cttccctggc	cctgatcagt	ccacagtgtc	actagacac	15060
tccacagaaa	ccaacaccag	gctgtctacc	tccccataa	tgacagaatc	tcagaaaata	15120
accatcacca	cccaaacagg	tcctcatggg	gctacatcac	aggatacttt	taccatggac	15180
ccatcaaata	caacccccca	ggcagggatc	cactcagcta	tgactcatgg	attttcacia	15240
ttggatgtga	ccactcttat	gagcagaatt	ccacaggatg	tatcatggac	aagtctctcc	15300
tctgtggata	aaaccagctc	cccctcttcc	tttctgtcct	cacctgcaat	gaccacacct	15360
tccttgatgt	cttctacctt	accagaggat	aagctctcct	ctcctatgac	ttcacttctc	15420
acctctggcc	tagtgaagat	tacagacata	ttacgtacac	gcttgggaacc	tgtgaccagc	15480
tcacttccaa	atttcagcag	cacctcagat	aagatactgg	ccacttctaa	agacagtaaa	15540
gacacaaagg	aaatttttcc	ttctataaac	acagaagaga	ccaatgtgaa	agccaacaac	15600
tctggacatg	aatcccatcc	ccctgcactg	gctgactcag	agacacccaa	agccacaact	15660
caaagtgtta	tcaccaccac	tgtgggagat	ccagctcctt	ccacatcaat	gccagtgcac	15720
ggttcctctg	agactacaaa	cattaagaga	gagccaacat	atttcttgac	tcctagactg	15780
agagagacca	gtacctctca	ggagtccagc	tttcccacgg	acacaagttt	tctactttcc	15840
aaagtcccca	ctgggtactat	tactgagggt	tcaggtacag	gggtcaactc	ttctagcaaa	15900
atttccaccc	cagaccatga	taagtccaca	gtgccacctg	acaccttcac	aggagagatc	15960
cccagggtct	tcacctctcc	tattaagaca	aaatctgcag	aatgacgat	caccacccaa	16020
gcaagtcttc	ctgagtctgc	atcgacacgt	acccttcctt	tggacacatc	aaccacactt	16080
tcccagggag	ggactcatto	aactgtgact	cagggattcc	catactcaga	ggtgaccact	16140
ctcatgggca	tgggtcctgg	gaatgtgtca	tggatgacaa	ctccccctgt	ggaagaaacc	16200
agctctgtgt	cttccctgat	gtcttcacct	gccatgacat	ccccttctcc	tgtttctctc	16260
acatcaccac	agagcatccc	ctctctctct	cttctgtgta	ctgcacttcc	tacttctgtt	16320
ctggtgacaa	ccacagatgt	gttgggcaca	acaagcccag	agtctgtaac	cagttcacct	16380
ccaaatttga	gcagcatcac	tcatgagaga	ccggccaatt	acaaagacac	tgacacacac	16440
gaagccgcca	tgcatcatto	cacaaacacc	gcagtgacca	atgtagggac	ttccgggtct	16500
ggacataaat	cacaatcctc	tgtcctagct	gactcagaga	catcgaaagc	cacacctctg	16560
atgagtacca	cctccacctc	gggggacaca	agtgtttcca	catcaactcc	taatctctct	16620
cagactaacc	aaattcaaac	agagccaaca	gcacccctga	gccctagact	gagggagagc	16680
agcacgtctg	agaagaccag	ctcaacaaca	gagacaaata	ctgccttttc	ttatgtgccc	16740
acaggtgcta	ttactcaggc	ctccagaaca	gaaatctcct	ctagcagaac	atccatctca	16800
gaccttgatc	ggcccacaat	agcaccggac	atctccacag	gaatgatcac	caggctcttc	16860

-continued

acctccccc tcatgacaaa atctgcagaa atgaccgtca ccaactcaaac aactactcct 16920
ggggctacat cacagggtat ccttccctgg gacacatcaa ccacactttt ccaggaggagg 16980
actcattcaa ccgtgtctca gggattccca cactcagaga taaccactct tcggagcaga 17040
acccttgagg atgtgtcatg gatgacaact cccctgtgg aagaaaccag ctctgggttt 17100
tcctgatgt caccttccat gacatccct tctctgttt cctccacatc accagagagc 17160
atccctcct ctctctccc tgtgactgca cttcttactt ctgttctggg gacaaccaca 17220
aatgtattgg gcacaacaag ccagagccc gtaacgagtt cacctccaaa tttaagcagc 17280
cccacacagg agagactgac cacttcaaaa gacactgcgc acacagaagc catgcatgct 17340
tccatgcata caaacatgc agtggccaac gtggggacct ccatttctgg acatgaatca 17400
caatcttctg tcccagctga ttcacacaca tccaaagcca catctccaat gggtatcacc 17460
ttgccatgg gggatacaag tgtttctaca tcaactcctg ccttcttga gactagaatt 17520
cagactgaat caacatcctc tttgatctct ggattaaggg acaccaggac gtctgaggag 17580
atcaaacactg tgacagagac cagcactgtc ctttcagaag tgcccactac tactactact 17640
gaggctctca ggacagaagt tatcacttcc agcagaacaa ccattctcagg gcctgatcat 17700
tccaaaatgt caccctacat ctccacagaa accatcacca ggctctccac ttttctttt 17760
gtaacaggat ccacagaaat ggccatcacc aaccaaacag gtcctatagg gactatctca 17820
caggctaccc ttacctgga cacatcaagc acagcttctc gggaaggagc tcaactacct 17880
gtgactcaga gatttccaca ctacagagg accactacta tgagcagaag tactaagggc 17940
gtgtcatggc aaagccctcc ctctgtggaa gaaaccagtt ctcttcttc cccagtgcct 18000
ttacctgcaa taacctcaca ttcactctct tattccgag tatcaggaag tagccccact 18060
tctgctctcc ctgtgacttc ccttctcacc tctggcagga ggaagaccat agacatgttg 18120
gacacacact cagaacttgt gaccagctcc ttaccaatg caagtagctt ctacagtgag 18180
atactcactt ctgaagcctc cacaataca gagacaatc acttttcaga gaacacagca 18240
gaaaccaata tggggaccac caattctatg cataaactac attcctctgt ctcaatccac 18300
tcccagccat ccggacacac acctccaaag gttactggat ctatgatgga ggacgctatt 18360
gtttccacat caacacctgg ttctcctgag actaaaaatg ttgacagaga ctcaacatcc 18420
cctctgactc ctgaactgaa agaggacagc accgcccctg tgatgaactc aactacagag 18480
tcaaacactg ttttctccag tgtgtccctg gatgctgcta ctgaggtctc cagggcagaa 18540
gtcacctact atgatcctac attcatgcca gcttctgtc agtcaacaaa gtcccagac 18600
atttcacctg aagccagcag cagtcatctt aactctctc ccttgacaat atctacacac 18660
aagaccatcg ccacacaaac aggtccttct ggggtgacat ctcttgcca actgacctg 18720
gacacatcaa ccatagccac ctacagcagga actccatcag ccagaactca ggattttgta 18780
gattcagaaa caaccagtgt catgaacaat gatctcaatg atgtgttgaa gacaagccct 18840
ttctctgcag aagaagccaa ctctctctct tctcaggcac ctctcctgt gacaacctca 18900
ccttctcctg taacttccac attgcaagag cacagtacct cctctctgt ttctgtgacc 18960
tcagtacca cccctacact ggcaagatc acagacatgg acacaaactt agaacctgtg 19020
actcgttcac ctcaaaatgt aaggaacacc ttggccactt cagaagccac cacagataca 19080
cacacaatgc atccttctat aaacacagca gtggccaatg tggggaccac cagttcacca 19140

-continued

aatgaattct attttactgt ctcacctgac tcagacccat ataaagccac atccgcagta	19200
gttatcactt ccacctcggg ggactcaata gtttccacat caatgcctag atcctctgcg	19260
atgaaaaaga ttgagtctga gacaactttc tccttgatat ttagactgag ggagactagc	19320
acctcccaga aaattggctc atcctcagac acaagcacgg tctttgacaa agcattcact	19380
gctgctacta ctgagggtctc cagaacagaa ctcacctcct ctacgagaac atccatccaa	19440
ggcactgaaa agcccacaat gtcaccggac acctccacaa gatctgtcac catgctttct	19500
acttttctg ccttgacaaa atccgaagaa aggaccattg ccacccaaac aggtcctcat	19560
agggcgacat cacagggtac ccttacctgg gacacatcaa tcacaacctc acaggcaggg	19620
acctactcag ctatgactca tggattttca caattagatt tgtccactct tacgagtaga	19680
gttctctgagt acatatcagg gacaagccca cctctgtgg aaaaaaccag ctcttcctct	19740
tccttctgt ctttaccagc aataacctca ccgtcccctg tacctactac attaccagaa	19800
agtaggcctt cttctcctgt tcatctgact tcactcccca cctctggcct agtgaagacc	19860
acagatatgc tggcatctgt ggcagttta cctccaaact tgggcagcac ctcacataag	19920
ataccgacta cttcagaaga cattaaagat acagagaaaa tgtatccttc cacaaacata	19980
gcagtaacca atgtggggac caccacttct gaaaaggaat cttattcgtc tgtccagcc	20040
tactcagaac caccctaaat cacctctcca atgggtacct cttcaacat aaggacacc	20100
attgtttcca catccatgcc tggctcctct gagattacaa ggattgagat ggagtcaaca	20160
ttctccttg ctcattgggt gaagggaacc agcacctccc aggaccccat cgtatccaca	20220
gagaaaagtg ctgtccttca caagttgacc actggtgcta ctgagacctc taggacagaa	20280
gttgccctct ctagaagaac atccattcca ggcctgac atccacaga gtcaccagac	20340
atctccactg aagtgatccc cagcctgcct atctcccttg gcattacaga atcttcaa	20400
atgaccatca tcactgaac aggtcctcct cttggctcta catcacaggg cacatttacc	20460
ttggacacac caactacatc ctccagggca ggaacacact cgatggcgac tcaggaattt	20520
ccacactcag aaatgaccac tgtcatgaac aaggaccctg agattctatc atggacaatc	20580
cctccttcta tagagaaaac cagcttctcc tcttcctga tgccttcacc agccatgact	20640
tcactcctg tttcctcaac attaccaag accattcaca ccaactcctc tcctatgacc	20700
tcactgctca cccctagcct agtgatgacc acagacacat tgggcacaag cccagaaact	20760
acaaccagtt cacctccaaa tttgagcagt acctcacatg agatactgac aacagatgaa	20820
gacaccacag ctatagaagc catgcctcct tcacaagca cagcagcgac taatgtggaa	20880
accaccagtt ctggacatgg gtcacaatcc tctgtcctag ctgactcaga aaaaaccaag	20940
gccacagctc caatggatac cacctccacc atggggcata caactgttcc cacatcaatg	21000
tctgtttcct ctgagactac aaaaattaag agagagtcaa catattcctt gactcctgga	21060
ctgagagaga ccagcatttc ccaaaatgcc agcttttcca ctgacacaag tattgttctt	21120
tcagaagtcc ccactgggtac tactgctgag gtctccagga cagaagtcac ctctctggt	21180
agaacatcca tcctggccc ttctcagtc acagttttgc cagaaatac cacaagaaca	21240
atgacaaggc tctttgcctc gccaccatg acagaatcag cagaaatgac catccccact	21300
caaacaggtc cttctgggtc tacctcacag gataccctta ccttgacac atccaccaca	21360
aagtcccagg caaagactca ttcaactttg actcagagat ttccacactc agagatgacc	21420

-continued

actctcatga gcagaggctc tggagatatg tcatggcaaa gctctccctc tctggaaaat	21480
cccagctctc tcccttccct gctgtcttta cctgccacaa cctcacctcc tccattttcc	21540
tccacattac cagtgactat ctctctctct cctcttctctg tgacttcact tctcacctct	21600
agcccggtaa cgaccacaga catgtttacac acaagcccag aacttgtaac cagttcacct	21660
ccaaagctga gccacacttc agatgagaga ctgaccactg gcaaggacac cacaaataca	21720
gaagctgtgc atccttccac aaacacagca gcgtccaatg tggagattcc cagctctgga	21780
catgaatccc ctctctctgc cttagctgac tcagagacat ccaaagccac atcaccaatg	21840
tttattacct ccaccagga ggatacaact gttgccatat caaccctca ctctctggag	21900
actagcagaa ttcagaaga gtcaatttcc tccctgagcc ctaaattgag ggagacaggc	21960
agtctctgtg agacaagctc agccatagag acaagtgtctg tctttctga agtgtccatt	22020
ggtgctacta ctgagatctc caggacagaa gtcacctctc ctagcagaac atccatctct	22080
ggttctgtctg agtcacacat gttgccagaa atatccacca caagaaaaat cattaagtcc	22140
cctacttccc ccactctggc agaatcatca gaaatgacca tcaagacca aacaagtcct	22200
cctgggtcta catcagagag tacctttaca ttagacacat caaccactcc ctctctggta	22260
ataaccatt cgactatgac tcagagattg ccacactcag agataaccac tcttgtgagt	22320
agagggtctg gggagtgtgc ccggcccagc tctctccctg tggaagaaac aagccctcca	22380
tcttcccagc tgtctttatc tgccatgac tcacctctc ctgtttcttc cacattacca	22440
gcaagtagcc actcctcttc tgettctgtg acttcacttc tcacaccagg ccaagtgaag	22500
actactgagg tgttgagcgc aagtgcagaa cctgaaacca gttcacctcc aagtttgagc	22560
agcacctcag ttgaaatact ggccacctct gaagtacca cagatacga gaaaattcat	22620
cctttctcaa acacggcagt aaccaaagtt ggaacttcca gttctggaca tgaatcccct	22680
tcctctgtcc tacctgactc agagacaacc aaagccacat cggcaatggg taccatctcc	22740
attatggggg atacaagtgt ttctacatta actcctgcct tatctaacc taggaaaatt	22800
cagtcagagc cagcttcttc actgaccacc agattgaggg agaccagcac ctctgaagag	22860
accagcttag ccacagaagc aaacactggt ctttctaaag tgtccactgg tgctactact	22920
gaggtctcca ggacagaagc catctccttt agcagaacat ccatgtcagg ccttgagcag	22980
tccacaatgt cacaagacat ctccatagga accatcccca ggatttctgc ctctctgtc	23040
ctgacagaat ctgcaaaaat gaccatcaca acccaaacag gtccttcgga gtctacacta	23100
gaaagtaccc ttaatttgaa cacagcaacc acacctctt gggtggaac ccactctata	23160
gtaattcagg gatttcaca cccagagatg accacttcca tgggcagagg tcttgaggt	23220
gtgtcatggc ctagccctcc ctttgtgaaa gaaaccagcc ctccatctc cccgtgtct	23280
ttacctgccg tgacctcacc tcactctgtt tccaccacat tctagcaca tatcccccc	23340
tctccccttc ctgtgacttc acttctcacc tctggcccg cgacaaccac agatatcttg	23400
ggtacaagca cagaacctgg aaccagttca tcttcaagtt tgagcaccac ctcccatgag	23460
agactgacca cttacaaaga cactgcacat acagaagccg tgcactctc cacaacaca	23520
ggagggacca atgtggcaac caccagctct ggatataaat cacagtctc tgccttagct	23580
gactcatctc caatgtgtac cacctccacc atgggggata caagtgtct cacatcaact	23640
cctgccttcc ttgagactag gaggattcag acagagctag ctctctccct gacccctgga	23700

-continued

ttgaggaggt ccagcggtct tgaagggacc agctcaggca ccaagatgag cactgtctct	23760
tctaaagtgc ccactggtgc tactactgag atctccaagg aagacgtcac ctccatccca	23820
ggccccgtc aatccacaat atcaccagac atctccacaa gaaccgtcag ctggttctct	23880
acatccccctg tcatgacaga atcagcagaa ataaccatga acaccatac aagtctctta	23940
ggggccacaa cacaaggcac cagtactttg gacacgtcaa gcacaacctc tttgacaatg	24000
acacactcaa ctatatctca aggattttca cactcacaga tgagcactct tatgaggagg	24060
ggctctgagg atgtatcatg gatgagccct ccccttctgg aaaaaactag acctctctt	24120
tctctgatgt cttcaccagc cacaacttca ccttctctg tttctccac attaccagag	24180
agcatctctt cctctctctt tctgtgact tctactctca cgtctggctt ggcaaaaact	24240
acagatatgt tgcacaaaag ctcagaacct gtaaccaact cacctgcaa tttgagcagc	24300
acctcagttg aaatactggc cacctctgaa gtcaccacag atacagagaa aactcatcct	24360
tcttcaaaca gaacagtgc cgatgtgggg acctccagtt ctggacatga atccacttcc	24420
tttgtcttag ctgactcaca gacatccaaa gtcacatctc caatggttat tacctccacc	24480
atggaggata cgagtgtctc cacatcaact cctggctttt ttgagactag cagaattcag	24540
acagaaccaa catctctcct gaccttgga ctgagaaaga ccagcagctc tgaggggacc	24600
agcttagcca cagagatgag cactgtcctt tctggagtgc ccactggtgc cactgctgaa	24660
gtctccagga cagaagtcac ctctctagc agaacatcca totcaggett tgetcagctc	24720
acagtgtcac cagagacttc cacagaaacc atcaccagac tccctacctc cagcataatg	24780
acagaatcag cagaaatgat gatcaagaca caaacagatc ctctgggtc tacaccagag	24840
agtactcata ctgtggacat atcaacaaca cccaactggg tagaaacca ctgactgtg	24900
actcagagat tttcacactc agagatgacc actcttgta gcagaagccc tggatgatg	24960
ttatggccta gtcaatctc tgtggaagaa accagctctg cctcttccct gctgtctctg	25020
cctgccacga cctcaccttc tctgtttcc tctacattag tagaggattt ccttccgct	25080
tctcttctg tgacttctct tctcaacct ggctggtga taaccacaga caggatgggc	25140
ataagcagag aaacctggaac cagtccact tcaaatttga gcagcactc ccatgagaga	25200
ctgaccactt tggaagacac tgtagatata gaagacatgc agccttccac acacacagca	25260
gtgaccaacg tgaggacctc catttctgga catgaatcac aatcttctgt cctatctgac	25320
tcagagacac ccaaagccac atctccaatg ggtaccacct acaccatggg ggaaacgagt	25380
gtttccatat ccacttctga cttctttgag accagcagaa ttcagataga accaacatcc	25440
tccctgactt ctggattgag ggagaccagc agctctgaga ggatcagctc agccacagag	25500
ggaagcactg tcttttctga agtgcccagt ggtgctacca ctgaggtctc caggacagaa	25560
gtgatatcct ctagggggaa atccatgtca gggcctgac agttccacct atcaccagac	25620
atctctactg aagcgatcac caggctttct acttcccca ttatgacaga atcagcagaa	25680
agtgccatca ctattgagac aggttctct ggggctacat cagagggtag cctcaccttg	25740
gacacctcaa caacaacctt ttggtcaggg acccactcaa ctgcactctc aggattttca	25800
cactcagaga tgaccactct tatgagtaga actcctggag atgtgccatg gccgagcctt	25860
ccctctgtgg aagaagccag ctctgtctct tctcactgt cttcacctgc catgacctca	25920
acttcttttt tctccacatt accagagagc atctctctct ctcctcatcc tgtgactgca	25980

-continued

cttctcacc	ttggccag	gaagaccaca	gacatgttgc	gcacaagctc	agaacctgaa	26040
accagttcac	ctccaaattt	gagcagcacc	tcagctgaaa	tattagccac	gtctgaagtc	26100
accaaagata	gagagaaaa	tcctccctcc	tcaaacacac	ctgtagtcaa	tgtagggact	26160
gtgatttata	aacatctatc	cccttctctc	gttttggtg	acttagtgac	aacaaaaccc	26220
acatctccaa	tggtaccac	ctccactctg	gggaatacaa	gtgtttccac	atcaactcct	26280
gccttcccag	aaactatgat	gacacagcca	acttctctcc	tgacttctgg	attaagggag	26340
atcagtacct	ctcaagagac	cagctcagca	acagagagaa	gtgcttctct	ttctggaatg	26400
cccactgggtg	ctactactaa	ggtctccaga	acagaagccc	tctccttagg	cagaacatcc	26460
accccaggtc	ctgctcaatc	cacaatatca	ccagaaatct	ccacggaaac	catcactaga	26520
atttctactc	ccctcaccac	gacaggatca	gcagaaatga	ccatcacccc	caaaacaggt	26580
cattctgggg	catcctcaca	aggtaccttt	accttgga	catcaagcag	agcctcctgg	26640
ccaggaactc	actcagctgc	aactcacaga	tctccacact	cagggatgac	cactcctatg	26700
agcagagggtc	ctgaggatgt	gtcatggcca	agccgccc	cagtggaaaa	aactagccct	26760
ccatcttccc	tggtgtcttt	atctgcagta	acctcacctt	cgcacttta	tccacacca	26820
tctgagagta	gccactcatc	tctctccgg	gtgacttctc	tttccacccc	tgtcatgatg	26880
aagaccacag	acatgttgga	cacaagcttg	gaacctgtga	ccacttcacc	tcccagtatg	26940
aatatcacct	cagatgagag	tctggccact	tctaaagcca	ccatggagac	agaggcaatt	27000
cagctttcag	aaaacacagc	tgtgactcag	atgggcacca	tcagcgctag	acaagaattc	27060
tattcctctt	atccaggcct	cccagagcca	tccaaagtga	catctccagt	ggtcacctct	27120
tccaccataa	aagacattgt	ttctacaacc	atacctgctt	cctctgagat	aacaagaatt	27180
gagatggagt	caacatccac	cctgaccccc	acaccaagg	agaccagcac	ctcccaggag	27240
atccactcag	ccacaaagcc	aagcactggt	ccttacaagg	cactcactag	tgccacgatt	27300
gaggactcca	tgacacaagt	catgtctctc	agcagaggac	ctagccctga	tcagtccaca	27360
atgtcacaa	acatatccac	tgaagtgtac	accaggtctc	ctacctcccc	catcaagaca	27420
gaatctacag	aaatgaccat	taccacccaa	acaggttctc	ctggggctac	atcaaggggt	27480
acccttacct	tggaaccttc	aacaactttt	atgtcaggga	ccactcaac	tgcatctcaa	27540
ggattttcac	actcacagat	gaccgtctct	atgagtagaa	ctctggaga	tgtgccatgg	27600
ctaagccatc	cctctgtgga	agaagccagc	tctgcctctt	tctcactgtc	ttcactgtc	27660
atgacctcat	cttctccctg	ttcttcacac	ttaccagaca	gcctccactc	ttcttcgctt	27720
cctgtgacat	cacttctcac	ctcagggtg	gtgaagacca	cagagctgtt	gggcacaagc	27780
tcagaacctg	aaaccagttc	ccccccaaat	ttgagcagca	cctcagctga	aatactggcc	27840
atcactgaag	tcactacaga	tacagagaaa	ctggagatga	ccaatgtggt	aacctcaggt	27900
tatacacatg	aatctctctc	ctctgtccta	gctgactcag	tgacaacaaa	ggccacatct	27960
tcaatgggta	tcacctaccc	cacaggagat	acaaatgttc	tcacatcaac	ccctgccttc	28020
tctgacacca	gtaggattca	aacaaagtca	aagctctcac	tgactcctgg	gttgatggag	28080
accagcatct	ctgaagagac	cagctctgac	acagaaaaaa	gcactgtcct	ttctagtgtg	28140
cccactgggtg	ctactactga	ggtctccagg	acagaagcca	tctcttctag	cagaacatcc	28200
atcccaggcc	ctgctcaatc	cacaatgtca	tcagacacct	ccatggaaac	catcactaga	28260

-continued

atttctaccc	ccctcacaag	gaaagaatca	acagacatgg	ccatcacccc	caaaacaggt	28320
ccttctgggg	ctacctcgca	gggtaccttt	accttggaact	catcaagcac	agcctcctgg	28380
ccaggaactc	actcagctac	aactcagaga	tttccacagt	cagtggtagac	aactcctatg	28440
agcagaggtc	ctgaggatgt	gtcatggcca	agcccgtgt	ctgtggaaaa	aaacagccct	28500
ccatcttccc	tggatatctc	atcttcagta	acctcacctt	cgccacttta	ttccacacca	28560
tctgggagta	gccactccct	tctgtccct	gtcacttctc	ttttcacctc	tatcatgatg	28620
aagggcacag	acatgttgga	tgcaagtttg	gaacctgaga	ccacttcagc	tcccaatatg	28680
aatatcacct	cagatgagag	tctggccgct	tctaaagcca	ccacggagac	agaggcaatt	28740
cacgtttttg	aaaatacagc	agcgtcccat	gtggaacca	ccagtgtac	agaggaaactc	28800
tattcctctt	ccccaggctt	ctcagagcca	acaaaagtga	tatctccagt	ggtcacctct	28860
tcctctataa	gagacaacat	ggtttccaca	acaatgcctg	gctcctctgg	cattacaagg	28920
attgagatag	agtcaatgtc	atctctgacc	cctggactga	gggagaccag	aacctcccag	28980
gacatcacct	catccacaga	gacaagcact	gtcctttaca	agatgccctc	tggtagccact	29040
cctgaggtct	ccaggacaga	agttatgcc	tctagcagaa	catccattcc	tggccctgct	29100
cagtccacaa	tgtcactaga	catctccgat	gaagttgtca	ccaggctgtc	tacctctccc	29160
atcatgacag	aatctgcaga	aataaccatc	accacccaaa	caggttattc	tctggctaca	29220
tcccaggtta	cccttcccct	gggcacctca	atgacctttt	tgtcagggac	ccactcaact	29280
atgtctcaag	gactttcaca	ctcagagatg	accaatctta	tgagcagggg	tcctgaaagt	29340
ctgtcatgga	cgagccctcg	ctttgtggaa	acaactagat	cttcctcttc	tctgacatca	29400
ttacctctca	cgacctcact	ttctcctgtg	tcctccacat	tactagacag	tagccctctc	29460
tctcctcttc	ctgtgacttc	acttatcctc	ccaggcctgg	tgaagactac	agaagtgttg	29520
gatacaagct	cagagcctaa	aaccagttca	tctccaaatt	tgagcagcac	ctcagttgaa	29580
ataccggcca	cctctgaaat	catgacagat	acagagaaaa	ttcatccttc	ctcaaacaca	29640
gcggtggcca	aagtgaggac	ctccagttct	gttcatgaat	ctcattcctc	tgtcctagct	29700
gactcagaaa	caaccataac	cataccttca	atgggtatca	cctccgctgt	ggacgatacc	29760
actgttttca	catcaaatcc	tgcttctctc	gagactagga	ggattccgac	agagccaaca	29820
ttctcattga	ctcctggatt	caggggagact	agcacctctg	aagagaccac	ctcaatcaca	29880
gaaacaagtg	cagtccttta	tggagtgtcc	actagtgtca	ctactgaagt	ctccatgaca	29940
gaaatcatgt	cctctaatag	aatacacatc	cctgactctg	atcagtcac	gatgtctcca	30000
gacatcatca	ctgaagtgat	caccaggctc	tcttctcat	ccatgatgtc	agaatcaaca	30060
caaatgacca	tcaccacca	aaaaagttct	cctgggggcta	cagcacagag	tactcttacc	30120
ttggccacaa	caacagcccc	cttggcaagg	acctactcaa	ctgttctctc	tagattttta	30180
cactcagaga	tgacaactct	tatgagttag	agtcctgaaa	atccatcatg	gaagagctct	30240
ctctttgttg	aaaaaactag	ctcttcatct	tctctgttgt	ccttacctgt	cacgacctca	30300
ccttctgttt	cttccacatt	accgcagagt	atcccttctc	cctctttttc	tgtgacttca	30360
ctcctcacc	caggcatggg	gaagactaca	gacacaagca	cagaacctgg	aaccagttta	30420
tctccaaatc	tgagtggcac	ctcagttgaa	atactggctg	cctctgaagt	caccacagat	30480
acagagaaaa	ttcatccttc	ttcaagcatg	gcagtgaacca	atgtgggaac	caccagttct	30540

-continued

ggacatgaac tatattcctc tgtttcaatc cactcggagc catccaaggc tacataccca	30600
gtgggtactc cctcttccat ggctgaaacc tctatttcca catcaatgcc tgctaatttt	30660
gagaccacag gatttgaggc tgagccatth tctcatttga cttctggatt taggaagaca	30720
aacatgtccc tggacaccag ctcagtcaca ccaacaaata caccttcttc tcttgggtcc	30780
actcaccttt tacagagttc caagactgat ttcacctctt ctgcaaaaac atcatcccca	30840
gactggcctc cagcctcaca gtatactgaa attccagtgg acataatcac cccctttaat	30900
gcttctccat ctattacgga gtccactggg ataacctcct tcccagaatc caggtttact	30960
atgtctgtaa cagaaagtac tcatcatctg agtacagatt tgctgccttc agctgagact	31020
atttccactg gcacagtgat gccttctcta tcagaggcca tgacttcatt tgccaccact	31080
ggagttccac gagccatctc aggttcaggc agtccattct ctaggacaga gtcaggccct	31140
ggggatgcta ctctgtccac cattgcagag agcctgcctt catccactcc tgtgccattc	31200
tcctcttcaa ccttactac cactgattct tcaacctcc cagccctcca tgagataact	31260
tcctcttcag ctacccata tagagtggac accagtcttg ggacagagag cagcactact	31320
gaaggacgct tgggtatggc cagtactttg gacacttcaa gccaacaggc caggacatct	31380
tcatcacca ttttgatag cagaatgaca gagagcgttg agctgggaac agtgacaagt	31440
gcttatcaag ttccttctc ctcaacacgg ttgacaagaa ctgatggcat tatggaacac	31500
atcacaaaaa taccaatga agcagcacac agaggtacca taagaccagt caaaggccct	31560
cagacatcca cttgcctgc cagtctctaa ggactacaca caggaggagc aaaaagaatg	31620
gagaccacca ccacagctct gaagaccacc accacagctc tgaagaccac ttccagagcc	31680
accttgacca ccaggtgcta tactccact ttgggaacac tgactccct caatgcatca	31740
atgcaaatgg ccagcacaat cccacagaa atgatgatca caacccata tgttttccct	31800
gatgttccag aaacgacatc ctcattggct accagcctgg gagcagaaac cagcacagct	31860
cttcccagga caacccatc tgttttcaat agagaatcag agaccacagc ctcactggtc	31920
tctcgttctg gggcagagag aagtcgggtt attcaaacct tagatgtttc ttctagttag	31980
ccagatacaa cagcttcatg ggttatccat cctgcagaga ccatcccaac tgtttccaag	32040
acaaccccca attttttcca cagtgaatta gacactgtat cttccacagc caccagtcac	32100
ggggcagacg tcagctcagc cattccaaca aatatctcac ctagtgaact agatgcaactg	32160
acccactgg tcactatttc ggggacagat actagtacaa cattccaac actgactaag	32220
tccccacatg aaacagagac aagaaccaca tggctcactc atcctgcaga gaccagctca	32280
actattccca gaacaatccc caatttttct catcatgaat cagatgccac acctcaata	32340
gccaccagtc ctggggcaga aaccagttca gctattccaa ttatgactgt ctcacctggt	32400
gcagaagatc tgggtgacctc acagggtcact agttctggga cagacagaaa tatgactatt	32460
ccaactttga ctctttctcc tgggtgaacca aagacgatag cctcattagt caccatcct	32520
gaagcacaga caagttcggc cattccaact tcaactatct cgctgctgt atcacggttg	32580
gtgacctcaa tggtcaccag tttggcggca aagacaagta caactaatcg agctctgaca	32640
aactccctg gtgaaccagc tacaacagtt tcattggtca cgcacctgc acagaccagc	32700
ccaacagttc cctggacaac ttccattttt ttccatagta aatcagacac cacaccttca	32760
atgaccacca gtcattggggc agaattccagt tcagctgttc caactccaac tgtttcaact	32820

-continued

gaggtaccag	gagtagtgac	ccctttgggc	accagttcta	gggcagtgat	cagtacaact	32880
attccaattc	tgactcttcc	tcttggtgaa	ccagagacca	caccttcaat	ggccaccagt	32940
catggggaag	aagccagttc	tgctattcca	actccaactg	tttcacctgg	ggtaccagga	33000
gtggtgacct	ctctggtcac	tagttctagg	gcagtgacta	gtacaactat	tccaattctg	33060
actttttctc	ttggtgaacc	agagaccaca	ccttcaatgg	ccaccagtca	tgggacagaa	33120
gctggctcag	ctgttccaac	tgttttacct	gaggtaccag	gaatgggtgac	ctctctggtt	33180
gctagttcta	gggcagtaac	cagtacaact	cttccaactc	tgactcttcc	tcttggtgaa	33240
ccagagacca	caccttcaat	ggccaccagt	catggggcag	aagccagctc	aactgttcca	33300
actgtttcac	ctgaggtacc	aggagtggtg	acctctctgg	tcactagtcc	tagtgagta	33360
aacagtacaa	gtattccaac	tctgattctt	tctcctgggtg	aactagaaac	cacaccttca	33420
atggccacca	gtcatggggc	agaagccagc	tcagctgttc	caactccaac	tgtttcacct	33480
ggggtatcag	gagtggtgac	ccctctgggc	actagttcca	gggcagtgac	cagtacaact	33540
attccaattc	taactcttcc	ttctagtggag	ccagagacca	caccttcaat	ggccaccagt	33600
catggggtag	aagccagctc	agctgttcta	actgtttcac	ctgaggtacc	aggaatgggtg	33660
acctctctgg	tcactagtcc	tagagcagta	accagtacaa	ctattccaac	tctgactatt	33720
tcttctgatg	aaccagagac	cacaacttca	ttggtcaccc	attctgaggc	aaagatgatt	33780
tcagccattc	caacttttag	tgctctccct	actgtacaag	ggctgggtgac	ttcactgggc	33840
actagttctg	ggtcagagac	cagtgcgttt	tcaaactctaa	ctgttgccctc	aagtcaacca	33900
gagaccatag	actcatgggt	gcctcatcct	gggacagaag	caagttctgt	tggtccaact	33960
ttgactgtct	ccactgggtg	gccgtttaca	aatatctcat	tggtcaccca	tctgcagag	34020
agtagctcaa	ctcttcccag	gacaacctca	aggttttccc	acagtgaatt	agacactatg	34080
cctttctacag	tcaccagtcc	tgaggcagaa	tcagctcag	ccatttcaac	aactatttca	34140
cctgggtatac	caggtgtgct	gacatcactg	gtcactagct	ctgggagaga	catcagtgca	34200
actttttcaa	cagtgcctga	gtccccacat	gaatcagagg	caacagcctc	atgggttact	34260
catcctgcag	tcaccagcac	aacagttccc	aggacaaccc	ctaattattc	tcatagtga	34320
ccagacacca	caccatcaat	agccaccagt	cctggggcag	aagccacttc	agattttcca	34380
acaataactg	tctcacctga	tgtaccagat	atggtaacct	cacaggtcac	tagttctggg	34440
acagacacca	gtataactat	tccaactctg	actctttctt	ctgggtgagcc	agagaccaca	34500
acctcattta	tcacctatcc	tgagacacac	acaagttcag	ccattccaac	tctcctgtc	34560
tcccctgggtg	catcaaagat	gctgacctca	ctggtcatca	gttctgggac	agacagcact	34620
acaactttcc	caacactgac	ggagacccca	tatgaaccag	agacaacagc	catacagctc	34680
attcatcctg	cagagaccaa	cacaatgggt	cccaggacaa	ctcccaagtt	ttcccatagt	34740
aagtcagaca	ccactctccc	agtagccatc	accagtcctg	ggccagaagc	cagttcagct	34800
gtttcaacga	caactatctc	acctgatatg	tcagatctgg	tgacctcact	ggtcctagt	34860
tctgggacag	acaccagtac	aaccttccca	acattgagtg	agaccccata	tgaaccagag	34920
actacagcca	cgtggctcac	tcctcctgca	gaaaccagca	caacgggttc	tgggacaatt	34980
cccaactttt	cccatagggg	atcagacact	gcacctcaa	tggtcaccag	tcttgagta	35040
gacacgaggt	caggtgttcc	aactacaacc	atcccaccca	gtataccagg	ggtagtgacc	35100

-continued

tcacaggtca	ctagttctgc	aacagacact	agtacagcta	ttccaacttt	gactcettct	35160
cctggtgaac	cagagaccac	agcctcatca	gctacccatc	ctgggacaca	gactggcttc	35220
actgttccaa	ttcggactgt	tccctctagt	gagccagata	caatggcttc	ctgggtcact	35280
catcctccac	agaccagcac	acctgtttcc	agaacaacct	ccagtttttc	ccatagtagt	35340
ccagatgcca	cacctgtaat	ggccaccagt	cctaggacag	aagccagttc	agctgtactg	35400
acaacaatct	cacctgggtgc	accagagatg	gtgacttcac	agatcactag	ttctggggca	35460
gcaaccagta	caactgttcc	aactttgact	cattctctcg	gtatgccaga	gaccacagcc	35520
ttattgagca	cccatcccag	aacagagaca	agtaaaacat	ttctgcttc	aactgtgttt	35580
cctcaagtat	cagagaccac	agcctcactc	accattagac	ctggtgcaga	gactagcaca	35640
gctctcccaa	ctcagacaac	atcctctctc	ttcacctac	ttgtaactgg	aaccagcaga	35700
gttgatctaa	gtccaactgc	ttcacctggg	gtttctgcaa	aaacagcccc	actttccacc	35760
catccaggga	cagaaaccag	cacaatgatt	ccaacttcaa	ctctttccct	tggtttacta	35820
gagactacag	gcttactggc	caccagctct	tcagcagaga	ccagcacgag	tactctaact	35880
ctgactgttt	ccctgctgt	ctctgggctt	tccagtgcct	ctataacaac	tgataagccc	35940
caaaactgtga	cctcctggaa	cacagaaaac	tcaccatctg	taacttcagt	tggaacccca	36000
gaattttcca	ggagtgtcac	aggcaccact	atgaccttga	taccatcaga	gatgccaaca	36060
ccacctaaaa	ccagtcatgg	agaaggagtg	agtccaacca	ctatcttgag	aactacaatg	36120
gttgaagcca	ctaatttagc	taccacaggt	tccagtccca	ctgtggccaa	gacaacaacc	36180
accttcaata	cactggctgg	aagcctcttt	actcctctga	ccacacctgg	gatgtccacc	36240
ttggcctctg	agagtgtgac	ctcaagaaca	agttataacc	atcggctctg	gatctccacc	36300
accagcagtt	ataaccgtcg	gtactggacc	cctgccacca	gcactccagt	gactttctaca	36360
ttctccccag	ggatttccac	atcctccatc	cccagctcca	cagcagccac	agtcccatc	36420
atggtgccat	tcacctcaa	cttcaccatc	accaacctgc	agtacgagga	ggacatgcgg	36480
caccttggtt	ccaggaagtt	caacgccaca	gagagagaac	tgcagggtct	gctcaaacc	36540
ttgttcagga	atagcagtct	ggaatactc	tattcaggct	gcagactagc	ctcactcagg	36600
ccagagaagg	atagctcagc	cacggcagtg	gatgccatct	gcacacatcg	ccctgaccct	36660
gaagacctcg	gactggacag	agagcgactg	tactgggagc	tgagcaatct	gacaaatggc	36720
atccaggagc	tgggccccta	cacctgggac	cggaaacagtc	tctatgtcaa	tggtttcacc	36780
catcgaagct	ctatgcccac	caccagcact	cctgggacct	ccacagtgga	tgtgggaacc	36840
tcagggaactc	catcctccag	ccccagcccc	acgactgctg	gccctctcct	gatgccgttc	36900
acctcaact	tcaccatcac	caacctgcag	tacgaggagg	acatgcgtcg	cactggctcc	36960
aggaagtcca	acacctgga	gagtgtcctg	cagggtctgc	tcaagccctt	gttcaagaac	37020
accagtgttg	gccctctgta	ctctggctgc	agattgacct	tgctcaggcc	cgagaaagat	37080
ggggcagcca	ctggagtggg	tgccatctgc	acccaccgcc	ttgaccccaa	aagccctgga	37140
ctcaacaggg	agcagctgta	ctgggagcta	agcaactga	ccaatgacat	tgaagagctg	37200
ggccctaca	ccctggacag	gaacagtctc	tatgtcaatg	gtttcaccca	tcagagctct	37260
gtgtccacca	ccagcactcc	tgggacctcc	acagtggatc	tcagaacctc	agggactcca	37320
tcctccctct	ccagcccccac	aattatgggt	gctggccctc	tcctgggtacc	attcaccctc	37380

-continued

aacttcacca	tcaccaacct	gcagtatggg	gaggacatgg	gtcaccctgg	ctccaggaag	37440
ttcaaacacca	cagagagggg	cctgcagggt	ctgcttggtc	ccatattcaa	gaacaccagt	37500
gttgccctc	tgtactctgg	ctgcagactg	acctctctca	ggtctgagaa	ggatggagca	37560
gccactggag	tggatgccat	ctgcatccat	catcttgacc	ccaaaagccc	tggactcaac	37620
agagagcggc	tgtactggga	gctgagccaa	ctgaccaatg	gcatacaaga	gctgggcccc	37680
tacacctgg	acaggaacag	tctctatgtc	aatggtttca	cccacggac	ctctgtgccc	37740
accagcagca	ctcctgggac	ctccacagtg	gaccttgaa	cctcagggac	tccattctcc	37800
ctcccaagcc	ccgcaactgc	tggccctctc	ctggtgctgt	tcacctcaa	cttcaccatc	37860
accaacctga	agtatgagga	ggacatgc	cgccctggct	ccaggaagtt	caacaccact	37920
gagaggggtc	tgcagactct	gcttggtcct	atgttcaaga	acaccagtgt	tggccttctg	37980
tactctggct	gcagactgac	cttgctcagg	tccgagaagg	atggagcagc	cactggagtg	38040
gatgccatct	gcacccaccg	tcttgacccc	aaaagccctg	gagtggacag	ggagcagcta	38100
tactgggagc	tgagccagct	gaccaatggc	atcaaagagc	tgggccccta	caccctggac	38160
aggaacagtc	tctatgtcaa	tggtttcacc	cattggatcc	ctgtgccac	cagcagcact	38220
cctgggacct	ccacagtgga	ccttgggtca	gggactccat	cctccctccc	cagccccaca	38280
actgctggcc	ctctcctggt	gccgttcacc	ctcaacttca	ccatcaccaa	cctgaagtac	38340
gaggaggaca	tgcattgccc	tggctccagg	aagttcaaca	ccacagagag	agtccctgcag	38400
agtctgcttg	gtcccattgt	caagaacacc	agtgttgccc	ctctgtactc	tggctgcaga	38460
ctgacctg	tcaggtccga	gaaggatgga	gcagccactg	gagtggatgc	catctgcacc	38520
caccgtcttg	accccaaaag	ccctggagtg	gacagggagc	agctatactg	ggagctgagc	38580
cagctgacca	atggcatcaa	agagctgggt	ccctacacc	tggacagaaa	cagtctctat	38640
gtcaatgggt	tcacccatca	gacctctg	cccaacacca	gcactcctgg	gacctccaca	38700
gtggaccttg	ggacctcagg	gactccatcc	tccctcccca	gccctacatc	tgtggccct	38760
ctcctggtgc	cattcacctc	caacttcacc	atcaccaacc	tgcagtacga	ggaggacatg	38820
catcacccag	gtccagga	gttcaacacc	acggagcggg	tcctgcaggg	tctgcttgg	38880
cccatgttca	agaacaccag	tgtcggcctt	ctgtactctg	gctgcagact	gaccttgctc	38940
aggcctgaga	agaatggggc	agccactgga	atggatgcca	tctgcagcca	ccgtcttgac	39000
cccaaaagcc	ctggactcaa	cagagagcag	ctgtactggg	agctgagcca	gctgacctat	39060
ggcatcaaag	agctggggccc	ctacaccctg	gacaggaaca	gtctctatgt	caatggttcc	39120
accatcgga	gctctgtggc	ccccaccagc	actcctggga	cctccacagt	ggaccttggg	39180
acctcaggga	ctccatcctc	cctcccccagc	cccacaacag	ctgttcctct	cctggtgccc	39240
ttcacctca	actttaccat	caccaatctg	cagtatgggg	aggacatg	tcacctggc	39300
tccaggaagt	tcaacaccac	agagagggtc	ctgcagggtc	tgcttggtcc	cttggtcaag	39360
aactccagt	tcggccctct	gtactctggc	tgcagactga	tctctctcag	gtctgagaag	39420
gatggggcag	ccactggagt	ggatgccatc	tgcacccacc	accttaaccc	tcaaagccct	39480
ggactggaca	gggagcagct	gtactggcag	ctgagccaga	tgaccaatgg	catcaaagag	39540
ctggggccct	acacctgga	ccggaacagt	ctctacgtca	atggtttcac	ccatcggagc	39600
tctgggctca	ccaccagcac	tccttggact	tccacagttg	accttgaac	ctcagggact	39660

-continued

ccatcccccg	tccccagccc	cacaaccacc	ggccctctcc	tggtgccatt	cacactcaac	39720
ttcaccatca	ctaacctaca	gtatgaggag	aacatgggtc	accctggctc	caggaagttc	39780
aacatcacgg	agagtgttct	gcagggtctg	ctcaagccct	tgttcaagag	caccagtgtt	39840
ggccctctgt	attctggctg	cagactgacc	ttgctcaggc	ctgagaagga	tggagtagcc	39900
accagagtgg	acgccatctg	caccaccgcg	cctgacccca	aatccctgg	gctagacaga	39960
cagcagctat	actgggagct	gagccagctg	accacagca	tactgagct	gggaccctac	40020
accctggata	gggacagtct	ctatgtcaat	ggtttcaccc	agcggagctc	tgtgccccacc	40080
accagcactc	ctgggacttt	cacagtacag	ccggaacct	ctgagactcc	atcatccctc	40140
cctggcccca	cagccactgg	ccctgtcctg	ctgccattca	ccctcaattt	taccatcaact	40200
aacctgcagt	atgaggagga	catgcgtcgc	cctggctcca	ggaagttcaa	caccacggag	40260
agggtccttc	agggtctgct	tatgcccttg	ttcaagaaca	ccagtgtcag	ctctctgtac	40320
tctggttgca	gactgacctt	gctcaggcct	gagaaggatg	gggcagccac	cagagtggat	40380
gctgtctgca	cccacgtccc	tgaccccaaa	agccctggac	tggacagaga	gcggctgtac	40440
tggaagctga	gccagctgac	ccacggcatc	actgagctgg	gccctacac	cctggacagg	40500
cacagtctct	atgtcaatgg	tttcacccat	cagagctcta	tgacgaccac	cagaactcct	40560
gatacctcca	caatgcacct	ggcaacctcg	agaactccag	cctccctgtc	tggacccatg	40620
accgccagcc	ctctcctggt	gctattcaca	attaacttca	ccatcactaa	cctgcggtat	40680
gaggagaaca	tgcatacccc	tggtctctaga	aagttaaaca	ccacggagag	agtccttcag	40740
ggtctgtctc	ggcctgtgtt	caagaacacc	agtgttgccc	ctctgtactc	tggtctgcaga	40800
ctgaccttgc	tcaggcccaa	gaaggatggg	gcagccacca	aagtggatgc	catctgcacc	40860
taccgccctg	atccccaaaag	ccctggactg	gacagagagc	agctatactg	ggagctgagc	40920
cagctgaccc	acagcatcac	tgagctgggc	ccctacaccc	tggacaggga	cagtctctat	40980
gtcaatgggt	tcacacagcg	gagctctgtg	cccaccacta	gcattcctgg	gacccccaca	41040
gtggacctgg	gaacatctgg	gactccagtt	tctaaacctg	gtccctcggc	tgccagccct	41100
ctcctggtgc	tattcactct	caacttcacc	atcaccaacc	tgccggtatga	ggagaacatg	41160
cagcacccctg	gctccaggaa	gttcaacacc	acggagaggg	tccttcaggg	cctgctcagg	41220
tcctctgtca	agagcaccag	tgttgccctc	ctgtactctg	gctgcagact	gactttgtctc	41280
aggcctgaaa	aggatggggc	agccactgga	gtggatgcca	tctgcaccca	ccacctgac	41340
cccaaaagcc	ctaggctgga	cagagagcag	ctgtattggg	agctgagcca	gctgacccac	41400
aatatcactg	agctggggccc	ctatgccctg	gacaacgaca	gcctctttgt	caatggtttc	41460
actcatcgga	gctctgtgtc	caccaccagc	actcctggga	ccccacagt	gtatctggga	41520
gcatactaaga	ctccagcctc	gatatattggc	ccttcagctg	ccagccatct	cctgatacta	41580
ttcaccctca	acttcaccat	cactaacctg	cggtatgagg	agaacatgtg	gcctggctcc	41640
aggaagtcca	acactacaga	gagggtcctt	cagggcctgc	taaggccctt	gttcaagaac	41700
accagtgttg	gcctctgtga	ctctggtctg	aggctgacct	tgtcaggcc	agagaaagat	41760
ggggaagcca	ccggagtggg	tgccatctgc	accacccgc	ctgacccac	aggccctggg	41820
ctggacagag	agcagctgta	tttgagctg	agccagctga	cccacagcat	cactgagctg	41880
ggcccttaca	cactggacag	ggacagtctc	tatgtcaatg	gtttcaccca	tcggagctct	41940

-continued

```

gtacccacca ccagcaccgg ggtgggcagc gagagagccat tcacactgaa cttcaccatc 42000
aacaacctgc gctacatggc ggacatgggc caacccggct cctcaagtt caacatcaca 42060
gacaacgtca tgcagcacct gctcagtcct ttgttccaga ggagcagcct gggtgacacg 42120
tacacaggct gcaggggtcat cgcactaagg tctgtgaaga acggtgctga gacacgggtg 42180
gacctctctt gcacctacct gcagcccctc agcggcccag gtctgcctat caagcagggtg 42240
ttccatgagc tgagccagca gacctatggc atcacccggc tgggccccta ctctctggac 42300
aaagacagcc tctaccttaa cggttacaat gaacctggtc cagatgagcc tcctacaact 42360
cccaagccag ccaccacatt cctgcctcct ctgtcagaag ccacaacagc catgggggtac 42420
cacctgaaga cctcacact caacttcacc atctccaato tcacgtattc accagatatg 42480
ggcaagggct cagctacatt caactccacc gaggggggtcc ttcagcacct gctcagaccc 42540
ttgttccaga agagcagcat gggccccttc tacttgggtt gccaaactgat ctccctcagg 42600
cctgagaagg atggggcagc cactgggtgtg gacaccacct gcacctacca cctgacct 42660
gtggggcccg ggctggacat acagcagctt tactgggagc tgagtcagct gacctatggt 42720
gtcacccaac tgggcttcta tgtcctggac agggatagcc tcttcacaa tggctatgca 42780
ccccagaatt tatcaatccg gggcgagtac cagataaatt tcacattgt caactggaac 42840
ctcagtaatc cagacccacc atctcagag tacatcaccc tgctgaggga catccaggac 42900
aaggtcacca cactctacaa aggcagtc aa ctacatgaca cattccgctt ctgcctggtc 42960
accaacttga cgatggactc cgtgttggtc actgtcaagg cattgttctc ctccaatttg 43020
gacccagacc tgggtggagc agtctttcta gataagaccc tgaatgcctc attccattgg 43080
ctgggctcca cctaccagtt ggtggacatc catgtgacag aaatggagtc atcagtttat 43140
caaccaacaa gcagctccag caccagcac ttctacctga atttcacat caccaacct 43200
ccatattccc aggacaaaag ccagccaggc accaccaatt accagaggaa caaaaggat 43260
attgaggatg cgctcaacca actcttccga aacagcagca tcaagagtta tttttctgac 43320
tgtcaagttt caacattcag gtctgtcccc aacaggcacc acaccggggt ggactccctg 43380
tgtaacttct cgccactggc tcggagagta gacagagttg ccatctatga ggaatttctg 43440
cggatgaccc ggaatggtag ccagctgcag aacttcaccc tggacaggag cagtgtcctt 43500
gtggatgggt attctcccaa cagaaatgag cccttaactg ggaattctga ccttcccttc 43560
tgggctgtca tcctcatcgg cttggcagga ctctgggag tcacacatg cctgatctgc 43620
gggtgctctg tgaccacccg ccggcggaag aaggaaggag aataaacgt ccagcaacag 43680
tgcccaggct actaccagtc acacctagac ctggaggatc tgcaatgact ggaacttgcc 43740
ggtgccctgg gtgcctttcc ccagccagg gtccaagaa gcttggctgg ggcagaaata 43800
aaccatattg gtcgga 43816

```

<210> SEQ ID NO 59

<211> LENGTH: 267

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 59

```

Met Arg Leu Thr Val Leu Cys Ala Val Cys Leu Leu Pro Gly Ser Leu
1           5           10          15

```

-continued

Ala	Leu	Pro	Leu	Pro	Gln	Glu	Ala	Gly	Gly	Met	Ser	Glu	Leu	Gln	Trp
		20						25					30		
Glu	Gln	Ala	Gln	Asp	Tyr	Leu	Lys	Arg	Phe	Tyr	Leu	Tyr	Asp	Ser	Glu
		35					40					45			
Thr	Lys	Asn	Ala	Asn	Ser	Leu	Glu	Ala	Lys	Leu	Lys	Glu	Met	Gln	Lys
	50					55					60				
Phe	Phe	Gly	Leu	Pro	Ile	Thr	Gly	Met	Leu	Asn	Ser	Arg	Val	Ile	Glu
65					70					75				80	
Ile	Met	Gln	Lys	Pro	Arg	Cys	Gly	Val	Pro	Asp	Val	Ala	Glu	Tyr	Ser
			85						90					95	
Leu	Phe	Pro	Asn	Ser	Pro	Lys	Trp	Thr	Ser	Lys	Val	Val	Thr	Tyr	Arg
		100					105						110		
Ile	Val	Ser	Tyr	Thr	Arg	Asp	Leu	Pro	His	Ile	Thr	Val	Asp	Arg	Leu
	115						120					125			
Val	Ser	Lys	Ala	Leu	Asn	Met	Trp	Gly	Lys	Glu	Ile	Pro	Leu	His	Phe
	130				135						140				
Arg	Lys	Val	Val	Trp	Gly	Thr	Ala	Asp	Ile	Met	Ile	Gly	Phe	Ala	Arg
145				150					155					160	
Gly	Ala	His	Gly	Asp	Ser	Tyr	Pro	Phe	Asp	Gly	Pro	Gly	Asn	Thr	Leu
			165						170					175	
Ala	His	Ala	Phe	Ala	Pro	Gly	Thr	Gly	Leu	Gly	Gly	Asp	Ala	His	Phe
		180						185					190		
Asp	Glu	Asp	Glu	Arg	Trp	Thr	Asp	Gly	Ser	Ser	Leu	Gly	Ile	Asn	Phe
	195						200					205			
Leu	Tyr	Ala	Ala	Thr	His	Glu	Leu	Gly	His	Ser	Leu	Gly	Met	Gly	His
	210				215						220				
Ser	Ser	Asp	Pro	Asn	Ala	Val	Met	Tyr	Pro	Thr	Tyr	Gly	Asn	Gly	Asp
225				230					235					240	
Pro	Gln	Asn	Phe	Lys	Leu	Ser	Gln	Asp	Asp	Ile	Lys	Gly	Ile	Gln	Lys
		245						250						255	
Leu	Tyr	Gly	Lys	Arg	Ser	Asn	Ser	Arg	Lys	Lys					
		260					265								

<210> SEQ ID NO 60

<211> LENGTH: 1147

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 60

accaaatacaa ccataggtcc aagaacaatt gtctctggac ggcagctatg cgactcaccg	60
tgctgtgtgc tgtgtgectg ctgcctggca gcttgccct gccgctgcct caggaggcgg	120
gaggcatgag tgagctacag tgggaacagg ctcaggacta totcaagaga ttttatctct	180
atgactcaga aacaaaaaat gccaacagtt tagaagccaa actcaaggag atgcaaaaat	240
tctttggcct acctataact ggaatgttaa actcccgcgt catagaaata atgcagaagc	300
ccagatgtgg agtgccagat gttgcagaat actcactatt tccaaatagc ccaaaatgga	360
cttccaaagt ggtaacctac aggatcgtat catatactcg agacttacg catattacag	420
tggatcgatt agtgtaaaag gctttaaaca tgtggggcaa agagatcccc ctgcatttca	480
ggaaagtgtg atggggaact gctgacatca tgattggctt tgcgcgagga gctcatgggg	540
actcctaccc atttgatggg ccaggaaaca cgctggctca tgcctttgcg cctgggacag	600

-continued

```

gtctcggagg agatgctcac ttcgatgagg atgaacgctg gacggatggt agcagtctag    660
ggattaactt cctgtatgct gcaactcatg aacttggcca ttctttgggt atgggacatt    720
cctctgatcc taatgcagtg atgtatccaa cctatggaaa tggagatccc caaaatttta    780
aactttccca ggatgatatt aaaggcattc agaaactata tggaaagaga agtaattcaa    840
gaaagaaata gaaacttcag gcagaacatc cattcattca ttcattggat tgtatatcat    900
tggtgcacaa tcagaattga taagcactgt tcctccactc catttagcaa ttatgtcacc    960
cttttttatt gcagttgggt tttgaatgtc tttcactcct ttaagagata aactccttta  1020
tggtgtgact gtgtcttatt catctatact tgcagtgggt agatgtcaat aaatgttaca  1080
tacacaaata aataaaatgt ttattccatg gtaaatttaa aaaaaaaaaa aaaaaaaaaa  1140
aaaaaaaaa                                     1147

```

<210> SEQ ID NO 61

<211> LENGTH: 227

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 61

```

Met Asn Ile Lys Gly Ser Pro Trp Lys Gly Ser Leu Leu Leu Leu Leu
1           5           10          15

Val Ser Asn Leu Leu Leu Cys Gln Ser Val Ala Pro Leu Pro Ile Cys
          20          25          30

Pro Gly Gly Ala Ala Arg Cys Gln Val Thr Leu Arg Asp Leu Phe Asp
          35          40          45

Arg Ala Val Val Leu Ser His Tyr Ile His Asn Leu Ser Ser Glu Met
          50          55          60

Phe Ser Glu Phe Asp Lys Arg Tyr Thr His Gly Arg Gly Phe Ile Thr
          65          70          75          80

Lys Ala Ile Asn Ser Cys His Thr Ser Ser Leu Ala Thr Pro Glu Asp
          85          90          95

Lys Glu Gln Ala Gln Gln Met Asn Gln Lys Asp Phe Leu Ser Leu Ile
          100         105         110

Val Ser Ile Leu Arg Ser Trp Asn Glu Pro Leu Tyr His Leu Val Thr
          115         120         125

Glu Val Arg Gly Met Gln Glu Ala Pro Glu Ala Ile Leu Ser Lys Ala
          130         135         140

Val Glu Ile Glu Glu Gln Thr Lys Arg Leu Leu Glu Gly Met Glu Leu
          145         150         155         160

Ile Val Ser Gln Val His Pro Glu Thr Lys Glu Asn Glu Ile Tyr Pro
          165         170         175

Val Trp Ser Gly Leu Pro Ser Leu Gln Met Ala Asp Glu Glu Ser Arg
          180         185         190

Leu Ser Ala Tyr Tyr Asn Leu Leu His Cys Leu Arg Arg Asp Ser His
          195         200         205

Lys Ile Asp Asn Tyr Leu Lys Leu Leu Lys Cys Arg Ile Ile His Asn
          210         215         220

Asn Asn Cys
225

```

<210> SEQ ID NO 62

<211> LENGTH: 1388

-continued

<212> TYPE: DNA

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 62

```

gggatcctta ttctatatct cttggtatct agtgtaaaaa ttttaaaatc tttacctagc    60
aatcttgagg aagaaacttg ataactgata atacatgaga ttgttaccta agtgaaatat    120
aatcctatat attcaacaaa ctttagagaa ataagataaa ttttaaagta aatgacttct    180
gtagttttat agatcctcca aaccaatcta gtctcagatc tcaccttcat cattttctct    240
atttcctttt ggctaatta atcaaaatcc ttcttagaat gttcatttct ggccagtatg    300
tcttcctgaa tatgaataag aaataaaata ccatttgatg tttgaaatta tgggggtaat    360
ctcaatgacg gaaatagatg accaggaaaa gggaaacgaa tgcctgattc attatatcca    420
tgaagatata aaaggtttat aaagccaata tctgggaaag agaaaaccgt gagacttcca    480
gatcttctct ggtgaagtgt gtttcctgca acgatcacga acatgaacat caaaggatcg    540
ccatggaaag ggtccctcct gctgctgctg gtgtcaaacc tgctcctgtg ccagagcgtg    600
gcccccttgc ccattctgtc cggcgggggt gcccgatgcc aggtgaccct tcgagacctg    660
tttgaccgcg ccgtcgtcct gtcccactac atccataacc tctcctcaga aatgttcage    720
gaattcgata aacggtatac ccatggccgg ggggttcatta ccaaggccat caacagctgc    780
cacacttctt ccttggccac ccccgaagac aaggagcaag cccaacagat gaatcaaaaa    840
gactttctga gcctgatagt cagcatattg cgatcctgga atgagcctct gtatcatctg    900
gtcacggaag tacgtggtat gcaagaagcc ccggaggcta tcctatccaa agctgtagag    960
attgaggagc aaaccaaagc gcttctagag ggcattggagc tgatagtcag ccaggttcat   1020
cctgaaacca aagaaaatga gatctaccct gtctggctcg gacttccatc cctgcagatg   1080
gctgatgaag agtctcgctt ttctgcttat tataacctgc tccactgcct acgcagggat   1140
tcacataaaa tcgacaatta tctcaagctc ctgaagtgcc gaatcatcca caacaacaac   1200
tgctaagccc acatccattt catctatttc tgagaaggtc cttaatgata cgttccattg   1260
caagcttctt ttagttgtat ctcttttgaa tccatgcttg ggtgtaacag gtctcctctt   1320
aaaaataaaa aactgactcc ttagagacat caaaatccaa aaaaaaaaaa aaaaaaaaaa   1380
aaaaaaaaa                                     1388

```

<210> SEQ ID NO 63

<211> LENGTH: 132

<212> TYPE: PRT

<213> ORGANISM: Homo sapiens

<400> SEQUENCE: 63

```

Met Lys Ser Ser Gly Leu Phe Pro Phe Leu Val Leu Leu Ala Leu Gly
1           5           10          15

Thr Leu Ala Pro Trp Ala Val Glu Gly Ser Gly Lys Ser Phe Lys Ala
          20          25          30

Gly Val Cys Pro Pro Lys Lys Ser Ala Gln Cys Leu Arg Tyr Lys Lys
          35          40          45

Pro Glu Cys Gln Ser Asp Trp Gln Cys Pro Gly Lys Lys Arg Cys Cys
          50          55          60

Pro Asp Thr Cys Gly Ile Lys Cys Leu Asp Pro Val Asp Thr Pro Asn
65          70          75          80

```

-continued

Pro	Thr	Arg	Arg	Lys	Pro	Gly	Lys	Cys	Pro	Val	Thr	Tyr	Gly	Gln	Cys
				85					90					95	
Leu	Met	Leu	Asn	Pro	Pro	Asn	Phe	Cys	Glu	Met	Asp	Gly	Gln	Cys	Lys
			100					105					110		
Arg	Asp	Leu	Lys	Cys	Cys	Met	Gly	Met	Cys	Gly	Lys	Ser	Cys	Val	Ser
		115					120					125			
Pro	Val	Lys	Ala												
	130														

<210> SEQ ID NO 64
 <211> LENGTH: 598
 <212> TYPE: DNA
 <213> ORGANISM: Homo sapiens

 <400> SEQUENCE: 64

cagagtcact cctgccttca ccatgaagtc cagcggcctc tcccccttcc tgggtgtgct	60
tgccctggga actctggcac cttgggctgt ggaaggctct ggaaagtcct tcaaagctgg	120
agtctgtcct cctaagaaat ctgcccagtg ccttagatac aagaaacctg agtgccagag	180
tgactggcag tgtccaggga agaagagatg ttgtcctgac acttgtggca tcaaatgcct	240
ggatcctgtt gacaccccaa acccaacaag gaggaagcct gggaaagtgc cagtgactta	300
tggccaatgt ttgatgetta acccccccaa tttctgtgag atggatggcc agtgcaagcg	360
tgacttgaag tgttgcatgg gcatgtgtgg gaaatcctgc gtttccctg tgaaagcttg	420
attcctgcca tatggaggag gctctggagt cctgctctgt gtggtccagg tcctttccac	480
cctgagactt ggctccacca ctgatatact cctttgggga aaggcttggc acacagcagg	540
ctttcaagaa gtgccagttg atcaatgaat aaataaacga gcctatttct ctttgcac	598

That which is claimed:

1. A single-step screening method for identifying patients with an increased likelihood of having ovarian cancer, the method comprising detecting the expression level of two biomarker proteins in a body sample, wherein the biomarker proteins are HE4 and CA125, and wherein overexpression of at least one of the biomarker proteins is indicative of the patient having an increased likelihood of having ovarian cancer.

2. The method of claim 1, wherein the body sample is a blood or serum sample.

3. The method of claim 1, wherein the expression level of each of the two biomarker proteins is compared to the expression level of each of the two biomarker proteins in a normal patient population.

4. The method of claim 1, wherein expression of the two biomarker proteins is detected using at least one antibody that specifically binds to HE4 and at least one antibody that specifically binds to CA125.

5. The method of claim 4, wherein expression of the two biomarker proteins is detected using an ELISA format or a multiplex bead-based immunoassay.

6. The method of claim 1, wherein the screening method is performed in an automated, semi-automated, or manual fashion.

7. The method of claim 1, wherein the method is used to detect early-stage ovarian cancer.

8. The method of claim 1, wherein the patients screened in accordance with the method of claim 1 are asymptomatic and have a family history of ovarian cancer or clinical risk factors indicating a high-risk for developing ovarian cancer.

9. The method of claim 1, wherein the screening method is performed in a population of post-menopausal female patients.

10. The method of claim 1, wherein patients identified as having an increased likelihood of having ovarian cancer are further subjected to additional diagnostic testing to determine if the patient has ovarian cancer, wherein the additional diagnostic testing is selected from the group consisting of pelvic examination, transvaginal ultrasound, CT scan, MRI, laparotomy, laparoscopy, and tissue sample biopsy.

11. The method of claim 10, wherein patients identified as having an increased likelihood of having ovarian cancer that are determined not to currently have ovarian cancer are further monitored on a regular basis for the development of ovarian cancer.

12. The method of claim 1, wherein the sensitivity of the screening method for identifying patients with an increased likelihood of having ovarian cancer is at least 75%.

13. The method of claim 1, wherein the specificity of the screening method for identifying patients with an increased likelihood of having ovarian cancer is at least 75%.

* * * * *

专利名称(译)	用于鉴定患有卵巢癌的可能性增加的方法及其组合物		
公开(公告)号	US20090075307A1	公开(公告)日	2009-03-19
申请号	US12/261330	申请日	2008-10-30
申请(专利权)人(译)	TRIPATH IMAGING , INC.		
当前申请(专利权)人(译)	TRIPATH IMAGING , INC.		
[标]发明人	FISCHER TIMOTHY J MALINOWSKI DOUGLAS P HE QIN WHITEHEAD CLARK M CHEEK ROBERT L GROELKE JOHN W		
发明人	FISCHER, TIMOTHY J. MALINOWSKI, DOUGLAS P. HE, QIN WHITEHEAD, CLARK M. CHEEK, ROBERT L. GROELKE, JOHN W.		
IPC分类号	G01N33/53 C12Q1/02 G01N33/68 G01N33/536		
CPC分类号	G01N33/57449		
优先权	60/762760 2006-01-27 US		
外部链接	Espacenet USPTO		

摘要(译)

提供了用于鉴定患有卵巢癌的可能性增加患者的筛选方法。筛选方法涉及检测样品中多种生物标志物的表达，其中生物标志物的过表达指示患卵巢癌的可能性增加。筛选方法可以进一步包括两步分析。感兴趣的生物标志物包括基因和蛋白质，其例如涉及DNA复制/细胞周期控制，细胞生长和增殖中的缺陷，逃避细胞凋亡，血管生成或淋巴发生，或癌细胞运动和侵袭的机制。在本发明的一些方面，使用生物标志物特异性抗体在蛋白质水平检测生物标志物的表达，或使用核酸杂交技术在核酸水平检测生物标志物的表达。本文进一步公开了用于检测患者的卵巢癌的方法。进一步提供了用于实施本发明方法的试剂盒。

